

Project Gutenberg's Let's collect rocks & shells, by Shell Oil Company

Copyright laws are changing all over the world. Be sure to check the copyright laws for your country before downloading or redistributing this or any other Project Gutenberg eBook.

This header should be the first thing seen when viewing this Project Gutenberg file. Please do not remove it. Do not change or edit the header without written permission.

Please read the "legal small print," and other information about the eBook and Project Gutenberg at the bottom of this file. Included is important information about your specific rights and restrictions in how the file may be used. You can also find out about how to make a donation to Project Gutenberg, and how to get involved.

****Welcome To The World of Free Plain Vanilla Electronic Texts****

****eBooks Readable By Both Humans and By Computers, Since 1971****

*******These eBooks Were Prepared By Thousands of Volunteers!*******

Title: Let's collect rocks & shells

Author: Shell Oil Company

Release Date: December, 2003 [Etext #4768]
[Yes, we are more than one year ahead of schedule]
[This file was first posted on March 15, 2002]

Edition: 10

Language: English

Character set encoding: ASCII

***** START OF THE PROJECT GUTENBERG ETEXT LET'S COLLECT ROCKS & SHELLS *****

This etext was produced by Justin (dopefish_justin@yahoo.com).

CONTENTS

COLLECTING SEASHELLS
SEASHELLS. . .WHAT ARE THEY?
THE SHELL AS AN ARCHITECT
LET'S MEET SOME SHELLS
WHERE TO LOOK
STARTING A COLLECTION. . .HERE'S HOW
COLLECTING ROCKS
ROCKS ARE MADE OF MINERALS
MAIN KINDS OF ROCKS
COLLECTING
GEMS FOR THE LUCKY FEW

INTRODUCTION

Millions of people throughout the world have found many hours of pleasure, adventure and education by collecting either rocks or shells.

This booklet won't tell you everything there is to know about rocks and shells. That would require many large volumes. We only want to arouse your curiosity about two delightful pastimes that are so broad and varied that they can lead to a career or a satisfying hobby.

Shell Oil Company's interest in the subjects comes from its history and the nature of its business. The name--chosen by a company that was founded years before anyone thought of drilling for oil--comes from the seashells this company brought from the Orient for use in mother-of-pearl items such as buttons and knife handles.

Now its world-famous emblem (the Pecten) is recognized by millions of people in every walk of life. It's on service stations, trucks, buildings, oil derricks and chemical plants. Even the company's industrial lubricants are named for shells because shells have the same scientific names everywhere in the world.

For an oil company, rocks have a special interest. Crude oil is found not in underground lakes or pools but in the tiny spaces between grains of sand or in the pores of rocks. Only certain types of rock formations are favorable to the accumulation of oil. Thus, oilmen need to know everything they can about the right kind of rocks.

Shell has scientists who work with rocks all day and laboratories filled with rock, mineral and crystal specimens. We are always learning new things about them.

The pages that follow provide basic information about two subjects that can be richly rewarding whether you follow them for profit, as Shell does, or for pleasure, as millions of people around the world do.

SEASHELLS. . .WHAT ARE THEY?

First, a seashell is one of the 100,000 species of backboneless animals belonging to the zoological group known as the Mollusca. Mollusks include not only the familiar clams, scallops and snails, but also the squids, octopus and Chambered Nautilus. Other "shells" found in the ocean include those of crabs, lobsters, barnacles and sea urchins.

True molluscan shells come in two main varieties: BIVALVES and UNIVALVES. Bivalves have two valves, fitting together along a toothed hinge on one side, and kept closed by means of ADDUCTOR MUSCLES. Univalves have only one shell, usually coiled, but sometimes shaped like a cap or miniature volcano. Some marine univalves can seal themselves inside with an operculum, which covers the open end of the shell like a trap door. Although shells take on many different shapes, they are much alike inside. Each has a foot, a breathing siphon, a tiny brain and heart, and a fleshy mantle which secretes lime for shell-building. Most true mollusks have eyes, but a few are blind. Many have teeth, called RADULAE.

Like any other animal, the mollusk generally moves about. It pushes along on the ocean floor on its foot, or it might swim a little. It lays millions of eggs and hatches countless baby mollusks. It lives its life in its shell, lugging it around, snuggling into it when alarmed, burrowing into mud, fastening itself to a rock and creating ingenious camouflage. It builds its calcareous house with a great instinctive talent for color and sculpture. . .and the closer it lives to the tropical zones, the more beautifully spectacular is its art.

The two parts of a bivalve shell are like thin saucers, concave inside, convex outside. The inside is smooth, polished. The outside is rougher, sometimes with graceful ribs or concentric ridges or combinations of both. Univalves are conical and spiraling, with a series of whorls coming down like widening steps from the tiny nucleus on top. Univalves may have spines on their shoulders. The opening, called the aperture, has a delicate right-hand rim called the lip and a heavy, left-hand edge called the columella.

[figure captions]

BIVALVE'S anatomy: a) foot, b) adductor muscles, c) gills, d) hinge, e) adductor muscles, f) siphon, g) stomach, h) mantle. Oysters, clams, mussels all have them.

UNIVALVE'S anatomy: As before, a) foot, b) siphon, c) mantle, but also d) operculum. Univalves include whelks, winkles, conchs.

Chambered nautilus is brother to the octopus, but he wears his castle permanently--and on the outside.

THE SHELL AS AN ARCHITECT. . .HOW DOES HE DO IT?

Picture a vast undersea factory with billions of shells in constant production. Each is made slowly and entirely of lime which the little animal inside extracts from its food, almost from the first day of its life. Each shell builder flawlessly follows the shape and design of the species to which it belongs.

All these sea animals come from eggs, all different according to species, but all laid in measureless abundance--sometimes released into the open sea, sometimes protected in homemade nests, sometimes encased in capsules strung like beads. Hatched, most baby mollusks swim freely for a while, their tiny, transparent bodies almost invisible to the naked eye. Then they start building a heavier shell and sink to the bottom.

Each shell's mantle contains a network of microscopic tubes. Each tube secretes a tiny amount of lime which instantly adheres to the shell. The animal builds his shell to the proper size and thickness and determines its ridges and whorls. Some kinds of shells take two to five years to reach maturity. Others keep growing all their lives. Color tubes are spaced like holes on a player piano roll allowing pigments to tint the shell at the right spots in the growing design. Many shells are covered with a self-made brown sheath, the PERIOSTRACUM.

[figure captions]

Most shells don't change basic structure as they grow. Young COWRIES (l.), however, alter greatly in maturity (r.).

Tough, lozenge-shaped egg cases on this string hatch baby WHELKS like ones shown.

Newborn mollusks are usually free swimming, moved by hairs. Shell is there, but transparent for a few days.

LET'S MEET SOME SHELLS

Latin abounds in conchology, as you've already noticed. Why? Well, because this is a hobby and science that spans the world. Englishmen, Frenchmen, Greeks and Indians all have their own local names for shells. But scientists everywhere give things in nature Latin names. Shells of the same sort carry the same Latin label on every beach in every sea. Much of the fascination of shell collecting is learning these names and how they were derived. . . for shells have been named for almost everything. We can't catalog 100,000 species here, but let's call off the names of a few of the interesting specimens you might come across.

Many shells have wonderfully descriptive names. For example, there's ARCA ZEBRA, which has stripes and looks like a miniature turkey wing and is commonly called Turkey Wing. Then there's a scallop called the Lion's Paw; NERITA PELORONTA, or Bleeding Tooth; and CYPRAEA CERVINETTA, "little deer cowrie" which resembles a spotted fawn. (Cowrie is a common name for a kind of shell used as money in parts of Africa and Asia.)

There are shells named for people: CONUS JULIAE ("Julia's cone shell"), PLEUROTOMELLA JEFFREYSII ("Jeffrey's Pleurotomella"), and ACLIS WALLERI ("Waller's Aclis"). Many are named for the place they were first discovered: UROSALPINX TAMPAENSIS, Tampa Drill; and IPHIGENIA BRASILIANA, Brazil Clam.

Some shells take their names from flowers: FASCIOLARIA TULIPA, Tulip Shell. Many get named from mammals--not always too accurately. CYPRAEA TIGRIS and CYPRAEA ZEBRA both have spots, not stripes. But CYPRAEA TALPA ("mole cowrie") does look a lot like a mole. Then there's (let's skip the Latin this time) Magpie Shell, Mottled Dove Shell, Mouse Cone, Horse Conch, Checkered Pheasant, and Cuban Frog Shell. There's mythology: Venus, Neptunea, Pandora, Tritonis. Music: Buccinum ("trumpet"), Citharas ("guitar"), Harpa. Religion is represented, too. In the genus MITRA are species PONTIFICALIS, EPISCOPALIS, PAPALIS, and PATRIARCHALIS. Some other fanciful names are: Great Heart, Jewel, Box, Rising Sun, Checkerboard, Wood Louse, Writhing Shell, Sundial, Key-Hole Limpet, Red Turban, and Black Lace Murex. And that's where we stop and draw breath. You'll find others--there are literally thousands more!

You've got to be a detective. These little animals are the natural food for many of the larger undersea creatures, so one of their greatest talents is hiding. Approaching danger, whether from octopus, fish or man, arouses caution in a small mollusk and it becomes as inconspicuous as it can. This can be pretty inconspicuous, as the novice conchologist learns early in his search.

REMEMBER - by all means, don't be a landlubber. Get into the water. No matter whether you go shelling up North, down South, in the West or in the Tropics, you won't get any satisfaction (or value) from collecting dead shells washed up on a beach. To build a good collection, you should take your mollusks alive, then clean and prepare them yourself. (More about that later.) You won't find live ones unless you go where they live.

[figure captions]

CONUS SPURIUS
"ALPHABET CONE"

CYRTOPLEURA COSTATA
"ANGEL WING"

TEREBRADISLOCATA
"ATLANTIC AUGER"

MUREX DILECTUS
"LACE MUREX"

EPITONIUM HUMPHREYSI
"HUMPHREY'S WENTLETRAP"

LYROPECTEN NODOSUS
"LION'S PAW"

FASCIOLARIA DISTANS
"BANDED TULIP"

DIODORA CAYENENSIS
"KEYHOLE LIMPET"

ANATINA PLICATELLA
"CHANNELED DUCK"

WHERE TO LOOK*

Many shells are endowed with perfect camouflage. The colorful seafans off Florida are hiding places for the SIMNIA whose long purple or yellow shells, clinging to sea fans and matching perfectly in color, are nearly indiscernible. Other shells create disguises as they go along. In Florida waters, a pile of dead and broken shells may be worth investigation: XENOPHORA CONCHYLIOPHORA ("carrier shell") might be under it; it cements the old, discarded shells to its own. Northern tide pools accommodate many kinds of

LITTORINA ("periwinkles"). These pretty little shells, in shades from yellow to brown, are well concealed among the dimly-lit seaweed. Along any rocky shore, limpets grow as wide as two inches but remain hard to find. Their turtleback shells, covered with moss, look just like rocks, and they stick so tightly to the big stones that--even when they are seen--they can scarcely be pried loose.

Abundant on wave-washed beaches of both the North and the South are dead shells of another perfectly camouflaged clam called ARCA. While alive, the shells are covered with hairy, brown or black epidermis and look like pebbles among tufts of seaweed and marine grass.

On the West Coast, the abalone is a most typical species in addition to being a delicious food. The bright-hued shell is widely used for souvenirs such as ash trays and is in demand for buttons and decorative purposes.

Most shells of interest to the collector are found in the sea--but not all. Living forest mollusks have been found 18,000 feet high in the Himalayas. And in this country a great variety of mollusks live in rivers, ponds, and even hot springs. Several species are peculiar to the Nile River. Also, species of mollusks live on land--for example the common garden snail.

Wherever you go, be it the South Seas, a mountain lake, or the shoals off the Gulf Coast, you'll find shells to collect and opportunities to expand your hobby.

*Collectors should familiarize themselves with local regulations. In some areas, such as parks and marine sanctuaries, collection of shells and other marine organisms may be restricted or prohibited.

STARTING A COLLECTION. . .HERE'S HOW

Knowing WHERE to look for shells you probably wonder WHEN is the best time. The answer is ANYTIME. Mollusks know no season. Some species appear suddenly for several days and then vanish; others can be found almost anytime. Most mollusks appear at night, but others work only in the daytime and go out of sight after dark. The tides may have something to do with it. So does the weather--it can be hot or cold, dry or rainy. While you won't find the same shell at all times, you'll find a great variety at any time.

What to take? The things pictured on page 8 should be enough. If you're going out on the coral reefs along Florida, it would be wise to keep your legs covered as protection against stings or scratches. Don't ever forget to wear some kind of shoes in the

water. Even though you're wearing a mask or goggles, take along a gig or some slender stick and feel your way along so you don't fall into a hole you can't see in the deceptive near-tropical waters. If, despite precautions, you get a sea urchin's needlelike spine broken off in your skin, soak the wound in vinegar which will dissolve the fragments and stop the pain in a few minutes.

Tiny shells buried in sand can be netted in your sieve. Clinging ones must be chiseled off rocks. Frail, delicate clingers should be gently nudged loose with tweezers. Submerged sandbars are good spots to find several kinds of univalves and bivalves, but the latter will dig themselves quickly out of sight--as far down as several feet. When you see one going underground, don't dig directly over it--you might break its shell. Instead, dig to one side, and break the mud or sand away with your hands.

After you've had a good day's haul and a rest (you'll need one) you must clean your shells. Put your tiniest, most fragile ones in rubbing alcohol. Put the rest in a pot of fresh water and slowly bring it to a boil. Let them cool in the water slowly to prevent the glossy shells from cracking. When cool, your bivalves will be gaping open; simply scrape them clean. Your univalves will be more difficult; remove the animal with a crocket hook or other piece of bent wire, turning it gently with the spiral; try to get it out whole to save yourself trouble. Save the univalve's operculum and slice it off the muscle that holds it. It will preserve indefinitely and is a valuable part of the shell.

Clean the shell's exterior by scraping it gently with a dull knife or nail file, then soaking it in a Clorox solution (1 cup to 2 quarts water) for two hours. Some will be covered with an ugly skin--scientists keep this intact and you should try to. The best collection has two of each species--one with and one without the epidermis.

After your clean shells have dried (in shade, not sun), go over them with a rag dampened in light oil. This insures preservation and restores their natural luster. Every three months or so, rub them with oil again--their most delicate colors will remain brilliant for years. Don't ever use shellac, lacquer or varnish. Get a reference book from your library and identify your shells. Keep an account of when and where you collected them.

Store your shells in closed containers to protect them from sunlight and dust. Almost any set of small drawers or a cabinet will do. Matchboxes or pillboxes are excellent for small specimens. For display purposes, glass-covered cases are best to prevent handling of the shells. A shell's beauty is often deceptive. Many unattractive and drab shells are worth hundreds of dollars while the most colorful are frequently valued at a dollar or less. The rarity of a species determines its value. A truly valuable shell may come from deep, inaccessible waters or remote lands--or it may be one of an extinct species. A Slit Shell collected 100 fathoms

down in waters off the British West Indies is valued at \$1000. Another undersea treasure, the Glory-Of-The-Seas, was first found in 1771 and one time would bring the conchologist \$1500. The greatest rarities, however, are truly valueless and are not for sale.

. . .And there it is, the fascinating hobby of shell collecting. It's a lot of work--but a lot of fun, too.

[figure captions]

Take a SIEVE. Or an orange sack. Besides carrying your shells, it may help you catch them. A few pint BOTTLES will hold delicate ones.

MASK (or goggles) is essential for looking underwater. Bathing suit or old clothes, of course. High shoes (or sneakers)--never go barefooted! Heavy cloth GLOVES. Watch out for sunburn!

GIG or fish spear (if you're going South) to keep pesky crabs, sea urchins off. CLAM DIGGING HOE or trowel for burrowing shells.

VINEGAR for first aid, in case you're stuck by urchin's spines.

CHISEL and HAMMER to get the clingers, spatula for frail limpets. You may find other hardware handy, but these are basic.

NOW LET'S LOOK AT ROCKS

ROCKS ARE MADE OF MINERALS

Rocks, to begin with, are made of minerals. What is a mineral? The definition may sound difficult--a mineral is a chemical element or compound (combination of elements) occurring naturally as the result of inorganic processes. But don't be discouraged. Things will clear up soon.

The world contains more than 1,100 kinds of minerals. These can be grouped in three general classes.

1. METALLIC MINERALS. These include things most of us would think of if we were asked to name some minerals. Familiar examples are copper, silver, mercury, iron, nickel and cobalt. Most of them are found in combination with other things--as ores. We get lead from galena, or lead sulfide. Tin comes from the ore cassiterite; zinc from sphalerite and zincblende, or blackjack. Chromium that makes

the family car flashy comes from chromite. Many minerals yield aluminum. Uranium occurs in about 50 minerals, nearly all rare. Twenty-four carat gold is a metallic mineral. A 14 carat gold ring contains 14/24 or 58% gold.

An average sample of earth contains 9% aluminum, 5.5% iron, .01% zinc, .008% copper, .004% tin, .002% lead, .0005% uranium, and .0000006% gold or platinum. It would be hopelessly expensive to recover such metals from an average ton of earth. That's why metallic minerals are taken from concentrated deposits in mines.

Many valuable minerals are found in veins running through rock. Veins can be formed when: (a) mineral-laden ground water seeps into cracks, evaporates, and leaves mineral grains that build up into a vein; (b) hot water from deep within the earth fills cracks, then cools and deposits much of the material in solution as minerals in a vein--sometimes including metals such as gold and silver; (c) molten gaseous material squeezes into cracks near the earth's surface, then slowly hardens into a vein.

2. NONMETALLIC MINERALS. These are of great importance to certain industries. You will find them in insulation and filters. They are used extensively in the ceramic and chemical industries. They include sulfur, graphite (the "lead" in pencils), gypsum, halite (rock salt), borax, talc, asbestos and quartz. Undoubtedly, you'll have some nonmetallic minerals in your collection. Rocks containing asbestos are especially handsome and varied.

3. ROCK-FORMING MINERALS. These are the building materials of the earth. They make mountains and valleys. They furnish the ingredients of soil and the salt of the sea. They are largely silicates--that is, they contain silicon and oxygen. (Silicon is a nonmetallic element, always found in combination with something else. It is second only to oxygen as the chief elementary constituent of the earth's crust.)

Other rock-forming minerals are the large family of micas, with names like muscovite and phlogopite. There are the feldspars, including albite and orthoclase. Others are amphiboles, pyroxenes, zeolites, garnets and many others you may never find or hear about unless you become a true mineralogist.

A rock may be made almost entirely of one mineral or of more than one mineral. Rocks containing different combinations of the same minerals are different. Even two things made of the same single mineral can be quite different. Carbon may turn up as a lump of coal or a diamond.

How Minerals Got Their Names

Names of most minerals end in "ite"--apatite, calcite, dolomite, fluorite. But many do not: amphibole, copper (the most common pure metal in rocks), feldspar, galena, gypsum, hornblende, mica, quartz.

Many minerals take their names from a Greek word referring to some outstanding property of the mineral. For example, hematite, an oxide of iron, was named about 325 B.C. from the Greek HAIMA, or blood, because of the color of its powder.

Some minerals are named for the locality in which they were first discovered. Coloradoite was first found in Colorado. Benitoite turned up in San Benito County, California. And so with labradorite and brazilite.

Other minerals got their names from famous people. Willemite was named in honor of Willem I, King of the Netherlands. The great German poet-philosopher, Goethe, could turn up in your collection as goethite. And there's smithsonite, named for James Smithson, founder of the Smithsonian Institution.

[figure captions]

Gold, jasper, uncut diamond, quartz (violet in color), halite (Carlsbad N.M.), calcite (S. Dakota), copper, turquoise (brilliant color)

Out Of This World

Some minerals come from outer space. They're meteorites, which are rock fragments. Every day, hundreds of millions of them enter the earth's atmosphere. Most of them, however, are burned up by the heat from air friction and never reach the ground. Meteors large enough to reach the earth are called meteorites. Most minerals found in meteorites are the same as those we have on earth. But, there are some rare minerals known only in meteorites. Two of them are cohenite and schreibersite.

MAIN KINDS OF ROCKS

Rocks are the building blocks of the earth's crust. They may be massive, as in granite ledges, or tiny. Soil, gravel, sand and clay are rocks. THERE ARE THREE MAIN TYPES OF ROCKS.

1. IGNEOUS rocks are those formed at very high temperatures or from molten materials. They come from magmas--molten mixtures of minerals, often containing gases. They come from deep below the surface of the earth. If they cool off while below the surface, they form intrusive rocks, which may later be revealed by erosion. When magmas reach the surface red hot, they form extrusive rocks, such as volcanic rocks. Thus, granite is an igneous, intrusive rock; lava is an igneous,

extrusive rock. (Notice how the type of rock tells its past history--if you know what to look for.)

2. **SEDIMENTARY** rocks are formed by the action of wind, water, or organisms. They cover about three quarters of the Earth's surface. Most are laid down--as sediments--on the bottom of rivers, lakes and seas. Many have been moved by water, wind, waves, currents, ice or gravity. The most common sedimentary rocks are sandstones, limestones, conglomerates and shales. Oil is found in sedimentary formations.

3. **METAMORPHIC** rocks are those that have been changed from what they were at first into something else--by heat, pressure, or chemical action. All kinds of rocks can be changed. The result is a new crystalline structure, the formation of new minerals, or a change in the rock's texture. Slate was once shale. Marble came from limestone. Gneiss (pronounced "nice") is perhaps reworked granite.

[figure captions]

Igneous rocks are formed at high temperatures or from molten materials. They come from deep beneath the earth. They can be intrusive or extrusive--depending on where they cooled off.

Sedimentary rocks are formed by the action of wind, water, or organisms. They usually are laid down on the bottom of rivers, lakes and seas. Most of the earth's surface is covered by these rocks. Oil is found in sedimentary formations.

Metamorphic rocks have been changed from their original state into something else. Heat, pressure, chemical action change the crystalline structure, the texture, even form new minerals. All kinds of rock can be changed.

A Word On Fossils

Perhaps you'll find rocks containing fossils--or even fossils by themselves. They should form a separate part of your collection.

Fossils are the remains--or the outlines--of former plant or animal life buried in rock. The older the rock, the simpler the plant and animal life it contains. Thus fossils can give a clue to the age of the rock strata.

Fossils can teach history. They tell us about plants and animals that are now extinct--the dinosaur, for example. They can also tell of ancient climates. Coral found in rocks in Greenland suggests it must have once been warm. Remains of fir and spruce trees have been found in the tropics.

How are fossils formed? Teeth, bone and wood don't last long in

their original state. However, buried materials decompose, leaving a film of carbon as a fossil. This results in a leaf tracery, or the outlines of some simple animal. On a gigantic scale, this process of forming carbon has resulted in our great coal deposits.

Sometimes the buried material is gradually replaced by silica or other substances, making petrified objects. Wood can be replaced--cell by cell--by agate or opal from silica-bearing water. The result is petrified wood, the finest examples of which can be found in our Petrified Forest National Park in Arizona. This can happen to shells, too.

How about molds and casts of footprints of ancient animals? A brontosaurus might have stomped along in soft, warm mud eons ago. The mud hardened and later another layer of soft earth covered the print, preserving it.

COLLECTING

If you want to collect rocks and minerals just for the sake of having them, you can buy specimens. Many can be purchased for 25 cents to \$1 each, while a rare specimen can cost hundreds of dollars.

The true pleasure is in finding your own samples. Later, when you have a good-sized collection, you can fill gaps by buying specimens or swapping extras with other collectors. You'll be amazed at the number of amateur collectors. Perhaps no branch of science owes more to the work of amateurs than mineralogy. Our great collection of minerals in the U.S. National Museum in Washington, D.C., was gathered almost entirely by two amateurs who devoted many years and much money to their hobby.

Where To Look

Look for pebbles by the roadside, in beds of streams and riverbanks. Go out into the country for ledges on hillsides. Every road cut, cliff, bank, excavation, or quarry shows rocks and minerals. Railroad cuts, rock pits, dump piles around mines, building sites--they'll all yield specimens. Some of the best mineral specimens collected in New York City came from skyscraper and subway excavations. Help a New England farmer clear his field and you'll have more rocks than you know what to do with.

As for reference books, many states publish guides to mineral deposits. Mineralogical magazines list mineral localities.

Tips For The Field

Don't try to collect too much at once. Work early in the day or late in the afternoon. A hot sun on bare rock can make you sizzle--especially if you're loaded with equipment and samples.

Here's the equipment to take: newspapers for wrapping samples, notebook and pencil, geologist's pick, cold chisel, magnifying glass, compass, heavy gloves, a knife, and a knapsack. Later on, you may want a Geiger counter for spotting radioactive rocks.

Be selective. Hand-sized specimens are best. If your sample is too large, trim it to size, showing its most striking feature to best advantage. When you wrap the sample in newspaper, include a note telling when and where you found it. This information will be transcribed to a filing card when you add the specimens to your display, so make it as complete and accurate as you can.

When you get home, clean specimens with soapy, warm water, applied with a soft brush. Soluble minerals like halite can't be washed, but should be rinsed with alcohol. A coat of clear lacquer will protect some samples against dirt.

Arranging Your Collection

Put a spot of enamel on the specimen. Write on the spot--in India ink--a catalog number and have this number refer to a card in a file drawer. The card should list date, place found, identification of specimen, etc.

Group your samples: metallic minerals, semiprecious stones, nonmetallic minerals. Display them on a shelf, or buy or build a mineral cabinet with partitioned drawers. For smaller samples, use a Riker mount with a glass top.

[figure captions]

A common rock

Here's the equipment to take: newspapers for wrapping samples, notebook and pencil, geologist's pick, cold chisel, magnifying glass, compass, heavy gloves, a knife, and a knapsack.

What Do I Have?

How do you identify specimens?

Get books and magazines on rocks and minerals. Many have colored pictures that help.

But identification is best made by noting the physical characteristics of the rock or mineral. For minerals, there's a hardness scale in which a mineral of the higher number can scratch a mineral of the lower number but not be scratched by it. The scale is: 1) talc; 2) gypsum; 3) calcite; 4) fluorite; 5) apatite; 6) orthoclase; 7) quartz; 8) topaz; 9) corundum; 10) diamond. Remember it by this silly sentence: "The girls can flirt and other queer things can do."

When on a trip, remember that a fingernail has a hardness of 2.5; a penny, 3; a knife blade, 5.5; and a steel file, 6.5. Use these to scratch your sample and you can get an approximate idea of its hardness.

You can buy a set of hardness points. They're pointed pieces of minerals set in brass tubes, each marked with its hardness scale. The set costs about \$30 (half that if you assemble your own).

Other tests for identifying minerals include specific gravity (weight of mineral compared to the weight of an equal volume of water), optical properties and crystal form, color and luster. Minerals differ in cleavage and fracture (how they come apart when cut). They leave distinctive streaks on unglazed porcelain. Some are magnetic, some have electrical properties, some glow under ultraviolet or black light, some are radioactive, some fuse under a low flame while others are unaffected. Many studies with the dissolved mineral can identify it beyond doubt.

But most of these are too complicated for the beginner. As you read, look at pictures and samples, and talk with other rockhounds or leaders of mineralogy clubs, you'll get better at identifying rocks. Museum experts and your state's geologist can help, too.

[figure captions]

Specific gravity balance

Blowpipe analysis

GEMS FOR THE LUCKY FEW

If you're lucky, you'll find gems or semiprecious stones. Gems are the finer, more crystalline forms of minerals which are ordinarily less beautiful and spectacular. The true gems are diamonds, emeralds, rubies and sapphires. All others are semiprecious and ornamental.

Diamonds are pure carbon, but did you know that rubies and sapphires are corundum minerals--rare forms of alumina. In slightly different

form, they'd turn up on emery paper.

Other stones you might find are the quartz gems: rose quartz, amethyst, rock crystal, agate, jasper, bloodstone. Or opaque gems such as jade, moonstone, lapis-lazuli, obsidian, and turquoise.

You don't have to find them. You can buy gems in the rough or in blanks, then cut and polish them to make your own jewelry or decorations. This takes practice, plus a cutting and polishing outfit, wood vise, maybe a diamond wheel. (Or you can join a lapidary club that might already have the equipment).

First learn to make cabochons--stones with round or curved surfaces. Then try cutting facets (or faces) in transparent gems. Learn by reading, working with an expert, trial and error. Making jewelry is fun, and collecting gems is as interesting as collecting rocks and minerals; it brings the world into your home. From the West come agates, jaspers, petrified woods; from the East, colorful marbles, serpentines, granites. Alaska, Idaho, Connecticut or Austria will yield dark red garnets. Fine moonstones come from Ontario; quartz crystals from Hot Springs, Arkansas, can be compared with similar ones from the Swiss Alps or Brazil.

Rock collecting is a hobby you can tailor to your taste. But whether you concentrate on an area close to home or travel across whole continents, you'll find that the pleasure and knowledge you gain from your collection are matched by the fun and adventure of the search.

[figure captions]

Drop sticks to hold stones

Diamond cutting wheel

[BACK COVER]

A Brontosaurus

Shell Oil Company

Revised 8/88

End of Project Gutenberg's Let's collect rocks & shells, by Shell Oil Company

*** END OF THE PROJECT GUTENBERG ETEXT LET'S COLLECT ROCKS & SHELLS ***

This file should be named lcrsh10.txt or lcrsh10.zip

Corrected EDITIONS of our etexts get a new NUMBER, lcrsh11.txt
VERSIONS based on separate sources get new LETTER, lcrsh10a.txt

This etext was produced by Justin (dopefish_justin@yahoo.com).

Project Gutenberg eBooks are often created from several printed editions, all of which are confirmed as Public Domain in the US unless a copyright notice is included. Thus, we usually do not keep eBooks in compliance with any particular paper edition.

We are now trying to release all our eBooks one year in advance of the official release dates, leaving time for better editing. Please be encouraged to tell us about any error or corrections, even years after the official publication date.

Please note neither this listing nor its contents are final til midnight of the last day of the month of any such announcement. The official release date of all Project Gutenberg eBooks is at Midnight, Central Time, of the last day of the stated month. A preliminary version may often be posted for suggestion, comment and editing by those who wish to do so.

Most people start at our Web sites at:

<http://gutenberg.net> or

<http://promo.net/pg>

These Web sites include award-winning information about Project Gutenberg, including how to donate, how to help produce our new eBooks, and how to subscribe to our email newsletter (free!).

Those of you who want to download any eBook before announcement can get to them as follows, and just download by date. This is also a good way to get them instantly upon announcement, as the indexes our cataloguers produce obviously take a while after an announcement goes out in the Project Gutenberg Newsletter.

<http://www.ibiblio.org/gutenberg/etext03> or

<ftp://ftp.ibiblio.org/pub/docs/books/gutenberg/etext03>

Or /etext02, 01, 00, 99, 98, 97, 96, 95, 94, 93, 92, 91 or 90

Just search by the first five letters of the filename you want, as it appears in our Newsletters.

Information about Project Gutenberg (one page)

We produce about two million dollars for each hour we work. The time it takes us, a rather conservative estimate, is fifty hours to get any eBook selected, entered, proofread, edited, copyright searched and analyzed, the copyright letters written, etc. Our projected audience is one hundred million readers. If the value per text is nominally estimated at one dollar then we produce \$2 million dollars per hour in 2002 as we release over 100 new text files per month: 1240 more eBooks in 2001 for a total of 4000+ We are already on our way to trying for 2000 more eBooks in 2002 If they reach just 1-2% of the world's population then the total will reach over half a trillion eBooks given away by year's end.

The Goal of Project Gutenberg is to Give Away 1 Trillion eBooks! This is ten thousand titles each to one hundred million readers, which is only about 4% of the present number of computer users.

Here is the briefest record of our progress (* means estimated):

eBooks Year Month

1	1971	July
10	1991	January
100	1994	January
1000	1997	August
1500	1998	October
2000	1999	December
2500	2000	December
3000	2001	November
4000	2001	October/November
6000	2002	December*
9000	2003	November*
10000	2004	January*

The Project Gutenberg Literary Archive Foundation has been created to secure a future for Project Gutenberg into the next millennium.

We need your donations more than ever!

As of February, 2002, contributions are being solicited from people and organizations in: Alabama, Alaska, Arkansas, Connecticut, Delaware, District of Columbia, Florida, Georgia, Hawaii, Illinois, Indiana, Iowa, Kansas, Kentucky, Louisiana, Maine, Massachusetts, Michigan, Mississippi, Missouri, Montana, Nebraska, Nevada, New Hampshire, New Jersey, New Mexico, New York, North Carolina, Ohio, Oklahoma, Oregon, Pennsylvania, Rhode Island, South Carolina, South Dakota, Tennessee, Texas, Utah, Vermont, Virginia, Washington, West Virginia, Wisconsin, and Wyoming.

We have filed in all 50 states now, but these are the only ones that have responded.

As the requirements for other states are met, additions to this list will be made and fund raising will begin in the additional states. Please feel free to ask to check the status of your state.

In answer to various questions we have received on this:

We are constantly working on finishing the paperwork to legally request donations in all 50 states. If your state is not listed and you would like to know if we have added it since the list you have, just ask.

While we cannot solicit donations from people in states where we are not yet registered, we know of no prohibition against accepting donations from donors in these states who approach us with an offer to donate.

International donations are accepted, but we don't know ANYTHING about how to make them tax-deductible, or even if they CAN be made deductible, and don't have the staff to handle it even if there are ways.

Donations by check or money order may be sent to:

Project Gutenberg Literary Archive Foundation
PMB 113
1739 University Ave.
Oxford, MS 38655-4109

Contact us if you want to arrange for a wire transfer or payment method other than by check or money order.

The Project Gutenberg Literary Archive Foundation has been approved by the US Internal Revenue Service as a 501(c)(3) organization with EIN [Employee Identification Number] 64-622154. Donations are tax-deductible to the maximum extent permitted by law. As fund-raising requirements for other states are met, additions to this list will be made and fund-raising will begin in the additional states.

We need your donations more than ever!

You can get up to date donation information online at:

<http://www.gutenberg.net/donation.html>

If you can't reach Project Gutenberg,
you can always email directly to:

Michael S. Hart <hart@pobox.com>

Prof. Hart will answer or forward your message.

We would prefer to send you information by email.

****The Legal Small Print****

(Three Pages)

*****START**THE SMALL PRINT!**FOR PUBLIC DOMAIN EBOOKS**START*****

Why is this "Small Print!" statement here? You know: lawyers. They tell us you might sue us if there is something wrong with your copy of this eBook, even if you got it for free from someone other than us, and even if what's wrong is not our fault. So, among other things, this "Small Print!" statement disclaims most of our liability to you. It also tells you how you may distribute copies of this eBook if you want to.

***BEFORE!* YOU USE OR READ THIS EBOOK**

By using or reading any part of this PROJECT GUTENBERG-tm eBook, you indicate that you understand, agree to and accept this "Small Print!" statement. If you do not, you can receive a refund of the money (if any) you paid for this eBook by sending a request within 30 days of receiving it to the person you got it from. If you received this eBook on a physical medium (such as a disk), you must return it with your request.

ABOUT PROJECT GUTENBERG-TM EBOOKS

This PROJECT GUTENBERG-tm eBook, like most PROJECT GUTENBERG-tm eBooks, is a "public domain" work distributed by Professor Michael S. Hart through the Project Gutenberg Association (the "Project").

Among other things, this means that no one owns a United States copyright on or for this work, so the Project (and you!) can copy and distribute it in the United States without permission and without paying copyright royalties. Special rules, set forth below, apply if you wish to copy and distribute this eBook under the "PROJECT GUTENBERG" trademark.

Please do not use the "PROJECT GUTENBERG" trademark to market any commercial products without permission.

To create these eBooks, the Project expends considerable efforts to identify, transcribe and proofread public domain works. Despite these efforts, the Project's eBooks and any medium they may be on may contain "Defects". Among other things, Defects may take the form of incomplete, inaccurate or corrupt data, transcription errors, a copyright or other intellectual property infringement, a defective or damaged disk or other eBook medium, a computer virus, or computer codes that damage or cannot be read by your equipment.

LIMITED WARRANTY; DISCLAIMER OF DAMAGES

But for the "Right of Replacement or Refund" described below, [1] Michael Hart and the Foundation (and any other party you may receive this eBook from as a PROJECT GUTENBERG-tm eBook) disclaims all liability to you for damages, costs and expenses, including legal fees, and [2] YOU HAVE NO REMEDIES FOR NEGLIGENCE OR UNDER STRICT LIABILITY, OR FOR BREACH OF WARRANTY OR CONTRACT, INCLUDING BUT NOT LIMITED TO INDIRECT, CONSEQUENTIAL, PUNITIVE OR INCIDENTAL DAMAGES, EVEN IF YOU GIVE NOTICE OF THE POSSIBILITY OF SUCH DAMAGES.

If you discover a Defect in this eBook within 90 days of receiving it, you can receive a refund of the money (if any) you paid for it by sending an explanatory note within that time to the person you received it from. If you received it on a physical medium, you must return it with your note, and such person may choose to alternatively give you a replacement copy. If you received it electronically, such person may choose to alternatively give you a second opportunity to receive it electronically.

THIS EBOOK IS OTHERWISE PROVIDED TO YOU "AS-IS". NO OTHER WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, ARE MADE TO YOU AS TO THE EBOOK OR ANY MEDIUM IT MAY BE ON, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Some states do not allow disclaimers of implied warranties or the exclusion or limitation of consequential damages, so the above disclaimers and exclusions may not apply to you, and you may have other legal rights.

INDEMNITY

You will indemnify and hold Michael Hart, the Foundation, and its trustees and agents, and any volunteers associated with the production and distribution of Project Gutenberg-tm texts harmless, from all liability, cost and expense, including legal fees, that arise directly or indirectly from any of the following that you do or cause: [1] distribution of this eBook, [2] alteration, modification, or addition to the eBook, or [3] any Defect.

DISTRIBUTION UNDER "PROJECT GUTENBERG-tm"

You may distribute copies of this eBook electronically, or by disk, book or any other medium if you either delete this "Small Print!" and all other references to Project Gutenberg, or:

[1] Only give exact copies of it. Among other things, this requires that you do not remove, alter or modify the eBook or this "small print!" statement. You may however, if you wish, distribute this eBook in machine readable

binary, compressed, mark-up, or proprietary form, including any form resulting from conversion by word processing or hypertext software, but only so long as *EITHER*:

[*] The eBook, when displayed, is clearly readable, and does *not* contain characters other than those intended by the author of the work, although tilde (~), asterisk (*) and underline (_) characters may be used to convey punctuation intended by the author, and additional characters may be used to indicate hypertext links; OR

[*] The eBook may be readily converted by the reader at no expense into plain ASCII, EBCDIC or equivalent form by the program that displays the eBook (as is the case, for instance, with most word processors); OR

[*] You provide, or agree to also provide on request at no additional cost, fee or expense, a copy of the eBook in its original plain ASCII form (or in EBCDIC or other equivalent proprietary form).

[2] Honor the eBook refund and replacement provisions of this "Small Print!" statement.

[3] Pay a trademark license fee to the Foundation of 20% of the gross profits you derive calculated using the method you already use to calculate your applicable taxes. If you don't derive profits, no royalty is due. Royalties are payable to "Project Gutenberg Literary Archive Foundation" the 60 days following each date you prepare (or were legally required to prepare) your annual (or equivalent periodic) tax return. Please contact us beforehand to let us know your plans and to work out the details.

WHAT IF YOU *WANT* TO SEND MONEY EVEN IF YOU DON'T HAVE TO?

Project Gutenberg is dedicated to increasing the number of public domain and licensed works that can be freely distributed in machine readable form.

The Project gratefully accepts contributions of money, time, public domain materials, or royalty free copyright licenses. Money should be paid to the:
"Project Gutenberg Literary Archive Foundation."

If you are interested in contributing scanning equipment or software or other items, please contact Michael Hart at:
hart@pobox.com

[Portions of this eBook's header and trailer may be reprinted only when distributed free of all fees. Copyright (C) 2001, 2002 by

Michael S. Hart. Project Gutenberg is a TradeMark and may not be used in any sales of Project Gutenberg eBooks or other materials be they hardware or software or any other related product without express permission.]

*END THE SMALL PRINT! FOR PUBLIC DOMAIN EBOOKS*Ver.02/11/02*END*

mission.]

*END THE SMALL PRINT! FOR PUBLIC DOMAIN EBOOKS*Ver.02/11/02*END*