

The Project Gutenberg Etext of The New Hacker's Dictionary version 4.2.2

Version 4.0.0 of The New Hacker's Dictionary (a.k.a., The Jargon File) was released as etext #817 in February 1997. This file, version 4.2.2, was derived from the public domain source at <http://www.tuxedo.org/jargon>. This is a plain text version of jarg422h.htm, produced automatically with the Lynx Web browser.

Copyright laws are changing all over the world, be sure to check the laws for your country before redistributing these files!!!

Please take a look at the important information in this header. We encourage you to keep this file on your own disk, keeping an electronic path open for the next readers.

Please do not remove this.

This should be the first thing seen when anyone opens the book. Do not change or edit it without written permission. The words are carefully chosen to provide users with the information they need about what they can legally do with the texts.

****Welcome To The World of Free Plain Vanilla Electronic Texts****

****Etexts Readable By Both Humans and By Computers, Since 1971****

These Etexts Prepared By Hundreds of Volunteers and Donations

Information on contacting Project Gutenberg to get Etexts, and further information is included below. We need your donations.

Presently, contributions are only being solicited from people in: Texas, Nevada, Idaho, Montana, Wyoming, Colorado, South Dakota, Iowa, Indiana, and Vermont. As the requirements for other states are met, additions to this list will be made and fund raising will begin in the additional states. These donations should be made to:

Project Gutenberg Literary Archive Foundation
PMB 113
1739 University Ave.
Oxford, MS 38655

Title: The New Hacker's Dictionary version 4.2.2

Author: Various editors

Release Date: January, 2002 [Etext #3008]
[Yes, we are about one year ahead of schedule]

Edition: 422

Language: English

The Project Gutenberg Etext of The New Hacker's Dictionary version 4.2.2

*****This file should be named jarg422.txt or jarg422.zip*****

Corrected EDITIONS of our etexts get a new NUMBER, jarg422.txt
VERSIONS based on separate sources get new LETTER, jarg422.txt

Project Gutenberg Etexts are usually created from multiple editions, all of which are in the Public Domain in the United States, unless a copyright notice is included. Therefore, we usually do NOT keep any of these books in compliance with any particular paper edition.

We are now trying to release all our books one year in advance of the official release dates, leaving time for better editing. Please be encouraged to send us error messages even years after the official publication date.

Please note: neither this list nor its contents are final till midnight of the last day of the month of any such announcement. The official release date of all Project Gutenberg Etexts is at Midnight, Central Time, of the last day of the stated month. A preliminary version may often be posted for suggestion, comment and editing by those who wish to do so.

Most people start at our sites at:

<http://gutenberg.net>

<http://promo.net/pg>

Those of you who want to download any Etext before announcement can surf to them as follows, and just download by date; this is also a good way to get them instantly upon announcement, as the indexes our cataloguers produce obviously take a while after an announcement goes out in the Project Gutenberg Newsletter.

<http://www.ibiblio.org/pub/docs/books/gutenberg/etext02>

or

<ftp://ftp.ibiblio.org/pub/docs/books/gutenberg/etext02>

Or /etext01, 00, 99, 98, 97, 96, 95, 94, 93, 92, 92, 91 or 90

Just search by the first five letters of the filename you want, as it appears in our Newsletters.

Information about Project Gutenberg (one page)

We produce about two million dollars for each hour we work. The time it takes us, a rather conservative estimate, is fifty hours to get any etext selected, entered, proofread, edited, copyright searched and analyzed, the copyright letters written, etc. This

projected audience is one hundred million readers. If our value per text is nominally estimated at one dollar then we produce \$2 million dollars per hour this year as we release fifty new Etext files per month, or 500 more Etexts in 2000 for a total of 3000+. If they reach just 1-2% of the world's population then the total should reach over 300 billion Etexts given away by year's end.

The Goal of Project Gutenberg is to Give Away One Trillion Etext Files by December 31, 2001. [10,000 x 100,000,000 = 1 Trillion] This is ten thousand titles each to one hundred million readers, which is only about 4% of the present number of computer users.

At our revised rates of production, we will reach only one-third of that goal by the end of 2001, or about 3,333 Etexts unless we manage to get some real funding.

Something is needed to create a future for Project Gutenberg for the next 100 years.

We need your donations more than ever!

Presently, contributions are only being solicited from people in: Texas, Nevada, Idaho, Montana, Wyoming, Colorado, South Dakota, Iowa, Indiana, and Vermont. As the requirements for other states are met, additions to this list will be made and fund raising will begin in the additional states.

All donations should be made to the Project Gutenberg Literary Archive Foundation and will be tax deductible to the extent permitted by law.

Mail to:

Project Gutenberg Literary Archive Foundation
PMB 113
1739 University Avenue
Oxford, MS 38655 [USA]

We are working with the Project Gutenberg Literary Archive Foundation to build more stable support and ensure the future of Project Gutenberg.

We need your donations more than ever!

You can get up to date donation information at:

<http://www.gutenberg.net/donation.html>

You can always email directly to:

Michael S. Hart <hart@pobox.com>

hart@pobox.com forwards to hart@prairienet.org and archive.org
if your mail bounces from archive.org, I will still see it, if
it bounces from prairienet.org, better resend later on. . . .

We would prefer to send you this information by email.

Example command-line FTP session:

```
ftp ftp.ibiblio.org
login: anonymous
password: your@login
cd pub/docs/books/gutenberg
cd etext90 through etext99 or etext00 through etext02, etc.
dir [to see files]
get or mget [to get files. . .set bin for zip files]
GET GUTINDEX.?? [to get a year's listing of books, e.g., GUTINDEX.99]
GET GUTINDEX.ALL [to get a listing of ALL books]
```

****The Legal Small Print****

(Three Pages)

*****START**THE SMALL PRINT!**FOR PUBLIC DOMAIN ETEXTS**START*****

Why is this "Small Print!" statement here? You know: lawyers.
They tell us you might sue us if there is something wrong with
your copy of this etext, even if you got it for free from
someone other than us, and even if what's wrong is not our
fault. So, among other things, this "Small Print!" statement
disclaims most of our liability to you. It also tells you how
you can distribute copies of this etext if you want to.

***BEFORE!* YOU USE OR READ THIS ETEXT**

By using or reading any part of this PROJECT GUTENBERG-tm
etext, you indicate that you understand, agree to and accept
this "Small Print!" statement. If you do not, you can receive
a refund of the money (if any) you paid for this etext by
sending a request within 30 days of receiving it to the person
you got it from. If you received this etext on a physical
medium (such as a disk), you must return it with your request.

ABOUT PROJECT GUTENBERG-TM ETEXTS

This PROJECT GUTENBERG-tm etext, like most PROJECT GUTENBERG-tm etexts,
is a "public domain" work distributed by Professor Michael S. Hart
through the Project Gutenberg Association (the "Project").
Among other things, this means that no one owns a United States copyright
on or for this work, so the Project (and you!) can copy and
distribute it in the United States without permission and
without paying copyright royalties. Special rules, set forth

below, apply if you wish to copy and distribute this etext under the Project's "PROJECT GUTENBERG" trademark.

Please do not use the "PROJECT GUTENBERG" trademark to market any commercial products without permission.

To create these etexts, the Project expends considerable efforts to identify, transcribe and proofread public domain works. Despite these efforts, the Project's etexts and any medium they may be on may contain "Defects". Among other things, Defects may take the form of incomplete, inaccurate or corrupt data, transcription errors, a copyright or other intellectual property infringement, a defective or damaged disk or other etext medium, a computer virus, or computer codes that damage or cannot be read by your equipment.

LIMITED WARRANTY; DISCLAIMER OF DAMAGES

But for the "Right of Replacement or Refund" described below, [1] the Project (and any other party you may receive this etext from as a PROJECT GUTENBERG-tm etext) disclaims all liability to you for damages, costs and expenses, including legal fees, and [2] YOU HAVE NO REMEDIES FOR NEGLIGENCE OR UNDER STRICT LIABILITY, OR FOR BREACH OF WARRANTY OR CONTRACT, INCLUDING BUT NOT LIMITED TO INDIRECT, CONSEQUENTIAL, PUNITIVE OR INCIDENTAL DAMAGES, EVEN IF YOU GIVE NOTICE OF THE POSSIBILITY OF SUCH DAMAGES.

If you discover a Defect in this etext within 90 days of receiving it, you can receive a refund of the money (if any) you paid for it by sending an explanatory note within that time to the person you received it from. If you received it on a physical medium, you must return it with your note, and such person may choose to alternatively give you a replacement copy. If you received it electronically, such person may choose to alternatively give you a second opportunity to receive it electronically.

THIS ETEXT IS OTHERWISE PROVIDED TO YOU "AS-IS". NO OTHER WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, ARE MADE TO YOU AS TO THE ETEXT OR ANY MEDIUM IT MAY BE ON, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Some states do not allow disclaimers of implied warranties or the exclusion or limitation of consequential damages, so the above disclaimers and exclusions may not apply to you, and you may have other legal rights.

INDEMNITY

You will indemnify and hold the Project, its directors, officers, members and agents harmless from all liability, cost and expense, including legal fees, that arise directly or indirectly from any of the following that you do or cause:

[1] distribution of this etext, [2] alteration, modification, or addition to the etext, or [3] any Defect.

DISTRIBUTION UNDER "PROJECT GUTENBERG-tm"

You may distribute copies of this etext electronically, or by disk, book or any other medium if you either delete this "Small Print!" and all other references to Project Gutenberg, or:

[1] Only give exact copies of it. Among other things, this requires that you do not remove, alter or modify the etext or this "small print!" statement. You may however, if you wish, distribute this etext in machine readable binary, compressed, mark-up, or proprietary form, including any form resulting from conversion by word processing or hypertext software, but only so long as *EITHER*:

[*] The etext, when displayed, is clearly readable, and does *not* contain characters other than those intended by the author of the work, although tilde (~), asterisk (*) and underline (_) characters may be used to convey punctuation intended by the author, and additional characters may be used to indicate hypertext links; OR

[*] The etext may be readily converted by the reader at no expense into plain ASCII, EBCDIC or equivalent form by the program that displays the etext (as is the case, for instance, with most word processors); OR

[*] You provide, or agree to also provide on request at no additional cost, fee or expense, a copy of the etext in its original plain ASCII form (or in EBCDIC or other equivalent proprietary form).

[2] Honor the etext refund and replacement provisions of this "Small Print!" statement.

[3] Pay a trademark license fee to the Project of 20% of the gross profits you derive calculated using the method you already use to calculate your applicable taxes. If you don't derive profits, no royalty is due. Royalties are payable to "Project Gutenberg Literary Archive Foundation" the 60 days following each date you prepare (or were legally required to prepare) your annual (or equivalent periodic) tax return. Please contact us beforehand to let us know your plans and to work out the details.

WHAT IF YOU *WANT* TO SEND MONEY EVEN IF YOU DON'T HAVE TO?

The Project gratefully accepts contributions of money, time, public domain etexts, and royalty free copyright licenses.

If you are interested in contributing scanning equipment or software or other items, please contact Michael Hart at:
hart@pobox.com

*END THE SMALL PRINT! FOR PUBLIC DOMAIN ETEXTS*Ver.04.07.00*END*

Node:Top, Next:[2]Introduction, Previous:[3](dir), Up:[4](dir)

#===== THIS IS THE JARGON FILE, VERSION 4.2.2, 20 AUG 2000 =====#

This is the Jargon File, a comprehensive compendium of hacker slang illuminating many aspects of hackish tradition, folklore, and humor.

This document (the Jargon File) is in the public domain, to be freely used, shared, and modified. There are (by intention) no legal restraints on what you can do with it, but there are traditions about its proper use to which many hackers are quite strongly attached. Please extend the courtesy of proper citation when you quote the File, ideally with a version number, as it will change and grow over time. (Examples of appropriate citation form: "Jargon File 4.2.2" or "The on-line hacker Jargon File, version 4.2.2, 20 AUG 2000".)

The Jargon File is a common heritage of the hacker culture. Over the years a number of individuals have volunteered considerable time to maintaining the File and been recognized by the net at large as editors of it. Editorial responsibilities include: to collate contributions and suggestions from others; to seek out corroborating information; to cross-reference related entries; to keep the file in a consistent format; and to announce and distribute updated versions periodically. Current volunteer editors include:

Eric Raymond [5]esr@snark.thyrus.com

Although there is no requirement that you do so, it is considered good form to check with an editor before quoting the File in a published work or commercial product. We may have additional information that would be helpful to you and can assist you in framing your quote to reflect not only the letter of the File but its spirit as well.

All contributions and suggestions about this file sent to a volunteer editor are gratefully received and will be regarded, unless otherwise labelled, as freely given donations for possible use as part of this public-domain file.

From time to time a snapshot of this file has been polished, edited, and formatted for commercial publication with the cooperation of the volunteer editors and the hacker community at large. If you wish to have a bound paper copy of this file, you may find it convenient to purchase one of these. They often contain additional material not

found in on-line versions. The two 'authorized' editions so far are described in the Revision History section; there may be more in the future.

- * [6]Introduction: The purpose and scope of this File
 - * [7]A Few Terms: Of Slang, Jargon and Techspeak
 - * [8]Revision History: How the File came to be
 - * [9]Jargon Construction: How hackers invent jargon
 - * [10]Hacker Writing Style: How they write
 - * [11]Email Quotes: And the Inclusion Problem
 - * [12]Hacker Speech Style: How hackers talk
 - * [13]International Style: Some notes on usage outside the U.S.
 - * [14]Lamer-speak: Crackers, Phreaks, and Lamers
 - * [15]Pronunciation Guide: How to read the pronunciation keys
 - * [16]Other Lexicon Conventions: How to read lexicon entries
 - * [17]Format for New Entries: How to submit new entries for the File
 - * [18]The Jargon Lexicon: The lexicon itself
 - * [19]Appendix A: Hacker Folklore
 - * [20]Appendix B: A Portrait of J. Random Hacker
 - * [21]Appendix C: Helping Hacker Culture Grow
 - * [22]Bibliography: For your further enjoyment
-

Node:Introduction, Next:[23]A Few Terms, Previous:[24]Top, Up:[25]Top

Introduction

This document is a collection of slang terms used by various subcultures of computer hackers. Though some technical material is included for background and flavor, it is not a technical dictionary; what we describe here is the language hackers use among themselves for fun, social communication, and technical debate.

The 'hacker culture' is actually a loosely networked collection of subcultures that is nevertheless conscious of some important shared experiences, shared roots, and shared values. It has its own myths, heroes, villains, folk epics, in-jokes, taboos, and dreams. Because hackers as a group are particularly creative people who define themselves partly by rejection of 'normal' values and working habits, it has unusually rich and conscious traditions for an intentional culture less than 40 years old.

As usual with slang, the special vocabulary of hackers helps hold their culture together -- it helps hackers recognize each other's places in the community and expresses shared values and experiences. Also as usual, not knowing the slang (or using it inappropriately) defines one as an outsider, a mundane, or (worst of all in hackish vocabulary) possibly even a [26]suit. All human cultures use slang in this threefold way -- as a tool of communication, and of inclusion, and of exclusion.

Among hackers, though, slang has a subtler aspect, paralleled perhaps in the slang of jazz musicians and some kinds of fine artists but hard to detect in most technical or scientific cultures; parts of it are

code for shared states of consciousness. There is a whole range of altered states and problem-solving mental stances basic to high-level hacking which don't fit into conventional linguistic reality any better than a Coltrane solo or one of Maurits Escher's 'trompe l'oeil' compositions (Escher is a favorite of hackers), and hacker slang encodes these subtleties in many unobvious ways. As a simple example, take the distinction between a [27]kluge and an [28]elegant solution, and the differing connotations attached to each. The distinction is not only of engineering significance; it reaches right back into the nature of the generative processes in program design and asserts something important about two different kinds of relationship between the hacker and the hack. Hacker slang is unusually rich in implications of this kind, of overtones and undertones that illuminate the hackish psyche.

But there is more. Hackers, as a rule, love wordplay and are very conscious and inventive in their use of language. These traits seem to be common in young children, but the conformity-enforcing machine we are pleased to call an educational system bludgeons them out of most of us before adolescence. Thus, linguistic invention in most subcultures of the modern West is a halting and largely unconscious process. Hackers, by contrast, regard slang formation and use as a game to be played for conscious pleasure. Their inventions thus display an almost unique combination of the neotenus enjoyment of language-play with the discrimination of educated and powerful intelligence. Further, the electronic media which knit them together are fluid, 'hot' connections, well adapted to both the dissemination of new slang and the ruthless culling of weak and superannuated specimens. The results of this process give us perhaps a uniquely intense and accelerated view of linguistic evolution in action.

Hacker slang also challenges some common linguistic and anthropological assumptions. For example, it has recently become fashionable to speak of 'low-context' versus 'high-context' communication, and to classify cultures by the preferred context level of their languages and art forms. It is usually claimed that low-context communication (characterized by precision, clarity, and completeness of self-contained utterances) is typical in cultures which value logic, objectivity, individualism, and competition; by contrast, high-context communication (elliptical, emotive, nuance-filled, multi-modal, heavily coded) is associated with cultures which value subjectivity, consensus, cooperation, and tradition. What then are we to make of hackerdom, which is themed around extremely low-context interaction with computers and exhibits primarily "low-context" values, but cultivates an almost absurdly high-context slang style?

The intensity and consciousness of hackish invention make a compilation of hacker slang a particularly effective window into the surrounding culture -- and, in fact, this one is the latest version of an evolving compilation called the 'Jargon File', maintained by hackers themselves for over 15 years. This one (like its ancestors) is primarily a lexicon, but also includes topic entries which collect

background or sidelight information on hacker culture that would be awkward to try to subsume under individual slang definitions.

Though the format is that of a reference volume, it is intended that the material be enjoyable to browse. Even a complete outsider should find at least a chuckle on nearly every page, and much that is amusingly thought-provoking. But it is also true that hackers use humorous wordplay to make strong, sometimes combative statements about what they feel. Some of these entries reflect the views of opposing sides in disputes that have been genuinely passionate; this is deliberate. We have not tried to moderate or pretty up these disputes; rather we have attempted to ensure that everyone's sacred cows get gored, impartially. Compromise is not particularly a hackish virtue, but the honest presentation of divergent viewpoints is.

The reader with minimal computer background who finds some references incomprehensibly technical can safely ignore them. We have not felt it either necessary or desirable to eliminate all such; they, too, contribute flavor, and one of this document's major intended audiences -- fledgling hackers already partway inside the culture -- will benefit from them.

A selection of longer items of hacker folklore and humor is included in [29]Appendix A. The 'outside' reader's attention is particularly directed to the Portrait of J. Random Hacker in [30]Appendix B. Appendix C, the [31]Bibliography, lists some non-technical works which have either influenced or described the hacker culture.

Because hackerdom is an intentional culture (one each individual must choose by action to join), one should not be surprised that the line between description and influence can become more than a little blurred. Earlier versions of the Jargon File have played a central role in spreading hacker language and the culture that goes with it to successively larger populations, and we hope and expect that this one will do likewise.

Node:A Few Terms, Next:[32]Revision History,
Previous:[33]Introduction, Up:[34]Top

Of Slang, Jargon, and Techspeak

Linguists usually refer to informal language as 'slang' and reserve the term 'jargon' for the technical vocabularies of various occupations. However, the ancestor of this collection was called the 'Jargon File', and hacker slang is traditionally 'the jargon'. When talking about the jargon there is therefore no convenient way to distinguish it from what a linguist would call hackers' jargon -- the formal vocabulary they learn from textbooks, technical papers, and manuals.

To make a confused situation worse, the line between hacker slang and the vocabulary of technical programming and computer science is fuzzy,

and shifts over time. Further, this vocabulary is shared with a wider technical culture of programmers, many of whom are not hackers and do not speak or recognize hackish slang.

Accordingly, this lexicon will try to be as precise as the facts of usage permit about the distinctions among three categories:

- * 'slang': informal language from mainstream English or non-technical subcultures (bikers, rock fans, surfers, etc).
- * 'jargon': without qualifier, denotes informal 'slangy' language peculiar to or predominantly found among hackers -- the subject of this lexicon.
- * 'techspeak': the formal technical vocabulary of programming, computer science, electronics, and other fields connected to hacking.

This terminology will be consistently used throughout the remainder of this lexicon.

The jargon/techspeak distinction is the delicate one. A lot of techspeak originated as jargon, and there is a steady continuing uptake of jargon into techspeak. On the other hand, a lot of jargon arises from overgeneralization of techspeak terms (there is more about this in the [35]Jargon Construction section below).

In general, we have considered techspeak any term that communicates primarily by a denotation well established in textbooks, technical dictionaries, or standards documents.

A few obviously techspeak terms (names of operating systems, languages, or documents) are listed when they are tied to hacker folklore that isn't covered in formal sources, or sometimes to convey critical historical background necessary to understand other entries to which they are cross-referenced. Some other techspeak senses of jargon words are listed in order to make the jargon senses clear; where the text does not specify that a straight technical sense is under discussion, these are marked with '[techspeak]' as an etymology. Some entries have a primary sense marked this way, with subsequent jargon meanings explained in terms of it.

We have also tried to indicate (where known) the apparent origins of terms. The results are probably the least reliable information in the lexicon, for several reasons. For one thing, it is well known that many hackish usages have been independently reinvented multiple times, even among the more obscure and intricate neologisms. It often seems that the generative processes underlying hackish jargon formation have an internal logic so powerful as to create substantial parallelism across separate cultures and even in different languages! For another, the networks tend to propagate innovations so quickly that 'first use' is often impossible to pin down. And, finally, compendia like this one alter what they observe by implicitly stamping cultural approval on terms and widening their use.

Despite these problems, the organized collection of jargon-related

oral history for the new compilations has enabled us to put to rest quite a number of folk etymologies, place credit where credit is due, and illuminate the early history of many important hackerisms such as [36]kluge, [37]cruft, and [38]foo. We believe specialist lexicographers will find many of the historical notes more than casually instructive.

Node:Revision History, Next:[39]Jargon Construction, Previous:[40]A Few Terms, Up:[41]Top

Revision History

The original Jargon File was a collection of hacker jargon from technical cultures including the MIT AI Lab, the Stanford AI lab (SAIL), and others of the old ARPANET AI/LISP/PDP-10 communities including Bolt, Beranek and Newman (BBN), Carnegie-Mellon University (CMU), and Worcester Polytechnic Institute (WPI).

The Jargon File (hereafter referred to as 'jargon-1' or 'the File') was begun by Raphael Finkel at Stanford in 1975. From this time until the plug was finally pulled on the SAIL computer in 1991, the File was named AIWORD.RF[UP,DOC] there. Some terms in it date back considerably earlier ([42]frob and some senses of [43]moby, for instance, go back to the Tech Model Railroad Club at MIT and are believed to date at least back to the early 1960s). The revisions of jargon-1 were all unnumbered and may be collectively considered 'Version 1'.

In 1976, Mark Crispin, having seen an announcement about the File on the SAIL computer, [44]FTPed a copy of the File to MIT. He noticed that it was hardly restricted to 'AI words' and so stored the file on his directory as AI:MRC;SAIL JARGON.

The file was quickly renamed JARGON > (the '>' caused versioning under ITS) as a flurry of enhancements were made by Mark Crispin and Guy L. Steele Jr. Unfortunately, amidst all this activity, nobody thought of correcting the term 'jargon' to 'slang' until the compendium had already become widely known as the Jargon File.

Raphael Finkel dropped out of active participation shortly thereafter and Don Woods became the SAIL contact for the File (which was subsequently kept in duplicate at SAIL and MIT, with periodic resynchronizations).

The File expanded by fits and starts until about 1983; Richard Stallman was prominent among the contributors, adding many MIT and ITS-related coinages.

In Spring 1981, a hacker named Charles Spurgeon got a large chunk of the File published in Stewart Brand's "CoEvolution Quarterly" (issue 29, pages 26-35) with illustrations by Phil Wadler and Guy Steele (including a couple of the Crunchly cartoons). This appears to have been the File's first paper publication.

A late version of jargon-1, expanded with commentary for the mass market, was edited by Guy Steele into a book published in 1983 as "The Hacker's Dictionary" (Harper & Row CN 1082, ISBN 0-06-091082-8). The other jargon-1 editors (Raphael Finkel, Don Woods, and Mark Crispin) contributed to this revision, as did Richard M. Stallman and Geoff Goodfellow. This book (now out of print) is hereafter referred to as 'Steele-1983' and those six as the Steele-1983 coauthors.

Shortly after the publication of Steele-1983, the File effectively stopped growing and changing. Originally, this was due to a desire to freeze the file temporarily to facilitate the production of Steele-1983, but external conditions caused the 'temporary' freeze to become permanent.

The AI Lab culture had been hit hard in the late 1970s by funding cuts and the resulting administrative decision to use vendor-supported hardware and software instead of homebrew whenever possible. At MIT, most AI work had turned to dedicated LISP Machines. At the same time, the commercialization of AI technology lured some of the AI Lab's best and brightest away to startups along the Route 128 strip in Massachusetts and out West in Silicon Valley. The startups built LISP machines for MIT; the central MIT-AI computer became a [45]TWENEX system rather than a host for the AI hackers' beloved [46]ITS.

The Stanford AI Lab had effectively ceased to exist by 1980, although the SAIL computer continued as a Computer Science Department resource until 1991. Stanford became a major [47]TWENEX site, at one point operating more than a dozen TOPS-20 systems; but by the mid-1980s most of the interesting software work was being done on the emerging BSD Unix standard.

In April 1983, the PDP-10-centered cultures that had nourished the File were dealt a death-blow by the cancellation of the Jupiter project at Digital Equipment Corporation. The File's compilers, already dispersed, moved on to other things. Steele-1983 was partly a monument to what its authors thought was a dying tradition; no one involved realized at the time just how wide its influence was to be.

By the mid-1980s the File's content was dated, but the legend that had grown up around it never quite died out. The book, and softcopies obtained off the ARPANET, circulated even in cultures far removed from MIT and Stanford; the content exerted a strong and continuing influence on hacker language and humor. Even as the advent of the microcomputer and other trends fueled a tremendous expansion of hackerdom, the File (and related materials such as the [48]Some AI Koans in Appendix A) came to be seen as a sort of sacred epic, a hacker-culture Matter of Britain chronicling the heroic exploits of the Knights of the Lab. The pace of change in hackerdom at large accelerated tremendously -- but the Jargon File, having passed from living document to icon, remained essentially untouched for seven years.

This revision contains nearly the entire text of a late version of jargon-1 (a few obsolete PDP-10-related entries were dropped after careful consultation with the editors of Steele-1983). It merges in about 80% of the Steele-1983 text, omitting some framing material and a very few entries introduced in Steele-1983 that are now also obsolete.

This new version casts a wider net than the old Jargon File; its aim is to cover not just AI or PDP-10 hacker culture but all the technical computing cultures wherein the true hacker-nature is manifested. More than half of the entries now derive from [49]Usenet and represent jargon now current in the C and Unix communities, but special efforts have been made to collect jargon from other cultures including IBM PC programmers, Amiga fans, Mac enthusiasts, and even the IBM mainframe world.

Eric S. Raymond [50]<esr@snark.thyrsus.com> maintains the new File with assistance from Guy L. Steele Jr. [51]<gls@think.com>; these are the persons primarily reflected in the File's editorial 'we', though we take pleasure in acknowledging the special contribution of the other coauthors of Steele-1983. Please email all additions, corrections, and correspondence relating to the Jargon File to [52]jargon@thyrsus.com.

(Warning: other email addresses appear in this file but are not guaranteed to be correct later than the revision date on the first line. Don't email us if an attempt to reach your idol bounces -- we have no magic way of checking addresses or looking up people.)

The 2.9.6 version became the main text of "The New Hacker's Dictionary", by Eric Raymond (ed.), MIT Press 1991, ISBN 0-262-68069-6.

The 3.0.0 version was published in September 1993 as the second edition of "The New Hacker's Dictionary", again from MIT Press (ISBN 0-262-18154-1).

If you want the book, you should be able to find it at any of the major bookstore chains. Failing that, you can order by mail from

The MIT Press 55 Hayward Street Cambridge, MA 02142

or order by phone at (800)-356-0343 or (617)-625-8481.

The maintainers are committed to updating the on-line version of the Jargon File through and beyond paper publication, and will continue to make it available to archives and public-access sites as a trust of the hacker community.

Here is a chronology of the high points in the recent on-line revisions:

Version 2.1.1, Jun 12 1990: the Jargon File comes alive again after a

seven-year hiatus. Reorganization and massive additions were by Eric S. Raymond, approved by Guy Steele. Many items of UNIX, C, USENET, and microcomputer-based jargon were added at that time.

Version 2.9.6, Aug 16 1991: corresponds to reproduction copy for book. This version had 18952 lines, 148629 words, 975551 characters, and 1702 entries.

Version 2.9.7, Oct 28 1991: first markup for hypertext browser. This version had 19432 lines, 152132 words, 999595 characters, and 1750 entries.

Version 2.9.8, Jan 01 1992: first public release since the book, including over fifty new entries and numerous corrections/additions to old ones. Packaged with version 1.1 of vh(1) hypertext reader. This version had 19509 lines, 153108 words, 1006023 characters, and 1760 entries.

Version 2.9.9, Apr 01 1992: folded in XEROX PARC lexicon. This version had 20298 lines, 159651 words, 1048909 characters, and 1821 entries.

Version 2.9.10, Jul 01 1992: lots of new historical material. This version had 21349 lines, 168330 words, 1106991 characters, and 1891 entries.

Version 2.9.11, Jan 01 1993: lots of new historical material. This version had 21725 lines, 171169 words, 1125880 characters, and 1922 entries.

Version 2.9.12, May 10 1993: a few new entries & changes, marginal MUD/IRC slang and some borderline techspeak removed, all in preparation for 2nd Edition of TNHD. This version had 22238 lines, 175114 words, 1152467 characters, and 1946 entries.

Version 3.0.0, Jul 27 1993: manuscript freeze for 2nd edition of TNHD. This version had 22548 lines, 177520 words, 1169372 characters, and 1961 entries.

Version 3.1.0, Oct 15 1994: interim release to test WWW conversion. This version had 23197 lines, 181001 words, 1193818 characters, and 1990 entries.

Version 3.2.0, Mar 15 1995: Spring 1995 update. This version had 23822 lines, 185961 words, 1226358 characters, and 2031 entries.

Version 3.3.0, Jan 20 1996: Winter 1996 update. This version had 24055 lines, 187957 words, 1239604 characters, and 2045 entries.

Version 3.3.1, Jan 25 1996: Copy-corrected improvement on 3.3.0 shipped to MIT Press as a step towards TNHD III. This version had 24147 lines, 188728 words, 1244554 characters, and 2050 entries.

Version 3.3.2, Mar 20 1996: A number of new entries pursuant on 3.3.2.

This version had 24442 lines, 190867 words, 1262468 characters, and 2061 entries.

Version 3.3.3, Mar 25 1996: Cleanup before TNHD III manuscript freeze. This version had 24584 lines, 191932 words, 1269996 characters, and 2064 entries.

Version 4.0.0, Jul 25 1996: The actual TNHD III version after copy-edit. This version had 24801 lines, 193697 words, 1281402 characters, and 2067 entries.

Version 4.1.0, 8 Apr 1999: The Jargon File rides again after three years. This version had 25777 lines, 206825 words, 1359992 characters, and 2217 entries.

Version 4.1.1, 18 Apr 1999: Corrections for minor errors in 4.1.0, and some new entries. This version had 25921 lines, 208483 words, 1371279 characters, and 2225 entries.

Version 4.1.2, 28 Apr 1999: Moving texi2html out of the production path. This version had 26006 lines, 209479 words, 1377687 characters, and 2225 entries.

Version 4.1.3, 14 Jun 1999: Minor updates and markup fixes. This version had 26108 lines, 210480 words, 1384546 characters, and 2234 entries.

Version 4.1.4, 17 Jun 1999: Markup fixes for framed HTML. This version had 26117 lines, 210527 words, 1384902 characters, and 2234 entries.

Version 4.2.0, 31 Jan 2000: Fix processing of URLs. This version had 26598 lines, 214639 words, 1412243 characters, and 2267 entries.

Version 4.2.1, 5 Mar 2000: Point release to test new production machinery. This version had 26647 lines, 215040 words, 1414942 characters, and 2269 entries.

Version 4.2.2, 12 Aug 2000: This version had 27171 lines, 219630 words, 1444887 characters, and 2302 entries.

Version numbering: Version numbers should be read as major.minor.revision. Major version 1 is reserved for the 'old' (ITS) Jargon File, jargon-1. Major version 2 encompasses revisions by ESR (Eric S. Raymond) with assistance from GLS (Guy L. Steele, Jr.) leading up to and including the second paper edition. From now on, major version number N.00 will probably correspond to the Nth paper edition. Usually later versions will either completely supersede or incorporate earlier versions, so there is generally no point in keeping old versions around.

Our thanks to the coauthors of Steele-1983 for oversight and assistance, and to the hundreds of Usenetters (too many to name here) who contributed entries and encouragement. More thanks go to several

of the old-timers on the Usenet group alt.folklore.computers, who contributed much useful commentary and many corrections and valuable historical perspective: Joseph M. Newcomer [53]<jn11+@andrew.cmu.edu>, Bernie Cosell [54]<cosell@bbn.com>, Earl Boebert [55]<boebert@SCTC.com>, and Joe Morris [56]<jcmorris@mwunix.mitre.org>.

We were fortunate enough to have the aid of some accomplished linguists. David Stampe [57]<stampe@hawaii.edu> and Charles Hoequist [58]<hoequist@bnr.ca> contributed valuable criticism; Joe Keane [59]<jgk@osc.osc.com> helped us improve the pronunciation guides.

A few bits of this text quote previous works. We are indebted to Brian A. LaMacchia [60]<bal@zurich.ai.mit.edu> for obtaining permission for us to use material from the "TMRC Dictionary"; also, Don Libes [61]<libes@cme.nist.gov> contributed some appropriate material from his excellent book "Life With UNIX". We thank Per Lindberg [62]<per@front.se>, author of the remarkable Swedish-language 'zine "Hackerbladet", for bringing "FOO!" comics to our attention and smuggling one of the IBM hacker underground's own baby jargon files out to us. Thanks also to Maarten Litmaath for generously allowing the inclusion of the ASCII pronunciation guide he formerly maintained. And our gratitude to Marc Weiser of XEROX PARC [63]<Marc_Weiser.PARC@xerox.com> for securing us permission to quote from PARC's own jargon lexicon and shipping us a copy.

It is a particular pleasure to acknowledge the major contributions of Mark Brader [64]<mbs@sq.com> and Steve Summit [65]<scs@eskimo.com> to the File and Dictionary; they have read and reread many drafts, checked facts, caught typos, submitted an amazing number of thoughtful comments, and done yeoman service in catching typos and minor usage bobbles. Their rare combination of enthusiasm, persistence, wide-ranging technical knowledge, and precisionism in matters of language has been of invaluable help. Indeed, the sustained volume and quality of Mr. Brader's input over several years and several different editions has only allowed him to escape co-editor credit by the slimmest of margins.

Finally, George V. Reilly [66]<georgere@microsoft.com> helped with TeX arcana and painstakingly proofread some 2.7 and 2.8 versions, and Eric Tiedemann [67]<est@thyrsus.com> contributed sage advice throughout on rhetoric, amphigory, and philosophunculism.

Node:Jargon Construction, Next:[68]Hacker Writing Style,
Previous:[69]Revision History, Up:[70]Top

How Jargon Works

Jargon Construction

There are some standard methods of jargonification that became established quite early (i.e., before 1970), spreading from such

sources as the Tech Model Railroad Club, the PDP-1 SPACEWAR hackers, and John McCarthy's original crew of LISPerS. These include verb doubling, soundalike slang, the '-P' convention, overgeneralization, spoken inarticulations, and anthropomorphization. Each is discussed below. We also cover the standard comparatives for design quality.

Of these six, verb doubling, overgeneralization, anthropomorphization, and (especially) spoken inarticulations have become quite general; but soundalike slang is still largely confined to MIT and other large universities, and the '-P' convention is found only where LISPerS flourish.

- * [71]Verb Doubling: Doubling a verb may change its semantics
- * [72]Soundalike Slang: Punning jargon
- * [73]The -P convention: A LISPy way to form questions
- * [74]Overgeneralization: Standard abuses of grammar
- * [75]Spoken Inarticulations: Sighing and <*sigh*>ing
- * [76]Anthropomorphization: Homunculi, daemons, and confused programs
- * [77]Comparatives: Standard comparatives for design quality

Node:Verb Doubling, Next:[78]Soundalike Slang, Up:[79]Jargon Construction

Verb Doubling

A standard construction in English is to double a verb and use it as an exclamation, such as "Bang, bang!" or "Quack, quack!". Most of these are names for noises. Hackers also double verbs as a concise, sometimes sarcastic comment on what the implied subject does. Also, a doubled verb is often used to terminate a conversation, in the process remarking on the current state of affairs or what the speaker intends to do next. Typical examples involve [80]win, [81]lose, [82]hack, [83]flame, [84]barf, [85]chomp:

"The disk heads just crashed." "Lose, lose."

"Mostly he talked about his latest crock. Flame, flame."

"Boy, what a bagbiter! Chomp, chomp!"

Some verb-doubled constructions have special meanings not immediately obvious from the verb. These have their own listings in the lexicon.

The [86]Usenet culture has one tripling convention unrelated to this; the names of 'joke' topic groups often have a tripled last element. The first and paradigmatic example was alt.swedish.chef.bork.bork.bork (a "Muppet Show" reference); other infamous examples have included:

alt.french.captain.borg.borg.borg
alt.wesley.crusher.die.die.die
comp.unix.internals.system.calls.brk.brk.brk
sci.physics.edward.teller.boom.boom.boom
alt.sadistic.dentists.drill.drill.drill

Node:Soundalike Slang, Next:[87]The -P convention, Previous:[88]Verb Doubling, Up:[89]Jargon Construction

Soundalike slang

Hackers will often make rhymes or puns in order to convert an ordinary word or phrase into something more interesting. It is considered particularly [90]flavorful if the phrase is bent so as to include some other jargon word; thus the computer hobbyist magazine "Dr. Dobb's Journal" is almost always referred to among hackers as 'Dr. Frob's Journal' or simply 'Dr. Frob's'. Terms of this kind that have been in fairly wide use include names for newspapers:

Boston Herald => Horrid (or Harried)
Boston Globe => Boston Glob
Houston (or San Francisco) Chronicle
=> the Crocknicle (or the Comical)
New York Times => New York Slime
Wall Street Journal => Wall Street Urinal

However, terms like these are often made up on the spur of the moment.

Standard examples include:

Data General => Dirty Genitals
IBM 360 => IBM Three-Sickly
Government Property --- Do Not Duplicate (on keys)
=> Government Duplicity --- Do Not Propagate
for historical reasons => for hysterical raisins
Margaret Jacks Hall (the CS building at Stanford)
=> Marginal Hacks Hall
Microsoft => Microsloth
Internet Explorer => Internet Exploiter

This is not really similar to the Cockney rhyming slang it has been compared to in the past, because Cockney substitutions are opaque whereas hacker punning jargon is intentionally transparent.

Node:The -P convention, Next:[91]Overgeneralization,
Previous:[92]Soundalike Slang, Up:[93]Jargon Construction

The '-P' convention

Turning a word into a question by appending the syllable 'P'; from the LISP convention of appending the letter 'P' to denote a predicate (a boolean-valued function). The question should expect a yes/no answer, though it needn't. (See [94]T and [95]NIL.)

At dinnertime:

Q: "Foodp?"

A: "Yeah, I'm pretty hungry." or "T!"

At any time:

Q: "State-of-the-world-P?"

A: (Straight) "I'm about to go home."

A: (Humorous) "Yes, the world has a state."

On the phone to Florida:

Q: "State-p Florida?"

A: "Been reading JARGON.TXT again, eh?"

[One of the best of these is a [96]Gosperism. Once, when we were at a Chinese restaurant, Bill Gosper wanted to know whether someone would like to share with him a two-person-sized bowl of soup. His inquiry was: "Split-p soup?" -- GLS]

Node:Overgeneralization, Next:[97]Spoken Inarticulations,
Previous:[98]The -P convention, Up:[99]Jargon Construction

Overgeneralization

A very conspicuous feature of jargon is the frequency with which techspeak items such as names of program tools, command language primitives, and even assembler opcodes are applied to contexts outside of computing wherever hackers find amusing analogies to them. Thus (to cite one of the best-known examples) Unix hackers often [100]grep for things rather than searching for them. Many of the lexicon entries are generalizations of exactly this kind.

Hackers enjoy overgeneralization on the grammatical level as well. Many hackers love to take various words and add the wrong endings to them to make nouns and verbs, often by extending a standard rule to nonuniform cases (or vice versa). For example, because

porous => porosity
generous => generosity

hackers happily generalize:

mysterious => mysteriosity
ferrous => ferrosity
obvious => obviosity
dubious => dubiousity

Another class of common construction uses the suffix '-itude' to abstract a quality from just about any adjective or noun. This usage arises especially in cases where mainstream English would perform the same abstraction through '-iness' or '-ingness'. Thus:

win => winnitude (a common exclamation)
loss => lossitude
cruft => cruftitude
lame => lameitude

Some hackers cheerfully reverse this transformation; they argue, for example, that the horizontal degree lines on a globe ought to be called 'lats' -- after all, they're measuring latitude!

Also, note that all nouns can be verbed. E.g.: "All nouns can be verbed", "I'll mouse it up", "Hang on while I clipboard it over", "I'm grepping the files". English as a whole is already heading in this direction (towards pure-positional grammar like Chinese); hackers are simply a bit ahead of the curve.

The suffix "-full" can also be applied in generalized and fanciful ways, as in "As soon as you have more than one cachefull of data, the system starts thrashing," or "As soon as I have more than one headfull of ideas, I start writing it all down." A common use is "screenfull", meaning the amount of text that will fit on one screen, usually in text mode where you have no choice as to character size. Another common form is "bufferfull".

However, hackers avoid the unimaginative verb-making techniques characteristic of marketroids, bean-counters, and the Pentagon; a hacker would never, for example, 'productize', 'prioritize', or 'securitize' things. Hackers have a strong aversion to bureaucratic baffle-gab and regard those who use it with contempt.

Similarly, all verbs can be nouned. This is only a slight overgeneralization in modern English; in hackish, however, it is good form to mark them in some standard nonstandard way. Thus:

win => winnitude, winnage
disgust => disgustitude
hack => hackification

Further, note the prevalence of certain kinds of nonstandard plural forms. Some of these go back quite a ways; the TMRC Dictionary includes an entry which implies that the plural of 'mouse' is [101]meeces, and notes that the defined plural of 'caboose' is 'cabeese'. This latter has apparently been standard (or at least a standard joke) among railfans (railroad enthusiasts) for many years.

On a similarly Anglo-Saxon note, almost anything ending in 'x' may form plurals in '-xen' (see [102]VAXen and [103]boxen in the main text). Even words ending in phonetic /k/ alone are sometimes treated this way; e.g., 'soxen' for a bunch of socks. Other funny plurals are 'frobbozim' for the plural of 'frobbozz' (see [104]frobbozim) and 'Unices' and 'Twenices' (rather than 'Unixes' and 'Twenexes'; see [105]Unix, [106]TWENEX in main text). But note that 'Twenexen' was never used, and 'Unixen' was not sighted in the wild until the year

2000, thirty years after it might logically have come into use; it has been suggested that this is because '-ix' and '-ex' are Latin singular endings that attract a Latinate plural. Finally, it has been suggested to general approval that the plural of 'mongoose' ought to be 'polygoose'.

The pattern here, as with other hackish grammatical quirks, is generalization of an inflectional rule that in English is either an import or a fossil (such as the Hebrew plural ending '-im', or the Anglo-Saxon plural suffix '-en') to cases where it isn't normally considered to apply.

This is not 'poor grammar', as hackers are generally quite well aware of what they are doing when they distort the language. It is grammatical creativity, a form of playfulness. It is done not to impress but to amuse, and never at the expense of clarity.

Node:Spoken Inarticulations, Next:[107]Anthropomorphization, Previous:[108]Overgeneralization, Up:[109]Jargon Construction

Spoken inarticulations

Words such as 'mumble', 'sigh', and 'groan' are spoken in places where their referent might more naturally be used. It has been suggested that this usage derives from the impossibility of representing such noises on a comm link or in electronic mail, MUDs, and IRC channels (interestingly, the same sorts of constructions have been showing up with increasing frequency in comic strips). Another expression sometimes heard is "Complain!", meaning "I have a complaint!"

Node:Anthropomorphization, Next:[110]Comparatives, Previous:[111]Spoken Inarticulations, Up:[112]Jargon Construction

Anthropomorphization

Semantically, one rich source of jargon constructions is the hackish tendency to anthropomorphize hardware and software. English purists and academic computer scientists frequently look down on others for anthropomorphizing hardware and software, considering this sort of behavior to be characteristic of naive misunderstanding. But most hackers anthropomorphize freely, frequently describing program behavior in terms of wants and desires.

Thus it is common to hear hardware or software talked about as though it has homunculi talking to each other inside it, with intentions and desires. Thus, one hears "The protocol handler got confused", or that programs "are trying" to do things, or one may say of a routine that "its goal in life is to X". One even hears explanations like "... and its poor little brain couldn't understand X, and it died." Sometimes modelling things this way actually seems to make them easier to understand, perhaps because it's instinctively natural to think of

anything with a really complex behavioral repertoire as 'like a person' rather than 'like a thing'.

At first glance, to anyone who understands how these programs actually work, this seems like an absurdity. As hackers are among the people who know best how these phenomena work, it seems odd that they would use language that seems to ascribe consciousness to them. The mind-set behind this tendency thus demands examination.

The key to understanding this kind of usage is that it isn't done in a naive way; hackers don't personalize their stuff in the sense of feeling empathy with it, nor do they mystically believe that the things they work on every day are 'alive'. To the contrary: hackers who anthropomorphize are expressing not a vitalistic view of program behavior but a mechanistic view of human behavior.

Almost all hackers subscribe to the mechanistic, materialistic ontology of science (this is in practice true even of most of the minority with contrary religious theories). In this view, people are biological machines - consciousness is an interesting and valuable epiphenomenon, but mind is implemented in machinery which is not fundamentally different in information-processing capacity from computers.

Hackers tend to take this a step further and argue that the difference between a substrate of CHON atoms and water and a substrate of silicon and metal is a relatively unimportant one; what matters, what makes a thing 'alive', is information and richness of pattern. This is animism from the flip side; it implies that humans and computers and dolphins and rocks are all machines exhibiting a continuum of modes of 'consciousness' according to their information-processing capacity.

Because hackers accept that a human machine can have intentions, it is therefore easy for them to ascribe consciousness and intention to complex patterned systems such as computers. If consciousness is mechanical, it is neither more or less absurd to say that "The program wants to go into an infinite loop" than it is to say that "I want to go eat some chocolate" - and even defensible to say that "The stone, once dropped, wants to move towards the center of the earth".

This viewpoint has respectable company in academic philosophy. Daniel Dennett organizes explanations of behavior using three stances: the "physical stance" (thing-to-be-explained as a physical object), the "design stance" (thing-to-be-explained as an artifact), and the "intentional stance" (thing-to-be-explained as an agent with desires and intentions). Which stances are appropriate is a matter not of truth but of utility. Hackers typically view simple programs from the design stance, but more complex ones are modelled using the intentional stance.

Comparatives

Finally, note that many words in hacker jargon have to be understood as members of sets of comparatives. This is especially true of the adjectives and nouns used to describe the beauty and functional quality of code. Here is an approximately correct spectrum:

monstrosity brain-damage screw bug lose misfeature
croak kluge hack win feature elegance perfection

The last is spoken of as a mythical absolute, approximated but never actually attained. Another similar scale is used for describing the reliability of software:

broken flaky dodgy fragile brittle
solid robust bulletproof armor-plated

Note, however, that 'dodgy' is primarily Commonwealth Hackish (it is rare in the U.S.) and may change places with 'flaky' for some speakers.

Coinages for describing [115]lossage seem to call forth the very finest in hackish linguistic inventiveness; it has been truly said that hackers have even more words for equipment failures than Yiddish has for obnoxious people.

Node:Hacker Writing Style, Next:[116]Email Quotes,
Previous:[117]Jargon Construction, Up:[118]Top

Hacker Writing Style

We've already seen that hackers often coin jargon by overgeneralizing grammatical rules. This is one aspect of a more general fondness for form-versus-content language jokes that shows up particularly in hackish writing. One correspondent reports that he consistently misspells 'wrong' as 'wornng'. Others have been known to criticize glitches in Jargon File drafts by observing (in the mode of Douglas Hofstadter) "This sentence no verb", or "Too repetetitive", or "Bad spelling", or "Incorrectspacing." Similarly, intentional spoonerisms are often made of phrases relating to confusion or things that are confusing; 'dain bramage' for 'brain damage' is perhaps the most common (similarly, a hacker would be likely to write "Excuse me, I'm cixelsyd today", rather than "I'm dyslexic today"). This sort of thing is quite common and is enjoyed by all concerned.

Hackers tend to use quotes as balanced delimiters like parentheses, much to the dismay of American editors. Thus, if "Jim is going" is a phrase, and so are "Bill runs" and "Spock groks", then hackers generally prefer to write: "Jim is going", "Bill runs", and "Spock groks". This is incorrect according to standard American usage (which would put the continuation commas and the final period inside the

string quotes); however, it is counter-intuitive to hackers to mutilate literal strings with characters that don't belong in them. Given the sorts of examples that can come up in discussions of programming, American-style quoting can even be grossly misleading. When communicating command lines or small pieces of code, extra characters can be a real pain in the neck.

Consider, for example, a sentence in a [119]vi tutorial that looks like this:

Then delete a line from the file by typing "dd".

Standard usage would make this

Then delete a line from the file by typing "dd."

but that would be very bad -- because the reader would be prone to type the string d-d-dot, and it happens that in vi(1) dot repeats the last command accepted. The net result would be to delete two lines!

The Jargon File follows hackish usage throughout.

Interestingly, a similar style is now preferred practice in Great Britain, though the older style (which became established for typographical reasons having to do with the aesthetics of comma and quotes in typeset text) is still accepted there. "Hart's Rules" and the "Oxford Dictionary for Writers and Editors" call the hacker-like style 'new' or 'logical' quoting. This returns British English to the style Latin languages (including Spanish, French, Italian, Catalan) have been using all along.

Another hacker habit is a tendency to distinguish between 'scare' quotes and 'speech' quotes; that is, to use British-style single quotes for marking and reserve American-style double quotes for actual reports of speech or text included from elsewhere. Interestingly, some authorities describe this as correct general usage, but mainstream American English has gone to using double-quotes indiscriminately enough that hacker usage appears marked [and, in fact, I thought this was a personal quirk of mine until I checked with Usenet --ESR]. One further permutation that is definitely not standard is a hackish tendency to do marking quotes by using apostrophes (single quotes) in pairs; that is, 'like this'. This is modelled on string and character literal syntax in some programming languages (reinforced by the fact that many character-only terminals display the apostrophe in typewriter style, as a vertical single quote).

One quirk that shows up frequently in the [120]email style of Unix hackers in particular is a tendency for some things that are normally all-lowercase (including usernames and the names of commands and C routines) to remain uncapitalized even when they occur at the beginning of sentences. It is clear that, for many hackers, the case of such identifiers becomes a part of their internal representation (the 'spelling') and cannot be overridden without mental effort (an

appropriate reflex because Unix and C both distinguish cases and confusing them can lead to [121]lossage). A way of escaping this dilemma is simply to avoid using these constructions at the beginning of sentences.

There seems to be a meta-rule behind these nonstandard hackerisms to the effect that precision of expression is more important than conformance to traditional rules; where the latter create ambiguity or lose information they can be discarded without a second thought. It is notable in this respect that other hackish inventions (for example, in vocabulary) also tend to carry very precise shades of meaning even when constructed to appear slangy and loose. In fact, to a hacker, the contrast between 'loose' form and 'tight' content in jargon is a substantial part of its humor!

Hackers have also developed a number of punctuation and emphasis conventions adapted to single-font all-ASCII communications links, and these are occasionally carried over into written documents even when normal means of font changes, underlining, and the like are available.

One of these is that TEXT IN ALL CAPS IS INTERPRETED AS 'LOUD', and this becomes such an ingrained synesthetic reflex that a person who goes to caps-lock while in [122]talk mode may be asked to "stop shouting, please, you're hurting my ears!".

Also, it is common to use bracketing with unusual characters to signify emphasis. The asterisk is most common, as in "What the *hell*?" even though this interferes with the common use of the asterisk suffix as a footnote mark. The underscore is also common, suggesting underlining (this is particularly common with book titles; for example, "It is often alleged that Joe Haldeman wrote The Forever War as a rebuttal to Robert Heinlein's earlier novel of the future military, Starship Troopers"). Other forms exemplified by "=hell=", "\hell/", or "/hell/" are occasionally seen (it's claimed that in the last example the first slash pushes the letters over to the right to make them italic, and the second keeps them from falling over). On FidoNet, you might see #bright# and ^dark^ text, which was actually interpreted by some reader software. Finally, words may also be emphasized L I K E T H I S, or by a series of carets (^) under them on the next line of the text.

There is a semantic difference between *emphasis like this* (which emphasizes the phrase as a whole), and *emphasis* *like* *this* (which suggests the writer speaking very slowly and distinctly, as if to a very young child or a mentally impaired person). Bracketing a word with the '*' character may also indicate that the writer wishes readers to consider that an action is taking place or that a sound is being made. Examples: *bang*, *hic*, *ring*, *grin*, *kick*, *stomp*, *mumble*.

One might also see the above sound effects as <bang>, <hic>, <ring>, <grin>, <kick>, <stomp>, <mumble>. This use of angle brackets to mark their contents originally derives from conventions used in [123]BNF,

but since about 1993 it has been reinforced by the HTML markup used on the World Wide Web.

Angle-bracket enclosure is also used to indicate that a term stands for some [124]random member of a larger class (this is straight from [125]BNF). Examples like the following are common:

So this <ethnic> walks into a bar one day...

There is also an accepted convention for 'writing under erasure'; the text

Be nice to this fool^H^H^H^Hgentleman,
he's visiting from corporate HQ.

reads roughly as "Be nice to this fool, er, gentleman...", with irony emphasized. The digraph ^H is often used as a print representation for a backspace, and was actually very visible on old-style printing terminals. As the text was being composed the characters would be echoed and printed immediately, and when a correction was made the backspace keystrokes would be echoed with the string '^H'. Of course, the final composed text would have no trace of the backspace characters (or the original erroneous text).

This convention parallels (and may have been influenced by) the ironic use of 'slashouts' in science-fiction fanzines.

A related habit uses editor commands to signify corrections to previous text. This custom faded in email as more mailers got good editing capabilities, only to take on new life on IRCs and other line-based chat systems.

I've seen that term used on alt.fooobar often.

Send it to Erik for the File.

Oops...s/Erik/Eric/.

The s/Erik/Eric/ says "change Erik to Eric in the preceding". This syntax is borrowed from the Unix editing tools ed and sed, but is widely recognized by non-Unix hackers as well.

In a formula, * signifies multiplication but two asterisks in a row are a shorthand for exponentiation (this derives from FORTRAN). Thus, one might write $2^{**} 8 = 256$.

Another notation for exponentiation one sees more frequently uses the caret (^, ASCII 1011110); one might write instead $2^8 = 256$. This goes all the way back to Algol-60, which used the archaic ASCII 'up-arrow' that later became the caret; this was picked up by Kemeny and Kurtz's original BASIC, which in turn influenced the design of the bc(1) and dc(1) Unix tools, which have probably done most to reinforce the convention on Usenet. (TeX math mode also uses ^ for exponentiation.) The notation is mildly confusing to C programmers, because ^ means bitwise exclusive-or in C. Despite this, it was favored 3:1 over ** in a late-1990 snapshot of Usenet. It is used consistently in this lexicon.

In on-line exchanges, hackers tend to use decimal forms or improper

fractions ('3.5' or '7/2') rather than 'typewriter style' mixed fractions ('3-1/2'). The major motive here is probably that the former are more readable in a monospaced font, together with a desire to avoid the risk that the latter might be read as 'three minus one-half'. The decimal form is definitely preferred for fractions with a terminating decimal representation; there may be some cultural influence here from the high status of scientific notation.

Another on-line convention, used especially for very large or very small numbers, is taken from C (which derived it from FORTRAN). This is a form of 'scientific notation' using 'e' to replace '*10^'; for example, one year is about 3e7 seconds long.

The tilde (~) is commonly used in a quantifying sense of 'approximately'; that is, ~50 means 'about fifty'.

On Usenet and in the [126]MUD world, common C boolean, logical, and relational operators such as |, &, ||, &&, !, ==, !=, >, <, >=, and <= are often combined with English. The Pascal not-equals, <>, is also recognized, and occasionally one sees /= for not-equals (from Ada, Common Lisp, and Fortran 90). The use of prefix '!' as a loose synonym for 'not-' or 'no-' is particularly common; thus, '!clue' is read 'no-clue' or 'clueless'.

A related practice borrows syntax from preferred programming languages to express ideas in a natural-language text. For example, one might see the following:

```
In <jrh578689@thudpucker.com> J. R. Hacker wrote:
>I recently had occasion to field-test the Snafu
>Systems 2300E adaptive gonkulator. The price was
>right, and the racing stripe on the case looked
>kind of neat, but its performance left something
>to be desired.
```

Yeah, I tried one out too.

```
#ifdef FLAME
Hasn't anyone told those idiots that you can't get
decent bogon suppression with AFJ filters at today's
net volumes?
#endif /* FLAME */
```

I guess they figured the price premium for true frame-based semantic analysis was too high. Unfortunately, it's also the only workable approach. I wouldn't recommend purchase of this product unless you're on a *very* tight budget.

```
#include <disclaimer.h>
```

```
--
```

```
== Frank Foonly (Fubarco Systems)
```

In the above, the #ifdef/#endif pair is a conditional compilation

syntax from C; here, it implies that the text between (which is a [127]flame) should be evaluated only if you have turned on (or defined on) the switch FLAME. The #include at the end is C for "include standard disclaimer here"; the 'standard disclaimer' is understood to read, roughly, "These are my personal opinions and not to be construed as the official position of my employer."

The top section in the example, with > at the left margin, is an example of an inclusion convention we'll discuss below.

More recently, following on the huge popularity of the World Wide Web, pseudo-HTML markup has become popular for similar purposes:

```
<flame>
```

```
Your father was a hamster and your mother smelt of elderberries!
```

```
</flame>
```

You'll even see this with an HTML-style modifier:

```
<flame intensity="100%">
```

```
You seem well-suited for a career in government.
```

```
</flame>
```

Another recent (late 1990s) construction now common on USENET seems to be borrowed from Perl. It consists of using a dollar sign before an uppercased form of a word or acronym to suggest any [128]random member of the class indicated by the word. Thus: '\$PHB' means "any random member of the class 'Pointy-Haired Boss'".

Hackers also mix letters and numbers more freely than in mainstream usage. In particular, it is good hackish style to write a digit sequence where you intend the reader to understand the text string that names that number in English. So, hackers prefer to write '1970s' rather than 'nineteen-seventies' or '1970's' (the latter looks like a possessive).

It should also be noted that hackers exhibit much less reluctance to use multiply-nested parentheses than is normal in English. Part of this is almost certainly due to influence from LISP (which uses deeply nested parentheses (like this (see?)) in its syntax a lot), but it has also been suggested that a more basic hacker trait of enjoying playing with complexity and pushing systems to their limits is in operation.

Finally, it is worth mentioning that many studies of on-line communication have shown that electronic links have a de-inhibiting effect on people. Deprived of the body-language cues through which emotional state is expressed, people tend to forget everything about other parties except what is presented over that ASCII link. This has both good and bad effects. A good one is that it encourages honesty and tends to break down hierarchical authority relationships; a bad one is that it may encourage depersonalization and gratuitous rudeness. Perhaps in response to this, experienced netters often display a sort of conscious formal politesse in their writing that has passed out of fashion in other spoken and written media (for example, the phrase "Well said, sir!" is not uncommon).

Many introverted hackers who are next to inarticulate in person communicate with considerable fluency over the net, perhaps precisely because they can forget on an unconscious level that they are dealing with people and thus don't feel stressed and anxious as they would face to face.

Though it is considered gauche to publicly criticize posters for poor spelling or grammar, the network places a premium on literacy and clarity of expression. It may well be that future historians of literature will see in it a revival of the great tradition of personal letters as art.

Node:Email Quotes, Next:[129]Hacker Speech Style, Previous:[130]Hacker Writing Style, Up:[131]Top

Email Quotes and Inclusion Conventions

One area where conventions for on-line writing are still in some flux is the marking of included material from earlier messages -- what would be called 'block quotations' in ordinary English. From the usual typographic convention employed for these (smaller font at an extra indent), there derived a practice of included text being indented by one ASCII TAB (0001001) character, which under Unix and many other environments gives the appearance of an 8-space indent.

Early mail and netnews readers had no facility for including messages this way, so people had to paste in copy manually. BSD Mail(1) was the first message agent to support inclusion, and early Usenetters emulated its style. But the TAB character tended to push included text too far to the right (especially in multiply nested inclusions), leading to ugly wraparounds. After a brief period of confusion (during which an inclusion leader consisting of three or four spaces became established in EMACS and a few mailers), the use of leading > or > became standard, perhaps owing to its use in ed(1) to display tabs (alternatively, it may derive from the > that some early Unix mailers used to quote lines starting with "From" in text, so they wouldn't look like the beginnings of new message headers). Inclusions within inclusions keep their > leaders, so the 'nesting level' of a quotation is visually apparent.

The practice of including text from the parent article when posting a followup helped solve what had been a major nuisance on Usenet: the fact that articles do not arrive at different sites in the same order. Careless posters used to post articles that would begin with, or even consist entirely of, "No, that's wrong" or "I agree" or the like. It was hard to see who was responding to what. Consequently, around 1984, new news-posting software evolved a facility to automatically include the text of a previous article, marked with "> " or whatever the poster chose. The poster was expected to delete all but the relevant lines. The result has been that, now, careless posters post articles containing the entire text of a preceding article, followed only by

"No, that's wrong" or "I agree".

Many people feel that this cure is worse than the original disease, and there soon appeared newsreader software designed to let the reader skip over included text if desired. Today, some posting software rejects articles containing too high a proportion of lines beginning with '>' -- but this too has led to undesirable workarounds, such as the deliberate inclusion of zero-content filler lines which aren't quoted and thus pull the message below the rejection threshold.

Because the default mailers supplied with Unix and other operating systems haven't evolved as quickly as human usage, the older conventions using a leading TAB or three or four spaces are still alive; however, >-inclusion is now clearly the prevalent form in both netnews and mail.

Inclusion practice is still evolving, and disputes over the 'correct' inclusion style occasionally lead to [132]holy wars.

Most netters view an inclusion as a promise that comment on it will immediately follow. The preferred, conversational style looks like this,

```
> relevant excerpt 1
response to excerpt
> relevant excerpt 2
response to excerpt
> relevant excerpt 3
response to excerpt
```

or for short messages like this:

```
> entire message
response to message
```

Thanks to poor design of some PC-based mail agents, one will occasionally see the entire quoted message after the response, like this

```
response to message
> entire message
```

but this practice is strongly deprecated.

Though > remains the standard inclusion leader, | is occasionally used for extended quotations where original variations in indentation are being retained (one mailer even combines these and uses |>). One also sees different styles of quoting a number of authors in the same message: one (deprecated because it loses information) uses a leader of > for everyone, another (the most common) is > > > , > > > , etc. (or >>>> , >>>, etc., depending on line length and nesting depth) reflecting the original order of messages, and yet another is to use a different citation leader for each author, say > , : , | , } (preserving nesting so that the inclusion order of messages is still apparent, or tagging the inclusions with authors' names). Yet another style is to use each poster's initials (or login name) as a citation

leader for that poster.

Occasionally one sees a # leader used for quotations from authoritative sources such as standards documents; the intended allusion is to the root prompt (the special Unix command prompt issued when one is running as the privileged super-user).

Node:Hacker Speech Style, Next:[133]International Style,
Previous:[134]Email Quotes, Up:[135]Top

Hacker Speech Style

Hackish speech generally features extremely precise diction, careful word choice, a relatively large working vocabulary, and relatively little use of contractions or street slang. Dry humor, irony, puns, and a mildly flippant attitude are highly valued -- but an underlying seriousness and intelligence are essential. One should use just enough jargon to communicate precisely and identify oneself as a member of the culture; overuse of jargon or a breathless, excessively gung-ho attitude is considered tacky and the mark of a loser.

This speech style is a variety of the precisionist English normally spoken by scientists, design engineers, and academics in technical fields. In contrast with the methods of jargon construction, it is fairly constant throughout hackerdom.

It has been observed that many hackers are confused by negative questions -- or, at least, that the people to whom they are talking are often confused by the sense of their answers. The problem is that they have done so much programming that distinguishes between if (going) ...

and

if (!going) ...

that when they parse the question "Aren't you going?" it may seem to be asking the opposite question from "Are you going?", and so to merit an answer in the opposite sense. This confuses English-speaking non-hackers because they were taught to answer as though the negative part weren't there. In some other languages (including Russian, Chinese, and Japanese) the hackish interpretation is standard and the problem wouldn't arise. Hackers often find themselves wishing for a word like French 'si', German 'doch', or Dutch 'jawel' - a word with which one could unambiguously answer 'yes' to a negative question. (See also [136]mu)

For similar reasons, English-speaking hackers almost never use double negatives, even if they live in a region where colloquial usage allows them. The thought of uttering something that logically ought to be an affirmative knowing it will be misparsed as a negative tends to disturb them.

In a related vein, hackers sometimes make a game of answering questions containing logical connectives with a strictly literal rather than colloquial interpretation. A non-hacker who is indelicate enough to ask a question like "So, are you working on finding that bug now or leaving it until later?" is likely to get the perfectly correct answer "Yes!" (that is, "Yes, I'm doing it either now or later, and you didn't ask which!").

Node:International Style, Next:[137]Lamer-speak, Previous:[138]Hacker Speech Style, Up:[139]Top

International Style

Although the Jargon File remains primarily a lexicon of hacker usage in American English, we have made some effort to get input from abroad. Though the hacker-speak of other languages often uses translations of jargon from English (often as transmitted to them by earlier Jargon File versions!), the local variations are interesting, and knowledge of them may be of some use to travelling hackers.

There are some references herein to 'Commonwealth hackish'. These are intended to describe some variations in hacker usage as reported in the English spoken in Great Britain and the Commonwealth (Canada, Australia, India, etc. -- though Canada is heavily influenced by American usage). There is also an entry on [140]Commonwealth Hackish reporting some general phonetic and vocabulary differences from U.S. hackish.

Hackers in Western Europe and (especially) Scandinavia report that they often use a mixture of English and their native languages for technical conversation. Occasionally they develop idioms in their English usage that are influenced by their native-language styles. Some of these are reported here.

On the other hand, English often gives rise to grammatical and vocabulary mutations in the native language. For example, Italian hackers often use the nonexistent verbs 'scrollare' (to scroll) and 'deletare' (to delete) rather than native Italian 'scorrere' and 'cancellare'. Similarly, the English verb 'to hack' has been seen conjugated in Swedish. In German, many Unix terms in English are casually declined as if they were German verbs - thus: mount/mounten/gemountet; grep/grepen/gegrept; fork/forken/geforkt; core dump/core-dumpen, core-gedumt. And Spanish-speaking hackers use 'linkar' (to link), 'debugear' (to debug), and 'lockear' (to lock).

European hackers report that this happens partly because the English terms make finer distinctions than are available in their native vocabularies, and partly because deliberate language-crossing makes for amusing wordplay.

A few notes on hackish usages in Russian have been added where they are parallel with English idioms and thus comprehensible to

English-speakers.

Node:Lamer-speak, Next:[141]Pronunciation Guide,
Previous:[142]International Style, Up:[143]Top

Crackers, Phreaks, and Lamers

From the early 1980s onward, a flourishing culture of local, MS-DOS-based bulletin boards developed separately from Internet hackerdom. The BBS culture has, as its seamy underside, a stratum of 'pirate boards' inhabited by [144]crackers, phone phreaks, and [145]warez d00dz. These people (mostly teenagers running IBM-PC clones from their bedrooms) have developed their own characteristic jargon, heavily influenced by skateboard lingo and underground-rock slang.

Though crackers often call themselves 'hackers', they aren't (they typically have neither significant programming ability, nor Internet expertise, nor experience with UNIX or other true multi-user systems). Their vocabulary has little overlap with hackerdom's. Nevertheless, this lexicon covers much of it so the reader will be able to understand what goes by on bulletin-board systems.

Here is a brief guide to cracker and [146]warez d00dz usage:

- * Misspell frequently. The substitutions
phone => fone
freak => phreak
are obligatory.
- * Always substitute 'z's for 's's. (i.e. "codes" -> "codez"). The substitution of 'z' for 's' has evolved so that a 'z' is bow systematically put at the end of words to denote an illegal or cracking connection. Examples : Appz, passwordz, passez, utilz, MP3z, distroz, pornz, sitez, gamez, crackz, serialz, downloadz, FTPz, etc.
- * Type random emphasis characters after a post line (i.e. "Hey Dudes!#!\$#!#!\$").
- * Use the emphatic 'k' prefix ("k-kool", "k-rad", "k-awesome") frequently.
- * Abbreviate compulsively ("I got lotsa warez w/ docs").
- * Substitute '0' for 'o' ("r0dent", "l0zer").
- * TYPE ALL IN CAPS LOCK, SO IT LOOKS LIKE YOU'RE YELLING ALL THE TIME.

These traits are similar to those of [147]B1FF, who originated as a parody of naive [148]BBS users; also of his latter-day equivalent [149]Jeff K.. Occasionally, this sort of distortion may be used as heavy sarcasm by a real hacker, as in:

```
> I got X Windows running under Linux!
```

```
d00d! u R an 31337 hax0r
```

The only practice resembling this in actual hacker usage is the substitution of a dollar sign of 's' in names of products or service

felt to be excessively expensive, e.g. Compu\$erve, Micro\$oft.

For further discussion of the pirate-board subculture, see [150]lamer, [151]elite, [152]leech, [153]poser, [154]cracker, and especially [155]warez d00dz, [156]banner site, [157]ratio site, [158]leech mode.

Node:Pronunciation Guide, Next:[159]Other Lexicon Conventions,
Previous:[160]Lamer-speak, Up:[161]Top

How to Use the Lexicon

Pronunciation Guide

Pronunciation keys are provided in the jargon listings for all entries that are neither dictionary words pronounced as in standard English nor obvious compounds thereof. Slashes bracket phonetic pronunciations, which are to be interpreted using the following conventions:

1. Syllables are hyphen-separated, except that an accent or back-accent follows each accented syllable (the back-accent marks a secondary accent in some words of four or more syllables). If no accent is given, the word is pronounced with equal accentuation on all syllables (this is common for abbreviations).
2. Consonants are pronounced as in American English. The letter 'g' is always hard (as in "got" rather than "giant"); 'ch' is soft ("church" rather than "chemist"). The letter 'j' is the sound that occurs twice in "judge". The letter 's' is always as in "pass", never a z sound. The digraph 'kh' is the guttural of "loch" or "I'chaim". The digraph 'gh' is the aspirated g+h of "bughouse" or "ragheap" (rare in English).
3. Uppercase letters are pronounced as their English letter names; thus (for example) /H-L-L/ is equivalent to /aych el el/. /Z/ may be pronounced /zee/ or /zed/ depending on your local dialect.
4. Vowels are represented as follows:

/a/

back, that

/ah/

father, palm (see note)

/ar/

far, mark

/aw/

flaw, caught

/ay/

bake, rain

/e/

less, men

/ee/

easy, ski

/eir/

their, software

/i/

trip, hit

/i:/

life, sky

/o/

block, stock (see note)

/oh/

flow, sew

/oo/

loot, through

/or/

more, door

/ow/

out, how

/oy/

boy, coin

/uh/

but, some

/u/

put, foot

/y/

yet, young

/yoo/

few, chew

/[y]oo/

/oo/ with optional fronting as in 'news' (/nooz/ or /nyooz/)

The glyph /*/ is used for the 'schwa' sound of unstressed or occluded vowels (the one that is often written with an upside-down 'e'). The schwa vowel is omitted in syllables containing vocalic r, l, m or n; that is, 'kitten' and 'color' would be rendered /kit'n/ and /kuhl'r/, not /kit*n/ and /kuhl*r/.

Note that the above table reflects mainly distinctions found in standard American English (that is, the neutral dialect spoken by TV network announcers and typical of educated speech in the Upper Midwest, Chicago, Minneapolis/St. Paul and Philadelphia). However, we separate /o/ from /ah/, which tend to merge in standard American. This may help readers accustomed to accents resembling British Received Pronunciation.

The intent of this scheme is to permit as many readers as possible to map the pronunciations into their local dialect by ignoring some subset of the distinctions we make. Speakers of British RP, for example, can smash terminal /r/ and all unstressed vowels. Speakers of many varieties of southern American will automatically map /o/ to /aw/; and so forth. (Standard American makes a good reference dialect for this purpose because it has crisp consonants and more vowel distinctions than other major dialects, and tends to retain distinctions between unstressed vowels. It also happens to be what your editor speaks.)

Entries with a pronunciation of '//' are written-only usages. (No, Unix weenies, this does not mean 'pronounce like previous pronunciation'!)

Node:Other Lexicon Conventions, Next:[162]Format for New Entries, Previous:[163]Pronunciation Guide, Up:[164]Top

Other Lexicon Conventions

Entries are sorted in case-blind ASCII collation order (rather than the letter-by-letter order ignoring interword spacing common in mainstream dictionaries), except that all entries beginning with nonalphabetic characters are sorted after Z. The case-blindness is a feature, not a bug.

The beginning of each entry is marked by a colon (:) at the left margin. This convention helps out tools like hypertext browsers that benefit from knowing where entry boundaries are, but aren't as context-sensitive as humans.

In pure ASCII renderings of the Jargon File, you will see {} used to bracket words which themselves have entries in the File. This isn't done all the time for every such word, but it is done everywhere that a reminder seems useful that the term has a jargon meaning and one might wish to refer to its entry.

In this all-ASCII version, headwords for topic entries are distinguished from those for ordinary entries by being followed by "::" rather than ":"; similarly, references are surrounded by "{{" and "}}" rather than "{" and "}".

Defining instances of terms and phrases appear in 'slanted type'. A defining instance is one which occurs near to or as part of an

explanation of it.

Prefixed ** is used as linguists do; to mark examples of incorrect usage.

We follow the 'logical' quoting convention described in the Writing Style section above. In addition, we reserve double quotes for actual excerpts of text or (sometimes invented) speech. Scare quotes (which mark a word being used in a nonstandard way), and philosopher's quotes (which turn an utterance into the string of letters or words that name it) are both rendered with single quotes.

References such as malloc(3) and patch(1) are to Unix facilities (some of which, such as patch(1), are actually freeware distributed over Usenet). The Unix manuals use foo(n) to refer to item foo in section (n) of the manual, where n=1 is utilities, n=2 is system calls, n=3 is C library routines, n=6 is games, and n=8 (where present) is system administration utilities. Sections 4, 5, and 7 of the manuals have changed roles frequently and in any case are not referred to in any of the entries.

Various abbreviations used frequently in the lexicon are summarized here:

abbrev.

abbreviation

adj.

adjective

adv.

adverb

alt.

alternate

cav.

caveat

conj.

conjunction

esp.

especially

excl.

exclamation

imp.

imperative

interj.

interjection

n.

noun

obs.

obsolete

pl.

plural

poss.

possibly

pref.

prefix

prob.

probably

prov.

proverbial

quant.

quantifier

suff.

suffix

syn.

synonym (or synonymous with)

v.

verb (may be transitive or intransitive)

var.

variant

vi.

intransitive verb

vt.

transitive verb

Where alternate spellings or pronunciations are given, alt. separates two possibilities with nearly equal distribution, while var. prefixes one that is markedly less common than the primary.

Where a term can be attributed to a particular subculture or is known to have originated there, we have tried to so indicate. Here is a list of abbreviations used in etymologies:

Amateur Packet Radio

A technical culture of ham-radio sites using AX.25 and TCP/IP

for wide-area networking and BBS systems.

Berkeley

University of California at Berkeley

BBN

Bolt, Beranek & Newman

Cambridge

the university in England (not the city in Massachusetts where MIT happens to be located!)

CMU

Carnegie-Mellon University

Commodore

Commodore Business Machines

DEC

The Digital Equipment Corporation (now Compaq).

Fairchild

The Fairchild Instruments Palo Alto development group

FidoNet

See the [165]FidoNet entry

IBM

International Business Machines

MIT

Massachusetts Institute of Technology; esp. the legendary MIT AI Lab culture of roughly 1971 to 1983 and its feeder groups, including the Tech Model Railroad Club

NRL

Naval Research Laboratories

NYU

New York University

OED

The Oxford English Dictionary

Purdue

Purdue University

SAIL

Stanford Artificial Intelligence Laboratory (at Stanford University)

SI

From Systeme International, the name for the standard

conventions of metric nomenclature used in the sciences

Stanford

Stanford University

Sun

Sun Microsystems

TMRC

Some MITisms go back as far as the Tech Model Railroad Club (TMRC) at MIT c. 1960. Material marked TMRC is from "An Abridged Dictionary of the TMRC Language", originally compiled by Pete Samson in 1959

UCLA

University of California at Los Angeles

UK

the United Kingdom (England, Wales, Scotland, Northern Ireland)

Usenet

See the [166]Usenet entry

WPI

Worcester Polytechnic Institute, site of a very active community of PDP-10 hackers during the 1970s

WWW

The World-Wide-Web.

XEROX PARC

XEROX's Palo Alto Research Center, site of much pioneering research in user interface design and networking

Yale

Yale University

Some other etymology abbreviations such as [167]Unix and [168]PDP-10 refer to technical cultures surrounding specific operating systems, processors, or other environments. The fact that a term is labelled with any one of these abbreviations does not necessarily mean its use is confined to that culture. In particular, many terms labelled 'MIT' and 'Stanford' are in quite general use. We have tried to give some indication of the distribution of speakers in the usage notes; however, a number of factors mentioned in the introduction conspire to make these indications less definite than might be desirable.

A few new definitions attached to entries are marked [proposed]. These are usually generalizations suggested by editors or Usenet respondents in the process of commenting on previous definitions of those entries. These are not represented as established jargon.

Node:Format for New Entries, Next:[169]The Jargon Lexicon,
Previous:[170]Other Lexicon Conventions, Up:[171]Top

Format For New Entries

You can mail submissions for the Jargon File to
[172]jargon@snark.thyrsus.com.

We welcome new jargon, and corrections to or amplifications of existing entries. You can improve your submission's chances of being included by adding background information on user population and years of currency. References to actual usage via URLs and/or DejaNews pointers are particularly welcomed.

All contributions and suggestions about the Jargon File will be considered donations to be placed in the public domain as part of this File, and may be used in subsequent paper editions. Submissions may be edited for accuracy, clarity and concision.

We are looking to expand the File's range of technical specialties covered. There are doubtless rich veins of jargon yet untapped in the scientific computing, graphics, and networking hacker communities; also in numerical analysis, computer architectures and VLSI design, language design, and many other related fields. Send us your jargon!

We are not interested in straight technical terms explained by textbooks or technical dictionaries unless an entry illuminates 'underground' meanings or aspects not covered by official histories. We are also not interested in 'joke' entries -- there is a lot of humor in the file but it must flow naturally out of the explanations of what hackers do and how they think.

It is OK to submit items of jargon you have originated if they have spread to the point of being used by people who are not personally acquainted with you. We prefer items to be attested by independent submission from two different sites.

An HTML version of the File is available at
<http://www.tuxedo.org/jargon>. Please send us URLs for materials related to the entries, so we can enrich the File's link structure.

The Jargon File will be regularly maintained and made available for browsing on the World Wide Web, and will include a version number. Read it, pass it around, contribute -- this is your monument!

Node:The Jargon Lexicon, Next:[173]Appendix A, Previous:[174]Format
for New Entries, Up:[175]Top

The Jargon Lexicon

* [176]= 0 =:

* [177]= A =:

- * [178]= B =:
- * [179]= C =:
- * [180]= D =:
- * [181]= E =:
- * [182]= F =:
- * [183]= G =:
- * [184]= H =:
- * [185]= I =:
- * [186]= J =:
- * [187]= K =:
- * [188]= L =:
- * [189]= M =:
- * [190]= N =:
- * [191]= O =:
- * [192]= P =:
- * [193]= Q =:
- * [194]= R =:
- * [195]= S =:
- * [196]= T =:
- * [197]= U =:
- * [198]= V =:
- * [199]= W =:
- * [200]= X =:
- * [201]= Y =:
- * [202]= Z =:

Node:= 0 =, Next:[203]= A =, Up:[204]The Jargon Lexicon

= 0 =

- * [205]0:
- * [206]1TBS:
- * [207]120 reset:
- * [208]2:
- * [209]404:
- * [210]404 compliant:
- * [211]4.2:
- * [212]@-party:

Node:0, Next:[213]1TBS, Up:[214]= 0 =

0

Numeric zero, as opposed to the letter 'O' (the 15th letter of the English alphabet). In their unmodified forms they look a lot alike, and various kluges invented to make them visually distinct have compounded the confusion. If your zero is center-dotted and letter-O is not, or if letter-O looks almost rectangular but zero looks more like an American football stood on end (or the reverse), you're probably looking at a modern character display (though the dotted zero seems to have originated as an option on IBM 3270 controllers). If

your zero is slashed but letter-O is not, you're probably looking at an old-style ASCII graphic set descended from the default typewheel on the venerable ASR-33 Teletype (Scandinavians, for whom Ø's a letter, curse this arrangement). (Interestingly, the slashed zero long predates computers; Florian Cajori's monumental "A History of Mathematical Notations" notes that it was used in the twelfth and thirteenth centuries.) If letter-O has a slash across it and the zero does not, your display is tuned for a very old convention used at IBM and a few other early mainframe makers (Scandinavians curse this arrangement even more, because it means two of their letters collide). Some Burroughs/Unisys equipment displays a zero with a reversed slash. Old CDC computers rendered letter O as an unbroken oval and 0 as an oval broken at upper right and lower left. And yet another convention common on early line printers left zero unornamented but added a tail or hook to the letter-O so that it resembled an inverted Q or cursive capital letter-O (this was endorsed by a draft ANSI standard for how to draw ASCII characters, but the final standard changed the distinguisher to a tick-mark in the upper-left corner). Are we sufficiently confused yet?

Node:1TBS, Next:[215]120 reset, Previous:[216]0, Up:[217]= 0 =

1TBS // n.

The "One True Brace Style"; see [218]indent style.

Node:120 reset, Next:[219]2, Previous:[220]1TBS, Up:[221]= 0 =

120 reset /wuhn-twen'tee ree'set/ n.

[from 120 volts, U.S. wall voltage] To cycle power on a machine in order to reset or unjam it. Compare [222]Big Red Switch, [223]power cycle.

Node:2, Next:[224]404, Previous:[225]120 reset, Up:[226]= 0 =

2 infix.

In translation software written by hackers, infix 2 often represents the syllable to with the connotation 'translate to': as in dvi2ps (DVI to PostScript), int2string (integer to string), and texi2roff (Texinfo to [nt]roff). Several versions of a joke have floated around the internet in which some idiot programmer fixes the Y2K bug by changing all the Y's in something to K's, as in Januark, Februark, etc.

Node:404, Next:[227]404 compliant, Previous:[228]2, Up:[229]= 0 =

404 // n.

[from the HTTP error "file not found on server"] Extended to humans to convey that the subject has no idea or no clue - sapience not found. May be used reflexively; "Uh, I'm 404ing" means "I'm drawing a blank".

Node:404 compliant, Next:[230]4.2, Previous:[231]404, Up:[232]= 0 =

404 compliant adj.

The status of a website which has been completely removed, usually by the administrators of the hosting site as a result of net abuse by the website operators. The term is a tongue-in-cheek reference to the standard "301 compliant" Murkowski Bill disclaimer used by spammers. See also: [233]spam, [234]spamvertize.

Node:4.2, Next:[235]@-party, Previous:[236]404 compliant, Up:[237]= 0 =

4.2 /for' poynt too'/ n.

Without a prefix, this almost invariably refers to [238]BSD Unix release 4.2. Note that it is an indication of cluelessness to say "version 4.2", and "release 4.2" is rare; the number stands on its own, or is used in the more explicit forms 4.2BSD or (less commonly) BSD 4.2. Similar remarks apply to "4.3", "4.4" and to earlier, less-widespread releases 4.1 and 2.9.

Node:@-party, Next:[239]abbrev, Previous:[240]4.2, Up:[241]= 0 =

@-party /at'par'tee/ n.

[from the @-sign in an Internet address] (alt. '@-sign party' /at'si:n par'tee/) A semi-closed party thrown for hackers at a science-fiction convention (esp. the annual World Science Fiction Convention or "Worldcon"); one must have a [242]network address to get in, or at least be in company with someone who does. One of the most reliable opportunities for hackers to meet face to face with people who might otherwise be represented by mere phosphor dots on their screens. Compare [243]boink.

The first recorded @-party was held at the Westercon (a U.S. western regional SF convention) over the July 4th weekend in 1980. It is not clear exactly when the canonical @-party venue shifted to the Worldcon but it had certainly become established by Constellation in 1983. Sadly, the @-party tradition has been in decline since about 1996, mainly because having an @-address no longer functions as an effective lodge pin.

Node:= A =, Next:[244]= B =, Previous:[245]= 0 =, Up:[246]The Jargon Lexicon

= A =

- * [247]abbrev:
- * [248]ABEND:
- * [249]accumulator:
- * [250]ACK:
- * [251]Acme:
- * [252]acolyte:
- * [253]ad-hockery:
- * [254]Ada:
- * [255]address harvester:
- * [256]adger:
- * [257]admin:
- * [258]ADVENT:
- * [259]AFAIK:
- * [260]AFJ:
- * [261]AFK:
- * [262]AI:
- * [263]AI-complete:
- * [264]AI koans:
- * [265]AIDS:
- * [266]AIDX:
- * [267]airplane rule:
- * [268]Alderson loop:
- * [269]aliasing bug:
- * [270]Alice and Bob:
- * [271]all-elbows:
- * [272]alpha geek:
- * [273]alpha particles:
- * [274]alt:
- * [275]alt bit:
- * [276]Aluminum Book:
- * [277]ambimouseterous:
- * [278]Amiga:
- * [279]Amiga Persecution Complex:
- * [280]amoeba:
- * [281]amp off:
- * [282]amper:
- * [283]Angband:
- * [284]angle brackets:
- * [285]angry fruit salad:
- * [286]annoybot:
- * [287]annoyware:
- * [288]ANSI:
- * [289]ANSI standard:
- * [290]ANSI standard pizza:
- * [291]AOL!:
- * [292]app:
- * [293]arena:
- * [294]arg:
- * [295]ARMM:
- * [296]armor-plated:

- * [297]asbestos:
 - * [298]asbestos cork award:
 - * [299]asbestos longjohns:
 - * [300]ASCII:
 - * [301]ASCII art:
 - * [302]ASCIIbetical order:
 - * [303]astrourfing:
 - * [304]atomic:
 - * [305]attoparsec:
 - * [306]AUP:
 - * [307]autobogotiphobia:
 - * [308]automagically:
 - * [309]avatar:
 - * [310]awk:
-

Node:abbrev, Next:[311]ABEND, Previous:[312]@-party, Up:[313]= A =

abbrev /^{*}-breev'/, /^{*}-brev'/ n.

Common abbreviation for 'abbreviation'.

Node:ABEND, Next:[314]accumulator, Previous:[315]abbrev, Up:[316]= A =

ABEND /a'bend/, /^{*}-bend'/ n.

[ABnormal END] 1. Abnormal termination (of software); [317]crash; [318]lossage. Derives from an error message on the IBM 360; used jokingly by hackers but seriously mainly by [319]code grinders. Usually capitalized, but may appear as 'abend'. Hackers will try to persuade you that ABEND is called 'abend' because it is what system operators do to the machine late on Friday when they want to call it a day, and hence is from the German 'Abend' = 'Evening'. 2. [alt.callahans] Absent By Enforced Net Deprivation - used in the subject lines of postings warning friends of an imminent loss of Internet access. (This can be because of computer downtime, loss of provider, moving or illness.) Variants of this also appear: ABVND = 'Absent By Voluntary Net Deprivation' and ABSEND = 'Absent By Self-Enforced Net Deprivation' have been sighted.

Node:accumulator, Next:[320]ACK, Previous:[321]ABEND, Up:[322]= A =

accumulator n. obs.

1. Archaic term for a register. On-line use of it as a synonym for 'register' is a fairly reliable indication that the user has been around for quite a while and/or that the architecture under discussion is quite old. The term in full is almost never used of microprocessor registers, for example, though symbolic names for arithmetic registers beginning in 'A' derive from historical use of the term 'accumulator' (and not, actually, from 'arithmetic'). Confusingly, though, an 'A'

register name prefix may also stand for 'address', as for example on the Motorola 680x0 family. 2. A register being used for arithmetic or logic (as opposed to addressing or a loop index), especially one being used to accumulate a sum or count of many items. This use is in context of a particular routine or stretch of code. "The FOOBAB routine uses A3 as an accumulator." 3. One's in-basket (esp. among old-timers who might use sense 1). "You want this reviewed? Sure, just put it in the accumulator." (See [323]stack.)

Node:ACK, Next:[324]Acme, Previous:[325]accumulator, Up:[326]= A =

ACK /ak/ interj.

1. [common; from the ASCII mnemonic for 0000110] Acknowledge. Used to register one's presence (compare mainstream Yo!). An appropriate response to [327]ping or [328]ENQ. 2. [from the comic strip "Bloom County"] An exclamation of surprised disgust, esp. in "Ack pfffft!" Semi-humorous. Generally this sense is not spelled in caps (ACK) and is distinguished by a following exclamation point. 3. Used to politely interrupt someone to tell them you understand their point (see [329]NAK). Thus, for example, you might cut off an overly long explanation with "Ack. Ack. Ack. I get it now". 4. An affirmative. "Think we ought to ditch that damn NT server for a Linux box?" "ACK!"

There is also a usage "ACK?" (from sense 1) meaning "Are you there?", often used in email when earlier mail has produced no reply, or during a lull in [330]talk mode to see if the person has gone away (the standard humorous response is of course [331]NAK (sense 1), i.e., "I'm not here").

Node:Acme, Next:[332]acolyte, Previous:[333]ACK, Up:[334]= A =

Acme n.

The canonical supplier of bizarre, elaborate, and non-functional gadgetry - where Rube Goldberg and Heath Robinson (two cartoonists who specialized in elaborate contraptions) shop. The name has been humorously expanded as A (or American) Company Making Everything. (In fact, Acme was a real brand sold from Sears Roebuck catalogs in the early 1900s.) Describing some X as an "Acme X" either means "This is [335]insanely great", or, more likely, "This looks [336]insanely great on paper, but in practice it's really easy to shoot yourself in the foot with it." Compare [337]pistol.

This term, specially cherished by American hackers and explained here for the benefit of our overseas brethren, comes from the Warner Brothers' series of "Roadrunner" cartoons. In these cartoons, the famished Wile E. Coyote was forever attempting to catch up with, trap, and eat the Roadrunner. His attempts usually involved one or more high-technology Rube Goldberg devices - rocket jetpacks, catapults, magnetic traps, high-powered slingshots, etc. These were usually

delivered in large cardboard boxes, labeled prominently with the Acme name. These devices invariably malfunctioned in improbable and violent ways.

Node:acolyte, Next:[338]ad-hockery, Previous:[339]Acme, Up:[340]= A =

acolyte n. obs.

[TMRC] An [341]OSU privileged enough to submit data and programs to a member of the [342]priesthood.

Node:ad-hockery, Next:[343]Ada, Previous:[344]acolyte, Up:[345]= A =

ad-hockery /ad-hok*'r-ee/ n.

[Purdue] 1. Gratuitous assumptions made inside certain programs, esp. expert systems, which lead to the appearance of semi-intelligent behavior but are in fact entirely arbitrary. For example, fuzzy-matching of input tokens that might be typing errors against a symbol table can make it look as though a program knows how to spell.
2. Special-case code to cope with some awkward input that would otherwise cause a program to [346]choke, presuming normal inputs are dealt with in some cleaner and more regular way. Also called 'ad-hackery', 'ad-hocity' (/ad-hos*'r-tee/), 'ad-crockery'. See also [347]ELIZA effect.

Node:Ada, Next:[348]address harvester, Previous:[349]ad-hockery, Up:[350]= A =

Ada n.

A [351]Pascal-descended language that was at one time made mandatory for Department of Defense software projects by the Pentagon. Hackers are nearly unanimous in observing that, technically, it is precisely what one might expect given that kind of endorsement by fiat; designed by committee, crockish, difficult to use, and overall a disastrous, multi-billion-dollar boondoggle (one common description wss "The PL/I of the 1980s"). Hackers find Ada's exception-handling and inter-process communication features particularly hilarious. Ada Lovelace (the daughter of Lord Byron who became the world's first programmer while cooperating with Charles Babbage on the design of his mechanical computing engines in the mid-1800s) would almost certainly blanch at the use to which her name has latterly been put; the kindest thing that has been said about it is that there is probably a good small language screaming to get out from inside its vast, [352]elephantine bulk.

Node:address harvester, Next:[353]adger, Previous:[354]Ada, Up:[355]= A =

address harvester n.

A robot that searches web pages and/or filters netnews traffic looking for valid email addresses. Some address harvesters are benign, used only for compiling address directories. Most, unfortunately, are run by miscreants compiling address lists to [356]spam. Address harvesters can be foiled by a [357]teergrube.

Node:adger, Next:[358]admin, Previous:[359]address harvester, Up:[360]= A =

adger /aj'r/ vt.

[UCLA mutant of [361]nadger, poss. also from the middle name of an infamous [362]tenured graduate student] To make a bonehead move with consequences that could have been foreseen with even slight mental effort. E.g., "He started removing files and promptly adgered the whole project". Compare [363]dumbass attack.

Node:admin, Next:[364]ADVENT, Previous:[365]adger, Up:[366]= A =

admin /ad-min'/ n.

Short for 'administrator'; very commonly used in speech or on-line to refer to the systems person in charge on a computer. Common constructions on this include 'sysadmin' and 'site admin' (emphasizing the administrator's role as a site contact for email and news) or 'newsadmin' (focusing specifically on news). Compare [367]postmaster, [368]sysop, [369]system mangler.

Node:ADVENT, Next:[370]AFAIK, Previous:[371]admin, Up:[372]= A =

ADVENT /ad'vent/ n.

The prototypical computer adventure game, first designed by Will Crowther on the [373]PDP-10 in the mid-1970s as an attempt at computer-refereed fantasy gaming, and expanded into a puzzle-oriented game by Don Woods at Stanford in 1976. (Woods had been one of the authors of [374]INTERCAL.) Now better known as Adventure or Colossal Cave Adventure, but the [375]TOPS-10 operating system permitted only six-letter filenames. See also [376]vadding, [377]Zork, and [378]Infocom.

This game defined the terse, dryly humorous style since expected in text adventure games, and popularized several tag lines that have become fixtures of hacker-speak: "A huge green fierce snake bars the way!" "I see no X here" (for some noun X). "You are in a maze of twisty little passages, all alike." "You are in a little maze of twisty passages, all different." The 'magic words' [379]xyzy and

[380]plugh also derive from this game.

Crowther, by the way, participated in the exploration of the Mammoth & Flint Ridge cave system; it actually has a 'Colossal Cave' and a 'Bedquilt' as in the game, and the 'Y2' that also turns up is cavers' jargon for a map reference to a secondary entrance.

ADVENT sources are available for FTP at

[381]<ftp://ftp.wustl.edu/doc/misc/if-archive/games/source/advent.tar.Z>

. There is a

[382]<http://people.delphi.com/rickadams/adventure/index.html>.

Node:AFAIK, Next:[383]AFJ, Previous:[384]ADVENT, Up:[385]= A =

AFAIK // n.

[Usenet] Abbrev. for "As Far As I Know".

Node:AFJ, Next:[386]AFK, Previous:[387]AFAIK, Up:[388]= A =

AFJ // n.

Written-only abbreviation for "April Fool's Joke". Elaborate April Fool's hoaxes are a long-established tradition on Usenet and Internet; see [389]kremvax for an example. In fact, April Fool's Day is the only seasonal holiday consistently marked by customary observances on Internet and other hacker networks.

Node:AFK, Next:[390]AI, Previous:[391]AFJ, Up:[392]= A =

AFK

[MUD] Abbrev. for "Away From Keyboard". Used to notify others that you will be momentarily unavailable online. eg. "Let's not go kill that frost giant yet, I need to go AFK to make a phone call". Often MUDs will have a command to politely inform others of your absence when they try to talk with you. The term is not restricted to MUDs, however, and has become common in many chat situations, from IRC to Unix talk.

Node:AI, Next:[393]AI-complete, Previous:[394]AFK, Up:[395]= A =

AI /A-I/ n.

Abbreviation for 'Artificial Intelligence', so common that the full form is almost never written or spoken among hackers.

Node:AI-complete, Next:[396]AI koans, Previous:[397]AI, Up:[398]= A =

AI-complete /A-I k*m-pleet/ adj.

[MIT, Stanford: by analogy with 'NP-complete' (see [399]NP-)] Used to describe problems or subproblems in AI, to indicate that the solution presupposes a solution to the 'strong AI problem' (that is, the synthesis of a human-level intelligence). A problem that is AI-complete is, in other words, just too hard.

Examples of AI-complete problems are 'The Vision Problem' (building a system that can see as well as a human) and 'The Natural Language Problem' (building a system that can understand and speak a natural language as well as a human). These may appear to be modular, but all attempts so far (1999) to solve them have foundered on the amount of context information and 'intelligence' they seem to require. See also [400]gedanken.

Node:AI koans, Next:[401]AIDS, Previous:[402]AI-complete, Up:[403]= A =

AI koans /A-I koh'anz/ pl.n.

A series of pastiches of Zen teaching riddles created by Danny Hillis at the MIT AI Lab around various major figures of the Lab's culture (several are included under [404]Some AI Koans in Appendix A). See also [405]ha ha only serious, [406]mu, and [407]hacker humor.

Node:AIDS, Next:[408]AIDX, Previous:[409]AI koans, Up:[410]= A =

AIDS /aydz/ n.

Short for A* Infected Disk Syndrome ('A*' is a [411]glob pattern that matches, but is not limited to, Apple or Amiga), this condition is quite often the result of practicing unsafe [412]SEX. See [413]virus, [414]worm, [415]Trojan horse, [416]virgin.

Node:AIDX, Next:[417]airplane rule, Previous:[418]AIDS, Up:[419]= A =

AIDX /ayd'k*z/ n.

Derogatory term for IBM's perverted version of Unix, AIX, especially for the AIX 3.2 used in the IBM RS/6000 series (some hackers think it is funnier just to pronounce "AIX" as "aches"). A victim of the dreaded "hybridism" disease, this attempt to combine the two main currents of the Unix stream ([420]BSD and [421]USG Unix) became a [422]monstrosity to haunt system administrators' dreams. For example, if new accounts are created while many users are logged on, the load average jumps quickly over 20 due to silly implementation of the user databases. For a quite similar disease, compare [423]HP-SUX. Also, compare [424]Macintrash, [425]Nominal Semidestructor, [426]ScumOS,

[427]sun-stools.

Node:airplane rule, Next:[428]Alderson loop, Previous:[429]AIDX,
Up:[430]= A =

airplane rule n.

"Complexity increases the possibility of failure; a twin-engine airplane has twice as many engine problems as a single-engine airplane." By analogy, in both software and electronics, the rule that simplicity increases robustness. It is correspondingly argued that the right way to build reliable systems is to put all your eggs in one basket, after making sure that you've built a really good basket. See also [431]KISS Principle, [432]elegant.

Node:Alderson loop, Next:[433]aliasing bug, Previous:[434]airplane rule, Up:[435]= A =

Alderson loop n.

[Intel] A special version of an [436]infinite loop where there is an exit condition available, but inaccessible in the current implementation of the code. Typically this is created while debugging user interface code. An example would be when there is a menu stating, "Select 1-3 or 9 to quit" and 9 is not allowed by the function that takes the selection from the user.

This term received its name from a programmer who had coded a modal message box in MSAccess with no Ok or Cancel buttons, thereby disabling the entire program whenever the box came up. The message box had the proper code for dismissal and even was set up so that when the non-existent Ok button was pressed the proper code would be called.

Node:aliasing bug, Next:[437]Alice and Bob, Previous:[438]Alderson loop, Up:[439]= A =

aliasing bug n.

A class of subtle programming errors that can arise in code that does dynamic allocation, esp. via malloc(3) or equivalent. If several pointers address ('aliases for') a given hunk of storage, it may happen that the storage is freed or reallocated (and thus moved) through one alias and then referenced through another, which may lead to subtle (and possibly intermittent) lossage depending on the state and the allocation history of the malloc [440]arena. Avoidable by use of allocation strategies that never alias allocated core, or by use of higher-level languages, such as [441]LISP, which employ a garbage collector (see [442]GC). Also called a [443]stale pointer bug. See also [444]precedence lossage, [445]smash the stack, [446]fandango on core, [447]memory leak, [448]memory smash, [449]overrun screw,

[450]spam.

Historical note: Though this term is nowadays associated with C programming, it was already in use in a very similar sense in the Algol-60 and FORTRAN communities in the 1960s.

Node:Alice and Bob, Next:[451]all-elbows, Previous:[452]aliasing bug, Up:[453]= A =

Alice and Bob n.

The archetypal individuals used as examples in discussions of cryptographic protocols. Originally, theorists would say something like: "A communicates with someone who claims to be B, So to be sure, A tests that B knows a secret number K. So A sends to B a random number X. B then forms Y by encrypting X under key K and sends Y back to A" Because this sort of thing is quite hard to follow, theorists stopped using the unadorned letters A and B to represent the main players and started calling them Alice and Bob. So now we say "Alice communicates with someone claiming to be Bob, and to be sure, So Alice tests that Bob knows a secret number K. Alice sends to Bob a random number X. Bob then forms Y by encrypting X under key K and sends Y back to Alice". A whole mythology rapidly grew up around the metasyntactic names; see [454]<http://www.conceptlabs.co.uk/alicebob.html>.

In Bruce Schneier's definitive introductory text "Applied Cryptography" (2nd ed., 1996, John Wiley & Sons, ISBN 0-471-11709-9) he introduces a table of dramatis personae headed by Alice and Bob. Others include Carol (a participant in three- and four-party protocols), Dave (a participant in four-party protocols), Eve (an eavesdropper), Mallory (a malicious active attacker), Trent (a trusted arbitrator), Walter (a warden), Peggy (a prover) and Victor (a verifier). These names for roles are either already standard or, given the wide popularity of the book, may be expected to quickly become so.

Node:all-elbows, Next:[455]alpha geek, Previous:[456]Alice and Bob, Up:[457]= A =

all-elbows adj.

[MS-DOS] Of a TSR (terminate-and-stay-resident) IBM PC program, such as the N pop-up calendar and calculator utilities that circulate on [458]BBS systems: unsociable. Used to describe a program that rudely steals the resources that it needs without considering that other TSRs may also be resident. One particularly common form of rudeness is lock-up due to programs fighting over the keyboard interrupt. See [459]rude, also [460]mess-dos.

Node:alpha geek, Next:[461]alpha particles, Previous:[462]all-elbows,

Up:[463]= A =

alpha geek n.

[from animal ethologists' 'alpha male'] The most technically accomplished or skillful person in some implied context. "Ask Larry, he's the alpha geek here."

Node:alpha particles, Next:[464]alt, Previous:[465]alpha geek, Up:[466]= A =

alpha particles n.

See [467]bit rot.

Node:alt, Next:[468]alt bit, Previous:[469]alpha particles, Up:[470]= A =

alt /awlt/

1. n. The alt shift key on an IBM PC or [471]clone keyboard; see [472]bucky bits, sense 2 (though typical PC usage does not simply set the 0200 bit). 2. n. The 'option' key on a Macintosh; use of this term usually reveals that the speaker hacked PCs before coming to the Mac (see also [473]feature key, which is sometimes incorrectly called 'alt'). 3. n.,obs. [PDP-10; often capitalized to ALT] Alternate name for the ASCII ESC character (ASCII 0011011), after the keycap labeling on some older terminals; also 'altmode' (/awlt'mohd/). This character was almost never pronounced 'escape' on an ITS system, in [474]TECO, or under TOPS-10 -- always alt, as in "Type alt alt to end a TECO command" or "alt-U onto the system" (for "log onto the [ITS] system"). This usage probably arose because alt is more convenient to say than 'escape', especially when followed by another alt or a character (or another alt and a character, for that matter). 4. The alt hierarchy on Usenet, the tree of newsgroups created by users without a formal vote and approval procedure. There is a myth, not entirely implausible, that alt is acronymic for "anarchists, lunatics, and terrorists"; but in fact it is simply short for "alternative".

Node:alt bit, Next:[475]Aluminum Book, Previous:[476]alt, Up:[477]= A =

alt bit /awlt bit/ [from alternate] adj.

See [478]meta bit.

Node:Aluminum Book, Next:[479]ambimouseterous, Previous:[480]alt bit, Up:[481]= A =

Aluminum Book n.

[MIT] "Common LISP: The Language", by Guy L. Steele Jr. (Digital Press, first edition 1984, second edition 1990). Note that due to a technical screwup some printings of the second edition are actually of a color the author describes succinctly as "yucky green". See also [482]book titles.

Node:ambimouseterous, Next:[483]Amiga, Previous:[484]Aluminum Book, Up:[485]= A =

ambimouseterous /am-b*-mows'ter-us/ or /am-b*-mows'trus/ adj.

[modeled on ambidextrous] Able to use a mouse with either hand.

Node:Amiga, Next:[486]Amiga Persecution Complex, Previous:[487]ambimouseterous, Up:[488]= A =

Amiga n

A series of personal computer models originally sold by Commodore, based on 680x0 processors, custom support chips and an operating system that combined some of the best features of Macintosh and Unix with compatibility with neither.

The Amiga was released just as the personal computing world standardized on IBM-PC clones. This prevented it from gaining serious market share, despite the fact that the first Amigas had a substantial technological lead on the IBM XTs of the time. Instead, it acquired a small but zealous population of enthusiastic hackers who dreamt of one day unseating the clones (see [489]Amiga Persecution Complex). The traits of this culture are both spoofed and illuminated in [490]The BLAZE Humor Viewer. The strength of the Amiga platform seeded a small industry of companies building software and hardware for the platform, especially in graphics and video applications (see [491]video toaster).

Due to spectacular mismanagement, Commodore did hardly any R&D, allowing the competition to close Amiga's technological lead. After Commodore went bankrupt in 1994 the technology passed through several hands, none of whom did much with it. However, the Amiga is still being produced in Europe under license and has a substantial number of fans, which will probably extend the platform's life considerably.

Node:Amiga Persecution Complex, Next:[492]amoeba, Previous:[493]Amiga, Up:[494]= A =

Amiga Persecution Complex n.

The disorder suffered by a particularly egregious variety of

[495]bigot, those who believe that the marginality of their preferred machine is the result of some kind of industry-wide conspiracy (for without a conspiracy of some kind, the eminent superiority of their beloved shining jewel of a platform would obviously win over all, market pressures be damned!) Those afflicted are prone to engaging in [496]flame wars and calling for boycotts and mailbombings. Amiga Persecution Complex is by no means limited to Amiga users; NeXT, [497]NeWS, [498]OS/2, Macintosh, [499]LISP, and [500]GNU users are also common victims. [501]Linux users used to display symptoms very frequently before Linux started winning; some still do. See also [502]newbie, [503]troll, [504]holy wars, [505]weenie, [506]Get a life!.

Node:amoeba, Next:[507]amp off, Previous:[508]Amiga Persecution Complex, Up:[509]= A =

amoeba n.

Humorous term for the Commodore Amiga personal computer.

Node:amp off, Next:[510]amper, Previous:[511]amoeba, Up:[512]= A =

amp off vt.

[Purdue] To run in [513]background. From the Unix shell '&' operator.

Node:amper, Next:[514]Angband, Previous:[515]amp off, Up:[516]= A =

amper n.

Common abbreviation for the name of the ampersand ('&', ASCII 0100110) character. See [517]ASCII for other synonyms.

Node:Angband, Next:[518]angle brackets, Previous:[519]amper, Up:[520]= A =

Angband n. /ang'band/

Like [521]nethack, [522]moria, and [523]rogue, one of the large freely distributed Dungeons-and-Dragons-like simulation games, available for a wide range of machines and operating systems. The name is from Tolkien's Pits of Angband (compare [524]elder days, [525]elvish). Has been described as "Moria on steroids"; but, unlike Moria, many aspects of the game are customizable. This leads many hackers and would-be hackers into fooling with these instead of doing productive work. There are many Angband variants, of which the most notorious is probably the rather whimsical Zangband. In this game, when a key that does not correspond to a command is pressed, the game will display "Type ? for help" 50% of the time. The other 50% of the time, random

error messages including "An error has occurred because an error of type 42 has occurred" and "Windows 95 uninstalled successfully" will be displayed. Zangband also allows the player to kill Santa Claus (who has some really good stuff, but also has a lot of friends), "Bull Gates", and Barney the Dinosaur (but be watchful; Barney has a nasty case of halitosis). There is an official angband home page at [526]<http://www.phial.com/angband> and a zangband one at [527]<http://thangorodrim.angband.org>. See also [528]Random Number God.

Node:angle brackets, Next:[529]angry fruit salad,
Previous:[530]Angband, Up:[531]= A =

angle brackets n.

Either of the characters < (ASCII 0111100) and > (ASCII 0111110) (ASCII less-than or greater-than signs). Typographers in the [532]Real World use angle brackets which are either taller and slimmer (the ISO 'Bra' and 'Ket' characters), or significantly smaller (single or double guillemets) than the less-than and greater-than signs. See [533]broket, [534]ASCII.

Node:angry fruit salad, Next:[535]annoybot, Previous:[536]angle brackets, Up:[537]= A =

angry fruit salad n.

A bad visual-interface design that uses too many colors. (This term derives, of course, from the bizarre day-glo colors found in canned fruit salad.) Too often one sees similar effects from interface designers using color window systems such as [538]X; there is a tendency to create displays that are flashy and attention-getting but uncomfortable for long-term use.

Node:annoybot, Next:[539]annoyware, Previous:[540]angry fruit salad,
Up:[541]= A =

annoybot /*-noy-bot/ n.

[IRC] See [542]bot.

Node:annoyware, Next:[543]ANSI, Previous:[544]annoybot, Up:[545]= A =

annoyware n.

A type of [546]shareware that frequently disrupts normal program operation to display requests for payment to the author in return for the ability to disable the request messages. (Also called 'nagware') The requests generally require user action to acknowledge the message before normal operation is resumed and are often tied to the most

frequently used features of the software. See also [547]careware, [548]charityware, [549]crippleware, [550]freeware, [551]FRS, [552]guiltware, [553]postcardware, and [554]-ware; compare [555]payware.

Node:ANSI, Next:[556]ANSI standard, Previous:[557]annoyware, Up:[558]=
A =

ANSI /an'see/

1. n. [techspeak] The American National Standards Institute. ANSI, along with the International Organization for Standards (ISO), standardized the C programming language (see [559]K&R, [560]Classic C), and promulgates many other important software standards. 2. n. [techspeak] A terminal may be said to be 'ANSI' if it meets the ANSI X.364 standard for terminal control. Unfortunately, this standard was both over-complicated and too permissive. It has been retired and replaced by the ECMA-48 standard, which shares both flaws. 3. n. [BBS jargon] The set of screen-painting codes that most MS-DOS and Amiga computers accept. This comes from the ANSI.SYS device driver that must be loaded on an MS-DOS computer to view such codes. Unfortunately, neither DOS ANSI nor the BBS ANSIs derived from it exactly match the ANSI X.364 terminal standard. For example, the ESC-[1m code turns on the bold highlight on large machines, but in IBM PC/MS-DOS ANSI, it turns on 'intense' (bright) colors. Also, in BBS-land, the term 'ANSI' is often used to imply that a particular computer uses or can emulate the IBM high-half character set from MS-DOS. Particular use depends on context. Occasionally, the vanilla ASCII character set is used with the color codes, but on BBSs, ANSI and 'IBM characters' tend to go together.

Node:ANSI standard, Next:[561]ANSI standard pizza, Previous:[562]ANSI, Up:[563]= A =

ANSI standard /an'see stan'd*rd/

The ANSI standard usage of 'ANSI standard' refers to any practice which is typical or broadly done. It's most appropriately applied to things that everyone does that are not quite regulation. For example: ANSI standard shaking of a laser printer cartridge to get extra life from it, or the ANSI standard word tripling in names of usenet alt groups.

Node:ANSI standard pizza, Next:[564]AOL!, Previous:[565]ANSI standard, Up:[566]= A =

ANSI standard pizza /an'see stan'd*rd peet'z*/

[CMU] Pepperoni and mushroom pizza. Coined allegedly because most pizzas ordered by CMU hackers during some period leading up to

mid-1990 were of that flavor. See also [567]rotary debugger; compare [568]ISO standard cup of tea.

Node:AOL!, Next:[569]app, Previous:[570]ANSI standard pizza, Up:[571]= A =

AOL! n.

[Usenet] Common synonym for "Me, too!" alluding to the legendary propensity of America Online users to utter contentless "Me, too!" postings. The number of exclamation points following varies from zero to five or so. The pseudo-HTML

<AOL>Me, too!</AOL>

is also frequently seen. See also [572]September that never ended.

Node:app, Next:[573]arena, Previous:[574]AOL!, Up:[575]= A =

app /ap/ n.

Short for 'application program', as opposed to a systems program. Apps are what systems vendors are forever chasing developers to create for their environments so they can sell more boxes. Hackers tend not to think of the things they themselves run as apps; thus, in hacker parlance the term excludes compilers, program editors, games, and messaging systems, though a user would consider all those to be apps. (Broadly, an app is often a self-contained environment for performing some well-defined task such as 'word processing'; hackers tend to prefer more general-purpose tools.) See [576]killer app; oppose [577]tool, [578]operating system.

Node:arena, Next:[579]arg, Previous:[580]app, Up:[581]= A =

arena n.

[common; Unix] The area of memory attached to a process by brk(2) and sbrk(2) and used by malloc(3) as dynamic storage. So named from a malloc: corrupt arena message emitted when some early versions detected an impossible value in the free block list. See [582]overrun screw, [583]aliasing bug, [584]memory leak, [585]memory smash, [586]smash the stack.

Node:arg, Next:[587]ARMM, Previous:[588]arena, Up:[589]= A =

arg /arg/ n.

Abbreviation for 'argument' (to a function), used so often as to have become a new word (like 'piano' from 'pianoforte'). "The sine function

takes 1 arg, but the arc-tangent function can take either 1 or 2 args." Compare [590]param, [591]parm, [592]var.

Node:ARMM, Next:[593]armor-plated, Previous:[594]arg, Up:[595]= A =

ARMM n.

[acronym, 'Automated Retroactive Minimal Moderation'] A Usenet [596]cancelbot created by Dick Depew of Munroe Falls, Ohio. ARMM was intended to automatically cancel posts from anonymous-posting sites. Unfortunately, the robot's recognizer for anonymous postings triggered on its own automatically-generated control messages! Transformed by this stroke of programming ineptitude into a monster of Frankensteinian proportions, it broke loose on the night of March 31, 1993 and proceeded to [597]spam news.admin.policy with a recursive explosion of over 200 messages.

ARMM's bug produced a recursive [598]cascade of messages each of which mechanically added text to the ID and Subject and some other headers of its parent. This produced a flood of messages in which each header took up several screens and each message ID and subject line got longer and longer and longer.

Reactions varied from amusement to outrage. The pathological messages crashed at least one mail system, and upset people paying line charges for their Usenet feeds. One poster described the ARMM debacle as "instant Usenet history" (also establishing the term [599]despew), and it has since been widely cited as a cautionary example of the havoc the combination of good intentions and incompetence can wreak on a network. Compare [600]Great Worm; [601]sorcerer's apprentice mode. See also [602]software laser, [603]network meltdown.

Node:armor-plated, Next:[604]asbestos, Previous:[605]ARMM, Up:[606]= A =

armor-plated n.

Syn. for [607]bulletproof.

Node:asbestos, Next:[608]asbestos cork award, Previous:[609]armor-plated, Up:[610]= A =

asbestos adj.

[common] Used as a modifier to anything intended to protect one from [611]flames; also in other highly [612]flame-suggestive usages. See, for example, [613]asbestos longjohns and [614]asbestos cork award.

Node:asbestos cork award, Next:[615]asbestos longjohns,

Previous:[616]asbestos, Up:[617]= A =

asbestos cork award n.

Once, long ago at MIT, there was a [618]flamer so consistently obnoxious that another hacker designed, had made, and distributed posters announcing that said flamer had been nominated for the 'asbestos cork award'. (Any reader in doubt as to the intended application of the cork should consult the etymology under [619]flame.) Since then, it is agreed that only a select few have risen to the heights of bombast required to earn this dubious dignity -- but there is no agreement on which few.

Node:asbestos longjohns, Next:[620]ASCII, Previous:[621]asbestos cork award, Up:[622]= A =

asbestos longjohns n.

Notional garments donned by [623]Usenet posters just before emitting a remark they expect will elicit [624]flamage. This is the most common of the [625]asbestos coinages. Also 'asbestos underwear', 'asbestos overcoat', etc.

Node:ASCII, Next:[626]ASCII art, Previous:[627]asbestos longjohns, Up:[628]= A =

ASCII /as'kee/ n.

[originally an acronym (American Standard Code for Information Interchange) but now merely conventional] The predominant character set encoding of present-day computers. The standard version uses 7 bits for each character, whereas most earlier codes (including early drafts of of ASCII prior to June 1961) used fewer. This change allowed the inclusion of lowercase letters -- a major [629]win -- but it did not provide for accented letters or any other letterforms not used in English (such as the German sharp-S or the ae-ligature which is a letter in, for example, Norwegian). It could be worse, though. It could be much worse. See [630]EBCDIC to understand how. A history of ASCII and its ancestors is at [631]<http://www.wps.com/texts/codes/index.html>.

Computers are much pickier and less flexible about spelling than humans; thus, hackers need to be very precise when talking about characters, and have developed a considerable amount of verbal shorthand for them. Every character has one or more names -- some formal, some concise, some silly. Common jargon names for ASCII characters are collected here. See also individual entries for [632]bang, [633]excl, [634]open, [635]ques, [636]semi, [637]shriek, [638]splat, [639]twiddle, and [640]Yu-Shiang Whole Fish.

This list derives from revision 2.3 of the Usenet ASCII pronunciation

guide. Single characters are listed in ASCII order; character pairs are sorted in by first member. For each character, common names are given in rough order of popularity, followed by names that are reported but rarely seen; official ANSI/CCITT names are surrounded by brackets: <>. Square brackets mark the particularly silly names introduced by [641]INTERCAL. The abbreviations "l/r" and "o/c" stand for left/right and "open/close" respectively. Ordinary parentheticals provide some usage information.

!

Common: [642]bang; pling; excl; shriek; ball-bat; <exclamation mark>. Rare: factorial; exclam; smash; cuss; boing; yell; wow; hey; wham; eureka; [spark-spot]; soldier, control.

"

Common: double quote; quote. Rare: literal mark; double-glitch; <quotation marks>; <dieresis>; dirk; [rabbit-ears]; double prime.

#

Common: number sign; pound; pound sign; hash; sharp; [643]crunch; hex; [mesh]. Rare: grid; crosshatch; octothorpe; flash; <square>, pig-pen; tictactoe; scratchmark; thud; thump; [644]splat.

\$

Common: dollar; <dollar sign>. Rare: currency symbol; buck; cash; string (from BASIC); escape (when used as the echo of ASCII ESC); ding; cache; [big money].

%

Common: percent; <percent sign>; mod; grapes. Rare: [double-oh-seven].

&

Common: <ampersand>; amper; and, and sign. Rare: address (from C); reference (from C++); andpersand; bitand; background (from sh(1)); pretzel; amp. [INTERCAL called this 'ampersand'; what could be sillier?]

,

Common: single quote; quote; <apostrophe>. Rare: prime; glitch; tick; irk; pop; [spark]; <closing single quotation mark>; <acute accent>.

()

Common: l/r paren; l/r parenthesis; left/right; open/close; paren/thesis; o/c paren; o/c parenthesis; l/r parenthesis; l/r banana. Rare: so/already; lparen/rparen; <opening/closing parenthesis>; o/c round bracket, l/r round bracket, [wax/wane]; parenthesis/unparenthisey; l/r ear.

*

Common: star; [[645]splat]; <asterisk>. Rare: wildcard; gear; dingle; mult; spider; aster; times; twinkle; glob (see [646]glob); [647]Nathan Hale.

+

Common: <plus>; add. Rare: cross; [intersection].

,

Common: <comma>. Rare: <cedilla>; [tail].

-

Common: dash; <hyphen>; <minus>. Rare: [worm]; option; dak; bithorpe.

.

Common: dot; point; <period>; <decimal point>. Rare: radix point; full stop; [spot].

/

Common: slash; stroke; <slant>; forward slash. Rare: diagonal; solidus; over; slak; virgule; [slat].

:

Common: <colon>. Rare: dots; [two-spot].

;

Common: <semicolon>; semi. Rare: weenie; [hybrid], pit-thwong.

< >

Common: <less/greater than>; bra/ket; l/r angle; l/r angle bracket; l/r broket. Rare: from/{into, towards}; read from/write to; suck/blow; comes-from/gozinta; in/out; crunch/zap (all from UNIX); tic/tac; [angle/right angle].

=

Common: <equals>; gets; takes. Rare: quadrathorpe; [half-mesh].

?

Common: query; <question mark>; [648]ques. Rare: whatmark; [what]; wildchar; huh; hook; buttonhook; hunchback.

@

Common: at sign; at; strudel. Rare: each; vortex; whorl; [whirlpool]; cyclone; snail; ape; cat; rose; cabbage; <commercial at>.

V

Rare: [book].

[]

Common: l/r square bracket; l/r bracket; <opening/closing bracket>; bracket/unbracket. Rare: square/unsquare; [U turn/U turn back].

\

Common: backslash, hack, whack; escape (from C/UNIX); reverse slash; slash; backslant; backwhack. Rare: bash; <reverse slant>; reversed virgule; [backslat].

^

Common: hat; control; uparrow; caret; <circumflex>. Rare: xor sign, chevron; [shark (or shark-fin)]; to the ('to the power of'); fang; pointer (in Pascal).

_

Common: <underline>; underscore; underbar; under. Rare: score; backarrow; skid; [flatworm].

`

Common: backquote; left quote; left single quote; open quote; <grave accent>; grave. Rare: backprime; [backspark]; unapostrophe; birk; blugle; back tick; back glitch; push; <opening single quotation mark>; quasiquote.

{ }

Common: o/c brace; l/r brace; l/r squiggly; l/r squiggly bracket/brace; l/r curly bracket/brace; <opening/closing brace>. Rare: brace/unbrace; curly/uncurly; leftit/rytit; l/r squirrelly; [embrace/bracelet].

|

Common: bar; or; or-bar; v-bar; pipe; vertical bar. Rare: <vertical line>; gozinta; thru; pipesinta (last three from UNIX); [spike].

~

Common: <tilde>; squiggle; [649]twiddle; not. Rare: approx; wiggle; swung dash; enyay; [sqiggle (sic)].

The pronunciation of # as 'pound' is common in the U.S. but a bad idea; [650]Commonwealth Hackish has its own, rather more apposite use of 'pound sign' (confusingly, on British keyboards the pound graphic happens to replace #; thus Britishers sometimes call # on a U.S.-ASCII keyboard 'pound', compounding the American error). The U.S. usage derives from an old-fashioned commercial practice of using a # suffix to tag pound weights on bills of lading. The character is usually pronounced 'hash' outside the U.S. There are more culture wars over the correct pronunciation of this character than any other, which has led to the [651]ha ha only serious suggestion that it be pronounced 'shibboleth' (see Judges 12:6 in an Old Testament or Tanakh).

The 'uparrow' name for circumflex and 'leftarrow' name for underline are historical relics from archaic ASCII (the 1963 version), which had these graphics in those character positions rather than the modern punctuation characters.

The 'swung dash' or 'approximation' sign is not quite the same as tilde in typeset material but the ASCII tilde serves for both (compare [652]angle brackets).

Some other common usages cause odd overlaps. The #, \$, >, and & characters, for example, are all pronounced "hex" in different communities because various assemblers use them as a prefix tag for hexadecimal constants (in particular, # in many assembler-programming cultures, \$ in the 6502 world, > at Texas Instruments, and & on the BBC Micro, Sinclair, and some Z80 machines). See also [653]splat.

The inability of ASCII text to correctly represent any of the world's other major languages makes the designers' choice of 7 bits look more and more like a serious [654]misfeature as the use of international networks continues to increase (see [655]software rot). Hardware and software from the U.S. still tends to embody the assumption that ASCII is the universal character set and that characters have 7 bits; this is a major irritant to people who want to use a character set suited to their own languages. Perversely, though, efforts to solve this problem by proliferating 'national' character sets produce an evolutionary pressure to use a smaller subset common to all those in use.

Node:ASCII art, Next:[656]ASCIIbetical order, Previous:[657]ASCII, Up:[658]= A =

ASCII art n.

The fine art of drawing diagrams using the ASCII character set (mainly |, -, /, \, and +). Also known as 'character graphics' or 'ASCII graphics'; see also [659]boxology. Here is a serious example:

```
o---)||(--+--|<----+ +-----o + D O
 L )|( | | | C U
 A I )|( +-->|+ | +-W--+o - T
 C N )|( | | | | P
 E )|( +-->|+--)-+---|(-+-o U
 )|( | | | GND T
o---)||(--+--|<----+-----+
```

A power supply consisting of a full wave rectifier circuit feeding a capacitor input filter circuit

And here are some very silly examples:

```
|W| ___/| ___ |\| ___
| | \o.O| ACK! / \ |' | _/ \
| | =( )= THPHTH! / V V \
| (o)(o) U / \
C _ ) ( ) W W ___ W W
|,___| (oo) V V
| / V-----\ U ( )
/___\ || | \ /--V 'v'- oo )
/ \ ||---W|| * * |-- || |'. |_^
```

```

//-o-\
-----
==== \ \ /.. \ \ /_==== Klingons rule OK!
//   --\ \ O \ /---   \ \
\ \                               / /

```

There is an important subgenre of ASCII art that puns on the standard character names in the fashion of a rebus.

```

+-----+
|  ~~~~~~  |
| ~~~~~~  ~~~~~~  |
|      ~~~~~~  ~~~~~~  |
|  ~~~~~  B  ~~~~~~  |
| ~~~~~~  ~  ~~~~~~  |
+-----+
" A Bee in the Carrot Patch "

```

Within humorous ASCII art, there is for some reason an entire flourishing subgenre of pictures of silly cows. Four of these are reproduced in the examples above, here are three more:

```

( )      ( )      ( )
(V)      ($$)     (**)
/-----\ /-----\ /-----\
/ | 666 || / |====|| / |   ||
* ||---|| * ||---|| * ||---||
~ ~      ~ ~      ~ ~      ~ ~

```

Satanic cow This cow is a Yuppie Cow in love

Finally, here's a magnificent example of ASCII art depicting an Edwardian train station in Dunedin, New Zealand:

```

      .-.
      /__\
      |__|
      ||__|
      / | \
      JL/ | \JL
      .-.      i () | () i      .-.
      | | ^      / \ LJ=====LJ / \ ^      | |
      . / \ . / \ . . . . . LJ / .-. .-. \ LJ . . . . . / \ \ . / \ \ . . .
      ., |, |, ., L_J | | | | L_J ., |, |, ., .,
      JL |O-| JL L_J%%%%%%%%%%%%%%L_J JL |O-| JL JL
      IIIII_HH_'-'_HH_IIIII_|=====H=====|IIIII_HH_'-'_HH_IIIII_HH_
      -----[]-----[]-----[]---\.=./---[]-----[]-----[]-----[]-
      _^ ||\|/|| _^ [] / L_J \ [] [] _^ ||\|/|| _^ ||
      | | ||=/| \|=| | | | | L_L_J_J_ | | | | ||=/| \|=| | | | |
      | | || | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
      IIIII[] IIIII[] IIIII[] L_J _ | | | | | L_J IIIII[] IIIII[] IIIII[]
      \ / [ ] \ / [ ] \ / [ ] \ / [ ] \ / [ ] \ / [ ] \ / [ ] \ / [ ] \ / [ ]
      / \ L_J / \ L_J / L_J | [] \ [] | L_J \ L_J / \ L_J / \ L_J
      | | L_J | L_J | L_J | [] | [] | L_J | L_J | L_J | L_J
      |____|L_J|L_J|L_J|L_J|_| | | | | | | | | | | | | | | | | | | | | | | |

```

There is a newsgroup, alt.ascii-art, devoted to this genre; however, see also [660]warlording.

Node:ASCIIbetical order, Next:[661]astroturfing, Previous:[662]ASCII art, Up:[663]= A =

ASCIIbetical order /as'kee-be'-t*-kl or'dr/ adj.,n.

Used to indicate that data is sorted in ASCII collated order rather than alphabetical order. This lexicon is sorted in something close to ASCIIbetical order, but with case ignored and entries beginning with non-alphabetic characters moved to the end. "At my video store, they used their computer to sort the videos into ASCIIbetical order, so I couldn't find "'Crocodile" Dundee' until I thought to look before '2001' and '48 HRS.!'"

Node:astroturfing, Next:[664]atomic, Previous:[665]ASCIIbetical order, Up:[666]= A =

astroturfing n.

The use of paid skills to create the impression of a popular movement, through means like letters to newspapers from soi-disant 'concerned citizens', paid opinion pieces, and the formation of grass-roots lobbying groups that are actually funded by a PR group (astroturf is fake grass; hence the term). This term became common among hackers after it came to light in early 1998 that Microsoft had attempted to use such tactics to forestall the U.S. Department of Justice's antitrust action against the company.

This backfired horribly, angering a number of state attorneys-general enough to induce them to go public with plans to join the Federal suit. It also set anybody defending Microsoft on the net for the accusation "You're just astroturfing!".

Node:atomic, Next:[667]attoparsec, Previous:[668]astroturfing, Up:[669]= A =

atomic adj.

[from Gk. 'atomos', indivisible] 1. Indivisible; cannot be split up. For example, an instruction may be said to do several things 'atomically', i.e., all the things are done immediately, and there is no chance of the instruction being half-completed or of another being interspersed. Used esp. to convey that an operation cannot be screwed up by interrupts. "This routine locks the file and increments the file's semaphore atomically." 2. [primarily techspeak] Guaranteed to complete successfully or not at all, usu. refers to database transactions. If an error prevents a partially-performed transaction from proceeding to completion, it must be "backed out," as the

database must not be left in an inconsistent state.

Computer usage, in either of the above senses, has none of the connotations that 'atomic' has in mainstream English (i.e. of particles of matter, nuclear explosions etc.).

Node:attoparsec, Next:[670]AUP, Previous:[671]atomic, Up:[672]= A =

attoparsec n.

About an inch. 'atto-' is the standard SI prefix for multiplication by 10^{-18} . A parsec (parallax-second) is 3.26 light-years; an attoparsec is thus $3.26 * 10^{-18}$ light years, or about 3.1 cm (thus, 1 attoparsec/[673]microfortnight equals about 1 inch/sec). This unit is reported to be in use (though probably not very seriously) among hackers in the U.K. See [674]micro-.

Node:AUP, Next:[675]autobogotiphobia, Previous:[676]attoparsec, Up:[677]= A =

AUP /A-U-P/

Abbreviation, "Acceptable Use Policy". The policy of a given ISP which sets out what the ISP considers to be (un)acceptable uses of its Internet resources.

Node:autobogotiphobia, Next:[678]automagically, Previous:[679]AUP, Up:[680]= A =

autobogotiphobia /aw'toh-boh-got*-foh'bee-*/

n. See [681]bogotify.

Node:automagically, Next:[682]avatar, Previous:[683]autobogotiphobia, Up:[684]= A =

automagically /aw-toh-maj'i-kee/ adv.

Automatically, but in a way that, for some reason (typically because it is too complicated, or too ugly, or perhaps even too trivial), the speaker doesn't feel like explaining to you. See [685]magic. "The C-INTERCAL compiler generates C, then automagically invokes cc(1) to produce an executable."

This term is quite old, going back at least to the mid-70s in jargon and probably much earlier. The word 'automagic' occurred in advertising (for a shirt-ironing gadget) as far back as the late 1940s.

Node:avatar, Next:[686]awk, Previous:[687]automagically, Up:[688]= A =

avatar n. Syn.

[in Hindu mythology, the incarnation of a god] 1. Among people working on virtual reality and [689]cyberspace interfaces, an avatar is an icon or representation of a user in a shared virtual reality. The term is sometimes used on [690]MUDs. 2. [CMU, Tektronix] [691]root, [692]superuser. There are quite a few Unix machines on which the name of the superuser account is 'avatar' rather than 'root'. This quirk was originated by a CMU hacker who found the terms 'root' and 'superuser' unimaginative, and thought 'avatar' might better impress people with the responsibility they were accepting.

Node:awk, Next:[693]B5, Previous:[694]avatar, Up:[695]= A =

awk /awk/

1. n. [Unix techspeak] An interpreted language for massaging text data developed by Alfred Aho, Peter Weinberger, and Brian Kernighan (the name derives from their initials). It is characterized by C-like syntax, a declaration-free approach to variable typing and declarations, associative arrays, and field-oriented text processing. See also [696]Perl. 2. n. Editing term for an expression awkward to manipulate through normal [697]regexp facilities (for example, one containing a [698]newline). 3. vt. To process data using awk(1).

Node:= B =, Next:[699]= C =, Previous:[700]= A =, Up:[701]The Jargon
Lexicon

= B =

- * [702]B5:
- * [703]back door:
- * [704]backbone cabal:
- * [705]backbone site:
- * [706]backgammon:
- * [707]background:
- * [708]backreference:
- * [709]backronym:
- * [710]backspace and overstrike:
- * [711]backward combatability:
- * [712]BAD:
- * [713]Bad and Wrong:
- * [714]Bad Thing:
- * [715]bag on the side:
- * [716]bagbiter:
- * [717]bagbiting:
- * [718]baggy pantsing:
- * [719]balloonian variable:

- * [720]bamf:
- * [721]banana label:
- * [722]banana problem:
- * [723]banner ad:
- * [724]banner site:
- * [725]barn:
- * [726]batbelt:
- * [727]Befunge:
- * [728]BI:
- * [729]binary four:
- * [730]bandwidth:
- * [731]bang:
- * [732]bang on:
- * [733]bang path:
- * [734]banner:
- * [735]bar:
- * [736]bare metal:
- * [737]barf:
- * [738]barfmail:
- * [739]barfulation:
- * [740]barfulous:
- * [741]barney:
- * [742]baroque:
- * [743]BASIC:
- * [744]batch:
- * [745]bathtub curve:
- * [746]baud:
- * [747]baud barf:
- * [748]baz:
- * [749]bazaar:
- * [750]bboard:
- * [751]BBS:
- * [752]BCPL:
- * [753]beam:
- * [754]beanie key:
- * [755]beep:
- * [756]beige toaster:
- * [757]bells and whistles:
- * [758]bells whistles and gongs:
- * [759]benchmark:
- * [760]Berkeley Quality Software:
- * [761]berklix:
- * [762]Berzerkeley:
- * [763]beta:
- * [764]BFI:
- * [765]bible:
- * [766]BiCapitalization:
- * [767]B1FF:
- * [768]biff:
- * [769]Big Gray Wall:
- * [770]big iron:
- * [771]Big Red Switch:
- * [772]Big Room:

- * [773]big win:
- * [774]big-endian:
- * [775]bignum:
- * [776]bigot:
- * [777]bit:
- * [778]bit bang:
- * [779]bit bashing:
- * [780]bit bucket:
- * [781]bit decay:
- * [782]bit rot:
- * [783]bit twiddling:
- * [784]bit-paired keyboard:
- * [785]bitblt:
- * [786]BITNET:
- * [787]bits:
- * [788]bitty box:
- * [789]bixen:
- * [790]bixie:
- * [791]black art:
- * [792]black hole:
- * [793]black magic:
- * [794]Black Screen of Death:
- * [795]Black Thursday:
- * [796]blammo:
- * [797]blargh:
- * [798]blast:
- * [799]blat:
- * [800]bletch:
- * [801]bletcherous:
- * [802]blink:
- * [803]blinkenlights:
- * [804]blit:
- * [805]blitter:
- * [806]blivet:
- * [807]bloatware:
- * [808]BLOB:
- * [809]block:
- * [810]block transfer computations:
- * [811]Bloggs Family:
- * [812]blow an EPROM:
- * [813]blow away:
- * [814]blow out:
- * [815]blow past:
- * [816]blow up:
- * [817]BLT:
- * [818]Blue Book:
- * [819]blue box:
- * [820]Blue Glue:
- * [821]blue goo:
- * [822]Blue Screen of Death:
- * [823]blue wire:
- * [824]blurgle:
- * [825]BNF:

- * [826]boa:
- * [827]board:
- * [828]boat anchor:
- * [829]bob:
- * [830]bodysurf code:
- * [831]BOF:
- * [832]BOFH:
- * [833]bogo-sort:
- * [834]bogometer:
- * [835]BogoMIPS:
- * [836]bogon:
- * [837]bogon filter:
- * [838]bogon flux:
- * [839]bogosity:
- * [840]bogotify:
- * [841]bogue out:
- * [842]bogus:
- * [843]Bohr bug:
- * [844]boink:
- * [845]bomb:
- * [846]bondage-and-discipline language:
- * [847]bonk/oif:
- * [848]book titles:
- * [849]boot:
- * [850]Borg:
- * [851]borken:
- * [852]bot:
- * [853]bot spot:
- * [854]bottom feeder:
- * [855]bottom-up implementation:
- * [856]bounce:
- * [857]bounce message:
- * [858]boustrophedon:
- * [859]box:
- * [860]boxed comments:
- * [861]boxen:
- * [862]boxology:
- * [863]bozotic:
- * [864]BQS:
- * [865]brain dump:
- * [866]brain fart:
- * [867]brain-damaged:
- * [868]brain-dead:
- * [869]braino:
- * [870]branch to Fishkill:
- * [871]bread crumbs:
- * [872]break:
- * [873]break-even point:
- * [874]breath-of-life packet:
- * [875]breedle:
- * [876]Breibart Index:
- * [877]bring X to its knees:
- * [878]brittle:

- * [879]broadcast storm:
- * [880]brochureware:
- * [881]broken:
- * [882]broken arrow:
- * [883]BrokenWindows:
- * [884]broket:
- * [885]Brooks's Law:
- * [886]brown-paper-bag bug:
- * [887]browser:
- * [888]BRS:
- * [889]brute force:
- * [890]brute force and ignorance:
- * [891]BSD:
- * [892]BSOD:
- * [893]BUAF:
- * [894]BUAG:
- * [895]bubble sort:
- * [896]bucky bits:
- * [897]buffer chuck:
- * [898]buffer overflow:
- * [899]bug:
- * [900]bug-compatible:
- * [901]bug-for-bug compatible:
- * [902]bug-of-the-month club:
- * [903]buglix:
- * [904]bulletproof:
- * [905]bullschildt:
- * [906]bum:
- * [907]bump:
- * [908]burble:
- * [909]buried treasure:
- * [910]burn-in period:
- * [911]burst page:
- * [912]busy-wait:
- * [913]buzz:
- * [914]BWQ:
- * [915]by hand:
- * [916]byte:
- * [917]byte sex:
- * [918]bytesexual:
- * [919]Bzzzt! Wrong.:

Node:B5, Next:[920]back door, Previous:[921]awk, Up:[922]= B =

B5 //

[common] Abbreviation for "Babylon 5", a science-fiction TV series as revered among hackers as was the original Star Trek.

Node:back door, Next:[923]backbone cabal, Previous:[924]B5, Up:[925]=
B =

back door n.

[common] A hole in the security of a system deliberately left in place by designers or maintainers. The motivation for such holes is not always sinister; some operating systems, for example, come out of the box with privileged accounts intended for use by field service technicians or the vendor's maintenance programmers. Syn. [926]trap door; may also be called a 'wormhole'. See also [927]iron box, [928]cracker, [929]worm, [930]logic bomb.

Historically, back doors have often lurked in systems longer than anyone expected or planned, and a few have become widely known. Ken Thompson's 1983 Turing Award lecture to the ACM admitted the existence of a back door in early Unix versions that may have qualified as the most fiendishly clever security hack of all time. In this scheme, the C compiler contained code that would recognize when the 'login' command was being recompiled and insert some code recognizing a password chosen by Thompson, giving him entry to the system whether or not an account had been created for him.

Normally such a back door could be removed by removing it from the source code for the compiler and recompiling the compiler. But to recompile the compiler, you have to use the compiler -- so Thompson also arranged that the compiler would recognize when it was compiling a version of itself, and insert into the recompiled compiler the code to insert into the recompiled 'login' the code to allow Thompson entry -- and, of course, the code to recognize itself and do the whole thing again the next time around! And having done this once, he was then able to recompile the compiler from the original sources; the hack perpetuated itself invisibly, leaving the back door in place and active but with no trace in the sources.

The talk that suggested this truly moby hack was published as "Reflections on Trusting Trust", "Communications of the ACM 27", 8 (August 1984), pp. 761-763 (text available at [931]<http://www.acm.org/classics>). Ken Thompson has since confirmed that this hack was implemented and that the Trojan Horse code did appear in the login binary of a Unix Support group machine. Ken says the crooked compiler was never distributed. Your editor has heard two separate reports that suggest that the crooked login did make it out of Bell Labs, notably to BBN, and that it enabled at least one late-night login across the network by someone using the login name 'kt'.

Node:backbone cabal, Next:[932]backbone site, Previous:[933]back door, Up:[934]= B =

backbone cabal n.

A group of large-site administrators who pushed through the [935]Great Renaming and reined in the chaos of [936]Usenet during most of the

1980s. During most of its lifetime, the Cabal (as it was sometimes capitalized) steadfastly denied its own existence; it was almost obligatory for anyone privy to their secrets to respond "There is no Cabal" whenever the existence or activities of the group were speculated on in public.

The result of this policy was an attractive aura of mystery. Even a decade after the cabal [937]mailing list disbanded in late 1988 following a bitter internal catfight, many people believed (or claimed to believe) that it had not actually disbanded but only gone deeper underground with its power intact.

This belief became a model for various paranoid theories about various Cabals with dark nefarious objectives beginning with taking over the Usenet or Internet. These paranoias were later satirized in ways that took on a life of their own. See [938]Eric Conspiracy for one example.

See [939]NANA for the subsequent history of "the Cabal".

Node:backbone site, Next:[940]backgammon, Previous:[941]backbone cabal, Up:[942]= B =

backbone site n.,obs.

Formerly, a key Usenet and email site, one that processes a large amount of third-party traffic, especially if it is the home site of any of the regional coordinators for the Usenet maps. Notable backbone sites as of early 1993, when this sense of the term was beginning to pass out of general use due to wide availability of cheap Internet connections, included uunet and the mail machines at Rutgers University, UC Berkeley, [943]DEC's Western Research Laboratories, Ohio State University, and the University of Texas. Compare [944]rib site, [945]leaf site.

[1996 update: This term is seldom heard any more. The UUCP network world that gave it meaning has nearly disappeared; everyone is on the Internet now and network traffic is distributed in very different patterns. Today one might see references to a 'backbone router' instead --ESR]

Node:backgammon, Next:[946]background, Previous:[947]backbone site, Up:[948]= B =

backgammon

See [949]bignum (sense 3), [950]moby (sense 4), and [951]pseudoprime.

Node:background, Next:[952]backreference, Previous:[953]backgammon, Up:[954]= B =

background n.,adj.,vt.

[common] To do a task 'in background' is to do it whenever [955]foreground matters are not claiming your undivided attention, and 'to background' something means to relegate it to a lower priority. "For now, we'll just print a list of nodes and links; I'm working on the graph-printing problem in background." Note that this implies ongoing activity but at a reduced level or in spare time, in contrast to mainstream 'back burner' (which connotes benign neglect until some future resumption of activity). Some people prefer to use the term for processing that they have queued up for their unconscious minds (a tack that one can often fruitfully take upon encountering an obstacle in creative work). Compare [956]amp off, [957]slopsucker.

Technically, a task running in background is detached from the terminal where it was started (and often running at a lower priority); oppose [958]foreground. Nowadays this term is primarily associated with [959]Unix, but it appears to have been first used in this sense on OS/360.

Node:backreference, Next:[960]backronym, Previous:[961]background, Up:[962]= B =

backreference n.

1. In a regular expression or pattern match, the text which was matched within grouping parentheses parentheses. 2. The part of the pattern which refers back to the matched text. 3. By extension, anything which refers back to something which has been seen or discussed before. "When you said 'she' just now, who were you backreferencing?"

Node:backronym, Next:[963]backspace and overstrike, Previous:[964]backreference, Up:[965]= B =

backronym n.

[portmanteau of back + acronym] A word interpreted as an acronym that was not originally so intended. This is a special case of what linguists call 'back formation'. Examples are given under [966]BASIC, [967]recursive acronym (Cygnus), [968]Acme, and [969]mung. Discovering backronyms is a common form of wordplay among hackers. Compare [970]retcon.

Node:backspace and overstrike, Next:[971]backward combatibility, Previous:[972]backronym, Up:[973]= B =

backspace and overstrike interj.

[rare] Whoa! Back up. Used to suggest that someone just said or did

something wrong. Once common among APL programmers; may now be obsolete.

Node:backward combatability, Next:[974]BAD, Previous:[975]backspace and overstrike, Up:[976]= B =

backward combatability /bak'w*rd k*m-bat*-bil*-tee/ n.

[CMU, Tektronix: from 'backward compatibility'] A property of hardware or software revisions in which previous protocols, formats, layouts, etc. are irrevocably discarded in favor of 'new and improved' protocols, formats, and layouts, leaving the previous ones not merely deprecated but actively defeated. (Too often, the old and new versions cannot definitively be distinguished, such that lingering instances of the previous ones yield crashes or other infelicitous effects, as opposed to a simple "version mismatch" message.) A backwards compatible change, on the other hand, allows old versions to coexist without crashes or error messages, but too many major changes incorporating elaborate backwards compatibility processing can lead to extreme [977]software bloat. See also [978]flag day.

Node:BAD, Next:[979]Bad and Wrong, Previous:[980]backward combatability, Up:[981]= B =

BAD /B-A-D/ adj.

[IBM: acronym, 'Broken As Designed'] Said of a program that is [982]bogus because of bad design and misfeatures rather than because of bugginess. See [983]working as designed.

Node:Bad and Wrong, Next:[984]Bad Thing, Previous:[985]BAD, Up:[986]= B =

Bad and Wrong adj.

[Durham, UK] Said of something that is both badly designed and wrongly executed. This common term is the prototype of, and is used by contrast with, three less common terms - Bad and Right (a kludge, something ugly but functional); Good and Wrong (an overblown GUI or other attractive nuisance); and (rare praise) Good and Right. These terms entered common use at Durham c.1994 and may have been imported from elsewhere; they are also in use at Oxford, and the emphatic form "Evil, Bad and Wrong" (abbreviated EBW) is reported from there. There are standard abbreviations: they start with B&R, a typo for "Bad and Wrong". Consequently, B&W is actually "Bad and Right", G&R = "Good and Wrong", and G&W = "Good and Right". Compare [987]evil and rude, [988]Good Thing, [989]Bad Thing.

Node:Bad Thing, Next:[990]bag on the side, Previous:[991]Bad and

Wrong, Up:[992]= B =

Bad Thing n.

[very common; from the 1930 Sellar & Yeatman parody "1066 And All That"] Something that can't possibly result in improvement of the subject. This term is always capitalized, as in "Replacing all of the 9600-baud modems with bicycle couriers would be a Bad Thing". Oppose [993]Good Thing. British correspondents confirm that [994]Bad Thing and [995]Good Thing (and prob. therefore [996]Right Thing and [997]Wrong Thing) come from the book referenced in the etymology, which discusses rulers who were Good Kings but Bad Things. This has apparently created a mainstream idiom on the British side of the pond. It is very common among American hackers, but not in mainstream usage here. Compare [998]Bad and Wrong.

Node:bag on the side, Next:[999]bagbiter, Previous:[1000]Bad Thing, Up:[1001]= B =

bag on the side n.

[prob. originally related to a colostomy bag] An extension to an established hack that is supposed to add some functionality to the original. Usually derogatory, implying that the original was being overextended and should have been thrown away, and the new product is ugly, inelegant, or bloated. Also v. phrase, 'to hang a bag on the side [of]'. "C++? That's just a bag on the side of C" "They want me to hang a bag on the side of the accounting system."

Node:bagbiter, Next:[1002]bagbiting, Previous:[1003]bag on the side, Up:[1004]= B =

bagbiter /bag'bi:t-*r/ n.

1. Something, such as a program or a computer, that fails to work, or works in a remarkably clumsy manner. "This text editor won't let me make a file with a line longer than 80 characters! What a bagbiter!"
2. A person who has caused you some trouble, inadvertently or otherwise, typically by failing to program the computer properly. Synonyms: [1005]loser, [1006]cretin, [1007]chomper.
3. 'bite the bag'
- vi. To fail in some manner. "The computer keeps crashing every five minutes." "Yes, the disk controller is really biting the bag."

The original loading of these terms was almost undoubtedly obscene, possibly referring to a douche bag or the scrotum (we have reports of "Bite the douche bag!" being used as a taunt at MIT 1970-1976, and we have another report that "Bite the bag!" was in common use at least as early as 1965), but in their current usage they have become almost completely sanitized.

ITS's [1008]lexiphage program was the first and to date only known

example of a program intended to be a bagbiter.

Node:bagbiting, Next:[1009]baggy pantsing, Previous:[1010]bagbiter,
Up:[1011]= B =

bagbiting adj.

Having the quality of a [1012]bagbiter. "This bagbiting system won't let me compute the factorial of a negative number." Compare [1013]losing, [1014]cretinous, [1015]bletcherous, 'barfucious' (under [1016]barfulous) and 'chomping' (under [1017]chomp).

Node:baggy pantsing, Next:[1018]balloonian variable,
Previous:[1019]bagbiting, Up:[1020]= B =

baggy pantsing v.

[Georgia Tech] A "baggy pantsing" is used to reprimand hackers who incautiously leave their terminals unlocked. The affected user will come back to find a post from them on internal newsgroups discussing exactly how baggy their pants are, an accepted stand-in for "unattentive user who left their work unprotected in the clusters". A properly-done baggy pantsing is highly mocking and humorous (see examples below). It is considered bad form to post a baggy pantsing to off-campus newsgroups or the more technical, serious groups. A particularly nice baggy pantsing may be "claimed" by immediately quoting the message in full, followed by your sig; this has the added benefit of keeping the embarrassed victim from being able to delete the post. Interesting baggy-pantsings have been done involving adding commands to login scripts to repost the message every time the unlucky user logs in; Unix boxes on the residential network, when cracked, oftentimes have their homepages replaced (after being politely backedup to another file) with a baggy-pants message; .plan files are also occasionally targeted. Usage: "Prof. Greenlee fell asleep in the Solaris cluster again; we baggy-pantsed him to git.cc.class.2430.flame."

Node:balloonian variable, Next:[1021]bamf, Previous:[1022]baggy pantsing, Up:[1023]= B =

balloonian variable n.

[Commodore users; perh. a deliberate phonetic mangling of 'boolean variable'?] Any variable that doesn't actually hold or control state, but must nevertheless be declared, checked, or set. A typical balloonian variable started out as a flag attached to some environment feature that either became obsolete or was planned but never implemented. Compatibility concerns (or politics attached to same) may require that such a flag be treated as though it were [1024]live.

Node:bamf, Next:[1025]banana label, Previous:[1026]balloonian variable, Up:[1027]= B =

bamf /bamf/

1. [from X-Men comics; originally "bampf"] interj. Notional sound made by a person or object teleporting in or out of the hearer's vicinity. Often used in [1028]virtual reality (esp. [1029]MUD) electronic [1030]fora when a character wishes to make a dramatic entrance or exit. 2. The sound of magical transformation, used in virtual reality [1031]fora like MUDs. 3. In MUD circles, "bamf" is also used to refer to the act by which a MUD server sends a special notification to the MUD client to switch its connection to another server ("I'll set up the old site to just bamf people over to our new location."). 4. Used by MUDders on occasion in a more general sense related to sense 3, to refer to directing someone to another location or resource ("A user was asking about some technobabble so I bamfed them to [1032]<http://www.tuxedo.org/jargon/>".)

Node:banana label, Next:[1033]banana problem, Previous:[1034]bamf, Up:[1035]= B =

banana label n.

The labels often used on the sides of [1036]macrotape reels, so called because they are shaped roughly like blunt-ended bananas. This term, like macrotapes themselves, is still current but visibly headed for obsolescence.

Node:banana problem, Next:[1037]binary four, Previous:[1038]banana label, Up:[1039]= B =

banana problem n.

[from the story of the little girl who said "I know how to spell 'banana', but I don't know when to stop"]. Not knowing where or when to bring a production to a close (compare [1040]fencepost error). One may say 'there is a banana problem' of an algorithm with poorly defined or incorrect termination conditions, or in discussing the evolution of a design that may be succumbing to featuritis (see also [1041]creeping elegance, [1042]creeping featuritis). See item 176 under [1043]HAKMEM, which describes a banana problem in a [1044]Dissociated Press implementation. Also, see [1045]one-banana problem for a superficially similar but unrelated usage.

Node:binary four, Next:[1046]bandwidth, Previous:[1047]banana problem, Up:[1048]= B =

binary four n.

[Usenet] The finger, in the sense of 'digitus impudicus'. This comes from an analogy between binary and the hand, i.e. 1=00001=thumb, 2=00010=index finger, 3=00011=index and thumb, 4=00100. Considered silly. Prob. from humorous derivative of [1049]finger, sense 4.

Node:bandwidth, Next:[1050]bang, Previous:[1051]binary four, Up:[1052]= B =

bandwidth n.

1. [common] Used by hackers (in a generalization of its technical meaning) as the volume of information per unit time that a computer, person, or transmission medium can handle. "Those are amazing graphics, but I missed some of the detail -- not enough bandwidth, I guess." Compare [1053]low-bandwidth. This generalized usage began to go mainstream after the Internet population explosion of 1993-1994. 2. Attention span. 3. On [1054]Usenet, a measure of network capacity that is often wasted by people complaining about how items posted by others are a waste of bandwidth.

Node:bang, Next:[1055]bang on, Previous:[1056]bandwidth, Up:[1057]= B =

bang

1. n. Common spoken name for ! (ASCII 0100001), especially when used in pronouncing a [1058]bang path in spoken hackish. In [1059]elder days this was considered a CMUish usage, with MIT and Stanford hackers preferring [1060]excl or [1061]shriek; but the spread of Unix has carried 'bang' with it (esp. via the term [1062]bang path) and it is now certainly the most common spoken name for !. Note that it is used exclusively for non-emphatic written !; one would not say "Congratulations bang" (except possibly for humorous purposes), but if one wanted to specify the exact characters 'fool' one would speak "Eff oh oh bang". See [1063]shriek, [1064]ASCII. 2. interj. An exclamation signifying roughly "I have achieved enlightenment!", or "The dynamite has cleared out my brain!" Often used to acknowledge that one has perpetrated a [1065]thinko immediately after one has been called on it.

Node:bang on, Next:[1066]bang path, Previous:[1067]bang, Up:[1068]= B =

bang on vt.

To stress-test a piece of hardware or software: "I banged on the new version of the simulator all day yesterday and it didn't crash once. I guess it is ready for release." The term [1069]pound on is synonymous.

Node:bang path, Next:[1070]banner, Previous:[1071]bang on, Up:[1072]=
B =

bang path n.

[now historical] An old-style UUCP electronic-mail address specifying hops to get from some assumed-reachable location to the addressee, so called because each [1073]hop is signified by a [1074]bang sign. Thus, for example, the path ...!bigsite!foovax!barbox!me directs people to route their mail to machine bigsite (presumably a well-known location accessible to everybody) and from there through the machine foovax to the account of user me on barbox.

In the bad old days of not so long ago, before autorouting mailers became commonplace, people often published compound bang addresses using the { } convention (see [1075]glob) to give paths from several big machines, in the hopes that one's correspondent might be able to get mail to one of them reliably (example: ...!{seismo, ut-sally, ihnp4}!rice!beta!gamma!me). Bang paths of 8 to 10 hops were not uncommon in 1981. Late-night dial-up UUCP links would cause week-long transmission times. Bang paths were often selected by both transmission time and reliability, as messages would often get lost. See [1076]Internet address, [1077]the network, and [1078]sitename.

Node:banner, Next:[1079]banner ad, Previous:[1080]bang path,
Up:[1081]= B =

banner n.

1. The title page added to printouts by most print spoolers (see [1082]spool). Typically includes user or account ID information in very large character-graphics capitals. Also called a 'burst page', because it indicates where to burst (tear apart) fanfold paper to separate one user's printout from the next. 2. A similar printout generated (typically on multiple pages of fan-fold paper) from user-specified text, e.g., by a program such as Unix's banner({1,6}). 3. On interactive software, a first screen containing a logo and/or author credits and/or a copyright notice. This is probably now the commonest sense.

Node:banner ad, Next:[1083]banner site, Previous:[1084]banner,
Up:[1085]= B =

banner ad n.

Any of the annoying graphical advertisements that span the tops of way too many Web pages.

Node:banner site, Next:[1086]bar, Previous:[1087]banner ad, Up:[1088]=

B =

banner site n.

[warez d00dz] A FTP site storing pirated files where one must first click on several banners and/or subscribe to various 'free' services, usually generating some form of revenues for the site owner, to be able to access the site. More often than not, the username/password painfully obtained by clicking on banners and subscribing to bogus services or mailing lists turns out to be non-working or gives access to a site that always responds busy. See [1089]ratio site, [1090]leech mode.

Node:bar, Next:[1091]bare metal, Previous:[1092]banner site, Up:[1093]= B =

bar /bar/ n.

1. [very common] The second [1094]metasyntactic variable, after [1095]foo and before [1096]baz. "Suppose we have two functions: FOO and BAR. FOO calls BAR...." 2. Often appended to [1097]foo to produce [1098]foobar.

Node:bare metal, Next:[1099]barf, Previous:[1100]bar, Up:[1101]= B =

bare metal n.

1. [common] New computer hardware, unadorned with such snares and delusions as an [1102]operating system, an [1103]HLL, or even assembler. Commonly used in the phrase 'programming on the bare metal', which refers to the arduous work of [1104]bit bashing needed to create these basic tools for a new machine. Real bare-metal programming involves things like building boot proms and BIOS chips, implementing basic monitors used to test device drivers, and writing the assemblers that will be used to write the compiler back ends that will give the new machine a real development environment. 2. 'Programming on the bare metal' is also used to describe a style of [1105]hand-hacking that relies on bit-level peculiarities of a particular hardware design, esp. tricks for speed and space optimization that rely on crocks such as overlapping instructions (or, as in the famous case described in [1106]The Story of Mel (in Appendix A), interleaving of opcodes on a magnetic drum to minimize fetch delays due to the device's rotational latency). This sort of thing has become less common as the relative costs of programming time and machine resources have changed, but is still found in heavily constrained environments such as industrial embedded systems, and in the code of hackers who just can't let go of that low-level control. See [1107]Real Programmer.

In the world of personal computing, bare metal programming (especially in sense 1 but sometimes also in sense 2) is often considered a

[1108]Good Thing, or at least a necessary evil (because these machines have often been sufficiently slow and poorly designed to make it necessary; see [1109]jill-behaved). There, the term usually refers to bypassing the BIOS or OS interface and writing the application to directly access device registers and machine addresses. "To get 19.2 kilobaud on the serial port, you need to get down to the bare metal." People who can do this sort of thing well are held in high regard.

Node:barf, Next:[1110]barfmail, Previous:[1111]bare metal, Up:[1112]=
B =

barf /barf/ n.,v.

[common; from mainstream slang meaning 'vomit'] 1. interj. Term of disgust. This is the closest hackish equivalent of the Valspeak "gag me with a spoon". (Like, euwww!) See [1113]bletch. 2. vi. To say "Barf!" or emit some similar expression of disgust. "I showed him my latest hack and he barfed" means only that he complained about it, not that he literally vomited. 3. vi. To fail to work because of unacceptable input, perhaps with a suitable error message, perhaps not. Examples: "The division operation barfs if you try to divide by 0." (That is, the division operation checks for an attempt to divide by zero, and if one is encountered it causes the operation to fail in some unspecified, but generally obvious, manner.) "The text editor barfs if you try to read in a new file before writing out the old one." See [1114]choke, [1115]gag. In Commonwealth Hackish, 'barf' is generally replaced by 'puke' or 'vom'. [1116]barf is sometimes also used as a [1117]metasyntactic variable, like [1118]foo or [1119]bar.

Node:barfmail, Next:[1120]barfulation, Previous:[1121]barf, Up:[1122]=
B =

barfmail n.

Multiple [1123]bounce messages accumulating to the level of serious annoyance, or worse. The sort of thing that happens when an inter-network mail gateway goes down or wonky.

Node:barfulation, Next:[1124]barfulous, Previous:[1125]barfmail,
Up:[1126]= B =

barfulation /bar'fyoo-lay'sh*n/ interj.

Variation of [1127]barf used around the Stanford area. An exclamation, expressing disgust. On seeing some particularly bad code one might exclaim, "Barfulation! Who wrote this, Quux?"

Node:barfulous, Next:[1128]barn, Previous:[1129]barfulation,
Up:[1130]= B =

barfulous /bar'fyoo-'s/ adj.

(alt. 'barfucious', /bar-fyoo-sh's/) Said of something that would make anyone barf, if only for esthetic reasons.

Node:barn, Next:[1131]barney, Previous:[1132]barfulous, Up:[1133]= B =

barn n.

[uncommon; prob. from the nuclear military] An unexpectedly large quantity of something: a unit of measurement. "Why is /var/adm taking up so much space?" "The logs have grown to several barns." The source of this is clear: when physicists were first studying nuclear interactions, the probability was thought to be proportional to the cross-sectional area of the nucleus (this probability is still called the cross-section). Upon experimenting, they discovered the interactions were far more probable than expected; the nuclei were 'as big as a barn'. The units for cross-sections were christened Barns, (10^{-24} cm²) and the book containing cross-sections has a picture of a barn on the cover.

Node:barney, Next:[1134]baroque, Previous:[1135]barn, Up:[1136]= B =

barney n.

In Commonwealth hackish, 'barney' is to [1137]fred (sense #1) as [1138]bar is to [1139]foo. That is, people who commonly use 'fred' as their first metasyntactic variable will often use 'barney' second. The reference is, of course, to Fred Flintstone and Barney Rubble in the Flintstones cartoons.

Node:baroque, Next:[1140]BASIC, Previous:[1141]barney, Up:[1142]= B =

baroque adj.

[common] Feature-encrusted; complex; gaudy; verging on excessive. Said of hardware or (esp.) software designs, this has many of the connotations of [1143]elephantine or [1144]monstrosity but is less extreme and not pejorative in itself. "Metafont even has features to introduce random variations to its letterform output. Now that is baroque!" See also [1145]rococo.

Node:BASIC, Next:[1146]batbelt, Previous:[1147]baroque, Up:[1148]= B =

BASIC /bay'-sic/ n.

A programming language, originally designed for Dartmouth's experimental timesharing system in the early 1960s, which for many

years was the leading cause of brain damage in proto-hackers. Edsger W. Dijkstra observed in "Selected Writings on Computing: A Personal Perspective" that "It is practically impossible to teach good programming style to students that have had prior exposure to BASIC: as potential programmers they are mentally mutilated beyond hope of regeneration." This is another case (like [1149]Pascal) of the cascading [1150]lossage that happens when a language deliberately designed as an educational toy gets taken too seriously. A novice can write short BASIC programs (on the order of 10-20 lines) very easily; writing anything longer (a) is very painful, and (b) encourages bad habits that will make it harder to use more powerful languages well. This wouldn't be so bad if historical accidents hadn't made BASIC so common on low-end micros in the 1980s. As it is, it probably ruined tens of thousands of potential wizards.

[1995: Some languages called 'BASIC' aren't quite this nasty any more, having acquired Pascal- and C-like procedures and control structures and shed their line numbers. --ESR]

Note: the name is commonly parsed as Beginner's All-purpose Symbolic Instruction Code, but this is a [1151]backronym. BASIC was originally named Basic, simply because it was a simple and basic programming language. Because most programming language names were in fact acronyms, BASIC was often capitalized just out of habit or to be silly. No acronym for BASIC originally existed or was intended (as one can verify by reading texts through the early 1970s). Later, around the mid-1970s, people began to make up backronyms for BASIC because they weren't sure. Beginner's All-purpose Symbolic Instruction Code is the one that caught on.

Node:batbelt, Next:[1152]batch, Previous:[1153]BASIC, Up:[1154]= B =

batbelt n.

Many hackers routinely hang numerous devices such as pagers, cell-phones, personal organizers, leatherman multitools, pocket knives, flashlights, walkie-talkies, even miniature computers from their belts. When many of these devices are worn at once, the hacker's belt somewhat resembles Batman's utility belt; hence it is referred to as a batbelt.

Node:batch, Next:[1155]bathtub curve, Previous:[1156]batbelt, Up:[1157]= B =

batch adj.

1. Non-interactive. Hackers use this somewhat more loosely than the traditional technical definitions justify; in particular, switches on a normally interactive program that prepare it to receive non-interactive command input are often referred to as 'batch mode' switches. A 'batch file' is a series of instructions written to be

handed to an interactive program running in batch mode. 2. Performance of dreary tasks all at one sitting. "I finally sat down in batch mode and wrote out checks for all those bills; I guess they'll turn the electricity back on next week..." 3. 'batching up': Accumulation of a number of small tasks that can be lumped together for greater efficiency. "I'm batching up those letters to send sometime" "I'm batching up bottles to take to the recycling center."

Node:bathtub curve, Next:[1158]baud, Previous:[1159]batch, Up:[1160]=
B =

bathtub curve n.

Common term for the curve (resembling an end-to-end section of one of those claw-footed antique bathtubs) that describes the expected failure rate of electronics with time: initially high, dropping to near 0 for most of the system's lifetime, then rising again as it 'tires out'. See also [1161]burn-in period, [1162]infant mortality.

Node:baud, Next:[1163]baud barf, Previous:[1164]bathtub curve,
Up:[1165]= B =

baud /bawd/ n.

[simplified from its technical meaning] n. Bits per second. Hence kilobaud or Kbaud, thousands of bits per second. The technical meaning is 'level transitions per second'; this coincides with bps only for two-level modulation with no framing or stop bits. Most hackers are aware of these nuances but blithely ignore them.

Historical note: 'baud' was originally a unit of telegraph signalling speed, set at one pulse per second. It was proposed at the November, 1926 conference of the Comit  Consultatif International Des Communications T lgraphiques as an improvement on the then standard practice of referring to line speeds in terms of words per minute, and named for Jean Maurice Emile Baudot (1845-1903), a French engineer who did a lot of pioneering work in early teleprinters.

Node:baud barf, Next:[1166]baz, Previous:[1167]baud, Up:[1168]= B =

baud barf /bawd barf/ n.

The garbage one gets a terminal (or terminal emulator) when using a modem connection with some protocol setting (esp. line speed) incorrect, or when someone picks up a voice extension on the same line, or when really bad line noise disrupts the connection. Baud barf is not completely [1169]random, by the way; hackers with a lot of serial-line experience can usually tell whether the device at the other end is expecting a higher or lower speed than the terminal is set to. Really experienced ones can identify particular speeds.

Node:baz, Next:[1170]bazaar, Previous:[1171]baud barf, Up:[1172]= B =

baz /baz/ n.

1. [common] The third [1173]metasyntactic variable "Suppose we have three functions: FOO, BAR, and BAZ. FOO calls BAR, which calls BAZ...." (See also [1174]fum) 2. interj. A term of mild annoyance. In this usage the term is often drawn out for 2 or 3 seconds, producing an effect not unlike the bleating of a sheep; /baaaaaaz/. 3. Occasionally appended to [1175]foo to produce 'foobaz'.

Earlier versions of this lexicon derived 'baz' as a Stanford corruption of [1176]bar. However, Pete Samson (compiler of the [1177]TMRC lexicon) reports it was already current when he joined TMRC in 1958. He says "It came from "Pogo". Albert the Alligator, when vexed or outraged, would shout 'Bazz Fazz!' or 'Rowrbazzle!' The club layout was said to model the (mythical) New England counties of Rowrfolk and Bassex (Rowrbazzle mingled with (Norfolk/Suffolk/Middlesex/Essex)."

Node:bazaar, Next:[1178]bboard, Previous:[1179]baz, Up:[1180]= B =

bazaar n.,adj.

In 1997, after meditating on the success of [1181]Linux for three years, the Jargon File's own editor ESR wrote an analytical paper on hacker culture and development models titled [1182]The Cathedral and the Bazaar. The main argument of the paper was that [1183]Brooks's Law is not the whole story; given the right social machinery, debugging can be efficiently parallelized across large numbers of programmers. The title metaphor caught on (see also [1184]cathedral), and the style of development typical in the Linux community is now often referred to as the bazaar mode. Its characteristics include releasing code early and often, and actively seeking the largest possible pool of peer reviewers.

Node:bboard, Next:[1185]BBS, Previous:[1186]bazaar, Up:[1187]= B =

bboard /bee'bord/ n.

[contraction of 'bulletin board'] 1. Any electronic bulletin board; esp. used of [1188]BBS systems running on personal micros, less frequently of a Usenet [1189]newsgroup (in fact, use of this term for a newsgroup generally marks one either as a [1190]newbie fresh in from the BBS world or as a real old-timer predating Usenet). 2. At CMU and other colleges with similar facilities, refers to campus-wide electronic bulletin boards. 3. The term 'physical bboard' is sometimes used to refer to an old-fashioned, non-electronic cork-and-thumbtack memo board. At CMU, it refers to a particular one outside the CS

Lounge.

In either of senses 1 or 2, the term is usually prefixed by the name of the intended board ('the Moonlight Casino bboard' or 'market bboard'); however, if the context is clear, the better-read bboards may be referred to by name alone, as in (at CMU) "Don't post for-sale ads on general".

Node:BBS, Next:[1191]BCPL, Previous:[1192]bboard, Up:[1193]= B =

BBS /B-B-S/ n.

[common; abbreviation, 'Bulletin Board System'] An electronic bulletin board system; that is, a message database where people can log in and leave broadcast messages for others grouped (typically) into [1194]topic groups. The term was especially applied to the thousands of local BBS systems that operated during the pre-Internet microcomputer era of roughly 1980 to 1995, typically run by amateurs for fun out of their homes on MS-DOS boxes with a single modem line each. Fans of Usenet and Internet or the big commercial timesharing bboards such as CompuServe and GEnie tended to consider local BBSes the low-rent district of the hacker culture, but they served a valuable function by knitting together lots of hackers and users in the personal-micro world who would otherwise have been unable to exchange code at all. Post-Internet, BBSs are likely to be local newsgroups on an ISP; efficiency has increased but a certain flavor has been lost. See also [1195]bboard.

Node:BCPL, Next:[1196]beam, Previous:[1197]BBS, Up:[1198]= B =

BCPL // n.

[abbreviation, 'Basic Combined Programming Language'] A programming language developed by Martin Richards in Cambridge in 1967. It is remarkable for its rich syntax, small size of compiler (it can be run in 16k) and extreme portability. It reached break-even point at a very early stage, and was the language in which the original [1199]hello world program was written. It has been ported to so many different systems that its creator confesses to having lost count. It has only one data type (a machine word) which can be used as an integer, a character, a floating point number, a pointer, or almost anything else, depending on context. BCPL was a precursor of C, which inherited some of its features.

Node:beam, Next:[1200]beanie key, Previous:[1201]BCPL, Up:[1202]= B =

beam vt.

[from Star Trek Classic's "Beam me up, Scotty!"] 1. To transfer [1203]softcopy of a file electronically; most often in combining forms

such as 'beam me a copy' or 'beam that over to his site'. 2. Palm Pilot users very commonly use this term for the act of exchanging bits via the infrared links on their machines (this term seems to have originated with the ill-fated Newton Message Pad). Compare [1204]blast, [1205]snarf, [1206]BLT.

Node:beanie key, Next:[1207]beep, Previous:[1208]beam, Up:[1209]= B =

beanie key n.

[Mac users] See [1210]command key.

Node:beep, Next:[1211]Befunge, Previous:[1212]beanie key, Up:[1213]= B =

beep n.,v.

Syn. [1214]feep. This term is techspeak under MS-DOS and OS/2, and seems to be generally preferred among micro hobbyists.

Node:Befunge, Next:[1215]beige toaster, Previous:[1216]beep, Up:[1217]= B =

Befunge n.

A worthy companion to [1218]INTERCAL; a computer language family which escapes the quotidian limitation of linear control flow and embraces program counters flying through multiple dimensions with exotic topologies. Sadly, the Befunge home page has vanished, but a Befunge version of the [1219]hello world program is at [1220]<http://www.catseye.mb.ca/esoteric/befunge.html>.

Node:beige toaster, Next:[1221]bells and whistles, Previous:[1222]Befunge, Up:[1223]= B =

beige toaster n.

A Macintosh. See [1224]toaster; compare [1225]Macintrash, [1226]maggotbox.

Node:bells and whistles, Next:[1227]bells whistles and gongs, Previous:[1228]beige toaster, Up:[1229]= B =

bells and whistles n.

[common] Features added to a program or system to make it more [1230]flavorful from a hacker's point of view, without necessarily adding to its utility for its primary function. Distinguished from

[1231]chrome, which is intended to attract users. "Now that we've got the basic program working, let's go back and add some bells and whistles." No one seems to know what distinguishes a bell from a whistle. The recognized emphatic form is "bells, whistles, and gongs".

It used to be thought that this term derived from the toyboxes on theater organs. However, the "and gongs" strongly suggests a different origin, at sea. Before powered horns, ships routinely used bells, whistles, and gongs to signal each other over longer distances than voice can carry.

Node:bells whistles and gongs, Next:[1232]benchmark,
Previous:[1233]bells and whistles, Up:[1234]= B =

bells whistles and gongs n.

A standard elaborated form of [1235]bells and whistles; typically said with a pronounced and ironic accent on the 'gongs'.

Node:benchmark, Next:[1236]Berkeley Quality Software,
Previous:[1237]bells whistles and gongs, Up:[1238]= B =

benchmark n.

[techspeak] An inaccurate measure of computer performance. "In the computer industry, there are three kinds of lies: lies, damn lies, and benchmarks." Well-known ones include Whetstone, Dhrystone, Rheatstone (see [1239]h), the Gabriel LISP benchmarks (see [1240]gabriel), the SPECmark suite, and LINPACK. See also [1241]machoflops, [1242]MIPS, [1243]smoke and mirrors.

Node:Berkeley Quality Software, Next:[1244]berklix,
Previous:[1245]benchmark, Up:[1246]= B =

Berkeley Quality Software adj.

(often abbreviated 'BQS') Term used in a pejorative sense to refer to software that was apparently created by rather spaced-out hackers late at night to solve some unique problem. It usually has nonexistent, incomplete, or incorrect documentation, has been tested on at least two examples, and core dumps when anyone else attempts to use it. This term was frequently applied to early versions of the dbx(1) debugger. See also [1247]Berzerkeley.

Note to British and Commonwealth readers: that's /berk'lee/, not /bark'lee/ as in British Received Pronunciation.

Node:berklix, Next:[1248]Berzerkeley, Previous:[1249]Berkeley Quality Software, Up:[1250]= B =

berklix /berk'liks/ n.,adj.

[contraction of 'Berkeley Unix'] See [1251]BSD. Not used at Berkeley itself. May be more common among [1252]suits attempting to sound like cognoscenti than among hackers, who usually just say 'BSD'.

Node:Berzerkeley, Next:[1253]beta, Previous:[1254]berklix, Up:[1255]=
B =

Berzerkeley /b*r-zer'klee/ n.

[from 'berserk', via the name of a now-deceased record label; poss. originated by famed columnist Herb Caen] Humorous distortion of 'Berkeley' used esp. to refer to the practices or products of the [1256]BSD Unix hackers. See [1257]software bloat, [1258]Missed'em-five, [1259]Berkeley Quality Software.

Mainstream use of this term in reference to the cultural and political peculiarities of UC Berkeley as a whole has been reported from as far back as the 1960s.

Node:beta, Next:[1260]BFI, Previous:[1261]Berzerkeley, Up:[1262]= B =

beta /bay't*/, /be't*/ or (Commonwealth) /bee't*/ n.

1. Mostly working, but still under test; usu. used with 'in': 'in beta'. In the [1263]Real World, systems (hardware or software) software often go through two stages of release testing: Alpha (in-house) and Beta (out-house?). Beta releases are generally made to a group of lucky (or unlucky) trusted customers. 2. Anything that is new and experimental. "His girlfriend is in beta" means that he is still testing for compatibility and reserving judgment. 3. Flaky; dubious; suspect (since beta software is notoriously buggy).

Historical note: More formally, to beta-test is to test a pre-release (potentially unreliable) version of a piece of software by making it available to selected (or self-selected) customers and users. This term derives from early 1960s terminology for product cycle checkpoints, first used at IBM but later standard throughout the industry. 'Alpha Test' was the unit, module, or component test phase; 'Beta Test' was initial system test. These themselves came from earlier A- and B-tests for hardware. The A-test was a feasibility and manufacturability evaluation done before any commitment to design and development. The B-test was a demonstration that the engineering model functioned as specified. The C-test (corresponding to today's beta) was the B-test performed on early samples of the production design, and the D test was the C test repeated after the model had been in production a while.

Node:BFI, Next:[1264]bible, Previous:[1265]beta, Up:[1266]= B =

BFI /B-F-I/ n.

See [1267]brute force and ignorance. Also encountered in the variants 'BFMI', 'brute force and massive ignorance' and 'BFBI' 'brute force and bloody ignorance'. In some parts of the U.S. this abbreviation was probably reinforced by a company called Browning-Ferris Industries who used to be in the waste-management business; a large BFI logo in white-on-blue could be seen on the sides of garbage trucks.

Node:bible, Next:[1268]BiCapitalization, Previous:[1269]BFI, Up:[1270]= B =

bible n.

1. One of a small number of fundamental source books such as [1271]Knuth, [1272]K&R, or the [1273]Camel Book. 2. The most detailed and authoritative reference for a particular language, operating system, or other complex software system.

Node:BiCapitalization, Next:[1274]B1FF, Previous:[1275]bible, Up:[1276]= B =

BiCapitalization n.

The act said to have been performed on trademarks (such as [1277]PostScript, NeXT, [1278]NeWS, VisiCalc, FrameMaker, TK!solver, EasyWriter) that have been raised above the ruck of common coinage by nonstandard capitalization. Too many [1279]marketroid types think this sort of thing is really cute, even the 2,317th time they do it. Compare [1280]studlycaps.

Node:B1FF, Next:[1281]BI, Previous:[1282]BiCapitalization, Up:[1283]= B =

B1FF /bif/ [Usenet] (alt. 'BIFF') n.

The most famous [1284]pseudo, and the prototypical [1285]newbie. Articles from B1FF feature all uppercase letters sprinkled liberally with bangs, typos, 'cute' misspellings (EVRY BUDY LUVS GOOD OLD BIFF CUZ HE"S A K00L DOOD AN HE RITES REEL AWESUM THINGZ IN CAPITULL LETTRS LIKE THIS!!!), use (and often misuse) of fragments of [1286]talk mode abbreviations, a long [1287]sig block (sometimes even a [1288]doubled sig), and unbounded naivete. B1FF posts articles using his elder brother's VIC-20. B1FF's location is a mystery, as his articles appear to come from a variety of sites. However, [1289]BITNET seems to be the most frequent origin. The theory that B1FF is a denizen of BITNET is supported by B1FF's (unfortunately invalid) electronic mail address: B1FF@BIT.NET.

[1993: Now It Can Be Told! My spies inform me that B1FF was originally created by Joe Talmadge <jat@cup.hp.com>, also the author of the infamous and much-plagiarized "Flamer's Bible". The BIFF filter he wrote was later passed to Richard Sexton, who posted BIFFisms much more widely. Versions have since been posted for the amusement of the net at large. See also [1290]Jeff K. --ESR]

Node:BI, Next:[1291]biff, Previous:[1292]B1FF, Up:[1293]= B =

BI //

Common written abbreviation for [1294]Breidbart Index.

Node:biff, Next:[1295]Big Gray Wall, Previous:[1296]BI, Up:[1297]= B =

biff /bif/ vt.

To notify someone of incoming mail. From the BSD utility biff(1), which was in turn named after a friendly dog who used to chase frisbees in the halls at UCB while 4.2BSD was in development. There was a legend that it had a habit of barking whenever the mailman came, but the author of biff says this is not true. No relation to [1298]B1FF.

Node:Big Gray Wall, Next:[1299]big iron, Previous:[1300]biff, Up:[1301]= B =

Big Gray Wall n.

What faces a [1302]VMS user searching for documentation. A full VMS kit comes on a pallet, the documentation taking up around 15 feet of shelf space before the addition of layered products such as compilers, databases, multivendor networking, and programming tools. Recent (since VMS version 5) documentation comes with gray binders; under VMS version 4 the binders were orange ('big orange wall'), and under version 3 they were blue. See [1303]VMS. Often contracted to 'Gray Wall'.

Node:big iron, Next:[1304]Big Red Switch, Previous:[1305]Big Gray Wall, Up:[1306]= B =

big iron n.

[common] Large, expensive, ultra-fast computers. Used generally of [1307]number-crunching supercomputers such as Crays, but can include more conventional big commercial IBMish mainframes. Term of approval; compare [1308]heavy metal, oppose [1309]dinosaur.

Node:Big Red Switch, Next:[1310]Big Room, Previous:[1311]big iron,
Up:[1312]= B =

Big Red Switch n.

[IBM] The power switch on a computer, esp. the 'Emergency Pull' switch on an IBM [1313]mainframe or the power switch on an IBM PC where it really is large and red. "This !@\$% [1314]bitty box is hung again; time to hit the Big Red Switch." Sources at IBM report that, in tune with the company's passion for [1315]TLAs, this is often abbreviated as 'BRS' (this has also become established on FidoNet and in the PC [1316]clone world). It is alleged that the emergency pull switch on an IBM 360/91 actually fired a non-conducting bolt into the main power feed; the BRSEs on more recent mainframes physically drop a block into place so that they can't be pushed back in. People get fired for pulling them, especially inappropriately (see also [1317]molly-guard). Compare [1318]power cycle, [1319]three-finger salute, [1320]120 reset; see also [1321]scram switch.

Node:Big Room, Next:[1322]big win, Previous:[1323]Big Red Switch,
Up:[1324]= B =

Big Room n.

(Also 'Big Blue Room') The extremely large room with the blue ceiling and intensely bright light (during the day) or black ceiling with lots of tiny night-lights (during the night) found outside all computer installations. "He can't come to the phone right now, he's somewhere out in the Big Room."

Node:big win, Next:[1325]big-endian, Previous:[1326]Big Room,
Up:[1327]= B =

big win n.

1. [common] Major success. 2. [MIT] Serendipity. "Yes, those two physicists discovered high-temperature superconductivity in a batch of ceramic that had been prepared incorrectly according to their experimental schedule. Small mistake; big win!" See [1328]win big.

Node:big-endian, Next:[1329]bignum, Previous:[1330]big win, Up:[1331]=
B =

big-endian adj.

[common; From Swift's "Gulliver's Travels" via the famous paper "On Holy Wars and a Plea for Peace" by Danny Cohen, USC/ISI IEN 137, dated April 1, 1980] 1. Describes a computer architecture in which, within a given multi-byte numeric representation, the most significant byte has

the lowest address (the word is stored 'big-end-first'). Most processors, including the IBM 370 family, the [1332]PDP-10, the Motorola microprocessor families, and most of the various RISC designs are big-endian. Big-endian byte order is also sometimes called 'network order'. See [1333]little-endian, [1334]middle-endian, [1335]NIX problem, [1336]swab. 2. An [1337]Internet address the wrong way round. Most of the world follows the Internet standard and writes email addresses starting with the name of the computer and ending up with the name of the country. In the U.K. the Joint Networking Team had decided to do it the other way round before the Internet domain standard was established. Most gateway sites have [1338]ad-hockery in their mailers to handle this, but can still be confused. In particular, the address me@uk.ac.bris.pys.as could be interpreted in JANET's big-endian way as one in the U.K. (domain uk) or in the standard little-endian way as one in the domain as (American Samoa) on the opposite side of the world.

Node:bignum, Next:[1339]bigot, Previous:[1340]big-endian, Up:[1341]= B
=

bignum /big'nuhm/ n.

[common; orig. from MIT MacLISP] 1. [techspeak] A multiple-precision computer representation for very large integers. 2. More generally, any very large number. "Have you ever looked at the United States Budget? There's bignums for you!" 3. [Stanford] In backgammon, large numbers on the dice especially a roll of double fives or double sixes (compare [1342]moby, sense 4). See also [1343]El Camino Bignum.

Sense 1 may require some explanation. Most computer languages provide a kind of data called 'integer', but such computer integers are usually very limited in size; usually they must be smaller than 2^{31} (2,147,483,648) or (on a [1344]bitty box) 2^{15} (32,768). If you want to work with numbers larger than that, you have to use floating-point numbers, which are usually accurate to only six or seven decimal places. Computer languages that provide bignums can perform exact calculations on very large numbers, such as 1000! (the factorial of 1000, which is 1000 times 999 times 998 times ... times 2 times 1). For example, this value for 1000! was computed by the MacLISP system using bignums:

```
40238726007709377354370243392300398571937486421071
46325437999104299385123986290205920442084869694048
00479988610197196058631666872994808558901323829669
94459099742450408707375991882362772718873251977950
59509952761208749754624970436014182780946464962910
56393887437886487337119181045825783647849977012476
63288983595573543251318532395846307555740911426241
74743493475534286465766116677973966688202912073791
43853719588249808126867838374559731746136085379534
52422158659320192809087829730843139284440328123155
86110369768013573042161687476096758713483120254785
89320767169132448426236131412508780208000261683151
```

02734182797770478463586817016436502415369139828126
48102130927612448963599287051149649754199093422215
66832572080821333186116811553615836546984046708975
60290095053761647584772842188967964624494516076535
34081989013854424879849599533191017233555566021394
50399736280750137837615307127761926849034352625200
01588853514733161170210396817592151090778801939317
81141945452572238655414610628921879602238389714760
88506276862967146674697562911234082439208160153780
88989396451826324367161676217916890977991190375403
12746222899880051954444142820121873617459926429565
81746628302955570299024324153181617210465832036786
90611726015878352075151628422554026517048330422614
39742869330616908979684825901254583271682264580665
26769958652682272807075781391858178889652208164348
34482599326604336766017699961283186078838615027946
59551311565520360939881806121385586003014356945272
24206344631797460594682573103790084024432438465657
24501440282188525247093519062092902313649327349756
55139587205596542287497740114133469627154228458623
77387538230483865688976461927383814900140767310446
6402598994902222176590433990188601856652648506179
97023561938970178600408118897299183110211712298459
01641921068884387121855646124960798722908519296819
37238864261483965738229112312502418664935314397013
74285319266498753372189406942814341185201580141233
44828015051399694290153483077644569099073152433278
28826986460278986432113908350621709500259738986355
42771967428222487575867657523442202075736305694988
25087968928162753848863396909959826280956121450994
87170124451646126037902930912088908694202851064018
21543994571568059418727489980942547421735824010636
77404595741785160829230135358081840096996372524230
56085590370062427124341690900415369010593398383577
7939410970027753472000000000000000000000000000000
0000000000000000000000000000000000000000000000000
0000000000000000000000000000000000000000000000000
0000000000000000000000000000000000000000000000000
0000000000000000000000000000000000000000000000000
0000000000000000000000000000000000000000000000000
0000000000000000000000000000000000000000000000000

Node:bigot, Next:[1345]bit, Previous:[1346]bignum, Up:[1347]= B =

bigot n.

[common] A person who is religiously attached to a particular computer, language, operating system, editor, or other tool (see [1348]religious issues). Usually found with a specifier; thus, 'cray bigot', 'ITS bigot', 'APL bigot', 'VMS bigot', 'Berkeley bigot'. Real bigots can be distinguished from mere partisans or zealots by the fact that they refuse to learn alternatives even when the march of time and/or technology is threatening to obsolete the favored tool. It is

truly said "You can tell a bigot, but you can't tell him much."
Compare [1349]weenie, [1350]Amiga Persecution Complex.

Node:bit, Next:[1351]bit bang, Previous:[1352]bigot, Up:[1353]= B =

bit n.

[from the mainstream meaning and 'Binary digIT'] 1. [techspeak] The unit of information; the amount of information obtained by asking a yes-or-no question for which the two outcomes are equally probable. 2. [techspeak] A computational quantity that can take on one of two values, such as true and false or 0 and 1. 3. A mental flag: a reminder that something should be done eventually. "I have a bit set for you." (I haven't seen you for a while, and I'm supposed to tell or ask you something.) 4. More generally, a (possibly incorrect) mental state of belief. "I have a bit set that says that you were the last guy to hack on EMACS." (Meaning "I think you were the last guy to hack on EMACS, and what I am about to say is predicated on this, so please stop me if this isn't true.")

"I just need one bit from you" is a polite way of indicating that you intend only a short interruption for a question that can presumably be answered yes or no.

A bit is said to be 'set' if its value is true or 1, and 'reset' or 'clear' if its value is false or 0. One speaks of setting and clearing bits. To [1354]toggle or 'invert' a bit is to change it, either from 0 to 1 or from 1 to 0. See also [1355]flag, [1356]trit, [1357]mode bit.

The term 'bit' first appeared in print in the computer-science sense in a 1948 paper by information theorist Claude Shannon, and was there credited to the early computer scientist John Tukey (who also seems to have coined the term 'software'). Tukey records that 'bit' evolved over a lunch table as a handier alternative to 'bigit' or 'binit', at a conference in the winter of 1943-44.

Node:bit bang, Next:[1358]bit bashing, Previous:[1359]bit, Up:[1360]= B =

bit bang n.

Transmission of data on a serial line, when accomplished by rapidly tweaking a single output bit, in software, at the appropriate times. The technique is a simple loop with eight OUT and SHIFT instruction pairs for each byte. Input is more interesting. And full duplex (doing input and output at the same time) is one way to separate the real hackers from the [1361]wannabees.

Bit bang was used on certain early models of Prime computers, presumably when UARTs were too expensive, and on archaic Z80 micros with a Zilog PIO but no SIO. In an interesting instance of the

[1362]cycle of reincarnation, this technique returned to use in the early 1990s on some RISC architectures because it consumes such an infinitesimal part of the processor that it actually makes sense not to have a UART. Compare [1363]cycle of reincarnation.

Node:bit bashing, Next:[1364]bit bucket, Previous:[1365]bit bang, Up:[1366]= B =

bit bashing n.

(alt. 'bit diddling' or [1367]bit twiddling) Term used to describe any of several kinds of low-level programming characterized by manipulation of [1368]bit, [1369]flag, [1370]nybble, and other smaller-than-character-sized pieces of data; these include low-level device control, encryption algorithms, checksum and error-correcting codes, hash functions, some flavors of graphics programming (see [1371]bitblt), and assembler/compiler code generation. May connote either tedium or a real technical challenge (more usually the former). "The command decoding for the new tape driver looks pretty solid but the bit-bashing for the control registers still has bugs." See also [1372]bit bang, [1373]mode bit.

Node:bit bucket, Next:[1374]bit decay, Previous:[1375]bit bashing, Up:[1376]= B =

bit bucket n.

[very common] 1. The universal data sink (originally, the mythical receptacle used to catch bits when they fall off the end of a register during a shift instruction). Discarded, lost, or destroyed data is said to have 'gone to the bit bucket'. On [1377]Unix, often used for [1378]/dev/null. Sometimes amplified as 'the Great Bit Bucket in the Sky'. 2. The place where all lost mail and news messages eventually go. The selection is performed according to [1379]Finagle's Law; important mail is much more likely to end up in the bit bucket than junk mail, which has an almost 100% probability of getting delivered. Routing to the bit bucket is automatically performed by mail-transfer agents, news systems, and the lower layers of the network. 3. The ideal location for all unwanted mail responses: "Flames about this article to the bit bucket." Such a request is guaranteed to overflow one's mailbox with flames. 4. Excuse for all mail that has not been sent. "I mailed you those figures last week; they must have landed in the bit bucket." Compare [1380]black hole.

This term is used purely in jest. It is based on the fanciful notion that bits are objects that are not destroyed but only misplaced. This appears to have been a mutation of an earlier term 'bit box', about which the same legend was current; old-time hackers also report that trainees used to be told that when the CPU stored bits into memory it was actually pulling them 'out of the bit box'. See also [1381]chad box.

Another variant of this legend has it that, as a consequence of the 'parity preservation law', the number of 1 bits that go to the bit bucket must equal the number of 0 bits. Any imbalance results in bits filling up the bit bucket. A qualified computer technician can empty a full bit bucket as part of scheduled maintenance.

Node:bit decay, Next:[1382]bit rot, Previous:[1383]bit bucket,
Up:[1384]= B =

bit decay n.

See [1385]bit rot. People with a physics background tend to prefer this variant for the analogy with particle decay. See also [1386]computron, [1387]quantum bogodynamics.

Node:bit rot, Next:[1388]bit twiddling, Previous:[1389]bit decay,
Up:[1390]= B =

bit rot n.

[common] Also [1391]bit decay. Hypothetical disease the existence of which has been deduced from the observation that unused programs or features will often stop working after sufficient time has passed, even if 'nothing has changed'. The theory explains that bits decay as if they were radioactive. As time passes, the contents of a file or the code in a program will become increasingly garbled.

There actually are physical processes that produce such effects (alpha particles generated by trace radionuclides in ceramic chip packages, for example, can change the contents of a computer memory unpredictably, and various kinds of subtle media failures can corrupt files in mass storage), but they are quite rare (and computers are built with error-detecting circuitry to compensate for them). The notion long favored among hackers that cosmic rays are among the causes of such events turns out to be a myth; see the [1392]cosmic rays entry for details.

The term [1393]software rot is almost synonymous. Software rot is the effect, bit rot the notional cause.

Node:bit twiddling, Next:[1394]bit-paired keyboard, Previous:[1395]bit rot, Up:[1396]= B =

bit twiddling n.

[very common] 1. (pejorative) An exercise in tuning (see [1397]tune) in which incredible amounts of time and effort go to produce little noticeable improvement, often with the result that the code becomes incomprehensible. 2. Aimless small modification to a program, esp. for

some pointless goal. 3. Approx. syn. for [1398]bit bashing; esp. used for the act of frobbing the device control register of a peripheral in an attempt to get it back to a known state.

Node:bit-paired keyboard, Next:[1399]bitblt, Previous:[1400]bit twiddling, Up:[1401]= B =

bit-paired keyboard n.,obs.

(alt. 'bit-shift keyboard') A non-standard keyboard layout that seems to have originated with the Teletype ASR-33 and remained common for several years on early computer equipment. The ASR-33 was a mechanical device (see [1402]EOU), so the only way to generate the character codes from keystrokes was by some physical linkage. The design of the ASR-33 assigned each character key a basic pattern that could be modified by flipping bits if the SHIFT or the CTRL key was pressed. In order to avoid making the thing even more of a kluge than it already was, the design had to group characters that shared the same basic bit pattern on one key.

Looking at the ASCII chart, we find:

```
high low bits
bits 0000 0001 0010 0011 0100 0101 0110 0111 1000 1001
010  ! " # $ % & ' ( )
011 0 1 2 3 4 5 6 7 8 9
```

This is why the characters !"#\$%&'() appear where they do on a Teletype (thankfully, they didn't use shift-0 for space). The Teletype Model 33 was actually designed before ASCII existed, and was originally intended to use a code that contained these two rows:

```
low bits
high 0000 0010 0100 0110 1000 1010 1100 1110
bits  0001 0011 0101 0111 1001 1011 1101 1111
10  ) ! bel # $ % wru & * ( " : ? _ , .
11  0 1 2 3 4 5 6 7 8 9 ' ; / - esc del
```

The result would have been something closer to a normal keyboard. But as it happened, Teletype had to use a lot of persuasion just to keep ASCII, and the Model 33 keyboard, from looking like this instead:

```
! " ? $ ' & - ( ) ; : * / , .
0 1 2 3 4 5 6 7 8 9 + ~ < > x |
```

Teletype's was not the weirdest variant of the [1403]QWERTY layout widely seen, by the way; that prize should probably go to one of several (differing) arrangements on IBM's even clunkier 026 and 029 card punches.

When electronic terminals became popular, in the early 1970s, there was no agreement in the industry over how the keyboards should be laid out. Some vendors opted to emulate the Teletype keyboard, while others used the flexibility of electronic circuitry to make their product look like an office typewriter. Either choice was supported by the

ANSI computer keyboard standard, X4.14-1971, which referred to the alternatives as 'logical bit pairing' and 'typewriter pairing'. These alternatives became known as 'bit-paired' and 'typewriter-paired' keyboards. To a hacker, the bit-paired keyboard seemed far more logical -- and because most hackers in those days had never learned to touch-type, there was little pressure from the pioneering users to adapt keyboards to the typewriter standard.

The doom of the bit-paired keyboard was the large-scale introduction of the computer terminal into the normal office environment, where out-and-out technophobes were expected to use the equipment. The 'typewriter-paired' standard became universal, X4.14 was superseded by X4.23-1982, 'bit-paired' hardware was quickly junked or relegated to dusty corners, and both terms passed into disuse.

However, in countries without a long history of touch typing, the argument against the bit-paired keyboard layout was weak or nonexistent. As a result, the standard Japanese keyboard, used on PCs, Unix boxen etc. still has all of the !"#\$\$%&'() characters above the numbers in the ASR-33 layout.

Node:bitblt, Next:[1404]BITNET, Previous:[1405]bit-paired keyboard, Up:[1406]= B =

bitblt /bit'blit/ n.

[from [1407]BLT, q.v.] 1. [common] Any of a family of closely related algorithms for moving and copying rectangles of bits between main and display memory on a bit-mapped device, or between two areas of either main or display memory (the requirement to do the [1408]Right Thing in the case of overlapping source and destination rectangles is what makes BitBlit tricky). 2. Synonym for [1409]blit or [1410]BLT. Both uses are borderline techspeak.

Node:BITNET, Next:[1411]bits, Previous:[1412]bitblt, Up:[1413]= B =

BITNET /bit'net/ n., obs.

[acronym: Because It's Time NETwork] Everybody's least favorite piece of the network (see [1414]the network) - until AOL happened. The BITNET hosts were a collection of IBM dinosaurs and VAXen (the latter with lobotomized comm hardware) that communicate using 80-character [1415]EBCDIC card images (see [1416]eighty-column mind); thus, they tend to mangle the headers and text of third-party traffic from the rest of the ASCII/[1417]RFC-822 world with annoying regularity. BITNET was also notorious as the apparent home of [1418]B1FF. By 1995 it had, much to everyone's relief, been obsolesced and absorbed into the Internet. Unfortunately, around this time we also got AOL.

Node:bits, Next:[1419]bitty box, Previous:[1420]BITNET, Up:[1421]= B =

bits pl.n.

1. Information. Examples: "I need some bits about file formats." ("I need to know about file formats.") Compare [1422]core dump, sense 4.
 2. Machine-readable representation of a document, specifically as contrasted with paper: "I have only a photocopy of the Jargon File; does anyone know where I can get the bits?". See [1423]softcopy, [1424]source of all good bits See also [1425]bit.
-

Node:bitty box, Next:[1426]bixen, Previous:[1427]bits, Up:[1428]= B =

bitty box /bit'ee boks/ n.

1. A computer sufficiently small, primitive, or incapable as to cause a hacker acute claustrophobia at the thought of developing software on or for it. Especially used of small, obsolescent, single-tasking-only personal machines such as the Atari 800, Osborne, Sinclair, VIC-20, TRS-80, or IBM PC.
 2. [Pejorative] More generally, the opposite of 'real computer' (see [1429]Get a real computer!). See also [1430]mess-dos, [1431]toaster, and [1432]toy.
-

Node:bixen, Next:[1433]bixie, Previous:[1434]bitty box, Up:[1435]= B =

bixen pl.n.

Users of BIX (the BIX Information eXchange, formerly the Byte Information eXchange). Parallels other plurals like boxen, [1436]VAXen, oxen.

Node:bixie, Next:[1437]black art, Previous:[1438]bixen, Up:[1439]= B =

bixie /bik'see/ n.

Variant [1440]emoticons used on BIX (the BIX Information eXchange). The most common ([1441]smiley) bixie is <@_@>, representing two cartoon eyes and a mouth. These were originally invented in an SF fanzine called APA-L and imported to BIX by one of the earliest users.

Node:black art, Next:[1442]black hole, Previous:[1443]bixie, Up:[1444]= B =

black art n.

[common] A collection of arcane, unpublished, and (by implication) mostly ad-hoc techniques developed for a particular application or systems area (compare [1445]black magic). VLSI design and compiler code optimization were (in their beginnings) considered classic examples of black art; as theory developed they became [1446]deep

magic, and once standard textbooks had been written, became merely [1447]heavy wizardry. The huge proliferation of formal and informal channels for spreading around new computer-related technologies during the last twenty years has made both the term 'black art' and what it describes less common than formerly. See also [1448]voodoo programming.

Node:black hole, Next:[1449]black magic, Previous:[1450]black art, Up:[1451]= B =

black hole n.,vt.

[common] What data (a piece of email or netnews, or a stream of TCP/IP packets) has fallen into if it disappears mysteriously between its origin and destination sites (that is, without returning a [1452]bounce message). "I think there's a black hole at foovax!" conveys suspicion that site foovax has been dropping a lot of stuff on the floor lately (see [1453]drop on the floor). The implied metaphor of email as interstellar travel is interesting in itself. Readily verbed as 'blackhole': "That router is blackholing IDP packets." Compare [1454]bit bucket and see [1455]RBL.

Node:black magic, Next:[1456]Black Screen of Death, Previous:[1457]black hole, Up:[1458]= B =

black magic n.

[common] A technique that works, though nobody really understands why. More obscure than [1459]voodoo programming, which may be done by cookbook. Compare also [1460]black art, [1461]deep magic, and [1462]magic number (sense 2).

Node:Black Screen of Death, Next:[1463]Black Thursday, Previous:[1464]black magic, Up:[1465]= B =

Black Screen of Death n.

[prob. related to the Floating Head of Death in a famous "Far Side" cartoon.] A failure mode of [1466]Microslot Windows. On an attempt to launch a DOS box, a networked Windows system not uncommonly blanks the screen and locks up the PC so hard that it requires a cold [1467]boot to recover. This unhappy phenomenon is known as The Black Screen of Death. See also [1468]Blue Screen of Death, which has become rather more common.

Node:Black Thursday, Next:[1469]blammo, Previous:[1470]Black Screen of Death, Up:[1471]= B =

Black Thursday n.

February 8th, 1996 - the day of the signing into law of the [1472]CDA, so called by analogy with the catastrophic "Black Friday" in 1929 that began the Great Depression.

Node:blammo, Next:[1473]blargh, Previous:[1474]Black Thursday, Up:[1475]= B =

blammo v.

[Oxford Brookes University and alumni, UK] To forcibly remove someone from any interactive system, especially talker systems. The operators, who may remain hidden, may 'blammo' a user who is misbehaving. Very similar to MIT [1476]gun; in fact, the 'blammo-gun' is a notional device used to 'blammo' someone. While in actual fact the only incarnation of the blammo-gun is the command used to forcibly eject a user, operators speak of different levels of blammo-gun fire; e.g., a blammo-gun to 'stun' will temporarily remove someone, but a blammo-gun set to 'maim' will stop someone coming back on for a while.

Node:blargh, Next:[1477]blast, Previous:[1478]blammo, Up:[1479]= B =

blargh /blarg/ n.

[MIT; now common] The opposite of [1480]ping, sense 5; an exclamation indicating that one has absorbed or is emitting a quantum of unhappiness. Less common than [1481]ping.

Node:blast, Next:[1482]blat, Previous:[1483]blargh, Up:[1484]= B =

blast 1. v.,n.

Synonym for [1485]BLT, used esp. for large data sends over a network or comm line. Opposite of [1486]snarf. Usage: uncommon. The variant 'blat' has been reported. 2. vt. [HP/Apollo] Synonymous with [1487]nuke (sense 3). Sometimes the message Unable to kill all processes. Blast them (y/n)? would appear in the command window upon logout.

Node:blat, Next:[1488]bletch, Previous:[1489]blast, Up:[1490]= B =

blat n.

1. Syn. [1491]blast, sense 1. 2. See [1492]thud.

Node:bletch, Next:[1493]bletcherous, Previous:[1494]blat, Up:[1495]= B =

bletch /blech/ interj.

[very common; from Yiddish/German 'brechen', to vomit, poss. via comic-strip exclamation 'blech'] Term of disgust. Often used in "Ugh, bletch". Compare [1496]barf.

Node:bletcherous, Next:[1497]blink, Previous:[1498]bletch, Up:[1499]=
B =

bletcherous /blech'*-r*s/ adj.

Disgusting in design or function; esthetically unappealing. This word is seldom used of people. "This keyboard is bletcherous!" (Perhaps the keys don't work very well, or are misplaced.) See [1500]losing, [1501]cretinous, [1502]bagbiting, [1503]bogus, and [1504]random. The term [1505]bletcherous applies to the esthetics of the thing so described; similarly for [1506]cretinous. By contrast, something that is 'losing' or 'bagbiting' may be failing to meet objective criteria. See also [1507]bogus and [1508]random, which have richer and wider shades of meaning than any of the above.

Node:blink, Next:[1509]blinkenlights, Previous:[1510]bletcherous,
Up:[1511]= B =

blink vi.,n.

To use a navigator or off-line message reader to minimize time spent on-line to a commercial network service (a necessity in many places outside the U.S. where the telecoms monopolies charge per-minute for local calls). This term attained wide use in the UK, but is rare or unknown in the US.

Node:blinkenlights, Next:[1512]blit, Previous:[1513]blink, Up:[1514]=
B =

blinkenlights /blink'*n-li:tz/ n.

[common] Front-panel diagnostic lights on a computer, esp. a [1515]dinosaur. Now that dinosaurs are rare, this term usually refers to status lights on a modem, network hub, or the like.

This term derives from the last word of the famous blackletter-Gothic sign in mangled pseudo-German that once graced about half the computer rooms in the English-speaking world. One version ran in its entirety as follows:

ACHTUNG! ALLES LOOKENSPEEPERS!

Das computermachine ist nicht fuer gefingerpoken und mittengrabben.
Ist easy schnappen der springenwerk, blowenfusen und poppencorken

mit spitzensparken. Ist nicht fuer gewerken bei das dumpkopfen. Das rubberneckens sichtseeren keepen das cotten-pickenen hans in das pockets muss; relaxen und watchen das blinkenlichten.

This silliness dates back at least as far as 1959 at Stanford University and had already gone international by the early 1960s, when it was reported at London University's ATLAS computing site. There are several variants of it in circulation, some of which actually do end with the word 'blinkenlights'.

In an amusing example of turnabout-is-fair-play, German hackers have developed their own versions of the blinkenlights poster in fractured English, one of which is reproduced here:

ATTENTION

This room is fullfilled mit special electronische equipment. Fingergrabbing and pressing the cnoeppkes from the computers is allowed for die experts only! So all the "lefthanders" stay away and do not disturben the brainstorming von here working intelligencies. Otherwise you will be out thrown and kicked anderswhere! Also: please keep still and only watchen astaunished the blinkenlights.

See also [1516]geef.

Old-time hackers sometimes get nostalgic for blinkenlights because they were so much more fun to look at than a blank panel. Sadly, very few computers still have them (the three LEDs on a PC keyboard certainly don't count). The obvious reasons (cost of wiring, cost of front-panel cutouts, almost nobody needs or wants to interpret machine-register states on the fly anymore) are only part of the story. Another part of it is that radio-frequency leakage from the lamp wiring was beginning to be a problem as far back as transistor machines. But the most fundamental fact is that there are very few signals slow enough to blink an LED these days! With slow CPUs, you could watch the bus register or instruction counter tick, but at 33/66/150MHz it's all a blur.

Finally, a version updated for the Internet has been seen on news.admin.net-abuse.email:

ACHTUNG! ALLES LOOKENSPEEPERS!

Das Internet is nicht fuer gefingerclicken und giffengrabben. Ist easy droppenpacket der routers und overloaden der backbone mit der spammen und der me-tooen. Ist nicht fuer gewerken bei das dumpkopfen. Das mausklicken sichtseeren keepen das bandwit-spewin hans in das pockets muss; relaxen und watchen das cursorblinken.

This newest version partly reflects reports that the word 'blinkenlights' is (in 1999) undergoing something of a revival in usage, but applied to networking equipment. The transmit and receive

lights on routers, activity lights on switches and hubs, and other network equipment often blink in visually pleasing and seemingly coordinated ways. Although this is different in some ways from register readings, a tall stack of Cisco equipment or a 19-inch rack of ISDN terminals can provoke a similar feeling of hypnotic awe, especially in a darkened network operations center or server room.

Node:blit, Next:[1517]blitter, Previous:[1518]blinkenlights,
Up:[1519]= B =

blit /blit/ vt.

1. [common] To copy a large array of bits from one part of a computer's memory to another part, particularly when the memory is being used to determine what is shown on a display screen. "The storage allocator picks through the table and copies the good parts up into high memory, and then blits it all back down again." See [1520]bitblt, [1521]BLT, [1522]dd, [1523]cat, [1524]blast, [1525]snarf. More generally, to perform some operation (such as toggling) on a large array of bits while moving them. 2. [historical, rare] Sometimes all-capitalized as 'BLIT': an early experimental bit-mapped terminal designed by Rob Pike at Bell Labs, later commercialized as the AT&T 5620. (The folk etymology from 'Bell Labs Intelligent Terminal' is incorrect. Its creators liked to claim that "Blit" stood for the Bacon, Lettuce, and Interactive Tomato.)

Node:blitter, Next:[1526]blivet, Previous:[1527]blit, Up:[1528]= B =

blitter /blit'r/ n.

[common] A special-purpose chip or hardware system built to perform [1529]blit operations, esp. used for fast implementation of bit-mapped graphics. The Commodore Amiga and a few other micros have these, but since 1990 the trend has been away from them (however, see [1530]cycle of reincarnation). Syn. [1531]raster blaster.

Node:blivet, Next:[1532]bloatware, Previous:[1533]blitter, Up:[1534]=
B =

blivet /bliv'it/ n.

[allegedly from a World War II military term meaning "ten pounds of manure in a five-pound bag"] 1. An intractable problem. 2. A crucial piece of hardware that can't be fixed or replaced if it breaks. 3. A tool that has been hacked over by so many incompetent programmers that it has become an unmaintainable tissue of hacks. 4. An out-of-control but unkillable development effort. 5. An embarrassing bug that pops up during a customer demo. 6. In the subjargon of computer security specialists, a denial-of-service attack performed by hogging limited resources that have no access controls (for example, shared spool

space on a multi-user system).

This term has other meanings in other technical cultures; among experimental physicists and hardware engineers of various kinds it seems to mean any random object of unknown purpose (similar to hackish use of [1535]frob). It has also been used to describe an amusing trick-the-eye drawing resembling a three-pronged fork that appears to depict a three-dimensional object until one realizes that the parts fit together in an impossible way.

Node:bloatware, Next:[1536]BLOB, Previous:[1537]blivet, Up:[1538]= B =

bloatware n.

[common] Software that provides minimal functionality while requiring a disproportionate amount of diskspace and memory. Especially used for application and OS upgrades. This term is very common in the Windows/NT world. So is its cause.

Node:BLOB, Next:[1539]block, Previous:[1540]bloatware, Up:[1541]= B =

BLOB

1. n. [acronym: Binary Large Object] Used by database people to refer to any random large block of bits that needs to be stored in a database, such as a picture or sound file. The essential point about a BLOB is that it's an object that cannot be interpreted within the database itself. 2. v. To [1542]mailbomb someone by sending a BLOB to him/her; esp. used as a mild threat. "If that program crashes again, I'm going to BLOB the core dump to you."

Node:block, Next:[1543]block transfer computations,
Previous:[1544]BLOB, Up:[1545]= B =

block v.

[common; from process scheduling terminology in OS theory] 1. vi. To delay or sit idle while waiting for something. "We're blocking until everyone gets here." Compare [1546]busy-wait. 2. 'block on' vt. To block, waiting for (something). "Lunch is blocked on Phil's arrival."

Node:block transfer computations, Next:[1547]Bloggs Family,
Previous:[1548]block, Up:[1549]= B =

block transfer computations n.

[from the television series "Dr. Who"] Computations so fiendishly subtle and complex that they could not be performed by machines. Used to refer to any task that should be expressible as an algorithm in

theory, but isn't. (The Z80's LDIR instruction, "Computed Block Transfer with increment", may also be relevant.)

Node:Bloggs Family, Next:[1550]blow an EPROM, Previous:[1551]block transfer computations, Up:[1552]= B =

Bloggs Family n.

An imaginary family consisting of Fred and Mary Bloggs and their children. Used as a standard example in knowledge representation to show the difference between extensional and intensional objects. For example, every occurrence of "Fred Bloggs" is the same unique person, whereas occurrences of "person" may refer to different people. Members of the Bloggs family have been known to pop up in bizarre places such as the old [1553]DEC Telephone Directory. Compare [1554]Dr. Fred Mbogo; [1555]J. Random Hacker; [1556]Fred Foobar.

Node:blow an EPROM, Next:[1557]blow away, Previous:[1558]Bloggs Family, Up:[1559]= B =

blow an EPROM /bloh *n ee'prom/ v.

(alt. 'blast an EPROM', 'burn an EPROM') To program a read-only memory, e.g. for use with an embedded system. This term arose because the programming process for the Programmable Read-Only Memories (PROMs) that preceded present-day Erasable Programmable Read-Only Memories (EPROMs) involved intentionally blowing tiny electrical fuses on the chip. The usage lives on (it's too vivid and expressive to discard) even though the write process on EPROMs is nondestructive.

Node:blow away, Next:[1560]blow out, Previous:[1561]blow an EPROM, Up:[1562]= B =

blow away vt.

To remove (files and directories) from permanent storage, generally by accident. "He reformatted the wrong partition and blew away last night's netnews." Oppose [1563]nuke.

Node:blow out, Next:[1564]blow past, Previous:[1565]blow away, Up:[1566]= B =

blow out vi.

[prob. from mining and tunneling jargon] Of software, to fail spectacularly; almost as serious as [1567]crash and burn. See [1568]blow past, [1569]blow up, [1570]die horribly.

Node:blow past, Next:[1571]blow up, Previous:[1572]blow out,
Up:[1573]= B =

blow past vt.

To [1574]blow out despite a safeguard. "The server blew past the 5K
reserve buffer."

Node:blow up, Next:[1575]BLT, Previous:[1576]blow past, Up:[1577]= B =

blow up vi.

1. [scientific computation] To become unstable. Suggests that the
computation is diverging so rapidly that it will soon overflow or at
least go [1578]nonlinear. 2. Syn. [1579]blow out.

Node:BLT, Next:[1580]Blue Book, Previous:[1581]blow up, Up:[1582]= B =

BLT /B-L-T/, /bl*t/ or (rarely) /belt/ n.,vt.

Synonym for [1583]blit. This is the original form of [1584]blit and
the ancestor of [1585]bitblt. It referred to any large bit-field copy
or move operation (one resource-intensive memory-shuffling operation
done on pre-paged versions of ITS, WAITS, and TOPS-10 was sardonically
referred to as 'The Big BLT'). The jargon usage has outlasted the
[1586]PDP-10 BLock Transfer instruction from which [1587]BLT derives;
nowadays, the assembler mnemonic [1588]BLT almost always means 'Branch
if Less Than zero'.

Node:Blue Book, Next:[1589]blue box, Previous:[1590]BLT, Up:[1591]= B =
=

Blue Book n.

1. Informal name for one of the four standard references on the
page-layout and graphics-control language [1592]PostScript
("PostScript Language Tutorial and Cookbook", Adobe Systems,
Addison-Wesley 1985, QA76.73.P67P68, ISBN 0-201-10179-3); the other
three official guides are known as the [1593]Green Book, the [1594]Red
Book, and the [1595]White Book (sense 2). 2. Informal name for one of
the three standard references on Smalltalk: "Smalltalk-80: The
Language and its Implementation", David Robson, Addison-Wesley 1983,
QA76.8.S635G64, ISBN 0-201-11371-63 (this book also has green and red
siblings). 3. Any of the 1988 standards issued by the CCITT's ninth
plenary assembly. These include, among other things, the X.400 email
spec and the Group 1 through 4 fax standards. See also [1596]book
titles.

Node:blue box, Next:[1597]Blue Glue, Previous:[1598]Blue Book,

Up:[1599]= B =

blue box

n. 1. obs. Once upon a time, before all-digital switches made it possible for the phone companies to move them out of band, one could actually hear the switching tones used to route long-distance calls. Early [1600]phreakers built devices called 'blue boxes' that could reproduce these tones, which could be used to commandeer portions of the phone network. (This was not as hard as it may sound; one early phreak acquired the sobriquet 'Captain Crunch' after he proved that he could generate switching tones with a plastic whistle pulled out of a box of Captain Crunch cereal!) There were other colors of box with more specialized phreaking uses; red boxes, black boxes, silver boxes, etc. 2. n. An [1601]IBM machine, especially a large (non-PC) one.

Node:Blue Glue, Next:[1602]blue goo, Previous:[1603]blue box, Up:[1604]= B =

Blue Glue n.

[IBM] IBM's SNA (Systems Network Architecture), an incredibly [1605]losing and [1606]bletcherous communications protocol widely favored at commercial shops that don't know any better. The official IBM definition is "that which binds blue boxes together." See [1607]fear and loathing. It may not be irrelevant that Blue Glue is the trade name of a 3M product that is commonly used to hold down the carpet squares to the removable panel floors common in [1608]dinosaur pens. A correspondent at U. Minn. reports that the CS department there has about 80 bottles of the stuff hanging about, so they often refer to any messy work to be done as 'using the blue glue'.

Node:blue goo, Next:[1609]Blue Screen of Death, Previous:[1610]Blue Glue, Up:[1611]= B =

blue goo n.

Term for 'police' [1612]nanobots intended to prevent [1613]gray goo, denature hazardous waste, destroy pollution, put ozone back into the stratosphere, prevent halitosis, and promote truth, justice, and the American way, etc. The term 'Blue Goo' can be found in Dr. Seuss's "Fox In Socks" to refer to a substance much like bubblegum. 'Would you like to chew blue goo, sir?'. See [1614]nanotechnology.

Node:Blue Screen of Death, Next:[1615]blue wire, Previous:[1616]blue goo, Up:[1617]= B =

Blue Screen of Death n.

[common] This term is closely related to the older [1618]Black Screen

of Death but much more common (many non-hackers have picked it up). Due to the extreme fragility and bugginess of Microsoft Windows misbehaving applications can readily crash the OS (and the OS sometimes crashes itself spontaneously). The Blue Screen of Death, sometimes decorated with hex error codes, is what you get when this happens. (Commonly abbreviated [1619]BSOD.)

The following entry from the [1620]Salon Haiku Contest, seems to have predated popular use of the term:

Windows NT crashed.
I am the Blue Screen of Death
No one hears your screams.

Node:blue wire, Next:[1621]blurgle, Previous:[1622]Blue Screen of Death, Up:[1623]= B =

blue wire n.

[IBM] Patch wires (esp. 30 AWG gauge) added to circuit boards at the factory to correct design or fabrication problems. Blue wire is not necessarily blue, the term describes function rather than color. These may be necessary if there hasn't been time to design and qualify another board version. In Great Britain this can be 'bodge wire', after mainstream slang 'bodge' for a clumsy improvisation or sloppy job of work. Compare [1624]purple wire, [1625]red wire, [1626]yellow wire, [1627]pink wire.

Node:blurgle, Next:[1628]BNF, Previous:[1629]blue wire, Up:[1630]= B =

blurgle /bler'gl/ n.

[UK] Spoken [1631]metasyntactic variable, to indicate some text that is obvious from context, or which is already known. If several words are to be replaced, blurgle may well be doubled or tripled. "To look for something in several files use 'grep string blurgle blurgle'." In each case, "blurgle blurgle" would be understood to be replaced by the file you wished to search. Compare [1632]mumble, sense 7.

Node:BNF, Next:[1633]boa, Previous:[1634]blurgle, Up:[1635]= B =

BNF /B-N-F/ n.

1. [techspeak] Acronym for 'Backus Normal Form' (later retronymed to 'Backus-Naur Form' because BNF was not in fact a normal form), a metasyntactic notation used to specify the syntax of programming languages, command sets, and the like. Widely used for language descriptions but seldom documented anywhere, so that it must usually be learned by osmosis from other hackers. Consider this BNF for a U.S. postal address:

<postal-address> ::= <name-part> <street-address> <zip-part>

<personal-part> ::= <name> | <initial> "."

<name-part> ::= <personal-part> <last-name> [<jr-part>] <EOL>
| <personal-part> <name-part>

<street-address> ::= [<apt>] <house-num> <street-name> <EOL>

<zip-part> ::= <town-name> "," <state-code> <ZIP-code> <EOL>

This translates into English as: "A postal-address consists of a name-part, followed by a street-address part, followed by a zip-code part. A personal-part consists of either a first name or an initial followed by a dot. A name-part consists of either: a personal-part followed by a last name followed by an optional 'jr-part' (Jr., Sr., or dynastic number) and end-of-line, or a personal part followed by a name part (this rule illustrates the use of recursion in BNFs, covering the case of people who use multiple first and middle names and/or initials). A street address consists of an optional apartment specifier, followed by a street number, followed by a street name. A zip-part consists of a town-name, followed by a comma, followed by a state code, followed by a ZIP-code followed by an end-of-line." Note that many things (such as the format of a personal-part, apartment specifier, or ZIP-code) are left unspecified. These are presumed to be obvious from context or detailed somewhere nearby. See also [1636]parse. 2. Any of a number of variants and extensions of BNF proper, possibly containing some or all of the [1637]regexp wildcards such as * or +. In fact the example above isn't the pure form invented for the Algol-60 report; it uses [], which was introduced a few years later in IBM's PL/I definition but is now universally recognized. 3. In [1638]science-fiction fandom, a 'Big-Name Fan' (someone famous or notorious). Years ago a fan started handing out black-on-green BNF buttons at SF conventions; this confused the hacker contingent terribly.

Node:boa, Next:[1639]board, Previous:[1640]BNF, Up:[1641]= B =

boa [IBM] n.

Any one of the fat cables that lurk under the floor in a [1642]dinosaur pen. Possibly so called because they display a ferocious life of their own when you try to lay them straight and flat after they have been coiled for some time. It is rumored within IBM that channel cables for the 370 are limited to 200 feet because beyond that length the boas get dangerous -- and it is worth noting that one of the major cable makers uses the trademark 'Anaconda'.

Node:board, Next:[1643]boat anchor, Previous:[1644]boa, Up:[1645]= B =

board n.

1. In-context synonym for [1646]bboard; sometimes used even for Usenet newsgroups (but see usage note under [1647]bboard, sense 1). 2. An electronic circuit board.

Node:boat anchor, Next:[1648]bob, Previous:[1649]board, Up:[1650]= B =

boat anchor n.

[common; from ham radio] 1. Like [1651]doorstop but more severe; implies that the offending hardware is irreversibly dead or useless. "That was a working motherboard once. One lightning strike later, instant boat anchor!" 2. A person who just takes up space. 3. Obsolete but still working hardware, especially when used of an old S100-bus hobbyist system; originally a term of annoyance, but became more and more affectionate as the hardware became more and more obsolete.

Node:bob, Next:[1652]bodysurf code, Previous:[1653]boat anchor, Up:[1654]= B =

bob n.

At [1655]Demon Internet, all tech support personnel are called "Bob". (Female support personnel have an option on "Bobette"). This has nothing to do with Bob the divine drilling-equipment salesman of the [1656]Church of the SubGenius. Nor is it acronymized from "Brother Of [1657]BOFH", though all parties agree it could have been. Rather, it was triggered by an unusually large draft of new tech-support people in 1995. It was observed that there would be much duplication of names. To ease the confusion, it was decided that all support techs would henceforth be known as "Bob", and identity badges were created labelled "Bob 1" and "Bob 2". ("No, we never got any further" reports a witness).

The reason for "Bob" rather than anything else is due to a [1658]luser calling and asking to speak to "Bob", despite the fact that no "Bob" was currently working for Tech Support. Since we all know "the customer is always right", it was decided that there had to be at least one "Bob" on duty at all times, just in case.

This silliness inexorably snowballed. Shift leaders and managers began to refer to their groups of "bobs". Whole ranks of support machines were set up (and still exist in the DNS as of 1999) as bob1 through bobN. Then came alt.tech-support.recovery, and it was filled with Demon support personnel. They all referred to themselves, and to others, as 'bob', and after a while it caught on. There is now a [1659]Bob Code describing the Bob nature.

Node:bodysurf code, Next:[1660]BOF, Previous:[1661]bob, Up:[1662]= B =

bodysurf code n.

A program or segment of code written quickly in the heat of inspiration without the benefit of formal design or deep thought. Like its namesake sport, the result is too often a wipeout that leaves the programmer eating sand.

Node:BOF, Next:[1663]BOFH, Previous:[1664]bodysurf code, Up:[1665]= B =

BOF /B-O-F/ or /bof/ n.

1. [common] Abbreviation for the phrase "Birds Of a Feather" (flocking together), an informal discussion group and/or bull session scheduled on a conference program. It is not clear where or when this term originated, but it is now associated with the USENIX conferences for Unix techies and was already established there by 1984. It was used earlier than that at DECUS conferences and is reported to have been common at SHARE meetings as far back as the early 1960s. 2. Acronym, 'Beginning of File'.

Node:BOFH, Next:[1666]bogo-sort, Previous:[1667]BOF, Up:[1668]= B =

BOFH // n.

[common] Acronym, Bastard Operator From Hell. A system administrator with absolutely no tolerance for [1669]users. "You say you need more filespace? <massive-global-delete> Seems to me you have plenty left..." Many BOFHs (and others who would be BOFHs if they could get away with it) hang out in the newsgroup alt.sysadmin.recovery, although there has also been created a top-level newsgroup hierarchy (bofh.*) of their own.

Several people have written stories about BOFHs. The set usually considered canonical is by Simon Travaglia and may be found at the [1670]Bastard Home Page. BOFHs and BOFH wannabes hang out on [1671]scary devil monastery and wield [1672]LARTs.

Node:bogo-sort, Next:[1673]bogometer, Previous:[1674]BOFH, Up:[1675]= B =

bogo-sort /boh'goh-sort'/ n.

(var. 'stupid-sort') The archetypical perversely awful algorithm (as opposed to [1676]bubble sort, which is merely the generic bad algorithm). Bogo-sort is equivalent to repeatedly throwing a deck of cards in the air, picking them up at random, and then testing whether they are in order. It serves as a sort of canonical example of awfulness. Looking at a program and seeing a dumb algorithm, one might say "Oh, I see, this program uses bogo-sort." Esp. appropriate for algorithms with factorial or super-exponential running time in the

average case and probabilistically infinite worst-case running time. Compare [1677]bogus, [1678]brute force, [1679]lasherism.

A spectacular variant of bogo-sort has been proposed which has the interesting property that, if the Many Worlds interpretation of quantum mechanics is true, it can sort an arbitrarily large array in constant time. (In the Many-Worlds model, the result of any quantum action is to split the universe-before into a sheaf of universes-after, one for each possible way the state vector can collapse; in any one of the universes-after the result appears random.) The steps are: 1. Permute the array randomly using a quantum process, 2. If the array is not sorted, destroy the universe. Implementation of step 2 is left as an exercise for the reader.

Node:bogometer, Next:[1680]BogoMIPS, Previous:[1681]bogo-sort, Up:[1682]= B =

bogometer /boh-gom'-*t-er/ n.

A notional instrument for measuring [1683]bogosity. Compare the [1684]Troll-O-Meter and the 'wankometer' described in the [1685]wank entry; see also [1686]bogus.

Node:BogoMIPS, Next:[1687]bogon, Previous:[1688]bogometer, Up:[1689]= B =

BogoMIPS /bo'go-mips/ n.

The number of million times a second a processor can do absolutely nothing. The [1690]Linux OS measures BogoMIPS at startup in order to calibrate some soft timing loops that will be used later on; details at [1691]the BogoMIPS mini-HOWTO. The name Linus chose, of course, is an ironic comment on the uselessness of all other [1692]MIPS figures.

Node:bogon, Next:[1693]bogon filter, Previous:[1694]BogoMIPS, Up:[1695]= B =

bogon /boh'gon/ n.

[very common; by analogy with proton/electron/neutron, but doubtless reinforced after 1980 by the similarity to Douglas Adams's 'Vogons'; see the [1696]Bibliography in Appendix C and note that Arthur Dent actually mispronounces 'Vogons' as 'Bogons' at one point] 1. The elementary particle of bogosity (see [1697]quantum bogodynamics). For instance, "the Ethernet is emitting bogons again" means that it is broken or acting in an erratic or bogus fashion. 2. A query packet sent from a TCP/IP domain resolver to a root server, having the reply bit set instead of the query bit. 3. Any bogus or incorrectly formed packet sent on a network. 4. By synecdoche, used to refer to any bogus thing, as in "I'd like to go to lunch with you but I've got to go to

the weekly staff bogon". 5. A person who is bogus or who says bogus things. This was historically the original usage, but has been overtaken by its derivative senses 1-4. See also [1698]bogosity, [1699]bogus; compare [1700]psyton, [1701]fat electrons, [1702]magic smoke.

The bogon has become the type case for a whole bestiary of nonce particle names, including the 'clutron' or 'cluon' (indivisible particle of cluefulness, obviously the antiparticle of the bogon) and the futon (elementary particle of [1703]randomness, or sometimes of lameness). These are not so much live usages in themselves as examples of a live meta-usage: that is, it has become a standard joke or linguistic maneuver to "explain" otherwise mysterious circumstances by inventing nonce particle names. And these imply nonce particle theories, with all their dignity or lack thereof (we might note parenthetically that this is a generalization from "(bogus particle) theories" to "bogus (particle theories)!!"). Perhaps such particles are the modern-day equivalents of trolls and wood-nymphs as standard starting-points around which to construct explanatory myths. Of course, playing on an existing word (as in the 'futon') yields additional flavor. Compare [1704]magic smoke.

Node:bogon filter, Next:[1705]bogon flux, Previous:[1706]bogon,
Up:[1707]= B =

bogon filter /boh'gon fil'tr/ n.

Any device, software or hardware, that limits or suppresses the flow and/or emission of bogons. "Engineering hacked a bogon filter between the Cray and the VAXen, and now we're getting fewer dropped packets." See also [1708]bogosity, [1709]bogus.

Node:bogon flux, Next:[1710]bogosity, Previous:[1711]bogon filter,
Up:[1712]= B =

bogon flux /boh'gon fluhks/ n.

A measure of a supposed field of [1713]bogosity emitted by a speaker, measured by a [1714]bogometer; as a speaker starts to wander into increasing bogosity a listener might say "Warning, warning, bogon flux is rising". See [1715]quantum bogodynamics.

Node:bogosity, Next:[1716]bogotify, Previous:[1717]bogon flux,
Up:[1718]= B =

bogosity /boh-go's*-tee/ n.

1. [orig. CMU, now very common] The degree to which something is [1719]bogus. Bogosity is measured with a [1720]bogometer; in a seminar, when a speaker says something bogus, a listener might raise

his hand and say "My bogometer just triggered". More extremely, "You just pinned my bogometer" means you just said or did something so outrageously bogus that it is off the scale, pinning the bogometer needle at the highest possible reading (one might also say "You just redlined my bogometer"). The agreed-upon unit of bogosity is the [1721]microLenat. 2. The potential field generated by a [1722]bogon flux; see [1723]quantum bogodynamics. See also [1724]bogon flux, [1725]bogon filter, [1726]bogus.

Node:bogotify, Next:[1727]bogue out, Previous:[1728]bogosity, Up:[1729]= B =

bogotify /boh-go't*-fi:/ vt.

To make or become bogus. A program that has been changed so many times as to become completely disorganized has become bogotified. If you tighten a nut too hard and strip the threads on the bolt, the bolt has become bogotified and you had better not use it any more. This coinage led to the notional 'autobogotiphobia' defined as 'the fear of becoming bogotified'; but is not clear that the latter has ever been 'live' jargon rather than a self-conscious joke in jargon about jargon. See also [1730]bogosity, [1731]bogus.

Node:bogue out, Next:[1732]bogus, Previous:[1733]bogotify, Up:[1734]= B =

bogue out /bohgw ow/ vi.

To become bogus, suddenly and unexpectedly. "His talk was relatively sane until somebody asked him a trick question; then he bogued out and did nothing but [1735]flame afterwards." See also [1736]bogosity, [1737]bogus.

Node:bogus, Next:[1738]Bohr bug, Previous:[1739]bogue out, Up:[1740]= B =

bogus adj.

1. Non-functional. "Your patches are bogus." 2. Useless. "OPCON is a bogus program." 3. False. "Your arguments are bogus." 4. Incorrect. "That algorithm is bogus." 5. Unbelievable. "You claim to have solved the halting problem for Turing Machines? That's totally bogus." 6. Silly. "Stop writing those bogus sagas."

Astrology is bogus. So is a bolt that is obviously about to break. So is someone who makes blatantly false claims to have solved a scientific problem. (This word seems to have some, but not all, of the connotations of [1741]random -- mostly the negative ones.)

It is claimed that 'bogus' was originally used in the hackish sense at

Princeton in the late 1960s. It was spread to CMU and Yale by Michael Shamos, a migratory Princeton alumnus. A glossary of bogus words was compiled at Yale when the word was first popularized there about 1975-76. These coinages spread into hackerdom from CMU and MIT. Most of them remained wordplay objects rather than actual vocabulary items or live metaphors. Examples: 'amboguous' (having multiple bogus interpretations); 'bogotissimo' (in a gloriously bogus manner); 'bogotophile' (one who is pathologically fascinated by the bogus); 'paleobogology' (the study of primeval bogosity).

Some bogowords, however, obtained sufficient live currency to be listed elsewhere in this lexicon; see [1742]bogometer, [1743]bogon, [1744]bogotify, and [1745]quantum bogodynamics and the related but unlisted [1746]Dr. Fred Mbogo.

By the early 1980s 'bogus' was also current in something like hacker usage sense in West Coast teen slang, and it had gone mainstream by 1985. A correspondent from Cambridge reports, by contrast, that these uses of 'bogus' grate on British nerves; in Britain the word means, rather specifically, 'counterfeit', as in "a bogus 10-pound note".

Node:Bohr bug, Next:[1747]boink, Previous:[1748]bogus, Up:[1749]= B =

Bohr bug /bohr buhg/ n.

[from quantum physics] A repeatable [1750]bug; one that manifests reliably under a possibly unknown but well-defined set of conditions. Antonym of [1751]heisenbug; see also [1752]mandelbug, [1753]schroedinbug.

Node:boink, Next:[1754]bomb, Previous:[1755]Bohr bug, Up:[1756]= B =

boink /boynk/

[Usenet: variously ascribed to the TV series "Cheers" "Moonlighting", and "Soap"] 1. v. To have sex with; compare [1757]bounce, sense 3. (This is mainstream slang.) In Commonwealth hackish the variant 'bonk' is more common. 2. n. After the original Peter Korn 'Boinkon' [1758]Usenet parties, used for almost any net social gathering, e.g., Miniboink, a small boink held by Nancy Gillett in 1988; Minniboink, a Boinkcon in Minnesota in 1989; Humpdayboinks, Wednesday get-togethers held in the San Francisco Bay Area. Compare [1759]@-party. 3. Var of 'bonk'; see [1760]bonk/oif.

Node:bomb, Next:[1761]bondage-and-discipline language, Previous:[1762]boink, Up:[1763]= B =

bomb

1. v. General synonym for [1764]crash (sense 1) except that it is not

used as a noun; esp. used of software or OS failures. "Don't run Empire with less than 32K stack, it'll bomb." 2. n.,v. Atari ST and Macintosh equivalents of a Unix 'panic' or Amiga [1765]guru meditation, in which icons of little black-powder bombs or mushroom clouds are displayed, indicating that the system has died. On the Mac, this may be accompanied by a decimal (or occasionally hexadecimal) number indicating what went wrong, similar to the Amiga [1766]guru meditation number. [1767]MS-DOS machines tend to get [1768]locked up in this situation.

Node:bondage-and-discipline language, Next:[1769]bonk/oif,
Previous:[1770]bomb, Up:[1771]= B =

bondage-and-discipline language n.

A language (such as [1772]Pascal, [1773]Ada, APL, or Prolog) that, though ostensibly general-purpose, is designed so as to enforce an author's theory of 'right programming' even though said theory is demonstrably inadequate for systems hacking or even vanilla general-purpose programming. Often abbreviated 'B&D'; thus, one may speak of things "having the B&D nature". See [1774]Pascal; oppose [1775]languages of choice.

Node:bonk/oif, Next:[1776]book titles,
Previous:[1777]bondage-and-discipline language, Up:[1778]= B =

bonk/oif /bonk/, /oyf/ interj.

In the U.S. [1779]MUD community, it has become traditional to express pique or censure by 'bonking' the offending person. Convention holds that one should acknowledge a bonk by saying 'oif!' and there is a myth to the effect that failing to do so upsets the cosmic bonk/oif balance, causing much trouble in the universe. Some MUDs have implemented special commands for bonking and oifing. Note: in parts of the U.K. 'bonk' is a sexually loaded slang term; care is advised in transatlantic conversations (see [1780]boink). Commonwealth hackers report a similar convention involving the 'fish/bang' balance. See also [1781]talk mode.

Node:book titles, Next:[1782]boot, Previous:[1783]bonk/oif, Up:[1784]=
B =

book titles

There is a tradition in hackerdom of informally tagging important textbooks and standards documents with the dominant color of their covers or with some other conspicuous feature of the cover. Many of these are described in this lexicon under their own entries. See [1785]Aluminum Book, [1786]Blue Book, [1787]Camel Book, [1788]Cinderella Book, [1789]Devil Book, [1790]Dragon Book,

[1791]Green Book, [1792]Orange Book, [1793]Purple Book, [1794]Red Book, [1795]Silver Book, [1796]White Book, [1797]Wizard Book, [1798]Yellow Book, and [1799]bible; see also [1800]rainbow series. Since about 1983 this tradition has gotten a boost from the popular O'Reilly and Associates line of technical books, which usually feature some kind of exotic animal on the cover.

Node:boot, Next:[1801]Borg, Previous:[1802]book titles, Up:[1803]= B =

boot v.,n.

[techspeak; from 'by one's bootstraps'] To load and initialize the operating system on a machine. This usage is no longer jargon (having passed into techspeak) but has given rise to some derivatives that are still jargon.

The derivative 'reboot' implies that the machine hasn't been down for long, or that the boot is a [1804]bounce (sense 4) intended to clear some state of [1805]wedgitude. This is sometimes used of human thought processes, as in the following exchange: "You've lost me." "OK, reboot. Here's the theory...."

This term is also found in the variants 'cold boot' (from power-off condition) and 'warm boot' (with the CPU and all devices already powered up, as after a hardware reset or software crash).

Another variant: 'soft boot', reinitialization of only part of a system, under control of other software still running: "If you're running the [1806]mess-dos emulator, control-alt-insert will cause a soft-boot of the emulator, while leaving the rest of the system running."

Opposed to this there is 'hard boot', which connotes hostility towards or frustration with the machine being booted: "I'll have to hard-boot this losing Sun." "I recommend booting it hard." One often hard-boots by performing a [1807]power cycle.

Historical note: this term derives from 'bootstrap loader', a short program that was read in from cards or paper tape, or toggled in from the front panel switches. This program was always very short (great efforts were expended on making it short in order to minimize the labor and chance of error involved in toggling it in), but was just smart enough to read in a slightly more complex program (usually from a card or paper tape reader), to which it handed control; this program in turn was smart enough to read the application or operating system from a magnetic tape drive or disk drive. Thus, in successive steps, the computer 'pulled itself up by its bootstraps' to a useful operating state. Nowadays the bootstrap is usually found in ROM or EPROM, and reads the first stage in from a fixed location on the disk, called the 'boot block'. When this program gains control, it is powerful enough to load the actual OS and hand control over to it.

Node:Borg, Next:[1808]borken, Previous:[1809]boot, Up:[1810]= B =

Borg n.

In "Star Trek: The Next Generation" the Borg is a species of cyborg that ruthlessly seeks to incorporate all sentient life into itself; their slogan is "You will be assimilated. Resistance is futile." In hacker parlance, the Borg is usually [1811]Microsoft, which is thought to be trying just as ruthlessly to assimilate all computers and the entire Internet to itself (there is a widely circulated image of Bill Gates as a Borg). Being forced to use Windows or NT is often referred to as being "Borged". Interestingly, the [1812]Halloween Documents reveal that this jargon is live within Microsoft itself. (Other companies, notably Intel and UUNet, have also occasionally been equated to the Borg.) See also [1813]Evil Empire, [1814]Internet Exploiter.

In IETF circles, where direct pressure from Microsoft is not a daily reality, the Borg is sometimes Cisco. This usage commemorates their tendency to pay any price to hire talent away from their competitors. In fact, at the Spring 1997 IETF, a large number of ex-Cisco employees, all former members of Routing Geeks, showed up with t-shirts printed with "Recovering Borg".

Node:borken, Next:[1815]bot, Previous:[1816]Borg, Up:[1817]= B =

borken adj.

(also 'borked') Common deliberate typo for 'broken'.

Node:bot, Next:[1818]bot spot, Previous:[1819]borken, Up:[1820]= B =

bot n

[common on IRC, MUD and among gamers; from 'robot'] 1. An [1821]IRC or [1822]MUD user who is actually a program. On IRC, typically the robot provides some useful service. Examples are NickServ, which tries to prevent random users from adopting [1823]nicks already claimed by others, and MsgServ, which allows one to send asynchronous messages to be delivered when the recipient signs on. Also common are 'annoybots', such as KissServ, which perform no useful function except to send cute messages to other people. Service bots are less common on MUDs; but some others, such as the 'Julia' bot active in 1990-91, have been remarkably impressive Turing-test experiments, able to pass as human for as long as ten or fifteen minutes of conversation. 2. An AI-controlled player in a computer game (especially a first-person shooter such as Quake) which, unlike ordinary monsters, operates like a human-controlled player, with access to a player's weapons and abilities. An example can be found at [1824]<http://www.telefragged.com/thefatal/>. 3. Term used, though less

commonly, for a web [1825]spider. The file for controlling spider behavior on your site is officially the "Robots Exclusion File" and its URL is "http://<somehost>/robots.txt")

Note that bots in all senses were 'robots' when the terms first appeared in the early 1990s, but the shortened form is now habitual.

Node:bot spot, Next:[1826]bottom feeder, Previous:[1827]bot, Up:[1828]= B =

bot spot n.

[MUD] The user on a MUD with the longest connect time. Derives from the fact that [1829]bots on MUDS often stay constantly connected and appear at the bottom of the list.

Node:bottom feeder, Next:[1830]bottom-up implementation, Previous:[1831]bot spot, Up:[1832]= B =

bottom feeder n.

1. An Internet user that leeches off ISPs - the sort you can never provide good enough services for, always complains about the price, no matter how low it may be, and will bolt off to another service the moment there is even the slimmest price difference. While most bottom feeders infest free or almost free services such as AOL, MSN, and Hotmail, too many flock to whomever happens to be the cheapest regional ISP at the time. Bottom feeders are often the classic problem user, known for unleashing spam, flamage, and other breaches of [1833]netiquette. 2. Syn. for [1834]slopsucker, derived from the fishermen's and naturalists' term for finny creatures who subsist on the primordial ooze. (This sense is older.)

Node:bottom-up implementation, Next:[1835]bounce, Previous:[1836]bottom feeder, Up:[1837]= B =

bottom-up implementation n.

Hackish opposite of the techspeak term 'top-down design'. It has been received wisdom in most programming cultures that it is best to design from higher levels of abstraction down to lower, specifying sequences of action in increasing detail until you get to actual code. Hackers often find (especially in exploratory designs that cannot be closely specified in advance) that it works best to build things in the opposite order, by writing and testing a clean set of primitive operations and then knitting them together. Naively applied, this leads to hacked-together bottom-up implementations; a more sophisticated response is 'middle-out implementation', in which scratch code within primitives at the mid-level of the system is gradually replaced with a more polished version of the lowest level at

the same time the structure above the midlevel is being built.

Node:bounce, Next:[1838]bounce message, Previous:[1839]bottom-up implementation, Up:[1840]= B =

bounce v.

1. [common; perhaps by analogy to a bouncing check] An electronic mail message that is undeliverable and returns an error notification to the sender is said to 'bounce'. See also [1841]bounce message. 2. [Stanford] To play volleyball. The now-demolished [1842]D. C. Power Lab building used by the Stanford AI Lab in the 1970s had a volleyball court on the front lawn. From 5 P.M. to 7 P.M. was the scheduled maintenance time for the computer, so every afternoon at 5 would come over the intercom the cry: "Now hear this: bounce, bounce!", followed by Brian McCune loudly bouncing a volleyball on the floor outside the offices of known volleyballers. 3. To engage in sexual intercourse; prob. from the expression 'bouncing the mattress', but influenced by Roo's psychosexually loaded "Try bouncing me, Tigger!" from the "Winnie-the-Pooh" books. Compare [1843]boink. 4. To casually reboot a system in order to clear up a transient problem. Reported primarily among [1844]VMS and [1845]Unix users. 5. [VM/CMS programmers] Automatic warm-start of a machine after an error. "I logged on this morning and found it had bounced 7 times during the night" 6. [IBM] To [1846]power cycle a peripheral in order to reset it.

Node:bounce message, Next:[1847]boustrophedon, Previous:[1848]bounce, Up:[1849]= B =

bounce message n.

[common] Notification message returned to sender by a site unable to relay [1850]email to the intended [1851]Internet address recipient or the next link in a [1852]bang path (see [1853]bounce, sense 1). Reasons might include a nonexistent or misspelled username or a [1854]down relay site. Bounce messages can themselves fail, with occasionally ugly results; see [1855]sorcerer's apprentice mode and [1856]software laser. The terms 'bounce mail' and 'barfmail' are also common.

Node:boustrophedon, Next:[1857]box, Previous:[1858]bounce message, Up:[1859]= B =

boustrophedon n.

[from a Greek word for turning like an ox while plowing] An ancient method of writing using alternate left-to-right and right-to-left lines. This term is actually philologists' techspeak and typesetters' jargon. Erudite hackers use it for an optimization performed by some computer typesetting software and moving-head printers. The adverbial

form 'boustrophedonically' is also found (hackers purely love constructions like this).

Node:box, Next:[1860]boxed comments, Previous:[1861]boustrophedon, Up:[1862]= B =

box n.

1. A computer; esp. in the construction 'foo box' where foo is some functional qualifier, like 'graphics', or the name of an OS (thus, 'Unix box', 'MS-DOS box', etc.) "We preprocess the data on Unix boxes before handing it up to the mainframe." 2. [IBM] Without qualification but within an SNA-using site, this refers specifically to an IBM front-end processor or FEP /F-E-P/. An FEP is a small computer necessary to enable an IBM [1863]mainframe to communicate beyond the limits of the [1864]dinosaur pen. Typically used in expressions like the cry that goes up when an SNA network goes down: "Looks like the [1865]box has fallen over." (See [1866]fall over.) See also [1867]IBM, [1868]fear and loathing, [1869]Blue Glue.

Node:boxed comments, Next:[1870]boxen, Previous:[1871]box, Up:[1872]= B =

boxed comments n.

Comments (explanatory notes attached to program instructions) that occupy several lines by themselves; so called because in assembler and C code they are often surrounded by a box in a style something like this:

```
/******  
*  
* This is a boxed comment in C style  
*  
*****/
```

Common variants of this style omit the asterisks in column 2 or add a matching row of asterisks closing the right side of the box. The sparest variant omits all but the comment delimiters themselves; the 'box' is implied. Oppose [1873]winged comments.

Node:boxen, Next:[1874]boxology, Previous:[1875]boxed comments, Up:[1876]= B =

boxen /bok'sn/ pl.n.

[very common; by analogy with [1877]VAXen] Fanciful plural of [1878]box often encountered in the phrase 'Unix boxen', used to describe commodity [1879]Unix hardware. The connotation is that any two Unix boxen are interchangeable.

Node:boxology, Next:[1880]bozotic, Previous:[1881]boxen, Up:[1882]= B

=

boxology /bok-sol'*-jee/ n.

Syn. [1883]ASCII art. This term implies a more restricted domain, that of box-and-arrow drawings. "His report has a lot of boxology in it."

Compare [1884]macrology.

Node:bozotic, Next:[1885]BQS, Previous:[1886]boxology, Up:[1887]= B =

bozotic /boh-zoh'tik/ or /boh-zo'tik/ adj.

[from the name of a TV clown even more losing than Ronald McDonald] Resembling or having the quality of a bozo; that is, clownish, ludicrously wrong, unintentionally humorous. Compare [1888]wonky, [1889]demented. Note that the noun 'bozo' occurs in slang, but the mainstream adjectival form would be 'bozo-like' or (in New England) 'bozoish'.

Node:BQS, Next:[1890]brain dump, Previous:[1891]bozotic, Up:[1892]= B

=

BQS /B-Q-S/ adj.

Syn. [1893]Berkeley Quality Software.

Node:brain dump, Next:[1894]brain fart, Previous:[1895]BQS, Up:[1896]=

B =

brain dump n.

[common] The act of telling someone everything one knows about a particular topic or project. Typically used when someone is going to let a new party maintain a piece of code. Conceptually analogous to an operating system [1897]core dump in that it saves a lot of useful [1898]state before an exit. "You'll have to give me a brain dump on FOOBAR before you start your new job at HackerCorp." See [1899]core dump (sense 4). At Sun, this is also known as 'TOI' (transfer of information).

Node:brain fart, Next:[1900]brain-damaged, Previous:[1901]brain dump,

Up:[1902]= B =

brain fart n.

The actual result of a [1903]braino, as opposed to the mental glitch

that is the braino itself. E.g., typing dir on a Unix box after a session with DOS.

Node:brain-damaged, Next:[1904]brain-dead, Previous:[1905]brain fart, Up:[1906]= B =

brain-damaged adj.

1. [common; generalization of 'Honeywell Brain Damage' (HBD), a theoretical disease invented to explain certain utter cretinisms in Honeywell [1907]Multics] adj. Obviously wrong; [1908]cretinous; [1909]demented. There is an implication that the person responsible must have suffered brain damage, because he should have known better. Calling something brain-damaged is really bad; it also implies it is unusable, and that its failure to work is due to poor design rather than some accident. "Only six monocase characters per file name? Now that's brain-damaged!" 2. [esp. in the Mac world] May refer to free demonstration software that has been deliberately crippled in some way so as not to compete with the product it is intended to sell. Syn. [1910]crippleware.

Node:brain-dead, Next:[1911]braino, Previous:[1912]brain-damaged, Up:[1913]= B =

brain-dead adj.

[common] Brain-damaged in the extreme. It tends to imply terminal design failure rather than malfunction or simple stupidity. "This comm program doesn't know how to send a break -- how brain-dead!"

Node:braino, Next:[1914]branch to Fishkill, Previous:[1915]brain-dead, Up:[1916]= B =

braino /bray'no/ n.

Syn. for [1917]thinko. See also [1918]brain fart.

Node:branch to Fishkill, Next:[1919]bread crumbs, Previous:[1920]braino, Up:[1921]= B =

branch to Fishkill n.

[IBM: from the location of one of the corporation's facilities] Any unexpected jump in a program that produces catastrophic or just plain weird results. See [1922]jump off into never-never land, [1923]hyperspace.

Node:bread crumbs, Next:[1924]break, Previous:[1925]branch to

Fishkill, Up:[1926]= B =

bread crumbs n.

1. Debugging statements inserted into a program that emit output or log indicators of the program's [1927]state to a file so you can see where it dies or pin down the cause of surprising behavior. The term is probably a reference to the Hansel and Gretel story from the Brothers Grimm or the older French folktale of Thumbelina; in several variants of these, a character leaves a trail of bread crumbs so as not to get lost in the woods. 2. In user-interface design, any feature that allows some tracking of where you've been, like coloring visited links purple rather than blue in Netscape (also called 'footrinting').

Node:break, Next:[1928]break-even point, Previous:[1929]bread crumbs, Up:[1930]= B =

break

1. vt. To cause to be [1931]broken (in any sense). "Your latest patch to the editor broke the paragraph commands." 2. v. (of a program) To stop temporarily, so that it may be debugged. The place where it stops is a 'breakpoint'. 3. [techspeak] vi. To send an RS-232 break (two character widths of line high) over a serial comm line. 4. [Unix] vi. To strike whatever key currently causes the tty driver to send SIGINT to the current process. Normally, break (sense 3), delete or [1932]control-C does this. 5. 'break break' may be said to interrupt a conversation (this is an example of verb doubling). This usage comes from radio communications, which in turn probably came from landline telegraph/teleprinter usage, as badly abused in the Citizen's Band craze a few years ago.

Node:break-even point, Next:[1933]breath-of-life packet, Previous:[1934]break, Up:[1935]= B =

break-even point n.

In the process of implementing a new computer language, the point at which the language is sufficiently effective that one can implement the language in itself. That is, for a new language called, hypothetically, FOOGOL, one has reached break-even when one can write a demonstration compiler for FOOGOL in FOOGOL, discard the original implementation language, and thereafter use working versions of FOOGOL to develop newer ones. This is an important milestone; see [1936]MFTL.

Since this entry was first written, several correspondents have reported that there actually was a compiler for a tiny Algol-like language called Foogol floating around on various [1937]VAXen in the early and mid-1980s. A FOOGOL implementation is available at the Retrocomputing Museum [1938]<http://www.ccil.org/retro>.

Node:breath-of-life packet, Next:[1939]breedle,
Previous:[1940]break-even point, Up:[1941]= B =

breath-of-life packet n.

[XEROX PARC] An Ethernet packet that contains bootstrap (see [1942]boot) code, periodically sent out from a working computer to infuse the 'breath of life' into any computer on the network that has happened to crash. Machines depending on such packets have sufficient hardware or firmware code to wait for (or request) such a packet during the reboot process. See also [1943]dickless workstation.

The notional 'kiss-of-death packet', with a function complementary to that of a breath-of-life packet, is recommended for dealing with hosts that consume too many network resources. Though 'kiss-of-death packet' is usually used in jest, there is at least one documented instance of an Internet subnet with limited address-table slots in a gateway machine in which such packets were routinely used to compete for slots, rather like Christmas shoppers competing for scarce parking spaces.

Node:breedle, Next:[1944]Breibart Index,
Previous:[1945]breath-of-life packet, Up:[1946]= B =

breedle n.

See [1947]feep.

Node:Breibart Index, Next:[1948]bring X to its knees,
Previous:[1949]breedle, Up:[1950]= B =

Breibart Index /bri:d'bart ind*ks/

A measurement of the severity of spam invented by long-time hacker Seth Breibart, used for programming cancelbots. The Breibart Index takes into account the fact that excessive multi-posting [1951]EMP is worse than excessive cross-posting [1952]ECP. The Breibart Index is computed as follows: For each article in a spam, take the square-root of the number of newsgroups to which the article is posted. The Breibart Index is the sum of the square roots of all of the posts in the spam. For example, one article posted to nine newsgroups and again to sixteen would have $BI = \sqrt{9} + \sqrt{16} = 7$. It is generally agreed that a spam is cancelable if the Breibart Index exceeds 20.

The Breibart Index accumulates over a 45-day window. Ten articles yesterday and ten articles today and ten articles tomorrow add up to a 30-article spam. Spam fighters will often reset the count if you can convince them that the spam was accidental and/or you have seen the error of your ways and won't repeat it. Breibart Index can accumulate over multiple authors. For example, the "Make Money Fast" pyramid

scheme exceeded a BI of 20 a long time ago, and is now considered "cancel on sight".

Node:bring X to its knees, Next:[1953]brittle,
Previous:[1954]Breadbar Index, Up:[1955]= B =

bring X to its knees v.

[common] To present a machine, operating system, piece of software, or algorithm with a load so extreme or [1956]pathological that it grinds to a halt. "To bring a MicroVAX to its knees, try twenty users running [1957]vi -- or four running [1958]EMACS." Compare [1959]hog.

Node:brittle, Next:[1960]broadcast storm, Previous:[1961]bring X to its knees, Up:[1962]= B =

brittle adj.

Said of software that is functional but easily broken by changes in operating environment or configuration, or by any minor tweak to the software itself. Also, any system that responds inappropriately and disastrously to abnormal but expected external stimuli; e.g., a file system that is usually totally scrambled by a power failure is said to be brittle. This term is often used to describe the results of a research effort that were never intended to be robust, but it can be applied to commercial software, which (due to closed-source development) displays the quality far more often than it ought to. Oppose [1963]robust.

Node:broadcast storm, Next:[1964]brochureware, Previous:[1965]brittle,
Up:[1966]= B =

broadcast storm n.

[common] An incorrect packet broadcast on a network that causes most hosts to respond all at once, typically with wrong answers that start the process over again. See [1967]network meltdown; compare [1968]mail storm.

Node:brochureware, Next:[1969]broken, Previous:[1970]broadcast storm,
Up:[1971]= B =

brochureware n.

Planned but non-existent product like [1972]vaporware, but with the added implication that marketing is actively selling and promoting it (they've printed brochures). Brochureware is often deployed as a strategic weapon; the idea is to con customers into not committing to an existing product of the competition's. It is a safe bet that when a

brochureware product finally becomes real, it will be more expensive than and inferior to the alternatives that had been available for years.

Node:broken, Next:[1973]broken arrow, Previous:[1974]brochureware, Up:[1975]= B =

broken adj.

1. Not working properly (of programs). 2. Behaving strangely; especially (when used of people) exhibiting extreme depression.

Node:broken arrow, Next:[1976]BrokenWindows, Previous:[1977]broken, Up:[1978]= B =

broken arrow n.

[IBM] The error code displayed on line 25 of a 3270 terminal (or a PC emulating a 3270) for various kinds of protocol violations and "unexpected" error conditions (including connection to a [1979]down computer). On a PC, simulated with '->/_', with the two center characters overstruck.

Note: to appreciate this term fully, it helps to know that 'broken arrow' is also military jargon for an accident involving nuclear weapons....

Node:BrokenWindows, Next:[1980]broket, Previous:[1981]broken arrow, Up:[1982]= B =

BrokenWindows n.

Abusive hackerism for the [1983]crufty and [1984]elephantine [1985]X environment on Sun machines; properly called 'OpenWindows'.

Node:broket, Next:[1986]Brooks's Law, Previous:[1987]BrokenWindows, Up:[1988]= B =

broket /broh'k*t/ or /broh'ket/ n.

[rare; by analogy with 'bracket': a 'broken bracket'] Either of the characters < and >, when used as paired enclosing delimiters. This word originated as a contraction of the phrase 'broken bracket', that is, a bracket that is bent in the middle. (At MIT, and apparently in the [1989]Real World as well, these are usually called [1990]angle brackets.)

Node:Brooks's Law, Next:[1991]brown-paper-bag bug,

Previous:[1992]broket, Up:[1993]= B =

Brooks's Law prov.

"Adding manpower to a late software project makes it later" -- a result of the fact that the expected advantage from splitting development work among N programmers is $O(N)$ (that is, proportional to N), but the complexity and communications cost associated with coordinating and then merging their work is $O(N^2)$ (that is, proportional to the square of N). The quote is from Fred Brooks, a manager of IBM's OS/360 project and author of "The Mythical Man-Month" (Addison-Wesley, 1975, ISBN 0-201-00650-2), an excellent early book on software engineering. The myth in question has been most tersely expressed as "Programmer time is fungible" and Brooks established conclusively that it is not. Hackers have never forgotten his advice (though it's not the whole story; see [1994]bazaar); too often, [1995]management still does. See also [1996]creationism, [1997]second-system effect, [1998]optimism.

Node:brown-paper-bag bug, Next:[1999]browser, Previous:[2000]Brooks's Law, Up:[2001]= B =

brown-paper-bag bug n.

A bug in a public software release that is so embarrassing that the author notionally wears a brown paper bag over his head for a while so he won't be recognized on the net. Entered popular usage after the early-1999 release of the first Linux 2.2, which had one. The phrase was used in Linus Torvalds's apology posting.

Node:browser, Next:[2002]BRS, Previous:[2003]brown-paper-bag bug, Up:[2004]= B =

browser n.

A program specifically designed to help users view and navigate hypertext, on-line documentation, or a database. While this general sense has been present in jargon for a long time, the proliferation of browsers for the World Wide Web after 1992 has made it much more popular and provided a central or default techspeak meaning of the word previously lacking in hacker usage. Nowadays, if someone mentions using a 'browser' without qualification, one may assume it is a Web browser.

Node:BRS, Next:[2005]brute force, Previous:[2006]browser, Up:[2007]= B =

BRS /B-R-S/ n.

Syn. [2008]Big Red Switch. This abbreviation is fairly common on-line.

Node:brute force, Next:[2009]brute force and ignorance,
Previous:[2010]BRS, Up:[2011]= B =

brute force adj.

Describes a primitive programming style, one in which the programmer relies on the computer's processing power instead of using his or her own intelligence to simplify the problem, often ignoring problems of scale and applying naive methods suited to small problems directly to large ones. The term can also be used in reference to programming style: brute-force programs are written in a heavyhanded, tedious way, full of repetition and devoid of any elegance or useful abstraction (see also [2012]brute force and ignorance).

The [2013]canonical example of a brute-force algorithm is associated with the 'traveling salesman problem' (TSP), a classical [2014]NP-hard problem: Suppose a person is in, say, Boston, and wishes to drive to N other cities. In what order should the cities be visited in order to minimize the distance travelled? The brute-force method is to simply generate all possible routes and compare the distances; while guaranteed to work and simple to implement, this algorithm is clearly very stupid in that it considers even obviously absurd routes (like going from Boston to Houston via San Francisco and New York, in that order). For very small N it works well, but it rapidly becomes absurdly inefficient when N increases (for $N = 15$, there are already 1,307,674,368,000 possible routes to consider, and for $N = 1000$ -- well, see [2015]bignum). Sometimes, unfortunately, there is no better general solution than brute force. See also [2016]NP-.

A more simple-minded example of brute-force programming is finding the smallest number in a large list by first using an existing program to sort the list in ascending order, and then picking the first number off the front.

Whether brute-force programming should actually be considered stupid or not depends on the context; if the problem is not terribly big, the extra CPU time spent on a brute-force solution may cost less than the programmer time it would take to develop a more 'intelligent' algorithm. Additionally, a more intelligent algorithm may imply more long-term complexity cost and bug-chasing than are justified by the speed improvement.

Ken Thompson, co-inventor of Unix, is reported to have uttered the epigram "When in doubt, use brute force". He probably intended this as a [2017]ha ha only serious, but the original Unix kernel's preference for simple, robust, and portable algorithms over [2018]brittle 'smart' ones does seem to have been a significant factor in the success of that OS. Like so many other tradeoffs in software design, the choice between brute force and complex, finely-tuned cleverness is often a difficult one that requires both engineering savvy and delicate esthetic judgment.

Node:brute force and ignorance, Next:[2019]BSD, Previous:[2020]brute force, Up:[2021]= B =

brute force and ignorance n.

A popular design technique at many software houses -- [2022]brute force coding unrelieved by any knowledge of how problems have been previously solved in elegant ways. Dogmatic adherence to design methodologies tends to encourage this sort of thing. Characteristic of early [2023]larval stage programming; unfortunately, many never outgrow it. Often abbreviated BFI: "Gak, they used a [2024]bubble sort! That's strictly from BFI." Compare [2025]bogosity.

Node:BSD, Next:[2026]BSOD, Previous:[2027]brute force and ignorance, Up:[2028]= B =

BSD /B-S-D/ n.

[abbreviation for 'Berkeley Software Distribution'] a family of [2029]Unix versions for the [2030]DEC [2031]VAX and PDP-11 developed by Bill Joy and others at [2032]Berzerkeley starting around 1977, incorporating paged virtual memory, TCP/IP networking enhancements, and many other features. The BSD versions (4.1, 4.2, and 4.3) and the commercial versions derived from them (SunOS, ULTRIX, and Mt. Xinu) held the technical lead in the Unix world until AT&T's successful standardization efforts after about 1986; descendants including Free/Open/NetBSD, BSD/OS and MacOS X are still widely popular. Note that BSD versions going back to 2.9 are often referred to by their version numbers alone, without the BSD prefix. See [2033]4.2, [2034]Unix, [2035]USG Unix.

Node:BSOD, Next:[2036]BUAF, Previous:[2037]BSD, Up:[2038]= B =

BSOD /B-S-O-D/

Very common abbreviation for [2039]Blue Screen of Death. Both spoken and written.

Node:BUAF, Next:[2040]BUAG, Previous:[2041]BSOD, Up:[2042]= B =

BUAF // n.

[abbreviation, from alt.fan.warlord] Big Ugly ASCII Font -- a special form of [2043]ASCII art. Various programs exist for rendering text strings into block, bloob, and pseudo-script fonts in cells between four and six character cells on a side; this is smaller than the letters generated by older [2044]banner (sense 2) programs. These are sometimes used to render one's name in a [2045]sig block, and are

critically referred to as 'BUAF's. See [2046]warlording.

Node:BUAG, Next:[2047]bubble sort, Previous:[2048]BUAF, Up:[2049]= B =

BUAG // n.

[abbreviation, from alt.fan.warlord] Big Ugly ASCII Graphic.
Pejorative term for ugly [2050]ASCII art, especially as found in [2051]sig blocks. For some reason, mutations of the head of Bart Simpson are particularly common in the least imaginative [2052]sig blocks. See [2053]warlording.

Node:bubble sort, Next:[2054]bucky bits, Previous:[2055]BUAG,
Up:[2056]= B =

bubble sort n.

Techspeak for a particular sorting technique in which pairs of adjacent values in the list to be sorted are compared and interchanged if they are out of order; thus, list entries 'bubble upward' in the list until they bump into one with a lower sort value. Because it is not very good relative to other methods and is the one typically stumbled on by [2057]naive and untutored programmers, hackers consider it the [2058]canonical example of a naive algorithm. (However, it's been shown by repeated experiment that below about 5000 records bubble-sort is OK anyway.) The canonical example of a really bad algorithm is [2059]bogo-sort. A bubble sort might be used out of ignorance, but any use of bogo-sort could issue only from brain damage or willful perversity.

Node:bucky bits, Next:[2060]buffer chuck, Previous:[2061]bubble sort,
Up:[2062]= B =

bucky bits /buh'kee bits/ n.

1. obs. The bits produced by the CONTROL and META shift keys on a SAIL keyboard (octal 200 and 400 respectively), resulting in a 9-bit keyboard character set. The MIT AI TV (Knight) keyboards extended this with TOP and separate left and right CONTROL and META keys, resulting in a 12-bit character set; later, LISP Machines added such keys as SUPER, HYPER, and GREEK (see [2063]space-cadet keyboard). 2. By extension, bits associated with 'extra' shift keys on any keyboard, e.g., the ALT on an IBM PC or command and option keys on a Macintosh.

It has long been rumored that 'bucky bits' were named for Buckminster Fuller during a period when he was consulting at Stanford. Actually, bucky bits were invented by Niklaus Wirth when he was at Stanford in 1964-65; he first suggested the idea of an EDIT key to set the 8th bit of an otherwise 7-bit ASCII character). It seems that, unknown to Wirth, certain Stanford hackers had privately nicknamed him 'Bucky'

after a prominent portion of his dental anatomy, and this nickname transferred to the bit. Bucky-bit commands were used in a number of editors written at Stanford, including most notably TV-EDIT and NLS.

The term spread to MIT and CMU early and is now in general use. Ironically, Wirth himself remained unaware of its derivation for nearly 30 years, until GLS dug up this history in early 1993! See [2064]double bucky, [2065]quadruple bucky.

Node:buffer chuck, Next:[2066]buffer overflow, Previous:[2067]bucky bits, Up:[2068]= B =

buffer chuck n.

Shorter and ruder syn. for [2069]buffer overflow.

Node:buffer overflow, Next:[2070]bug, Previous:[2071]buffer chuck, Up:[2072]= B =

buffer overflow n.

What happens when you try to stuff more data into a buffer (holding area) than it can handle. This problem is commonly exploited by [2073]crackers to get arbitrary commands executed by a program running with root permissions. This may be due to a mismatch in the processing rates of the producing and consuming processes (see [2074]overrun and [2075]firehose syndrome), or because the buffer is simply too small to hold all the data that must accumulate before a piece of it can be processed. For example, in a text-processing tool that [2076]crunches a line at a time, a short line buffer can result in [2077]lossage as input from a long line overflows the buffer and trashes data beyond it. Good defensive programming would check for overflow on each character and stop accepting data when the buffer is full up. The term is used of and by humans in a metaphorical sense. "What time did I agree to meet you? My buffer must have overflowed." Or "If I answer that phone my buffer is going to overflow." See also [2078]spam, [2079]overrun screw.

Node:bug, Next:[2080]bug-compatible, Previous:[2081]buffer overflow, Up:[2082]= B =

bug n.

An unwanted and unintended property of a program or piece of hardware, esp. one that causes it to malfunction. Antonym of [2083]feature. Examples: "There's a bug in the editor: it writes things out backwards." "The system crashed because of a hardware bug." "Fred is a winner, but he has a few bugs" (i.e., Fred is a good guy, but he has a few personality problems).

Historical note: Admiral Grace Hopper (an early computing pioneer better known for inventing [2084]COBOL) liked to tell a story in which a technician solved a [2085]glitch in the Harvard Mark II machine by pulling an actual insect out from between the contacts of one of its relays, and she subsequently promulgated [2086]bug in its hackish sense as a joke about the incident (though, as she was careful to admit, she was not there when it happened). For many years the logbook associated with the incident and the actual bug in question (a moth) sat in a display case at the Naval Surface Warfare Center (NSWC). The entire story, with a picture of the logbook and the moth taped into it, is recorded in the "Annals of the History of Computing", Vol. 3, No. 3 (July 1981), pp. 285-286.

The text of the log entry (from September 9, 1947), reads "1545 Relay #70 Panel F (moth) in relay. First actual case of bug being found". This wording establishes that the term was already in use at the time in its current specific sense -- and Hopper herself reports that the term 'bug' was regularly applied to problems in radar electronics during WWII.

Indeed, the use of 'bug' to mean an industrial defect was already established in Thomas Edison's time, and a more specific and rather modern use can be found in an electrical handbook from 1896 ("Hawkin's New Catechism of Electricity", Theo. Audel & Co.) which says: "The term 'bug' is used to a limited extent to designate any fault or trouble in the connections or working of electric apparatus." It further notes that the term is "said to have originated in quadruplex telegraphy and have been transferred to all electric apparatus."

The latter observation may explain a common folk etymology of the term; that it came from telephone company usage, in which "bugs in a telephone cable" were blamed for noisy lines. Though this derivation seems to be mistaken, it may well be a distorted memory of a joke first current among telegraph operators more than a century ago!

Or perhaps not a joke. Historians of the field inform us that the term "bug" was regularly used in the early days of telegraphy to refer to a variety of semi-automatic telegraphy keyers that would send a string of dots if you held them down. In fact, the Vibroplex keyers (which were among the most common of this type) even had a graphic of a beetle on them (and still do)! While the ability to send repeated dots automatically was very useful for professional morse code operators, these were also significantly trickier to use than the older manual keyers, and it could take some practice to ensure one didn't introduce extraneous dots into the code by holding the key down a fraction too long. In the hands of an inexperienced operator, a Vibroplex "bug" on the line could mean that a lot of garbled Morse would soon be coming your way.

Further, the term "bug" has long been used among radio technicians to describe a device that converts electromagnetic field variations into acoustic signals. It is used to trace radio interference and look for dangerous radio emissions. Radio community usage derives from the

roach-like shape of the first versions used by 19th century physicists. The first versions consisted of a coil of wire (roach body), with the two wire ends sticking out and bent back to nearly touch forming a spark gap (roach antennae). The bug is to the radio technician what the stethoscope is to the stereotype medical doctor. This sense is almost certainly ancestral to modern use of "bug" for a covert monitoring device, but may also have contributed to the use of "bug" for the effects of radio interference itself.

Actually, use of 'bug' in the general sense of a disruptive event goes back to Shakespeare! (Henry VI, part III - Act V, Scene II: King Edward: "So, lie thou there. Die thou; and die our fear; For Warwick was a bug that fear'd us all.") In the first edition of Samuel Johnson's dictionary one meaning of 'bug' is "A frightful object; a walking spectre"; this is traced to 'bugbear', a Welsh term for a variety of mythological monster which (to complete the circle) has recently been reintroduced into the popular lexicon through fantasy role-playing games.

In any case, in jargon the word almost never refers to insects. Here is a plausible conversation that never actually happened:

"There is a bug in this ant farm!"

"What do you mean? I don't see any ants in it."

"That's the bug."

A careful discussion of the etymological issues can be found in a paper by Fred R. Shapiro, 1987, "Entomology of the Computer Bug: History and Folklore", *American Speech* 62(4):376-378.

[There has been a widespread myth that the original bug was moved to the Smithsonian, and an earlier version of this entry so asserted. A correspondent who thought to check discovered that the bug was not there. While investigating this in late 1990, your editor discovered that the NSWC still had the bug, but had unsuccessfully tried to get the Smithsonian to accept it -- and that the present curator of their History of American Technology Museum didn't know this and agreed that it would make a worthwhile exhibit. It was moved to the Smithsonian in mid-1991, but due to space and money constraints was not actually exhibited years afterwards. Thus, the process of investigating the original-computer-bug bug fixed it in an entirely unexpected way, by making the myth true! --ESR]

Node:bug-compatible, Next:[2087]bug-for-bug compatible,
Previous:[2088]bug, Up:[2089]= B =

bug-compatible adj.

[common] Said of a design or revision that has been badly compromised by a requirement to be compatible with [2090]fossils or

[2091]misfeatures in other programs or (esp.) previous releases of itself. "MS-DOS 2.0 used \ as a path separator to be bug-compatible with some cretin's choice of / as an option character in 1.0."

Node:bug-for-bug compatible, Next:[2092]bug-of-the-month club,
Previous:[2093]bug-compatible, Up:[2094]= B =

bug-for-bug compatible n.

Same as [2095]bug-compatible, with the additional implication that much tedious effort went into ensuring that each (known) bug was replicated.

Node:bug-of-the-month club, Next:[2096]buglix,
Previous:[2097]bug-for-bug compatible, Up:[2098]= B =

bug-of-the-month club n.

[from "book-of-the-month club", a time-honored mail-order-marketing technique in the U.S.] A mythical club which users of 'sendmail(8)' (the UNIX mail daemon) belong to; this was coined on the Usenet newsgroup comp.security.unix at a time when sendmail security holes, which allowed outside [2099]crackers access to the system, were being uncovered at an alarming rate, forcing sysadmins to update very often. Also, more completely, 'fatal security bug-of-the-month club'. See also [2100]kernel-of-the-week club.

Node:buglix, Next:[2101]bulletproof, Previous:[2102]bug-of-the-month club, Up:[2103]= B =

buglix /buhg'liks/ n.

[uncommon] Pejorative term referring to [2104]DEC's ULTRIX operating system in its earlier severely buggy versions. Still used to describe ULTRIX, but without nearly so much venom. Compare [2105]AIDX, [2106]HP-SUX, [2107]Nominal Semidestructor, [2108]Telerat, [2109]sun-stools.

Node:bulletproof, Next:[2110]bullschildt, Previous:[2111]buglix,
Up:[2112]= B =

bulletproof adj.

Used of an algorithm or implementation considered extremely [2113]robust; lossage-resistant; capable of correctly recovering from any imaginable exception condition -- a rare and valued quality. Implies that the programmer has thought of all possible errors, and added [2114]code to protect against each one. Thus, in some cases, this can imply code that is too heavyweight, due to excessive paranoia

on the part of the programmer. Syn. [2115]armor-plated.

Node:bullschildt, Next:[2116]bum, Previous:[2117]bulletproof,
Up:[2118]= B =

bullschildt /bul'shilt/ n.

[comp.lang.c on USENET] A confident, but incorrect, statement about a programming language. This immortalizes a very bad book about [2119]C, Herbert Schildt's "C - The Complete Reference". One reviewer commented "The naive errors in this book would be embarrassing even in a programming assignment turned in by a computer science college sophomore."

Node:bum, Next:[2120]bump, Previous:[2121]bullschildt, Up:[2122]= B =

bum

1. vt. To make highly efficient, either in time or space, often at the expense of clarity. "I managed to bum three more instructions out of that code." "I spent half the night bumming the interrupt code." In 1996, this term and the practice it describes are semi-obsolete. In [2123]elder days, John McCarthy (inventor of [2124]LISP) used to compare some efficiency-obsessed hackers among his students to "ski bums"; thus, optimization became "program bumming", and eventually just "bumming". 2. To squeeze out excess; to remove something in order to improve whatever it was removed from (without changing function; this distinguishes the process from a [2125]featurectomy). 3. n. A small change to an algorithm, program, or hardware device to make it more efficient. "This hardware bum makes the jump instruction faster." Usage: now uncommon, largely superseded by v. [2126]tune (and n. [2127]tweak, [2128]hack), though none of these exactly capture sense 2. All these uses are rare in Commonwealth hackish, because in the parent dialects of English the noun 'bum' is a rude synonym for 'buttocks' and the verb 'bum' for buggery.

Node:bump, Next:[2129]burble, Previous:[2130]bum, Up:[2131]= B =

bump vt.

Synonym for increment. Has the same meaning as C's ++ operator. Used esp. of counter variables, pointers, and index dummies in for, while, and do-while loops.

Node:burble, Next:[2132]buried treasure, Previous:[2133]bump,
Up:[2134]= B =

burble v.

[from Lewis Carroll's "Jabberwocky"] Like [2135]flame, but connotes that the source is truly clueless and ineffectual (mere flammers can be competent). A term of deep contempt. "There's some guy on the phone burbling about how he got a DISK FULL error and it's all our comm software's fault." This is mainstream slang in some parts of England.

Node:buried treasure, Next:[2136]burn-in period,
Previous:[2137]burble, Up:[2138]= B =

buried treasure n.

A surprising piece of code found in some program. While usually not wrong, it tends to vary from [2139]crufty to [2140]bletcherous, and has lain undiscovered only because it was functionally correct, however horrible it is. Used sarcastically, because what is found is anything but treasure. Buried treasure almost always needs to be dug up and removed. "I just found that the scheduler sorts its queue using [2141]bubble sort! Buried treasure!"

Node:burn-in period, Next:[2142]burst page, Previous:[2143]buried treasure, Up:[2144]= B =

burn-in period n.

1. A factory test designed to catch systems with [2145]marginal components before they get out the door; the theory is that burn-in will protect customers by outwaiting the steepest part of the [2146]bathtub curve (see [2147]infant mortality). 2. A period of indeterminate length in which a person using a computer is so intensely involved in his project that he forgets basic needs such as food, drink, sleep, etc. Warning: Excessive burn-in can lead to burn-out. See [2148]hack mode, [2149]larval stage.

Historical note: the origin of "burn-in" (sense 1) is apparently the practice of setting a new-model airplane's brakes on fire, then extinguishing the fire, in order to make them hold better. This was done on the first version of the U.S. spy-plane, the U-2.

Node:burst page, Next:[2150]busy-wait, Previous:[2151]burn-in period,
Up:[2152]= B =

burst page n.

Syn. [2153]banner, sense 1.

Node:busy-wait, Next:[2154]buzz, Previous:[2155]burst page, Up:[2156]=
B =

busy-wait vi.

Used of human behavior, conveys that the subject is busy waiting for someone or something, intends to move instantly as soon as it shows up, and thus cannot do anything else at the moment. "Can't talk now, I'm busy-waiting till Bill gets off the phone."

Technically, 'busy-wait' means to wait on an event by [2157]spinning through a tight or timed-delay loop that polls for the event on each pass, as opposed to setting up an interrupt handler and continuing execution on another part of the task. In applications this is a wasteful technique, and best avoided on time-sharing systems where a busy-waiting program may [2158]hog the processor. However, it is often unavoidable in kernel programming. In the Linux world, kernel busy-waits are usually referred to as 'spinlocks'.

Node:buzz, Next:[2159]BWQ, Previous:[2160]busy-wait, Up:[2161]= B =

buzz vi.

1. Of a program, to run with no indication of progress and perhaps without guarantee of ever finishing; esp. said of programs thought to be executing tight loops of code. A program that is buzzing appears to be [2162]catatonic, but never gets out of catatonia, while a buzzing loop may eventually end of its own accord. "The program buzzes for about 10 seconds trying to sort all the names into order." See [2163]spin; see also [2164]grovel. 2. [ETA Systems] To test a wire or printed circuit trace for continuity, esp. by applying an AC rather than DC signal. Some wire faults will pass DC tests but fail an AC buzz test. 3. To process an array or list in sequence, doing the same thing to each element. "This loop buzzes through the tz array looking for a terminator type."

Node:BWQ, Next:[2165]by hand, Previous:[2166]buzz, Up:[2167]= B =

BWQ /B-W-Q/ n.

[IBM: abbreviation, 'Buzz Word Quotient'] The percentage of buzzwords in a speech or documents. Usually roughly proportional to [2168]bogosity. See [2169]TLA.

Node:by hand, Next:[2170]byte, Previous:[2171]BWQ, Up:[2172]= B =

by hand adv.

[common] 1. Said of an operation (especially a repetitive, trivial, and/or tedious one) that ought to be performed automatically by the computer, but which a hacker instead has to step tediously through. "My mailer doesn't have a command to include the text of the message I'm replying to, so I have to do it by hand." This does not necessarily mean the speaker has to retype a copy of the message; it

might refer to, say, dropping into a subshell from the mailer, making a copy of one's mailbox file, reading that into an editor, locating the top and bottom of the message in question, deleting the rest of the file, inserting '>' characters on each line, writing the file, leaving the editor, returning to the mailer, reading the file in, and later remembering to delete the file. Compare [2173]eyeball search. 2. By extension, writing code which does something in an explicit or low-level way for which a presupplied library routine ought to have been available. "This cretinous B-tree library doesn't supply a decent iterator, so I'm having to walk the trees by hand."

Node:byte, Next:[2174]byte sex, Previous:[2175]by hand, Up:[2176]= B =

byte /bi:t/ n.

[techspeak] A unit of memory or data equal to the amount used to represent one character; on modern architectures this is usually 8 bits, but may be 9 on 36-bit machines. Some older architectures used 'byte' for quantities of 6 or 7 bits, and the PDP-10 supported 'bytes' that were actually bitfields of 1 to 36 bits! These usages are now obsolete, and even 9-bit bytes have become rare in the general trend toward power-of-2 word sizes.

Historical note: The term was coined by Werner Buchholz in 1956 during the early design phase for the IBM Stretch computer; originally it was described as 1 to 6 bits (typical I/O equipment of the period used 6-bit chunks of information). The move to an 8-bit byte happened in late 1956, and this size was later adopted and promulgated as a standard by the System/360. The word was coined by mutating the word 'bite' so it would not be accidentally misspelled as [2177]bit. See also [2178]nybble.

Node:byte sex, Next:[2179]bytesexual, Previous:[2180]byte, Up:[2181]= B =

byte sex n.

[common] The byte sex of hardware is [2182]big-endian or [2183]little-endian; see those entries.

Node:bytesexual, Next:[2184]Bzzzt! Wrong., Previous:[2185]byte sex, Up:[2186]= B =

bytesexual /bi:t'sek'shu-*/ adj.

[rare] Said of hardware, denotes willingness to compute or pass data in either [2187]big-endian or [2188]little-endian format (depending, presumably, on a [2189]mode bit somewhere). See also [2190]NUXI problem.

Node:Bzzzt! Wrong., Next:[2191]C, Previous:[2192]bytesexual,
Up:[2193]= B =

Bzzzt! Wrong. /bzt rong/ excl.

[common; Usenet/Internet; punctuation varies] From a Robin Williams routine in the movie "Dead Poets Society" spoofing radio or TV quiz programs, such as Truth or Consequences, where an incorrect answer earns one a blast from the buzzer and condolences from the interlocutor. A way of expressing mock-rude disagreement, usually immediately following an included quote from another poster. The less abbreviated "*Bzzzt*", wrong, but thank you for playing" is also common; capitalization and emphasis of the buzzer sound varies.

Node:= C =, Next:[2194]= D =, Previous:[2195]= B =, Up:[2196]The
Jargon Lexicon

= C =

- * [2197]C:
- * [2198]C Programmer's Disease:
- * [2199]C&C:
- * [2200]C++:
- * [2201]calculator:
- * [2202]Camel Book:
- * [2203]can:
- * [2204]can't happen:
- * [2205]cancelbot:
- * [2206]Cancelmoose[tm]:
- * [2207]candygrammar:
- * [2208]canonical:
- * [2209]card walloper:
- * [2210]careware:
- * [2211]cargo cult programming:
- * [2212]cascade:
- * [2213]case and paste:
- * [2214]casters-up mode:
- * [2215]casting the runes:
- * [2216]cat:
- * [2217]catatonic:
- * [2218]cathedral:
- * [2219]cd tilde:
- * [2220]CDA:
- * [2221]cdr:
- * [2222]chad:
- * [2223]chad box:
- * [2224]chain:
- * [2225]channel:
- * [2226]channel hopping:
- * [2227]channel op:
- * [2228]chanop:

- * [2229]char:
- * [2230]charityware:
- * [2231]chase pointers:
- * [2232]chawmp:
- * [2233]check:
- * [2234]cheerfully:
- * [2235]chemist:
- * [2236]Chernobyl chicken:
- * [2237]Chernobyl packet:
- * [2238]chicken head:
- * [2239]chiclet keyboard:
- * [2240]Chinese Army technique:
- * [2241]choad:
- * [2242]choke:
- * [2243]chomp:
- * [2244]chomper:
- * [2245]CHOP:
- * [2246]Christmas tree:
- * [2247]Christmas tree packet:
- * [2248]chrome:
- * [2249]chug:
- * [2250]Church of the SubGenius:
- * [2251]Cinderella Book:
- * [2252]CI\$:
- * [2253]Classic C:
- * [2254]clean:
- * [2255]CLM:
- * [2256]clobber:
- * [2257]clock:
- * [2258]clocks:
- * [2259]clone:
- * [2260]clone-and-hack coding:
- * [2261]clover key:
- * [2262]clue-by-four:
- * [2263]clustergeeking:
- * [2264]co-lo:
- * [2265]code:
- * [2266]coaster:
- * [2267]COBOL:
- * [2268]COBOL fingers:
- * [2269]cobweb site:
- * [2270]code grinder:
- * [2271]code monkey:
- * [2272]Code of the Geeks:
- * [2273]code police:
- * [2274]codes:
- * [2275]codewalker:
- * [2276]coefficient of X:
- * [2277]cokebottle:
- * [2278]cold boot:
- * [2279]COME FROM:
- * [2280]comm mode:
- * [2281]command key:

- * [2282]comment out:
- * [2283]Commonwealth Hackish:
- * [2284]compact:
- * [2285]compiler jock:
- * [2286]compo:
- * [2287]compress:
- * [2288]Compu\$erve:
- * [2289]computer confetti:
- * [2290]computer geek:
- * [2291]computron:
- * [2292]con:
- * [2293]condition out:
- * [2294]condom:
- * [2295]confuser:
- * [2296]connector conspiracy:
- * [2297]cons:
- * [2298]considered harmful:
- * [2299]console:
- * [2300]console jockey:
- * [2301]content-free:
- * [2302]control-C:
- * [2303]control-O:
- * [2304]control-Q:
- * [2305]control-S:
- * [2306]Conway's Law:
- * [2307]cookbook:
- * [2308]cooked mode:
- * [2309]cookie:
- * [2310]cookie bear:
- * [2311]cookie file:
- * [2312]cookie jar:
- * [2313]cookie monster:
- * [2314]copious free time:
- * [2315]copper:
- * [2316]copy protection:
- * [2317]copybroke:
- * [2318]copycenter:
- * [2319]copyleft:
- * [2320]copyparty:
- * [2321]copywronged:
- * [2322]core:
- * [2323]core cancer:
- * [2324]core dump:
- * [2325]core leak:
- * [2326]Core Wars:
- * [2327]corge:
- * [2328]cosmic rays:
- * [2329]cough and die:
- * [2330]courier:
- * [2331]cow orker:
- * [2332]cowboy:
- * [2333]CP/M:
- * [2334]CPU Wars:

- * [2335]crack:
- * [2336]crack root:
- * [2337]cracker:
- * [2338]cracking:
- * [2339]crank:
- * [2340]crapplet:
- * [2341]CrApTeX:
- * [2342]crash:
- * [2343]crash and burn:
- * [2344]crawling horror:
- * [2345]cray:
- * [2346]cray instability:
- * [2347]crayola:
- * [2348]crayola books:
- * [2349]crayon:
- * [2350]creationism:
- * [2351]creep:
- * [2352]creeping elegance:
- * [2353]creeping featurism:
- * [2354]creeping featuritis:
- * [2355]cretin:
- * [2356]cretinous:
- * [2357]crippleware:
- * [2358]critical mass:
- * [2359]crlf:
- * [2360]crock:
- * [2361]cross-post:
- * [2362]crossload:
- * [2363]crudware:
- * [2364]cruft:
- * [2365]cruft together:
- * [2366]cruftsmanship:
- * [2367]crufty:
- * [2368]crumb:
- * [2369]crunch:
- * [2370]cryppie:
- * [2371]CTSS:
- * [2372]cube:
- * [2373]cubing:
- * [2374]cup holder:
- * [2375]cursor dipped in X:
- * [2376]cuspy:
- * [2377]cut a tape:
- * [2378]cybercrud:
- * [2379]cyberpunk:
- * [2380]cyberspace:
- * [2381]cycle:
- * [2382]cycle crunch:
- * [2383]cycle drought:
- * [2384]cycle of reincarnation:
- * [2385]cycle server:
- * [2386]cypherpunk:
- * [2387]C|N>K:

Node:C, Next:[2388]C Programmer's Disease, Previous:[2389]Bzzzt!
Wrong., Up:[2390]= C =

C n.

1. The third letter of the English alphabet. 2. ASCII 1000011. 3. The name of a programming language designed by Dennis Ritchie during the early 1970s and immediately used to reimplement [2391]Unix; so called because many features derived from an earlier compiler named 'B' in commemoration of its parent, BCPL. (BCPL was in turn descended from an earlier Algol-derived language, CPL.) Before Bjarne Stroustrup settled the question by designing [2392]C++, there was a humorous debate over whether C's successor should be named 'D' or 'P'. C became immensely popular outside Bell Labs after about 1980 and is now the dominant language in systems and microcomputer applications programming. See also [2393]languages of choice, [2394]indent style.

C is often described, with a mixture of fondness and disdain varying according to the speaker, as "a language that combines all the elegance and power of assembly language with all the readability and maintainability of assembly language".

Node:C Programmer's Disease, Next:[2395]C&C, Previous:[2396]C,
Up:[2397]= C =

C Programmer's Disease n.

The tendency of the undisciplined C programmer to set arbitrary but supposedly generous static limits on table sizes (defined, if you're lucky, by constants in header files) rather than taking the trouble to do proper dynamic storage allocation. If an application user later needs to put 68 elements into a table of size 50, the afflicted programmer reasons that he or she can easily reset the table size to 68 (or even as much as 70, to allow for future expansion) and recompile. This gives the programmer the comfortable feeling of having made the effort to satisfy the user's (unreasonable) demands, and often affords the user multiple opportunities to explore the marvelous consequences of [2398]fandango on core. In severe cases of the disease, the programmer cannot comprehend why each fix of this kind seems only to further disgruntle the user.

Node:C&C, Next:[2399]C++, Previous:[2400]C Programmer's Disease,
Up:[2401]= C =

C&C //

[common, esp. on news.admin.net-abuse.email] Contraction of "Coffee & Cats". This frequently occurs as a warning label on USENET posts that are likely to cause you to [2402]snarf coffee onto your keyboard and

startle the cat off your lap.

Node:C++, Next:[2403]calculator, Previous:[2404]C&C, Up:[2405]= C =

C++ /C'-pluhs-pluhs/ n.

Designed by Bjarne Stroustrup of AT&T Bell Labs as a successor to [2406]C. Now one of the [2407]languages of choice, although many hackers still grumble that it is the successor to either Algol 68 or [2408]Ada (depending on generation), and a prime example of [2409]second-system effect. Almost anything that can be done in any language can be done in C++, but it requires a [2410]language lawyer to know what is and what is not legal-- the design is almost too large to hold in even hackers' heads. Much of the [2411]cruft results from C++'s attempt to be backward compatible with C. Stroustrup himself has said in his retrospective book "The Design and Evolution of C++" (p. 207), "Within C++, there is a much smaller and cleaner language struggling to get out." [Many hackers would now add "Yes, and it's called [2412]Java" --ESR]

Node:calculator, Next:[2413]Camel Book, Previous:[2414]C++, Up:[2415]= C =

calculator [Cambridge] n.

Syn. for [2416]bitty box.

Node:Camel Book, Next:[2417]can, Previous:[2418]calculator, Up:[2419]= C =

Camel Book n.

Universally recognized nickname for the book "Programming Perl", by Larry Wall and Randal L. Schwartz, O'Reilly and Associates 1991, ISBN 0-937175-64-1 (second edition 1996, ISBN 1-56592-149-6). The definitive reference on [2420]Perl.

Node:can, Next:[2421]can't happen, Previous:[2422]Camel Book, Up:[2423]= C =

can vt.

To abort a job on a time-sharing system. Used esp. when the person doing the deed is an operator, as in "canned from the [2424]console". Frequently used in an imperative sense, as in "Can that print job, the LPT just popped a sprocket!" Synonymous with [2425]gun. It is said that the ASCII character with mnemonic CAN (0011000) was used as a kill-job character on some early OSes. Alternatively, this term may derive from mainstream slang 'canned' for being laid off or fired.

Node:can't happen, Next:[2426]cancelbot, Previous:[2427]can,
Up:[2428]= C =

can't happen

The traditional program comment for code executed under a condition that should never be true, for example a file size computed as negative. Often, such a condition being true indicates data corruption or a faulty algorithm; it is almost always handled by emitting a fatal error message and terminating or crashing, since there is little else that can be done. Some case variant of "can't happen" is also often the text emitted if the 'impossible' error actually happens! Although "can't happen" events are genuinely infrequent in production code, programmers wise enough to check for them habitually are often surprised at how frequently they are triggered during development and how many headaches checking for them turns out to head off. See also [2429]firewall code (sense 2).

Node:cancelbot, Next:[2430]Cancelmoose[tm], Previous:[2431]can't happen, Up:[2432]= C =

cancelbot /kan'sel-bot/

[Usenet: compound, cancel + robot] 1. Mythically, a [2433]robocancellor 2. In reality, most cancelbots are manually operated by being fed lists of spam message IDs.

Node:Cancelmoose[tm], Next:[2434]candygrammar,
Previous:[2435]cancelbot, Up:[2436]= C =

Cancelmoose[tm] /kan'sel-moos/

[Usenet] The archetype and model of all good [2437]spam-fighters. Once upon a time, the 'Moose would send out spam-cancels and then post notice anonymously to news.admin.policy, news.admin.misc, and alt.current-events.net-abuse. The 'Moose stepped to the fore on its own initiative, at a time (mid-1994) when spam-cancels were irregular and disorganized, and behaved altogether admirably - fair, even-handed, and quick to respond to comments and criticism, all without self-aggrandizement or martyrdom. Cancelmoose[tm] quickly gained near-unanimous support from the readership of all three above-mentioned groups.

Nobody knows who Cancelmoose[tm] really is, and there aren't even any good rumors. However, the 'Moose now has an e-mail address ([2438]moose@cm.org) and a web site ([2439]http://www.cm.org.)

By early 1995, others had stepped into the spam-cancel business, and appeared to be comporting themselves well, after the 'Moose's manner.

The 'Moose has now gotten out of the business, and is more interested in ending spam (and cancels) entirely.

Node:candygrammar, Next:[2440]canonical,
Previous:[2441]Cancelmoose[tm], Up:[2442]= C =

candygrammar n.

A programming-language grammar that is mostly [2443]syntactic sugar; the term is also a play on 'candygram'. [2444]COBOL, Apple's Hypertalk language, and a lot of the so-called '4GL' database languages share this property. The usual intent of such designs is that they be as English-like as possible, on the theory that they will then be easier for unskilled people to program. This intention comes to grief on the reality that syntax isn't what makes programming hard; it's the mental effort and organization required to specify an algorithm precisely that costs. Thus the invariable result is that 'candygrammar' languages are just as difficult to program in as terser ones, and far more painful for the experienced hacker.

[The overtones from the old Chevy Chase skit on Saturday Night Live should not be overlooked. This was a "Jaws" parody. Someone lurking outside an apartment door tries all kinds of bogus ways to get the occupant to open up, while ominous music plays in the background. The last attempt is a half-hearted "Candygram!" When the door is opened, a shark bursts in and chomps the poor occupant. [There is a similar gag in "Blazing Saddles" --ESR] There is a moral here for those attracted to candygrammars. Note that, in many circles, pretty much the same ones who remember Monty Python sketches, all it takes is the word "Candygram!", suitably timed, to get people rolling on the floor. --GLS]

Node:canonical, Next:[2445]card walloper, Previous:[2446]candygrammar,
Up:[2447]= C =

canonical adj.

[very common; historically, 'according to religious law'] The usual or standard state or manner of something. This word has a somewhat more technical meaning in mathematics. Two formulas such as $9 + x$ and $x + 9$ are said to be equivalent because they mean the same thing, but the second one is in 'canonical form' because it is written in the usual way, with the highest power of x first. Usually there are fixed rules you can use to decide whether something is in canonical form. The jargon meaning, a relaxation of the technical meaning, acquired its present loading in computer-science culture largely through its prominence in Alonzo Church's work in computation theory and mathematical logic (see [2448]Knights of the Lambda Calculus). Compare [2449]vanilla.

Non-technical academics do not use the adjective 'canonical' in any of

the senses defined above with any regularity; they do however use the nouns 'canon' and 'canonicity' (not **canonicalness or **canonicity). The 'canon' of a given author is the complete body of authentic works by that author (this usage is familiar to Sherlock Holmes fans as well as to literary scholars). 'The canon' is the body of works in a given field (e.g., works of literature, or of art, or of music) deemed worthwhile for students to study and for scholars to investigate.

The word 'canon' has an interesting history. It derives ultimately from the Greek 'kanon' (akin to the English 'cane') referring to a reed. Reeds were used for measurement, and in Latin and later Greek the word 'canon' meant a rule or a standard. The establishment of a canon of scriptures within Christianity was meant to define a standard or a rule for the religion. The above non-techspeak academic usages stem from this instance of a defined and accepted body of work. Alongside this usage was the promulgation of 'canons' ('rules') for the government of the Catholic Church. The techspeak usages ("according to religious law") derive from this use of the Latin 'canon'.

Hackers invest this term with a playfulness that makes an ironic contrast with its historical meaning. A true story: One Bob Sjoberg, new at the MIT AI Lab, expressed some annoyance at the incessant use of jargon. Over his loud objections, GLS and RMS made a point of using as much of it as possible in his presence, and eventually it began to sink in. Finally, in one conversation, he used the word 'canonical' in jargon-like fashion without thinking. Steele: "Aha! We've finally got you talking jargon too!" Stallman: "What did he say?" Steele: "Bob just used 'canonical' in the canonical way."

Of course, canonicity depends on context, but it is implicitly defined as the way hackers normally expect things to be. Thus, a hacker may claim with a straight face that 'according to religious law' is not the canonical meaning of 'canonical'.

Node:card walloper, Next:[2450]careware, Previous:[2451]canonical, Up:[2452]= C =

card walloper n.

An EDP programmer who grinds out batch programs that do stupid things like print people's paychecks. Compare [2453]code grinder. See also [2454]punched card, [2455]eighty-column mind.

Node:careware, Next:[2456]cargo cult programming, Previous:[2457]card walloper, Up:[2458]= C =

careware /keir'weir/ n.

A variety of [2459]shareware for which either the author suggests that

some payment be made to a nominated charity or a levy directed to charity is included on top of the distribution charge. Syn. [2460]charityware; compare [2461]crippleware, sense 2.

Node:cargo cult programming, Next:[2462]cascade,
Previous:[2463]careware, Up:[2464]= C =

cargo cult programming n.

A style of (incompetent) programming dominated by ritual inclusion of code or program structures that serve no real purpose. A cargo cult programmer will usually explain the extra code as a way of working around some bug encountered in the past, but usually neither the bug nor the reason the code apparently avoided the bug was ever fully understood (compare [2465]shotgun debugging, [2466]voodoo programming).

The term 'cargo cult' is a reference to aboriginal religions that grew up in the South Pacific after World War II. The practices of these cults center on building elaborate mockups of airplanes and military style landing strips in the hope of bringing the return of the god-like airplanes that brought such marvelous cargo during the war. Hackish usage probably derives from Richard Feynman's characterization of certain practices as "cargo cult science" in his book "Surely You're Joking, Mr. Feynman!" (W. W. Norton & Co, New York 1985, ISBN 0-393-01921-7).

Node:cascade, Next:[2467]case and paste, Previous:[2468]cargo cult programming, Up:[2469]= C =

cascade n.

1. A huge volume of spurious error-message output produced by a compiler with poor error recovery. Too frequently, one trivial syntax error (such as a missing ')' or '}') throws the parser out of synch so that much of the remaining program text is interpreted as garbaged or ill-formed. 2. A chain of Usenet followups, each adding some trivial variation or riposte to the text of the previous one, all of which is reproduced in the new message; an [2470]include war in which the object is to create a sort of communal graffiti.

Node:case and paste, Next:[2471]casters-up mode,
Previous:[2472]cascade, Up:[2473]= C =

case and paste n.

[from 'cut and paste'] 1. The addition of a new [2474]feature to an existing system by selecting the code from an existing feature and pasting it in with minor changes. Common in telephony circles because most operations in a telephone switch are selected using case

statements. Leads to [2475]software bloat.

In some circles of EMACS users this is called 'programming by Meta-W', because Meta-W is the EMACS command for copying a block of text to a kill buffer in preparation to pasting it in elsewhere. The term is condescending, implying that the programmer is acting mindlessly rather than thinking carefully about what is required to integrate the code for two similar cases.

At [2476]DEC (now Compaq), this is sometimes called 'clone-and-hack' coding.

Node:casters-up mode, Next:[2477]casting the runes,
Previous:[2478]case and paste, Up:[2479]= C =

casters-up mode n.

[IBM, prob. fr. slang belly up] Yet another synonym for 'broken' or 'down'. Usually connotes a major failure. A system (hardware or software) which is 'down' may be already being restarted before the failure is noticed, whereas one which is 'casters up' is usually a good excuse to take the rest of the day off (as long as you're not responsible for fixing it).

Node:casting the runes, Next:[2480]cat, Previous:[2481]casters-up mode, Up:[2482]= C =

casting the runes n.

What a [2483]guru does when you ask him or her to run a particular program and type at it because it never works for anyone else; esp. used when nobody can ever see what the guru is doing different from what J. Random Luser does. Compare [2484]incantation, [2485]runes, [2486]examining the entrails; also see the AI koan about Tom Knight in "[2487]Some AI Koans" (Appendix A).

A correspondent from England tells us that one of ICL's most talented systems designers used to be called out occasionally to service machines which the [2488]field circus had given up on. Since he knew the design inside out, he could often find faults simply by listening to a quick outline of the symptoms. He used to play on this by going to some site where the field circus had just spent the last two weeks solid trying to find a fault, and spreading a diagram of the system out on a table top. He'd then shake some chicken bones and cast them over the diagram, peer at the bones intently for a minute, and then tell them that a certain module needed replacing. The system would start working again immediately upon the replacement.

Node:cat, Next:[2489]catatonic, Previous:[2490]casting the runes,
Up:[2491]= C =

cat [from 'catenate' via [2492]Unix cat(1)] vt.

1. [techspeak] To spew an entire file to the screen or some other output sink without pause (syn. [2493]blast). 2. By extension, to dump large amounts of data at an unprepared target or with no intention of browsing it carefully. Usage: considered silly. Rare outside Unix sites. See also [2494]dd, [2495]BLT.

Among Unix fans, cat(1) is considered an excellent example of user-interface design, because it delivers the file contents without such verbosity as spacing or headers between the files, and because it does not require the files to consist of lines of text, but works with any sort of data.

Among Unix haters, cat(1) is considered the [2496]canonical example of bad user-interface design, because of its woefully unobvious name. It is far more often used to [2497]blast a file to standard output than to concatenate two files. The name cat for the former operation is just as unintuitive as, say, LISP's [2498]cdr.

Of such oppositions are [2499]holy wars made....

Node:catatonic, Next:[2500]cathedral, Previous:[2501]cat, Up:[2502]= C =

catatonic adj.

Describes a condition of suspended animation in which something is so [2503]wedged or [2504]hung that it makes no response. If you are typing on a terminal and suddenly the computer doesn't even echo the letters back to the screen as you type, let alone do what you're asking it to do, then the computer is suffering from catatonia (possibly because it has crashed). "There I was in the middle of a winning game of [2505]nethack and it went catatonic on me! Aaargh!" Compare [2506]buzz.

Node:cathedral, Next:[2507]cd tilde, Previous:[2508]catatonic, Up:[2509]= C =

cathedral n.,adj.

[see [2510]bazaar for derivation] The 'classical' mode of software engineering long thought to be necessarily implied by [2511]Brooks's Law. Features small teams, tight project control, and long release intervals. This term came into use after analysis of the Linux experience suggested there might be something wrong (or at least incomplete) in the classical assumptions.

Node:cd tilde, Next:[2512]CDA, Previous:[2513]cathedral, Up:[2514]= C =

=

cd tilde /C-D til-d*/ vi.

To go home. From the Unix C-shell and Korn-shell command `cd ~`, which takes one to one's \$HOME (`cd` with no arguments happens to do the same thing). By extension, may be used with other arguments; thus, over an electronic chat link, `cd ~coffee` would mean "I'm going to the coffee machine."

Node:CDA, Next:[2515]cdr, Previous:[2516]cd tilde, Up:[2517]= C =

CDA /C-D-A/

The "Communications Decency Act" of 1996, passed on [2518]Black Thursday as section 502 of a major telecommunications reform bill. The CDA made it a federal crime in the USA to send a communication which is "obscene, lewd, lascivious, filthy, or indecent, with intent to annoy, abuse, threaten, or harass another person." It also threatened with imprisonment anyone who "knowingly" makes accessible to minors any message that "describes, in terms patently offensive as measured by contemporary community standards, sexual or excretory activities or organs".

While the CDA was sold as a measure to protect minors from the putative evils of pornography, the repressive political aims of the bill were laid bare by the Hyde amendment, which intended to outlaw discussion of abortion on the Internet.

To say that this direct attack on First Amendment free-speech rights was not well received on the Internet would be putting it mildly. A firestorm of protest followed, including a February 29th mass demonstration by thousands of netters who turned their [2519]home pages black for 48 hours. Several civil-rights groups and computing/telecommunications companies mounted a constitutional challenge. The CDA was demolished by a strongly-worded decision handed down on in 8th-circuit Federal court and subsequently affirmed by the U.S. Supreme Court on 26 June 1997 ('White Thursday'). See also [2520]Exon.

Node:cdr, Next:[2521]chad, Previous:[2522]CDA, Up:[2523]= C =

cdr /ku'dr/ or /kuh'dr/ vt.

[from LISP] To skip past the first item from a list of things (generalized from the LISP operation on binary tree structures, which returns a list consisting of all but the first element of its argument). In the form 'cdr down', to trace down a list of elements: "Shall we cdr down the agenda?" Usage: silly. See also [2524]loop through.

Historical note: The instruction format of the IBM 704 that hosted the original LISP implementation featured two 15-bit fields called the 'address' and 'decrement' parts. The term 'cdr' was originally 'Contents of Decrement part of Register'. Similarly, 'car' stood for 'Contents of Address part of Register'.

The cdr and car operations have since become bases for formation of compound metaphors in non-LISP contexts. GLS recalls, for example, a programming project in which strings were represented as linked lists; the get-character and skip-character operations were of course called CHAR and CHDR.

Node:chad, Next:[2525]chad box, Previous:[2526]cdr, Up:[2527]= C =

chad /chad/ n.

1. [common] The perforated edge strips on printer paper, after they have been separated from the printed portion. Also called [2528]selvage, [2529]perf, and [2530]ripoff. 2. obs. The confetti-like paper bits punched out of cards or paper tape; this has also been called 'chaff', 'computer confetti', and 'keypunch droppings'. It's reported that this was very old Army slang, and it may now be mainstream; it has been reported seen (1993) in directions for a card-based voting machine in California.

Historical note: One correspondent believes 'chad' (sense 2) derives from the Chadless keypunch (named for its inventor), which cut little u-shaped tabs in the card to make a hole when the tab folded back, rather than punching out a circle/rectangle; it was clear that if the Chadless keypunch didn't make them, then the stuff that other keypunches made had to be 'chad'. There is a legend that the word was originally acronymic, standing for "Card Hole Aggregate Debris", but this has all the earmarks of a [2531]backronym.

Node:chad box, Next:[2532]chain, Previous:[2533]chad, Up:[2534]= C =

chad box n.

A metal box about the size of a lunchbox (or in some models a large wastebasket), for collecting the [2535]chad (sense 2) that accumulated in [2536]Iron Age card punches. You had to open the covers of the card punch periodically and empty the chad box. The [2537]bit bucket was notionally the equivalent device in the CPU enclosure, which was typically across the room in another great gray-and-blue box.

Node:chain, Next:[2538]channel, Previous:[2539]chad box, Up:[2540]= C =

=

chain

1. vi. [orig. from BASIC's CHAIN statement] To hand off execution to a child or successor without going through the [2541]OS command interpreter that invoked it. The state of the parent program is lost and there is no returning to it. Though this facility used to be common on memory-limited micros and is still widely supported for backward compatibility, the jargon usage is semi-obsolescent; in particular, most Unix programmers will think of this as an [2542]exec. Oppose the more modern 'subshell'. 2. n. A series of linked data areas within an operating system or application. 'Chain rattling' is the process of repeatedly running through the linked data areas searching for one which is of interest to the executing program. The implication is that there is a very large number of links on the chain.

Node:channel, Next:[2543]channel hopping, Previous:[2544]chain, Up:[2545]= C =

channel n.

[IRC] The basic unit of discussion on [2546]IRC. Once one joins a channel, everything one types is read by others on that channel. Channels are named with strings that begin with a '#' sign and can have topic descriptions (which are generally irrelevant to the actual subject of discussion). Some notable channels are #initgame, #hottub, callahans, and #report. At times of international crisis, #report has hundreds of members, some of whom take turns listening to various news services and typing in summaries of the news, or in some cases, giving first-hand accounts of the action (e.g., Scud missile attacks in Tel Aviv during the Gulf War in 1991).

Node:channel hopping, Next:[2547]channel op, Previous:[2548]channel, Up:[2549]= C =

channel hopping n.

[common; IRC, GENie] To rapidly switch channels on [2550]IRC, or a GENie chat board, just as a social butterfly might hop from one group to another at a party. This term may derive from the TV watcher's idiom, 'channel surfing'.

Node:channel op, Next:[2551]chanop, Previous:[2552]channel hopping, Up:[2553]= C =

channel op /chan'l op/ n.

[IRC] Someone who is endowed with privileges on a particular [2554]IRC channel; commonly abbreviated 'chanop' or 'CHOP' or just 'op' (as of 2000 these short forms have almost crowded out the parent usage). These privileges include the right to [2555]kick users, to change various status bits, and to make others into CHOPs.

Node:chanop, Next:[2556]char, Previous:[2557]channel op, Up:[2558]= C
=

chanop /chan'-op/ n.

[IRC] See [2559]channel op.

Node:char, Next:[2560]charityware, Previous:[2561]chanop, Up:[2562]= C
=

char /keir/ or /char/; rarely, /kar/ n.

Shorthand for 'character'. Esp. used by C programmers, as 'char' is C's typename for character data.

Node:charityware, Next:[2563]chase pointers, Previous:[2564]char, Up:[2565]= C =

charityware /cha'rit-ee-weir'/ n.

Syn. [2566]careware.

Node:chase pointers, Next:[2567]chawmp, Previous:[2568]charityware, Up:[2569]= C =

chase pointers

1. vi. To go through multiple levels of indirection, as in traversing a linked list or graph structure. Used esp. by programmers in C, where explicit pointers are a very common data type. This is techspeak, but it remains jargon when used of human networks. "I'm chasing pointers. Bob said you could tell me who to talk to about...." See [2570]dangling pointer and [2571]snap. 2. [Cambridge] 'pointer chase' or 'pointer hunt': The process of going through a [2572]core dump (sense 1), interactively or on a large piece of paper printed with hex [2573]runes, following dynamic data-structures. Used only in a debugging context.

Node:chawmp, Next:[2574]check, Previous:[2575]chase pointers, Up:[2576]= C =

chawmp n.

[University of Florida] 16 or 18 bits (half of a machine word). This term was used by FORTH hackers during the late 1970s/early 1980s; it is said to have been archaic then, and may now be obsolete. It was coined in revolt against the promiscuous use of 'word' for anything between 16 and 32 bits; 'word' has an additional special meaning for

FORTH hacks that made the overloading intolerable. For similar reasons, /gaw'bl/ (spelled 'gawble' or possibly 'gawbul') was in use as a term for 32 or 48 bits (presumably a full machine word, but our sources are unclear on this). These terms are more easily understood if one thinks of them as faithful phonetic spellings of 'chomp' and 'gobble' pronounced in a Florida or other Southern U.S. dialect. For general discussion of similar terms, see [2577]nybble.

Node:check, Next:[2578]cheerfully, Previous:[2579]chawmp, Up:[2580]= C =

check n.

A hardware-detected error condition, most commonly used to refer to actual hardware failures rather than software-induced traps. E.g., a 'parity check' is the result of a hardware-detected parity error. Recorded here because the word often humorously extended to non-technical problems. For example, the term 'child check' has been used to refer to the problems caused by a small child who is curious to know what happens when s/he presses all the cute buttons on a computer's console (of course, this particular problem could have been prevented with [2581]molly-guards).

Node:cheerfully, Next:[2582]chemist, Previous:[2583]check, Up:[2584]= C =

cheerfully adv.

See [2585]happily.

Node:chemist, Next:[2586]Chernobyl chicken, Previous:[2587]cheerfully, Up:[2588]= C =

chemist n.

[Cambridge] Someone who wastes computer time on [2589]number-crunching when you'd far rather the machine were doing something more productive, such as working out anagrams of your name or printing Snoopy calendars or running [2590]life patterns. May or may not refer to someone who actually studies chemistry.

Node:Chernobyl chicken, Next:[2591]Chernobyl packet, Previous:[2592]chemist, Up:[2593]= C =

Chernobyl chicken n.

See [2594]laser chicken.

Node:Chernobyl packet, Next:[2595]chicken head,
Previous:[2596]Chernobyl chicken, Up:[2597]= C =

Chernobyl packet /cher-noh'b*I pak'*t/ n.

A network packet that induces a [2598]broadcast storm and/or [2599]network meltdown, in memory of the April 1986 nuclear accident at Chernobyl in Ukraine. The typical scenario involves an IP Ethernet datagram that passes through a gateway with both source and destination Ether and IP address set as the respective broadcast addresses for the subnetworks being gated between. Compare [2600]Christmas tree packet.

Node:chicken head, Next:[2601]chiclet keyboard,
Previous:[2602]Chernobyl packet, Up:[2603]= C =

chicken head n.

[Commodore] The Commodore Business Machines logo, which strongly resembles a poultry part (within Commodore itself the logo was always called 'chicken lips'). Rendered in ASCII as 'C='. With the arguable exception of the Amiga (see [2604]amoeba), Commodore's machines were notoriously crocky little [2605]bitty boxes (see also [2606]PETSCII), albeit people have written multitasking Unix-like operating systems with TCP/IP networking for them. Thus, this usage may owe something to Philip K. Dick's novel "Do Androids Dream of Electric Sheep?" (the basis for the movie "Blade Runner"; the novel is now sold under that title), in which a 'chickenhead' is a mutant with below-average intelligence.

Node:chiclet keyboard, Next:[2607]Chinese Army technique,
Previous:[2608]chicken head, Up:[2609]= C =

chiclet keyboard n.

A keyboard with a small, flat rectangular or lozenge-shaped rubber or plastic keys that look like pieces of chewing gum. (Chiclets is the brand name of a variety of chewing gum that does in fact resemble the keys of chiclet keyboards.) Used esp. to describe the original IBM PCjr keyboard. Vendors unanimously liked these because they were cheap, and a lot of early portable and laptop products got launched using them. Customers rejected the idea with almost equal unanimity, and chiclets are not often seen on anything larger than a digital watch any more.

Node:Chinese Army technique, Next:[2610]choad, Previous:[2611]chiclet keyboard, Up:[2612]= C =

Chinese Army technique n.

Syn. [2613]Mongolian Hordes technique.

Node:choad, Next:[2614]choke, Previous:[2615]Chinese Army technique, Up:[2616]= C =

choad /chohd/ n.

Synonym for 'penis' used in alt.tasteless and popularized by the denizens thereof. They say: "We think maybe it's from Middle English but we're all too damned lazy to check the OED." [I'm not. It isn't. --ESR] This term is alleged to have been inherited through 1960s underground comics, and to have been recently sighted in the Beavis and Butthead cartoons. Speakers of the Hindi, Bengali and Gujarati languages have confirmed that 'choad' is in fact an Indian vernacular word equivalent to 'fuck'; it is therefore likely to have entered English slang via the British Raj.

Node:choke, Next:[2617]chomp, Previous:[2618]choad, Up:[2619]= C =

choke v.

1. [common] To reject input, often ungracefully. "NULs make System V's lpr(1) choke." "I tried building an [2620]EMACS binary to use [2621]X, but cpp(1) choked on all those #defines." See [2622]barf, [2623]gag, [2624]vi. 2. [MIT] More generally, to fail at any endeavor, but with some flair or bravado; the popular definition is "to snatch defeat from the jaws of victory."

Node:chomp, Next:[2625]chomper, Previous:[2626]choke, Up:[2627]= C =

chomp vi.

1. To [2628]lose; specifically, to chew on something of which more was bitten off than one can. Probably related to gnashing of teeth. 2. To bite the bag; See [2629]bagbiter.

A hand gesture commonly accompanies this. To perform it, hold the four fingers together and place the thumb against their tips. Now open and close your hand rapidly to suggest a biting action (much like what Pac-Man does in the classic video game, though this pantomime seems to predate that). The gesture alone means 'chomp chomp' (see "[2630]Verb Doubling" in the "[2631]Jargon Construction" section of the Prependices). The hand may be pointed at the object of complaint, and for real emphasis you can use both hands at once. Doing this to a person is equivalent to saying "You chomper!" If you point the gesture at yourself, it is a humble but humorous admission of some failure. You might do this if someone told you that a program you had written had failed in some surprising way and you felt dumb for not having anticipated it.

Node:chomper, Next:[2632]CHOP, Previous:[2633]chomp, Up:[2634]= C =

chomper n.

Someone or something that is chomping; a loser. See [2635]loser, [2636]bagbiter, [2637]chomp.

Node:CHOP, Next:[2638]Christmas tree, Previous:[2639]chomper, Up:[2640]= C =

CHOP /chop/ n.

[IRC] See [2641]channel op.

Node:Christmas tree, Next:[2642]Christmas tree packet, Previous:[2643]CHOP, Up:[2644]= C =

Christmas tree n.

A kind of RS-232 line tester or breakout box featuring rows of blinking red and green LEDs suggestive of Christmas lights.

Node:Christmas tree packet, Next:[2645]chrome, Previous:[2646]Christmas tree, Up:[2647]= C =

Christmas tree packet n.

A packet with every single option set for whatever protocol is in use. See [2648]kamikaze packet, [2649]Chernobyl packet. (The term doubtless derives from a fanciful image of each little option bit being represented by a different-colored light bulb, all turned on.) Compare [2650]Godzillagram.

Node:chrome, Next:[2651]chug, Previous:[2652]Christmas tree packet, Up:[2653]= C =

chrome n.

[from automotive slang via wargaming] Showy features added to attract users but contributing little or nothing to the power of a system.

"The 3D icons in Motif are just chrome, but they certainly are pretty chrome!" Distinguished from [2654]bells and whistles by the fact that the latter are usually added to gratify developers' own desires for featurefulness. Often used as a term of contempt.

Node:chug, Next:[2655]Church of the SubGenius, Previous:[2656]chrome, Up:[2657]= C =

chug vi.

To run slowly; to [2658]grind or [2659]grovel. "The disk is chugging like crazy."

Node:Church of the SubGenius, Next:[2660]Cinderella Book,
Previous:[2661]chug, Up:[2662]= C =

Church of the SubGenius n.

A mutant offshoot of [2663]Discordianism launched in 1981 as a spoof of fundamentalist Christianity by the 'Reverend' Ivan Stang, a brilliant satirist with a gift for promotion. Popular among hackers as a rich source of bizarre imagery and references such as "Bob" the divine drilling-equipment salesman, the Benevolent Space Xists, and the Stark Fist of Removal. Much SubGenius theory is concerned with the acquisition of the mystical substance or quality of [2664]slack. There is a home page at [2665]<http://www.subgenius.com/>.

Node:Cinderella Book, Next:[2666]CI\$, Previous:[2667]Church of the SubGenius, Up:[2668]= C =

Cinderella Book [CMU] n.

"Introduction to Automata Theory, Languages, and Computation", by John Hopcroft and Jeffrey Ullman, (Addison-Wesley, 1979). So called because the cover depicts a girl (putatively Cinderella) sitting in front of a Rube Goldberg device and holding a rope coming out of it. On the back cover, the device is in shambles after she has (inevitably) pulled on the rope. See also [2669]book titles.

Node:CI\$, Next:[2670]Classic C, Previous:[2671]Cinderella Book,
Up:[2672]= C =

CI\$ // n.

Hackerism for 'CIS', CompuServe Information Service. The dollar sign refers to CompuServe's rather steep line charges. Often used in [2673]sig blocks just before a CompuServe address. Syn. [2674]Compu\$erve.

Node:Classic C, Next:[2675]clean, Previous:[2676]CI\$, Up:[2677]= C =

Classic C /klas'ik C/ n.

[a play on 'Coke Classic'] The C programming language as defined in the first edition of [2678]K&R, with some small additions. It is also known as 'K&R C'. The name came into use while C was being

standardized by the ANSI X3J11 committee. Also 'C Classic'.

An analogous construction is sometimes applied elsewhere: thus, 'X Classic', where X = Star Trek (referring to the original TV series) or X = PC (referring to IBM's ISA-bus machines as opposed to the PS/2 series). This construction is especially used of product series in which the newer versions are considered serious losers relative to the older ones.

Node:clean, Next:[2679]CLM, Previous:[2680]Classic C, Up:[2681]= C =

clean 1. adj.

Used of hardware or software designs, implies 'elegance in the small', that is, a design or implementation that may not hold any surprises but does things in a way that is reasonably intuitive and relatively easy to comprehend from the outside. The antonym is 'grungy' or [2682]crufty. 2. v. To remove unneeded or undesired files in an effort to reduce clutter: "I'm cleaning up my account." "I cleaned up the garbage and now have 100 Meg free on that partition."

Node:CLM, Next:[2683]clobber, Previous:[2684]clean, Up:[2685]= C =

CLM /C-L-M/

[Sun: 'Career Limiting Move'] 1. n. An action endangering one's future prospects of getting plum projects and raises, and possibly one's job: "His Halloween costume was a parody of his manager. He won the prize for 'best CLM'." 2. adj. Denotes extreme severity of a bug, discovered by a customer and obviously missed earlier because of poor testing: "That's a CLM bug!"

Node:clobber, Next:[2686]clock, Previous:[2687]CLM, Up:[2688]= C =

clobber vt.

To overwrite, usually unintentionally: "I walked off the end of the array and clobbered the stack." Compare [2689]mung, [2690]scribble, [2691]trash, and [2692]smash the stack.

Node:clock, Next:[2693]clocks, Previous:[2694]clobber, Up:[2695]= C =

clock

1. n 1. [techspeak] The master oscillator that steps a CPU or other digital circuit through its paces. This has nothing to do with the time of day, although the software counter that keeps track of the latter may be derived from the former. 2. vt. To run a CPU or other digital circuit at a particular rate. "If you clock it at 100MHz, it

gets warm.". See [2696]overclock. 3. vt. To force a digital circuit from one state to the next by applying a single clock pulse. "The data must be stable 10ns before you clock the latch."

Node:clocks, Next:[2697]clone, Previous:[2698]clock, Up:[2699]= C =

clocks n.

Processor logic cycles, so called because each generally corresponds to one clock pulse in the processor's timing. The relative execution times of instructions on a machine are usually discussed in clocks rather than absolute fractions of a second; one good reason for this is that clock speeds for various models of the machine may increase as technology improves, and it is usually the relative times one is interested in when discussing the instruction set. Compare [2700]cycle, [2701]jiffy.

Node:clone, Next:[2702]clone-and-hack coding, Previous:[2703]clocks, Up:[2704]= C =

clone n.

1. An exact duplicate: "Our product is a clone of their product." Implies a legal reimplementation from documentation or by reverse-engineering. Also connotes lower price. 2. A shoddy, spurious copy: "Their product is a clone of our product." 3. A blatant ripoff, most likely violating copyright, patent, or trade secret protections: "Your product is a clone of my product." This use implies legal action is pending. 4. 'PC clone: a PC-BUS/ISA or EISA-compatible 80x86-based microcomputer (this use is sometimes spelled 'klone' or 'PClone'). These invariably have much more bang for the buck than the IBM archetypes they resemble. 5. In the construction 'Unix clone': An OS designed to deliver a Unix-lookalike environment without Unix license fees, or with additional 'mission-critical' features such as support for real-time programming. 6. v. To make an exact copy of something. "Let me clone that" might mean "I want to borrow that paper so I can make a photocopy" or "Let me get a copy of that file before you [2705]mung it".

Node:clone-and-hack coding, Next:[2706]clover key, Previous:[2707]clone, Up:[2708]= C =

clone-and-hack coding n.

[DEC] Syn. [2709]case and paste.

Node:clover key, Next:[2710]clue-by-four, Previous:[2711]clone-and-hack coding, Up:[2712]= C =

clover key n.

[Mac users] See [2713]feature key.

Node:clue-by-four, Next:[2714]clustergeeking, Previous:[2715]clover key, Up:[2716]= C =

clue-by-four

[Usenet: portmanteau, clue + two-by-four] The notional stick with which one whacks an aggressively clueless person. This term derives from a western American folk saying about training a mule "First, you got to hit him with a two-by-four. That's to get his attention." The clue-by-four is a close relative of the [2717]LART. Syn. 'clue stick'. This metaphor is commonly elaborated; your editor once heard a hacker say "I strike you with the great sword Clue-Bringer!"

Node:clustergeeking, Next:[2718]co-lo, Previous:[2719]clue-by-four, Up:[2720]= C =

clustergeeking /kluh'st*r-gee'king/ n.

[CMU] Spending more time at a computer cluster doing CS homework than most people spend breathing.

Node:co-lo, Next:[2721]coaster, Previous:[2722]clustergeeking, Up:[2723]= C =

co-lo /koh'loh'/ n.

[very common; first heard c.1995] Short for 'co-location', used of a machine you own that is physically sited on the premises of an ISP in order to take advantage of the ISP's direct access to lots of network bandwidth. Often in the phrases 'co-lo box' or 'co-lo machines'. Co-lo boxes are typically web and FTP servers remote-administered by their owners, who may seldom or never visit the actual site.

Node:coaster, Next:[2724]COBOL, Previous:[2725]co-lo, Up:[2726]= C =

coaster n.

1. Unuseable CD produced during failed attempt at writing to writeable or re-writeable CD media. Certainly related to the coaster-like shape of a CD, and the relative value of these failures. "I made a lot of coasters before I got a good CD." 2. Useless CDs received in the mail from the likes of AOL, MSN, CI\$, Prodigy, ad nauseam.

In the U.K., 'beer-mat' is often used in these senses.

Node:COBOL, Next:[2727]COBOL fingers, Previous:[2728]coaster,
Up:[2729]= C =

COBOL /koh'bol/ n.

[COmmon Business-Oriented Language] (Synonymous with [2730]evil.) A weak, verbose, and flabby language used by [2731]card wallopers to do boring mindless things on [2732]dinosaur mainframes. Hackers believe that all COBOL programmers are [2733]suits or [2734]code grinders, and no self-respecting hacker will ever admit to having learned the language. Its very name is seldom uttered without ritual expressions of disgust or horror. One popular one is Edsger W. Dijkstra's famous observation that "The use of COBOL cripples the mind; its teaching should, therefore, be regarded as a criminal offense." (from "Selected Writings on Computing: A Personal Perspective") See also [2735]fear and loathing, [2736]software rot.

Node:COBOL fingers, Next:[2737]cobweb site, Previous:[2738]COBOL,
Up:[2739]= C =

COBOL fingers /koh'bol fing'grz/ n.

Reported from Sweden, a (hypothetical) disease one might get from coding in COBOL. The language requires code verbose beyond all reason (see [2740]candygrammar); thus it is alleged that programming too much in COBOL causes one's fingers to wear down to stubs by the endless typing. "I refuse to type in all that source code again; it would give me COBOL fingers!"

Node:cobweb site, Next:[2741]code, Previous:[2742]COBOL fingers,
Up:[2743]= C =

cobweb site n.

A World Wide Web Site that hasn't been updated so long it has figuratively grown cobwebs.

Node:code, Next:[2744]code grinder, Previous:[2745]cobweb site,
Up:[2746]= C =

code n.

The stuff that software writers write, either in source form or after translation by a compiler or assembler. Often used in opposition to "data", which is the stuff that code operates on. This is a mass noun, as in "How much code does it take to do a [2747]bubble sort?", or "The code is loaded at the high end of RAM." Anyone referring to software as "the software codes" is probably a [2748]newbie or a [2749]suit.

Node:code grinder, Next:[2750]code monkey, Previous:[2751]code,
Up:[2752]= C =

code grinder n.

1. A [2753]suit-wearing minion of the sort hired in legion strength by banks and insurance companies to implement payroll packages in RPG and other such unspeakable horrors. In its native habitat, the code grinder often removes the suit jacket to reveal an underplumage consisting of button-down shirt (starch optional) and a tie. In times of dire stress, the sleeves (if long) may be rolled up and the tie loosened about half an inch. It seldom helps. The [2754]code grinder's milieu is about as far from hackerdom as one can get and still touch a computer; the term connotes pity. See [2755]Real World, [2756]suit. 2. Used of or to a hacker, a really serious slur on the person's creative ability; connotes a design style characterized by primitive technique, rule-boundedness, [2757]brute force, and utter lack of imagination. Compare [2758]card walloper; contrast [2759]hacker, [2760]Real Programmer.

Node:code monkey, Next:[2761]Code of the Geeks, Previous:[2762]code grinder, Up:[2763]= C =

code monkey n

1. A person only capable of grinding out code, but unable to perform the higher-primate tasks of software architecture, analysis, and design. Mildly insulting. Often applied to the most junior people on a programming team. 2. Anyone who writes code for a living; a programmer. 3. A self-deprecating way of denying responsibility for a [2764]management decision, or of complaining about having to live with such decisions. As in "Don't ask me why we need to write a compiler in+COBOL, I'm just a code monkey."

Node:Code of the Geeks, Next:[2765]code police, Previous:[2766]code monkey, Up:[2767]= C =

Code of the Geeks n.

see [2768]geek code.

Node:code police, Next:[2769]codes, Previous:[2770]Code of the Geeks, Up:[2771]= C =

code police n.

[by analogy with George Orwell's 'thought police'] A mythical team of Gestapo-like storm troopers that might burst into one's office and arrest one for violating programming style rules. May be used either

seriously, to underline a claim that a particular style violation is dangerous, or ironically, to suggest that the practice under discussion is condemned mainly by anal-retentive [2772]weenies. "Dike out that goto or the code police will get you!" The ironic usage is perhaps more common.

Node:codes, Next:[2773]codewalker, Previous:[2774]code police, Up:[2775]= C =

codes n.

[scientific computing] Programs. This usage is common in people who hack supercomputers and heavy-duty [2776]number-crunching, rare to unknown elsewhere (if you say "codes" to hackers outside scientific computing, their first association is likely to be "and cyphers").

Node:codewalker, Next:[2777]coefficient of X, Previous:[2778]codes, Up:[2779]= C =

codewalker n.

A program component that traverses other programs for a living. Compilers have codewalkers in their front ends; so do cross-reference generators and some database front ends. Other utility programs that try to do too much with source code may turn into codewalkers. As in "This new vgrind feature would require a codewalker to implement."

Node:coefficient of X, Next:[2780]cokebottle, Previous:[2781]codewalker, Up:[2782]= C =

coefficient of X n.

Hackish speech makes heavy use of pseudo-mathematical metaphors. Four particularly important ones involve the terms 'coefficient', 'factor', 'index of X', and 'quotient'. They are often loosely applied to things you cannot really be quantitative about, but there are subtle distinctions among them that convey information about the way the speaker mentally models whatever he or she is describing.

'Foo factor' and 'foo quotient' tend to describe something for which the issue is one of presence or absence. The canonical example is [2783]fudge factor. It's not important how much you're fudging; the term simply acknowledges that some fudging is needed. You might talk of liking a movie for its silliness factor. Quotient tends to imply that the property is a ratio of two opposing factors: "I would have won except for my luck quotient." This could also be "I would have won except for the luck factor", but using quotient emphasizes that it was bad luck overpowering good luck (or someone else's good luck overpowering your own).

'Foo index' and 'coefficient of foo' both tend to imply that foo is, if not strictly measurable, at least something that can be larger or smaller. Thus, you might refer to a paper or person as having a 'high bogosity index', whereas you would be less likely to speak of a 'high bogosity factor'. 'Foo index' suggests that foo is a condensation of many quantities, as in the mundane cost-of-living index; 'coefficient of foo' suggests that foo is a fundamental quantity, as in a coefficient of friction. The choice between these terms is often one of personal preference; e.g., some people might feel that bogosity is a fundamental attribute and thus say 'coefficient of bogosity', whereas others might feel it is a combination of factors and thus say 'bogosity index'.

Node:cokebottle, Next:[2784]cold boot, Previous:[2785]coefficient of X, Up:[2786]= C =

cokebottle /kohk'bot-/ n.

Any very unusual character, particularly one you can't type because it isn't on your keyboard. MIT people used to complain about the 'control-meta-cokebottle' commands at SAIL, and SAIL people complained right back about the 'escape-escape-cokebottle' commands at MIT. After the demise of the [2787]space-cadet keyboard, 'cokebottle' faded away as serious usage, but was often invoked humorously to describe an (unspecified) weird or non-intuitive keystroke command. It may be due for a second inning, however. The OSF/Motif window manager, mwm(1), has a reserved keystroke for switching to the default set of keybindings and behavior. This keystroke is (believe it or not) 'control-meta-bang' (see [2788]bang). Since the exclamation point looks a lot like an upside down Coke bottle, Motif hackers have begun referring to this keystroke as 'cokebottle'. See also [2789]quadruple bucky.

Node:cold boot, Next:[2790]COME FROM, Previous:[2791]cokebottle, Up:[2792]= C =

cold boot n.

See [2793]boot.

Node:COME FROM, Next:[2794]comm mode, Previous:[2795]cold boot, Up:[2796]= C =

COME FROM n.

A semi-mythical language construct dual to the 'go to'; COME FROM <label> would cause the referenced label to act as a sort of trapdoor, so that if the program ever reached it control would quietly and [2797]automagically be transferred to the statement following the COME FROM. COME FROM was first proposed in R. Lawrence Clark's "A

Linguistic Contribution to GOTO-less programming", which appeared in a 1973 [2798]Datamation issue (and was reprinted in the April 1984 issue of "Communications of the ACM"). This parodied the then-raging 'structured programming' [2799]holy wars (see [2800]considered harmful). Mythically, some variants are the 'assigned COME FROM' and the 'computed COME FROM' (parodying some nasty control constructs in FORTRAN and some extended BASICs). Of course, multi-tasking (or non-determinism) could be implemented by having more than one COME FROM statement coming from the same label.

In some ways the FORTRAN DO looks like a COME FROM statement. After the terminating statement number/CONTINUE is reached, control continues at the statement following the DO. Some generous FORTRANs would allow arbitrary statements (other than CONTINUE) for the statement, leading to examples like:

```
DO 10 I=1,LIMIT
```

C imagine many lines of code here, leaving the
C original DO statement lost in the spaghetti...

```
WRITE(6,10) I,FROB(I)
```

```
10 FORMAT(1X,I5,G10.4)
```

in which the trapdoor is just after the statement labeled 10. (This is particularly surprising because the label doesn't appear to have anything to do with the flow of control at all!)

While sufficiently astonishing to the unsuspecting reader, this form of COME FROM statement isn't completely general. After all, control will eventually pass to the following statement. The implementation of the general form was left to Univac FORTRAN, ca. 1975 (though a roughly similar feature existed on the IBM 7040 ten years earlier). The statement AT 100 would perform a COME FROM 100. It was intended strictly as a debugging aid, with dire consequences promised to anyone so deranged as to use it in production code. More horrible things had already been perpetrated in production languages, however; doubters need only contemplate the ALTER verb in [2801]COBOL.

COME FROM was supported under its own name for the first time 15 years later, in C-INTERCAL (see [2802]INTERCAL, [2803]retrocomputing); knowledgeable observers are still reeling from the shock.

Node:comm mode, Next:[2804]command key, Previous:[2805]COME FROM,
Up:[2806]= C =

comm mode /kom mohd/ n.

[ITS: from the feature supporting on-line chat; the term may spelled with one or two m's] Syn. for [2807]talk mode.

Node:command key, Next:[2808]comment out, Previous:[2809]comm mode,
Up:[2810]= C =

command key n.

[Mac users] Syn. [2811]feature key.

Node:comment out, Next:[2812]Commonwealth Hackish,
Previous:[2813]command key, Up:[2814]= C =

comment out vt.

To surround a section of code with comment delimiters or to prefix every line in the section with a comment marker; this prevents it from being compiled or interpreted. Often done when the code is redundant or obsolete, but is being left in the source to make the intent of the active code clearer; also when the code in that section is broken and you want to bypass it in order to debug some other part of the code. Compare [2815]condition out, usually the preferred technique in languages (such as [2816]C) that make it possible.

Node:Commonwealth Hackish, Next:[2817]compact, Previous:[2818]comment out, Up:[2819]= C =

Commonwealth Hackish n.

Hacker jargon as spoken in English outside the U.S., esp. in the British Commonwealth. It is reported that Commonwealth speakers are more likely to pronounce truncations like 'char' and 'soc', etc., as spelled (/char/, /sok/), as opposed to American /keir/ and /sohsh/. Dots in [2820]newsgroup names (especially two-component names) tend to be pronounced more often (so soc.wibble is /sok dot wib'l/ rather than /sohsh wib'l/).

Preferred [2821]metasyntactic variables include [2822]blurgle, eek, ook, frodo, and bilbo; [2823]wibble, wobble, and in emergencies wubble; flob, banana, tom, dick, harry, wombat, frog, [2824]fish, [2825]womble and so on and on (see [2826]foo, sense 4). Alternatives to verb doubling include suffixes '-o-rama', 'frenzy' (as in feeding frenzy), and 'city' (examples: "barf city!" "hack-o-rama!" "core dump frenzy!").

All the generic differences within the anglophone world inevitably show themselves in the associated hackish dialects. The Greek letters beta and zeta are usually pronounced /bee't*/ and /zee't*/; meta may also be pronounced /mee't*/. Various punctuators (and even letters - Z is called 'zed', not 'zee') are named differently: most crucially, for hackish, where Americans use 'parens', 'brackets' and 'braces' for (), [] and {}, Commonwealth English uses 'brackets', 'square brackets' and 'curly brackets', though 'parentheses' may be used for the first; the exclamation mark, '!', is called pling rather than bang and the pound sign, '#', is called hash; furthermore, the term 'the pound sign' is understood to mean the pound currency symbol (of course).

See also [2827]attoparsec, [2828]calculator, [2829]chemist, [2830]console jockey, [2831]fish, [2832]go-faster stripes, [2833]grunge, [2834]hakspek, [2835]heavy metal, [2836]leaky heap, [2837]lord high fixer, [2838]loose bytes, [2839]muddie, [2840]nadger, [2841]noddy, [2842]psychedelicware, [2843]plingnet, [2844]raster blaster, [2845]RTBM, [2846]seggie, [2847]spod, [2848]sun lounge, [2849]terminal junkie, [2850]tick-list features, [2851]weeble, [2852]weasel, [2853]YABA, and notes or definitions under [2854]Bad Thing, [2855]barf, [2856]bogus, [2857]bum, [2858]chase pointers, [2859]cosmic rays, [2860]crippleware, [2861]crunch, [2862]dodgy, [2863]gonk, [2864]hamster, [2865]hardwarily, [2866]mess-dos, [2867]nybble, [2868]proglet, [2869]root, [2870]SEX, [2871]tweak, [2872]womble, and [2873]xyzzzy.

Node:compact, Next:[2874]compiler jock, Previous:[2875]Commonwealth Hackish, Up:[2876]= C =

compact adj.

Of a design, describes the valuable property that it can all be apprehended at once in one's head. This generally means the thing created from the design can be used with greater facility and fewer errors than an equivalent tool that is not compact. Compactness does not imply triviality or lack of power; for example, C is compact and FORTRAN is not, but C is more powerful than FORTRAN. Designs become non-compact through accreting [2877]features and [2878]cruft that don't merge cleanly into the overall design scheme (thus, some fans of [2879]Classic C maintain that ANSI C is no longer compact).

Node:compiler jock, Next:[2880]compo, Previous:[2881]compact, Up:[2882]= C =

compiler jock n.

See [2883]jock (sense 2).

Node:compo, Next:[2884]compress, Previous:[2885]compiler jock, Up:[2886]= C =

compo n.

[[2887]demoscene] Finnish-originated slang for 'competition'. Demo compos are held at a [2888]demoparty. The usual protocol is that several groups make demos for a compo, they are shown on a big screen, and then the party participants vote for the best one. Prizes (from sponsors and party entrance fees) are given. Standard compo formats include [2889]intro compos (4k or 64k demos), music compos, graphics compos, quick [2890]demo compos (build a demo within 4 hours for example), etc.

Node:compress, Next:[2891]Compu\$erve, Previous:[2892]compo, Up:[2893]=
C =

compress [Unix] vt.

When used without a qualifier, generally refers to [2894]crunching of a file using a particular C implementation of compression by Joseph M. Orost et al. and widely circulated via [2895]Usenet; use of [2896]crunch itself in this sense is rare among Unix hackers.

Specifically, compress is built around the Lempel-Ziv-Welch algorithm as described in "A Technique for High Performance Data Compression", Terry A. Welch, "IEEE Computer", vol. 17, no. 6 (June 1984), pp. 8-19.

Node:Compu\$erve, Next:[2897]computer confetti,
Previous:[2898]compress, Up:[2899]= C =

Compu\$erve n.

See [2900]C!\$. Synonyms CompuSpend and Compu\$pend are also reported.

Node:computer confetti, Next:[2901]computer geek,
Previous:[2902]Compu\$erve, Up:[2903]= C =

computer confetti n.

Syn. [2904]chad. Though this term is common, this use of punched-card chad is not a good idea, as the pieces are stiff and have sharp corners that could injure the eyes. GLS reports that he once attended a wedding at MIT during which he and a few other guests enthusiastically threw chad instead of rice. The groom later grumbled that he and his bride had spent most of the evening trying to get the stuff out of their hair.

Node:computer geek, Next:[2905]computron, Previous:[2906]computer confetti, Up:[2907]= C =

computer geek n.

1. One who eats (computer) bugs for a living. One who fulfills all the dreariest negative stereotypes about hackers: an asocial, malodorous, pasty-faced monomaniac with all the personality of a cheese grater. Cannot be used by outsiders without implied insult to all hackers; compare black-on-black vs. white-on-black usage of 'nigger'. A computer geek may be either a fundamentally clueless individual or a proto-hacker in [2908]larval stage. Also called 'turbo nerd', 'turbo geek'. See also [2909]propeller head, [2910]clustergeeking, [2911]geek out, [2912]wannabee, [2913]terminal junkie, [2914]spod, [2915]weenie.
2. Some self-described computer geeks use this term in a positive sense and protest sense 1 (this seems to have been a post-1990

development). For one such argument, see [2916]<http://www.darkwater.com/omni/geek.html>. See also [2917]geek code.

Node:computron, Next:[2918]con, Previous:[2919]computer geek, Up:[2920]= C =

computron /kom'pyoo-tron'/

n. 1. [common] A notional unit of computing power combining instruction speed and storage capacity, dimensioned roughly in instructions-per-second times megabytes-of-main-store times megabytes-of-mass-storage. "That machine can't run GNU Emacs, it doesn't have enough computrons!" This usage is usually found in metaphors that treat computing power as a fungible commodity good, like a crop yield or diesel horsepower. See [2921]bitty box, [2922]Get a real computer!, [2923]toy, [2924]crank. 2. A mythical subatomic particle that bears the unit quantity of computation or information, in much the same way that an electron bears one unit of electric charge (see also [2925]bogon). An elaborate pseudo-scientific theory of computrons has been developed based on the physical fact that the molecules in a solid object move more rapidly as it is heated. It is argued that an object melts because the molecules have lost their information about where they are supposed to be (that is, they have emitted computrons). This explains why computers get so hot and require air conditioning; they use up computrons. Conversely, it should be possible to cool down an object by placing it in the path of a computron beam. It is believed that this may also explain why machines that work at the factory fail in the computer room: the computrons there have been all used up by the other hardware. (The popularity of this theory probably owes something to the "Warlock" stories by Larry Niven, the best known being "What Good is a Glass Dagger?", in which magic is fueled by an exhaustible natural resource called 'mana'.)

Node:con, Next:[2926]condition out, Previous:[2927]computron, Up:[2928]= C =

con n.

[from SF fandom] A science-fiction convention. Not used of other sorts of conventions, such as professional meetings. This term, unlike many others imported from SF-fan slang, is widely recognized even by hackers who aren't [2929]fans. "We'd been corresponding on the net for months, then we met face-to-face at a con."

Node:condition out, Next:[2930]condom, Previous:[2931]con, Up:[2932]= C =

condition out vt.

To prevent a section of code from being compiled by surrounding it with a conditional-compilation directive whose condition is always false. The [2933]canonical examples of these directives are #if 0 (or #ifdef notdef, though some find the latter [2934]bletcherous) and #endif in C. Compare [2935]comment out.

Node:condom, Next:[2936]confuser, Previous:[2937]condition out, Up:[2938]= C =

condom n.

1. The protective plastic bag that accompanies 3.5-inch microfloppy diskettes. Rarely, also used of (paper) disk envelopes. Unlike the write protect tab, the condom (when left on) not only impedes the practice of [2939]SEX but has also been shown to have a high failure rate as drive mechanisms attempt to access the disk -- and can even fatally frustrate insertion. 2. The protective cladding on a [2940]light pipe. 3. 'keyboard condom': A flexible, transparent plastic cover for a keyboard, designed to provide some protection against dust and [2941]programming fluid without impeding typing. 4. 'elephant condom': the plastic shipping bags used inside cardboard boxes to protect hardware in transit. 5. n. obs. A dummy directory /usr/tmp/sh, created to foil the [2942]Great Worm by exploiting a portability bug in one of its parts. So named in the title of a comp.risks article by Gene Spafford during the Worm crisis, and again in the text of "The Internet Worm Program: An Analysis", Purdue Technical Report CSD-TR-823.

Node:confuser, Next:[2943]connector conspiracy, Previous:[2944]condom, Up:[2945]= C =

confuser n.

Common soundalike slang for 'computer'. Usually encountered in compounds such as 'confuser room', 'personal confuser', 'confuser guru'. Usage: silly.

Node:connector conspiracy, Next:[2946]cons, Previous:[2947]confuser, Up:[2948]= C =

connector conspiracy n.

[probably came into prominence with the appearance of the KL-10 (one model of the [2949]PDP-10), none of whose connectors matched anything else] The tendency of manufacturers (or, by extension, programmers or purveyors of anything) to come up with new products that don't fit together with the old stuff, thereby making you buy either all new stuff or expensive interface devices. The KL-10 Massbus connector was actually patented by [2950]DEC, which reputedly refused to license the

design and thus effectively locked third parties out of competition for the lucrative Massbus peripherals market. This policy is a source of never-ending frustration for the diehards who maintain older PDP-10 or VAX systems. Their CPUs work fine, but they are stuck with dying, obsolescent disk and tape drives with low capacity and high power requirements.

(A closely related phenomenon, with a slightly different intent, is the habit manufacturers have of inventing new screw heads so that only Designated Persons, possessing the magic screwdrivers, can remove covers and make repairs or install options. A good 1990s example is the use of Torx screws for cable-TV set-top boxes. Older Apple Macintoshes took this one step further, requiring not only a long Torx screwdriver but a specialized case-cracking tool to open the box.)

In these latter days of open-systems computing this term has fallen somewhat into disuse, to be replaced by the observation that "Standards are great! There are so many of them to choose from!" Compare [2951]backward combatability.

Node:cons, Next:[2952]considered harmful, Previous:[2953]connector conspiracy, Up:[2954]= C =

cons /konz/ or /kons/

[from LISP] 1. vt. To add a new element to a specified list, esp. at the top. "OK, cons picking a replacement for the console TTY onto the agenda." 2. 'cons up': vt. To synthesize from smaller pieces: "to cons up an example".

In LISP itself, cons is the most fundamental operation for building structures. It takes any two objects and returns a 'dot-pair' or two-branched tree with one object hanging from each branch. Because the result of a cons is an object, it can be used to build binary trees of any shape and complexity. Hackers think of it as a sort of universal constructor, and that is where the jargon meanings spring from.

Node:considered harmful, Next:[2955]console, Previous:[2956]cons, Up:[2957]= C =

considered harmful adj.

[very common] Edsger W. Dijkstra's note in the March 1968 "Communications of the ACM", "Goto Statement Considered Harmful", fired the first salvo in the structured programming wars (text at [2958]<http://www.acm.org/classics>). Amusingly, the ACM considered the resulting acrimony sufficiently harmful that it will (by policy) no longer print an article taking so assertive a position against a coding practice. (Years afterwards, a contrary view was uttered in a CACM letter called, inevitably, "'Goto considered harmful' considered

harmful". In the ensuing decades, a large number of both serious papers and parodies have borne titles of the form "X considered Y". The structured-programming wars eventually blew over with the realization that both sides were wrong, but use of such titles has remained as a persistent minor in-joke (the 'considered silly' found at various places in this lexicon is related).

Node:console, Next:[2959]console jockey, Previous:[2960]considered harmful, Up:[2961]= C =

console n.

1. The operator's station of a [2962]mainframe. In times past, this was a privileged location that conveyed godlike powers to anyone with fingers on its keys. Under Unix and other modern timesharing OSes, such privileges are guarded by passwords instead, and the console is just the [2963]tty the system was booted from. Some of the mystique remains, however, and it is traditional for sysadmins to post urgent messages to all users from the console (on Unix, /dev/console). 2. On microcomputer Unix boxes, the main screen and keyboard (as opposed to character-only terminals talking to a serial port). Typically only the console can do real graphics or run [2964]X.

Node:console jockey, Next:[2965]content-free, Previous:[2966]console, Up:[2967]= C =

console jockey n.

See [2968]terminal junkie.

Node:content-free, Next:[2969]control-C, Previous:[2970]console jockey, Up:[2971]= C =

content-free adj.

[by analogy with techspeak 'context-free'] Used of a message that adds nothing to the recipient's knowledge. Though this adjective is sometimes applied to [2972]flamage, it more usually connotes derision for communication styles that exalt form over substance or are centered on concerns irrelevant to the subject ostensibly at hand. Perhaps most used with reference to speeches by company presidents and other professional manipulators. "Content-free? Uh... that's anything printed on glossy paper." (See also [2973]four-color glossies.) "He gave a talk on the implications of electronic networks for postmodernism and the fin-de-siecle aesthetic. It was content-free."

Node:control-C, Next:[2974]control-O, Previous:[2975]content-free, Up:[2976]= C =

control-C vi.

1. "Stop whatever you are doing." From the interrupt character used on many operating systems to abort a running program. Considered silly.
 2. interj. Among BSD Unix hackers, the canonical humorous response to "Give me a break!"
-

Node:control-O, Next:[2977]control-Q, Previous:[2978]control-C,
Up:[2979]= C =

control-O vi.

"Stop talking." From the character used on some operating systems to abort output but allow the program to keep on running. Generally means that you are not interested in hearing anything more from that person, at least on that topic; a standard response to someone who is flaming. Considered silly. Compare [2980]control-S.

Node:control-Q, Next:[2981]control-S, Previous:[2982]control-O,
Up:[2983]= C =

control-Q vi.

"Resume." From the ASCII DC1 or [2984]XON character (the pronunciation /X-on/ is therefore also used), used to undo a previous [2985]control-S.

Node:control-S, Next:[2986]Conway's Law, Previous:[2987]control-Q,
Up:[2988]= C =

control-S vi.

"Stop talking for a second." From the ASCII DC3 or XOFF character (the pronunciation /X-of/ is therefore also used). Control-S differs from [2989]control-O in that the person is asked to stop talking (perhaps because you are on the phone) but will be allowed to continue when you're ready to listen to him -- as opposed to control-O, which has more of the meaning of "Shut up." Considered silly.

Node:Conway's Law, Next:[2990]cookbook, Previous:[2991]control-S,
Up:[2992]= C =

Conway's Law prov.

The rule that the organization of the software and the organization of the software team will be congruent; commonly stated as "If you have four groups working on a compiler, you'll get a 4-pass compiler". The original statement was more general, "Organizations which design systems are constrained to produce designs which are copies of the

communication structures of these organizations." This first appeared in the April 1968 issue of [2993]Datamation. Compare [2994]SNAFU principle.

The law was named after Melvin Conway, an early proto-hacker who wrote an assembler for the Burroughs 220 called SAVE. (The name 'SAVE' didn't stand for anything; it was just that you lost fewer card decks and listings because they all had SAVE written on them.)

There is also Tom Cheatham's amendment of Conway's Law: "If a group of N persons implements a COBOL compiler, there will be N-1 passes. Someone in the group has to be the manager."

Node:cookbook, Next:[2995]cooked mode, Previous:[2996]Conway's Law, Up:[2997]= C =

cookbook n.

[from amateur electronics and radio] A book of small code segments that the reader can use to do various [2998]magic things in programs. One current example is the "[2999]PostScript Language Tutorial and Cookbook" by Adobe Systems, Inc (Addison-Wesley, ISBN 0-201-10179-3), also known as the [3000]Blue Book which has recipes for things like wrapping text around arbitrary curves and making 3D fonts. Cookbooks, slavishly followed, can lead one into [3001]voodoo programming, but are useful for hackers trying to [3002]monkey up small programs in unknown languages. This function is analogous to the role of phrasebooks in human languages.

Node:cooked mode, Next:[3003]cookie, Previous:[3004]cookbook, Up:[3005]= C =

cooked mode n.

[Unix, by opposition from [3006]raw mode] The normal character-input mode, with interrupts enabled and with erase, kill and other special-character interpretations performed directly by the tty driver. Oppose [3007]raw mode, [3008]rare mode. This term is techspeak under Unix but jargon elsewhere; other operating systems often have similar mode distinctions, and the raw/rare/cooked way of describing them has spread widely along with the C language and other Unix exports. Most generally, 'cooked mode' may refer to any mode of a system that does extensive preprocessing before presenting data to a program.

Node:cookie, Next:[3009]cookie bear, Previous:[3010]cooked mode, Up:[3011]= C =

cookie n.

A handle, transaction ID, or other token of agreement between cooperating programs. "I give him a packet, he gives me back a cookie." The claim check you get from a dry-cleaning shop is a perfect mundane example of a cookie; the only thing it's useful for is to relate a later transaction to this one (so you get the same clothes back). Compare [3012]magic cookie; see also [3013]fortune cookie. Now mainstream in the specific sense of web-browser cookies.

Node:cookie bear, Next:[3014]cookie file, Previous:[3015]cookie,
Up:[3016]= C =

cookie bear n. obs.

Original term, pre-Sesame-Street, for what is now universally called a [3017]cookie monster. A correspondent observes "In those days, hackers were actually getting their yucks from...sit down now...Andy Williams. Yes, that Andy Williams. Seems he had a rather hip (by the standards of the day) TV variety show. One of the best parts of the show was the recurring 'cookie bear' sketch. In these sketches, a guy in a bear suit tried all sorts of tricks to get a cookie out of Williams. The sketches would always end with Williams shrieking (and I don't mean figuratively), 'No cookies! Not now, not ever...NEVER!!!' And the bear would fall down. Great stuff."

Node:cookie file, Next:[3018]cookie jar, Previous:[3019]cookie bear,
Up:[3020]= C =

cookie file n.

A collection of [3021]fortune cookies in a format that facilitates retrieval by a fortune program. There are several different cookie files in public distribution, and site admins often assemble their own from various sources including this lexicon.

Node:cookie jar, Next:[3022]cookie monster, Previous:[3023]cookie file, Up:[3024]= C =

cookie jar n.

An area of memory set aside for storing [3025]cookies. Most commonly heard in the Atari ST community; many useful ST programs record their presence by storing a distinctive [3026]magic number in the jar. Programs can inquire after the presence or otherwise of other programs by searching the contents of the jar.

Node:cookie monster, Next:[3027]copious free time,
Previous:[3028]cookie jar, Up:[3029]= C =

cookie monster n.

[from the children's TV program "Sesame Street"] Any of a family of early (1970s) hacks reported on [3030]TOPS-10, [3031]ITS, [3032]Multics, and elsewhere that would lock up either the victim's terminal (on a time-sharing machine) or the [3033]console (on a batch [3034]mainframe), repeatedly demanding "I WANT A COOKIE". The required responses ranged in complexity from "COOKIE" through "HAVE A COOKIE" and upward. Folklorist Jan Brunvand (see [3035]FOAF) has described these programs as urban legends (implying they probably never existed) but they existed, all right, in several different versions. See also [3036]wabbit. Interestingly, the term 'cookie monster' appears to be a [3037]retcon; the original term was [3038]cookie bear.

Node:copious free time, Next:[3039]copper, Previous:[3040]cookie monster, Up:[3041]= C =

copious free time n.

[Apple; orig. fr. the intro to Tom Lehrer's song "It Makes A Fellow Proud To Be A Soldier"] 1. [used ironically to indicate the speaker's lack of the quantity in question] A mythical schedule slot for accomplishing tasks held to be unlikely or impossible. Sometimes used to indicate that the speaker is interested in accomplishing the task, but believes that the opportunity will not arise. "I'll implement the automatic layout stuff in my copious free time." 2. [Archly] Time reserved for bogus or otherwise idiotic tasks, such as implementation of [3042]chrome, or the stroking of [3043]suits. "I'll get back to him on that feature in my copious free time."

Node:copper, Next:[3044]copy protection, Previous:[3045]copious free time, Up:[3046]= C =

copper n.

Conventional electron-carrying network cable with a core conductor of copper -- or aluminum! Opposed to [3047]light pipe or, say, a short-range microwave link.

Node:copy protection, Next:[3048]copybroke, Previous:[3049]copper, Up:[3050]= C =

copy protection n.

A class of methods for preventing incompetent pirates from stealing software and legitimate customers from using it. Considered silly.

Node:copybroke, Next:[3051]copycenter, Previous:[3052]copy protection, Up:[3053]= C =

copybroke /kop'ee-brohk/ adj.

1. [play on 'copyright'] Used to describe an instance of a copy-protected program that has been 'broken'; that is, a copy with the copy-protection scheme disabled. Syn. [3054]copywronged. 2. Copy-protected software which is unusable because of some bit-rot or bug that has confused the anti-piracy check. See also [3055]copy protection.

Node:copycenter, Next:[3056]copyleft, Previous:[3057]copybroke, Up:[3058]= C =

copycenter n.

[play on 'copyright' and 'copyleft'] 1. The copyright notice carried by the various flavors of freeware BSD. According to Kirk McKusick at BSDCon 1999: "The way it was characterized politically, you had copyright, which is what the big companies use to lock everything up; you had copyleft, which is free software's way of making sure they can't lock it up; and then Berkeley had what we called "copycenter", which is "take it down to the copy center and make as many copies as you want".

Node:copyleft, Next:[3059]copyparty, Previous:[3060]copycenter, Up:[3061]= C =

copyleft /kop'ee-left/ n.

[play on 'copyright'] 1. The copyright notice ('General Public License') carried by [3062]GNU [3063]EMACS and other Free Software Foundation software, granting reuse and reproduction rights to all comers (but see also [3064]General Public Virus). 2. By extension, any copyright notice intended to achieve similar aims.

Node:copyparty, Next:[3065]copywronged, Previous:[3066]copyleft, Up:[3067]= C =

copyparty n.

[C64/amiga [3068]demoscene]A computer party organized so demosceners can meet other in real life, and to facilitate software copying (mostly pirated software). The copyparty has become less common as the Internet makes communication easier. The demoscene has gradually evolved the [3069]demoparty to replace it.

Node:copywronged, Next:[3070]core, Previous:[3071]copyparty, Up:[3072]= C =

copywronged /kop'ee-rongd/ adj.

[play on 'copyright'] Syn. for [3073]copybroke.

Node:core, Next:[3074]core cancer, Previous:[3075]copywronged,
Up:[3076]= C =

core n.

Main storage or RAM. Dates from the days of ferrite-core memory; now archaic as techspeak most places outside IBM, but also still used in the Unix community and by old-time hackers or those who would sound like them. Some derived idioms are quite current; 'in core', for example, means 'in memory' (as opposed to 'on disk'), and both [3077]core dump and the 'core image' or 'core file' produced by one are terms in favor. Some varieties of Commonwealth hackish prefer [3078]store.

Node:core cancer, Next:[3079]core dump, Previous:[3080]core,
Up:[3081]= C =

core cancer n.

[rare] A process that exhibits a slow but inexorable resource [3082]leak -- like a cancer, it kills by crowding out productive 'tissue'.

Node:core dump, Next:[3083]core leak, Previous:[3084]core cancer,
Up:[3085]= C =

core dump n.

[common [3086]Iron Age jargon, preserved by Unix] 1. [techspeak] A copy of the contents of [3087]core, produced when a process is aborted by certain kinds of internal error. 2. By extension, used for humans passing out, vomiting, or registering extreme shock. "He dumped core. All over the floor. What a mess." "He heard about X and dumped core." 3. Occasionally used for a human rambling on pointlessly at great length; esp. in apology: "Sorry, I dumped core on you". 4. A recapitulation of knowledge (compare [3088]bits, sense 1). Hence, spewing all one knows about a topic (syn. [3089]brain dump), esp. in a lecture or answer to an exam question. "Short, concise answers are better than core dumps" (from the instructions to an exam at Columbia). See [3090]core.

Node:core leak, Next:[3091]Core Wars, Previous:[3092]core dump,
Up:[3093]= C =

core leak n.

Syn. [3094]memory leak.

Node:Core Wars, Next:[3095]corge, Previous:[3096]core leak, Up:[3097]=
C =

Core Wars n.

A game between 'assembler' programs in a machine or machine simulator, where the objective is to kill your opponent's program by overwriting it. Popularized in the 1980s by A. K. Dewdney's column in "Scientific American" magazine, but described in "Software Practice And Experience" a decade earlier. The game was actually devised and played by Victor Vyssotsky, Robert Morris Sr., and Doug McIlroy in the early 1960s (Dennis Ritchie is sometimes incorrectly cited as a co-author, but was not involved). Their original game was called 'Darwin' and ran on a IBM 7090 at Bell Labs. See [3098]core. For information on the modern game, do a web search for the 'rec.games.corewar FAQ' or surf to the [3099]King Of The Hill site.

Node:corge, Next:[3100]cosmic rays, Previous:[3101]Core Wars,
Up:[3102]= C =

corge /korj/ n.

[originally, the name of a cat] Yet another [3103]metasyntactic variable, invented by Mike Gallaher and propagated by the [3104]GOSMACS documentation. See [3105]grault.

Node:cosmic rays, Next:[3106]cough and die, Previous:[3107]corge,
Up:[3108]= C =

cosmic rays n.

Notionally, the cause of [3109]bit rot. However, this is a semi-independent usage that may be invoked as a humorous way to [3110]handwave away any minor [3111]randomness that doesn't seem worth the bother of investigating. "Hey, Eric -- I just got a burst of garbage on my [3112]tube, where did that come from?" "Cosmic rays, I guess." Compare [3113]sunspots, [3114]phase of the moon. The British seem to prefer the usage 'cosmic showers'; 'alpha particles' is also heard, because stray alpha particles passing through a memory chip can cause single-bit errors (this becomes increasingly more likely as memory sizes and densities increase).

Factual note: Alpha particles cause bit rot, cosmic rays do not (except occasionally in spaceborne computers). Intel could not explain random bit drops in their early chips, and one hypothesis was cosmic rays. So they created the World's Largest Lead Safe, using 25 tons of the stuff, and used two identical boards for testing. One was placed in the safe, one outside. The hypothesis was that if cosmic rays were

causing the bit drops, they should see a statistically significant difference between the error rates on the two boards. They did not observe such a difference. Further investigation demonstrated conclusively that the bit drops were due to alpha particle emissions from thorium (and to a much lesser degree uranium) in the encapsulation material. Since it is impossible to eliminate these radioactives (they are uniformly distributed through the earth's crust, with the statistically insignificant exception of uranium lodes) it became obvious that one has to design memories to withstand these hits.

Node:cough and die, Next:[3115]courier, Previous:[3116]cosmic rays,
Up:[3117]= C =

cough and die v.

Syn. [3118]barf. Connotes that the program is throwing its hands up by design rather than because of a bug or oversight. "The parser saw a control-A in its input where it was looking for a printable, so it coughed and died." Compare [3119]die, [3120]die horribly, [3121]scream and die.

Node:courier, Next:[3122]cow orker, Previous:[3123]cough and die,
Up:[3124]= C =

courier

[BBS & cracker cultures] A person who distributes newly cracked [3125]warez, as opposed to a [3126]server who makes them available for download or a [3127]leech who merely downloads them. Hackers recognize this term but don't use it themselves, as the act is not part of their culture. See also [3128]warez d00dz, [3129]cracker, [3130]elite.

Node:cow orker, Next:[3131]cowboy, Previous:[3132]courier, Up:[3133]=
C =

cow orker n.

[Usenet] n. fortuitous typo for co-worker, widely used in Usenet, with perhaps a hint that orking cows is illegal. This term was popularized by Scott Adams (the creator of [3134]Dilbert) but already appears in the January 1996 version of the [3135]scary devil monastery FAQ. There are plausible reports that it was in use on talk.bizarre as early as 1992. Compare [3136]hing, [3137]grilf, [3138]filk, [3139]newsfroup.

Node:cowboy, Next:[3140]CP/M, Previous:[3141]cow orker, Up:[3142]= C =

cowboy n.

[Sun, from William Gibson's [3143]cyberpunk SF] Synonym for [3144]hacker. It is reported that at Sun this word is often said with reverence.

Node:CP/M, Next:[3145]CPU Wars, Previous:[3146]cowboy, Up:[3147]= C =

CP/M /C-P-M/ n.

[Control Program/Monitor; later [3148]retconned to Control Program for Microcomputers] An early microcomputer [3149]OS written by hacker Gary Kildall for 8080- and Z80-based machines, very popular in the late 1970s but virtually wiped out by MS-DOS after the release of the IBM PC in 1981. Legend has it that Kildall's company blew its chance to write the OS for the IBM PC because Kildall decided to spend a day IBM's reps wanted to meet with him enjoying the perfect flying weather in his private plane. Many of CP/M's features and conventions strongly resemble those of early [3150]DEC operating systems such as [3151]TOPS-10, OS/8, RSTS, and RSX-11. See [3152]MS-DOS, [3153]operating system.

Node:CPU Wars, Next:[3154]crack, Previous:[3155]CP/M, Up:[3156]= C =

CPU Wars /C-P-U worz/ n.

A 1979 large-format comic by Chas Andres chronicling the attempts of the brainwashed androids of IPM (Impossible to Program Machines) to conquer and destroy the peaceful denizens of HEC (Human Engineered Computers). This rather transparent allegory featured many references to [3157]ADVENT and the immortal line "Eat flaming death, minicomputer mongrels!" (uttered, of course, by an IPM stormtrooper). The whole shebang is now [3158]available on the Web.

It is alleged that the author subsequently received a letter of appreciation on IBM company stationery from the head of IBM's Thomas J. Watson Research Laboratories (then, as now, one of the few islands of true hackerdom in the IBM archipelago). The lower loop of the B in the IBM logo, it is said, had been carefully whited out. See [3159]eat flaming death.

Node:crack, Next:[3160]crack root, Previous:[3161]CPU Wars, Up:[3162]= C =

crack

[warez d00dz] 1. v. To break into a system (compare [3163]cracker). 2. v. Action of removing the copy protection from a commercial program. People who write cracks consider themselves challenged by the copy protection measures. They will often do it as much to show that they are smarter than the developer who designed the copy protection scheme than to actually copy the program. 3. n. A program,

instructions or patch used to remove the copy protection of a program or to uncripple features from a demo/time limited program. 4. An [3164]exploit.

Node:crack root, Next:[3165]cracker, Previous:[3166]crack, Up:[3167]=
C =

crack root v.

[very common] To defeat the security system of a Unix machine and gain [3168]root privileges thereby; see [3169]cracking.

Node:cracker, Next:[3170]cracking, Previous:[3171]crack root,
Up:[3172]= C =

cracker n.

One who breaks security on a system. Coined ca. 1985 by hackers in defense against journalistic misuse of [3173]hacker (q.v., sense 8). An earlier attempt to establish 'worm' in this sense around 1981-82 on Usenet was largely a failure.

Use of both these neologisms reflects a strong revulsion against the theft and vandalism perpetrated by cracking rings. While it is expected that any real hacker will have done some playful cracking and knows many of the basic techniques, anyone past [3174]larval stage is expected to have outgrown the desire to do so except for immediate, benign, practical reasons (for example, if it's necessary to get around some security in order to get some work done).

Thus, there is far less overlap between hackerdom and crackerdom than the [3175]mundane reader misled by sensationalistic journalism might expect. Crackers tend to gather in small, tight-knit, very secretive groups that have little overlap with the huge, open poly-culture this lexicon describes; though crackers often like to describe themselves as hackers, most true hackers consider them a separate and lower form of life.

Ethical considerations aside, hackers figure that anyone who can't imagine a more interesting way to play with their computers than breaking into someone else's has to be pretty [3176]losing. Some other reasons crackers are looked down on are discussed in the entries on [3177]cracking and [3178]phreaking. See also [3179]samurai, [3180]dark-side hacker, and [3181]hacker ethic. For a portrait of the typical teenage cracker, see [3182]warez d00dz.

Node:cracking, Next:[3183]crank, Previous:[3184]cracker, Up:[3185]=
C =

cracking n.

[very common] The act of breaking into a computer system; what a [3186]cracker does. Contrary to widespread myth, this does not usually involve some mysterious leap of hackerly brilliance, but rather persistence and the dogged repetition of a handful of fairly well-known tricks that exploit common weaknesses in the security of target systems. Accordingly, most crackers are only mediocre hackers.

Node:crank, Next:[3187]crapplet, Previous:[3188]cracking, Up:[3189]= C =

crank vt.

[from automotive slang] Verb used to describe the performance of a machine, especially sustained performance. "This box cranks (or, cranks at) about 6 megaflops, with a burst mode of twice that on vectorized operations."

Node:crapplet, Next:[3190]CrApTeX, Previous:[3191]crank, Up:[3192]= C =

crapplet n.

[portmanteau, crap + applet] A worthless applet, esp. a Java widget attached to a web page that doesn't work or even crashes your browser. Also spelled 'craplet'.

Node:CrApTeX, Next:[3193]crash, Previous:[3194]crapplet, Up:[3195]= C =

CrApTeX /krap'tekh/ n.

[University of York, England] Term of abuse used to describe TeX and LaTeX when they don't work (when used by TeXhackers), or all the time (by everyone else). The non-TeX-enthusiasts generally dislike it because it is more verbose than other formatters (e.g. [3196]troff) and because (particularly if the standard Computer Modern fonts are used) it generates vast output files. See [3197]religious issues, [3198]TeX.

Node:crash, Next:[3199]crash and burn, Previous:[3200]CrApTeX, Up:[3201]= C =

crash

1. n. A sudden, usually drastic failure. Most often said of the [3202]system (q.v., sense 1), esp. of magnetic disk drives (the term originally described what happens when the air gap of a hard disk collapses). "Three [3203]users lost their files in last night's disk

crash." A disk crash that involves the read/write heads dropping onto the surface of the disks and scraping off the oxide may also be referred to as a 'head crash', whereas the term 'system crash' usually, though not always, implies that the operating system or other software was at fault. 2. v. To fail suddenly. "Has the system just crashed?" "Something crashed the OS!" See [3204]down. Also used transitively to indicate the cause of the crash (usually a person or a program, or both). "Those idiots playing [3205]SPACEWAR crashed the system." 3. vi. Sometimes said of people hitting the sack after a long [3206]hacking run; see [3207]gronk out.

Node:crash and burn, Next:[3208]crawling horror, Previous:[3209]crash, Up:[3210]= C =

crash and burn vi.,n.

A spectacular crash, in the mode of the conclusion of the car-chase scene in the movie "Bullitt" and many subsequent imitators (compare [3211]die horribly). Sun-3 monitors losing the flyback transformer and lightning strikes on VAX-11/780 backplanes are notable crash and burn generators. The construction 'crash-and-burn machine' is reported for a computer used exclusively for alpha or [3212]beta testing, or reproducing bugs (i.e., not for development). The implication is that it wouldn't be such a disaster if that machine crashed, since only the testers would be inconvenienced.

Node:crawling horror, Next:[3213]cray, Previous:[3214]crash and burn, Up:[3215]= C =

crawling horror n.

Ancient crufty hardware or software that is kept obstinately alive by forces beyond the control of the hackers at a site. Like [3216]dusty deck or [3217]gonkulator, but connotes that the thing described is not just an irritation but an active menace to health and sanity. "Mostly we code new stuff in C, but they pay us to maintain one big FORTRAN II application from nineteen-sixty-X that's a real crawling horror...." Compare [3218]WOMBAT.

Node:cray, Next:[3219]cray instability, Previous:[3220]crawling horror, Up:[3221]= C =

cray /kray/ n.

1. (properly, capitalized) One of the line of supercomputers designed by Cray Research. 2. Any supercomputer at all. 3. The [3222]canonical [3223]number-crunching machine.

The term is actually the lowercased last name of Seymour Cray, a noted computer architect and co-founder of the company. Numerous vivid

legends surround him, some true and some admittedly invented by Cray Research brass to shape their corporate culture and image.

Node:cray instability, Next:[3224]crayola, Previous:[3225]cray,
Up:[3226]= C =

cray instability n.

1. A shortcoming of a program or algorithm that manifests itself only when a large problem is being run on a powerful machine (see [3227]cray). Generally more subtle than bugs that can be detected in smaller problems running on a workstation or mini. 2. More specifically, a shortcoming of algorithms which are well behaved when run on gentle floating point hardware (such as IEEE-standard or PDP-series machines) but which break down badly when exposed to a Cray's unique 'rounding' rules.

Node:crayola, Next:[3228]crayola books, Previous:[3229]cray instability, Up:[3230]= C =

crayola /kray-oh'l*/ n.

A super-mini or -micro computer that provides some reasonable percentage of supercomputer performance for an unreasonably low price. Might also be a [3231]killer micro.

Node:crayola books, Next:[3232]crayon, Previous:[3233]crayola,
Up:[3234]= C =

crayola books n.

The [3235]rainbow series of National Computer Security Center (NCSC) computer security standards (see [3236]Orange Book). Usage: humorous and/or disparaging.

Node:crayon, Next:[3237]creationism, Previous:[3238]crayola books,
Up:[3239]= C =

crayon n.

1. Someone who works on Cray supercomputers. More specifically, it implies a programmer, probably of the CDC ilk, probably male, and almost certainly wearing a tie (irrespective of gender). Systems types who have a Unix background tend not to be described as crayons. 2. Formerly, anyone who worked for Cray Research; since the buyout by SGI, anyone they inherited from Cray. 3. A [3240]computron (sense 2) that participates only in [3241]number-crunching. 4. A unit of computational power equal to that of a single Cray-1. There is a standard joke about this usage that derives from an old Crayola crayon

promotional gimmick: When you buy 64 crayons you get a free sharpener.

Node:creationism, Next:[3242]creep, Previous:[3243]crayon, Up:[3244]=
C =

creationism n.

The (false) belief that large, innovative software designs can be completely specified in advance and then painlessly magicked out of the void by the normal efforts of a team of normally talented programmers. In fact, experience has shown repeatedly that good designs arise only from evolutionary, exploratory interaction between one (or at most a small handful of) exceptionally able designer(s) and an active user population -- and that the first try at a big new idea is always wrong. Unfortunately, because these truths don't fit the planning models beloved of [3245]management, they are generally ignored.

Node:creep, Next:[3246]creeping elegance, Previous:[3247]creationism,
Up:[3248]= C =

creep v.

To advance, grow, or multiply inexorably. In hackish usage this verb has overtones of menace and silliness, evoking the creeping horrors of low-budget monster movies.

Node:creeping elegance, Next:[3249]creeping featurism,
Previous:[3250]creep, Up:[3251]= C =

creeping elegance n.

Describes a tendency for parts of a design to become [3252]elegant past the point of diminishing return, something which often happens at the expense of the less interesting parts of the design, the schedule, and other things deemed important in the [3253]Real World. See also [3254]creeping featurism, [3255]second-system effect, [3256]tense.

Node:creeping featurism, Next:[3257]creeping featuritis,
Previous:[3258]creeping elegance, Up:[3259]= C =

creeping featurism /kree'ping fee'chr-izm/ n.

[common] 1. Describes a systematic tendency to load more [3260]chrome and [3261]features onto systems at the expense of whatever elegance they may have possessed when originally designed. See also [3262]feeping creaturism. "You know, the main problem with [3263]BSD Unix has always been creeping featurism." 2. More generally, the tendency for anything complicated to become even more complicated

because people keep saying "Gee, it would be even better if it had this feature too". (See [3264]feature.) The result is usually a patchwork because it grew one ad-hoc step at a time, rather than being planned. Planning is a lot of work, but it's easy to add just one extra little feature to help someone ... and then another ... and another.... When creeping featurism gets out of hand, it's like a cancer. Usually this term is used to describe computer programs, but it could also be said of the federal government, the IRS 1040 form, and new cars. A similar phenomenon sometimes afflicts conscious redesigns; see [3265]second-system effect. See also [3266]creeping elegance.

Node:creeping featuritis, Next:[3267]cretin, Previous:[3268]creeping featurism, Up:[3269]= C =

creeping featuritis /kree'ping fee'-chr-i:'t*s/ n.

Variant of [3270]creeping featurism, with its own spoonerization: 'feeping creaturitis'. Some people like to reserve this form for the disease as it actually manifests in software or hardware, as opposed to the lurking general tendency in designers' minds. (After all, -ism means 'condition' or 'pursuit of', whereas -itis usually means 'inflammation of'.)

Node:cretin, Next:[3271]cretinous, Previous:[3272]creeping featuritis, Up:[3273]= C =

cretin /kret'in/ or /kree'tn/ n.

Congenital [3274]loser; an obnoxious person; someone who can't do anything right. It has been observed that many American hackers tend to favor the British pronunciation /kret'in/ over standard American /kree'tn/; it is thought this may be due to the insidious phonetic influence of Monty Python's Flying Circus.

Node:cretinous, Next:[3275]crippleware, Previous:[3276]cretin, Up:[3277]= C =

cretinous /kret'n-*s/ or /kreet'n-*s/ adj.

Wrong; stupid; non-functional; very poorly designed. Also used pejoratively of people. See [3278]dread high-bit disease for an example. Approximate synonyms: [3279]bletcherous, [3280]bagbiting [3281]losing, [3282]brain-damaged.

Node:crippleware, Next:[3283]critical mass, Previous:[3284]cretinous, Up:[3285]= C =

crippleware n.

1. [common] Software that has some important functionality deliberately removed, so as to entice potential users to pay for a working version. 2. [Cambridge] Variety of [3286]guiltware that exhorts you to donate to some charity (compare [3287]careware, [3288]nagware). 3. Hardware deliberately crippled, which can be upgraded to a more expensive model by a trivial change (e.g., cutting a jumper).

An excellent example of crippleware (sense 3) is Intel's 486SX chip, which is a standard 486DX chip with the co-processor diked out (in some early versions it was present but disabled). To upgrade, you buy a complete 486DX chip with working co-processor (its identity thinly veiled by a different pinout) and plug it into the board's expansion socket. It then disables the SX, which becomes a fancy power sink. Don't you love Intel?

Node:critical mass, Next:[3289]crlf, Previous:[3290]crippleware, Up:[3291]= C =

critical mass n.

In physics, the minimum amount of fissionable material required to sustain a chain reaction. Of a software product, describes a condition of the software such that fixing one bug introduces one plus [3292]epsilon bugs. (This malady has many causes: [3293]creeping featurism, ports to too many disparate environments, poor initial design, etc.) When software achieves critical mass, it can never be fixed; it can only be discarded and rewritten.

Node:crlf, Next:[3294]crock, Previous:[3295]critical mass, Up:[3296]= C =

crlf /ker'l*f/, sometimes /kru'l*f/ or /C-R-L-F/ n.

(often capitalized as 'CRLF') A carriage return (CR, ASCII 0001101) followed by a line feed (LF, ASCII 0001010). More loosely, whatever it takes to get you from the end of one line of text to the beginning of the next line. See [3297]newline, [3298]terpri. Under [3299]Unix influence this usage has become less common (Unix uses a bare line feed as its 'CRLF').

Node:crock, Next:[3300]cross-post, Previous:[3301]crlf, Up:[3302]= C =

crock n.

[from the American scatologism 'crock of shit'] 1. An awkward feature or programming technique that ought to be made cleaner. For example, using small integers to represent error codes without the program interpreting them to the user (as in, for example, Unix make(1), which

returns code 139 for a process that dies due to [3303]segfault). 2. A technique that works acceptably, but which is quite prone to failure if disturbed in the least. For example, a too-clever programmer might write an assembler which mapped instruction mnemonics to numeric opcodes algorithmically, a trick which depends far too intimately on the particular bit patterns of the opcodes. (For another example of programming with a dependence on actual opcode values, see [3304]The Story of Mel in Appendix A.) Many crocks have a tightly woven, almost completely unmodifiable structure. See [3305]kluge, [3306]brittle. The adjectives 'crockish' and 'crocky', and the nouns 'crockishness' and 'crockitude', are also used.

Node:cross-post, Next:[3307]crossload, Previous:[3308]crock,
Up:[3309]= C =

cross-post vi.

[Usenet; very common] To post a single article simultaneously to several newsgroups. Distinguished from posting the article repeatedly, once to each newsgroup, which causes people to see it multiple times (which is very bad form). Gratuitous cross-posting without a Followup-To line directing responses to a single followup group is frowned upon, as it tends to cause [3310]followup articles to go to inappropriate newsgroups when people respond to only one part of the original posting.

Node:crossload, Next:[3311]crudware, Previous:[3312]cross-post,
Up:[3313]= C =

crossload v.,n.

[proposed, by analogy with [3314]upload and [3315]download] To move files between machines on a peer-to-peer network of nodes that act as both servers and clients for a distributed file store. Esp. appropriate for anonymized networks like Gnutella and Freenet.

Node:crudware, Next:[3316]cruft, Previous:[3317]crossload, Up:[3318]=
C =

crudware /kruhd'weir/ n.

Pejorative term for the hundreds of megabytes of low-quality [3319]freeware circulated by user's groups and BBS systems in the micro-hobbyist world. "Yet another set of disk catalog utilities for [3320]MS-DOS? What crudware!"

Node:cruft, Next:[3321]cruft together, Previous:[3322]crudware,
Up:[3323]= C =

cruft /kruhft/

[very common; back-formation from [3324]crufty] 1. n. An unpleasant substance. The dust that gathers under your bed is cruft; the TMRC Dictionary correctly noted that attacking it with a broom only produces more. 2. n. The results of shoddy construction. 3. vt. [from 'hand cruft', pun on 'hand craft'] To write assembler code for something normally (and better) done by a compiler (see [3325]hand-hacking). 4. n. Excess; superfluous junk; used esp. of redundant or superseded code. 5. [University of Wisconsin] n. Cruft is to hackers as gaggle is to geese; that is, at UW one properly says "a cruft of hackers".

Node:cruft together, Next:[3326]craftsmanship, Previous:[3327]cruft, Up:[3328]= C =

cruft together vt.

(also 'cruft up') To throw together something ugly but temporarily workable. Like vt. [3329]kluge up, but more pejorative. "There isn't any program now to reverse all the lines of a file, but I can probably cruft one together in about 10 minutes." See [3330]hack together, [3331]hack up, [3332]kluge up, [3333]crufty.

Node:craftsmanship, Next:[3334]crufty, Previous:[3335]cruft together, Up:[3336]= C =

craftsmanship /kruhfts'm*n-ship / n.

[from [3337]cruft] The antithesis of craftsmanship.

Node:crufty, Next:[3338]crumb, Previous:[3339]craftsmanship, Up:[3340]= C =

crufty /kruh'tee/ adj.

[very common; origin unknown; poss. from 'crusty' or 'cruddy'] 1. Poorly built, possibly over-complex. The [3341]canonical example is "This is standard old crufty [3342]DEC software". In fact, one fanciful theory of the origin of 'crufty' holds that was originally a mutation of 'crusty' applied to DEC software so old that the 's' characters were tall and skinny, looking more like 'f' characters. 2. Unpleasant, especially to the touch, often with encrusted junk. Like spilled coffee smeared with peanut butter and catsup. 3. Generally unpleasant. 4. (sometimes spelled 'cruftie') n. A small crufty object (see [3343]frob); often one that doesn't fit well into the scheme of things. "A LISP property list is a good place to store crufties (or, collectively, [3344]random cruft)."

This term is one of the oldest in the jargon and no one is sure of its

etymology, but it is suggestive that there is a Cruft Hall at Harvard University which is part of the old physics building; it's said to have been the physics department's radar lab during WWII. To this day (early 1993) the windows appear to be full of random techno-junk. MIT or Lincoln Labs people may well have coined the term as a knock on the competition.

Node:crumb, Next:[3345]crunch, Previous:[3346]crufty, Up:[3347]= C =

crumb n.

Two binary digits; a [3348]quad. Larger than a [3349]bit, smaller than a [3350]nybble. Considered silly. Syn. [3351]tayste. General discussion of such terms is under [3352]nybble.

Node:crunch, Next:[3353]cryppie, Previous:[3354]crumb, Up:[3355]= C =

crunch 1. vi.

To process, usually in a time-consuming or complicated way. Connotes an essentially trivial operation that is nonetheless painful to perform. The pain may be due to the triviality's being embedded in a loop from 1 to 1,000,000,000. "FORTRAN programs do mostly [3356]number-crunching." 2. vt. To reduce the size of a file by a complicated scheme that produces bit configurations completely unrelated to the original data, such as by a Huffman code. (The file ends up looking something like a paper document would if somebody crunched the paper into a wad.) Since such compression usually takes more computations than simpler methods such as run-length encoding, the term is doubly appropriate. (This meaning is usually used in the construction 'file crunch(ing)' to distinguish it from [3357]number-crunching.) See [3358]compress. 3. n. The character #. Used at XEROX and CMU, among other places. See [3359]ASCII. 4. vt. To squeeze program source into a minimum-size representation that will still compile or execute. The term came into being specifically for a famous program on the BBC micro that crunched BASIC source in order to make it run more quickly (it was a wholly interpretive BASIC, so the number of characters mattered). [3360]Obfuscated C Contest entries are often crunched; see the first example under that entry.

Node:cryppie, Next:[3361]CTSS, Previous:[3362]crunch, Up:[3363]= C =

cryppie /krip'ee/ n.

A cryptographer. One who hacks or implements cryptographic software or hardware.

Node:CTSS, Next:[3364]cube, Previous:[3365]cryppie, Up:[3366]= C =

CTSS /C-T-S-S/ n.

Compatible Time-Sharing System. An early (1963) experiment in the design of interactive time-sharing operating systems, ancestral to [3367]Multics, [3368]Unix, and [3369]ITS. The name [3370]ITS (Incompatible Time-sharing System) was a hack on CTSS, meant both as a joke and to express some basic differences in philosophy about the way I/O services should be presented to user programs.

Node:cube, Next:[3371]cubing, Previous:[3372]CTSS, Up:[3373]= C =

cube n.

1. [short for 'cubicle'] A module in the open-plan offices used at many programming shops. "I've got the manuals in my cube." 2. A NeXT machine (which resembles a matte-black cube).

Node:cubing, Next:[3374]cup holder, Previous:[3375]cube, Up:[3376]= C =

cubing vi.

[parallel with 'tubing'] 1. Hacking on an IPSC (Intel Personal SuperComputer) hypercube. "Louella's gone cubing again!!" 2. Hacking Rubik's Cube or related puzzles, either physically or mathematically. 3. An indescribable form of self-torture (see sense 1 or 2).

Node:cup holder, Next:[3377]cursor dipped in X, Previous:[3378]cubing, Up:[3379]= C =

cup holder n.

The tray of a CD-ROM drive, or by extension the CD drive itself. So called because of a common tech support legend about the idiot who called to complain that the cup holder on his computer broke. A joke program was once distributed around the net called "cupholder.exe", which when run simply extended the CD drive tray. The humor of this was of course lost on people whose drive had a slot or a caddy instead.

Node:cursor dipped in X, Next:[3380]cuspy, Previous:[3381]cup holder, Up:[3382]= C =

cursor dipped in X n.

There are a couple of metaphors in English of the form 'pen dipped in X' (perhaps the most common values of X are 'acid', 'bile', and 'vitriol'). These map over neatly to this hackish usage (the cursor being what moves, leaving letters behind, when one is composing

on-line). "Talk about a [3383]nastygram! He must've had his cursor dipped in acid when he wrote that one!"

Node:cuspy, Next:[3384]cut a tape, Previous:[3385]cursor dipped in X,
Up:[3386]= C =

cuspy /kuhs'pee/ adj.

[WPI: from the [3387]DEC abbreviation CUSP, for 'Commonly Used System Program', i.e., a utility program used by many people] 1. (of a program) Well-written. 2. Functionally excellent. A program that performs well and interfaces well to users is cuspy. See [3388]rude. 3. [NYU] Said of an attractive woman, especially one regarded as available. Implies a certain curvaceousness.

Node:cut a tape, Next:[3389]cybercrud, Previous:[3390]cuspy,
Up:[3391]= C =

cut a tape vi.

To write a software or document distribution on magnetic tape for shipment. Has nothing to do with physically cutting the medium! Early versions of this lexicon claimed that one never analogously speaks of 'cutting a disk', but this has since been reported as live usage. Related slang usages are mainstream business's 'cut a check', the recording industry's 'cut a record', and the military's 'cut an order'.

All of these usages reflect physical processes in obsolete recording and duplication technologies. The first stage in manufacturing an old-style vinyl record involved cutting grooves in a stamping die with a precision lathe. More mundanely, the dominant technology for mass duplication of paper documents in pre-photocopying days involved "cutting a stencil", punching away portions of the wax overlay on a silk screen. More directly, paper tape with holes punched in it was an important early storage medium.

Node:cybercrud, Next:[3392]cyberpunk, Previous:[3393]cut a tape,
Up:[3394]= C =

cybercrud /si:'ber-kruh/ n.

1. [coined by Ted Nelson] Obfuscatory tech-talk. Verbiage with a high [3395]MEGO factor. The computer equivalent of bureaucratese. 2. Incomprehensible stuff embedded in email. First there were the "Received" headers that show how mail flows through systems, then MIME (Multi-purpose Internet Mail Extensions) headers and part boundaries, and now huge blocks of radix-64 for PEM (Privacy Enhanced Mail) or PGP (Pretty Good Privacy) digital signatures and certificates of authenticity. This stuff all services a purpose and good user

interfaces should hide it, but all too often users are forced to wade through it.

Node:cyberpunk, Next:[3396]cyberspace, Previous:[3397]cybercrud, Up:[3398]= C =

cyberpunk /si:'ber-puhnk/ n.,adj.

[orig. by SF writer Bruce Bethke and/or editor Gardner Dozois] A subgenre of SF launched in 1982 by William Gibson's epoch-making novel "Neuromancer" (though its roots go back through Vernor Vinge's "True Names" (see the [3399]Bibliography in Appendix C) to John Brunner's 1975 novel "The Shockwave Rider"). Gibson's near-total ignorance of computers and the present-day hacker culture enabled him to speculate about the role of computers and hackers in the future in ways hackers have since found both irritatingly naïve and tremendously stimulating. Gibson's work was widely imitated, in particular by the short-lived but innovative "Max Headroom" TV series. See [3400]cyberspace, [3401]ice, [3402]jack in, [3403]go flatline.

Since 1990 or so, popular culture has included a movement or fashion trend that calls itself 'cyberpunk', associated especially with the rave/techno subculture. Hackers have mixed feelings about this. On the one hand, self-described cyberpunks too often seem to be shallow trendoids in black leather who have substituted enthusiastic blathering about technology for actually learning and doing it. Attitude is no substitute for competence. On the other hand, at least cyberpunks are excited about the right things and properly respectful of hacking talent in those who have it. The general consensus is to tolerate them politely in hopes that they'll attract people who grow into being true hackers.

Node:cyberspace, Next:[3404]cycle, Previous:[3405]cyberpunk, Up:[3406]= C =

cyberspace /si:'br-spays/ n.

1. Notional 'information-space' loaded with visual cues and navigable with brain-computer interfaces called 'cyberspace decks'; a characteristic prop of [3407]cyberpunk SF. Serious efforts to construct [3408]virtual reality interfaces modeled explicitly on Gibsonian cyberspace are under way, using more conventional devices such as glove sensors and binocular TV headsets. Few hackers are prepared to deny outright the possibility of a cyberspace someday evolving out of the network (see [3409]the network). 2. The Internet or [3410]Matrix (sense #2) as a whole, considered as a crude cyberspace (sense 1). Although this usage became widely popular in the mainstream press during 1994 when the Internet exploded into public awareness, it is strongly deprecated among hackers because the Internet does not meet the high, SF-inspired standards they have for true cyberspace technology. Thus, this use of the term usually tags a

[3411]wannabee or outsider. Oppose [3412]meatspace. 3. Occasionally, the metaphoric location of the mind of a person in [3413]hack mode. Some hackers report experiencing strong eidetic imagery when in hack mode; interestingly, independent reports from multiple sources suggest that there are common features to the experience. In particular, the dominant colors of this subjective 'cyberspace' are often gray and silver, and the imagery often involves constellations of marching dots, elaborate shifting patterns of lines and angles, or moire patterns.

Node:cycle, Next:[3414]cycle crunch, Previous:[3415]cyberspace, Up:[3416]= C =

cycle

1. n. The basic unit of computation. What every hacker wants more of (noted hacker Bill Gosper described himself as a "cycle junkie"). One can describe an instruction as taking so many 'clock cycles'. Often the computer can access its memory once on every clock cycle, and so one speaks also of 'memory cycles'. These are technical meanings of [3417]cycle. The jargon meaning comes from the observation that there are only so many cycles per second, and when you are sharing a computer the cycles get divided up among the users. The more cycles the computer spends working on your program rather than someone else's, the faster your program will run. That's why every hacker wants more cycles: so he can spend less time waiting for the computer to respond. 2. By extension, a notional unit of human thought power, emphasizing that lots of things compete for the typical hacker's think time. "I refused to get involved with the Rubik's Cube back when it was big. Knew I'd burn too many cycles on it if I let myself." 3. vt. Syn. [3418]bounce (sense 4), [3419]120 reset; from the phrase 'cycle power'. "Cycle the machine again, that serial port's still hung."

Node:cycle crunch, Next:[3420]cycle drought, Previous:[3421]cycle, Up:[3422]= C =

cycle crunch n.,obs.

A situation wherein the number of people trying to use a computer simultaneously has reached the point where no one can get enough cycles because they are spread too thin and the system has probably begun to [3423]thrash. This scenario is an inevitable result of Parkinson's Law applied to timesharing. Usually the only solution is to buy more computer. Happily, this has rapidly become easier since the mid-1980s, so much so that the very term 'cycle crunch' now has a faintly archaic flavor; most hackers now use workstations or personal computers as opposed to traditional timesharing systems, and are far more likely to complain of 'bandwidth crunch' on their shared networks rather than cycle crunch.

Node:cycle drought, Next:[3424]cycle of reincarnation,
Previous:[3425]cycle crunch, Up:[3426]= C =

cycle drought n.

A scarcity of cycles. It may be due to a [3427]cycle crunch, but it could also occur because part of the computer is temporarily not working, leaving fewer cycles to go around. "The [3428]high moby is [3429]down, so we're running with only half the usual amount of memory. There will be a cycle drought until it's fixed."

Node:cycle of reincarnation, Next:[3430]cycle server,
Previous:[3431]cycle drought, Up:[3432]= C =

cycle of reincarnation n.

See [3433]wheel of reincarnation.

Node:cycle server, Next:[3434]cypherpunk, Previous:[3435]cycle of reincarnation, Up:[3436]= C =

cycle server n.

A powerful machine that exists primarily for running large compute-, disk-, or memory-intensive jobs (more formally called a 'compute server'). Implies that interactive tasks such as editing are done on other machines on the network, such as workstations.

Node:cypherpunk, Next:[3437]C|N>K, Previous:[3438]cycle server,
Up:[3439]= C =

cypherpunk n.

[from [3440]cyberpunk] Someone interested in the uses of encryption via electronic ciphers for enhancing personal privacy and guarding against tyranny by centralized, authoritarian power structures, especially government. There is an active cypherpunks mailing list at [3441]cypherpunks-request@toad.com coordinating work on public-key encryption freeware, privacy, and digital cash. See also [3442]tentacle.

Node:C|N>K, Next:[3443]D. C. Power Lab, Previous:[3444]cypherpunk,
Up:[3445]= C =

C|N>K n.

[Usenet] Coffee through Nose to Keyboard; that is, "I laughed so hard I [3446]snarfed my coffee onto my keyboard.". Common on alt.fan.pratchett and [3447]scary devil monastery; recognized

elsewhere. The [3448]Acronymphomania FAQ on alt.fan.pratchett recognizes variants such as T|N>K = 'Tea through Nose to Keyboard' and C|N>S = 'Coffee through Nose to Screen'.

Node:= D =, Next:[3449]= E =, Previous:[3450]= C =, Up:[3451]The Jargon Lexicon

= D =

- * [3452]D. C. Power Lab:
- * [3453]daemon:
- * [3454]daemon book:
- * [3455]dahmum:
- * [3456]dancing frog:
- * [3457]dangling pointer:
- * [3458]dark-side hacker:
- * [3459]Datamation:
- * [3460]DAU:
- * [3461]Dave the Resurrector:
- * [3462]day mode:
- * [3463]dd:
- * [3464]DDT:
- * [3465]de-rezz:
- * [3466]dead:
- * [3467]dead beef attack:
- * [3468]dead code:
- * [3469]dead link:
- * [3470]DEADBEEF:
- * [3471]deadlock:
- * [3472]deadly embrace:
- * [3473]death code:
- * [3474]Death Square:
- * [3475]Death Star:
- * [3476]DEC:
- * [3477]DEC:
- * [3478]DEC Wars:
- * [3479]decay:
- * [3480]deckle:
- * [3481]DED:
- * [3482]deep hack mode:
- * [3483]deep magic:
- * [3484]deep space:
- * [3485]defenestration:
- * [3486]defined as:
- * [3487]dehose:
- * [3488]deletia:
- * [3489]deliminator:
- * [3490]delint:
- * [3491]delta:
- * [3492]demented:
- * [3493]demigod:
- * [3494]demo:

- * [3495]demo mode:
- * [3496]demoeffect:
- * [3497]demogroup:
- * [3498]demon:
- * [3499]demon dialer:
- * [3500]demoparty:
- * [3501]demoscene:
- * [3502]dentro:
- * [3503]depeditate:
- * [3504]deprecated:
- * [3505]derf:
- * [3506]deserves to lose:
- * [3507]desk check:
- * [3508]despew:
- * [3509]Devil Book:
- * [3510]/dev/null:
- * [3511]dickless workstation:
- * [3512]dictionary flame:
- * [3513]diddle:
- * [3514]die:
- * [3515]die horribly:
- * [3516]diff:
- * [3517]digit:
- * [3518]dike:
- * [3519]Dilbert:
- * [3520]ding:
- * [3521]dink:
- * [3522]dinosaur:
- * [3523]dinosaur pen:
- * [3524]dinosaurs mating:
- * [3525]dirtball:
- * [3526]dirty power:
- * [3527]disclaimer:
- * [3528]Discordianism:
- * [3529]disk farm:
- * [3530]display hack:
- * [3531]dispress:
- * [3532]Dissociated Press:
- * [3533]distribution:
- * [3534]distro:
- * [3535]disusered:
- * [3536]do protocol:
- * [3537]doc:
- * [3538]documentation:
- * [3539]dodgy:
- * [3540]dogcow:
- * [3541]dogfood:
- * [3542]dogpile:
- * [3543]dogwash:
- * [3544]domainist:
- * [3545]Don't do that then!:
- * [3546]dongle:
- * [3547]dongle-disk:

- * [3548]donuts:
 - * [3549]doorstop:
 - * [3550]DoS attack:
 - * [3551]dot file:
 - * [3552]double bucky:
 - * [3553]doubled sig:
 - * [3554]down:
 - * [3555]download:
 - * [3556]DP:
 - * [3557]DPB:
 - * [3558]DPer:
 - * [3559]Dr. Fred Mbogo:
 - * [3560]dragon:
 - * [3561]Dragon Book:
 - * [3562]drain:
 - * [3563]dread high-bit disease:
 - * [3564]Dread Questionmark Disease:
 - * [3565]DRECNET:
 - * [3566]driver:
 - * [3567]droid:
 - * [3568]drone:
 - * [3569]drool-proof paper:
 - * [3570]drop on the floor:
 - * [3571]drop-ins:
 - * [3572]drop-outs:
 - * [3573]drugged:
 - * [3574]drum:
 - * [3575]drunk mouse syndrome:
 - * [3576]dub dub dub:
 - * [3577]Duff's device:
 - * [3578]dumb terminal:
 - * [3579]dumbass attack:
 - * [3580]dumbed down:
 - * [3581]dump:
 - * [3582]dumpster diving:
 - * [3583]dup killer:
 - * [3584]dup loop:
 - * [3585]dusty deck:
 - * [3586]DWIM:
 - * [3587]dynner:
-

Node:D. C. Power Lab, Next:[3588]daemon, Previous:[3589]C|N>K,
Up:[3590]= D =

D. C. Power Lab n.

The former site of [3591]SAIL. Hackers thought this was very funny because the obvious connection to electrical engineering was nonexistent -- the lab was named for a Donald C. Power. Compare [3592]Marginal Hacks.

Node:daemon, Next:[3593]daemon book, Previous:[3594]D. C. Power Lab, Up:[3595]= D =

daemon /day'mn/ or /dee'mn/ n.

[from the mythological meaning, later rationalized as the acronym 'Disk And Execution MONitor'] A program that is not invoked explicitly, but lies dormant waiting for some condition(s) to occur. The idea is that the perpetrator of the condition need not be aware that a daemon is lurking (though often a program will commit an action only because it knows that it will implicitly invoke a daemon). For example, under [3596]ITS writing a file on the [3597]LPT spooler's directory would invoke the spooling daemon, which would then print the file. The advantage is that programs wanting (in this example) files printed need neither compete for access to nor understand any idiosyncrasies of the [3598]LPT. They simply enter their implicit requests and let the daemon decide what to do with them. Daemons are usually spawned automatically by the system, and may either live forever or be regenerated at intervals.

Daemon and [3599]demon are often used interchangeably, but seem to have distinct connotations. The term 'daemon' was introduced to computing by [3600]CTSS people (who pronounced it /dee'mon/) and used it to refer to what ITS called a [3601]dragon; the prototype was a program called DAEMON that automatically made tape backups of the file system. Although the meaning and the pronunciation have drifted, we think this glossary reflects current (2000) usage.

Node:daemon book, Next:[3602]dahmum, Previous:[3603]daemon, Up:[3604]= D =

daemon book n.

"The Design and Implementation of the 4.3BSD UNIX Operating System", by Samuel J. Leffler, Marshall Kirk McKusick, Michael J. Karels, and John S. Quarterman (Addison-Wesley Publishers, 1989, ISBN 0-201-06196-1); or "The Design and Implementation of the 4.4 BSD Operating System" by Marshall Kirk McKusick, Keith Bostic, Michael J. Karels and John S. Quarterman (Addison-Wesley Longman, 1996, SBN 0-201-54979-4) Either of the standard reference books on the internals of [3605]BSD Unix. So called because the covers have a picture depicting a little devil (a visual play on [3606]daemon) in sneakers, holding a pitchfork (referring to one of the characteristic features of Unix, the fork(2) system call). Also known as the [3607]Devil Book.

Node:dahmum, Next:[3608]dancing frog, Previous:[3609]daemon book, Up:[3610]= D =

dahmum /dah'mum/ n.

[Usenet] The material of which protracted [3611]flame wars, especially

those about operating systems, is composed. Homeomorphic to [3612]spam. The term 'dahmum' is derived from the name of a militant [3613]OS/2 advocate, and originated when an extensively crossposted OS/2-versus-[3614]Linux debate was fed through [3615]Dissociated Press.

Node:dancing frog, Next:[3616]dangling pointer, Previous:[3617]dahmum, Up:[3618]= D =

dancing frog n.

[Vancouver area] A problem that occurs on a computer that will not reappear while anyone else is watching. From the classic Warner Brothers cartoon "One Froggy Evening", featuring a dancing and singing Michigan J. Frog that just croaks when anyone else is around (now the WB network mascot).

Node:dangling pointer, Next:[3619]dark-side hacker, Previous:[3620]dancing frog, Up:[3621]= D =

dangling pointer n.

[common] A reference that doesn't actually lead anywhere (in C and some other languages, a pointer that doesn't actually point at anything valid). Usually this happens because it formerly pointed to something that has moved or disappeared. Used as jargon in a generalization of its techspeak meaning; for example, a local phone number for a person who has since moved to the other coast is a dangling pointer. Compare [3622]dead link.

Node:dark-side hacker, Next:[3623]Datamation, Previous:[3624]dangling pointer, Up:[3625]= D =

dark-side hacker n.

A criminal or malicious hacker; a [3626]cracker. From George Lucas's Darth Vader, "seduced by the dark side of the Force". The implication that hackers form a sort of elite of technological Jedi Knights is intended. Oppose [3627]samurai.

Node:Datamation, Next:[3628]DAU, Previous:[3629]dark-side hacker, Up:[3630]= D =

Datamation /day't*-may'sh*n/ n.

A magazine that many hackers assume all [3631]suits read. Used to question an unbelieved quote, as in "Did you read that in 'Datamation?'" (But see below; this slur may be dated by the time you read this.) It used to publish something hackishly funny every once in

a while, like the original paper on [3632]COME FROM in 1973, and Ed Post's "Real Programmers Don't Use Pascal" ten years later, but for a long time after that it was much more exclusively [3633]suit-oriented and boring. Following a change of editorship in 1994, Datamation is trying for more of the technical content and irreverent humor that marked its early days.

Datamation now has a WWW page at [3634]<http://www.datamation.com> worth visiting for its selection of computer humor, including "Real Programmers Don't Use Pascal" and the 'Bastard Operator From Hell' stories by Simon Travaglia (see [3635]BOFH).

Node:DAU, Next:[3636]Dave the Resurrector, Previous:[3637]Datamation, Up:[3638]= D =

DAU /dow/ n.

[German FidoNet] German acronym for Dümmerster Anzuehmender User (stupidest imaginable user). From the engineering-slang GAU for Größter Anzuehmender Unfall, worst assumable accident, esp. of a LNG tank farm plant or something with similarly disastrous consequences. In popular German, GAU is used only to refer to worst-case nuclear accidents such as a core meltdown. See [3639]cretin, [3640]fool, [3641]loser and [3642]weasel.

Node:Dave the Resurrector, Next:[3643]day mode, Previous:[3644]DAU, Up:[3645]= D =

Dave the Resurrector n.

[Usenet; also abbreviated DtR] A [3646]cancelbot that cancels cancels. Dave the Resurrector originated when some [3647]spam-spewers decided to try to impede spam-fighting by wholesale cancellation of anti-spam coordination messages in the news.admin.net-abuse.usenet newsgroup.

Node:day mode, Next:[3648]dd, Previous:[3649]Dave the Resurrector, Up:[3650]= D =

day mode n.

See [3651]phase (sense 1). Used of people only.

Node:dd, Next:[3652]DDT, Previous:[3653]day mode, Up:[3654]= D =

dd /dee-dee/ vt.

[Unix: from IBM [3655]JCL] Equivalent to [3656]cat or [3657]BLT. Originally the name of a Unix copy command with special options suitable for block-oriented devices; it was often used in heavy-handed

system maintenance, as in "Let's dd the root partition onto a tape, then use the boot PROM to load it back on to a new disk". The Unix dd(1) was designed with a weird, distinctly non-Unixy keyword option syntax reminiscent of IBM System/360 JCL (which had an elaborate DD 'Dataset Definition' specification for I/O devices); though the command filled a need, the interface design was clearly a prank. The jargon usage is now very rare outside Unix sites and now nearly obsolete even there, as dd(1) has been [3658]deprecated for a long time (though it has no exact replacement). The term has been displaced by [3659]BLT or simple English 'copy'.

Node:DDT, Next:[3660]de-rezz, Previous:[3661]dd, Up:[3662]= D =

DDT /D-D-T/ n.

[from the insecticide para-dichloro-diphenyl-trichloroethene] 1.

Generic term for a program that assists in debugging other programs by showing individual machine instructions in a readable symbolic form and letting the user change them. In this sense the term DDT is now archaic, having been widely displaced by 'debugger' or names of individual programs like adb, sdb, dbx, or gdb. 2. [ITS] Under MIT's fabled [3663]ITS operating system, DDT (running under the alias HACTRN, a six-letterism for 'Hack Translator') was also used as the [3664]shell or top level command language used to execute other programs. 3. Any one of several specific DDTs (sense 1) supported on early [3665]DEC hardware and CP/M. The PDP-10 Reference Handbook (1969) contained a footnote on the first page of the documentation for DDT that illuminates the origin of the term:

Historical footnote: DDT was developed at MIT for the PDP-1 computer in 1961. At that time DDT stood for "DEC Debugging Tape". Since then, the idea of an on-line debugging program has propagated throughout the computer industry. DDT programs are now available for all DEC computers. Since media other than tape are now frequently used, the more descriptive name "Dynamic Debugging Technique" has been adopted, retaining the DDT abbreviation. Confusion between DDT-10 and another well known pesticide, dichloro-diphenyl-trichloroethane (C₁₄H₉Cl₅) should be minimal since each attacks a different, and apparently mutually exclusive, class of bugs.

(The 'tape' referred to was, incidentally, not magnetic but paper.) Sadly, this quotation was removed from later editions of the handbook after the [3666]suits took over and [3667]DEC became much more 'businesslike'.

The history above is known to many old-time hackers. But there's more: Peter Samson, compiler of the original [3668]TMRC lexicon, reports that he named 'DDT' after a similar tool on the TX-0 computer, the direct ancestor of the PDP-1 built at MIT's Lincoln Lab in 1957. The debugger on that ground-breaking machine (the first transistorized computer) rejoiced in the name FLIT (FLexowriter Interrogation Tape).

Node:de-rezz, Next:[3669]dead, Previous:[3670]DDT, Up:[3671]= D =

de-rezz /dee-rez'/

[from 'de-resolve' via the movie "Tron"] (also 'derez') 1. vi. To disappear or dissolve; the image that goes with it is of an object breaking up into raster lines and static and then dissolving. Occasionally used of a person who seems to have suddenly 'fuzzed out' mentally rather than physically. Usage: extremely silly, also rare. This verb was actually invented as fictional hacker jargon, and adopted in a spirit of irony by real hackers years after the fact. 2. vt. The Macintosh resource decompiler. On a Macintosh, many program structures (including the code itself) are managed in small segments of the program file known as 'resources'; 'Rez' and 'DeRez' are a pair of utilities for compiling and decompiling resource files. Thus, decompiling a resource is 'derezzing'. Usage: very common.

Node:dead, Next:[3672]dead beef attack, Previous:[3673]de-rezz, Up:[3674]= D =

dead adj.

1. Non-functional; [3675]down; [3676]crashed. Especially used of hardware. 2. At XEROX PARC, software that is working but not undergoing continued development and support. 3. Useless; inaccessible. Antonym: 'live'. Compare [3677]dead code.

Node:dead beef attack, Next:[3678]dead code, Previous:[3679]dead, Up:[3680]= D =

dead beef attack n.

[cypherpunks list, 1996] An attack on a public-key cryptosystem consisting of publishing a key having the same ID as another key (thus making it possible to spoof a user's identity if recipients aren't careful about verifying keys). In PGP and GPG the key ID is the last eight hex digits of (for RSA keys) the product of two primes. The attack was demonstrated by creating a key whose ID was 0xdeadbeef (see [3681]DEADBEEF).

Node:dead code, Next:[3682]dead link, Previous:[3683]dead beef attack, Up:[3684]= D =

dead code n.

Routines that can never be accessed because all calls to them have been removed, or code that cannot be reached because it is guarded by a control structure that provably must always transfer control

somewhere else. The presence of dead code may reveal either logical errors due to alterations in the program or significant changes in the assumptions and environment of the program (see also [3685]software rot); a good compiler should report dead code so a maintainer can think about what it means. (Sometimes it simply means that an extremely defensive programmer has inserted [3686]can't happen tests which really can't happen -- yet.) Syn. [3687]grunge. See also [3688]dead, and [3689]The Story of Mel.

Node:dead link, Next:[3690]DEADBEEF, Previous:[3691]dead code, Up:[3692]= D =

dead link n.

[very common] A World-Wide-Web URL that no longer points to the information it was written to reach. Usually this happens because the document has been moved or deleted. Lots of dead links make a WWW page frustrating and useless and are the #1 sign of poor page maintainance. Compare [3693]dangling pointer, [3694]link rot.

Node:DEADBEEF, Next:[3695]deadlock, Previous:[3696]dead link, Up:[3697]= D =

DEADBEEF /ded-beef/ n.

The hexadecimal word-fill pattern for freshly allocated memory (decimal -21524111) under a number of IBM environments, including the RS/6000. Some modern debugging tools deliberately fill freed memory with this value as a way of converting [3698]heisenbugs into [3699]Bohr bugs. As in "Your program is DEADBEEF" (meaning gone, aborted, flushed from memory); if you start from an odd half-word boundary, of course, you have BEEFDEAD. See also the anecdote under [3700]fool and [3701]dead beef attack.

Node:deadlock, Next:[3702]deadly embrace, Previous:[3703]DEADBEEF, Up:[3704]= D =

deadlock n.

1. [techspeak] A situation wherein two or more processes are unable to proceed because each is waiting for one of the others to do something. A common example is a program communicating to a server, which may find itself waiting for output from the server before sending anything more to it, while the server is similarly waiting for more input from the controlling program before outputting anything. (It is reported that this particular flavor of deadlock is sometimes called a 'starvation deadlock', though the term 'starvation' is more properly used for situations where a program can never run simply because it never gets high enough priority. Another common flavor is 'constipation', in which each process is trying to send stuff to the

other but all buffers are full because nobody is reading anything.)
See [3705]deadly embrace. 2. Also used of deadlock-like interactions between humans, as when two people meet in a narrow corridor, and each tries to be polite by moving aside to let the other pass, but they end up swaying from side to side without making any progress because they always move the same way at the same time.

Node:deadly embrace, Next:[3706]death code, Previous:[3707]deadlock, Up:[3708]= D =

deadly embrace n.

Same as [3709]deadlock, though usually used only when exactly two processes are involved. This is the more popular term in Europe, while [3710]deadlock predominates in the United States.

Node:death code, Next:[3711]Death Square, Previous:[3712]deadly embrace, Up:[3713]= D =

death code n.

A routine whose job is to set everything in the computer -- registers, memory, flags, everything -- to zero, including that portion of memory where it is running; its last act is to stomp on its own "store zero" instruction. Death code isn't very useful, but writing it is an interesting hacking challenge on architectures where the instruction set makes it possible, such as the PDP-8 (it has also been done on the DG Nova).

Perhaps the ultimate death code is on the TI 990 series, where all registers are actually in RAM, and the instruction "store immediate 0" has the opcode "0". The PC will immediately wrap around core as many times as it can until a user hits HALT. Any empty memory location is death code. Worse, the manufacturer recommended use of this instruction in startup code (which would be in ROM and therefore survive).

Node:Death Square, Next:[3714]Death Star, Previous:[3715]death code, Up:[3716]= D =

Death Square n.

The corporate logo of Novell, the people who acquired USL after AT&T let go of it (Novell eventually sold the Unix group to SCO). Coined by analogy with [3717]Death Star, because many people believed Novell was bungling the lead in Unix systems exactly as AT&T did for many years.

Node:Death Star, Next:[3718]DEC, Previous:[3719]Death Square, Up:[3720]= D =

Death Star n.

[from the movie "Star Wars"] 1. The AT&T corporate logo, which appears on computers sold by AT&T and bears an uncanny resemblance to the Death Star in the movie. This usage is particularly common among partisans of [3721]BSD Unix, who tend to regard the AT&T versions as inferior and AT&T as a bad guy. Copies still circulate of a poster printed by Mt. Xinu showing a starscape with a space fighter labeled 4.2 BSD streaking away from a broken AT&T logo wreathed in flames. 2. AT&T's internal magazine, "Focus", uses 'death star' to describe an incorrectly done AT&T logo in which the inner circle in the top left is dark instead of light -- a frequent result of dark-on-light logo images.

Node:DEC, Next:[3722]DEC Wars, Previous:[3723]Death Star, Up:[3724]= D
=

DEC /dek/ n.

1. v. Verbal (and only rarely written) shorthand for decrement, i.e. 'decrease by one'. Especially used by assembly programmers, as many assembly languages have a dec mnemonic. Antonym: [3725]inc. 2. n. Commonly used abbreviation for Digital Equipment Corporation, later deprecated by DEC itself in favor of "Digital" and now entirely obsolete following the buyout by Compaq. Before the [3726]killer micro revolution of the late 1980s, hackerdom was closely symbiotic with DEC's pioneering timesharing machines. The first of the group of cultures described by this lexicon nucleated around the PDP-1 (see [3727]TMRC). Subsequently, the PDP-6, [3728]PDP-10, [3729]PDP-20, PDP-11 and [3730]VAX were all foci of large and important hackerdoms, and DEC machines long dominated the ARPANET and Internet machine population. DEC was the technological leader of the minicomputer era (roughly 1967 to 1987), but its failure to embrace microcomputers and Unix early cost it heavily in profits and prestige after [3731]silicon got cheap. Nevertheless, the microprocessor design tradition owes a major debt to the PDP-11 instruction set, and every one of the major general-purpose microcomputer OSs so far (CP/M, MS-DOS, Unix, OS/2, Windows NT) was either genetically descended from a DEC OS, or incubated on DEC hardware, or both. Accordingly, DEC was for many years still regarded with a certain wry affection even among many hackers too young to have grown up on DEC machines.

DEC reclaimed some of its old reputation among techies in the first half of the 1990s. The success of the Alpha, an innovatively-designed and very high-performance [3732]killer micro, helped a lot. So did DEC's newfound receptiveness to Unix and open systems in general. When Compaq acquired DEC at the end of 1998 there was some concern that these gains would be lost along with the DEC nameplate, but the merged company has so far turned out to be culturally dominated by the ex-DEC side.

Node:DEC Wars, Next:[3733]decay, Previous:[3734]DEC, Up:[3735]= D =

DEC Wars n.

A 1983 [3736]Usenet posting by Alan Hastings and Steve Tarr spoofing the "Star Wars" movies in hackish terms. Some years later, ESR (disappointed by Hastings and Tarr's failure to exploit a great premise more thoroughly) posted a 3-times-longer complete rewrite called [3737]Unix WARS; the two are often confused.

Node:decay, Next:[3738]deckle, Previous:[3739]DEC Wars, Up:[3740]= D =

decay n.,vi

[from nuclear physics] An automatic conversion which is applied to most array-valued expressions in [3741]C; they 'decay into' pointer-valued expressions pointing to the array's first element. This term is borderline techspeak, but is not used in the official standard for the language.

Node:deckle, Next:[3742]DED, Previous:[3743]decay, Up:[3744]= D =

deckle /dek'l/ n.

[from dec- and [3745]nybble; the original spelling seems to have been 'decle'] Two [3746]nickles; 10 bits. Reported among developers for Mattel's GI 1600 (the Intellivision games processor), a chip with 16-bit-wide RAM but 10-bit-wide ROM. See [3747]nybble for other such terms.

Node:DED, Next:[3748]deep hack mode, Previous:[3749]deckle, Up:[3750]= D =

DED /D-E-D/ n.

Dark-Emitting Diode (that is, a burned-out LED). Compare [3751]SED, [3752]LER, [3753]write-only memory. In the early 1970s both Signetics and Texas instruments released DED spec sheets as [3754]AFJs (suggested uses included "as a power-off indicator").

Node:deep hack mode, Next:[3755]deep magic, Previous:[3756]DED, Up:[3757]= D =

deep hack mode n.

See [3758]hack mode.

Node:deep magic, Next:[3759]deep space, Previous:[3760]deep hack mode,
Up:[3761]= D =

deep magic n.

[poss. from C. S. Lewis's "Narnia" books] An awesomely arcane technique central to a program or system, esp. one neither generally published nor available to hackers at large (compare [3762]black art); one that could only have been composed by a true [3763]wizard. Compiler optimization techniques and many aspects of [3764]OS design used to be [3765]deep magic; many techniques in cryptography, signal processing, graphics, and AI still are. Compare [3766]heavy wizardry. Esp. found in comments of the form "Deep magic begins here...". Compare [3767]voodoo programming.

Node:deep space, Next:[3768]defenestration, Previous:[3769]deep magic,
Up:[3770]= D =

deep space n.

1. Describes the notional location of any program that has gone [3771]off the trolley. Esp. used of programs that just sit there silently grinding long after either failure or some output is expected. "Uh oh. I should have gotten a prompt ten seconds ago. The program's in deep space somewhere." Compare [3772]buzz, [3773]catatonic, [3774]hyperspace. 2. The metaphorical location of a human so dazed and/or confused or caught up in some esoteric form of [3775]bogosity that he or she no longer responds coherently to normal communication. Compare [3776]page out.

Node:defenestration, Next:[3777]defined as, Previous:[3778]deep space,
Up:[3779]= D =

defenestration n.

[mythically from a traditional Czech assassination method, via SF fandom] 1. Proper karmic retribution for an incorrigible punster. "Oh, ghod, that was awful!" "Quick! Defenestrate him!" 2. The act of exiting a window system in order to get better response time from a full-screen program. This comes from the dictionary meaning of 'defenestrate', which is to throw something out a window. 3. The act of discarding something under the assumption that it will improve matters. "I don't have any disk space left." "Well, why don't you defenestrate that 100 megs worth of old core dumps?" 4. Under a GUI, the act of dragging something out of a window (onto the screen). "Next, defenestrate the MugWump icon." 5. The act of completely removing Micro\$oft Windows from a PC in favor of a better OS (typically Linux).

Node:defined as, Next:[3780]dehose, Previous:[3781]defenestration,

Up:[3782]= D =

defined as adj.

In the role of, usually in an organization-chart sense. "Pete is currently defined as bug prioritizer." Compare [3783]logical.

Node:dehose, Next:[3784]deletia, Previous:[3785]defined as, Up:[3786]=
D =

dehose /dee-hohz/ vt.

To clear a [3787]hosed condition.

Node:deletia, Next:[3788]deliminator, Previous:[3789]dehose,
Up:[3790]= D =

deletia n. /d*-lee'sha/

[USENET; common] In an email reply, material omitted from the quote of the original. Usually written rather than spoken; often appears as a pseudo-tag or ellipsis in the body of the reply, as "[deletia]" or "<deletia>".

Node:deliminator, Next:[3791]delint, Previous:[3792]deletia,
Up:[3793]= D =

deliminator /de-lim'-in-ay-t*r/ n.

[portmanteau, delimiter + eliminate] A string or pattern used to delimit text into fields, but which is itself eliminated from the resulting list of fields. This jargon seems to have originated among Perl hackers in connection with the Perl split() function; however, it has been sighted in live use among Java and even Visual Basic programmers.

Node:delint, Next:[3794]delta, Previous:[3795]deliminator, Up:[3796]=
D =

delint /dee-lint/ v. obs.

To modify code to remove problems detected when [3797]linting. Confusingly, this process is also referred to as 'linting' code. This term is no longer in general use because ANSI C compilers typically issue compile-time warnings almost as detailed as lint warnings.

Node:delta, Next:[3798]demented, Previous:[3799]delint, Up:[3800]= D =

delta n.

1. [techspeak] A quantitative change, especially a small or incremental one (this use is general in physics and engineering). "I just doubled the speed of my program!" "What was the delta on program size?" "About 30 percent." (He doubled the speed of his program, but increased its size by only 30 percent.) 2. [Unix] A [3801]diff, especially a [3802]diff stored under the set of version-control tools called SCCS (Source Code Control System) or RCS (Revision Control System). 3. n. A small quantity, but not as small as [3803]epsilon. The jargon usage of [3804]delta and [3805]epsilon stems from the traditional use of these letters in mathematics for very small numerical quantities, particularly in 'epsilon-delta' proofs in limit theory (as in the differential calculus). The term [3806]delta is often used, once [3807]epsilon has been mentioned, to mean a quantity that is slightly bigger than [3808]epsilon but still very small. "The cost isn't epsilon, but it's delta" means that the cost isn't totally negligible, but it is nevertheless very small. Common constructions include 'within delta of --', 'within epsilon of --': that is, 'close to' and 'even closer to'.

Node:demented, Next:[3809]demigod, Previous:[3810]delta, Up:[3811]= D =

demented adj.

Yet another term of disgust used to describe a malfunctioning program. The connotation in this case is that the program works as designed, but the design is bad. Said, for example, of a program that generates large numbers of meaningless error messages, implying that it is on the brink of imminent collapse. Compare [3812]wonky, [3813]brain-damaged, [3814]bozotic.

Node:demigod, Next:[3815]demo, Previous:[3816]demented, Up:[3817]= D =

demigod n.

A hacker with years of experience, a world-wide reputation, and a major role in the development of at least one design, tool, or game used by or known to more than half of the hacker community. To qualify as a genuine demigod, the person must recognizably identify with the hacker community and have helped shape it. Major demigods include Ken Thompson and Dennis Ritchie (co-inventors of [3818]Unix and [3819]C), Richard M. Stallman (inventor of [3820]EMACS), Larry Wall (inventor of [3821]Perl), Linus Torvalds (inventor of [3822]Linux), and most recently James Gosling (inventor of Java, [3823]NeWS, and [3824]GOSMACS) and Guido van Rossum (inventor of [3825]Python). In their hearts of hearts, most hackers dream of someday becoming demigods themselves, and more than one major software project has been driven to completion by the author's veiled hopes of apotheosis. See also [3826]net.god, [3827>true-hacker.

Node:demo, Next:[3828]demo mode, Previous:[3829]demigod, Up:[3830]= D

=

demo /de'moh/

[short for 'demonstration'] 1. v. To demonstrate a product or prototype. A far more effective way of inducing bugs to manifest than any number of [3831]test runs, especially when important people are watching. 2. n. The act of demoing. "I've gotta give a demo of the drool-proof interface; how does it work again?" 3. n. Esp. as 'demo version', can refer either to an early, barely-functional version of a program which can be used for demonstration purposes as long as the operator uses exactly the right commands and skirts its numerous bugs, deficiencies, and unimplemented portions, or to a special version of a program (frequently with some features crippled) which is distributed at little or no cost to the user for enticement purposes. 4.

[[3832]demoscene] A sequence of [3833]demoeffects (usually) combined with self-composed music and hand-drawn ("pixelated") graphics. These days (1997) usually built to attend a [3834]compo. Often called 'eurodemos' outside Europe, as most of the [3835]demoscene activity seems to have gathered in northern Europe and especially Scandinavia. See also [3836]intro, [3837]dentro.

Node:demo mode, Next:[3838]demoeffect, Previous:[3839]demo, Up:[3840]=

D =

demo mode n.

1. [Sun] The state of being [3841]heads down in order to finish code in time for a [3842]demo, usually due yesterday. 2. A mode in which video games sit by themselves running through a portion of the game, also known as 'attract mode'. Some serious [3843]apps have a demo mode they use as a screen saver, or may go through a demo mode on startup (for example, the Microsoft Windows opening screen -- which lets you impress your neighbors without actually having to put up with [3844]Microslot Windows).

Node:demoeffect, Next:[3845]demogroup, Previous:[3846]demo mode,

Up:[3847]= D =

demoeffect n.

[[3848]demoscene] What among hackers is called a [3849]display hack. Classical effects include "plasma" (colorful mess), "keftales" ($x*x+y*y$ and other similar patterns, usually combined with color-cycling), realtime fractals, realtime 3d graphics, etc. Historically, demo effects have cheated as much as possible to gain more speed and more complexity, using low-precision math and masses of assembler code and building animation realtime are three common

tricks, but use of special hardware to fake effects is a [3850]Good Thing on the demoscene (though this is becoming less common as platforms like the Amiga fade away).

Node:demogroup, Next:[3851]demon, Previous:[3852]demoeffect, Up:[3853]= D =

demogroup n.

[[3854]demoscene] A group of [3855]demo (sense 4) composers. Job titles within a group include coders (the ones who write programs), graphicicians (the ones who painstakingly pixelate the fine art), musicians (the music composers), [3856]sysops, traders/swappers (the ones who do the trading and other PR), and organizers (in larger groups). It is not uncommon for one person to do multiple jobs, but it has been observed that good coders are rarely good composers and vice versa. [How odd. Musical talent seems common among Internet/Unix hackers --ESR]

Node:demon, Next:[3857]demon dialer, Previous:[3858]demogroup, Up:[3859]= D =

demon n.

1. [MIT] A portion of a program that is not invoked explicitly, but that lies dormant waiting for some condition(s) to occur. See [3860]daemon. The distinction is that demons are usually processes within a program, while daemons are usually programs running on an operating system. 2. [outside MIT] Often used equivalently to [3861]daemon -- especially in the [3862]Unix world, where the latter spelling and pronunciation is considered mildly archaic.

Demons in sense 1 are particularly common in AI programs. For example, a knowledge-manipulation program might implement inference rules as demons. Whenever a new piece of knowledge was added, various demons would activate (which demons depends on the particular piece of data) and would create additional pieces of knowledge by applying their respective inference rules to the original piece. These new pieces could in turn activate more demons as the inferences filtered down through chains of logic. Meanwhile, the main program could continue with whatever its primary task was.

Node:demon dialer, Next:[3863]demoparty, Previous:[3864]demon, Up:[3865]= D =

demon dialer n.

A program which repeatedly calls the same telephone number. Demon dialing may be benign (as when a number of communications programs contend for legitimate access to a [3866]BBS line) or malign (that is,

used as a prank or denial-of-service attack). This term dates from the [3867]blue box days of the 1970s and early 1980s and is now semi-obsolescent among [3868]phreakers; see [3869]war dialer for its contemporary progeny.

Node:demoparty, Next:[3870]demoscene, Previous:[3871]demon dialer, Up:[3872]= D =

demoparty n.

[[3873]demoscene] Aboveground descendant of the [3874]copyparty, with emphasis shifted away from software piracy and towards [3875]compos. Smaller demoparties, for 100 persons or less, are held quite often, sometimes even once a month, and usually last for one to two days. On the other end of the scale, huge demo parties are held once a year (and four of these have grown very large and occur annually - Assembly in Finland, The Party in Denmark, The Gathering in Norway, and NAID somewhere in north America). These parties usually last for three to five days, have room for 3000-5000 people, and have a party network with connection to the internet.

Node:demoscene, Next:[3876]dentro, Previous:[3877]demoparty, Up:[3878]= D =

demoscene /dem'oh-seen/

[also 'demo scene'] A culture of multimedia hackers located primarily in Scandinavia and northern Europe. Demoscene folklore recounts that when old-time [3879]warez d00dz cracked some piece of software they often added an advertisement of in the beginning, usually containing colorful [3880]display hacks with greetings to other cracking groups. The demoscene was born among people who decided building these display hacks is more interesting than hacking and began to build self-contained display hacks of considerable elaboration and beauty (within the culture such a hack is called a [3881]demo). The split seems to have happened at the end of the 1980s. As more of these [3882]demogroups emerged, they started to have [3883]compos at copying parties (see [3884]copyparty), which later evolved to standalone events (see [3885]demoparty). The demoscene has retained some traits from the [3886]warez d00dz, including their style of handles and group names and some of their jargon.

Traditionally demos were written in assembly language, with lots of smart tricks, self-modifying code, undocumented op-codes and the like. Some time around 1995, people started coding demos in C, and a couple of years after that, they also started using Java.

Ten years on (in 1998-1999), the demoscene is changing as its original platforms (C64, Amiga, Spectrum, Atari ST, IBM PC under DOS) die out and activity shifts towards Windows, Linux, and the Internet. While deeply underground in the past, demoscene is trying to get into the

mainstream as accepted art form, and one symptom of this is the commercialization of bigger demoparties. Older demosceneers frown at this, but the majority think it's a good direction. Many demosceneers end up working in the computer game industry. Demoscene resource pages are available at [3887]<http://www.oldschool.org/demos/explained/> and [3888]<http://www.scene.org/>.

Node:dentro, Next:[3889]depeditate, Previous:[3890]demoscene,
Up:[3891]= D =

dentro /den'troh/

[[3892]demoscene] Combination of [3893]demo (sense 4) and [3894]intro. Other name mixings include intmo, dentmo etc. and are used usually when the authors are not quite sure whether the program is a [3895]demo or an [3896]intro. Special-purpose coinages like wedtro (some member of a group got married), invtro (invitation intro) etc. have also been sighted.

Node:depeditate, Next:[3897]deprecated, Previous:[3898]dentro,
Up:[3899]= D =

depeditate /dee-ped'-tayt/ n.

[by (faulty) analogy with 'decapitate'] Humorously, to cut off the feet of. When one is using some computer-aided typesetting tools, careless placement of text blocks within a page or above a rule can result in chopped-off letter descenders. Such letters are said to have been depeditated.

Node:deprecated, Next:[3900]derf, Previous:[3901]depeditate,
Up:[3902]= D =

deprecated adj.

Said of a program or feature that is considered obsolescent and in the process of being phased out, usually in favor of a specified replacement. Deprecated features can, unfortunately, linger on for many years. This term appears with distressing frequency in standards documents when the committees writing the documents realize that large amounts of extant (and presumably happily working) code depend on the feature(s) that have passed out of favor. See also [3903]dusty deck.

[Usage note: don't confuse this word with 'depreciate', or the verb form 'deprecate' with 'depreciated'. They are different words; see any dictionary for discussion.]

Node:derf, Next:[3904]deserves to lose, Previous:[3905]deprecated,
Up:[3906]= D =

derf /derf/ v.,n.

[PLATO] The act of exploiting a terminal which someone else has absentmindedly left logged on, to use that person's account, especially to post articles intended to make an ass of the victim you're impersonating. It has been alleged that the term originated as a reversal of the name of the gentleman who most usually left himself vulnerable to it, who also happened to be the head of the department that handled PLATO at the University of Delaware.

Node:deserves to lose, Next:[3907]desk check, Previous:[3908]derf, Up:[3909]= D =

deserves to lose adj.

[common] Said of someone who willfully does the [3910]Wrong Thing; humorously, if one uses a feature known to be [3911]marginal. What is meant is that one deserves the consequences of one's [3912]losing actions. "Boy, anyone who tries to use [3913]mess-dos deserves to [3914]lose!" ([3915]ITS fans used to say the same thing of [3916]Unix; many still do.) See also [3917]screw, [3918]chomp, [3919]bagbiter.

Node:desk check, Next:[3920]despew, Previous:[3921]deserves to lose, Up:[3922]= D =

desk check n.,v.

To [3923]grovel over hardcopy of source code, mentally simulating the control flow; a method of catching bugs. No longer common practice in this age of on-screen editing, fast compiles, and sophisticated debuggers -- though some maintain stoutly that it ought to be. Compare [3924]eyeball search, [3925]vdiff, [3926]vgrep.

Node:despew, Next:[3927]Devil Book, Previous:[3928]desk check, Up:[3929]= D =

despew /d*-spyoo/ v.

[Usenet] To automatically generate a large amount of garbage to the net, esp. from an automated posting program gone wild. See [3930]ARMM.

Node:Devil Book, Next:[3931]/dev/null, Previous:[3932]despew, Up:[3933]= D =

Devil Book n.

See [3934]daemon book, the term preferred by its authors.

Node:/dev/null, Next:[3935]dickless workstation, Previous:[3936]Devil Book, Up:[3937]= D =

/dev/null /dev-nuhl/ n.

[from the Unix null device, used as a data sink] A notional 'black hole' in any information space being discussed, used, or referred to. A controversial posting, for example, might end "Kudos to rasputin@kremlin.org, flames to /dev/null". See [3938]bit bucket.

Node:dickless workstation, Next:[3939]dictionary flame, Previous:[3940]/dev/null, Up:[3941]= D =

dickless workstation n.

Extremely pejorative hackerism for 'diskless workstation', a class of botches including the Sun 3/50 and other machines designed exclusively to network with an expensive central disk server. These combine all the disadvantages of time-sharing with all the disadvantages of distributed personal computers; typically, they cannot even [3942]boot themselves without help (in the form of some kind of [3943]breath-of-life packet) from the server.

Node:dictionary flame, Next:[3944]diddle, Previous:[3945]dickless workstation, Up:[3946]= D =

dictionary flame n.

[Usenet] An attempt to sidetrack a debate away from issues by insisting on meanings for key terms that presuppose a desired conclusion or smuggle in an implicit premise. A common tactic of people who prefer argument over definitions to disputes about reality. Compare [3947]spelling flame.

Node:diddle, Next:[3948]die, Previous:[3949]dictionary flame, Up:[3950]= D =

diddle

1. vt. To work with or modify in a not particularly serious manner. "I diddled a copy of [3951]ADVENT so it didn't double-space all the time." "Let's diddle this piece of code and see if the problem goes away." See [3952]tweak and [3953]twiddle. 2. n. The action or result of diddling. See also [3954]tweak, [3955]twiddle, [3956]frob.

Node:die, Next:[3957]die horribly, Previous:[3958]diddle, Up:[3959]= D =

=

die v.

Syn. [3960]crash. Unlike [3961]crash, which is used primarily of hardware, this verb is used of both hardware and software. See also [3962]go flatline, [3963]casters-up mode.

Node:die horribly, Next:[3964]diff, Previous:[3965]die, Up:[3966]= D =

die horribly v.

The software equivalent of [3967]crash and burn, and the preferred emphatic form of [3968]die. "The converter choked on an FF in its input and died horribly".

Node:diff, Next:[3969]digit, Previous:[3970]die horribly, Up:[3971]= D =

diff /dif/ n.

1. A change listing, especially giving differences between (and additions to) source code or documents (the term is often used in the plural 'diffs'). "Send me your diffs for the Jargon File!" Compare [3972]vdiff. 2. Specifically, such a listing produced by the diff(1) command, esp. when used as specification input to the patch(1) utility (which can actually perform the modifications; see [3973]patch). This is a common method of distributing patches and source updates in the Unix/C world. 3. v. To compare (whether or not by use of automated tools on machine-readable files); see also [3974]vdiff, [3975]mod.

Node:digit, Next:[3976]dike, Previous:[3977]diff, Up:[3978]= D =

digit n.,obs.

An employee of Digital Equipment Corporation. See also [3979]VAX, [3980]VMS, [3981]PDP-10, [3982]TOPS-10, [3983]field circus.

Node:dike, Next:[3984]Dilbert, Previous:[3985]digit, Up:[3986]= D =

dike vt.

To remove or disable a portion of something, as a wire from a computer or a subroutine from a program. A standard slogan is "When in doubt, dike it out". (The implication is that it is usually more effective to attack software problems by reducing complexity than by increasing it.) The word 'dikes' is widely used among mechanics and engineers to mean 'diagonal cutters', esp. the heavy-duty metal-cutting version, but may also refer to a kind of wire-cutters used by electronics techs. To 'dike something out' means to use such cutters to remove something. Indeed, the TMRC Dictionary defined dike as "to attack with

dikes". Among hackers this term has been metaphorically extended to informational objects such as sections of code.

Node:Dilbert, Next:[3987]ding, Previous:[3988]dike, Up:[3989]= D =

Dilbert

n. Name and title character of a comic strip nationally syndicated in the U.S. and enormously popular among hackers. Dilbert is an archetypal engineer-nerd who works at an anonymous high-technology company; the strips present a lacerating satire of insane working conditions and idiotic [3990]management practices all too readily recognized by hackers. Adams, who spent nine years in [3991]cube 4S700R at Pacific Bell (not [3992]DEC as often reported), often remarks that he has never been able to come up with a fictional management blunder that his correspondents didn't quickly either report to have actually happened or top with a similar but even more bizarre incident. In 1996 Adams distilled his insights into the collective psychology of businesses into an even funnier book, "The Dilbert Principle" (HarperCollins, ISBN 0-887-30787-6). See also [3993]pointy-haired, [3994]rat dance.

Node:ding, Next:[3995]dink, Previous:[3996]Dilbert, Up:[3997]= D =

ding n.,vi.

1. Synonym for [3998]feep. Usage: rare among hackers, but more common in the [3999]Real World. 2. 'dinged': What happens when someone in authority gives you a minor bitching about something, esp. something trivial. "I was dinged for having a messy desk."

Node:dink, Next:[4000]dinosaur, Previous:[4001]ding, Up:[4002]= D =

dink /dink/ adj.

Said of a machine that has the [4003]bitty box nature; a machine too small to be worth bothering with -- sometimes the system you're currently forced to work on. First heard from an MIT hacker working on a CP/M system with 64K, in reference to any 6502 system, then from fans of 32-bit architectures about 16-bit machines. "GNUMACS will never work on that dink machine." Probably derived from mainstream 'dinky', which isn't sufficiently pejorative. See [4004]macdink.

Node:dinosaur, Next:[4005]dinosaur pen, Previous:[4006]dink, Up:[4007]= D =

dinosaur n.

1. Any hardware requiring raised flooring and special power. Used

especially of old minis and mainframes, in contrast with newer microprocessor-based machines. In a famous quote from the 1988 Unix EXPO, Bill Joy compared the liquid-cooled mainframe in the massive IBM display with a grazing dinosaur "with a truck outside pumping its bodily fluids through it". IBM was not amused. Compare [4008]big iron; see also [4009]mainframe. 2. [IBM] A very conservative user; a [4010]zipperhead.

Node:dinosaur pen, Next:[4011]dinosaurs mating,
Previous:[4012]dinosaur, Up:[4013]= D =

dinosaur pen n.

A traditional [4014]mainframe computer room complete with raised flooring, special power, its own ultra-heavy-duty air conditioning, and a side order of Halon fire extinguishers. See [4015]boa.

Node:dinosaurs mating, Next:[4016]dirtball, Previous:[4017]dinosaur pen, Up:[4018]= D =

dinosaurs mating n.

Said to occur when yet another [4019]big iron merger or buyout occurs; reflects a perception by hackers that these signal another stage in the long, slow dying of the [4020]mainframe industry. In its glory days of the 1960s, it was 'IBM and the Seven Dwarves': Burroughs, Control Data, General Electric, Honeywell, NCR, RCA, and Univac. RCA and GE sold out early, and it was 'IBM and the Bunch' (Burroughs, Univac, NCR, Control Data, and Honeywell) for a while. Honeywell was bought out by Bull; Burroughs merged with Univac to form Unisys (in 1984 -- this was when the phrase 'dinosaurs mating' was coined); and in 1991 AT&T absorbed NCR (but spat it back out a few years later). Control Data still exists but is no longer in the mainframe business. More such earth-shaking unions of doomed giants seem inevitable.

Node:dirtball, Next:[4021]dirty power, Previous:[4022]dinosaurs mating, Up:[4023]= D =

dirtball n.

[XEROX PARC] A small, perhaps struggling outsider; not in the major or even the minor leagues. For example, "Xerox is not a dirtball company".

[Outsiders often observe in the PARC culture an institutional arrogance which usage of this term exemplifies. The brilliance and scope of PARC's contributions to computer science have been such that this superior attitude is not much resented. --ESR]

Node:dirty power, Next:[4024]disclaimer, Previous:[4025]dirtball,
Up:[4026]= D =

dirty power n.

Electrical mains voltage that is unfriendly to the delicate innards of computers. Spikes, [4027]drop-outs, average voltage significantly higher or lower than nominal, or just plain noise can all cause problems of varying subtlety and severity (these are collectively known as [4028]power hits).

Node:disclaimer, Next:[4029]Discordianism, Previous:[4030]dirty power,
Up:[4031]= D =

disclaimer n.

[Usenet] Statement ritually appended to many Usenet postings (sometimes automatically, by the posting software) reiterating the fact (which should be obvious, but is easily forgotten) that the article reflects its author's opinions and not necessarily those of the organization running the machine through which the article entered the network.

Node:Discordianism, Next:[4032]disk farm, Previous:[4033]disclaimer,
Up:[4034]= D =

Discordianism /dis-kor'di-*n-ism/ n.

The veneration of [4035]Eris, a.k.a. Discordia; widely popular among hackers. Discordianism was popularized by Robert Shea and Robert Anton Wilson's novel "Illuminatus!" as a sort of self-subverting Dada-Zen for Westerners -- it should on no account be taken seriously but is far more serious than most jokes. Consider, for example, the Fifth Commandment of the Pentabarf, from "Principia Discordia": "A Discordian is Prohibited of Believing What he Reads." Discordianism is usually connected with an elaborate conspiracy theory/joke involving millennia-long warfare between the anarcho-surrealist partisans of Eris and a malevolent, authoritarian secret society called the Illuminati. See [4036]Religion in Appendix B, [4037]Church of the SubGenius, and [4038]ha ha only serious.

Node:disk farm, Next:[4039]display hack, Previous:[4040]Discordianism,
Up:[4041]= D =

disk farm n.

(also [4042]laundromat) A large room or rooms filled with disk drives (esp. [4043]washing machines).

Node:display hack, Next:[4044]dispress, Previous:[4045]disk farm,
Up:[4046]= D =

display hack n.

A program with the same approximate purpose as a kaleidoscope: to make pretty pictures. Famous display hacks include [4047]munching squares, [4048]smoking clover, the BSD Unix rain(6) program, worms(6) on miscellaneous Unixes, and the [4049]X kaleid(1) program. Display hacks can also be implemented by creating text files containing numerous escape sequences for interpretation by a video terminal; one notable example displayed, on any VT100, a Christmas tree with twinkling lights and a toy train circling its base. The [4050]hack value of a display hack is proportional to the esthetic value of the images times the cleverness of the algorithm divided by the size of the code. Syn. [4051]psychedelicware.

Node:dispress, Next:[4052]Dissociated Press, Previous:[4053]display hack, Up:[4054]= D =

dispress vt.

[contraction of 'Dissociated Press' due to eight-character MS-DOS filenames] To apply the [4055]Dissociated Press algorithm to a block of text. The resultant output is also referred to as a 'dispression'.

Node:Dissociated Press, Next:[4056]distribution,
Previous:[4057]dispress, Up:[4058]= D =

Dissociated Press n.

[play on 'Associated Press'; perhaps inspired by a reference in the 1950 Bugs Bunny cartoon "What's Up, Doc?"] An algorithm for transforming any text into potentially humorous garbage even more efficiently than by passing it through a [4059]marketroid. The algorithm starts by printing any N consecutive words (or letters) in the text. Then at every step it searches for any random occurrence in the original text of the last N words (or letters) already printed and then prints the next word or letter. [4060]EMACS has a handy command for this. Here is a short example of word-based Dissociated Press applied to an earlier version of this Jargon File:

wart: n. A small, crocky [4061]feature that sticks out of an array (C has no checks for this). This is relatively benign and easy to spot if the phrase is bent so as to be not worth paying attention to the medium in question.

Here is a short example of letter-based Dissociated Press applied to the same source:

window sysIWYG: n. A bit was named aften /bee't*/ prefer to use the

other guy's re, especially in every cast a chuckle on neithout getting into useful informash speech makes removing a featuring a move or usage actual abstractionsidered interj. Indeed spectacle logic or problem!

A hackish idle pastime is to apply letter-based Dissociated Press to a random body of text and [4062]vgrep the output in hopes of finding an interesting new word. (In the preceding example, 'window sysIWYG' and 'informash' show some promise.) Iterated applications of Dissociated Press usually yield better results. Similar techniques called 'travesty generators' have been employed with considerable satirical effect to the utterances of Usenet flammers; see [4063]pseudo.

Node:distribution, Next:[4064]distro, Previous:[4065]Dissociated Press, Up:[4066]= D =

distribution n.

1. A software source tree packaged for distribution; but see [4067]kit. Since about 1996 unqualified use of this term often implies '[4068]Linux distribution'. The short for [4069]distro is often used for this sense. 2. A vague term encompassing mailing lists and Usenet newsgroups (but not [4070]BBS [4071]fora); any topic-oriented message channel with multiple recipients. 3. An information-space domain (usually loosely correlated with geography) to which propagation of a Usenet message is restricted; a much-underutilized feature.

Node:distro, Next:[4072]disusered, Previous:[4073]distribution, Up:[4074]= D =

distro n.

Synonym for [4075]distribution, sense 1.

Node:disusered, Next:[4076]do protocol, Previous:[4077]distro, Up:[4078]= D =

disusered adj.

[Usenet] Said of a person whose account on a computer has been removed, esp. for cause rather than through normal attrition. "He got disusered when they found out he'd been cracking through the school's Internet access." The verbal form 'disuser' is live but less common. Both usages probably derive from the DISUSER account status flag on VMS; setting it disables the account. Compare [4079]star out.

Node:do protocol, Next:[4080]doc, Previous:[4081]disusered, Up:[4082]= D =

do protocol vi.

[from network protocol programming] To perform an interaction with somebody or something that follows a clearly defined procedure. For example, "Let's do protocol with the check" at a restaurant means to ask for the check, calculate the tip and everybody's share, collect money from everybody, generate change as necessary, and pay the bill. See [4083]protocol.

Node:doc, Next:[4084]documentation, Previous:[4085]do protocol, Up:[4086]= D =

doc /dɒk/ n.

Common spoken and written shorthand for 'documentation'. Often used in the plural 'docs' and in the construction 'doc file' (i.e., documentation available on-line).

Node:documentation, Next:[4087]dodgy, Previous:[4088]doc, Up:[4089]= D =

documentation n.

The multiple kilograms of macerated, pounded, steamed, bleached, and pressed trees that accompany most modern software or hardware products (see also [4090]tree-killer). Hackers seldom read paper documentation and (too) often resist writing it; they prefer theirs to be terse and on-line. A common comment on this predilection is "You can't [4091]grep dead trees". See [4092]drool-proof paper, [4093]verbiage, [4094]treeware.

Node:dodgy, Next:[4095]dogcow, Previous:[4096]documentation, Up:[4097]= D =

dodgy adj.

Syn. with [4098]flaky. Preferred outside the U.S.

Node:dogcow, Next:[4099]dogfood, Previous:[4100]dodgy, Up:[4101]= D =

dogcow /dɒg'kɔʊ/ n.

See [4102]Moof. The dogcow is a semi-legendary creature that lurks in the depths of the Macintosh Technical Notes Hypercard stack V3.1. The full story of the dogcow is told in technical note #31 (the particular dogcow illustrated is properly named 'Clarus'). Option-shift-click will cause it to emit a characteristic 'Moof!' or '!fooM' sound. Getting to tech note 31 is the hard part; to discover how to do that, one must needs examine the stack script with a hackerly eye. Clue:

[4103]rot13 is involved. A dogcow also appears if you choose 'Page Setup...' with a LaserWriter selected and click on the 'Options' button. It also lurks in other Mac printer drivers, notably those for the now-discontinued Style Writers. Sadly, Apple has removed the pages that used to describe the dogcow.

Node:dogfood, Next:[4104]dogpile, Previous:[4105]dogcow, Up:[4106]= D
=

dogfood n.

[Microsoft, Netscape] Interim software used internally for testing. "To eat one's own dogfood" (from which the slang noun derives) means to use the software one is developing, as part of one's everyday development environment (the phrase is used outside Microsoft and Netscape). The practice is normal in the Linux community and elsewhere, but the term 'dogfood' is seldom used as open-source betas tend to be quite tasty and nourishing. The idea is that developers who are using their own software will quickly learn what's missing or broken. Dogfood is typically not even of [4107]beta quality.

Node:dogpile, Next:[4108]dogwash, Previous:[4109]dogfood, Up:[4110]= D
=

dogpile v.

[Usenet: prob. fr. mainstream "puppy pile"] When many people post unfriendly responses in short order to a single posting, they are sometimes said to "dogpile" or "dogpile on" the person to whom they're responding. For example, when a religious missionary posts a simplistic appeal to alt.atheism, he can expect to be dogpiled. It has been suggested that this derives from U.S. football slang for a tackle involving three or more people; among hackers, it seems at least as likely do derive from an 'autobiographical' Bugs Bunny cartoon in which a gang of attacking canines actually yells "Dogpile on the rabbit!".

Node:dogwash, Next:[4111]domainist, Previous:[4112]dogpile, Up:[4113]= D =

dogwash /dog'wosh/

[From a quip in the 'urgency' field of a very optional software change request, ca. 1982. It was something like "Urgency: Wash your dog first".] 1. n. A project of minimal priority, undertaken as an escape from more serious work. 2. v. To engage in such a project. Many games and much [4114]freeware get written this way.

Node:domainist, Next:[4115]Don't do that then!,

Previous:[4116]dogwash, Up:[4117]= D =

domainist /doh-mayn'ist/ adj.

1. [Usenet, by pointed analogy with "sexist", "racist", etc.] Someone who judges people by the domain of their email addresses; esp. someone who dismisses anyone who posts from a public internet provider. "What do you expect from an article posted from aol.com?" 2. Said of an [4118]Internet address (as opposed to a [4119]bang path) because the part to the right of the @ specifies a nested series of 'domains'; for example, [4120]esr@snark.thysus.com specifies the machine called snark in the subdomain called thysus within the top-level domain called com. See also [4121]big-endian, sense 2.

The meaning of this term has drifted. At one time sense 2 was primary. In elder days it was also used of a site, mailer, or routing program which knew how to handle domainist addresses; or of a person (esp. a site admin) who preferred domain addressing, supported a domainist mailer, or proselytized for domainist addressing and disdained [4122]bang paths. These senses are now (1996) obsolete, as effectively all sites have converted.

Node:Don't do that then!, Next:[4123]dongle, Previous:[4124]domainist, Up:[4125]= D =

Don't do that then! imp.

[from an old doctor's office joke about a patient with a trivial complaint] Stock response to a user complaint. "When I type control-S, the whole system comes to a halt for thirty seconds." "Don't do that, then!" (or "So don't do that!"). Compare [4126]RTFM.

Here's a classic example of "Don't do that then!" from Neil Stephenson's "In The Beginning Was The Command Line". A friend of his built a network with a load of Macs and a few high-powered database servers. He found that from time to time the whole network would lock up for no apparent reason. The problem was eventually tracked down to MacOS's cooperative multitasking: when a user held down the mouse button for too long, the network stack wouldn't get a chance to run...

Node:dongle, Next:[4127]dongle-disk, Previous:[4128]Don't do that then!, Up:[4129]= D =

dongle /dong'gl/ n.

1. [now obs.] A security or [4130]copy protection device for proprietary software consisting of a serialized EPROM and some drivers in a D-25 connector shell, which must be connected to an I/O port of the computer while the program is run. Programs that use a dongle query the port at startup and at programmed intervals thereafter, and terminate if it does not respond with the dongle's programmed

validation code. Thus, users can make as many copies of the program as they want but must pay for each dongle. The idea was clever, but it was initially a failure, as users disliked tying up a serial port this way. By 1993, dongles would typically pass data through the port and monitor for [4131]magic codes (and combinations of status lines) with minimal if any interference with devices further down the line -- this innovation was necessary to allow daisy-chained dongles for multiple pieces of software. These devices have become rare as the industry has moved away from copy-protection schemes in general. 2. By extension, any physical electronic key or transferable ID required for a program to function. Common variations on this theme have used parallel or even joystick ports. See [4132]dongle-disk. 3. An adaptor cable mating a special edge-type connector on a PCMCIA or on-board Ethernet card to a standard RJ45 Ethernet jack. This usage seems to have surfaced in 1999 and is now dominant. Laptop owners curse these things because they're notoriously easy to lose and the vendors commonly charge extortionate prices for replacements.

[Note: in early 1992, advertising copy from Rainbow Technologies (a manufacturer of dongles) included a claim that the word derived from "Don Gall", allegedly the inventor of the device. The company's receptionist will cheerfully tell you that the story is a myth invented for the ad copy. Nevertheless, I expect it to haunt my life as a lexicographer for at least the next ten years. :(--ESR]

Node:dongle-disk, Next:[4133]donuts, Previous:[4134]dongle, Up:[4135]=
D =

dongle-disk /don'gl disk/ n.

A special floppy disk that is required in order to perform some task. Some contain special coding that allows an application to identify it uniquely, others are special code that does something that normally-resident programs don't or can't. (For example, AT&T's "Unix PC" would only come up in [4136]root mode with a special boot disk.) Also called a 'key disk'. See [4137]dongle.

Node:donuts, Next:[4138]doorstop, Previous:[4139]dongle-disk,
Up:[4140]= D =

donuts n. obs.

A collective noun for any set of memory bits. This usage is extremely archaic and may no longer be live jargon; it dates from the days of ferrite-[4141]core memories in which each bit was implemented by a doughnut-shaped magnetic flip-flop.

Node:doorstop, Next:[4142]DoS attack, Previous:[4143]donuts,
Up:[4144]= D =

doorstop n.

Used to describe equipment that is non-functional and halfway expected to remain so, especially obsolete equipment kept around for political reasons or ostensibly as a backup. "When we get another Wyse-50 in here, that ADM 3 will turn into a doorstop." Compare [4145]boat anchor.

Node:DoS attack, Next:[4146]dot file, Previous:[4147]doorstop, Up:[4148]= D =

DoS attack //

[Usenet,common; note that it's unrelated to 'DOS' as name of an operating system] Abbreviation for Denial-Of-Service attack. This abbreviation is most often used of attempts to shut down newsgroups with floods of [4149]spam, or to flood network links with large amounts of traffic, or to flood network links with large amounts of traffic, often by abusing network broadcast addresses Compare [4150]slashdot effect.

Node:dot file, Next:[4151]double bucky, Previous:[4152]DoS attack, Up:[4153]= D =

dot file [Unix] n.

A file that is not visible by default to normal directory-browsing tools (on Unix, files named with a leading dot are, by convention, not normally presented in directory listings). Many programs define one or more dot files in which startup or configuration information may be optionally recorded; a user can customize the program's behavior by creating the appropriate file in the current or home directory. (Therefore, dot files tend to [4154]creep -- with every nontrivial application program defining at least one, a user's home directory can be filled with scores of dot files, of course without the user's really being aware of it.) See also [4155]profile (sense 1), [4156]rc file.

Node:double bucky, Next:[4157]doubled sig, Previous:[4158]dot file, Up:[4159]= D =

double bucky adj.

Using both the CTRL and META keys. "The command to burn all LEDs is double bucky F."

This term originated on the Stanford extended-ASCII keyboard, and was later taken up by users of the [4160]space-cadet keyboard at MIT. A typical MIT comment was that the Stanford [4161]bucky bits (control and meta shifting keys) were nice, but there weren't enough of them;

you could type only 512 different characters on a Stanford keyboard. An obvious way to address this was simply to add more shifting keys, and this was eventually done; but a keyboard with that many shifting keys is hard on touch-typists, who don't like to move their hands away from the home position on the keyboard. It was half-seriously suggested that the extra shifting keys be implemented as pedals; typing on such a keyboard would be very much like playing a full pipe organ. This idea is mentioned in a parody of a very fine song by Jeffrey Moss called "Rubber Duckie", which was published in "The Sesame Street Songbook" (Simon and Schuster 1971, ISBN 0-671-21036-X). These lyrics were written on May 27, 1978, in celebration of the Stanford keyboard:

Double Bucky

Double bucky, you're the one!
You make my keyboard lots of fun.
Double bucky, an additional bit or two:
(Vo-vo-de-o!)
Control and meta, side by side,
Augmented ASCII, nine bits wide!
Double bucky! Half a thousand glyphs, plus a few!
Oh,
I sure wish that I
Had a couple of
Bits more!
Perhaps a
Set of pedals to
Make the number of
Bits four:
Double double bucky!
Double bucky, left and right
OR'd together, outta sight!
Double bucky, I'd like a whole word of
Double bucky, I'm happy I heard of
Double bucky, I'd like a whole word of you!

--- The Great Quux (with apologies to Jeffrey Moss)

[This, by the way, is an excellent example of computer [4162]filk --ESR] See also [4163]meta bit, [4164]cokebottle, and [4165]quadruple bucky.

Node:doubled sig, Next:[4166]down, Previous:[4167]double bucky,
Up:[4168]= D =

doubled sig [Usenet] n.

A [4169]sig block that has been included twice in a [4170]Usenet article or, less commonly, in an electronic mail message. An article or message with a doubled sig can be caused by improperly configured software. More often, however, it reveals the author's lack of experience in electronic communication. See [4171]B1FF, [4172]pseudo.

Node:down, Next:[4173]download, Previous:[4174]doubled sig, Up:[4175]=

D =

down

1. adj. Not operating. "The up escalator is down" is considered a humorous thing to say (unless of course you were expecting to use it), and "The elevator is down" always means "The elevator isn't working" and never refers to what floor the elevator is on. With respect to computers, this term has passed into the mainstream; the extension to other kinds of machine is still confined to techies (e.g. boiler mechanics may speak of a boiler being down). 2. 'go down' vi. To stop functioning; usually said of the [4176]system. The message from the [4177]console that every hacker hates to hear from the operator is "System going down in 5 minutes". 3. 'take down', 'bring down' vt. To deactivate purposely, usually for repair work or [4178]PM. "I'm taking the system down to work on that bug in the tape drive." Occasionally one hears the word 'down' by itself used as a verb in this vt. sense. See [4179]crash; oppose [4180]up.

Node:download, Next:[4181]DP, Previous:[4182]down, Up:[4183]= D =

download vt.

To transfer data or (esp.) code from a far-away system (especially a larger 'host' system) over a digital communications link to a nearby system (especially a smaller 'client' system. Oppose [4184]upload.

Historical use of these terms was at one time associated with transfers from large timesharing machines to PCs or peripherals (download) and vice-versa (upload). The modern usage relative to the speaker (rather than as an indicator of the size and role of the machines) evolved as machine categories lost most of their former functional importance.

Node:DP, Next:[4185]DPB, Previous:[4186]download, Up:[4187]= D =

DP /D-P/ n.

1. Data Processing. Listed here because, according to hackers, use of the term marks one immediately as a [4188]suit. See [4189]DPer. 2. Common abbrev for [4190]Dissociated Press.

Node:DPB, Next:[4191]DPer, Previous:[4192]DP, Up:[4193]= D =

DPB /d*-pib'/ vt.

[from the PDP-10 instruction set] To plop something down in the

middle. Usage: silly. "DPB yourself into that couch there." The connotation would be that the couch is full except for one slot just big enough for one last person to sit in. DPB means 'DePosit Byte', and was the name of a PDP-10 instruction that inserts some bits into the middle of some other bits. Hackish usage has been kept alive by the Common LISP function of the same name.

Node:DPer, Next:[4194]Dr. Fred Mbogo, Previous:[4195]DPB, Up:[4196]= D =

DPer /dee-pee-er/ n.

Data Processor. Hackers are absolutely amazed that [4197]suits use this term self-referentially. Computers process data, not people! See [4198]DP.

Node:Dr. Fred Mbogo, Next:[4199]dragon, Previous:[4200]DPer, Up:[4201]= D =

Dr. Fred Mbogo /*m-boh'goh, dok'tr fred/ n.

[Stanford] The archetypal man you don't want to see about a problem, esp. an incompetent professional; a shyster. "Do you know a good eye doctor?" "Sure, try Mbogo Eye Care and Professional Dry Cleaning." The name comes from synergy between [4202]bogus and the original Dr. Mbogo, a witch doctor who was Gomez Addams' physician on the old "Addams Family" TV show. Interestingly enough, it turns out that under the rules for Swahili noun classes, 'm-' is the characteristic prefix of "nouns referring to human beings". As such, "mbogo" is quite plausible as a Swahili coinage for a person having the nature of a [4203]bogon. Compare [4204]Bloggs Family and [4205]J. Random Hacker; see also [4206]Fred Fooobar and [4207]fred.

Node:dragon, Next:[4208]Dragon Book, Previous:[4209]Dr. Fred Mbogo, Up:[4210]= D =

dragon n.

[MIT] A program similar to a [4211]daemon, except that it is not invoked at all, but is instead used by the system to perform various secondary tasks. A typical example would be an accounting program, which keeps track of who is logged in, accumulates load-average statistics, etc. Under ITS, many terminals displayed a list of people logged in, where they were, what they were running, etc., along with some random picture (such as a unicorn, Snoopy, or the Enterprise), which was generated by the 'name dragon'. Usage: rare outside MIT -- under Unix and most other OSes this would be called a 'background demon' or [4212]daemon. The best-known Unix example of a dragon is cron(1). At SAIL, they called this sort of thing a 'phantom'.

Node:Dragon Book, Next:[4213]drain, Previous:[4214]dragon, Up:[4215]=
D =

Dragon Book n.

The classic text "Compilers: Principles, Techniques and Tools", by Alfred V. Aho, Ravi Sethi, and Jeffrey D. Ullman (Addison-Wesley 1986; ISBN 0-201-10088-6), so called because of the cover design featuring a dragon labeled 'complexity of compiler design' and a knight bearing the lance 'LALR parser generator' among his other trappings. This one is more specifically known as the 'Red Dragon Book' (1986); an earlier edition, sans Sethi and titled "Principles Of Compiler Design" (Alfred V. Aho and Jeffrey D. Ullman; Addison-Wesley, 1977; ISBN 0-201-00022-9), was the 'Green Dragon Book' (1977). (Also 'New Dragon Book', 'Old Dragon Book'.) The horsed knight and the Green Dragon were warily eying each other at a distance; now the knight is typing (wearing gauntlets!) at a terminal showing a video-game representation of the Red Dragon's head while the rest of the beast extends back in normal space. See also [4216]book titles.

Node:drain, Next:[4217]dread high-bit disease, Previous:[4218]Dragon Book, Up:[4219]= D =

drain v.

[IBM] Syn. for [4220]flush (sense 2). Has a connotation of finality about it; one speaks of draining a device before taking it offline.

Node:dread high-bit disease, Next:[4221]Dread Questionmark Disease, Previous:[4222]drain, Up:[4223]= D =

dread high-bit disease n.

A condition endemic to some now-obsolete computers and peripherals (including ASR-33 teletypes and PRIME minicomputers) that results in all characters having their high (0x80) bit forced on. This of course makes transporting files to other systems much more difficult, not to mention the problems these machines have talking with true 8-bit devices.

This term was originally used specifically of PRIME (a.k.a. PR1ME) minicomputers. Folklore has it that PRIME adopted the reversed-8-bit convention in order to save 25 cents per serial line per machine; PRIME old-timers, on the other hand, claim they inherited the disease from Honeywell via customer NASA's compatibility requirements and struggled heroically to cure it. Whoever was responsible, this probably qualifies as one of the most [4224]cretinous design tradeoffs ever made. See [4225]meta bit.

Node:Dread Questionmark Disease, Next:[4226]DRECNET,
Previous:[4227]dread high-bit disease, Up:[4228]= D =

Dread Questionmark Disease

n. The result of saving HTML from Microsoft Word or some other program that uses the nonstandard Microsoft variant of Latin-1; the symptom is that various of those nonstandard characters in positions 128-160 show up as questionmarks. The usual culprit is the misnamed 'smart quotes' feature in Microsoft Word. For more details (and a program called 'demoroniser' that cleans up the mess) see [4229]<http://www.fourmilab.ch/webtools/demoroniser/>.

Node:DRECNET, Next:[4230]driver, Previous:[4231]Dread Questionmark Disease, Up:[4232]= D =

DRECNET /drek'net/ n.

[from Yiddish/German 'dreck', meaning filth] Deliberate distortion of DECNET, a networking protocol used in the [4233]VMS community. So called because [4234]DEC helped write the Ethernet specification and then (either stupidly or as a malignant customer-control tactic) violated that spec in the design of DRECNET in a way that made it incompatible. See also [4235]connector conspiracy.

Node:driver, Next:[4236]droid, Previous:[4237]DRECNET, Up:[4238]= D =

driver n.

1. The [4239]main loop of an event-processing program; the code that gets commands and dispatches them for execution. 2. [techspeak] In 'device driver', code designed to handle a particular peripheral device such as a magnetic disk or tape unit. 3. In the TeX world and the computerized typesetting world in general, a program that translates some device-independent or other common format to something a real device can actually understand.

Node:droid, Next:[4240]drone, Previous:[4241]driver, Up:[4242]= D =

droid n.

[from 'android', SF terminology for a humanoid robot of essentially biological (as opposed to mechanical/electronic) construction] A person (esp. a low-level bureaucrat or service-business employee) exhibiting most of the following characteristics: (a) naive trust in the wisdom of the parent organization or 'the system'; (b) a blind-faith propensity to believe obvious nonsense emitted by authority figures (or computers!); (c) a rule-governed mentality, one unwilling or unable to look beyond the 'letter of the law' in exceptional situations; (d) a paralyzing fear of official reprimand or

worse if Procedures are not followed No Matter What; and (e) no interest in doing anything above or beyond the call of a very narrowly-interpreted duty, or in particular in fixing that which is broken; an "It's not my job, man" attitude.

Typical droid positions include supermarket checkout assistant and bank clerk; the syndrome is also endemic in low-level government employees. The implication is that the rules and official procedures constitute software that the droid is executing; problems arise when the software has not been properly debugged. The term 'droid mentality' is also used to describe the mindset behind this behavior. Compare [4243]suit, [4244]marketroid; see [4245]-oid.

In England there is equivalent mainstream slang; a 'jobsworth' is an obstructive, rule-following bureaucrat, often of the uniformed or suited variety. Named for the habit of denying a reasonable request by sucking his teeth and saying "Oh no, guv, sorry I can't help you: that's more than my job's worth".

Node:drone, Next:[4246]drool-proof paper, Previous:[4247]droid, Up:[4248]= D =

drone n.

Ignorant sales or customer service personnel in computer or electronics superstores. Characterized by a lack of even superficial knowledge about the products they sell, yet possessed of the conviction that they are more competent than their hacker customers. Usage: "That video board probably sucks, it was recommended by a drone at Fry's" In the year 2000, their natural habitats include Fry's Electronics, Best Buy, and CompUSA.

Node:drool-proof paper, Next:[4249]drop on the floor, Previous:[4250]drone, Up:[4251]= D =

drool-proof paper n.

Documentation that has been obsessively [4252]dumbed down, to the point where only a [4253]cretin could bear to read it, is said to have succumbed to the 'drool-proof paper syndrome' or to have been 'written on drool-proof paper'. For example, this is an actual quote from Apple's LaserWriter manual: "Do not expose your LaserWriter to open fire or flame." The SGI Indy manual is said to include the line "Do not dangle the mouse by the cord or throw it at coworkers.", but this sounds like parody.

Node:drop on the floor, Next:[4254]drop-ins, Previous:[4255]drool-proof paper, Up:[4256]= D =

drop on the floor vt.

To react to an error condition by silently discarding messages or other valuable data. "The gateway ran out of memory, so it just started dropping packets on the floor." Also frequently used of faulty mail and netnews relay sites that lose messages. See also [4257]black hole, [4258]bit bucket.

Node:drop-ins, Next:[4259]drop-outs, Previous:[4260]drop on the floor, Up:[4261]= D =

drop-ins n.

[prob. by analogy with [4262]drop-outs] Spurious characters appearing on a terminal or console as a result of line noise or a system malfunction of some sort. Esp. used when these are interspersed with one's own typed input. Compare [4263]drop-outs, sense 2.

Node:drop-outs, Next:[4264]drugged, Previous:[4265]drop-ins, Up:[4266]= D =

drop-outs n.

1. A variety of 'power glitch' (see [4267]glitch); momentary 0 voltage on the electrical mains. 2. Missing characters in typed input due to software malfunction or system saturation (one cause of such behavior under Unix when a bad connection to a modem swamps the processor with spurious character interrupts; see [4268]screaming tty). 3. Mental glitches; used as a way of describing those occasions when the mind just seems to shut down for a couple of beats. See [4269]glitch, [4270]fried.

Node:drugged, Next:[4271]drum, Previous:[4272]drop-outs, Up:[4273]= D =

drugged adj.

(also 'on drugs') 1. Conspicuously stupid, heading toward [4274]brain-damaged. Often accompanied by a pantomime of toking a joint. 2. Of hardware, very slow relative to normal performance.

Node:drum, Next:[4275]drunk mouse syndrome, Previous:[4276]drugged, Up:[4277]= D =

drum adj, n.

Ancient techspeak term referring to slow, cylindrical magnetic media that were once state-of-the-art storage devices. Under BSD Unix the disk partition used for swapping is still called /dev/drum; this has led to considerable humor and not a few straight-faced but utterly

bogus 'explanations' getting foisted on [4278]newbies. See also "[4279]The Story of Mel" in Appendix A.

Node:drunk mouse syndrome, Next:[4280]dub dub dub,
Previous:[4281]drum, Up:[4282]= D =

drunk mouse syndrome n.

(also 'mouse on drugs') A malady exhibited by the mouse pointing device of some computers. The typical symptom is for the mouse cursor on the screen to move in random directions and not in sync with the motion of the actual mouse. Can usually be corrected by unplugging the mouse and plugging it back again. Another recommended fix for optical mice is to rotate your mouse pad 90 degrees.

At Xerox PARC in the 1970s, most people kept a can of copier cleaner (isopropyl alcohol) at their desks. When the steel ball on the mouse had picked up enough [4283]cruft to be unreliable, the mouse was doused in cleaner, which restored it for a while. However, this operation left a fine residue that accelerated the accumulation of cruft, so the dousings became more and more frequent. Finally, the mouse was declared 'alcoholic' and sent to the clinic to be dried out in a CFC ultrasonic bath.

Node:dub dub dub, Next:[4284]Duff's device, Previous:[4285]drunk mouse syndrome, Up:[4286]= D =

dub dub dub

[common] Spoken-only shorthand for the "www" (double-u double-u double-u) in many web host names. Nothing to do with the style of reggae music called 'dub'.

Node:Duff's device, Next:[4287]dumb terminal, Previous:[4288]dub dub dub, Up:[4289]= D =

Duff's device n.

The most dramatic use yet seen of [4290]fall through in C, invented by Tom Duff when he was at Lucasfilm. Trying to [4291]bum all the instructions he could out of an inner loop that copied data serially onto an output port, he decided to unroll it. He then realized that the unrolled version could be implemented by interlacing the structures of a switch and a loop:

```
register n = (count + 7) / 8; /* count > 0 assumed */
```

```
switch (count % 8)
{
case 0:    do { *to = *from++;
case 7:    *to = *from++;
```

```

case 6:      *to = *from++;
case 5:      *to = *from++;
case 4:      *to = *from++;
case 3:      *to = *from++;
case 2:      *to = *from++;
case 1:      *to = *from++;
            } while (--n > 0);
}

```

Shocking though it appears to all who encounter it for the first time, the device is actually perfectly valid, legal C. C's default [4292]fall through in case statements has long been its most controversial single feature; Duff observed that "This code forms some sort of argument in that debate, but I'm not sure whether it's for or against." Duff has discussed the device in detail at [4293]<http://www.lysator.liu.se/c/duffs-device.html>. Note that the omission of postfix ++ from *to was intentional (though confusing). Duff's device can be used to implement memory copy, but the original aim was to copy values serially into a magic IO register.

[For maximal obscurity, the outermost pair of braces above could actually be removed -- GLS]

Node:dumb terminal, Next:[4294]dumbass attack, Previous:[4295]Duff's device, Up:[4296]= D =

dumb terminal n.

A terminal that is one step above a [4297]glass tty, having a minimally addressable cursor but no on-screen editing or other features normally supported by a [4298]smart terminal. Once upon a time, when glass ttys were common and addressable cursors were something special, what is now called a dumb terminal could pass for a smart terminal.

Node:dumbass attack, Next:[4299]dumbed down, Previous:[4300]dumb terminal, Up:[4301]= D =

dumbass attack /duhm'as *-tak'/ n.

[Purdue] Notional cause of a novice's mistake made by the experienced, especially one made while running as [4302]root under Unix, e.g., typing rm -r * or mkfs on a mounted file system. Compare [4303]adger.

Node:dumbed down, Next:[4304]dump, Previous:[4305]dumbass attack, Up:[4306]= D =

dumbed down adj.

Simplified, with a strong connotation of oversimplified. Often, a

[4307]marketroid will insist that the interfaces and documentation of software be dumbed down after the designer has burned untold gallons of midnight oil making it smart. This creates friction. See [4308]user-friendly.

Node:dump, Next:[4309]dumpster diving, Previous:[4310]dumbed down, Up:[4311]= D =

dump n.

1. An undigested and voluminous mass of information about a problem or the state of a system, especially one routed to the slowest available output device (compare [4312]core dump), and most especially one consisting of hex or octal [4313]runes describing the byte-by-byte state of memory, mass storage, or some file. In [4314]elder days, debugging was generally done by 'groveling over' a dump (see [4315]grovel); increasing use of high-level languages and interactive debuggers has made such tedium uncommon, and the term 'dump' now has a faintly archaic flavor. 2. A backup. This usage is typical only at large timesharing installations.

Node:dumpster diving, Next:[4316]dup killer, Previous:[4317]dump, Up:[4318]= D =

dumpster diving /dump'-ster di:'-ving/ n.

1. The practice of sifting refuse from an office or technical installation to extract confidential data, especially security-compromising information ('dumpster' is an Americanism for what is elsewhere called a 'skip'). Back in AT&T's monopoly days, before paper shredders became common office equipment, phone phreaks (see [4319]phreaking) used to organize regular dumpster runs against phone company plants and offices. Discarded and damaged copies of AT&T internal manuals taught them much. The technique is still rumored to be a favorite of crackers operating against careless targets. 2. The practice of raiding the dumpsters behind buildings where producers and/or consumers of high-tech equipment are located, with the expectation (usually justified) of finding discarded but still-valuable equipment to be nursed back to health in some hacker's den. Experienced dumpster-divers not infrequently accumulate basements full of moldering (but still potentially useful) [4320]cruft.

Node:dup killer, Next:[4321]dup loop, Previous:[4322]dumpster diving, Up:[4323]= D =

dup killer /d[y]oop kill'r/ n.

[FidoNet] Software that is supposed to detect and delete duplicates of a message that may have reached the FidoNet system via different routes.

Node:dup loop, Next:[4324]dusty deck, Previous:[4325]dup killer,
Up:[4326]= D =

dup loop /d[y]oop loop/ (also 'dupe loop') n.

[FidoNet] An infinite stream of duplicated, near-identical messages on a FidoNet [4327]echo, the only difference being unique or mangled identification information applied by a faulty or incorrectly configured system or network gateway, thus rendering [4328]dup killers ineffective. If such a duplicate message eventually reaches a system through which it has already passed (with the original identification information), all systems passed on the way back to that system are said to be involved in a [4329]dup loop.

Node:dusty deck, Next:[4330]DWIM, Previous:[4331]dup loop, Up:[4332]=
D =

dusty deck n.

Old software (especially applications) which one is obliged to remain compatible with, or to maintain ([4333]DP types call this 'legacy code', a term hackers consider smarmy and excessively reverent). The term implies that the software in question is a holdover from card-punch days. Used esp. when referring to old scientific and [4334]number-crunching software, much of which was written in FORTRAN and very poorly documented but is believed to be too expensive to replace. See [4335]fossil; compare [4336]crawling horror.

Node:DWIM, Next:[4337]dynner, Previous:[4338]dusty deck, Up:[4339]= D
=

DWIM /dwim/

[acronym, 'Do What I Mean'] 1. adj. Able to guess, sometimes even correctly, the result intended when bogus input was provided. 2. n. obs. The BBNLISP/INTERLISP function that attempted to accomplish this feat by correcting many of the more common errors. See [4340]haury. 3. Occasionally, an interjection hurled at a balky computer, esp. when one senses one might be tripping over legalisms (see [4341]legalese). 4. Of a person, someone whose directions are incomprehensible and vague, but who nevertheless has the expectation that you will solve the problem using the specific method he/she has in mind.

Warren Teitelman originally wrote DWIM to fix his typos and spelling errors, so it was somewhat idiosyncratic to his style, and would often make hash of anyone else's typos if they were stylistically different. Some victims of DWIM thus claimed that the acronym stood for 'Damn Warren's Infernal Machine!'.

In one notorious incident, Warren added a DWIM feature to the command interpreter used at Xerox PARC. One day another hacker there typed delete *\$ to free up some disk space. (The editor there named backup files by appending \$ to the original file name, so he was trying to delete any backup files left over from old editing sessions.) It happened that there weren't any editor backup files, so DWIM helpfully reported *\$ not found, assuming you meant 'delete *'. It then started to delete all the files on the disk! The hacker managed to stop it with a [4342]Vulcan nerve pinch after only a half dozen or so files were lost.

The disgruntled victim later said he had been sorely tempted to go to Warren's office, tie Warren down in his chair in front of his workstation, and then type delete *\$ twice.

DWIM is often suggested in jest as a desired feature for a complex program; it is also occasionally described as the single instruction the ideal computer would have. Back when proofs of program correctness were in vogue, there were also jokes about 'DWIMC' (Do What I Mean, Correctly). A related term, more often seen as a verb, is DTRT (Do The Right Thing); see [4343]Right Thing.

Node:dynner, Next:[4344]earthquake, Previous:[4345]DWIM, Up:[4346]= D =

dynner /din'r/ n.

32 bits, by analogy with [4347]nybble and [4348]byte. Usage: rare and extremely silly. See also [4349]playte, [4350]tayste, [4351]crumb. General discussion of such terms is under [4352]nybble.

Node:= E =, Next:[4353]= F =, Previous:[4354]= D =, Up:[4355]The Jargon Lexicon

= E =

- * [4356]earthquake:
- * [4357]Easter egg:
- * [4358]Easter egging:
- * [4359]eat flaming death:
- * [4360]EBCDIC:
- * [4361]echo:
- * [4362]ECP:
- * [4363]ed:
- * [4364]egosurf:
- * [4365]eighty-column mind:
- * [4366]El Camino Bignum:
- * [4367]elder days:
- * [4368]elegant:
- * [4369]elephantine:
- * [4370]elevator controller:

- * [4371]elite:
 - * [4372]ELIZA effect:
 - * [4373]elvish:
 - * [4374]EMACS:
 - * [4375]email:
 - * [4376]emoticon:
 - * [4377]EMP:
 - * [4378]empire:
 - * [4379]engine:
 - * [4380]English:
 - * [4381]enhancement:
 - * [4382]ENQ:
 - * [4383]EOF:
 - * [4384]EOL:
 - * [4385]EOU:
 - * [4386]epoch:
 - * [4387]epsilon:
 - * [4388]epsilon squared:
 - * [4389]era the:
 - * [4390]Eric Conspiracy:
 - * [4391]Eris:
 - * [4392]erotics:
 - * [4393]error 33:
 - * [4394]eurodemo:
 - * [4395]evil:
 - * [4396]evil and rude:
 - * [4397]Evil Empire:
 - * [4398]exa-:
 - * [4399]examining the entrails:
 - * [4400]EXCH:
 - * [4401]excl:
 - * [4402]EXE:
 - * [4403]exec:
 - * [4404]exercise left as an:
 - * [4405]Exon:
 - * [4406]Exploder:
 - * [4407]exploit:
 - * [4408]external memory:
 - * [4409]eye candy:
 - * [4410]eyeball search:
-

Node:earthquake, Next:[4411]Easter egg, Previous:[4412]dynner,
Up:[4413]= E =

earthquake n.

[IBM] The ultimate real-world shock test for computer hardware.
Hackish sources at IBM deny the rumor that the Bay Area quake of 1989
was initiated by the company to test quality-assurance procedures at
its California plants.

Node:Easter egg, Next:[4414]Easter egging, Previous:[4415]earthquake,
Up:[4416]= E =

Easter egg n.

[from the custom of the Easter Egg hunt observed in the U.S. and many parts of Europe] 1. A message hidden in the object code of a program as a joke, intended to be found by persons disassembling or browsing the code. 2. A message, graphic, or sound effect emitted by a program (or, on a PC, the BIOS ROM) in response to some undocumented set of commands or keystrokes, intended as a joke or to display program credits. One well-known early Easter egg found in a couple of OSes caused them to respond to the command make love with not war?. Many personal computers have much more elaborate eggs hidden in ROM, including lists of the developers' names, political exhortations, snatches of music, and (in one case) graphics images of the entire development team.

Node:Easter egging, Next:[4417]eat flaming death,
Previous:[4418]Easter egg, Up:[4419]= E =

Easter egging n.

[IBM] The act of replacing unrelated components more or less at random in hopes that a malfunction will go away. Hackers consider this the normal operating mode of [4420]field circus techs and do not love them for it. See also the jokes under [4421]field circus. Compare [4422]shotgun debugging.

Node:eat flaming death, Next:[4423]EBCDIC, Previous:[4424]Easter egging, Up:[4425]= E =

eat flaming death imp.

A construction popularized among hackers by the infamous [4426]CPU Wars comic; supposedly derive from a famously turgid line in a WWII-era anti-Nazi propaganda comic that ran "Eat flaming death, non-Aryan mongrels!" or something of the sort (however, it is also reported that the Firesign Theatre's 1975 album "In The Next World, You're On Your Own" a character won the right to scream "Eat flaming death, fascist media pigs" in the middle of Oscar night on a game show; this may have been an influence). Used in humorously overblown expressions of hostility. "Eat flaming death, [4427]EBCDIC users!"

Node:EBCDIC, Next:[4428]echo, Previous:[4429]eat flaming death,
Up:[4430]= E =

EBCDIC /eb's*-dik/, /eb'see'dik/, or /eb'k*-dik/ n.

[abbreviation, Extended Binary Coded Decimal Interchange Code] An

alleged character set used on IBM [4431]dinosaurs. It exists in at least six mutually incompatible versions, all featuring such delights as non-contiguous letter sequences and the absence of several ASCII punctuation characters fairly important for modern computer languages (exactly which characters are absent varies according to which version of EBCDIC you're looking at). IBM adapted EBCDIC from [4432]punched card code in the early 1960s and promulgated it as a customer-control tactic (see [4433]connector conspiracy), spurning the already established ASCII standard. Today, IBM claims to be an open-systems company, but IBM's own description of the EBCDIC variants and how to convert between them is still internally classified top-secret, burn-before-reading. Hackers blanch at the very name of EBCDIC and consider it a manifestation of purest [4434]evil. See also [4435]fear and loathing.

Node:echo, Next:[4436]ECP, Previous:[4437]EBCDIC, Up:[4438]= E =

echo [FidoNet] n.

A [4439]topic group on [4440]FidoNet's echomail system. Compare [4441]newsgroup.

Node:ECP, Next:[4442]ed, Previous:[4443]echo, Up:[4444]= E =

ECP /E-C-P/ n.

See [4445]spam and [4446]velveeta.

Node:ed, Next:[4447]egosurf, Previous:[4448]ECP, Up:[4449]= E =

ed n.

"ed is the standard text editor." Line taken from original the [4450]Unix manual page on ed, an ancient line-oriented editor that is by now used only by a few [4451]Real Programmers, and even then only for batch operations. The original line is sometimes uttered near the beginning of an emacs vs. vi holy war on [4452]Usenet, with the (vain) hope to quench the discussion before it really takes off. Often followed by a standard text describing the many virtues of ed (such as the small memory [4453]footprint on a Timex Sinclair, and the consistent (because nearly non-existent) user interface).

Node:egosurf, Next:[4454]eighty-column mind, Previous:[4455]ed, Up:[4456]= E =

egosurf vi.

To search the net for your name or links to your web pages. Perhaps connected to long-established SF-fan slang 'egoscan', to search for

one's name in a fanzine.

Node:eighty-column mind, Next:[4457]El Camino Bignum,
Previous:[4458]egsurf, Up:[4459]= E =

eighty-column mind n.

[IBM] The sort said to be possessed by persons for whom the transition from [4460]punched card to tape was traumatic (nobody has dared tell them about disks yet). It is said that these people, including (according to an old joke) the founder of IBM, will be buried 'face down, 9-edge first' (the 9-edge being the bottom of the card). This directive is inscribed on IBM's 1402 and 1622 card readers and is referenced in a famous bit of doggerel called "The Last Bug", the climactic lines of which are as follows:

He died at the console
Of hunger and thirst.
Next day he was buried,
Face down, 9-edge first.

The eighty-column mind was thought by most hackers to dominate IBM's customer base and its thinking. This only began to change in the mid-1990s when IBM began to reinvent itself after the triumph of the [4461]killer micro. See [4462]IBM, [4463]fear and loathing, [4464]card walloper. A copy of "The Last Bug" lives on the the GNU site at [4465]<http://www.gnu.org/fun/jokes/last.bug.html>.

Node:El Camino Bignum, Next:[4466]elder days,
Previous:[4467]eighty-column mind, Up:[4468]= E =

El Camino Bignum /el' k*-mee'noh big'nuhm/ n.

The road mundanely called El Camino Real, running along San Francisco peninsula. It originally extended all the way down to Mexico City; many portions of the old road are still intact. Navigation on the San Francisco peninsula is usually done relative to El Camino Real, which defines [4469]logical north and south even though it isn't really north-south in many places. El Camino Real runs right past Stanford University and so is familiar to hackers.

The Spanish word 'real' (which has two syllables: /ray-ahl'/) means 'royal'; El Camino Real is 'the royal road'. In the FORTRAN language, a 'real' quantity is a number typically precise to seven significant digits, and a 'double precision' quantity is a larger floating-point number, precise to perhaps fourteen significant digits (other languages have similar 'real' types).

When a hacker from MIT visited Stanford in 1976, he remarked what a long road El Camino Real was. Making a pun on 'real', he started calling it 'El Camino Double Precision' -- but when the hacker was told that the road was hundreds of miles long, he renamed it 'El

Camino Bignum', and that name has stuck. (See [4470]bignum.)

[GLS has since let slip that the unnamed hacker in this story was in fact himself --ESR]

In recent years, the synonym 'El Camino Virtual' has been reported as an alternate at IBM and Amdahl sites in the Valley. Mathematically literate hackers in the Valley have also been heard to refer to some major cross-street intersecting El Camino Real as "El Camino Imaginary". One popular theory is that the intersection is located near Moffett Field - where they keep all those complex planes.

Node:elder days, Next:[4471]elegant, Previous:[4472]El Camino Bignum, Up:[4473]= E =

elder days n.

The heroic age of hackerdom (roughly, pre-1980); the era of the [4474]PDP-10, [4475]TECO, [4476]ITS, and the ARPANET. This term has been rather consciously adopted from J. R. R. Tolkien's fantasy epic "The Lord of the Rings". Compare [4477]Iron Age; see also [4478]elvish and [4479]Great Worm.

Node:elegant, Next:[4480]elephantine, Previous:[4481]elder days, Up:[4482]= E =

elegant adj.

[common; from mathematical usage] Combining simplicity, power, and a certain ineffable grace of design. Higher praise than 'clever', 'winning', or even [4483]cuspy.

The French aviator, adventurer, and author Antoine de Saint-Exupéry, probably best known for his classic children's book "The Little Prince", was also an aircraft designer. He gave us perhaps the best definition of engineering elegance when he said "A designer knows he has achieved perfection not when there is nothing left to add, but when there is nothing left to take away."

Node:elephantine, Next:[4484]elevator controller, Previous:[4485]elegant, Up:[4486]= E =

elephantine adj.

Used of programs or systems that are both conspicuous [4487]hogs (owing perhaps to poor design founded on [4488]brute force and ignorance) and exceedingly [4489]hairy in source form. An elephantine program may be functional and even friendly, but (as in the old joke about being in bed with an elephant) it's tough to have around all the same (and, like a pachyderm, difficult to maintain). In extreme cases,

hackers have been known to make trumpeting sounds or perform expressive proboscatory mime at the mention of the offending program. Usage: semi-humorous. Compare 'has the elephant nature' and the somewhat more pejorative [4490]monstrosity. See also [4491]second-system effect and [4492]baroque.

Node:elevator controller, Next:[4493]elite,
Previous:[4494]elephantine, Up:[4495]= E =

elevator controller n.

An archetypal dumb embedded-systems application, like [4496]toaster (which superseded it). During one period (1983-84) in the deliberations of ANSI X3J11 (the C standardization committee) this was the canonical example of a really stupid, memory-limited computation environment. "You can't require printf(3) to be part of the default runtime library -- what if you're targeting an elevator controller?" Elevator controllers became important rhetorical weapons on both sides of several [4497]holy wars.

Node:elite, Next:[4498]ELIZA effect, Previous:[4499]elevator controller, Up:[4500]= E =

elite adj.

Clueful. Plugged-in. One of the cognoscenti. Also used as a general positive adjective. This term is not actually native hacker slang; it is used primarily by crackers and [4501]warez d00dz, for which reason hackers use it only with heavy irony. The term used to refer to the folks allowed in to the "hidden" or "privileged" sections of BBSes in the early 1980s (which, typically, contained pirated software). Frequently, early boards would only let you post, or even see, a certain subset of the sections (or 'boards') on a BBS. Those who got to the frequently legendary 'triple super secret' boards were elite. Misspellings of this term in warez d00dz style abound; the forms 'eleet', and '31337' (among others) have been sighted.

A true hacker would be more likely to use 'wizardly'. Oppose [4502]lamer.

Node:ELIZA effect, Next:[4503]elvish, Previous:[4504]elite, Up:[4505]= E =

ELIZA effect /*-li:'z* *-fekt'/ n.

[AI community] The tendency of humans to attach associations to terms from prior experience. For example, there is nothing magic about the symbol + that makes it well-suited to indicate addition; it's just that people associate it with addition. Using + or 'plus' to mean addition in a computer language is taking advantage of the ELIZA

effect.

This term comes from the famous ELIZA program by Joseph Weizenbaum, which simulated a Rogerian psychotherapist by rephrasing many of the patient's statements as questions and posing them to the patient. It worked by simple pattern recognition and substitution of key words into canned phrases. It was so convincing, however, that there are many anecdotes about people becoming very emotionally caught up in dealing with ELIZA. All this was due to people's tendency to attach to words meanings which the computer never put there. The ELIZA effect is a [4506]Good Thing when writing a programming language, but it can blind you to serious shortcomings when analyzing an Artificial Intelligence system. Compare [4507]ad-hockery; see also [4508]AI-complete. Sources for a clone of the original Eliza are available at [4509]ftp://ftp.cc.utexas.edu/pub/AI_ATTIC/Programs/Classic/Eliza/Eliz a.c.

Node:elvish, Next:[4510]EMACS, Previous:[4511]ELIZA effect, Up:[4512]= E =

elvish n.

1. The Tengwar of Feanor, a table of letterforms resembling the beautiful Celtic half-uncial hand of the "Book of Kells". Invented and described by J. R. R. Tolkien in "The Lord of The Rings" as an orthography for his fictional 'elvish' languages, this system (which is both visually and phonetically [4513]elegant) has long fascinated hackers (who tend to be intrigued by artificial languages in general). It is traditional for graphics printers, plotters, window systems, and the like to support a Feanorian typeface as one of their demo items. See also [4514]elder days. 2. By extension, any odd or unreadable typeface produced by a graphics device. 3. The typeface mundanely called 'Böcklin', an art-Nouveau display font.

Node:EMACS, Next:[4515]email, Previous:[4516]elvish, Up:[4517]= E =

EMACS /ee'maks/ n.

[from Editing MACroS] The ne plus ultra of hacker editors, a programmable text editor with an entire LISP system inside it. It was originally written by Richard Stallman in [4518]TECO under [4519]ITS at the MIT AI lab; AI Memo 554 described it as "an advanced, self-documenting, customizable, extensible real-time display editor". It has since been reimplemented any number of times, by various hackers, and versions exist that run under most major operating systems. Perhaps the most widely used version, also written by Stallman and now called "[4520]GNU EMACS" or [4521]GNUMACS, runs principally under Unix. (Its close relative XEmacs is the second most popular version.) It includes facilities to run compilation subprocesses and send and receive mail or news; many hackers spend up

to 80% of their [4522]tube time inside it. Other variants include [4523]GOSMACS, CCA EMACS, UniPress EMACS, Montgomery EMACS, jove, epsilon, and MicroEMACS. (Though we use the original all-caps spelling here, it is nowadays very commonly 'Emacs'.)

Some EMACS versions running under window managers iconify as an overflowing kitchen sink, perhaps to suggest the one feature the editor does not (yet) include. Indeed, some hackers find EMACS too [4524]heavyweight and [4525]baroque for their taste, and expand the name as 'Escape Meta Alt Control Shift' to spoof its heavy reliance on keystrokes decorated with [4526]bucky bits. Other spoof expansions include 'Eight Megabytes And Constantly Swapping' (from when that was a lot of [4527]core), 'Eventually malloc()s All Computer Storage', and 'EMACS Makes A Computer Slow' (see [4528]recursive acronym). See also [4529]vi.

Node:email, Next:[4530]emoticon, Previous:[4531]EMACS, Up:[4532]= E =

email /ee'mayl/

(also written 'e-mail' and 'E-mail') 1. n. Electronic mail automatically passed through computer networks and/or via modems over common-carrier lines. Contrast [4533]snail-mail, [4534]paper-net, [4535]voice-net. See [4536]network address. 2. vt. To send electronic mail.

Oddly enough, the word 'emailed' is actually listed in the OED; it means "embossed (with a raised pattern) or perh. arranged in a net or open work". A use from 1480 is given. The word is probably derived from French 'ØmaillØ' (enameled) and related to Old French 'emmailleüre' (network). A French correspondent tells us that in modern French, 'email' is a hard enamel obtained by heating special paints in a furnace; an 'emailleur' (no final e) is a craftsman who makes email (he generally paints some objects (like, say, jewelry) and cooks them in a furnace).

There are numerous spelling variants of this word. In Internet traffic up to 1995, 'email' predominates, 'e-mail' runs a not-too-distant second, and 'E-mail' and 'Email' are a distant third and fourth.

Node:emoticon, Next:[4537]EMP, Previous:[4538]email, Up:[4539]= E =

emoticon /ee-moh'ti-kon/ n.

[common] An ASCII glyph used to indicate an emotional state in email or news. Although originally intended mostly as jokes, emoticons (or some other explicit humor indication) are virtually required under certain circumstances in high-volume text-only communication forums such as Usenet; the lack of verbal and visual cues can otherwise cause what were intended to be humorous, sarcastic, ironic, or otherwise non-100%-serious comments to be badly misinterpreted (not always even

by [4540]newbies), resulting in arguments and [4541]flame wars.

Hundreds of emoticons have been proposed, but only a few are in common use. These include:

:-)

'smiley face' (for humor, laughter, friendliness, occasionally sarcasm)

:-(

'frowney face' (for sadness, anger, or upset)

;-)

'half-smiley' ([4542]ha ha only serious); also known as 'semi-smiley' or 'winkey face'.

:-/

'wry face'

(These may become more comprehensible if you tilt your head sideways, to the left.)

The first two listed are by far the most frequently encountered.

Hyphenless forms of them are common on CompuServe, GENie, and BIX; see also [4543]bixie. On [4544]Usenet, 'smiley' is often used as a generic term synonymous with [4545]emoticon, as well as specifically for the happy-face emoticon.

It appears that the emoticon was invented by one Scott Fahlman on the CMU [4546]bbboard systems sometime between early 1981 and mid-1982. He later wrote: "I wish I had saved the original post, or at least recorded the date for posterity, but I had no idea that I was starting something that would soon pollute all the world's communication channels." [GLS confirms that he remembers this original posting].

Note for the [4547]newbie: Overuse of the smiley is a mark of loserhood! More than one per paragraph is a fairly sure sign that you've gone over the line.

Node:EMP, Next:[4548]empire, Previous:[4549]emoticon, Up:[4550]= E =

EMP /E-M-P/

See [4551]spam.

Node:empire, Next:[4552]engine, Previous:[4553]EMP, Up:[4554]= E =

empire n.

Any of a family of military simulations derived from a game written by Peter Langston many years ago. A number of multi-player variants of

varying degrees of sophistication exist, and one single-player version implemented for both Unix and VMS; the latter is even available as MS-DOS freeware. All are notoriously addictive. Of various commercial derivatives the best known is probably "Empire Deluxe" on PCs and Amigas.

Modern empire is a real-time wargame played over the internet by up to 120 players. Typical games last from 24 hours (blitz) to a couple of months (long term). The amount of sleep you can get while playing is a function of the rate at which updates occur and the number of co-rulers of your country. Empire server software is available for unix-like machines, and clients for Unix and other platforms. A comprehensive history of the game is available at [4555]<http://www.empire.cx/infopages/History.html>. The Empire resource site is at [4556]<http://www.empire.cx/>.

Node:engine, Next:[4557]English, Previous:[4558]empire, Up:[4559]= E =

engine n.

1. A piece of hardware that encapsulates some function but can't be used without some kind of [4560]front end. Today we have, especially, 'print engine': the guts of a laser printer. 2. An analogous piece of software; notionally, one that does a lot of noisy crunching, such as a 'database engine'.

The hacker senses of 'engine' are actually close to its original, pre-Industrial-Revolution sense of a skill, clever device, or instrument (the word is cognate to 'ingenuity'). This sense had not been completely eclipsed by the modern connotation of power-transducing machinery in Charles Babbage's time, which explains why he named the stored-program computer that he designed in 1844 the 'Analytical Engine'.

Node:English, Next:[4561]enhancement, Previous:[4562]engine, Up:[4563]= E =

English

1. n. obs. The source code for a program, which may be in any language, as opposed to the linkable or executable binary produced from it by a compiler. The idea behind the term is that to a real hacker, a program written in his favorite programming language is at least as readable as English. Usage: mostly by old-time hackers, though recognizable in context. Today the preferred shorthand is simply [4564]source. 2. The official name of the database language used by the old Pick Operating System, actually a sort of cruffy, brain-damaged SQL with delusions of grandeur. The name permitted [4565]marketroids to say "Yes, and you can program our computers in English!" to ignorant [4566]suits without quite running afoul of the truth-in-advertising laws.

Node:enhancement, Next:[4567]ENQ, Previous:[4568]English, Up:[4569]= E

=

enhancement n.

Common [4570]marketroid-speak for a bug [4571]fix. This abuse of language is a popular and time-tested way to turn incompetence into increased revenue. A hacker being ironic would instead call the fix a [4572]feature -- or perhaps save some effort by declaring the bug itself to be a feature.

Node:ENQ, Next:[4573]EOF, Previous:[4574]enhancement, Up:[4575]= E =

ENQ /enk/ or /enk/

[from the ASCII mnemonic ENQUIRE for 0000101] An on-line convention for querying someone's availability. After opening a [4576]talk mode connection to someone apparently in heavy hack mode, one might type SYN SYN ENQ? (the SYNs representing notional synchronization bytes), and expect a return of [4577]ACK or [4578]NAK depending on whether or not the person felt interruptible. Compare [4579]ping, [4580]finger, and the usage of FOO? listed under [4581]talk mode.

Node:EOF, Next:[4582]EOL, Previous:[4583]ENQ, Up:[4584]= E =

EOF /E-O-F/ n.

[abbreviation, 'End Of File'] 1. [techspeak] The [4585]out-of-band value returned by C's sequential character-input functions (and their equivalents in other environments) when end of file has been reached. This value is usually -1 under C libraries postdating V6 Unix, but was originally 0. DOS hackers think EOF is ^Z, and a few Amiga hackers think it's ^. 2. [Unix] The keyboard character (usually control-D, the ASCII EOT (End Of Transmission) character) that is mapped by the terminal driver into an end-of-file condition. 3. Used by extension in non-computer contexts when a human is doing something that can be modeled as a sequential read and can't go further. "Yeah, I looked for a list of 360 mnemonics to post as a joke, but I hit EOF pretty fast; all the library had was a [4586]JCL manual." See also [4587]EOL.

Node:EOL, Next:[4588]EOU, Previous:[4589]EOF, Up:[4590]= E =

EOL /E-O-L/ n.

[End Of Line] Syn. for [4591]newline, derived perhaps from the original CDC6600 Pascal. Now rare, but widely recognized and occasionally used for brevity. Used in the example entry under [4592]BNF. See also [4593]EOF.

Node:EOU, Next:[4594]epoch, Previous:[4595]EOL, Up:[4596]= E =

EOU /E-O-U/ n.

The mnemonic of a mythical ASCII control character (End Of User) that would make an ASR-33 Teletype explode on receipt. This construction parodies the numerous obscure delimiter and control characters left in ASCII from the days when it was associated more with wire-service teletypes than computers (e.g., FS, GS, RS, US, EM, SUB, ETX, and esp. EOT). It is worth remembering that ASR-33s were big, noisy mechanical beasts with a lot of clattering parts; the notion that one might explode was nowhere near as ridiculous as it might seem to someone sitting in front of a [4597]tube or flatscreen today.

Node:epoch, Next:[4598]epsilon, Previous:[4599]EOU, Up:[4600]= E =

epoch n.

[Unix: prob. from astronomical timekeeping] The time and date corresponding to 0 in an operating system's clock and timestamp values. Under most Unix versions the epoch is 00:00:00 GMT, January 1, 1970; under VMS, it's 00:00:00 of November 17, 1858 (base date of the U.S. Naval Observatory's ephemerides); on a Macintosh, it's the midnight beginning January 1 1904. System time is measured in seconds or [4601]ticks past the epoch. Weird problems may ensue when the clock wraps around (see [4602]wrap around), which is not necessarily a rare event; on systems counting 10 ticks per second, a signed 32-bit count of ticks is good only for 6.8 years. The 1-tick-per-second clock of Unix is good only until January 18, 2038, assuming at least some software continues to consider it signed and that word lengths don't increase by then. See also [4603]wall time. Microsoft Windows, on the other hand, has an epoch problem every 49.7 days - but this is seldom noticed as Windows is almost incapable of staying up continuously for that long.

Node:epsilon, Next:[4604]epsilon squared, Previous:[4605]epoch, Up:[4606]= E =

epsilon

[see [4607]delta] 1. n. A small quantity of anything. "The cost is epsilon." 2. adj. Very small, negligible; less than [4608]marginal. "We can get this feature for epsilon cost." 3. 'within epsilon of': close enough to be indistinguishable for all practical purposes, even closer than being 'within delta of'. "That's not what I asked for, but it's within epsilon of what I wanted." Alternatively, it may mean not close enough, but very little is required to get it there: "My program is within epsilon of working."

Node:epsilon squared, Next:[4609]era the, Previous:[4610]epsilon,
Up:[4611]= E =

epsilon squared n.

A quantity even smaller than [4612]epsilon, as small in comparison to epsilon as epsilon is to something normal; completely negligible. If you buy a supercomputer for a million dollars, the cost of the thousand-dollar terminal to go with it is [4613]epsilon, and the cost of the ten-dollar cable to connect them is epsilon squared. Compare [4614]lost in the underflow, [4615]lost in the noise.

Node:era the, Next:[4616]Eric Conspiracy, Previous:[4617]epsilon squared, Up:[4618]= E =

era n.

Syn. [4619]epoch. Webster's Unabridged makes these words almost synonymous, but 'era' more often connotes a span of time rather than a point in time, whereas the reverse is true for [4620]epoch. The [4621]epoch usage is recommended.

Node:Eric Conspiracy, Next:[4622]Eris, Previous:[4623]era the,
Up:[4624]= E =

Eric Conspiracy n.

A shadowy group of mustachioed hackers named Eric first pinpointed as a sinister conspiracy by an infamous talk.bizarre posting ca. 1987; this was doubtless influenced by the numerous 'Eric' jokes in the Monty Python oeuvre. There do indeed seem to be considerably more mustachioed Erics in hackerdom than the frequency of these three traits can account for unless they are correlated in some arcane way. Well-known examples include Eric Allman (he of the 'Allman style' described under [4625]indent style) and Erik Fair (co-author of NNTP); your editor has heard from more than sixty others by email, and the organization line 'Eric Conspiracy Secret Laboratories' now emanates regularly from more than one site. See the Eric Conspiracy Web Page at [4626]<http://www.ccil.org/~est/ecsl/> for full details.

Node:Eris, Next:[4627]erotics, Previous:[4628]Eric Conspiracy,
Up:[4629]= E =

Eris /e'ris/ n.

The Greek goddess of Chaos, Discord, Confusion, and Things You Know Not Of; her name was latinized to Discordia and she was worshiped by that name in Rome. Not a very friendly deity in the Classical original, she was reinvented as a more benign personification of

creative anarchy starting in 1959 by the adherents of [4630]Discordianism and has since been a semi-serious subject of veneration in several 'fringe' cultures, including hackerdom. See [4631]Discordianism, [4632]Church of the SubGenius.

Node:erotics, Next:[4633]error 33, Previous:[4634]Eris, Up:[4635]= E =

erotics /ee-ro'tiks/ n.

[Helsinki University of Technology, Finland] n. English-language university slang for electronics. Often used by hackers in Helsinki, maybe because good electronics excites them and makes them warm.

Node:error 33, Next:[4636]eurodemo, Previous:[4637]erotics, Up:[4638]= E =

error 33 [XEROX PARC] n.

1. Predicating one research effort upon the success of another. 2. Allowing your own research effort to be placed on the critical path of some other project (be it a research effort or not).

Node:eurodemo, Next:[4639]evil, Previous:[4640]error 33, Up:[4641]= E =

eurodemo /yoor'o-dem'-o/

a [4642]demo, sense 4

Node:evil, Next:[4643]evil and rude, Previous:[4644]eurodemo, Up:[4645]= E =

evil adj.

As used by hackers, implies that some system, program, person, or institution is sufficiently maldesigned as to be not worth the bother of dealing with. Unlike the adjectives in the [4646]cretinous/[4647]losing/[4648]brain-damaged series, 'evil' does not imply incompetence or bad design, but rather a set of goals or design criteria fatally incompatible with the speaker's. This usage is more an esthetic and engineering judgment than a moral one in the mainstream sense. "We thought about adding a [4649]Blue Glue interface but decided it was too evil to deal with." "[4650]TECO is neat, but it can be pretty evil if you're prone to typos." Often pronounced with the first syllable lengthened, as /eeee'vil/. Compare [4651]evil and rude.

Node:evil and rude, Next:[4652]Evil Empire, Previous:[4653]evil,

Up:[4654]= E =

evil and rude adj.

Both [4655]evil and [4656]rude, but with the additional connotation that the rudeness was due to malice rather than incompetence. Thus, for example: Microsoft's Windows NT is evil because it's a competent implementation of a bad design; it's rude because it's gratuitously incompatible with Unix in places where compatibility would have been as easy and effective to do; but it's evil and rude because the incompatibilities are apparently there not to fix design bugs in Unix but rather to lock hapless customers and developers into the Microsoft way. Hackish evil and rude is close to the mainstream sense of 'evil'.

Node:Evil Empire, Next:[4657]exa-, Previous:[4658]evil and rude,
Up:[4659]= E =

Evil Empire n.

[from Ronald Reagan's famous characterization of the communist Soviet Union] Formerly [4660]IBM, now [4661]Microsoft. Functionally, the company most hackers love to hate at any given time. Hackers like to see themselves as romantic rebels against the Evil Empire, and frequently adopt this role to the point of ascribing rather more power and malice to the Empire than it actually has. See also [4662]Borg and search for [4663]Evil Empire pages on the Web.

Node:exa-, Next:[4664]examining the entrails, Previous:[4665]Evil Empire, Up:[4666]= E =

exa- /ek's*/ pref.

[SI] See [4667]quantifiers.

Node:examining the entrails, Next:[4668]EXCH, Previous:[4669]exa-,
Up:[4670]= E =

examining the entrails n.

The process of [4671]grovelling through a [4672]core dump or hex image in an attempt to discover the bug that brought a program or system down. The reference is to divination from the entrails of a sacrificed animal. Compare [4673]runes, [4674]incantation, [4675]black art, [4676]desk check.

Node:EXCH, Next:[4677]excl, Previous:[4678]examining the entrails,
Up:[4679]= E =

EXCH /eks'ch*/ or /eksch/ vt.

To exchange two things, each for the other; to swap places. If you point to two people sitting down and say "Exch!", you are asking them to trade places. EXCH, meaning EXCHange, was originally the name of a PDP-10 instruction that exchanged the contents of a register and a memory location. Many newer hackers are probably thinking instead of the [4680]PostScript exchange operator (which is usually written in lowercase).

Node:excl, Next:[4681]EXE, Previous:[4682]EXCH, Up:[4683]= E =

excl /eks'kl/ n.

Abbreviation for 'exclamation point'. See [4684]bang, [4685]shriek, [4686]ASCII.

Node:EXE, Next:[4687]exec, Previous:[4688]excl, Up:[4689]= E =

EXE /eks'ee/ or /eek'see/ or /E-X-E/ n.

An executable binary file. Some operating systems (notably MS-DOS, VMS, and TWENEX) use the extension .EXE to mark such files. This usage is also occasionally found among Unix programmers even though Unix executables don't have any required suffix.

Node:exec, Next:[4690]exercise left as an, Previous:[4691]EXE, Up:[4692]= E =

exec /eg-zek'/ or /eks'ek/ vt., n.

1. [Unix: from 'execute'] Synonym for [4693]chain, derives from the exec(2) call. 2. [from 'executive'] obs. The command interpreter for an [4694]OS (see [4695]shell); term esp. used around mainframes, and prob. derived from UNIVAC's archaic EXEC 2 and EXEC 8 operating systems. 3. At IBM and VM/CMS shops, the equivalent of a shell command file (among VM/CMS users).

The mainstream 'exec' as an abbreviation for (human) executive is not used. To a hacker, an 'exec' is always a program, never a person.

Node:exercise left as an, Next:[4696]Exon, Previous:[4697]exec, Up:[4698]= E =

exercise, left as an adj.

[from technical books] Used to complete a proof when one doesn't mind a [4699]handwave, or to avoid one entirely. The complete phrase is: "The proof [or 'the rest'] is left as an exercise for the reader."
This comment has occasionally been attached to unsolved research

problems by authors possessed of either an evil sense of humor or a vast faith in the capabilities of their audiences.

Node:Exon, Next:[4700]Exploder, Previous:[4701]exercise left as an, Up:[4702]= E =

Exon /eks'on/ excl.

A generic obscenity that quickly entered wide use on the Internet and Usenet after [4703]Black Thursday. From the last name of Senator James Exon (Democrat-Nebraska), primary author of the [4704]CDA.

Node:Exploder, Next:[4705]exploit, Previous:[4706]Exon, Up:[4707]= E =

Exploder n.

Used within Microsoft to refer to the Windows Explorer, the interface component of Windows 95 and WinNT 4. Our spies report that most of the heavy guns at MS came from a Unix background and use command line utilities; even they are scornful of the over-gingerbreaded [4708]WIMP environments that they have been called upon to create.

Node:exploit, Next:[4709]external memory, Previous:[4710]Exploder, Up:[4711]= E =

exploit n.

[originally cracker slang] 1. A vulnerability in software that can be used for breaking security or otherwise attacking an Internet host over the network. The [4712]Ping O' Death is a famous exploit. 2. More grammatically, a program that exploits an exploit in sense 1,

Node:external memory, Next:[4713]eye candy, Previous:[4714]exploit, Up:[4715]= E =

external memory n.

A memo pad, palmtop computer, or written notes. "Hold on while I write that to external memory". The analogy is with store or DRAM versus nonvolatile disk storage on computers.

Node:eye candy, Next:[4716]eyeball search, Previous:[4717]external memory, Up:[4718]= E =

eye candy /i:' kand'ee/ n.

[from mainstream slang "ear candy"] A display of some sort that's presented to [4719]users to keep them distracted while the program

performs necessary background tasks. "Give 'em some eye candy while the back-end [4720]slurps that [4721]BLOB into core." Reported as mainstream usage among players of graphics-heavy computer games. We're also told this term is mainstream slang for soft pornography, but that sense does not appear to be live among hackers.

Node:eyeball search, Next:[4722]face time, Previous:[4723]eye candy, Up:[4724]= E =

eyeball search n.,v.

To look for something in a mass of code or data with one's own native optical sensors, as opposed to using some sort of pattern matching software like [4725]grep or any other automated search tool. Also called a [4726]vgrep; compare [4727]vdiff, [4728]desk check.

Node:= F =, Next:[4729]= G =, Previous:[4730]= E =, Up:[4731]The Jargon Lexicon

= F =

- * [4732]face time:
- * [4733]factor:
- * [4734]fairings:
- * [4735]fall over:
- * [4736]fall through:
- * [4737]fan:
- * [4738]fandango on core:
- * [4739]FAQ:
- * [4740]FAQ list:
- * [4741]FAQL:
- * [4742]faradize:
- * [4743]farkled:
- * [4744]farming:
- * [4745]fascist:
- * [4746]fat electrons:
- * [4747]fat-finger:
- * [4748]faulty:
- * [4749]fd leak:
- * [4750]fear and loathing:
- * [4751]feature:
- * [4752]feature creature:
- * [4753]feature creep:
- * [4754]feature key:
- * [4755]feature shock:
- * [4756]featurectomy:
- * [4757]feep:
- * [4758]feeper:
- * [4759]feeping creature:
- * [4760]feeping creaturism:
- * [4761]feetch feetch:

- * [4762]fence:
- * [4763]fencepost error:
- * [4764]fiber-seeking backhoe:
- * [4765]FidoNet:
- * [4766]field circus:
- * [4767]field servoid:
- * [4768]Fight-o-net:
- * [4769]File Attach:
- * [4770]File Request:
- * [4771]file signature:
- * [4772]filk:
- * [4773]film at 11:
- * [4774]filter:
- * [4775]Finagle's Law:
- * [4776]fine:
- * [4777]finger:
- * [4778]finger trouble:
- * [4779]finger-pointing syndrome:
- * [4780]finn:
- * [4781]firebottle:
- * [4782]firefighting:
- * [4783]firehose syndrome:
- * [4784]firewall code:
- * [4785]firewall machine:
- * [4786]fireworks mode:
- * [4787]firmware:
- * [4788]firmy:
- * [4789]fish:
- * [4790]FISH queue:
- * [4791]FITNR:
- * [4792]fix:
- * [4793]FIXME:
- * [4794]flag:
- * [4795]flag day:
- * [4796]flaky:
- * [4797]flamage:
- * [4798]flame:
- * [4799]flame bait:
- * [4800]flame on:
- * [4801]flame war:
- * [4802]flamer:
- * [4803]flap:
- * [4804]flarp:
- * [4805]flash crowd:
- * [4806]flat:
- * [4807]flat-ASCII:
- * [4808]flat-file:
- * [4809]flatten:
- * [4810]flavor:
- * [4811]flavorful:
- * [4812]flippy:
- * [4813]flood:
- * [4814]flowchart:

- * [4815]flower key:
- * [4816]flush:
- * [4817]flypage:
- * [4818]Flyspeck 3:
- * [4819]flytrap:
- * [4820]FM:
- * [4821]fnord:
- * [4822]FOAF:
- * [4823]FOD:
- * [4824]fold case:
- * [4825]followup:
- * [4826]fontology:
- * [4827]foo:
- * [4828]foobar:
- * [4829]fool:
- * [4830]fool file:
- * [4831]Foonly:
- * [4832]footprint:
- * [4833]for free:
- * [4834]for the rest of us:
- * [4835]for values of:
- * [4836]fora:
- * [4837]foreground:
- * [4838]fork:
- * [4839]fork bomb:
- * [4840]forked:
- * [4841]Fortrash:
- * [4842]fortune cookie:
- * [4843]forum:
- * [4844]fossil:
- * [4845]four-color glossies:
- * [4846]frag:
- * [4847]fragile:
- * [4848]fred:
- * [4849]Fred Foobar:
- * [4850]frednet:
- * [4851]free software:
- * [4852]freeware:
- * [4853]freeze:
- * [4854]fried:
- * [4855]frink:
- * [4856]friode:
- * [4857]fritterware:
- * [4858]frob:
- * [4859]froblicate:
- * [4860]frobnitz:
- * [4861]frog:
- * [4862]frogging:
- * [4863]front end:
- * [4864]frotz:
- * [4865]frotzed:
- * [4866]frowney:
- * [4867]FRS:

- * [4868]fry:
 - * [4869]fscking:
 - * [4870]FSF:
 - * [4871]FTP:
 - * [4872]-fu:
 - * [4873]FUBAR:
 - * [4874]fuck me harder:
 - * [4875]FUD:
 - * [4876]FUD wars:
 - * [4877]fudge:
 - * [4878]fudge factor:
 - * [4879]fuel up:
 - * [4880]Full Monty:
 - * [4881]fum:
 - * [4882]functino:
 - * [4883]funky:
 - * [4884]funny money:
 - * [4885]furrfu:
 - * [4886]fuzzball:
-

Node:face time, Next:[4887]factor, Previous:[4888]eyeball search,
Up:[4889]= F =

face time n.

[common] Time spent interacting with somebody face-to-face (as opposed to via electronic links). "Oh, yeah, I spent some face time with him at the last Usenix."

Node:factor, Next:[4890]fairings, Previous:[4891]face time, Up:[4892]=
F =

factor n.

See [4893]coefficient of X.

Node:fairings, Next:[4894]fall over, Previous:[4895]factor, Up:[4896]=
F =

fairings n. /fer'ingz/

[FreeBSD; orig. a typo for 'fairness'] A term thrown out in discussion whenever a completely and transparently nonsensical argument in one's favor(?) seems called for, e.g. at the end of a really long thread for which the outcome is no longer even cared about since everyone is now so sick of it; or in rebuttal to another nonsensical argument ("Change the loader to look for /kernel.pl? What about fairings?")

Node:fall over, Next:[4897]fall through, Previous:[4898]fairings,

Up:[4899]= F =

fall over vi.

[IBM] Yet another synonym for [4900]crash or [4901]lose. 'Fall over hard' equates to [4902]crash and burn.

Node:fall through, Next:[4903]fan, Previous:[4904]fall over,
Up:[4905]= F =

fall through v.

(n. 'fallthrough', var. 'fall-through') 1. To exit a loop by exhaustion, i.e., by having fulfilled its exit condition rather than via a break or exception condition that exits from the middle of it. This usage appears to be really old, dating from the 1940s and 1950s. 2. To fail a test that would have passed control to a subroutine or some other distant portion of code. 3. In C, 'fall-through' occurs when the flow of execution in a switch statement reaches a case label other than by jumping there from the switch header, passing a point where one would normally expect to find a break. A trivial example:

```
switch (color)
{
case GREEN:
    do_green();
    break;
case PINK:
    do_pink();
    /* FALL THROUGH */
case RED:
    do_red();
    break;
default:
    do_blue();
    break;
}
```

The variant spelling `/* FALL THRU */` is also common.

The effect of the above code is to `do_green()` when `color` is `GREEN`, `do_red()` when `color` is `RED`, `do_blue()` on any other color other than `PINK`, and (and this is the important part) `do_pink()` and then `do_red()` when `color` is `PINK`. Fall-through is [4906]considered harmful by some, though there are contexts (such as the coding of state machines) in which it is natural; it is generally considered good practice to include a comment highlighting the fall-through where one would normally expect a break. See also [4907]Duff's device.

Node:fan, Next:[4908]fandango on core, Previous:[4909]fall through,
Up:[4910]= F =

fan n.

Without qualification, indicates a fan of science fiction, especially one who goes to [4911]cons and tends to hang out with other fans. Many hackers are fans, so this term has been imported from fannish slang; however, unlike much fannish slang it is recognized by most non-fannish hackers. Among SF fans the plural is correctly 'fen', but this usage is not automatic to hackers. "Laura reads the stuff occasionally but isn't really a fan."

Node:fandango on core, Next:[4912]FAQ, Previous:[4913]fan, Up:[4914]=
F =

fandango on core n.

[Unix/C hackers, from the Iberian dance] In C, a wild pointer that runs out of bounds, causing a [4915]core dump, or corrupts the malloc(3) [4916]arena in such a way as to cause mysterious failures later on, is sometimes said to have 'done a fandango on core'. On low-end personal machines without an MMU (or Windows boxes, which have an MMU but use it incompetently), this can corrupt the OS itself, causing massive lossage. Other frenetic dances such as the cha-cha or the watusi, may be substituted. See [4917]aliasing bug, [4918]precedence lossage, [4919]smash the stack, [4920]memory leak, [4921]memory smash, [4922]overrun screw, [4923]core.

Node:FAQ, Next:[4924]FAQ list, Previous:[4925]fandango on core,
Up:[4926]= F =

FAQ /F-A-Q/ or /fak/ n.

[Usenet] 1. A Frequently Asked Question. 2. A compendium of accumulated lore, posted periodically to high-volume newsgroups in an attempt to forestall such questions. Some people prefer the term 'FAQ list' or 'FAQL' /fa'kl/, reserving 'FAQ' for sense 1.

This lexicon itself serves as a good example of a collection of one kind of lore, although it is far too big for a regular FAQ posting. Examples: "What is the proper type of NULL?" and "What's that funny name for the # character?" are both Frequently Asked Questions. Several FAQs refer readers to this file.

Node:FAQ list, Next:[4927]FAQL, Previous:[4928]FAQ, Up:[4929]= F =

FAQ list /F-A-Q list/ or /fak list/ n.

[common; Usenet] Syn [4930]FAQ, sense 2.

Node:FAQL, Next:[4931]faradize, Previous:[4932]FAQ list, Up:[4933]= F

=

FAQL /fa'kl/ n.

Syn. [4934]FAQ list.

Node:faradize, Next:[4935]farkled, Previous:[4936]FAQL, Up:[4937]= F =

faradize /far'+-di:z/ v.

[US Geological Survey] To start any hyper-addictive process or trend, or to continue adding current to such a trend. Telling one user about a new octo-tetris game you compiled would be a faradizing act -- in two weeks you might find your entire department playing the faradic game.

Node:farkled, Next:[4938]farming, Previous:[4939]faradize, Up:[4940]= F =

farkled /far'kld/ adj.

[DeVry Institute of Technology, Atlanta] Syn. [4941]hosed. Poss. owes something to Yiddish 'farblondjet' and/or the 'Farkle Family' skits on "Rowan and Martin's Laugh-In", a popular comedy show of the late 1960s.

Node:farming, Next:[4942]fascist, Previous:[4943]farkled, Up:[4944]= F =

farming n.

[Adelaide University, Australia] What the heads of a disk drive are said to do when they plow little furrows in the magnetic media. Associated with a [4945]crash. Typically used as follows: "Oh no, the machine has just crashed; I hope the hard drive hasn't gone [4946]farming again." No longer common; modern drives automatically park their heads in a safe zone on power-down, so it takes a real mechanical problem to induce this.

Node:fascist, Next:[4947]fat electrons, Previous:[4948]farming, Up:[4949]= F =

fascist adj.

1. [common] Said of a computer system with excessive or annoying security barriers, usage limits, or access policies. The implication is that said policies are preventing hackers from getting interesting work done. The variant 'fascistic' seems to have been preferred at MIT, poss. by analogy with 'touristic' (see [4950]tourist or under the

influence of German/Yiddish 'faschistisch'). 2. In the design of languages and other software tools, 'the fascist alternative' is the most restrictive and structured way of capturing a particular function; the implication is that this may be desirable in order to simplify the implementation or provide tighter error checking. Compare [4951]bondage-and-discipline language, although that term is global rather than local.

Node:fat electrons, Next:[4952]fat-finger, Previous:[4953]fascist, Up:[4954]= F =

fat electrons n.

Old-time hacker David Cargill's theory on the causation of computer glitches. Your typical electric utility draws its line current out of the big generators with a pair of coil taps located near the top of the dynamo. When the normal tap brushes get dirty, they take them off line to clean them up, and use special auxiliary taps on the bottom of the coil. Now, this is a problem, because when they do that they get not ordinary or 'thin' electrons, but the fat'n'sloppy electrons that are heavier and so settle to the bottom of the generator. These flow down ordinary wires just fine, but when they have to turn a sharp corner (as in an integrated-circuit via), they're apt to get stuck. This is what causes computer glitches. [Fascinating. Obviously, fat electrons must gain mass by [4955]bogon absorption --ESR] Compare [4956]bogon, [4957]magic smoke.

Node:fat-finger, Next:[4958]faulty, Previous:[4959]fat electrons, Up:[4960]= F =

fat-finger vt.

1. To introduce a typo while editing in such a way that the resulting manglification of a configuration file does something useless, damaging, or wildly unexpected. "NSI fat-fingered their DNS zone file and took half the net down again." 2. More generally, any typo that produces dramatically bad results.

Node:faulty, Next:[4961]fd leak, Previous:[4962]fat-finger, Up:[4963]= F =

faulty adj.

Non-functional; buggy. Same denotation as [4964]bletcherous, [4965]losing, q.v., but the connotation is much milder.

Node:fd leak, Next:[4966]fear and loathing, Previous:[4967]faulty, Up:[4968]= F =

fd leak /F-D leak/ n.

A kind of programming bug analogous to a [4969]core leak, in which a program fails to close file descriptors ('fd's) after file operations are completed, and thus eventually runs out of them. See [4970]leak.

Node:fear and loathing, Next:[4971]feature, Previous:[4972]fd leak, Up:[4973]= F =

fear and loathing n.

[from Hunter S. Thompson] A state inspired by the prospect of dealing with certain real-world systems and standards that are totally [4974]brain-damaged but ubiquitous -- Intel 8086s, or [4975]COBOL, or [4976]EBCDIC, or any [4977]IBM machine bigger than a workstation. "Ack! They want PCs to be able to talk to the AI machine. Fear and loathing time!"

Node:feature, Next:[4978]feature creature, Previous:[4979]fear and loathing, Up:[4980]= F =

feature n.

1. [common] A good property or behavior (as of a program). Whether it was intended or not is immaterial. 2. [common] An intended property or behavior (as of a program). Whether it is good or not is immaterial (but if bad, it is also a [4981]misfeature). 3. A surprising property or behavior; in particular, one that is purposely inconsistent because it works better that way -- such an inconsistency is therefore a [4982]feature and not a [4983]bug. This kind of feature is sometimes called a [4984]miswart; see that entry for a classic example. 4. A property or behavior that is gratuitous or unnecessary, though perhaps also impressive or cute. For example, one feature of Common LISP's format function is the ability to print numbers in two different Roman-numeral formats (see [4985]bells whistles and gongs). 5. A property or behavior that was put in to help someone else but that happens to be in your way. 6. [common] A bug that has been documented. To call something a feature sometimes means the author of the program did not consider the particular case, and that the program responded in a way that was unexpected but not strictly incorrect. A standard joke is that a bug can be turned into a [4986]feature simply by documenting it (then theoretically no one can complain about it because it's in the manual), or even by simply declaring it to be good. "That's not a bug, that's a feature!" is a common catchphrase. See also [4987]feetch feetch, [4988]creeping featurism, [4989]wart, [4990]green lightning.

The relationship among bugs, features, misfeatures, warts, and miswarts might be clarified by the following hypothetical exchange between two hackers on an airliner:

A: "This seat doesn't recline."

B: "That's not a bug, that's a feature. There is an emergency exit door built around the window behind you, and the route has to be kept clear."

A: "Oh. Then it's a misfeature; they should have increased the spacing between rows here."

B: "Yes. But if they'd increased spacing in only one section it would have been a wart -- they would've had to make nonstandard-length ceiling panels to fit over the displaced seats."

A: "A miswart, actually. If they increased spacing throughout they'd lose several rows and a chunk out of the profit margin. So unequal spacing would actually be the Right Thing."

B: "Indeed."

'Undocumented feature' is a common, allegedly humorous euphemism for a [4991]bug. There's a related joke that is sometimes referred to as the "one-question geek test". You say to someone "I saw a Volkswagen Beetle today with a vanity license plate that read FEATURE". If he/she laughs, he/she is a geek (see [4992]computer geek, sense 2).

Node:feature creature, Next:[4993]feature creep,
Previous:[4994]feature, Up:[4995]= F =

feature creature n.

[poss. fr. slang 'creature feature' for a horror movie] 1. One who loves to add features to designs or programs, perhaps at the expense of coherence, concision, or [4996]taste. 2. Alternately, a mythical being that induces otherwise rational programmers to perpetrate such crocks. See also [4997]feeping creaturism, [4998]creeping featurism.

Node:feature creep, Next:[4999]feature key, Previous:[5000]feature creature, Up:[5001]= F =

feature creep n.

[common] The result of [5002]creeping featurism, as in "Emacs has a bad case of feature creep".

Node:feature key, Next:[5003]feature shock, Previous:[5004]feature creep, Up:[5005]= F =

feature key n.

[common] The Macintosh key with the cloverleaf graphic on its keytop;

sometimes referred to as 'flower', 'pretzel', 'clover', 'propeller', 'beanie' (an apparent reference to the major feature of a propeller beanie), [5006]splat, 'open-apple' or (officially, in Mac documentation) the 'command key'. In French, the term 'papillon' (butterfly) has been reported. The proliferation of terms for this creature may illustrate one subtle peril of iconic interfaces.

Many people have been mystified by the cloverleaf-like symbol that appears on the feature key. Its oldest name is 'cross of St. Hannes', but it occurs in pre-Christian Viking art as a decorative motif. Throughout Scandinavia today the road agencies use it to mark sites of historical interest. Apple picked up the symbol from an early Mac developer who happened to be Swedish. Apple documentation gives the translation "interesting feature"!

There is some dispute as to the proper (Swedish) name of this symbol. It technically stands for the word 'sevädhet' (thing worth seeing); many of these are old churches. Some Swedes report as an idiom for the sign the word 'kyrka', cognate to English 'church' and pronounced (roughly) /chur'ka/ in modern Swedish. Others say this is nonsense. Other idioms reported for the sign are 'runa' (rune) or 'runsten' /roon'stn/ (runestone), derived from the fact that many of the interesting features are Viking rune-stones. The term 'forminne' /foorn'min'*/ (relic of antiquity, ancient monument) is also reported, especially among those who think that the Mac itself is a relic of antiquity.

Node:feature shock, Next:[5007]featurectomy, Previous:[5008]feature key, Up:[5009]= F =

feature shock n.

[from Alvin Toffler's book title "Future Shock"] A user's (or programmer's!) confusion when confronted with a package that has too many features and poor introductory material.

Node:featurectomy, Next:[5010]feep, Previous:[5011]feature shock, Up:[5012]= F =

featurectomy /fee'ch*r-ek't*-mee/ n.

The act of removing a feature from a program. Featurectomies come in two flavors, the 'righteous' and the 'reluctant'. Righteous featurectomies are performed because the remover believes the program would be more elegant without the feature, or there is already an equivalent and better way to achieve the same end. (Doing so is not quite the same thing as removing a [5013]misfeature.) Reluctant featurectomies are performed to satisfy some external constraint such as code size or execution speed.

Node:feep, Next:[5014]feeper, Previous:[5015]featurectomy, Up:[5016]=
F =

feep /feep/

1. n. The soft electronic 'bell' sound of a display terminal (except for a VT-52); a beep (in fact, the microcomputer world seems to prefer [5017]beep). 2. vi. To cause the display to make a feep sound. ASR-33s (the original TTYs) do not feep; they have mechanical bells that ring. Alternate forms: [5018]beep, 'bleep', or just about anything suitably onomatopoeic. (Jeff MacNelly, in his comic strip "Shoe", uses the word 'eep' for sounds made by computer terminals and video games; this is perhaps the closest written approximation yet.) The term 'breedle' was sometimes heard at SAIL, where the terminal beepers are not particularly soft (they sound more like the musical equivalent of a raspberry or Bronx cheer; for a close approximation, imagine the sound of a Star Trek communicator's beep lasting for five seconds). The 'feeper' on a VT-52 has been compared to the sound of a '52 Chevy stripping its gears. See also [5019]ding.

Node:feeper, Next:[5020]feeping creature, Previous:[5021]feep,
Up:[5022]= F =

feeper /fee'pr/ n.

The device in a terminal or workstation (usually a loudspeaker of some kind) that makes the [5023]feep sound.

Node:feeping creature, Next:[5024]feeping creaturism,
Previous:[5025]feeper, Up:[5026]= F =

feeping creature n.

[from [5027]feeping creaturism] An unnecessary feature; a bit of [5028]chrome that, in the speaker's judgment, is the camel's nose for a whole horde of new features.

Node:feeping creaturism, Next:[5029]feetch feetch,
Previous:[5030]feeping creature, Up:[5031]= F =

feeping creaturism /fee'ping kree'ch*r-izm/ n.

A deliberate spoonerism for [5032]creeping featurism, meant to imply that the system or program in question has become a misshapen creature of hacks. This term isn't really well defined, but it sounds so neat that most hackers have said or heard it. It is probably reinforced by an image of terminals prowling about in the dark making their customary noises.

Node:feetch feetch, Next:[5033]fence, Previous:[5034]feeping
creaturism, Up:[5035]= F =

feetch feetch /feech feech/ interj.

If someone tells you about some new improvement to a program, you might respond: "Feetch, feetch!" The meaning of this depends critically on vocal inflection. With enthusiasm, it means something like "Boy, that's great! What a great hack!" Grudgingly or with obvious doubt, it means "I don't know; it sounds like just one more unnecessary and complicated thing". With a tone of resignation, it means, "Well, I'd rather keep it simple, but I suppose it has to be done".

Node:fence, Next:[5036]fencepost error, Previous:[5037]feetch feetch,
Up:[5038]= F =

fence n. 1.

A sequence of one or more distinguished ([5039]out-of-band) characters (or other data items), used to delimit a piece of data intended to be treated as a unit (the computer-science literature calls this a 'sentinel'). The NUL (ASCII 0000000) character that terminates strings in C is a fence. Hex FF is also (though slightly less frequently) used this way. See [5040]zigamorph. 2. An extra data value inserted in an array or other data structure in order to allow some normal test on the array's contents also to function as a termination test. For example, a highly optimized routine for finding a value in an array might artificially place a copy of the value to be searched for after the last slot of the array, thus allowing the main search loop to search for the value without having to check at each pass whether the end of the array had been reached. 3. [among users of optimizing compilers] Any technique, usually exploiting knowledge about the compiler, that blocks certain optimizations. Used when explicit mechanisms are not available or are overkill. Typically a hack: "I call a dummy procedure there to force a flush of the optimizer's register-coloring info" can be expressed by the shorter "That's a fence procedure".

Node:fencepost error, Next:[5041]fiber-seeking backhoe,
Previous:[5042]fence, Up:[5043]= F =

fencepost error n.

1. [common] A problem with the discrete equivalent of a boundary condition, often exhibited in programs by iterative loops. From the following problem: "If you build a fence 100 feet long with posts 10 feet apart, how many posts do you need?" (Either 9 or 11 is a better answer than the obvious 10.) For example, suppose you have a long list or array of items, and want to process items m through n; how many items are there? The obvious answer is n - m, but that is off by one;

the right answer is $n - m + 1$. A program that used the 'obvious' formula would have a fencepost error in it. See also [5044]zeroth and [5045]off-by-one error, and note that not all off-by-one errors are fencepost errors. The game of Musical Chairs involves a catastrophic off-by-one error where N people try to sit in $N - 1$ chairs, but it's not a fencepost error. Fencepost errors come from counting things rather than the spaces between them, or vice versa, or by neglecting to consider whether one should count one or both ends of a row. 2. [rare] An error induced by unexpected regularities in input values, which can (for instance) completely thwart a theoretically efficient binary tree or hash table implementation. (The error here involves the difference between expected and worst case behaviors of an algorithm.)

Node: fiber-seeking backhoe, Next: [5046]FidoNet,
Previous: [5047]fencepost error, Up: [5048]= F =

fiber-seeking backhoe

[common among backbone ISP personnel] Any of a genus of large, disruptive machines which routinely cut critical backbone links, creating Internet outages and [5049]packet over air problems.

Node: FidoNet, Next: [5050]field circus, Previous: [5051]fiber-seeking backhoe, Up: [5052]= F =

FidoNet n.

A worldwide hobbyist network of personal computers which exchanges mail, discussion groups, and files. Founded in 1984 and originally consisting only of IBM PCs and compatibles, FidoNet now includes such diverse machines as Apple][s, Ataris, Amigas, and Unix systems. For years FidoNet actually grew faster than Usenet, but the advent of cheap Internet access probably means its days are numbered. In early 1999 FidoNet has approximately 30,000 nodes, down from 38K in 1996.

Node: field circus, Next: [5053]field servoid, Previous: [5054]FidoNet,
Up: [5055]= F =

field circus n.

[a derogatory pun on 'field service'] The field service organization of any hardware manufacturer, but originally [5056]DEC. There is an entire genre of jokes about field circus engineers:

Q: How can you recognize a field circus engineer
with a flat tire?

A: He's changing one tire at a time to see which one is flat.

Q: How can you recognize a field circus engineer
who is out of gas?

A: He's changing one tire at a time to see which one is flat.

Q: How can you tell it's your field circus engineer?

A: The spare is flat, too.

[See [5057]Easter egging for additional insight on these jokes.]

There is also the 'Field Circus Cheer' (from the old [5058]plan file for DEC on MIT-AI):

Maynard! Maynard!

Don't mess with us!

We're mean and we're tough!

If you get us confused

We'll screw up your stuff.

(DEC's service HQ, still extant under the Compaq regime, is located in Maynard, Massachusetts.)

Node:field servoid, Next:[5059]Fight-o-net, Previous:[5060]field circus, Up:[5061]= F =

field servoid [play on 'android'] /fee'ld ser'voyd/ n.

Representative of a field service organization (see [5062]field circus). This has many of the implications of [5063]droid.

Node:Fight-o-net, Next:[5064]File Attach, Previous:[5065]field servoid, Up:[5066]= F =

Fight-o-net n.

[FidoNet] Deliberate distortion of [5067]FidoNet, often applied after a flurry of [5068]flamage in a particular [5069]echo, especially the SYSOP echo or Fidonews (see [5070]'Snooze).

Node:File Attach, Next:[5071]File Request, Previous:[5072]Fight-o-net, Up:[5073]= F =

File Attach [FidoNet]

1. n. A file sent along with a mail message from one FidoNet to another. 2. vt. Sending someone a file by using the File Attach option in a FidoNet mailer.

Node:File Request, Next:[5074]file signature, Previous:[5075]File Attach, Up:[5076]= F =

File Request [FidoNet]

1. n. The [5077]FidoNet equivalent of [5078]FTP, in which one FidoNet

system automatically dials another and [5079]snarfs one or more files. Often abbreviated 'FReq'; files are often announced as being "available for FReq" in the same way that files are announced as being "available for/by anonymous FTP" on the Internet. 2. vt. The act of getting a copy of a file by using the File Request option of the FidoNet mailer.

Node:file signature, Next:[5080]filk, Previous:[5081]File Request, Up:[5082]= F =

file signature n.

A [5083]magic number, sense 3.

Node:filk, Next:[5084]film at 11, Previous:[5085]file signature, Up:[5086]= F =

filk /filk/ n.,v.

[from SF fandom, where a typo for 'folk' was adopted as a new word] A popular or folk song with lyrics revised or completely new lyrics and/or music, intended for humorous effect when read, and/or to be sung late at night at SF conventions. There is a flourishing subgenre of these called 'computer filks', written by hackers and often containing rather sophisticated technical humor. See [5087]double bucky for an example. Compare [5088]grilf, [5089]hing, [5090]pr0n, and [5091]newsfroup.

Node:film at 11, Next:[5092]filter, Previous:[5093]filk, Up:[5094]= F =

film at 11

[MIT: in parody of TV newscasters] 1. Used in conversation to announce ordinary events, with a sarcastic implication that these events are earth-shattering. "[5095]ITS crashes; film at 11." "Bug found in scheduler; film at 11." 2. Also widely used outside MIT to indicate that additional information will be available at some future time, without the implication of anything particularly ordinary about the referenced event. For example, "The mail file server died this morning; we found garbage all over the root directory. Film at 11." would indicate that a major failure had occurred but that the people working on it have no additional information about it as yet; use of the phrase in this way suggests gently that the problem is liable to be fixed more quickly if the people doing the fixing can spend time doing the fixing rather than responding to questions, the answers to which will appear on the normal "11:00 news", if people will just be patient.

The variant "MPEGs at 11" has recently been cited (MPEG is a

digital-video format.)

Node:filter, Next:[5096]Finagle's Law, Previous:[5097]film at 11,
Up:[5098]= F =

filter n.

[very common; orig. [5099]Unix, now also in [5100]MS-DOS] A program that processes an input data stream into an output data stream in some well-defined way, and does no I/O to anywhere else except possibly on error conditions; one designed to be used as a stage in a 'pipeline' (see [5101]plumbing). Compare [5102]sponge.

Node:Finagle's Law, Next:[5103]fine, Previous:[5104]filter, Up:[5105]=
F =

Finagle's Law n.

The generalized or 'folk' version of [5106]Murphy's Law, fully named "Finagle's Law of Dynamic Negatives" and usually rendered "Anything that can go wrong, will". One variant favored among hackers is "The perversity of the Universe tends towards a maximum" (but see also [5107]Hanlon's Razor). The label 'Finagle's Law' was popularized by SF author Larry Niven in several stories depicting a frontier culture of asteroid miners; this 'Belter' culture professed a religion and/or running joke involving the worship of the dread god Finagle and his mad prophet Murphy. Some technical and scientific cultures (e.g., paleontologists) know it under the name 'Sod's Law'; this usage may be more common in Great Britain.

Node:fine, Next:[5108]finger, Previous:[5109]Finagle's Law, Up:[5110]=
F =

fine adj.

[WPI] Good, but not good enough to be [5111]cuspy. The word 'fine' is used elsewhere, of course, but without the implicit comparison to the higher level implied by [5112]cuspy.

Node:finger, Next:[5113]finger trouble, Previous:[5114]fine,
Up:[5115]= F =

finger

[WAITS, via BSD Unix] 1. n. A program that displays information about a particular user or all users logged on the system, or a remote system. Typically shows full name, last login time, idle time, terminal line, and terminal location (where applicable). May also display a [5116]plan file left by the user (see also [5117]Hacking X

for Y). 2. vt. To apply finger to a username. 3. vt. By extension, to check a human's current state by any means. "Foodp?" "T!" "OK, finger Lisa and see if she's idle." 4. Any picture (composed of ASCII characters) depicting 'the finger'. Originally a humorous component of one's plan file to deter the curious fingerer (sense 2), it has entered the arsenal of some [5118]flamers.

Node:finger trouble, Next:[5119]finger-pointing syndrome,
Previous:[5120]finger, Up:[5121]= F =

finger trouble n.

Mistyping, typos, or generalized keyboard incompetence (this is surprisingly common among hackers, given the amount of time they spend at keyboards). "I keep putting colons at the end of statements instead of semicolons", "Finger trouble again, eh?".

Node:finger-pointing syndrome, Next:[5122]finn, Previous:[5123]finger trouble, Up:[5124]= F =

finger-pointing syndrome n.

All-too-frequent result of bugs, esp. in new or experimental configurations. The hardware vendor points a finger at the software. The software vendor points a finger at the hardware. All the poor users get is the finger.

Node:finn, Next:[5125]firebottle, Previous:[5126]finger-pointing syndrome, Up:[5127]= F =

finn v.

[IRC] To pull rank on somebody based on the amount of time one has spent on [5128]IRC. The term derives from the fact that IRC was originally written in Finland in 1987. There may be some influence from the 'Finn' character in William Gibson's seminal cyberpunk novel "Count Zero", who at one point says to another (much younger) character "I have a pair of shoes older than you are, so shut up!"

Node:firebottle, Next:[5129]firefighting, Previous:[5130]finn, Up:[5131]= F =

firebottle n.obs.

A large, primitive, power-hungry active electrical device, similar in function to a FET but constructed out of glass, metal, and vacuum. Characterized by high cost, low density, low reliability, high-temperature operation, and high power dissipation. Sometimes mistakenly called a 'tube' in the U.S. or a 'valve' in England;

another hackish term is [5132]glassfet.

Node:firefighting, Next:[5133]firehose syndrome,
Previous:[5134]firebottle, Up:[5135]= F =

firefighting n.

1. What sysadmins have to do to correct sudden operational problems. An opposite of hacking. "Been hacking your new newsreader?" "No, a power glitch hosed the network and I spent the whole afternoon fighting fires." 2. The act of throwing lots of manpower and late nights at a project, esp. to get it out before deadline. See also [5136]gang bang, [5137]Mongolian Hordes technique; however, the term 'firefighting' connotes that the effort is going into chasing bugs rather than adding features.

Node:firehose syndrome, Next:[5138]firewall code,
Previous:[5139]firefighting, Up:[5140]= F =

firehose syndrome n.

In mainstream folklore it is observed that trying to drink from a firehose can be a good way to rip your lips off. On computer networks, the absence or failure of flow control mechanisms can lead to situations in which the sending system sprays a massive flood of packets at an unfortunate receiving system, more than it can handle. Compare [5141]overrun, [5142]buffer overflow.

Node:firewall code, Next:[5143]firewall machine,
Previous:[5144]firehose syndrome, Up:[5145]= F =

firewall code n.

1. The code you put in a system (say, a telephone switch) to make sure that the users can't do any damage. Since users always want to be able to do everything but never want to suffer for any mistakes, the construction of a firewall is a question not only of defensive coding but also of interface presentation, so that users don't even get curious about those corners of a system where they can burn themselves. 2. Any sanity check inserted to catch a [5146]can't happen error. Wise programmers often change code to fix a bug twice: once to fix the bug, and once to insert a firewall which would have arrested the bug before it did quite as much damage.

Node:firewall machine, Next:[5147]fireworks mode,
Previous:[5148]firewall code, Up:[5149]= F =

firewall machine n.

A dedicated gateway machine with special security precautions on it, used to service outside network connections and dial-in lines. The idea is to protect a cluster of more loosely administered machines hidden behind it from [5150]crackers. The typical firewall is an inexpensive micro-based Unix box kept clean of critical data, with a bunch of modems and public network ports on it but just one carefully watched connection back to the rest of the cluster. The special precautions may include threat monitoring, callback, and even a complete [5151]iron box keyable to particular incoming IDs or activity patterns. Syn. [5152]flytrap, [5153]Venus flytrap.

[When first coined in the mid-1980s this term was pure jargon. Now (1999) it is techspeak, and has been retained only as an example of uptake --ESR]

Node:fireworks mode, Next:[5154]firmware, Previous:[5155]firewall machine, Up:[5156]= F =

fireworks mode n.

1. The mode a machine is sometimes said to be in when it is performing a [5157]crash and burn operation. 2. There is (or was) a more specific meaning of this term in the Amiga community. The word fireworks described the effects of a particularly serious crash which prevented the video pointer(s) from getting reset at the start of the vertical blank. This caused the DAC to scroll through the entire contents of CHIP (video or video+CPU) memory. Since each bit plane would scroll separately this was quite a spectacular effect.

Node:firmware, Next:[5158]firmy, Previous:[5159]fireworks mode, Up:[5160]= F =

firmware /ferm'weir/ n.

Embedded software contained in EPROM or flash memory. It isn't quite hardware, but at least doesn't have to be loaded from a disk like regular software. Hacker usage differs from straight techspeak in that hackers don't normally apply it to stuff that you can't possibly get at, such as the program that runs a pocket calculator. Instead, it implies that the firmware could be changed, even if doing so would mean opening a box and plugging in a new chip. A computer's BIOS is the classic example, although nowadays there is firmware in disk controllers, modems, video cards and even CD-ROM drives.

Node:firmy, Next:[5161]fish, Previous:[5162]firmware, Up:[5163]= F =

firmy /fer'mee/ n.

Syn. [5164]stiffy (a 3.5-inch floppy disk).

Node:fish, Next:[5165]FISH queue, Previous:[5166]firmy, Up:[5167]= F =

fish n.

[Adelaide University, Australia] 1. Another [5168]metasyntactic variable. See [5169]foo. Derived originally from the Monty Python skit in the middle of "The Meaning of Life" entitled "Find the Fish". 2. A pun for 'microfiche'. A microfiche file cabinet may be referred to as a 'fish tank'.

Node:FISH queue, Next:[5170]FITNR, Previous:[5171]fish, Up:[5172]= F =

FISH queue n.

[acronym, by analogy with FIFO (First In, First Out)] 'First In, Still Here'. A joking way of pointing out that processing of a particular sequence of events or requests has stopped dead. Also 'FISH mode' and 'FISHnet'; the latter may be applied to any network that is running really slowly or exhibiting extreme flakiness.

Node:FITNR, Next:[5173]fix, Previous:[5174]FISH queue, Up:[5175]= F =

FITNR // adj.

[Thinking Machines, Inc.] Fixed In The Next Release. A written-only notation attached to bug reports. Often wishful thinking.

Node:fix, Next:[5176]FIXME, Previous:[5177]FITNR, Up:[5178]= F =

fix n.,v.

What one does when a problem has been reported too many times to be ignored.

Node:FIXME, Next:[5179]flag, Previous:[5180]fix, Up:[5181]= F =

FIXME imp.

[common] A standard tag often put in C comments near a piece of code that needs work. The point of doing so is that a grep or a similar pattern-matching tool can find all such places quickly.

/* FIXME: note this is common in [5182]GNU code. */

Compare [5183]XXX.

Node:flag, Next:[5184]flag day, Previous:[5185]FIXME, Up:[5186]= F =

flag n.

[very common] A variable or quantity that can take on one of two values; a bit, particularly one that is used to indicate one of two outcomes or is used to control which of two things is to be done. "This flag controls whether to clear the screen before printing the message." "The program status word contains several flag bits." Used of humans analogously to [5187]bit. See also [5188]hidden flag, [5189]mode bit.

Node:flag day, Next:[5190]flaky, Previous:[5191]flag, Up:[5192]= F =

flag day n.

A software change that is neither forward- nor backward-compatible, and which is costly to make and costly to reverse. "Can we install that without causing a flag day for all users?" This term has nothing to do with the use of the word [5193]flag to mean a variable that has two values. It came into use when a massive change was made to the [5194]Multics timesharing system to convert from the short-lived 1965 version of the ASCII code to the 1967 version (in draft at the time); this was scheduled for Flag Day (a U.S. holiday), June 14, 1966. The actual change moved the code point for the ASCII newline character; this required that all of the Multics source code, documentation, and device drivers be changed simultaneously. See also [5195]backward combatability.

Node:flaky, Next:[5196]flamage, Previous:[5197]flag day, Up:[5198]= F =

flaky adj.

(var sp. 'flakey') Subject to frequent [5199]lossage. This use is of course related to the common slang use of the word to describe a person as eccentric, crazy, or just unreliable. A system that is flaky is working, sort of -- enough that you are tempted to try to use it -- but fails frequently enough that the odds in favor of finishing what you start are low. Commonwealth hackish prefers [5200]dodgy or [5201]wonky.

Node:flamage, Next:[5202]flame, Previous:[5203]flaky, Up:[5204]= F =

flamage /flay'm*j/ n.

[very common] Flaming verbiage, esp. high-noise, low-signal postings to [5205]Usenet or other electronic [5206]fora. Often in the phrase 'the usual flamage'. 'Flaming' is the act itself; 'flamage' the content; a 'flame' is a single flaming message. See [5207]flame, also [5208]dahmum.

Node:flame, Next:[5209]flame bait, Previous:[5210]flamage, Up:[5211]=
F =

flame

[at MIT, orig. from the phrase 'flaming asshole'] 1. vi. To post an email message intended to insult and provoke. 2. vi. To speak incessantly and/or rabidly on some relatively uninteresting subject or with a patently ridiculous attitude. 3. vt. Either of senses 1 or 2, directed with hostility at a particular person or people. 4. n. An instance of flaming. When a discussion degenerates into useless controversy, one might tell the participants "Now you're just flaming" or "Stop all that flamage!" to try to get them to cool down (so to speak).

The term may have been independently invented at several different places. It has been reported from MIT, Carleton College and RPI (among many other places) from as far back as 1969, and from the University of Virginia in the early 1960s.

It is possible that the hackish sense of 'flame' is much older than that. The poet Chaucer was also what passed for a wizard hacker in his time; he wrote a treatise on the astrolabe, the most advanced computing device of the day. In Chaucer's "Troilus and Cressida", Cressida laments her inability to grasp the proof of a particular mathematical theorem; her uncle Pandarus then observes that it's called "the fleminge of wrecches." This phrase seems to have been intended in context as "that which puts the wretches to flight" but was probably just as ambiguous in Middle English as "the flaming of wretches" would be today. One suspects that Chaucer would feel right at home on Usenet.

Node:flame bait, Next:[5212]flame on, Previous:[5213]flame, Up:[5214]=
F =

flame bait n.

[common] A posting intended to trigger a [5215]flame war, or one that invites flames in reply. See also [5216]troll.

Node:flame on, Next:[5217]flame war, Previous:[5218]flame bait,
Up:[5219]= F =

flame on vi.,interj.

1. To begin to [5220]flame. The punning reference to Marvel Comics's Human Torch is no longer widely recognized. 2. To continue to flame. See [5221]rave, [5222]burble.

Node:flame war, Next:[5223]flamer, Previous:[5224]flame on, Up:[5225]=
F =

flame war n.

[common] (var. 'flamewar') An acrimonious dispute, especially when conducted on a public electronic forum such as [5226]Usenet.

Node:flamer, Next:[5227]flap, Previous:[5228]flame war, Up:[5229]= F =

flamer n.

[common] One who habitually [5230]flames. Said esp. of obnoxious [5231]Usenet personalities.

Node:flap, Next:[5232]flarp, Previous:[5233]flamer, Up:[5234]= F =

flap vt.

1. [obs.] To unload a DECtape (so it goes flap, flap, flap...). Old-time hackers at MIT tell of the days when the disk was device 0 and DEC microtapes were 1, 2,... and attempting to flap device 0 would instead start a motor banging inside a cabinet near the disk. 2. By extension, to unload any magnetic tape. See also [5235]macrotape. Modern cartridge tapes no longer actually flap, but the usage has remained. (The term could well be re-applied to DEC's TK50 cartridge tape drive, a spectacularly misengineered contraption which makes a loud flapping sound, almost like an old reel-type lawnmower, in one of its many tape-eating failure modes.)

Node:flarp, Next:[5236]flash crowd, Previous:[5237]flap, Up:[5238]= F =

flarp /flarp/ n.

[Rutgers University] Yet another [5239]metasyntactic variable (see [5240]foo). Among those who use it, it is associated with a legend that any program not containing the word 'flarp' somewhere will not work. The legend is discreetly silent on the reliability of programs which do contain the magic word.

Node:flash crowd, Next:[5241]flat, Previous:[5242]flarp, Up:[5243]= F =

flash crowd

Larry Niven's 1973 SF short story "Flash Crowd" predicted that one consequence of cheap teleportation would be huge crowds materializing almost instantly at the sites of interesting news stories. Twenty

years later the term passed into common use on the Internet to describe exponential spikes in website or server usage when one passes a certain threshold of popular interest (this may also be called [5244]slashdot effect).

Node:flat, Next:[5245]flat-ASCII, Previous:[5246]flash crowd, Up:[5247]= F =

flat adj.

1. [common] Lacking any complex internal structure. "That [5248]bitty box has only a flat filesystem, not a hierarchical one." The verb form is [5249]flatten. 2. Said of a memory architecture (like that of the VAX or 680x0) that is one big linear address space (typically with each possible value of a processor register corresponding to a unique core address), as opposed to a 'segmented' architecture (like that of the 80x86) in which addresses are composed from a base-register/offset pair (segmented designs are generally considered [5250]cretinous).

Note that sense 1 (at least with respect to filesystems) is usually used pejoratively, while sense 2 is a [5251]Good Thing.

Node:flat-ASCII, Next:[5252]flat-file, Previous:[5253]flat, Up:[5254]= F =

flat-ASCII adj.

[common] Said of a text file that contains only 7-bit ASCII characters and uses only ASCII-standard control characters (that is, has no embedded codes specific to a particular text formatter markup language, or output device, and no [5255]meta-characters). Syn. [5256]plain-ASCII. Compare [5257]flat-file.

Node:flat-file, Next:[5258]flatten, Previous:[5259]flat-ASCII, Up:[5260]= F =

flat-file adj.

A [5261]flattened representation of some database or tree or network structure as a single file from which the structure could implicitly be rebuilt, esp. one in [5262]flat-ASCII form. See also [5263]sharchive.

Node:flatten, Next:[5264]flavor, Previous:[5265]flat-file, Up:[5266]= F =

flatten vt.

[common] To remove structural information, esp. to filter something

with an implicit tree structure into a simple sequence of leaves; also tends to imply mapping to [5267]flat-ASCII. "This code flattens an expression with parentheses into an equivalent [5268]canonical form."

Node:flavor, Next:[5269]flavorful, Previous:[5270]flatten, Up:[5271]=
F =

flavor n.

1. [common] Variety, type, kind. "DDT commands come in two flavors." "These lights come in two flavors, big red ones and small green ones." "Linux is a flavor of Unix" See [5272]vanilla. 2. The attribute that causes something to be [5273]flavorful. Usually used in the phrase "yields additional flavor". "This convention yields additional flavor by allowing one to print text either right-side-up or upside-down." See [5274]vanilla. This usage was certainly reinforced by the terminology of quantum chromodynamics, in which quarks (the constituents of, e.g., protons) come in six flavors (up, down, strange, charm, top, bottom) and three colors (red, blue, green) -- however, hackish use of 'flavor' at MIT predated QCD. 3. The term for 'class' (in the object-oriented sense) in the LISP Machine Flavors system. Though the Flavors design has been superseded (notably by the Common LISP CLOS facility), the term 'flavor' is still used as a general synonym for 'class' by some LISP hackers.

Node:flavorful, Next:[5275]flippy, Previous:[5276]flavor, Up:[5277]= F
=

flavorful adj.

Full of [5278]flavor (sense 2); esthetically pleasing. See [5279]random and [5280]losing for antonyms. See also the entries for [5281]taste and [5282]elegant.

Node:flippy, Next:[5283]flood, Previous:[5284]flavorful, Up:[5285]= F
=

flippy /flip'ee/ n.

A single-sided floppy disk altered for double-sided use by addition of a second write-notch, so called because it must be flipped over for the second side to be accessible. No longer common.

Node:flood, Next:[5286]flowchart, Previous:[5287]flippy, Up:[5288]= F
=

flood v.

[common] 1. To overwhelm a network channel with mechanically-generated

traffic; especially used of IP, TCP/IP, UDP, or ICMP denial-of-service attacks. 2. To dump large amounts of text onto an [5289]IRC channel. This is especially rude when the text is uninteresting and the other users are trying to carry on a serious conversation. Also used in a similar sense on Usenet. 3. [Usenet] To post an unusually large number or volume of files on a related topic.

Node:flowchart, Next:[5290]flower key, Previous:[5291]flood,
Up:[5292]= F =

flowchart n.

[techspeak] An archaic form of visual control-flow specification employing arrows and 'speech balloons' of various shapes. Hackers never use flowcharts, consider them extremely silly, and associate them with [5293]COBOL programmers, [5294]card wallopers, and other lower forms of life. This attitude follows from the observations that flowcharts (at least from a hacker's point of view) are no easier to read than code, are less precise, and tend to fall out of sync with the code (so that they either obfuscate it rather than explaining it, or require extra maintenance effort that doesn't improve the code). See also [5295]PDL, sense 1.

Node:flower key, Next:[5296]flush, Previous:[5297]flowchart,
Up:[5298]= F =

flower key n.

[Mac users] See [5299]feature key.

Node:flush, Next:[5300]flypage, Previous:[5301]flower key, Up:[5302]=
F =

flush v.

1. [common] To delete something, usually superfluous, or to abort an operation. "All that nonsense has been flushed." 2. [Unix/C] To force buffered I/O to disk, as with an fflush(3) call. This is not an abort or deletion as in sense 1, but a demand for early completion! 3. To leave at the end of a day's work (as opposed to leaving for a meal). "I'm going to flush now." "Time to flush." 4. To exclude someone from an activity, or to ignore a person.

'Flush' was standard ITS terminology for aborting an output operation; one spoke of the text that would have been printed, but was not, as having been flushed. It is speculated that this term arose from a vivid image of flushing unwanted characters by hosing down the internal output buffer, washing the characters away before they could be printed. The Unix/C usage, on the other hand, was propagated by the fflush(3) call in C's standard I/O library (though it is reported to

have been in use among BLISS programmers at [5303]DEC and on Honeywell and IBM machines as far back as 1965). Unix/C hackers found the ITS usage confusing, and vice versa.

Node:flypage, Next:[5304]Flyspeck 3, Previous:[5305]flush, Up:[5306]=
F =

flypage /fli:'payj/ n.

(alt. 'fly page') A [5307]banner, sense 1.

Node:Flyspeck 3, Next:[5308]flytrap, Previous:[5309]flypage,
Up:[5310]= F =

Flyspeck 3 n.

Standard name for any font that is so tiny as to be unreadable (by analogy with names like 'Helvetica 10' for 10-point Helvetica). Legal boilerplate is usually printed in Flyspeck 3.

Node:flytrap, Next:[5311]FM, Previous:[5312]Flyspeck 3, Up:[5313]= F =

flytrap n.

[rare] See [5314]firewall machine.

Node:FM, Next:[5315]fnord, Previous:[5316]flytrap, Up:[5317]= F =

FM /F-M/ n.

1. [common] Not 'Frequency Modulation' but rather an abbreviation for 'Fucking Manual', the back-formation from [5318]RTFM. Used to refer to the manual itself in the [5319]RTFM. "Have you seen the Networking FM lately?" 2. Abbreviation for "Fucking Magic", used in the sense of [5320]black magic.

Node:fnord, Next:[5321]FOAF, Previous:[5322]FM, Up:[5323]= F =

fnord n.

[from the "Illuminatus Trilogy"] 1. A word used in email and news postings to tag utterances as surrealist mind-play or humor, esp. in connection with [5324]Discordianism and elaborate conspiracy theories. "I heard that David Koresh is sharing an apartment in Argentina with Hitler. (Fnord.)" "Where can I fnord get the Principia Discordia from?" 2. A [5325]metasyntactic variable, commonly used by hackers with ties to [5326]Discordianism or the [5327]Church of the SubGenius.

Node:FOAF, Next:[5328]FOD, Previous:[5329]fnord, Up:[5330]= F =

FOAF // n.

[Usenet; common] Acronym for 'Friend Of A Friend'. The source of an unverified, possibly untrue story. This term was not originated by hackers (it is used in Jan Brunvand's books on urban folklore), but is much better recognized on Usenet and elsewhere than in mainstream English.

Node:FOD, Next:[5331]fold case, Previous:[5332]FOAF, Up:[5333]= F =

FOD /fod/ v.

[Abbreviation for 'Finger of Death', originally a spell-name from fantasy gaming] To terminate with extreme prejudice and with no regard for other people. From [5334]MUDs where the wizard command 'FOD <player>' results in the immediate and total death of <player>, usually as punishment for obnoxious behavior. This usage migrated to other circumstances, such as "I'm going to fod the process that is burning all the cycles." Compare [5335]gun.

In aviation, FOD means Foreign Object Damage, e.g., what happens when a jet engine sucks up a rock on the runway or a bird in flight. Finger of Death is a distressingly apt description of what this generally does to the engine.

Node:fold case, Next:[5336]followup, Previous:[5337]FOD, Up:[5338]= F =

fold case v.

See [5339]smash case. This term tends to be used more by people who don't mind that their tools smash case. It also connotes that case is ignored but case distinctions in data processed by the tool in question aren't destroyed.

Node:followup, Next:[5340]fontology, Previous:[5341]fold case, Up:[5342]= F =

followup n.

[common] On Usenet, a [5343]posting generated in response to another posting (as opposed to a [5344]reply, which goes by email rather than being broadcast). Followups include the ID of the [5345]parent message in their headers; smart news-readers can use this information to present Usenet news in 'conversation' sequence rather than order-of-arrival. See [5346]thread.

Node:fontology, Next:[5347]foo, Previous:[5348]followup, Up:[5349]= F
=

fontology n.

[XEROX PARC] The body of knowledge dealing with the construction and use of new fonts (e.g., for window systems and typesetting software). It has been said that fontology recapitulates file-ogeny.

[Unfortunately, this reference to the embryological dictum that "Ontogeny recapitulates phylogeny" is not merely a joke. On the Macintosh, for example, System 7 has to go through contortions to compensate for an earlier design error that created a whole different set of abstractions for fonts parallel to 'files' and 'folders' --ESR]

Node:foo, Next:[5350]foobar, Previous:[5351]fontology, Up:[5352]= F =

foo /foo/

1. interj. Term of disgust. 2. [very common] Used very generally as a sample name for absolutely anything, esp. programs and files (esp. scratch files). 3. First on the standard list of [5353]metasyntactic variables used in syntax examples. See also [5354]bar, [5355]baz, [5356]qux, [5357]quux, [5358]corge, [5359]grault, [5360]garply, [5361]waldo, [5362]fred, [5363]plugh, [5364]xyzzzy, [5365]thud.

When 'foo' is used in connection with 'bar' it has generally traced to the WWII-era Army slang acronym [5366]FUBAR ('Fucked Up Beyond All Repair'), later modified to [5367]foobar. Early versions of the Jargon File interpreted this change as a post-war bowdlerization, but it now seems more likely that FUBAR was itself a derivative of 'foo' perhaps influenced by German 'furchtbar' (terrible) - 'foobar' may actually have been the original form.

For, it seems, the word 'foo' itself had an immediate prewar history in comic strips and cartoons. The earliest documented uses were in the "Smokey Stover" comic strip popular in the 1930s, which frequently included the word "foo". Bill Holman, the author of the strip, filled it with odd jokes and personal contrivances, including other nonsense phrases such as "Notary Sojac" and "1506 nix nix". According to the [5368]Warner Brothers Cartoon Companion Holman claimed to have found the word "foo" on the bottom of a Chinese figurine. This is plausible; Chinese statuettes often have apotropaic inscriptions, and this may have been the Chinese word 'fu' (sometimes transliterated 'foo'), which can mean "happiness" when spoken with the proper tone (the lion-dog guardians flanking the steps of many Chinese restaurants are properly called "fu dogs"). English speakers' reception of Holman's 'foo' nonsense word was undoubtedly influenced by Yiddish 'feh' and English 'foey' and 'fool'.

Holman's strip featured a firetruck called the Foomobile that rode on

two wheels. The comic strip was tremendously popular in the late 1930s, and legend has it that a manufacturer in Indiana even produced an operable version of Holman's Foomobile. According to the Encyclopedia of American Comics, 'Foo' fever swept the U.S., finding its way into popular songs and generating over 500 'Foo Clubs.' The fad left 'foo' references embedded in popular culture (including a couple of appearances in Warner Brothers cartoons of 1938-39) but with their origins rapidly forgotten.

One place they are known to have remained live is in the U.S. military during the WWII years. In 1944-45, the term 'foo fighters' was in use by radar operators for the kind of mysterious or spurious trace that would later be called a UFO (the older term resurfaced in popular American usage in 1995 via the name of one of the better grunge-rock bands). Informants connected the term to the Smokey Stover strip.

The U.S. and British militaries frequently swapped slang terms during the war (see [5369]kluge and [5370]kludge for another important example) Period sources reported that 'FOO' became a semi-legendary subject of WWII British-army graffiti more or less equivalent to the American Kilroy. Where British troops went, the graffiti "FOO was here" or something similar showed up. Several slang dictionaries aver that FOO probably came from Forward Observation Officer, but this (like the contemporaneous "FUBAR") was probably a [5371]backronym. Forty years later, Paul Dickson's excellent book "Words" (Dell, 1982, ISBN 0-440-52260-7) traced "Foo" to an unspecified British naval magazine in 1946, quoting as follows: "Mr. Foo is a mysterious Second World War product, gifted with bitter omniscience and sarcasm."

Earlier versions of this entry suggested the possibility that hacker usage actually sprang from "FOO, Lampoons and Parody", the title of a comic book first issued in September 1958, a joint project of Charles and Robert Crumb. Though Robert Crumb (then in his mid-teens) later became one of the most important and influential artists in underground comics, this venture was hardly a success; indeed, the brothers later burned most of the existing copies in disgust. The title FOO was featured in large letters on the front cover. However, very few copies of this comic actually circulated, and students of Crumb's 'oeuvre' have established that this title was a reference to the earlier Smokey Stover comics. The Crumbs may also have been influenced by a short-lived Canadian parody magazine named 'Foo' published in 1951-52.

An old-time member reports that in the 1959 "Dictionary of the TMRC Language", compiled at [5372]TMRC, there was an entry that went something like this:

FOO: The first syllable of the sacred chant phrase "FOO MANE PADME HUM." Our first obligation is to keep the foo counters turning.

(For more about the legendary foo counters, see [5373]TMRC.) This definition used Bill Holman's nonsense word, only then two decades old and demonstrably still live in popular culture and slang, to a

[5374]ha ha only serious analogy with esoteric Tibetan Buddhism. Today's hackers would find it difficult to resist elaborating a joke like that, and it is not likely 1959's were any less susceptible. Almost the entire staff of what later became the MIT AI Lab was involved with TMRC, and the word spread from there.

Node:foobar, Next:[5375]fool, Previous:[5376]foo, Up:[5377]= F =

foobar n.

[very common] Another widely used [5378]metasyntactic variable; see [5379]foo for etymology. Probably originally propagated through DECsystem manuals by Digital Equipment Corporation ([5380]DEC) in 1960s and early 1970s; confirmed sightings there go back to 1972. Hackers do not generally use this to mean [5381]FUBAR in either the slang or jargon sense. See also [5382]Fred Foobar. In RFC1639, "FOOBAR" was made an abbreviation for "FTP Operation Over Big Address Records", but this was an obvious [5383]backronym.

Node:fool, Next:[5384]fool file, Previous:[5385]foobar, Up:[5386]= F =

fool n.

As used by hackers, specifically describes a person who habitually reasons from obviously or demonstrably incorrect premises and cannot be persuaded by evidence to do otherwise; it is not generally used in its other senses, i.e., to describe a person with a native incapacity to reason correctly, or a clown. Indeed, in hackish experience many fools are capable of reasoning all too effectively in executing their errors. See also [5387]cretin, [5388]loser, [5389]fool file.

The Algol 68-R compiler used to initialize its storage to the character string "F00LF00LF00LF00L..." because as a pointer or as a floating point number it caused a crash, and as an integer or a character string it was very recognizable in a dump. Sadly, one day a very senior professor at Nottingham University wrote a program that called him a fool. He proceeded to demonstrate the correctness of this assertion by lobbying the university (not quite successfully) to forbid the use of Algol on its computers. See also [5390]DEADBEEF.

Node:fool file, Next:[5391]Foolonly, Previous:[5392]fool, Up:[5393]= F =

fool file n.

[Usenet] A notional repository of all the most dramatically and abysmally stupid utterances ever. An entire subgenre of [5394]sig blocks consists of the header "From the fool file:" followed by some quote the poster wishes to represent as an immortal gem of dimwittedness; for this usage to be really effective, the quote has to be so obviously wrong as to be laughable. More than one Usenetters has

achieved an unwanted notoriety by being quoted in this way.

Node:Foonly, Next:[5395]footprint, Previous:[5396]fool file,
Up:[5397]= F =

Foonly n.

1. The [5398]PDP-10 successor that was to have been built by the Super Foonly project at the Stanford Artificial Intelligence Laboratory along with a new operating system. (The name itself came from FOO NLI, an error message emitted by a PDP-10 assembler at SAIL meaning "FOO is Not a Legal Identifier". The intention was to leapfrog from the old [5399]DEC timesharing system SAIL was then running to a new generation, bypassing TENEX which at that time was the ARPANET standard. ARPA funding for both the Super Foonly and the new operating system was cut in 1974. Most of the design team went to DEC and contributed greatly to the design of the PDP-10 model KL10. 2. The name of the company formed by Dave Poole, one of the principal Super Foonly designers, and one of hackerdom's more colorful personalities. Many people remember the parrot which sat on Poole's shoulder and was a regular companion. 3. Any of the machines built by Poole's company. The first was the F-1 (a.k.a. Super Foonly), which was the computational engine used to create the graphics in the movie "TRON". The F-1 was the fastest PDP-10 ever built, but only one was ever made. The effort drained Foonly of its financial resources, and the company turned towards building smaller, slower, and much less expensive machines. Unfortunately, these ran not the popular [5400]TOPS-20 but a TENEX variant called Foonex; this seriously limited their market. Also, the machines shipped were actually wire-wrapped engineering prototypes requiring individual attention from more than usually competent site personnel, and thus had significant reliability problems. Poole's legendary temper and unwillingness to suffer fools gladly did not help matters. By the time of the Jupiter project cancellation in 1983, Foonly's proposal to build another F-1 was eclipsed by the [5401]Mars, and the company never quite recovered. See the [5402]Mars entry for the continuation and moral of this story.

Node:footprint, Next:[5403]for free, Previous:[5404]Foonly, Up:[5405]=
F =

footprint n.

1. The floor or desk area taken up by a piece of hardware. 2. [IBM] The audit trail (if any) left by a crashed program (often in plural, 'footprints'). See also [5406]toeprint. 3. RAM footprint: The minimum amount of RAM which an OS or other program takes; this figure gives one an idea of how much will be left for other applications. How actively this RAM is used is another matter entirely. Recent tendencies to featuritis and software bloat can expand the RAM footprint of an OS to the point of making it nearly unusable in practice. [This problem is, thankfully, limited to operating systems

so stupid that they don't do virtual memory - ESR]

Node:for free, Next:[5407]for the rest of us,
Previous:[5408]footprint, Up:[5409]= F =

for free adj.

[common] Said of a capability of a programming language or hardware that is available by its design without needing cleverness to implement: "In APL, we get the matrix operations for free." "And owing to the way revisions are stored in this system, you get revision trees for free." The term usually refers to a serendipitous feature of doing things a certain way (compare [5410]big win), but it may refer to an intentional but secondary feature.

Node:for the rest of us, Next:[5411]for values of, Previous:[5412]for free, Up:[5413]= F =

for the rest of us adj.

[from the Mac slogan "The computer for the rest of us"] 1. Used to describe a [5414]spiffy product whose affordability shames other comparable products, or (more often) used sarcastically to describe [5415]spiffy but very overpriced products. 2. Describes a program with a limited interface, deliberately limited capabilities, non-orthogonality, inability to compose primitives, or any other limitation designed to not 'confuse' a naive user. This places an upper bound on how far that user can go before the program begins to get in the way of the task instead of helping accomplish it. Used in reference to Macintosh software which doesn't provide obvious capabilities because it is thought that the poor lusers might not be able to handle them. Becomes 'the rest of them' when used in third-party reference; thus, "Yes, it is an attractive program, but it's designed for The Rest Of Them" means a program that superficially looks neat but has no depth beyond the surface flash. See also [5416]WIMP environment, [5417]Macintrash, [5418]point-and-drool interface, [5419]user-friendly.

Node:for values of, Next:[5420]fora, Previous:[5421]for the rest of us, Up:[5422]= F =

for values of

[MIT] A common rhetorical maneuver at MIT is to use any of the canonical [5423]random numbers as placeholders for variables. "The max function takes 42 arguments, for arbitrary values of 42." "There are 69 ways to leave your lover, for 69 = 50." This is especially likely when the speaker has uttered a random number and realizes that it was not recognized as such, but even 'non-random' numbers are occasionally used in this fashion. A related joke is that pi equals 3 -- for small

values of pi and large values of 3.

Historical note: at MIT this usage has traditionally been traced to the programming language MAD (Michigan Algorithm Decoder), an Algol-58-like language that was the most common choice among mainstream (non-hacker) users at MIT in the mid-60s. It inherited from Algol-58 a control structure FOR VALUES OF X = 3, 7, 99 DO ... that would repeat the indicated instructions for each value in the list (unlike the usual FOR that only works for arithmetic sequences of values). MAD is long extinct, but similar for-constructs still flourish (e.g., in Unix's shell languages).

Node:fora, Next:[5424]foreground, Previous:[5425]for values of, Up:[5426]= F =

fora pl.n.

Plural of [5427]forum.

Node:foreground, Next:[5428]fork, Previous:[5429]fora, Up:[5430]= F =

foreground vt.

[Unix; common] To bring a task to the top of one's [5431]stack for immediate processing, and hackers often use it in this sense for non-computer tasks. "If your presentation is due next week, I guess I'd better foreground writing up the design document."

Technically, on a time-sharing system, a task executing in foreground is one able to accept input from and return output to the user; oppose [5432]background. Nowadays this term is primarily associated with [5433]Unix, but it appears first to have been used in this sense on OS/360. Normally, there is only one foreground task per terminal (or terminal window); having multiple processes simultaneously reading the keyboard is a good way to [5434]lose.

Node:fork, Next:[5435]fork bomb, Previous:[5436]foreground, Up:[5437]= F =

fork

In the open-source community, a fork is what occurs when two (or more) versions of a software package's source code are being developed in parallel which once shared a common code base, and these multiple versions of the source code have irreconcilable differences between them. This should not be confused with a development branch, which may later be folded back into the original source code base. Nor should it be confused with what happens when a new distribution of Linux or some other distribution is created, because that largely assembles pieces that can and will be used in other distributions without conflict.

Forking is uncommon; in fact, it is so uncommon that individual instances loom large in hacker folklore. Notable in this class were the [5438]<http://www.xemacs.org/About/XEmacsVsGNUemacs.html>, the GCC/EGCS fork (later healed by a merger) and the forks among the FreeBSD, NetBSD, and OpenBSD operating systems.

Node:fork bomb, Next:[5439]forked, Previous:[5440]fork, Up:[5441]= F =

fork bomb n.

[Unix] A particular species of [5442]wabbit that can be written in one line of C (`main() {for(;;)fork(;;)}`) or shell (`$0 & $0 &`) on any Unix system, or occasionally created by an egregious coding bug. A fork bomb process 'explodes' by recursively spawning copies of itself (using the Unix system call `fork(2)`). Eventually it eats all the process table entries and effectively wedges the system. Fortunately, fork bombs are relatively easy to spot and kill, so creating one deliberately seldom accomplishes more than to bring the just wrath of the gods down upon the perpetrator. See also [5443]logic bomb.

Node:forked, Next:[5444]Fortrash, Previous:[5445]fork bomb, Up:[5446]= F =

forked adj.,vi.

1. [common after 1997, esp. in the Linux community] An open-source software project is said to have forked or be forked when the project group fissions into two or more parts pursuing separate lines of development (or, less commonly, when a third party unconnected to the project group). Forking is considered a [5447]Bad Thing - not merely because it implies a lot of wasted effort in the future, but because forks tend to be accompanied by a great deal of strife and acrimony between the successor groups over issues of legitimacy, succession, and design direction. There is serious social pressure against forking. As a result, major forks (such as the Gnu-Emacs/XEmacs split, the fissionings of the 386BSD group into three daughter project, and the short-lived GCC/EGCS split) are rare enough that they are remembered individually in hacker folklore. 2. [Unix; uncommon; prob. influenced by a mainstream expletive] Terminally slow, or dead. Originated when one system was slowed to a snail's pace by an inadvertent [5448]fork bomb.

Node:Fortrash, Next:[5449]fortune cookie, Previous:[5450]forked, Up:[5451]= F =

Fortrash /for'trash/ n.

Hackerism for the FORTRAN (FORMula TRANslator) language, referring to its primitive design, gross and irregular syntax, limited control

constructs, and slippery, exception-filled semantics.

Node:fortune cookie, Next:[5452]forum, Previous:[5453]Fortrash,
Up:[5454]= F =

fortune cookie n.

[WAITS, via Unix; common] A random quote, item of trivia, joke, or maxim printed to the user's tty at login time or (less commonly) at logout time. Items from this lexicon have often been used as fortune cookies. See [5455]cookie file.

Node:forum, Next:[5456]fossil, Previous:[5457]fortune cookie,
Up:[5458]= F =

forum n.

[Usenet, GEnie, CI\$; pl. 'fora' or 'forums'] Any discussion group accessible through a dial-in [5459]BBS, a [5460]mailing list, or a [5461]newsgroup (see [5462]the network). A forum functions much like a bulletin board; users submit [5463]postings for all to read and discussion ensues. Contrast real-time chat via [5464]talk mode or point-to-point personal [5465]email.

Node:fossil, Next:[5466]four-color glossies, Previous:[5467]forum,
Up:[5468]= F =

fossil n.

1. In software, a misfeature that becomes understandable only in historical context, as a remnant of times past retained so as not to break compatibility. Example: the retention of octal as default base for string escapes in [5469]C, in spite of the better match of hexadecimal to ASCII and modern byte-addressable architectures. See [5470]dusty deck. 2. More restrictively, a feature with past but no present utility. Example: the force-all-caps (LCASE) bits in the V7 and [5471]BSD Unix tty driver, designed for use with monospace terminals. (In a perversion of the usual backward-compatibility goal, this functionality has actually been expanded and renamed in some later [5472]USG Unix releases as the IUCLC and OLCUC bits.) 3. The FOSSIL (Fido/Opus/Seadog Standard Interface Level) driver specification for serial-port access to replace the [5473]brain-dead routines in the IBM PC ROMs. Fossils are used by most MS-DOS [5474]BBS software in preference to the 'supported' ROM routines, which do not support interrupt-driven operation or setting speeds above 9600; the use of a semistandard FOSSIL library is preferable to the [5475]bare metal serial port programming otherwise required. Since the FOSSIL specification allows additional functionality to be hooked in, drivers that use the [5476]hook but do not provide serial-port access themselves are named with a modifier, as in 'video fossil'.

Node:four-color glossies, Next:[5477]frag, Previous:[5478]fossil,
Up:[5479]= F =

four-color glossies n.

1. Literature created by [5480]marketroids that allegedly contains technical specs but which is in fact as superficial as possible without being totally [5481]content-free. "Forget the four-color glossies, give me the tech ref manuals." Often applied as an indication of superficiality even when the material is printed on ordinary paper in black and white. Four-color-glossy manuals are never useful for solving a problem. 2. [rare] Applied by extension to manual pages that don't contain enough information to diagnose why the program doesn't produce the expected or desired output.

Node:frag, Next:[5482]fragile, Previous:[5483]four-color glossies,
Up:[5484]= F =

frag n.,v.

[from Vietnam-era U.S. military slang via the games Doom and Quake] 1. To kill another player's [5485]avatar in a multiuser game. "I hold the office Quake record with 40 frags." 2. To completely ruin something. "Forget that power supply, the lightning strike fragged it. See also [5486]gib.

Node:fragile, Next:[5487]fred, Previous:[5488]frag, Up:[5489]= F =

fragile adj.

Syn [5490]brittle.

Node:fred, Next:[5491]Fred Foobar, Previous:[5492]fragile, Up:[5493]=
F =

fred n.

1. The personal name most frequently used as a [5494]metasyntactic variable (see [5495]foo). Allegedly popular because it's easy for a non-touch-typist to type on a standard QWERTY keyboard. In Great Britain, 'fred', 'jim' and 'sheila' are common metasyntactic variables because their uppercase versions were official names given to the 3 memory areas that held I/O status registers on the lovingly-remembered BBC Microcomputer! (It is reported that SHEILA was poked the most often.) Unlike [5496]J. Random Hacker or 'J. Random Loser', the name 'fred' has no positive or negative loading (but see [5497]Dr. Fred Mbogo). See also [5498]barney. 2. An acronym for 'Flipping Ridiculous Electronic Device'; other F-verbs may be substituted for 'flipping'.

Node:Fred Foobar, Next:[5499]frednet, Previous:[5500]fred, Up:[5501]=
F =

Fred Foobar n.

[5502]J. Random Hacker's cousin. Any typical human being, more or less
synomous with 'someone' except that Fred Foobar can be
[5503]backreferenced by name later on. "So Fred Foobar will enter his
phone number into the database, and it'll be archived with the others.
Months later, when Fred searches..." See also [5504]Bloggs Family and
[5505]Dr. Fred Mbogo

Node:frednet, Next:[5506]free software, Previous:[5507]Fred Foobar,
Up:[5508]= F =

frednet /fred'net/ n.

Used to refer to some [5509]random and uncommon protocol encountered
on a network. "We're implementing bridging in our router to solve the
frednet problem."

Node:free software, Next:[5510]freeware, Previous:[5511]frednet,
Up:[5512]= F =

free software n.

As defined by Richard M. Stallman and used by the Free Software
movement, this means software that gives users enough freedom to be
used by the free software community. Specifically, users must be free
to modify the software for their private use, and free to redistribute
it either with or without modifications, either commercially or
noncommercially, either gratis or charging a distribution fee. Free
software has existed since the dawn of computing; Free Software as a
movement began in 1984 with the GNU Project. See also [5513]open
source.

Node:freeware, Next:[5514]freeze, Previous:[5515]free software,
Up:[5516]= F =

freeware n.

[common] Free software, often written by enthusiasts and distributed
by users' groups, or via electronic mail, local bulletin boards,
[5517]Usenet, or other electronic media. At one time, 'freeware' was a
trademark of Andrew Fluegelman, the author of the well-known MS-DOS
comm program PC-TALK III. It wasn't enforced after his mysterious
disappearance and presumed death in 1984. See [5518]shareware,
[5519]FRS.

Node:freeze, Next:[5520]fried, Previous:[5521]freeware, Up:[5522]= F =

freeze v.

To lock an evolving software distribution or document against changes so it can be released with some hope of stability. Carries the strong implication that the item in question will 'unfreeze' at some future date. "OK, fix that bug and we'll freeze for release."

There are more specific constructions on this term. A 'feature freeze', for example, locks out modifications intended to introduce new features but still allows bugfixes and completion of existing features; a 'code freeze' connotes no more changes at all. At Sun Microsystems and elsewhere, one may also hear references to 'code slush' -- that is, an almost-but-not-quite frozen state.

Node:fried, Next:[5523]frink, Previous:[5524]freeze, Up:[5525]= F =

fried adj.

1. [common] Non-working due to hardware failure; burnt out. Especially used of hardware brought down by a 'power glitch' (see [5526]glitch), [5527]drop-outs, a short, or some other electrical event. (Sometimes this literally happens to electronic circuits! In particular, resistors can burn out and transformers can melt down, emitting noxious smoke -- see [5528]friode, [5529]SED and [5530]LER. However, this term is also used metaphorically.) Compare [5531]frotzed. 2. [common] Of people, exhausted. Said particularly of those who continue to work in such a state. Often used as an explanation or excuse. "Yeah, I know that fix destroyed the file system, but I was fried when I put it in." Esp. common in conjunction with 'brain': "My brain is fried today, I'm very short on sleep."

Node:frink, Next:[5532]friode, Previous:[5533]fried, Up:[5534]= F =

frink /frink/ v.

The unknown ur-verb, fill in your own meaning. Found esp. on the Usenet newsgroup alt.fan.lemurs, where it is said that the lemurs know what 'frink' means, but they aren't telling. Compare [5535]gorets.

Node:friode, Next:[5536]fritterware, Previous:[5537]frink, Up:[5538]= F =

friode /fri:'ohd/ n.

[TMRC] A reversible (that is, fused or blown) diode. Compare [5539]fried; see also [5540]SED, [5541]LER.

Node:fritterware, Next:[5542]frob, Previous:[5543]friode, Up:[5544]= F

=

fritterware n.

An excess of capability that serves no productive end. The canonical example is font-diddling software on the Mac (see [5545]macdink); the term describes anything that eats huge amounts of time for quite marginal gains in function but seduces people into using it anyway. See also [5546>window shopping.

Node:frob, Next:[5547]froblicate, Previous:[5548]fritterware,

Up:[5549]= F =

frob /frob/ 1. n.

[MIT; very common] The [5550]TMRC definition was "FROB = a protruding arm or trunnion"; by metaphoric extension, a 'frob' is any random small thing; an object that you can comfortably hold in one hand; something you can frob (sense 2). See [5551]frobnitz. 2. vt. Abbreviated form of [5552]frobnicate. 3. [from the [5553]MUD world] A command on some MUDs that changes a player's experience level (this can be used to make wizards); also, to request [5554]wizard privileges on the 'professional courtesy' grounds that one is a wizard elsewhere. The command is actually 'frobnicate' but is universally abbreviated to the shorter form.

Node:frobnicate, Next:[5555]frobnitz, Previous:[5556]frob, Up:[5557]=

F =

frobnicate /frob'ni-kayt/ vt.

[Poss. derived from [5558]frobnitz, and usually abbreviated to [5559]frob, but 'frobnicate' is recognized as the official full form.] To manipulate or adjust, to tweak. One frequently frobs bits or other 2-state devices. Thus: "Please frob the light switch" (that is, flip it), but also "Stop frobbing that clasp; you'll break it". One also sees the construction 'to frob a frob'. See [5560]tweak and [5561]twiddle.

Usage: frob, twiddle, and tweak sometimes connote points along a continuum. 'Frob' connotes aimless manipulation; 'twiddle' connotes gross manipulation, often a coarse search for a proper setting; 'tweak' connotes fine-tuning. If someone is turning a knob on an oscilloscope, then if he's carefully adjusting it, he is probably tweaking it; if he is just turning it but looking at the screen, he is probably twiddling it; but if he's just doing it because turning a knob is fun, he's frobbing it. The variant 'frobnosticate' has been recently reported.

Node:frobnitz, Next:[5562]frog, Previous:[5563]frobnicate, Up:[5564]=
F =

frobnitz /frob'nits/, pl. 'frobnitzem' /frob'nit-zm/ or 'frobni'
/frob'ni:/ n.

[TMRC] An unspecified physical object, a widget. Also refers to electronic black boxes. This rare form is usually abbreviated to 'frotz', or more commonly to [5565]frob. Also used are 'frobnule' (/frob'n[y]ool/) and 'frobule' (/frob'yool/). Starting perhaps in 1979, 'frobozz' /fr*-boz'/ (plural: 'frobbotzim' /fr*-bot'zm/) has also become very popular, largely through its exposure as a name via [5566]Zork. These variants can also be applied to nonphysical objects, such as data structures.

Pete Samson, compiler of the original [5567]TMRC lexicon, adds, "Under the TMRC [railroad] layout were many storage boxes, managed (in 1958) by David R. Sawyer. Several had fanciful designations written on them, such as 'Frobnitz Coil Oil'. Perhaps DRS intended Frobnitz to be a proper name, but the name was quickly taken for the thing". This was almost certainly the origin of the term.

Node:frog, Next:[5568]frogging, Previous:[5569]frobnitz, Up:[5570]= F
=

frog alt. 'phrog'

1. interj. Term of disgust (we seem to have a lot of them). 2. Used as a name for just about anything. See [5571]foo. 3. n. Of things, a crock. 4. n. Of people, somewhere in between a turkey and a toad. 5. 'froggy': adj. Similar to [5572]bagbiting, but milder. "This froggy program is taking forever to run!"

Node:frogging, Next:[5573]front end, Previous:[5574]frog, Up:[5575]= F
=

frogging [University of Waterloo] v.

1. Partial corruption of a text file or input stream by some bug or consistent glitch, as opposed to random events like line noise or media failures. Might occur, for example, if one bit of each incoming character on a tty were stuck, so that some characters were correct and others were not. See [5576]terminak for a historical example and compare [5577]dread high-bit disease. 2. By extension, accidental display of text in a mode where the output device emits special symbols or mnemonics rather than conventional ASCII. This often happens, for example, when using a terminal or comm program on a device like an IBM PC with a special 'high-half' character set and with the bit-parity assumption wrong. A hacker sufficiently familiar

with ASCII bit patterns might be able to read the display anyway.

Node:front end, Next:[5578]frotz, Previous:[5579]frogging, Up:[5580]=
F =

front end n.

1. An intermediary computer that does set-up and filtering for another (usually more powerful but less friendly) machine (a 'back end'). 2. What you're talking to when you have a conversation with someone who is making replies without paying attention. "Look at the dancing elephants!" "Uh-huh." "Do you know what I just said?" "Sorry, you were talking to the front end." 3. Software that provides an interface to another program 'behind' it, which may not be as user-friendly. Probably from analogy with hardware front-ends (see sense 1) that interfaced with mainframes.

Node:frotz, Next:[5581]frotzed, Previous:[5582]front end, Up:[5583]= F =
=

frotz /frots/

1. n. See [5584]frobnitz. 2. 'mumble frotz': An interjection of mildest disgust.

Node:frotzed, Next:[5585]frowney, Previous:[5586]frotz, Up:[5587]= F =

frotzed /frotst/ adj.

[5588]down because of hardware problems. Compare [5589]fried. A machine that is merely frotzed may be fixable without replacing parts, but a fried machine is more seriously damaged.

Node:frowney, Next:[5590]FRS, Previous:[5591]frotzed, Up:[5592]= F =

frowney n.

(alt. 'frowney face') See [5593]emoticon.

Node:FRS, Next:[5594]fry, Previous:[5595]frowney, Up:[5596]= F =

FRS // n.,obs.

Abbreviation for "Freely Redistributable Software" which entered general use on the Internet in 1995 after years of low-level confusion over what exactly to call software written to be passed around and shared (contending terms including [5597]freeware, [5598]shareware, and 'sourceware' were never universally felt to be satisfactory for

various subtle reasons). The first formal conference on freely redistributable software was held in Cambridge, Massachusetts, in February 1996 (sponsored by the Free Software Foundation). The conference organizers used the FRS abbreviation heavily in its calls for papers and other literature during 1995. The term was in steady though not common use until 1998 and the invention of [5599]open source.

Node:fry, Next:[5600]fscking, Previous:[5601]FRS, Up:[5602]= F =

fry

1. vi. To fail. Said especially of smoke-producing hardware failures. More generally, to become non-working. Usage: never said of software, only of hardware and humans. See [5603]fried, [5604]magic smoke. 2. vt. To cause to fail; to [5605]roach, [5606]toast, or [5607]hose a piece of hardware. Never used of software or humans, but compare [5608]fried.

Node:fscking, Next:[5609]FSF, Previous:[5610]fry, Up:[5611]= F =

fscking /fus'-king/ or /eff'-seek-ing/ adj.

[Usenet; common] Fucking, in the expletive sense (it refers to the Unix filesystem-repair command fsck(1), of which it can be said that if you have to use it at all you are having a bad day). Originated on [5612]scary devil monastery and the bofh.net newsgroups, but became much more widespread following the passage of [5613]CDA. Also occasionally seen in the variant "What the fsck?"

Node:FSF, Next:[5614]FTP, Previous:[5615]fscking, Up:[5616]= F =

FSF /F-S-F/ abbrev.

Common abbreviation (both spoken and written) for the name of the Free Software Foundation, a nonprofit educational association formed to support the [5617]GNU project.

Node:FTP, Next:[5618]-fu, Previous:[5619]FSF, Up:[5620]= F =

FTP /F-T-P/, not /fit'ip/

1. [techspeak] n. The File Transfer Protocol for transmitting files between systems on the Internet. 2. vt. To [5621]beam a file using the File Transfer Protocol. 3. Sometimes used as a generic even for file transfers not using [5622]FTP. "Lemme get a copy of "Wuthering Heights" ftp'd from uunet."

Node:-fu, Next:[5623]FUBAR, Previous:[5624]FTP, Up:[5625]= F =

-fu

[common; generalized from 'kung-fu'] Combining form denoting expert practice of a skill. "That's going to take some serious code-fu."

First sighted in connection with the GIMP's remote-scripting facility, script-fu, in 1998.

Node:FUBAR, Next:[5626]fuck me harder, Previous:[5627]-fu, Up:[5628]= F =

FUBAR n.

The Failed UniBus Address Register in a VAX. A good example of how jargon can occasionally be snuck past the [5629]suits; see [5630]foobar, and [5631]foo for a fuller etymology.

Node:fuck me harder, Next:[5632]FUD, Previous:[5633]FUBAR, Up:[5634]= F =

fuck me harder excl.

Sometimes uttered in response to egregious misbehavior, esp. in software, and esp. of misbehaviors which seem unfairly persistent (as though designed in by the imp of the perverse). Often theatrically elaborated: "Aiighhh! Fuck me with a piledriver and 16 feet of curare-tipped wrought-iron fence and no lubricants!" The phrase is sometimes heard abbreviated 'FMH' in polite company.

[This entry is an extreme example of the hackish habit of coining elaborate and evocative terms for lossage. Here we see a quite self-conscious parody of mainstream expletives that has become a running gag in part of the hacker culture; it illustrates the hackish tendency to turn any situation, even one of extreme frustration, into an intellectual game (the point being, in this case, to creatively produce a long-winded description of the most anatomically absurd mental image possible -- the short forms implicitly allude to all the ridiculous long forms ever spoken). Scatological language is actually relatively uncommon among hackers, and there was some controversy over whether this entry ought to be included at all. As it reflects a live usage recognizably peculiar to the hacker culture, we feel it is in the hackish spirit of truthfulness and opposition to all forms of censorship to record it here. --ESR & GLS]

Node:FUD, Next:[5635]FUD wars, Previous:[5636]fuck me harder, Up:[5637]= F =

FUD /fuhd/ n.

Defined by Gene Amdahl after he left IBM to found his own company: "FUD is the fear, uncertainty, and doubt that IBM sales people instill in the minds of potential customers who might be considering [Amdahl] products." The idea, of course, was to persuade them to go with safe IBM gear rather than with competitors' equipment. This implicit coercion was traditionally accomplished by promising that Good Things would happen to people who stuck with IBM, but Dark Shadows loomed over the future of competitors' equipment or software. See [5638]IBM. After 1990 the term FUD was associated increasingly frequently with [5639]Microsoft, and has become generalized to refer to any kind of disinformation used as a competitive weapon.

Node:FUD wars, Next:[5640]fudge, Previous:[5641]FUD, Up:[5642]= F =

FUD wars /fuhd worz/ n.

[from [5643]FUD] Political posturing engaged in by hardware and software vendors ostensibly committed to standardization but actually willing to fragment the market to protect their own shares. The Unix International vs. OSF conflict about Unix standards was one outstanding example; Microsoft vs. Netscape vs. W3C about HTML standards is another.

Node:fudge, Next:[5644]fudge factor, Previous:[5645]FUD wars, Up:[5646]= F =

fudge

1. vt. To perform in an incomplete but marginally acceptable way, particularly with respect to the writing of a program. "I didn't feel like going through that pain and suffering, so I fudged it -- I'll fix it later." 2. n. The resulting code.

Node:fudge factor, Next:[5647]fuel up, Previous:[5648]fudge, Up:[5649]= F =

fudge factor n.

[common] A value or parameter that is varied in an ad hoc way to produce the desired result. The terms 'tolerance' and [5650]slop are also used, though these usually indicate a one-sided leeway, such as a buffer that is made larger than necessary because one isn't sure exactly how large it needs to be, and it is better to waste a little space than to lose completely for not having enough. A fudge factor, on the other hand, can often be tweaked in more than one direction. A good example is the 'fuzz' typically allowed in floating-point calculations: two numbers being compared for equality must be allowed to differ by a small amount; if that amount is too small, a computation may never terminate, while if it is too large, results will be needlessly inaccurate. Fudge factors are frequently adjusted

incorrectly by programmers who don't fully understand their import.
See also [5651]coefficient of X.

Node:fuel up, Next:[5652]Full Monty, Previous:[5653]fudge factor,
Up:[5654]= F =

fuel up vi.

To eat or drink hurriedly in order to get back to hacking. "Food-p?"
"Yeah, let's fuel up." "Time for a [5655]great-wall!" See also
[5656]oriental food.

Node:Full Monty, Next:[5657]fum, Previous:[5658]fuel up, Up:[5659]= F
=

Full Monty n.

See [5660]monty, sense 2.

Node:fum, Next:[5661]functino, Previous:[5662]Full Monty, Up:[5663]= F
=

fum n.

[XEROX PARC] At PARC, often the third of the standard
[5664]metasyntactic variables (after [5665]foo and [5666]bar).
Competes with [5667]baz, which is more common outside PARC.

Node:functino, Next:[5668]funky, Previous:[5669]fum, Up:[5670]= F =

functino n.

[uncommon, U.K.; originally a serendipitous typo in 1994] A pointer to
a function in C and C++. By association with sub-atomic particles such
as the neutrino, it accurately conveys an impression of smallness (one
pointer is four bytes on most systems) and speed (hackers can and do
use arrays of functinos to replace a switch() statement).

Node:funky, Next:[5671]funny money, Previous:[5672]functino,
Up:[5673]= F =

funky adj.

Said of something that functions, but in a slightly strange, klugey
way. It does the job and would be difficult to change, so its obvious
non-optimality is left alone. Often used to describe interfaces. The
more bugs something has that nobody has bothered to fix because
workarounds are easier, the funkier it is. [5674]TECO and UUCP are

funky. The Intel i860's exception handling is extraordinarily funky. Most standards acquire funkiness as they age. "The new mailer is installed, but is still somewhat funky; if it bounces your mail for no reason, try resubmitting it." "This UART is pretty funky. The data ready line is active-high in interrupt mode and active-low in DMA mode."

Node:funny money, Next:[5675]furrfu, Previous:[5676]funky, Up:[5677]=
F =

funny money n.

1. Notional 'dollar' units of computing time and/or storage handed to students at the beginning of a computer course; also called 'play money' or 'purple money' (in implicit opposition to real or 'green' money). In New Zealand and Germany the odd usage 'paper money' has been recorded; in Germany, the particularly amusing synonym 'transfer ruble' commemorates the funny money used for trade between COMECON countries back when the Soviet Bloc still existed. When your funny money ran out, your account froze and you needed to go to a professor to get more. Fortunately, the plunging cost of timesharing cycles has made this less common. The amounts allocated were almost invariably too small, even for the non-hackers who wanted to slide by with minimum work. In extreme cases, the practice led to small-scale black markets in bootlegged computer accounts. 2. By extension, phantom money or quantity tickets of any kind used as a resource-allocation hack within a system. Antonym: 'real money'.

Node:furrfu, Next:[5678]fuzzball, Previous:[5679]funny money,
Up:[5680]= F =

furrfu excl.

[Usenet; written, only rarely spoken] Written-only equivalent of "Sheesh!"; it is, in fact, "sheesh" modified by [5681]rot13. Evolved in mid-1992 as a response to notably silly postings repeating urban myths on the Usenet newsgroup alt.folklore.urban, after some posters complained that "Sheesh!" as a response to [5682]newbies was being overused. See also [5683]FOAF.

Node:fuzzball, Next:[5684]G, Previous:[5685]furrfu, Up:[5686]= F =

fuzzball n.

[TCP/IP hackers] A DEC LSI-11 running a particular suite of homebrewed software written by Dave Mills and assorted co-conspirators, used in the early 1980s for Internet protocol testbedding and experimentation. These were used as NSFnet backbone sites in its early 56kb-line days; a few were still active on the Internet as late as mid-1993, doing odd jobs such as network time service.

Node:= G =, Next:[5687]= H =, Previous:[5688]= F =, Up:[5689]The
Jargon Lexicon

= G =

- * [5690]G:
- * [5691]g-file:
- * [5692]gabriel:
- * [5693]gag:
- * [5694]gang bang:
- * [5695]garbage collect:
- * [5696]garply:
- * [5697]gas:
- * [5698]gaseous:
- * [5699]Gates's Law:
- * [5700]gawble:
- * [5701]GC:
- * [5702]GCOS:
- * [5703]GECOS:
- * [5704]gedanken:
- * [5705]geef:
- * [5706]geek code:
- * [5707]geek out:
- * [5708]gen:
- * [5709]gender mender:
- * [5710]General Public Virus:
- * [5711]generate:
- * [5712]Genius From Mars Technique:
- * [5713]gensym:
- * [5714]Get a life!:
- * [5715]Get a real computer!:
- * [5716]GFR:
- * [5717]gib:
- * [5718]GIFs at 11:
- * [5719]gig:
- * [5720]giga-:
- * [5721]GIGO:
- * [5722]gilley:
- * [5723]gillion:
- * [5724]ginger:
- * [5725]GIPS:
- * [5726]glark:
- * [5727]glass:
- * [5728]glass tty:
- * [5729]glassfet:
- * [5730]glitch:
- * [5731]glob:
- * [5732]glork:
- * [5733]glue:
- * [5734]gnarly:
- * [5735]GNU:

- * [5736]gnubie:
- * [5737]GNUMACS:
- * [5738]go flatline:
- * [5739]go root:
- * [5740]go-faster stripes:
- * [5741]GoAT:
- * [5742]gobble:
- * [5743]Godwin's Law:
- * [5744]Godzillagram:
- * [5745]golden:
- * [5746]golf-ball printer:
- * [5747]gonk:
- * [5748]gonkulator:
- * [5749]gonzo:
- * [5750]Good Thing:
- * [5751]gopher:
- * [5752]gopher hole:
- * [5753]gorets:
- * [5754]gorilla arm:
- * [5755]gorp:
- * [5756]GOSMACS:
- * [5757]Gosperism:
- * [5758]gotcha:
- * [5759]GPL:
- * [5760]GPV:
- * [5761]grault:
- * [5762]gray goo:
- * [5763]Great Renaming:
- * [5764]Great Runes:
- * [5765]Great Worm:
- * [5766]great-wall:
- * [5767]Green Book:
- * [5768]green bytes:
- * [5769]green card:
- * [5770]green lightning:
- * [5771]green machine:
- * [5772]Green's Theorem:
- * [5773]greenbar:
- * [5774]grep:
- * [5775]gribble:
- * [5776]grilf:
- * [5777]grind:
- * [5778]grind crank:
- * [5779]gripenet:
- * [5780]gritch:
- * [5781]grok:
- * [5782]gronk:
- * [5783]gronk out:
- * [5784]gronked:
- * [5785]grovel:
- * [5786]grue:
- * [5787]grunge:
- * [5788]gubbish:

- * [5789]Guido:
 - * [5790]guiltware:
 - * [5791]gumby:
 - * [5792]gun:
 - * [5793]gunch:
 - * [5794]gunpowder chicken:
 - * [5795]gurfle:
 - * [5796]guru:
 - * [5797]guru meditation:
 - * [5798]gweep:
-

Node:G, Next:[5799]g-file, Previous:[5800]fuzzball, Up:[5801]= G =

G pref.,suff.

[SI] See [5802]quantifiers.

Node:g-file, Next:[5803]gabriel, Previous:[5804]G, Up:[5805]= G =

g-file n.

[Commodore BBS culture] Any file that is written with the intention of being read by a human rather than a machine, such as the Jargon File, documentation, humor files, hacker lore, and technical materials.

This term survives from the nearly forgotten Commodore 64 underground and BBS community. In the early 80s, C-Net had emerged as the most popular C64 BBS software for systems which encouraged messaging (as opposed to file transfer). There were three main options for files: Program files (p-files), which served the same function as 'doors' in today's systems, UD files (the user upload/download section), and g-files. Anything that was meant to be read was included in g-files.

Node:gabriel, Next:[5806]gag, Previous:[5807]g-file, Up:[5808]= G =

gabriel /gay'bree-*/ n.

[for Dick Gabriel, SAIL LISP hacker and volleyball fanatic] An unnecessary (in the opinion of the opponent) stalling tactic, e.g., tying one's shoelaces or combing one's hair repeatedly, asking the time, etc. Also used to refer to the perpetrator of such tactics. Also, 'pulling a Gabriel', 'Gabriel mode'.

Node:gag, Next:[5809]gang bang, Previous:[5810]gabriel, Up:[5811]= G =

gag vi.

Equivalent to [5812]choke, but connotes more disgust. "Hey, this is FORTRAN code. No wonder the C compiler gagged." See also [5813]barf.

Node:gang bang, Next:[5814]garbage collect, Previous:[5815]gag,
Up:[5816]= G =

gang bang n.

The use of large numbers of loosely coupled programmers in an attempt to wedge a great many features into a product in a short time. Though there have been memorable gang bangs (e.g., that over-the-weekend assembler port mentioned in Steven Levy's "Hackers"), most are perpetrated by large companies trying to meet deadlines; the inevitable result is enormous buggy masses of code entirely lacking in [5817]orthogonality. When market-driven managers make a list of all the features the competition has and assign one programmer to implement each, the probability of maintaining a coherent (or even functional) design goes infinitesimal. See also [5818]firefighting, [5819]Mongolian Hordes technique, [5820]Conway's Law.

Node:garbage collect, Next:[5821]garply, Previous:[5822]gang bang,
Up:[5823]= G =

garbage collect vi.

(also 'garbage collection', n.) See [5824]GC.

Node:garply, Next:[5825]gas, Previous:[5826]garbage collect,
Up:[5827]= G =

garply /gar'plee/ n.

[Stanford] Another metasyntactic variable (see [5828]foo); once popular among SAIL hackers.

Node:gas, Next:[5829]gaseous, Previous:[5830]garply, Up:[5831]= G =

gas

[as in 'gas chamber'] 1. interj. A term of disgust and hatred, implying that gas should be dispensed in generous quantities, thereby exterminating the source of irritation. "Some loser just reloaded the system for no reason! Gas!" 2. interj. A suggestion that someone or something ought to be flushed out of mercy. "The system's getting [5832]wedged every few minutes. Gas!" 3. vt. To [5833]flush (sense 1). "You should gas that old cruffy software." 4. [IBM] n. Dead space in nonsequentially organized files that was occupied by data that has since been deleted; the compression operation that removes it is called 'degassing' (by analogy, perhaps, with the use of the same term in vacuum technology). 5. [IBM] n. Empty space on a disk that has been clandestinely allocated against future need.

Node:gaseous, Next:[5834]Gates's Law, Previous:[5835]gas, Up:[5836]= G =

gaseous adj.

Deserving of being [5837]gassed. Disseminated by Geoff Goodfellow while at SRI; became particularly popular after the Moscone-Milk killings in San Francisco, when it was learned that the defendant Dan White (a politician who had supported Proposition 7) would get the gas chamber under Proposition 7 if convicted of first-degree murder (he was eventually convicted of manslaughter).

Node:Gates's Law, Next:[5838]gawble, Previous:[5839]gaseous, Up:[5840]= G =

Gates's Law

"The speed of software halves every 18 months." This oft-cited law is an ironic comment on the tendency of software bloat to outpace the every-18-month doubling in hardware capacity per dollar predicted by [5841]Moore's Law. The reference is to Bill Gates; Microsoft is widely considered among the worst if not the worst of the perpetrators of bloat.

Node:gawble, Next:[5842]GC, Previous:[5843]Gates's Law, Up:[5844]= G =

gawble /gaw'bl/ n.

See [5845]chawmp.

Node:GC, Next:[5846]GCOS, Previous:[5847]gawble, Up:[5848]= G =

GC /G-C/

[from LISP terminology; 'Garbage Collect'] 1. vt. To clean up and throw away useless things. "I think I'll GC the top of my desk today." When said of files, this is equivalent to [5849]GFR. 2. vt. To recycle, reclaim, or put to another use. 3. n. An instantiation of the garbage collector process.

'Garbage collection' is computer-science techspeak for a particular class of strategies for dynamically but transparently reallocating computer memory (i.e., without requiring explicit allocation and deallocation by higher-level software). One such strategy involves periodically scanning all the data in memory and determining what is no longer accessible; useless data items are then discarded so that the memory they occupy can be recycled and used for another purpose. Implementations of the LISP language usually use garbage collection.

In jargon, the full phrase is sometimes heard but the [5850]abbrev GC is more frequently used because it is shorter. Note that there is an ambiguity in usage that has to be resolved by context: "I'm going to garbage-collect my desk" usually means to clean out the drawers, but it could also mean to throw away or recycle the desk itself.

Node:GCOS, Next:[5851]GECOS, Previous:[5852]GC, Up:[5853]= G =

GCOS /jee'kohs/ n.

A [5854]quick-and-dirty [5855]clone of System/360 DOS that emerged from GE around 1970; originally called GECOS (the General Electric Comprehensive Operating System). Later kluged to support primitive timesharing and transaction processing. After the buyout of GE's computer division by Honeywell, the name was changed to General Comprehensive Operating System (GCOS). Other OS groups at Honeywell began referring to it as 'God's Chosen Operating System', allegedly in reaction to the GCOS crowd's uninformed and snotty attitude about the superiority of their product. All this might be of zero interest, except for two facts: (1) The GCOS people won the political war, and this led in the orphaning and eventual death of Honeywell [5856]Multics, and (2) GECOS/GCOS left one permanent mark on Unix. Some early Unix systems at Bell Labs used GCOS machines for print spooling and various other services; the field added to /etc/passwd to carry GCOS ID information was called the 'GECOS field' and survives today as the pw_gecos member used for the user's full name and other human-ID information. GCOS later played a major role in keeping Honeywell a dismal also-ran in the mainframe market, and was itself mostly ditched for Unix in the late 1980s when Honeywell began to retire its aging [5857]big iron designs.

Node:GECOS, Next:[5858]gedanken, Previous:[5859]GCOS, Up:[5860]= G =

GECOS /jee'kohs/ n.

See [5861]GCOS.

Node:gedanken, Next:[5862]geef, Previous:[5863]GECOS, Up:[5864]= G =

gedanken /g*-dahn'kn/ adj.

Ungrounded; impractical; not well-thought-out; untried; untested.

'Gedanken' is a German word for 'thought'. A thought experiment is one you carry out in your head. In physics, the term 'gedanken experiment' is used to refer to an experiment that is impractical to carry out, but useful to consider because it can be reasoned about theoretically. (A classic gedanken experiment of relativity theory involves thinking about a man in an elevator accelerating through space.) Gedanken

experiments are very useful in physics, but must be used with care. It's too easy to idealize away some important aspect of the real world in constructing the 'apparatus'.

Among hackers, accordingly, the word has a pejorative connotation. It is typically used of a project, especially one in artificial intelligence research, that is written up in grand detail (typically as a Ph.D. thesis) without ever being implemented to any great extent. Such a project is usually perpetrated by people who aren't very good hackers or find programming distasteful or are just in a hurry. A 'gedanken thesis' is usually marked by an obvious lack of intuition about what is programmable and what is not, and about what does and does not constitute a clear specification of an algorithm. See also [5865]AI-complete, [5866]DWIM.

Node:geef, Next:[5867]geek code, Previous:[5868]gedanken, Up:[5869]= G =

geef v.

[ostensibly from 'gefingerpoken'] vt. Syn. [5870]mung. See also [5871]blinkenlights.

Node:geek code, Next:[5872]geek out, Previous:[5873]geef, Up:[5874]= G =

geek code n.

(also "Code of the Geeks"). A set of codes commonly used in [5875]sig blocks to broadcast the interests, skills, and aspirations of the poster. Features a G at the left margin followed by numerous letter codes, often suffixed with plusses or minuses. Because many net users are involved in computer science, the most common prefix is 'GCS'. To see a copy of the current code, browse [5876]<http://www.geekcode.com>. Here is a sample geek code (that of Robert Hayden, the code's inventor) from that page:

```
-----BEGIN GEEK CODE BLOCK-----
```

```
Version: 3.1
```

```
GED/J d-- s:+++>: a- C++(++++)$ ULUO++ P+>+++ L++ !E---- W+(---) N+++  
o+ K+++ w+(---) O- M+$>+++ V-- PS++(+++)>$ PE++(+)>$ Y++ PGP++ t- 5+++  
X++ R+++>$ tv+ b+ DI+++ D+++ G++++>$ e++$>++++ h r-- y+**
```

```
-----END GEEK CODE BLOCK-----
```

The geek code originated in 1993; it was inspired (according to the inventor) by previous "bear", "smurf" and "twink" style-and-sexual-preference codes from lesbian and gay [5877]newsgroups. It has in turn spawned imitators; there is now even a "Saturn geek code" for owners of the Saturn car. See also [5878]computer geek.

Node:geek out, Next:[5879]gen, Previous:[5880]geek code, Up:[5881]= G

=

geek out vi.

To temporarily enter techno-nerd mode while in a non-hackish context, for example at parties held near computer equipment. Especially used when you need to do or say something highly technical and don't have time to explain: "Pardon me while I geek out for a moment." See [5882]computer geek; see also [5883]propeller head.

Node:gen, Next:[5884]gender mender, Previous:[5885]geek out,

Up:[5886]= G =

gen /jen/ n.,v.

Short for [5887]generate, used frequently in both spoken and written contexts.

Node:gender mender, Next:[5888]General Public Virus,

Previous:[5889]gen, Up:[5890]= G =

gender mender n.

[common] A cable connector shell with either two male or two female connectors on it, used to correct the mismatches that result when some [5891]loser didn't understand the RS232C specification and the distinction between DTE and DCE. Used esp. for RS-232C parts in either the original D-25 or the IBM PC's bogus D-9 format. Also called 'gender bender', 'gender blender', 'sex changer', and even 'homosexual adapter;' however, there appears to be some confusion as to whether a 'male homosexual adapter' has pins on both sides (is doubly male) or sockets on both sides (connects two males).

Node:General Public Virus, Next:[5892]generate, Previous:[5893]gender

mender, Up:[5894]= G =

General Public Virus n.

Pejorative name for some versions of the [5895]GNU project [5896]copyleft or General Public License (GPL), which requires that any tools or [5897]apps incorporating copylefted code must be source-distributed on the same anti-proprietary terms as GNU stuff. Thus it is alleged that the copyleft 'infects' software generated with GNU tools, which may in turn infect other software that reuses any of its code. The Free Software Foundation's official position as of January 1991 is that copyright law limits the scope of the GPL to "programs textually incorporating significant amounts of GNU code", and that the 'infection' is not passed on to third parties unless actual GNU source is transmitted. Nevertheless, widespread suspicion

that the [5898]copyleft language is 'boobytrapped' has caused many developers to avoid using GNU tools and the GPL. Changes in the language of the version 2.0 GPL did not eliminate this problem.

Node:generate, Next:[5899]Genius From Mars Technique,
Previous:[5900]General Public Virus, Up:[5901]= G =

generate vt.

To produce something according to an algorithm or program or set of rules, or as a (possibly unintended) side effect of the execution of an algorithm or program. The opposite of [5902]parse. This term retains its mechanistic connotations (though often humorously) when used of human behavior. "The guy is rational most of the time, but mention nuclear energy around him and he'll generate [5903]infinite flamage."

Node:Genius From Mars Technique, Next:[5904]gensym,
Previous:[5905]generate, Up:[5906]= G =

Genius From Mars Technique n.

[TMRC] A visionary quality which enables one to ignore the standard approach and come up with a totally unexpected new algorithm. An attack on a problem from an offbeat angle that no one has ever thought of before, but that in retrospect makes total sense. Compare [5907]grok, [5908]zen.

Node:gensym, Next:[5909]Get a life!, Previous:[5910]Genius From Mars Technique, Up:[5911]= G =

gensym /jen'sim/

[from MacLISP for 'generated symbol'] 1. v. To invent a new name for something temporary, in such a way that the name is almost certainly not in conflict with one already in use. 2. n. The resulting name. The canonical form of a gensym is 'Gnnnn' where nnnn represents a number; any LISP hacker would recognize G0093 (for example) as a gensym. 3. A freshly generated data structure with a gensymmed name. Gensymmed names are useful for storing or uniquely identifying crufties (see [5912]cruft).

Node:Get a life!, Next:[5913]Get a real computer!,
Previous:[5914]gensym, Up:[5915]= G =

Get a life! imp.

Hacker-standard way of suggesting that the person to whom it is directed has succumbed to terminal geekdom (see [5916]computer geek).

Often heard on [5917]Usenet, esp. as a way of suggesting that the target is taking some obscure issue of [5918]theology too seriously. This exhortation was popularized by William Shatner on a 1987 "Saturday Night Live" episode in a speech that ended "Get a life!", but some respondents believe it to have been in use before then. It was certainly in wide use among hackers for years before achieving mainstream currency via the sitcom "Get A Life" in 1990.

Node:Get a real computer!, Next:[5919]GFR, Previous:[5920]Get a life!, Up:[5921]= G =

Get a real computer! imp.

Typical hacker response to news that somebody is having trouble getting work done on a system that (a) is single-tasking, (b) has no hard disk, or (c) has an address space smaller than 16 megabytes. This is as of early 1996; note that the threshold for 'real computer' rises with time. See [5922]bitty box and [5923]toy.

Node:GFR, Next:[5924]gib, Previous:[5925]Get a real computer!, Up:[5926]= G =

GFR /G-F-R/ vt.

[ITS: from 'Grim File Reaper', an ITS and LISP Machine utility] To remove a file or files according to some program-automated or semi-automatic manual procedure, especially one designed to reclaim mass storage space or reduce name-space clutter (the original GFR actually moved files to tape). Often generalized to pieces of data below file level. "I used to have his phone number, but I guess I [5927]GFRred it." See also [5928]proowler, [5929]reaper. Compare [5930]GC, which discards only provably worthless stuff.

Node:gib, Next:[5931]GIFs at 11, Previous:[5932]GFR, Up:[5933]= G =

gib /jib/

1. vi. To destroy utterly. Like [5934]frag, but much more violent and final. "There's no trace left. You definitely gibbed that bug". 2. n. Remnants after total obliteration.

Originated first by id software in the game Quake. It's short for giblets (thus pronounced "jib"), and referred to the bloody remains of slain opponents. Eventually the word was verbed, and leaked into general usage afterward.

Node:GIFs at 11, Next:[5935]gig, Previous:[5936]gib, Up:[5937]= G =

GIFs at 11

[Fidonet] Fidonet alternative to [5938]film at 11, especially in echoes (Fidonet topic areas) where uuencoded GIFs are permitted. Other formats, especially JPEG and MPEG, may be referenced instead.

Node:gig, Next:[5939]giga-, Previous:[5940]GIFs at 11, Up:[5941]= G =

gig /jig/ or /gig/ n.

[SI] See [5942]quantifiers.

Node:giga-, Next:[5943]GIGO, Previous:[5944]gig, Up:[5945]= G =

giga- /ji'ga/ or /gi'ga/ pref.

[SI] See [5946]quantifiers.

Node:GIGO, Next:[5947]gilley, Previous:[5948]giga-, Up:[5949]= G =

GIGO /gi:'goh/ [acronym]

1. 'Garbage In, Garbage Out' -- usually said in response to [5950]users who complain that a program didn't "do the right thing" when given imperfect input or otherwise mistreated in some way. Also commonly used to describe failures in human decision making due to faulty, incomplete, or imprecise data. 2. 'Garbage In, Gospel Out': this more recent expansion is a sardonic comment on the tendency human beings have to put excessive trust in 'computerized' data.

Node:gilley, Next:[5951]gillion, Previous:[5952]GIGO, Up:[5953]= G =

gilley n.

[Usenet] The unit of analogical [5954]bogosity. According to its originator, the standard for one gilley was "the act of bogotoficiously comparing the shutting down of 1000 machines for a day with the killing of one person". The milligilley has been found to suffice for most normal conversational exchanges.

Node:gillion, Next:[5955]ginger, Previous:[5956]gilley, Up:[5957]= G =

gillion /gil'y*n/ or /jil'y*n/ n.

[formed from [5958]giga- by analogy with mega/million and tera/trillion] 10⁹. Same as an American billion or a British 'milliard'. How one pronounces this depends on whether one speaks [5959]giga- with a hard or soft 'g'.

Node:ginger, Next:[5960]GIPS, Previous:[5961]gillion, Up:[5962]= G =

ginger n.

See [5963]saga.

Node:GIPS, Next:[5964]glark, Previous:[5965]ginger, Up:[5966]= G =

GIPS /gips/ or /jips/ n.

[analogy with [5967]MIPS] Giga-Instructions per Second (also possibly 'Gillions of Instructions per Second'; see [5968]gillion). In 1991, this is used of only a handful of highly parallel machines, but this is expected to change. Compare [5969]KIPS.

Node:glark, Next:[5970]glass, Previous:[5971]GIPS, Up:[5972]= G =

glark /glark/ vt.

To figure something out from context. "The System III manuals are pretty poor, but you can generally glark the meaning from context." Interestingly, the word was originally 'glork'; the context was "This gubblick contains many nonsklarkish English flutzpahs, but the overall pluggandisp can be glorked [sic] from context" (David Moser, quoted by Douglas Hofstadter in his "Metamagical Themas" column in the January 1981 "Scientific American"). It is conjectured that hacker usage mutated the verb to 'glark' because [5973]glork was already an established jargon term (some hackers do report using the original term). Compare [5974]grok, [5975]zen.

Node:glass, Next:[5976]glass tty, Previous:[5977]glark, Up:[5978]= G =

glass n.

[IBM] Synonym for [5979]silicon.

Node:glass tty, Next:[5980]glassfet, Previous:[5981]glass, Up:[5982]= G =

glass tty /glas T-T-Y/ or /glas ti'tee/ n.

A terminal that has a display screen but which, because of hardware or software limitations, behaves like a teletype or some other printing terminal, thereby combining the disadvantages of both: like a printing terminal, it can't do fancy display hacks, and like a display terminal, it doesn't produce hard copy. An example is the early 'dumb' version of Lear-Siegler ADM 3 (without cursor control). See [5983]tube, [5984]tty; compare [5985]dumb terminal, [5986]smart

terminal. See "[5987]TV Typewriters" (Appendix A) for an interesting true story about a glass tty.

Node:glassfet, Next:[5988]glitch, Previous:[5989]glass tty, Up:[5990]= G =

glassfet /glas'fet/ n.

[by analogy with MOSFET, the acronym for 'Metal-Oxide-Semiconductor Field-Effect Transistor'] Syn. [5991]firebottle, a humorous way to refer to a vacuum tube.

Node:glitch, Next:[5992]glob, Previous:[5993]glassfet, Up:[5994]= G =

glitch /glicH/

[very common; from German 'glitschig' to slip, via Yiddish 'glitschen', to slide or skid] 1. n. A sudden interruption in electric service, sanity, continuity, or program function. Sometimes recoverable. An interruption in electric service is specifically called a 'power glitch' (also [5995]power hit), of grave concern because it usually crashes all the computers. In jargon, though, a hacker who got to the middle of a sentence and then forgot how he or she intended to complete it might say, "Sorry, I just glitched". 2. vi. To commit a glitch. See [5996]gritch. 3. vt. [Stanford] To scroll a display screen, esp. several lines at a time. [5997]WAITS terminals used to do this in order to avoid continuous scrolling, which is distracting to the eye. 4. obs. Same as [5998]magic cookie, sense 2.

All these uses of 'glitch' derive from the specific technical meaning the term has in the electronic hardware world, where it is now techspeak. A glitch can occur when the inputs of a circuit change, and the outputs change to some [5999]random value for some very brief time before they settle down to the correct value. If another circuit inspects the output at just the wrong time, reading the random value, the results can be very wrong and very hard to debug (a glitch is one of many causes of electronic [6000]heisenbugs).

Node:glob, Next:[6001]glork, Previous:[6002]glitch, Up:[6003]= G =

glob /glob/, not /glohB/ v.,n.

[Unix; common] To expand special characters in a wildcarded name, or the act of so doing (the action is also called 'globbing'). The Unix conventions for filename wildcarding have become sufficiently pervasive that many hackers use some of them in written English, especially in email or news on technical topics. Those commonly encountered include the following:

*

wildcard for any string (see also [6004]UN*X)

?

wildcard for any single character (generally read this way only at the beginning or in the middle of a word)

[]

delimits a wildcard matching any of the enclosed characters

{}

alternation of comma-separated alternatives; thus, 'foo{baz,qux}' would be read as 'foobaz' or 'fooqux'

Some examples: "He said his name was [KC]arl" (expresses ambiguity).

"I don't read talk.politics.*" (any of the talk.politics subgroups on [6005]Usenet). Other examples are given under the entry for [6006]X.

Note that glob patterns are similar, but not identical, to those used in [6007]regexps.

Historical note: The jargon usage derives from glob, the name of a subprogram that expanded wildcards in archaic pre-Bourne versions of the Unix shell.

Node:glork, Next:[6008]glue, Previous:[6009]glob, Up:[6010]= G =

glork /glork/

1. interj. Term of mild surprise, usually tinged with outrage, as when one attempts to save the results of two hours of editing and finds that the system has just crashed. 2. Used as a name for just about anything. See [6011]foo. 3. vt. Similar to [6012]glitch, but usually used reflexively. "My program just glorked itself." 4. Syn. for [6013]glark, which see.

Node:glue, Next:[6014]gnarly, Previous:[6015]glork, Up:[6016]= G =

glue n.

Generic term for any interface logic or protocol that connects two component blocks. For example, [6017]Blue Glue is IBM's SNA protocol, and hardware designers call anything used to connect large VLSI's or circuit blocks 'glue logic'.

Node:gnarly, Next:[6018]GNU, Previous:[6019]glue, Up:[6020]= G =

gnarly /nar'lee/ adj.

Both [6021]obscure and [6022]hairy (sense 1). "[6023]Yow! -- the tuned assembler implementation of BitBlit is really gnarly!" From a similar but less specific usage in surfer slang.

Node:GNU, Next:[6024]gnubie, Previous:[6025]gnarly, Up:[6026]= G =

GNU /gnoo/, not /noo/

1. [acronym: 'GNU's Not Unix!', see [6027]recursive acronym] A Unix-workalike development effort of the Free Software Foundation headed by Richard Stallman [6028]<rms@gnu.org>. GNU EMACS and the GNU C compiler, two tools designed for this project, have become very popular in hackerdom and elsewhere. The GNU project was designed partly to proselytize for RMS's position that information is community property and all software source should be shared. One of its slogans is "Help stamp out software hoarding!" Though this remains controversial (because it implicitly denies any right of designers to own, assign, and sell the results of their labors), many hackers who disagree with RMS have nevertheless cooperated to produce large amounts of high-quality software for free redistribution under the Free Software Foundation's imprimatur. The GNU project has a web page at [6029]<http://www.gnu.org>. See [6030]EMACS, [6031]copyleft, [6032]General Public Virus, [6033]Linux. 2. Noted Unix hacker John Gilmore [6034]<gnu@toad.com>, founder of Usenet's anarchic alt.* hierarchy.

Node:gnubie, Next:[6035]GNUMACS, Previous:[6036]GNU, Up:[6037]= G =

gnubie /noo'bee/ n.

Written-only variant of [6038]newbie in common use on IRC channels, which implies specifically someone who is new to the Linux/open source/free software world.

Node:GNUMACS, Next:[6039]go flatline, Previous:[6040]gnubie, Up:[6041]= G =

GNUMACS /gnoo'maks/ n.

[contraction of 'GNU EMACS'] Often-heard abbreviated name for the [6042]GNU project's flagship tool, [6043]EMACS. Used esp. in contrast with GOSMACS.

Node:go flatline, Next:[6044]go root, Previous:[6045]GNUMACS, Up:[6046]= G =

go flatline v.

[from cyberpunk SF, refers to flattening of EEG traces upon brain-death] (also adjectival 'flatlined'). 1. To [6047]die, terminate, or fail, esp. irreversibly. In hacker parlance, this is used of machines only, human death being considered somewhat too

serious a matter to employ jargon-jokes about. 2. To go completely quiescent; said of machines undergoing controlled shutdown. "You can suffer file damage if you shut down Unix but power off before the system has gone flatline." 3. Of a video tube, to fail by losing vertical scan, so all one sees is a bright horizontal line bisecting the screen.

Node:go root, Next:[6048]go-faster stripes, Previous:[6049]go flatline, Up:[6050]= G =

go root vi.

[Unix; common] To temporarily enter [6051]root mode in order to perform a privileged operation. This use is deprecated in Australia, where v. 'root' is a synonym for "fuck".

Node:go-faster stripes, Next:[6052]GoAT, Previous:[6053]go root, Up:[6054]= G =

go-faster stripes n.

[UK] Syn. [6055]chrome. Mainstream in some parts of UK.

Node:GoAT, Next:[6056]gobble, Previous:[6057]go-faster stripes, Up:[6058]= G =

GoAT //

[Usenet] Abbreviation: "Go Away, Troll". See [6059]troll.

Node:gobble, Next:[6060]Godwin's Law, Previous:[6061]GoAT, Up:[6062]= G =

gobble vt.

1. To consume, usu. used with 'up'. "The output spy gobbles characters out of a [6063]tty output buffer." 2. To obtain, usu. used with 'down'. "I guess I'll gobble down a copy of the documentation tomorrow." See also [6064]snarf.

Node:Godwin's Law, Next:[6065]Godzillagram, Previous:[6066]gobble, Up:[6067]= G =

Godwin's Law prov.

[Usenet] "As a Usenet discussion grows longer, the probability of a comparison involving Nazis or Hitler approaches one." There is a tradition in many groups that, once this occurs, that thread is over,

and whoever mentioned the Nazis has automatically lost whatever argument was in progress. Godwin's Law thus practically guarantees the existence of an upper bound on thread length in those groups. However there is also a widely- recognized codicil that any intentional triggering of Godwin's Law in order to invoke its thread-ending effects will be unsuccessful.

Node:Godzillagram, Next:[6068]golden, Previous:[6069]Godwin's Law, Up:[6070]= G =

Godzillagram /god-zil'*-gram/ n.

[from Japan's national hero] 1. A network packet that in theory is a broadcast to every machine in the universe. The typical case is an IP datagram whose destination IP address is [255.255.255.255]. Fortunately, few gateways are foolish enough to attempt to implement this case! 2. A network packet of maximum size. An IP Godzillagram has 65,536 octets. Compare [6071]super source quench, [6072]Christmas tree packet, [6073]martian.

Node:golden, Next:[6074]golf-ball printer, Previous:[6075]Godzillagram, Up:[6076]= G =

golden adj.

[prob. from folklore's 'golden egg'] When used to describe a magnetic medium (e.g., 'golden disk', 'golden tape'), describes one containing a tested, up-to-spec, ready-to-ship software version. Compare [6077]platinum-iridium.

Node:golf-ball printer, Next:[6078]gonk, Previous:[6079]golden, Up:[6080]= G =

golf-ball printer n. obs.

The IBM 2741, a slow but letter-quality printing device and terminal based on the IBM Selectric typewriter. The 'golf ball' was a little spherical frob bearing reversed embossed images of 88 different characters arranged on four parallels of latitude; one could change the font by swapping in a different golf ball. The print element spun and jerked alarmingly in action and when in motion was sometimes described as an 'infuriated golf ball'. This was the technology that enabled APL to use a non-EBCDIC, non-ASCII, and in fact completely non-standard character set. This put it 10 years ahead of its time -- where it stayed, firmly rooted, for the next 20, until character displays gave way to programmable bit-mapped devices with the flexibility to support other character sets.

Node:gonk, Next:[6081]gonkulator, Previous:[6082]golf-ball printer,

Up:[6083]= G =

gonk /gonk/ vi.,n.

1. To prevaricate or to embellish the truth beyond any reasonable recognition. In German the term is (mythically) 'gonken'; in Spanish the verb becomes 'gonkar'. "You're gonking me. That story you just told me is a bunch of gonk." In German, for example, "Du gonkst mich" (You're pulling my leg). See also [6084]gonkulator. 2. [British] To grab some sleep at an odd time; compare [6085]gronk out.

Node:gonkulator, Next:[6086]gonzo, Previous:[6087]gonk, Up:[6088]= G =

gonkulator /gon'kyoo-lay-tr/ n.

[common; from the 1960s "Hogan's Heroes" TV series] A pretentious piece of equipment that actually serves no useful purpose. Usually used to describe one's least favorite piece of computer hardware. See [6089]gonk.

Node:gonzo, Next:[6090]Good Thing, Previous:[6091]gonkulator, Up:[6092]= G =

gonzo /gon'zoh/ adj.

[from Hunter S. Thompson] 1. With total commitment, total concentration, and a mad sort of panache. (Thompson's original sense.) 2. More loosely: Overwhelming; outrageous; over the top; very large, esp. used of collections of source code, source files, or individual functions. Has some of the connotations of [6093]moby and [6094]hairy, but without the implication of obscurity or complexity.

Node:Good Thing, Next:[6095]gopher, Previous:[6096]gonzo, Up:[6097]= G =

Good Thing n.,adj.

[very common; often capitalized; always pronounced as if capitalized.] 1. Self-evidently wonderful to anyone in a position to notice: "A language that manages dynamic memory automatically for you is a Good Thing." 2. Something that can't possibly have any ill side-effects and may save considerable grief later: "Removing the self-modifying code from that shared library would be a Good Thing." 3. When said of software tools or libraries, as in "YACC is a Good Thing", specifically connotes that the thing has drastically reduced a programmer's work load. Oppose [6098]Bad Thing.

Node:gopher, Next:[6099]gopher hole, Previous:[6100]Good Thing, Up:[6101]= G =

gopher n.

A type of Internet service first floated around 1991 and obsolesced around 1995 by the World Wide Web. Gopher presents a menuing interface to a tree or graph of links; the links can be to documents, runnable programs, or other gopher menus arbitrarily far across the net.

Some claim that the gopher software, which was originally developed at the University of Minnesota, was named after the Minnesota Gophers (a sports team). Others claim the word derives from American slang 'gofer' (from "go for", dialectal "go fer"), one whose job is to run and fetch things. Finally, observe that gophers dig long tunnels, and the idea of tunneling through the net to find information was a defining metaphor for the developers. Probably all three things were true, but with the first two coming first and the gopher-tunnel metaphor serendipitously adding flavor and impetus to the project as it developed out of its concept stage.

Node:gopher hole, Next:[6102]gorets, Previous:[6103]gopher, Up:[6104]=
G =

gopher hole n.

1. Any access to a [6105]gopher. 2. [Amateur Packet Radio] The terrestrial analog of a [6106]wormhole (sense 2), from which this term was coined. A gopher hole links two amateur packet relays through some non-ham radio medium.

Node:gorets, Next:[6107]gorilla arm, Previous:[6108]gopher hole,
Up:[6109]= G =

gorets /gor'ets/ n.

The unknown ur-noun, fill in your own meaning. Found esp. on the Usenet newsgroup alt.gorets, which seems to be a running contest to redefine the word by implication in the funniest and most peculiar way, with the understanding that no definition is ever final. [A correspondent from the Former Soviet Union informs me that 'gorets' is Russian for 'mountain dweller'. Another from France informs me that 'goret' is archaic French for a young pig --ESR] Compare [6110]frink.

Node:gorilla arm, Next:[6111]gorp, Previous:[6112]gorets, Up:[6113]= G
=

gorilla arm n.

The side-effect that destroyed touch-screens as a mainstream input technology despite a promising start in the early 1980s. It seems the designers of all those [6114]spiffy touch-menu systems failed to

notice that humans aren't designed to hold their arms in front of their faces making small motions. After more than a very few selections, the arm begins to feel sore, cramped, and oversized -- the operator looks like a gorilla while using the touch screen and feels like one afterwards. This is now considered a classic cautionary tale to human-factors designers; "Remember the gorilla arm!" is shorthand for "How is this going to fly in real use?".

Node:gorp, Next:[6115]GOSMACS, Previous:[6116]gorilla arm, Up:[6117]= G =

gorp /gorp/ n.

[CMU: perhaps from the canonical hiker's food, Good Old Raisins and Peanuts] Another [6118]metasyntactic variable, like [6119]foo and [6120]bar.

Node:GOSMACS, Next:[6121]Gosperism, Previous:[6122]gorp, Up:[6123]= G =

GOSMACS /goz'maks/ n.

[contraction of 'Gosling EMACS'] The first [6124]EMACS-in-C implementation, predating but now largely eclipsed by [6125]GNUMACS. Originally freeware; a commercial version was modestly popular as 'UniPress EMACS' during the 1980s. The author, James Gosling, went on to invent [6126]NeWS and the programming language Java; the latter earned him [6127]demigod status.

Node:Gosperism, Next:[6128]gotcha, Previous:[6129]GOSMACS, Up:[6130]= G =

Gosperism /gos'p*r-izm/ n.

A hack, invention, or saying due to [6131]elder days arch-hacker R. William (Bill) Gosper. This notion merits its own term because there are so many of them. Many of the entries in [6132]HAKMEM are Gosperisms; see also [6133]life.

Node:gotcha, Next:[6134]GPL, Previous:[6135]Gosperism, Up:[6136]= G =

gotcha n.

A [6137]misfeature of a system, especially a programming language or environment, that tends to breed bugs or mistakes because it both enticingly easy to invoke and completely unexpected and/or unreasonable in its outcome. For example, a classic gotcha in [6138]C is the fact that if $(a=b)$ {code;} is syntactically valid and sometimes even correct. It puts the value of b into a and then executes code if

a is non-zero. What the programmer probably meant was `if (a==b) {code;}`, which executes code if a and b are equal.

Node:GPL, Next:[6139]GPV, Previous:[6140]gotcha, Up:[6141]= G =

GPL /G-P-L/ n.

Abbreviation for 'General Public License' in widespread use; see [6142]copyleft, [6143]General Public Virus. Often mis-expanded as 'GNU Public License'.

Node:GPV, Next:[6144]grault, Previous:[6145]GPL, Up:[6146]= G =

GPV /G-P-V/ n.

Abbrev. for [6147]General Public Virus in widespread use.

Node:grault, Next:[6148]gray goo, Previous:[6149]GPV, Up:[6150]= G =

grault /grawlt/ n.

Yet another [6151]metasyntactic variable, invented by Mike Gallaher and propagated by the [6152]GOSMACS documentation. See [6153]corge.

Node:gray goo, Next:[6154]Great Renaming, Previous:[6155]grault, Up:[6156]= G =

gray goo n.

A hypothetical substance composed of [6157]sagans of sub-micron-sized self-replicating robots programmed to make copies of themselves out of whatever is available. The image that goes with the term is one of the entire biosphere of Earth being eventually converted to robot goo. This is the simplest of the [6158]nanotechnology disaster scenarios, easily refuted by arguments from energy requirements and elemental abundances. Compare [6159]blue goo.

Node:Great Renaming, Next:[6160]Great Runes, Previous:[6161]gray goo, Up:[6162]= G =

Great Renaming n.

The [6163]flag day in 1987 on which all of the non-local groups on the [6164]Usenet had their names changed from the net.- format to the current multiple-hierarchies scheme. Used esp. in discussing the history of newsgroup names. "The oldest sources group is comp.sources.misc; before the Great Renaming, it was net.sources." There is a [6165]Great Renaming FAQ on the Web.

Node:Great Runes, Next:[6166]Great Worm, Previous:[6167]Great Renaming, Up:[6168]= G =

Great Runes n.

Uppercase-only text or display messages. Some archaic operating systems still emit these. See also [6169]runes, [6170]smash case, [6171]fold case.

There is a widespread legend (repeated by earlier versions of this entry, though tagged as folklore) that the uppercase-only support of various old character codes and I/O equipment was chosen by a religious person in a position of power at the Teletype Company because supporting both upper and lower cases was too expensive and supporting lower case only would have made it impossible to spell 'God' correctly. Not true; the upper-case interpretation of teleprinter codes was well established by 1870, long before Teletype was even founded.

Node:Great Worm, Next:[6172]great-wall, Previous:[6173]Great Runes, Up:[6174]= G =

Great Worm n.

The 1988 Internet [6175]worm perpetrated by [6176]RTM. This is a play on Tolkien (compare [6177]elvish, [6178]elder days). In the fantasy history of his Middle Earth books, there were dragons powerful enough to lay waste to entire regions; two of these (Scatha and Glaurung) were known as "the Great Worms". This usage expresses the connotation that the RTM crack was a sort of devastating watershed event in hacker history; certainly it did more to make non-hackers nervous about the Internet than anything before or since.

Node:great-wall, Next:[6179]Green Book, Previous:[6180]Great Worm, Up:[6181]= G =

great-wall vi.,n.

[from SF fandom] A mass expedition to an oriental restaurant, esp. one where food is served family-style and shared. There is a common heuristic about the amount of food to order, expressed as "Get N - 1 entrees"; the value of N, which is the number of people in the group, can be inferred from context (see [6182]N). See [6183]oriental food, [6184]ravs, [6185]stir-fried random.

Node:Green Book, Next:[6186]green bytes, Previous:[6187]great-wall, Up:[6188]= G =

Green Book n.

1. One of the three standard [6189]PostScript references: "PostScript Language Program Design", bylined 'Adobe Systems' (Addison-Wesley, 1988; QA76.73.P67P66 ISBN 0-201-14396-8); see also [6190]Red Book, [6191]Blue Book, and the [6192]White Book (sense 2). 2. Informal name for one of the three standard references on SmallTalk: "Smalltalk-80: Bits of History, Words of Advice", by Glenn Krasner (Addison-Wesley, 1983; QA76.8.S635S58; ISBN 0-201-11669-3) (this, too, is associated with blue and red books). 3. The "X/Open Compatibility Guide", which defines an international standard [6193]Unix environment that is a proper superset of POSIX/SVID; also includes descriptions of a standard utility toolkit, systems administrations features, and the like. This grimoire is taken with particular seriousness in Europe. See [6194]Purple Book. 4. The IEEE 1003.1 POSIX Operating Systems Interface standard has been dubbed "The Ugly Green Book". 5. Any of the 1992 standards issued by the CCITT's tenth plenary assembly. These include, among other things, the X.400 email standard and the Group 1 through 4 fax standards. See also [6195]book titles.

Node:green bytes, Next:[6196]green card, Previous:[6197]Green Book, Up:[6198]= G =

green bytes n.

(also 'green words') 1. Meta-information embedded in a file, such as the length of the file or its name; as opposed to keeping such information in a separate description file or record. The term comes from an IBM user's group meeting (ca. 1962) at which these two approaches were being debated and the diagram of the file on the blackboard had the 'green bytes' drawn in green. 2. By extension, the non-data bits in any self-describing format. "A GIF file contains, among other things, green bytes describing the packing method for the image." Compare [6199]out-of-band, [6200]zigamorph, [6201]fence (sense 1).

Node:green card, Next:[6202]green lightning, Previous:[6203]green bytes, Up:[6204]= G =

green card n.

[after the "IBM System/360 Reference Data" card] A summary of an assembly language, even if the color is not green and not a card. Less frequently used now because of the decrease in the use of assembly language. "I'll go get my green card so I can check the addressing mode for that instruction."

The original green card became a yellow card when the System/370 was introduced, and later a yellow booklet. An anecdote from IBM refers to a scene that took place in a programmers' terminal room at Yorktown in 1978. A [6205]user overheard one of the programmers ask another "Do

you have a green card?" The other grunted and passed the first a thick yellow booklet. At this point the user turned a delicate shade of olive and rapidly left the room, never to return.

In fall 2000 it was reported from Electronic Data Systems that the green card for 370 machines has been a blue-green booklet since 1989.

Node:green lightning, Next:[6206]green machine, Previous:[6207]green card, Up:[6208]= G =

green lightning n.

[IBM] 1. Apparently random flashing streaks on the face of 3278-9 terminals while a new symbol set is being downloaded. This hardware bug was left deliberately unfixed, as some genius within IBM suggested it would let the user know that 'something is happening'. That, it certainly does. Later microprocessor-driven IBM color graphics displays were actually programmed to produce green lightning! 2. [proposed] Any bug perverted into an alleged feature by adroit rationalization or marketing. "Motorola calls the CISC cruft in the 88000 architecture 'compatibility logic', but I call it green lightning". See also [6209]feature (sense 6).

Node:green machine, Next:[6210]Green's Theorem, Previous:[6211]green lightning, Up:[6212]= G =

green machine n.

A computer or peripheral device that has been designed and built to military specifications for field equipment (that is, to withstand mechanical shock, extremes of temperature and humidity, and so forth). Comes from the olive-drab 'uniform' paint used for military equipment.

Node:Green's Theorem, Next:[6213]greenbar, Previous:[6214]green machine, Up:[6215]= G =

Green's Theorem prov.

[TMRC] For any story, in any group of people there will be at least one person who has not heard the story. A refinement of the theorem states that there will be exactly one person (if there were more than one, it wouldn't be as bad to re-tell the story). [The name of this theorem is a play on a fundamental theorem in calculus. --ESR]

Node:greenbar, Next:[6216]grep, Previous:[6217]Green's Theorem, Up:[6218]= G =

greenbar n.

A style of fanfolded continuous-feed paper with alternating green and white bars on it, especially used in old-style line printers. This slang almost certainly dates way back to mainframe days.

Node:grep, Next:[6219]gribble, Previous:[6220]greenbar, Up:[6221]= G =

grep /grep/ vi.

[from the qed/ed editor idiom g/re/p, where re stands for a regular expression, to Globally search for the Regular Expression and Print the lines containing matches to it, via [6222]Unix grep(1)] To rapidly scan a file or set of files looking for a particular string or pattern (when browsing through a large set of files, one may speak of 'grepping around'). By extension, to look for something by pattern. "Grep the bulletin board for the system backup schedule, would you?" See also [6223]vgrep.

[It has also been alleged that the source is from the title of a paper "A General Regular Expression Parser" -ESR]

Node:gribble, Next:[6224]grilf, Previous:[6225]grep, Up:[6226]= G =

gribble n.

Random binary data rendered as unreadable text. Noise characters in a data stream are displayed as gribble. Modems with mismatched bitrates usually generate gribble (more specifically, [6227]baud barf). Dumping a binary file to the screen is an excellent source of gribble, and (if the bell/speaker is active) headaches.

Node:grilf, Next:[6228]grind, Previous:[6229]gribble, Up:[6230]= G =

grilf // n.

Girlfriend. Like [6231]newsfroup and [6232]filk, a typo reincarnated as a new word. Seems to have originated sometime in 1992 on [6233]Usenet. [A friend tells me there was a Lloyd Biggle SF novel "Watchers Of The Dark", in which alien species after species goes insane and begins to chant "Grilf! Grilf!". A human detective eventually determines that the word means "Liar!" I hope this has nothing to do with the popularity of the Usenet term. --ESR]

Node:grind, Next:[6234]grind crank, Previous:[6235]grilf, Up:[6236]= G =

grind vt.

1. [MIT and Berkeley; now rare] To prettify hardcopy of code, especially LISP code, by reindenting lines, printing keywords and

comments in distinct fonts (if available), etc. This usage was associated with the MacLISP community and is now rare; prettyprint was and is the generic term for such operations. 2. [Unix] To generate the formatted version of a document from the [6237]nroff, [6238]troff, [6239]TeX, or Scribe source. 3. [common] To run seemingly interminably, esp. (but not necessarily) if performing some tedious and inherently useless task. Similar to [6240]crunch or [6241]grovel. Grinding has a connotation of using a lot of CPU time, but it is possible to grind a disk, network, etc. See also [6242]hog. 4. To make the whole system slow. "Troff really grinds a PDP-11." 5. 'grind grind' excl. Roughly, "Isn't the machine slow today!"

Node:grind crank, Next:[6243]gripenet, Previous:[6244]grind,
Up:[6245]= G =

grind crank n. //

A mythical accessory to a terminal. A crank on the side of a monitor, which when operated makes a zizzing noise and causes the computer to run faster. Usually one does not refer to a grind crank out loud, but merely makes the appropriate gesture and noise. See [6246]grind.

Historical note: At least one real machine actually had a grind crank -- the R1, a research machine built toward the end of the days of the great vacuum tube computers, in 1959. R1 (also known as 'The Rice Institute Computer' (TRIC) and later as 'The Rice University Computer' (TRUC)) had a single-step/free-run switch for use when debugging programs. Since single-stepping through a large program was rather tedious, there was also a crank with a cam and gear arrangement that repeatedly pushed the single-step button. This allowed one to 'crank' through a lot of code, then slow down to single-step for a bit when you got near the code of interest, poke at some registers using the console typewriter, and then keep on cranking.

Node:gripenet, Next:[6247]gritch, Previous:[6248]grind crank,
Up:[6249]= G =

gripenet n.

[IBM] A wry (and thoroughly unofficial) name for IBM's internal VNET system, deriving from its common use by IBMers to voice pointed criticism of IBM management that would be taboo in more formal channels.

Node:gritch, Next:[6250]grok, Previous:[6251]gripenet, Up:[6252]= G =

gritch /grich/

[MIT] 1. n. A complaint (often caused by a [6253]glitch). 2. vi. To complain. Often verb-doubled: "Gritch gritch". 3. A synonym for

[6254]glitch (as verb or noun).

Interestingly, this word seems to have a separate history from [6255]glitch, with which it is often confused. Back in the early 1960s, when 'glitch' was strictly a hardware-tech's term of art, the Burton House dorm at M.I.T. maintained a "Gritch Book", a blank volume, into which the residents hand-wrote complaints, suggestions, and witticisms. Previous years' volumes of this tradition were maintained, dating back to antiquity. The word "gritch" was described as a portmanteau of "gripe" and "bitch". Thus, sense 3 above is at least historically incorrect.

Node:grok, Next:[6256]gronk, Previous:[6257]gritch, Up:[6258]= G =

grok /grok/, var. /grohk/ vt.

[from the novel "Stranger in a Strange Land", by Robert A. Heinlein, where it is a Martian word meaning literally 'to drink' and metaphorically 'to be one with'] The emphatic form is 'grok in fullness'. 1. To understand, usually in a global sense. Connotes intimate and exhaustive knowledge. Contrast [6259]zen, which is similar supernal understanding experienced as a single brief flash. See also [6260]glark. 2. Used of programs, may connote merely sufficient understanding. "Almost all C compilers grok the void type these days."

Node:gronk, Next:[6261]gronk out, Previous:[6262]grok, Up:[6263]= G =

gronk /gronk/ vt.

[popularized by Johnny Hart's comic strip "B.C." but the word apparently predates that] 1. To clear the state of a wedged device and restart it. More severe than 'to [6264]frob' (sense 2). 2. [TMRC] To cut, sever, smash, or similarly disable. 3. The sound made by many 3.5-inch diskette drives. In particular, the microfloppies on a Commodore Amiga go "grink, gronk".

Node:gronk out, Next:[6265]gronked, Previous:[6266]gronk, Up:[6267]= G =

gronk out vi.

To cease functioning. Of people, to go home and go to sleep. "I guess I'll gronk out now; see you all tomorrow."

Node:gronked, Next:[6268]grovel, Previous:[6269]gronk out, Up:[6270]= G =

gronked adj.

1. Broken. "The teletype scanner was gronked, so we took the system down." 2. Of people, the condition of feeling very tired or (less commonly) sick. "I've been chasing that bug for 17 hours now and I am thoroughly gronked!" Compare [6271]broken, which means about the same as [6272]gronk used of hardware, but connotes depression or mental/emotional problems in people.

Node:grovel, Next:[6273]grue, Previous:[6274]gronked, Up:[6275]= G =

grovel vi.

1. To work interminably and without apparent progress. Often used transitively with 'over' or 'through'. "The file scavenger has been groveling through the /usr directories for 10 minutes now." Compare [6276]grind and [6277]crunch. Emphatic form: 'grovel obscenely'. 2. To examine minutely or in complete detail. "The compiler grovels over the entire source program before beginning to translate it." "I grovelled through all the documentation, but I still couldn't find the command I wanted."

Node:grue, Next:[6278]grunge, Previous:[6279]grovel, Up:[6280]= G =

grue n.

[from archaic English verb for 'shudder', as with fear] The grue was originated in the game [6281]Zork (Dave Lebling took the name from Jack Vance's "Dying Earth" fantasies) and used in several other [6282]Infocom games as a hint that you should perhaps look for a lamp, torch or some type of light source. Wandering into a dark area would cause the game to prompt you, "It is very dark. If you continue you are likely to be eaten by a grue." If you failed to locate a light source within the next couple of moves this would indeed be the case.

The grue, according to scholars of the Great Underground Empire, is a sinister, lurking presence in the dark places of the earth. Its favorite diet is either adventurers or enchanters, but its insatiable appetite is tempered by its extreme fear of light. No grues have ever been seen by the light of day, and only a few have been observed in their underground lairs. Of those who have seen grues, few have survived their fearsome jaws to tell the tale. Grues have sharp claws and fangs, and an uncontrollable tendency to slaver and gurgle. They are certainly the most evil-tempered of all creatures; to say they are touchy is a dangerous understatement. "Sour as a grue" is a common expression, even among themselves.

All this folklore is widely known among hackers.

Node:grunge, Next:[6283]gubbish, Previous:[6284]grue, Up:[6285]= G =

grunge /gruhnj/ n.

1. That which is grungy, or that which makes it so. 2. [Cambridge] Code which is inaccessible due to changes in other parts of the program. The preferred term in North America is [6286]dead code.

Node:gubbish, Next:[6287]Guido, Previous:[6288]grunge, Up:[6289]= G =

gubbish /guh'b*sh/ n.

[a portmanteau of 'garbage' and 'rubbish'; may have originated with SF author Philip K. Dick] Garbage; crap; nonsense. "What is all this gubbish?" The opposite portmanteau 'rubble' is also reported; in fact, it was British slang during the 19th century and appears in Dickens.

Node:Guido, Next:[6290]guiltware, Previous:[6291]gubbish, Up:[6292]= G =

=

Guido /gwee'do/ or /khwee'do/

Without qualification, Guido van Rossum (author of [6293]Python). Note that Guido answers to English /gwee'do/ but in Dutch it's /khwee'do/.

Node:guiltware, Next:[6294]gumby, Previous:[6295]Guido, Up:[6296]= G =

guiltware /gilt'weir/ n.

1. A piece of [6297]freeware decorated with a message telling one how long and hard the author worked on it and intimating that one is a no-good freeloader if one does not immediately send the poor suffering martyr gobs of money. 2. A piece of [6298]shareware that works.

Node:gumby, Next:[6299]gun, Previous:[6300]guiltware, Up:[6301]= G =

gumby /guh'm'bee/ n.

[from a class of Monty Python characters, poss. with some influence from the 1960s claymation character] 1. An act of minor but conspicuous stupidity, often in 'gumby maneuver' or 'pull a gumby'. 2. [NRL] n. A bureaucrat, or other technical incompetent who impedes the progress of real work. 3. adj. Relating to things typically associated with people in sense 2. (e.g. "Ran would be writing code, but Richard gave him gumby work that's due on Friday", or, "Dammit! Travel screwed up my plane tickets. I have to go out on gumby patrol.")

Node:gun, Next:[6302]gunch, Previous:[6303]gumby, Up:[6304]= G =

gun vt.

[ITS, now rare: from the :GUN command] To forcibly terminate a program or job (computer, not career). "Some idiot left a background process running soaking up half the cycles, so I gunned it." Usage: now rare. Compare [6305]can, [6306]blammo.

Node:gunch, Next:[6307]gunpowder chicken, Previous:[6308]gun,
Up:[6309]= G =

gunch /guhnh/ vt.

[TMRC] To push, prod, or poke at a device that has almost (but not quite) produced the desired result. Implies a threat to [6310]mung.

Node:gunpowder chicken, Next:[6311]gurfle, Previous:[6312]gunch,
Up:[6313]= G =

gunpowder chicken n.

Same as [6314]laser chicken.

Node:gurfle, Next:[6315]guru, Previous:[6316]gunpowder chicken,
Up:[6317]= G =

gurfle /ger'fl/ interj.

An expression of shocked disbelief. "He said we have to recode this thing in FORTRAN by next week. Gurfle!" Compare [6318]weeble.

Node:guru, Next:[6319]guru meditation, Previous:[6320]gurfle,
Up:[6321]= G =

guru n.

[Unix] An expert. Implies not only [6322]wizard skill but also a history of being a knowledge resource for others. Less often, used (with a qualifier) for other experts on other systems, as in 'VMS guru'. See [6323]source of all good bits.

Node:guru meditation, Next:[6324]gweep, Previous:[6325]guru,
Up:[6326]= G =

guru meditation n.

Amiga equivalent of 'panic' in Unix (sometimes just called a 'guru' or 'guru event'). When the system crashes, a cryptic message of the form "GURU MEDITATION #XXXXXXXX.YYYYYYYY" may appear, indicating what the

problem was. An Amiga guru can figure things out from the numbers. Sometimes a [6327]guru event must be followed by a [6328]Vulcan nerve pinch.

This term is (no surprise) an in-joke from the earliest days of the Amiga. An earlier product of the Amiga corporation was a device called a 'Joyboard' which was basically a plastic board built onto a joystick-like device; it was sold with a skiing game cartridge for the Atari game machine. It is said that whenever the prototype OS crashed, the system programmer responsible would calm down by concentrating on a solution while sitting cross-legged on a Joyboard trying to keep the board in balance. This position resembled that of a meditating guru. Sadly, the joke was removed fairly early on (but there's a well-known patch to restore it in more recent versions).

Node:gweep, Next:[6329]h, Previous:[6330]guru meditation, Up:[6331]= G =

gweep /gweep/

[WPI] 1. v. To [6332]hack, usually at night. At WPI, from 1975 onwards, one who gweeped could often be found at the College Computing Center punching cards or crashing the [6333]PDP-10 or, later, the DEC-20. A correspondent who was there at the time opines that the term was originally onomatopoeic, describing the keyclick sound of the Datapoint terminals long connected to the PDP-10. The term has survived the demise of those technologies, however, and was still alive in early 1999. "I'm going to go gweep for a while. See you in the morning." "I gweep from 8 PM till 3 AM during the week." 2. n. One who habitually gweeps in sense 1; a [6334]hacker. "He's a hard-core gweep, mumbles code in his sleep."

Node:= H =, Next:[6335]= I =, Previous:[6336]= G =, Up:[6337]The Jargon Lexicon

= H =

- * [6338]h:
- * [6339]ha ha only serious:
- * [6340]hack:
- * [6341]hack attack:
- * [6342]hack mode:
- * [6343]hack on:
- * [6344]hack together:
- * [6345]hack up:
- * [6346]hack value:
- * [6347]hacked off:
- * [6348]hacked up:
- * [6349]hacker:
- * [6350]hacker ethic:
- * [6351]hacker humor:

- * [6352]Hackers (the movie):
- * [6353]hacking run:
- * [6354]Hacking X for Y:
- * [6355]Hackintosh:
- * [6356]hackish:
- * [6357]hackishness:
- * [6358]hackitude:
- * [6359]hair:
- * [6360]hairball:
- * [6361]hairy:
- * [6362]HAKMEM:
- * [6363]hakspek:
- * [6364]Halloween Documents:
- * [6365]hammer:
- * [6366]hamster:
- * [6367]HAND:
- * [6368]hand craft:
- * [6369]hand-hacking:
- * [6370]handle:
- * [6371]handle:
- * [6372]hand-roll:
- * [6373]handshaking:
- * [6374]handwave:
- * [6375]hang:
- * [6376]Hanlon's Razor:
- * [6377]happily:
- * [6378]haque:
- * [6379]hard boot:
- * [6380]hardcoded:
- * [6381]hardwarily:
- * [6382]hardwired:
- * [6383]has the X nature:
- * [6384]hash bucket:
- * [6385]hash collision:
- * [6386]hat:
- * [6387]HCF:
- * [6388]heads down:
- * [6389]heartbeat:
- * [6390]heatseeker:
- * [6391]heavy metal:
- * [6392]heavy wizardry:
- * [6393]heavyweight:
- * [6394]heisenbug:
- * [6395]Helen Keller mode:
- * [6396]hello sailor!:
- * [6397]hello wall!:
- * [6398]hello world:
- * [6399]hex:
- * [6400]hexadecimal:
- * [6401]hexit:
- * [6402]HHOK:
- * [6403]HHOS:
- * [6404]hidden flag:

- * [6405]high bit:
 - * [6406]high moby:
 - * [6407]highly:
 - * [6408]hing:
 - * [6409]hired gun:
 - * [6410]hirsute:
 - * [6411]HLL:
 - * [6412]hoarding:
 - * [6413]hobbit:
 - * [6414]hog:
 - * [6415]hole:
 - * [6416]hollised:
 - * [6417]holy wars:
 - * [6418]home box:
 - * [6419]home machine:
 - * [6420]home page:
 - * [6421]honey pot:
 - * [6422]hook:
 - * [6423]hop:
 - * [6424]hose:
 - * [6425]hosed:
 - * [6426]hot chat:
 - * [6427]hot spot:
 - * [6428]hotlink:
 - * [6429]house wizard:
 - * [6430]HP-SUX:
 - * [6431]HTH:
 - * [6432]huff:
 - * [6433]humma:
 - * [6434]hung:
 - * [6435]hungry puppy:
 - * [6436]hungus:
 - * [6437]hyperspace:
 - * [6438]hysterical reasons:
-

Node:h, Next:[6439]ha ha only serious, Previous:[6440]gweep,
Up:[6441]= H =

h

[from SF fandom] A method of 'marking' common words, i.e., calling attention to the fact that they are being used in a nonstandard, ironic, or humorous way. Originated in the fannish catchphrase "Bheer is the One True Ghod!" from decades ago. H-infix marking of 'Ghod' and other words spread into the 1960s counterculture via underground comix, and into early hackerdom either from the counterculture or from SF fandom (the three overlapped heavily at the time). More recently, the h infix has become an expected feature of benchmark names (Dhrystone, Rhealstone, etc.); this is probably patterning on the original Whetstone (the name of a laboratory) but influenced by the fannish/counterculture h infix.

Node:ha ha only serious, Next:[6442]hack, Previous:[6443]h, Up:[6444]=
H =

ha ha only serious

[from SF fandom, orig. as mutation of HHOK, 'Ha Ha Only Kidding'] A phrase (often seen abbreviated as HHOS) that aptly captures the flavor of much hacker discourse. Applied especially to parodies, absurdities, and ironic jokes that are both intended and perceived to contain a possibly disquieting amount of truth, or truths that are constructed on in-joke and self-parody. This lexicon contains many examples of ha-ha-only-serious in both form and content. Indeed, the entirety of hacker culture is often perceived as ha-ha-only-serious by hackers themselves; to take it either too lightly or too seriously marks a person as an outsider, a [6445]wannabee, or in [6446]larval stage. For further enlightenment on this subject, consult any Zen master. See also [6447]hacker humor, and [6448]AI koans.

Node:hack, Next:[6449]hack attack, Previous:[6450]ha ha only serious, Up:[6451]= H =

hack

[very common] 1. n. Originally, a quick job that produces what is needed, but not well. 2. n. An incredibly good, and perhaps very time-consuming, piece of work that produces exactly what is needed. 3. vt. To bear emotionally or physically. "I can't hack this heat!" 4. vt. To work on something (typically a program). In an immediate sense: "What are you doing?" "I'm hacking TECO." In a general (time-extended) sense: "What do you do around here?" "I hack TECO." More generally, "I hack 'foo'" is roughly equivalent to "'foo' is my major interest (or project)". "I hack solid-state physics." See [6452]Hacking X for Y. 5. vt. To pull a prank on. See sense 2 and [6453]hacker (sense 5). 6. vi. To interact with a computer in a playful and exploratory rather than goal-directed way. "Whatcha up to?" "Oh, just hacking." 7. n. Short for [6454]hacker. 8. See [6455]nethack. 9. [MIT] v. To explore the basements, roof ledges, and steam tunnels of a large, institutional building, to the dismay of Physical Plant workers and (since this is usually performed at educational institutions) the Campus Police. This activity has been found to be eerily similar to playing adventure games such as Dungeons and Dragons and [6456]Zork. See also [6457]vadding.

Constructions on this term abound. They include 'happy hacking' (a farewell), 'how's hacking?' (a friendly greeting among hackers) and 'hack, hack' (a fairly content-free but friendly comment, often used as a temporary farewell). For more on this totipotent term see "[6458]The Meaning of Hack". See also [6459]neat hack, [6460]real hack.

Node:hack attack, Next:[6461]hack mode, Previous:[6462]hack,
Up:[6463]= H =

hack attack n.

[poss. by analogy with 'Big Mac Attack' from ads for the McDonald's fast-food chain; the variant 'big hack attack' is reported] Nearly synonymous with [6464]hacking run, though the latter more strongly implies an all-nighter.

Node:hack mode, Next:[6465]hack on, Previous:[6466]hack attack,
Up:[6467]= H =

hack mode n.

1. What one is in when hacking, of course. 2. More specifically, a Zen-like state of total focus on The Problem that may be achieved when one is hacking (this is why every good hacker is part mystic). Ability to enter such concentration at will correlates strongly with wizardliness; it is one of the most important skills learned during [6468]larval stage. Sometimes amplified as 'deep hack mode'.

Being yanked out of hack mode (see [6469]priority interrupt) may be experienced as a physical shock, and the sensation of being in hack mode is more than a little habituating. The intensity of this experience is probably by itself sufficient explanation for the existence of hackers, and explains why many resist being promoted out of positions where they can code. See also [6470]cyberspace (sense 2).

Some aspects of hacker etiquette will appear quite odd to an observer unaware of the high value placed on hack mode. For example, if someone appears at your door, it is perfectly okay to hold up a hand (without turning one's eyes away from the screen) to avoid being interrupted. One may read, type, and interact with the computer for quite some time before further acknowledging the other's presence (of course, he or she is reciprocally free to leave without a word). The understanding is that you might be in [6471]hack mode with a lot of delicate [6472]state (sense 2) in your head, and you dare not [6473]swap that context out until you have reached a good point to pause. See also [6474]juggling eggs.

Node:hack on, Next:[6475]hack together, Previous:[6476]hack mode,
Up:[6477]= H =

hack on vt.

[very common] To [6478]hack; implies that the subject is some pre-existing hunk of code that one is evolving, as opposed to something one might [6479]hack up.

Node:hack together, Next:[6480]hack up, Previous:[6481]hack on,
Up:[6482]= H =

hack together vt.

[common] To throw something together so it will work. Unlike 'kluge together' or [6483]cruft together, this does not necessarily have negative connotations.

Node:hack up, Next:[6484]hack value, Previous:[6485]hack together,
Up:[6486]= H =

hack up vt.

To [6487]hack, but generally implies that the result is a hack in sense 1 (a quick hack). Contrast this with [6488]hack on. To 'hack up on' implies a [6489]quick-and-dirty modification to an existing system. Contrast [6490]hacked up; compare [6491]kluge up, [6492]monkey up, [6493]cruft together.

Node:hack value, Next:[6494]hacked off, Previous:[6495]hack up,
Up:[6496]= H =

hack value n.

Often adduced as the reason or motivation for expending effort toward a seemingly useless goal, the point being that the accomplished goal is a hack. For example, MacLISP had features for reading and printing Roman numerals, which were installed purely for hack value. See [6497]display hack for one method of computing hack value, but this cannot really be explained, only experienced. As Louis Armstrong once said when asked to explain jazz: "Man, if you gotta ask you'll never know." (Feminists please note Fats Waller's explanation of rhythm: "Lady, if you got to ask, you ain't got it.")

Node:hacked off, Next:[6498]hacked up, Previous:[6499]hack value,
Up:[6500]= H =

hacked off adj.

[analogous to 'pissed off'] Said of system administrators who have become annoyed, upset, or touchy owing to suspicions that their sites have been or are going to be victimized by crackers, or used for inappropriate, technically illegal, or even overtly criminal activities. For example, having unreadable files in your home directory called 'worm', 'lockpick', or 'goroot' would probably be an effective (as well as impressively obvious and stupid) way to get your sysadmin hacked off at you.

It has been pointed out that there is precedent for this usage in U.S.

Navy slang, in which officers under discipline are sometimes said to be "in hack" and one may speak of "hacking off the C.O."

Node:hacked up, Next:[6501]hacker, Previous:[6502]hacked off, Up:[6503]= H =

hacked up adj.

Sufficiently patched, kluged, and tweaked that the surgical scars are beginning to crowd out normal tissue (compare [6504]critical mass). Not all programs that are hacked become 'hacked up'; if modifications are done with some eye to coherence and continued maintainability, the software may emerge better for the experience. Contrast [6505]hack up.

Node:hacker, Next:[6506]hacker ethic, Previous:[6507]hacked up, Up:[6508]= H =

hacker n.

[originally, someone who makes furniture with an axe] 1. A person who enjoys exploring the details of programmable systems and how to stretch their capabilities, as opposed to most users, who prefer to learn only the minimum necessary. 2. One who programs enthusiastically (even obsessively) or who enjoys programming rather than just theorizing about programming. 3. A person capable of appreciating [6509]hack value. 4. A person who is good at programming quickly. 5. An expert at a particular program, or one who frequently does work using it or on it; as in 'a Unix hacker'. (Definitions 1 through 5 are correlated, and people who fit them congregate.) 6. An expert or enthusiast of any kind. One might be an astronomy hacker, for example. 7. One who enjoys the intellectual challenge of creatively overcoming or circumventing limitations. 8. [deprecated] A malicious meddler who tries to discover sensitive information by poking around. Hence 'password hacker', 'network hacker'. The correct term for this sense is [6510]cracker.

The term 'hacker' also tends to connote membership in the global community defined by the net (see [6511]the network and [6512]Internet address). For discussion of some of the basics of this culture, see the [6513]How To Become A Hacker FAQ. It also implies that the person described is seen to subscribe to some version of the hacker ethic (see [6514]hacker ethic).

It is better to be described as a hacker by others than to describe oneself that way. Hackers consider themselves something of an elite (a meritocracy based on ability), though one to which new members are gladly welcome. There is thus a certain ego satisfaction to be had in identifying yourself as a hacker (but if you claim to be one and are not, you'll quickly be labeled [6515]bogus). See also [6516]wannabee.

This term seems to have been first adopted as a badge in the 1960s by

the hacker culture surrounding TMRC and the MIT AI Lab. We have a report that it was used in a sense close to this entry's by teenage radio hams and electronics tinkerers in the mid-1950s.

Node:hacker ethic, Next:[6517]hacker humor, Previous:[6518]hacker, Up:[6519]= H =

hacker ethic n.

1. The belief that information-sharing is a powerful positive good, and that it is an ethical duty of hackers to share their expertise by writing open-source and facilitating access to information and to computing resources wherever possible. 2. The belief that system-cracking for fun and exploration is ethically OK as long as the cracker commits no theft, vandalism, or breach of confidentiality.

Both of these normative ethical principles are widely, but by no means universally, accepted among hackers. Most hackers subscribe to the hacker ethic in sense 1, and many act on it by writing and giving away open-source software. A few go further and assert that all information should be free and any proprietary control of it is bad; this is the philosophy behind the [6520]GNU project.

Sense 2 is more controversial: some people consider the act of cracking itself to be unethical, like breaking and entering. But the belief that 'ethical' cracking excludes destruction at least moderates the behavior of people who see themselves as 'benign' crackers (see also [6521]samurai). On this view, it may be one of the highest forms of hackerly courtesy to (a) break into a system, and then (b) explain to the sysop, preferably by email from a [6522]superuser account, exactly how it was done and how the hole can be plugged -- acting as an unpaid (and unsolicited) [6523]tiger team.

The most reliable manifestation of either version of the hacker ethic is that almost all hackers are actively willing to share technical tricks, software, and (where possible) computing resources with other hackers. Huge cooperative networks such as [6524]Usenet, [6525]FidoNet and Internet (see [6526]Internet address) can function without central control because of this trait; they both rely on and reinforce a sense of community that may be hackerdom's most valuable intangible asset.

Node:hacker humor, Next:[6527]Hackers (the movie), Previous:[6528]hacker ethic, Up:[6529]= H =

hacker humor

A distinctive style of shared intellectual humor found among hackers, having the following marked characteristics:

1. Fascination with form-vs.-content jokes, paradoxes, and humor having to do with confusion of metalevels (see [6530]meta). One way to

make a hacker laugh: hold a red index card in front of him/her with "GREEN" written on it, or vice-versa (note, however, that this is funny only the first time).

2. Elaborate deadpan parodies of large intellectual constructs, such as specifications (see [6531]write-only memory), standards documents, language descriptions (see [6532]INTERCAL), and even entire scientific theories (see [6533]quantum bogodynamics, [6534]computron).

3. Jokes that involve screwily precise reasoning from bizarre, ludicrous, or just grossly counter-intuitive premises.

4. Fascination with puns and wordplay.

5. A fondness for apparently mindless humor with subversive currents of intelligence in it -- for example, old Warner Brothers and Rocky & Bullwinkle cartoons, the Marx brothers, the early B-52s, and Monty Python's Flying Circus. Humor that combines this trait with elements of high camp and slapstick is especially favored.

6. References to the symbol-object antinomies and associated ideas in Zen Buddhism and (less often) Taoism. See [6535]has the X nature, [6536]Discordianism, [6537]zen, [6538]ha ha only serious, [6539]koan, [6540]AI koans.

See also [6541]filk, [6542]retrocomputing, and the Portrait of J. Random Hacker in [6543]Appendix B. If you have an itchy feeling that all six of these traits are really aspects of one thing that is incredibly difficult to talk about exactly, you are (a) correct and (b) responding like a hacker. These traits are also recognizable (though in a less marked form) throughout [6544]science-fiction fandom.

Node:Hackers (the movie), Next:[6545]hacking run,
Previous:[6546]hacker humor, Up:[6547]= H =

Hackers (the movie) n.

A notable bomb from 1995. Should have been titled "Crackers", because cracking is what the movie was about. It's understandable that they didn't however; titles redolent of snack food are probably a tough sell in Hollywood.

Node:hacking run, Next:[6548]Hacking X for Y, Previous:[6549]Hackers (the movie), Up:[6550]= H =

hacking run n.

[analogy with 'bombing run' or 'speed run'] A hack session extended long outside normal working times, especially one longer than 12 hours. May cause you to 'change phase the hard way' (see [6551]phase).

Node:Hacking X for Y, Next:[6552]Hackintosh, Previous:[6553]hacking run, Up:[6554]= H =

Hacking X for Y n.

[ITS] Ritual phrasing of part of the information which ITS made publicly available about each user. This information (the INQUIR record) was a sort of form in which the user could fill out various fields. On display, two of these fields were always combined into a project description of the form "Hacking X for Y" (e.g., "Hacking perceptrons for Minsky"). This form of description became traditional and has since been carried over to other systems with more general facilities for self-advertisement (such as Unix [6555]plan files).

Node:Hackintosh, Next:[6556]hackish, Previous:[6557]Hacking X for Y, Up:[6558]= H =

Hackintosh n.

1. An Apple Lisa that has been hacked into emulating a Macintosh (also called a 'Mac XL'). 2. A Macintosh assembled from parts theoretically belonging to different models in the line.

Node:hackish, Next:[6559]hackishness, Previous:[6560]Hackintosh, Up:[6561]= H =

hackish /hak'ish/ adj.

(also [6562]hackishness n.) 1. Said of something that is or involves a hack. 2. Of or pertaining to hackers or the hacker subculture. See also [6563>true-hacker.

Node:hackishness, Next:[6564]hackitude, Previous:[6565]hackish, Up:[6566]= H =

hackishness n.

The quality of being or involving a hack. This term is considered mildly silly. Syn. [6567]hackitude.

Node:hackitude, Next:[6568]hair, Previous:[6569]hackishness, Up:[6570]= H =

hackitude n.

Syn. [6571]hackishness; this word is considered sillier.

Node:hair, Next:[6572]hairball, Previous:[6573]hackitude, Up:[6574]= H =

hair n.

[back-formation from [6575]hairy] The complications that make something hairy. "Decoding [6576]TECO commands requires a certain amount of hair." Often seen in the phrase 'infinite hair', which connotes extreme complexity. Also in 'hairiferous' (tending to promote hair growth): "GNUACS elisp encourages lusers to write complex editing modes." "Yeah, it's pretty hairiferous all right." (or just: "Hair squared!")

Node:hairball, Next:[6577]hairy, Previous:[6578]hair, Up:[6579]= H =

hairball n.

1. [Fidonet] A large batch of messages that a store-and-forward network is failing to forward when it should. Often used in the phrase "Fido coughed up a hairball today", meaning that the stuck messages have just come unstuck, producing a flood of mail where there had previously been drought. 2. An unmanageably huge mass of source code. "JWZ thought the Mozilla effort bogged down because the code was a huge hairball." 3. Any large amount of garbage coming out suddenly. "Sendmail is coughing up a hairball, so expect some slowness accessing the Internet."

Node:hairy, Next:[6580]HAKMEM, Previous:[6581]hairball, Up:[6582]= H =

hairy adj.

1. Annoyingly complicated. "[6583]DWIM is incredibly hairy." 2. Incomprehensible. "[6584]DWIM is incredibly hairy." 3. Of people, high-powered, authoritative, rare, expert, and/or incomprehensible. Hard to explain except in context: "He knows this hairy lawyer who says there's nothing to worry about." See also [6585]hirsute.

A well-known result in topology called the Brouwer Fixed-Point Theorem states that any continuous transformation of a 2-sphere into itself has at least one fixed point. Mathematically literate hackers tend to associate the term 'hairy' with the informal version of this theorem; "You can't comb a hairy ball smooth."

The adjective 'long-haired' is well-attested to have been in slang use among scientists and engineers during the early 1950s; it was equivalent to modern 'hairy' senses 1 and 2, and was very likely ancestral to the hackish use. In fact the noun 'long-hair' was at the time used to describe a person satisfying sense 3. Both senses probably passed out of use when long hair was adopted as a signature trait by the 1960s counterculture, leaving hackish 'hairy' as a sort

of stunted mutant relic.

In British mainstream use, "hairy" means "dangerous", and consequently, in British programming terms, "hairy" may be used to denote complicated and/or incomprehensible code, but only if that complexity or incomprehensiveness is also considered dangerous.

Node:HAKMEM, Next:[6586]hakspek, Previous:[6587]hairy, Up:[6588]= H =

HAKMEM /hak'mem/ n.

MIT AI Memo 239 (February 1972). A legendary collection of neat mathematical and programming hacks contributed by many people at MIT and elsewhere. (The title of the memo really is "HAKMEM", which is a 6-letterism for 'hacks memo'.) Some of them are very useful techniques, powerful theorems, or interesting unsolved problems, but most fall into the category of mathematical and computer trivia. Here is a sampling of the entries (with authors), slightly paraphrased:

Item 41 (Gene Salamin): There are exactly 23,000 prime numbers less than 2^{18} .

Item 46 (Rich Schroeppel): The most probable suit distribution in bridge hands is 4-4-3-2, as compared to 4-3-3-3, which is the most evenly distributed. This is because the world likes to have unequal numbers: a thermodynamic effect saying things will not be in the state of lowest energy, but in the state of lowest disordered energy.

Item 81 (Rich Schroeppel): Count the magic squares of order 5 (that is, all the 5-by-5 arrangements of the numbers from 1 to 25 such that all rows, columns, and diagonals add up to the same number). There are about 320 million, not counting those that differ only by rotation and reflection.

Item 154 (Bill Gosper): The myth that any given programming language is machine independent is easily exploded by computing the sum of powers of 2. If the result loops with period = 1 with sign +, you are on a sign-magnitude machine. If the result loops with period = 1 at -1, you are on a twos-complement machine. If the result loops with period greater than 1, including the beginning, you are on a ones-complement machine. If the result loops with period greater than 1, not including the beginning, your machine isn't binary -- the pattern should tell you the base. If you run out of memory, you are on a string or bignum system. If arithmetic overflow is a fatal error, some fascist pig with a read-only mind is trying to enforce machine independence. But the very ability to trap overflow is machine dependent. By this strategy, consider the universe, or, more precisely, algebra: Let X = the sum of many powers of 2 = ...111111 (base 2). Now add X to itself: $X + X = \dots 111110$. Thus, $2X = X - 1$, so $X = -1$. Therefore algebra is run on a machine (the universe) that is two's-complement.

Item 174 (Bill Gosper and Stuart Nelson): 21963283741 is the only number such that if you represent it on the [6589]PDP-10 as both an integer and a floating-point number, the bit patterns of the two representations are identical.

Item 176 (Gosper): The "banana phenomenon" was encountered when processing a character string by taking the last 3 letters typed out, searching for a random occurrence of that sequence in the text, taking the letter following that occurrence, typing it out, and iterating. This ensures that every 4-letter string output occurs in the original. The program typed BANANANANANANANA... We note an ambiguity in the phrase, "the Nth occurrence of." In one sense, there are five 00's in 0000000000; in another, there are nine. The editing program TECO finds five. Thus it finds only the first ANA in BANANA, and is thus obligated to type N next. By Murphy's Law, there is but one NAN, thus forcing A, and thus a loop. An option to find overlapped instances would be useful, although it would require backing up N - 1 characters before seeking the next N-character string.

Note: This last item refers to a [6590]Dissociated Press implementation. See also [6591]banana problem.

HAKMEM also contains some rather more complicated mathematical and technical items, but these examples show some of its fun flavor.

An HTML transcription of the entire document is available at [6592]<http://www.inwap.com/pdp10/hbaker/hakmem/hakmem.html>.

Node:hakspek, Next:[6593]Halloween Documents, Previous:[6594]HAKMEM, Up:[6595]= H =

hakspek /hak'speek/ n.

A shorthand method of spelling found on many British academic bulletin boards and [6596]talker systems. Syllables and whole words in a sentence are replaced by single ASCII characters the names of which are phonetically similar or equivalent, while multiple letters are usually dropped. Hence, 'for' becomes '4'; 'two', 'too', and 'to' become '2'; 'ck' becomes 'k'. "Before I see you tomorrow" becomes "b4 i c u 2moro". First appeared in London about 1986, and was probably caused by the slowness of available talker systems, which operated on archaic machines with outdated operating systems and no standard methods of communication. Has become rarer since. See also [6597]talk mode.

Node:Halloween Documents, Next:[6598]hammer, Previous:[6599]hakspek, Up:[6600]= H =

Halloween Documents n.

A pair of Microsoft internal strategy memoranda leaked to ESR in late

1998 that confirmed everybody's paranoia about the current [6601]Evil Empire. [6602]These documents praised the technical excellence of [6603]Linux and outlined a counterstrategy of attempting to lock in customers by "de-commoditizing" Internet protocols and services. They were extensively cited on the Internet and in the press and proved so embarrassing that Microsoft PR barely said a word in public for six months afterwards.

Node:hammer, Next:[6604]hamster, Previous:[6605]Halloween Documents, Up:[6606]= H =

hammer vt.

Commonwealth hackish syn. for [6607]bang on.

Node:hamster, Next:[6608]HAND, Previous:[6609]hammer, Up:[6610]= H =

hamster n.

1. [Fairchild] A particularly slick little piece of code that does one thing well; a small, self-contained hack. The image is of a hamster [6611]happily spinning its exercise wheel. 2. A tailless mouse; that is, one with an infrared link to a receiver on the machine, as opposed to the conventional cable. 3. [UK] Any item of hardware made by Amstrad, a company famous for its cheap plastic PC-almost-compatibles.

Node:HAND, Next:[6612]hand craft, Previous:[6613]hamster, Up:[6614]= H =

HAND //

[Usenet: very common] Abbreviation: Have A Nice Day. Typically used to close a [6615]Usenet posting, but also used to informally close emails; often preceded by [6616]HTH.

Node:hand craft, Next:[6617]hand-hacking, Previous:[6618]HAND, Up:[6619]= H =

hand craft vt.

[pun on 'hand craft'] See [6620]craft, sense 3.

Node:hand-hacking, Next:[6621]hand-roll, Previous:[6622]hand craft, Up:[6623]= H =

hand-hacking n.

1. [rare] The practice of translating [6624]hot spots from an

[6625]HLL into hand-tuned assembler, as opposed to trying to coerce the compiler into generating better code. Both the term and the practice are becoming uncommon. See [6626]tune, [6627]bum, [6628]by hand; syn. with v. [6629]craft. 2. [common] More generally, manual construction or patching of data sets that would normally be generated by a translation utility and interpreted by another program, and aren't really designed to be read or modified by humans.

Node:hand-roll, Next:[6630]handle, Previous:[6631]hand-hacking,
Up:[6632]= H =

hand-roll v.

[from obs. mainstream slang 'hand-rolled' in opposition to 'ready-made', referring to cigarettes] To perform a normally automated software installation or configuration process [6633]by hand; implies that the normal process failed due to bugs in the configurator or was defeated by something exceptional in the local environment. "The worst thing about being a gateway between four different nets is having to hand-roll a new sendmail configuration every time any of them upgrades."

Node:handle, Next:[6634]handshaking, Previous:[6635]hand-roll,
Up:[6636]= H =

handle n.

1. [from CB slang] An electronic pseudonym; a 'nom de guerre' intended to conceal the user's true identity. Network and BBS handles function as the same sort of simultaneous concealment and display one finds on Citizen's Band radio, from which the term was adopted. Use of grandiose handles is characteristic of [6637]warez d00dz, [6638]crackers, [6639]weenies, [6640]spods, and other lower forms of network life; true hackers travel on their own reputations rather than invented legendry. Compare [6641]nick, [6642]screen name. 2. A [6643]magic cookie, often in the form of a numeric index into some array somewhere, through which you can manipulate an object like a file or window. The form 'file handle' is especially common. 3. [Mac] A pointer to a pointer to dynamically-allocated memory; the extra level of indirection allows on-the-fly memory compaction (to cut down on fragmentation) or aging out of unused resources, with minimal impact on the (possibly multiple) parts of the larger program containing references to the allocated memory. Compare [6644]snap (to snap a handle would defeat its purpose); see also [6645]aliasing bug, [6646]dangling pointer.

Node:handshaking, Next:[6647]handwave, Previous:[6648]handle,
Up:[6649]= H =

handshaking n.

[very common] Hardware or software activity designed to start or keep two machines or programs in synchronization as they [6650]do protocol. Often applied to human activity; thus, a hacker might watch two people in conversation nodding their heads to indicate that they have heard each others' points and say "Oh, they're handshaking!". See also [6651]protocol.

Node:handwave, Next:[6652]hang, Previous:[6653]handshaking, Up:[6654]=
H =

handwave

[poss. from gestures characteristic of stage magicians] 1. v. To gloss over a complex point; to distract a listener; to support a (possibly actually valid) point with blatantly faulty logic. 2. n. The act of handwaving. "Boy, what a handwave!"

If someone starts a sentence with "Clearly..." or "Obviously..." or "It is self-evident that...", it is a good bet he is about to handwave (alternatively, use of these constructions in a sarcastic tone before a paraphrase of someone else's argument suggests that it is a handwave). The theory behind this term is that if you wave your hands at the right moment, the listener may be sufficiently distracted to not notice that what you have said is [6655]bogus. Failing that, if a listener does object, you might try to dismiss the objection with a wave of your hand.

The use of this word is often accompanied by gestures: both hands up, palms forward, swinging the hands in a vertical plane pivoting at the elbows and/or shoulders (depending on the magnitude of the handwave); alternatively, holding the forearms in one position while rotating the hands at the wrist to make them flutter. In context, the gestures alone can suffice as a remark; if a speaker makes an outrageously unsupported assumption, you might simply wave your hands in this way, as an accusation, far more eloquent than words could express, that his logic is faulty.

Node:hang, Next:[6656]Hanlon's Razor, Previous:[6657]handwave,
Up:[6658]= H =

hang v.

1. [very common] To wait for an event that will never occur. "The system is hanging because it can't read from the crashed drive". See [6659]wedged, [6660]hung. 2. To wait for some event to occur; to hang around until something happens. "The program displays a menu and then hangs until you type a character." Compare [6661]block. 3. To attach a peripheral device, esp. in the construction 'hang off': "We're going to hang another tape drive off the file server." Implies a device attached with cables, rather than something that is strictly inside

the machine's chassis.

Node:Hanlon's Razor, Next:[6662]happily, Previous:[6663]hang,
Up:[6664]= H =

Hanlon's Razor prov.

A corollary of [6665]Finagle's Law, similar to Occam's Razor, that reads "Never attribute to malice that which can be adequately explained by stupidity." The derivation of the Hanlon eponym is not definitely known, but a very similar remark ("You have attributed conditions to villainy that simply result from stupidity.") appears in "Logic of Empire", a classic 1941 SF story by Robert A. Heinlein, who calls it the 'devil theory' of sociology. Heinlein's popularity in the hacker culture makes plausible the supposition that 'Hanlon' is derived from 'Heinlein' by phonetic corruption. A similar epigram has been attributed to William James, but Heinlein more probably got the idea from Alfred Korzybski and other practitioners of General Semantics. Quoted here because it seems to be a particular favorite of hackers, often showing up in [6666]sig blocks, [6667]fortune cookie files and the login banners of BBS systems and commercial networks. This probably reflects the hacker's daily experience of environments created by well-intentioned but short-sighted people. Compare [6668]Sturgeon's Law, [6669]Ninety-Ninety Rule.

Node:happily, Next:[6670]haque, Previous:[6671]Hanlon's Razor,
Up:[6672]= H =

happily adv.

Of software, used to emphasize that a program is unaware of some important fact about its environment, either because it has been fooled into believing a lie, or because it doesn't care. The sense of 'happy' here is not that of elation, but rather that of blissful ignorance. "The program continues to run, happily unaware that its output is going to /dev/null." Also used to suggest that a program or device would really rather be doing something destructive, and is being given an opportunity to do so. "If you enter an O here instead of a zero, the program will happily erase all your data." Nevertheless, use of this term implies a basically benign attitude towards the program: It didn't mean any harm, it was just eager to do its job. We'd like to be angry at it but we shouldn't, we should try to understand it instead. The adjective "cheerfully" is often used in exactly the same way.

Node:haque, Next:[6673]hard boot, Previous:[6674]happily, Up:[6675]= H =

haque /hak/ n.

[Usenet] Variant spelling of [6676]hack, used only for the noun form and connoting an [6677]elegant hack. that is a [6678]hack in sense 2.

Node:hard boot, Next:[6679]hardcoded, Previous:[6680]haque, Up:[6681]=
H =

hard boot n.

See [6682]boot.

Node:hardcoded, Next:[6683]hardwarily, Previous:[6684]hard boot,
Up:[6685]= H =

hardcoded adj.

1. [common] Said of data inserted directly into a program, where it cannot be easily modified, as opposed to data in some [6686]profile, resource (see [6687]de-rezz sense 2), or environment variable that a [6688]user or hacker can easily modify. 2. In C, this is esp. applied to use of a literal instead of a #define macro (see [6689]magic number).

Node:hardwarily, Next:[6690]hardwired, Previous:[6691]hardcoded,
Up:[6692]= H =

hardwarily /hard-weir^h-lee/ adv.

In a way pertaining to hardware. "The system is hardwarily unreliable." The adjective 'hardwary' is not traditionally used, though it has recently been reported from the U.K. See [6693]softwarily.

Node:hardwired, Next:[6694]has the X nature,
Previous:[6695]hardwarily, Up:[6696]= H =

hardwired adj.

1. In software, syn. for [6697]hardcoded. 2. By extension, anything that is not modifiable, especially in the sense of customizable to one's particular needs or tastes.

Node:has the X nature, Next:[6698]hash bucket,
Previous:[6699]hardwired, Up:[6700]= H =

has the X nature

[seems to derive from Zen Buddhist koans of the form "Does an X have the Buddha-nature?"] adj. Common hacker construction for 'is an X',

used for humorous emphasis. "Anyone who can't even use a program with on-screen help embedded in it truly has the [6701]loser nature!" See also [6702]the X that can be Y is not the true X. See also [6703]mu.

Node:hash bucket, Next:[6704]hash collision, Previous:[6705]has the X nature, Up:[6706]= H =

hash bucket n.

A notional receptacle, a set of which might be used to apportion data items for sorting or lookup purposes. When you look up a name in the phone book (for example), you typically hash it by extracting its first letter; the hash buckets are the alphabetically ordered letter sections. This term is used as techspeak with respect to code that uses actual hash functions; in jargon, it is used for human associative memory as well. Thus, two things 'in the same hash bucket' are more difficult to discriminate, and may be confused. "If you hash English words only by length, you get too many common grammar words in the first couple of hash buckets." Compare [6707]hash collision.

Node:hash collision, Next:[6708]hat, Previous:[6709]hash bucket, Up:[6710]= H =

hash collision n.

[from the techspeak] (var. 'hash clash') When used of people, signifies a confusion in associative memory or imagination, especially a persistent one (see [6711]thinko). True story: One of us [ESR] was once on the phone with a friend about to move out to Berkeley. When asked what he expected Berkeley to be like, the friend replied: "Well, I have this mental picture of naked women throwing Molotov cocktails, but I think that's just a collision in my hash tables." Compare [6712]hash bucket.

Node:hat, Next:[6713]HCF, Previous:[6714]hash collision, Up:[6715]= H =

hat n.

Common (spoken) name for the circumflex ('^', ASCII 1011110) character. See [6716]ASCII for other synonyms.

Node:HCF, Next:[6717]heads down, Previous:[6718]hat, Up:[6719]= H =

HCF /H-C-F/ n.

Mnemonic for 'Halt and Catch Fire', any of several undocumented and semi-mythical machine instructions with destructive side-effects, supposedly included for test purposes on several well-known

architectures going as far back as the IBM 360. The MC6800 microprocessor was the first for which an HCF opcode became widely known. This instruction caused the processor to [6720]toggle a subset of the bus lines as rapidly as it could; in some configurations this could actually cause lines to burn up. Compare [6721]killer poke.

Node:heads down, Next:[6722]heartbeat, Previous:[6723]HCF, Up:[6724]= H =

heads down [Sun] adj.

Concentrating, usually so heavily and for so long that everything outside the focus area is missed. See also [6725]hack mode and [6726]larval stage, although this mode is hardly confined to fledgling hackers.

Node:heartbeat, Next:[6727]heatseeker, Previous:[6728]heads down, Up:[6729]= H =

heartbeat n.

1. The signal emitted by a Level 2 Ethernet transceiver at the end of every packet to show that the collision-detection circuit is still connected. 2. A periodic synchronization signal used by software or hardware, such as a bus clock or a periodic interrupt. 3. The 'natural' oscillation frequency of a computer's clock crystal, before frequency division down to the machine's clock rate. 4. A signal emitted at regular intervals by software to demonstrate that it is still alive. Sometimes hardware is designed to reboot the machine if it stops hearing a heartbeat. See also [6730]breath-of-life packet.

Node:heatseeker, Next:[6731]heavy metal, Previous:[6732]heartbeat, Up:[6733]= H =

heatseeker n.

[IBM] A customer who can be relied upon to buy, without fail, the latest version of an existing product (not quite the same as a member of the [6734]lunatic fringe). A 1993 example of a heatseeker was someone who, owning a 286 PC and Windows 3.0, went out and bought Windows 3.1 (which offers no worthwhile benefits unless you have a 386). If all customers were heatseekers, vast amounts of money could be made by just fixing some of the bugs in each release (n) and selling it to them as release (n+1). Microsoft in fact seems to have mastered this technique.

Node:heavy metal, Next:[6735]heavy wizardry, Previous:[6736]heatseeker, Up:[6737]= H =

heavy metal n.

[Cambridge] Syn. [6738]big iron.

Node:heavy wizardry, Next:[6739]heavyweight, Previous:[6740]heavy metal, Up:[6741]= H =

heavy wizardry n.

Code or designs that trade on a particularly intimate knowledge or experience of a particular operating system or language or complex application interface. Distinguished from [6742]deep magic, which trades more on arcane theoretical knowledge. Writing device drivers is heavy wizardry; so is interfacing to [6743]X (sense 2) without a toolkit. Esp. found in source-code comments of the form "Heavy wizardry begins here". Compare [6744]voodoo programming.

Node:heavyweight, Next:[6745]heisenbug, Previous:[6746]heavy wizardry, Up:[6747]= H =

heavyweight adj.

[common] High-overhead; [6748]baroque; code-intensive; featureful, but costly. Esp. used of communication protocols, language designs, and any sort of implementation in which maximum generality and/or ease of implementation has been pushed at the expense of mundane considerations such as speed, memory utilization, and startup time. [6749]EMACS is a heavyweight editor; [6750]X is an extremely heavyweight window system. This term isn't pejorative, but one hacker's heavyweight is another's [6751]elephantine and a third's [6752]monstrosity. Oppose 'lightweight'. Usage: now borders on techspeak, especially in the compound 'heavyweight process'.

Node:heisenbug, Next:[6753]Helen Keller mode, Previous:[6754]heavyweight, Up:[6755]= H =

heisenbug /hi:'zen-buhg/ n.

[from Heisenberg's Uncertainty Principle in quantum physics] A bug that disappears or alters its behavior when one attempts to probe or isolate it. (This usage is not even particularly fanciful; the use of a debugger sometimes alters a program's operating environment significantly enough that buggy code, such as that which relies on the values of uninitialized memory, behaves quite differently.) Antonym of [6756]Bohr bug; see also [6757]mandelbug, [6758]schroedinbug. In C, nine out of ten heisenbugs result from uninitialized auto variables, [6759]fandango on core phenomena (esp. lossage related to corruption of the malloc [6760]arena) or errors that [6761]smash the stack.

Node:Helen Keller mode, Next:[6762]hello sailor!,
Previous:[6763]heisenbug, Up:[6764]= H =

Helen Keller mode n.

1. State of a hardware or software system that is deaf, dumb, and blind, i.e., accepting no input and generating no output, usually due to an infinite loop or some other excursion into [6765]deep space. (Unfair to the real Helen Keller, whose success at learning speech was triumphant.) See also [6766]go flatline, [6767]catatonic. 2. On IBM PCs under DOS, refers to a specific failure mode in which a screen saver has kicked in over an [6768]ill-behaved application which bypasses the very interrupts the screen saver watches for activity. Your choices are to try to get from the program's current state through a successful save-and-exit without being able to see what you're doing, or to re-boot the machine. This isn't (strictly speaking) a crash.

Node:hello sailor!, Next:[6769]hello wall!, Previous:[6770]Helen Keller mode, Up:[6771]= H =

hello sailor! interj.

Occasional West Coast equivalent of [6772]hello world; seems to have originated at SAIL, later associated with the game [6773]Zork (which also included "hello, aviator" and "hello, implementor"). Originally from the traditional hooker's greeting to a swabbie fresh off the boat, of course. The standard response is "Nothing happens here."; of all the Zork/Dungeon games, only in Infocom's Zork 3 is "Hello, Sailor" actually useful (excluding the unique situation where knowing this fact is important in Dungeon...).

Node:hello wall!, Next:[6774]hello world, Previous:[6775]hello sailor!, Up:[6776]= H =

hello, wall! excl.

See [6777]wall.

Node:hello world, Next:[6778]hex, Previous:[6779]hello wall!,
Up:[6780]= H =

hello world interj.

1. The canonical minimal test message in the C/Unix universe. 2. Any of the minimal programs that emit this message. Traditionally, the first program a C coder is supposed to write in a new environment is one that just prints "hello, world" to standard output (and indeed it is the first example program in [6781]K&R). Environments that generate an unreasonably large executable for this trivial test or which

require a [6782]hairly compiler-linker invocation to generate it are considered to [6783]lose (see [6784]X). 3. Greeting uttered by a hacker making an entrance or requesting information from anyone present. "Hello, world! Is the LAN back up yet?"

Node:hex, Next:[6785]hexadecimal, Previous:[6786]hello world, Up:[6787]= H =

hex n.

1. Short for [6788]hexadecimal, base 16. 2. A 6-pack of anything (compare [6789]quad, sense 2). Neither usage has anything to do with [6790]magic or [6791]black art, though the pun is appreciated and occasionally used by hackers. True story: As a joke, some hackers once offered some surplus ICs for sale to be worn as protective amulets against hostile magic. The chips were, of course, hex inverters.

Node:hexadecimal, Next:[6792]hexit, Previous:[6793]hex, Up:[6794]= H =

hexadecimal n.

Base 16. Coined in the early 1960s to replace earlier 'sexadecimal', which was too racy and amusing for stuffy IBM, and later adopted by the rest of the industry.

Actually, neither term is etymologically pure. If we take 'binary' to be paradigmatic, the most etymologically correct term for base 10, for example, is 'denary', which comes from 'deni' (ten at a time, ten each), a Latin 'distributive' number; the corresponding term for base-16 would be something like 'sendenary'. 'Decimal' is from an ordinal number; the corresponding prefix for 6 would imply something like 'sextidecimal'. The 'sexa-' prefix is Latin but incorrect in this context, and 'hexa-' is Greek. The word 'octal' is similarly incorrect; a correct form would be 'octaval' (to go with decimal), or 'octonary' (to go with binary). If anyone ever implements a base-3 computer, computer scientists will be faced with the unprecedented dilemma of a choice between two correct forms; both 'ternary' and 'trinary' have a claim to this throne.

Node:hexit, Next:[6795]HHOK, Previous:[6796]hexadecimal, Up:[6797]= H =

hexit /hek'sit/ n.

A hexadecimal digit (0-9, and A-F or a-f). Used by people who claim that there are only ten digits, dammit; sixteen-fingered human beings are rather rare, despite what some keyboard designs might seem to imply (see [6798]space-cadet keyboard).

Node:HHOK, Next:[6799]HHOS, Previous:[6800]hexit, Up:[6801]= H =

HHOK

See [6802]ha ha only serious.

Node:HHOS, Next:[6803]hidden flag, Previous:[6804]HHOK, Up:[6805]= H =

HHOS

See [6806]ha ha only serious.

Node:hidden flag, Next:[6807]high bit, Previous:[6808]HHOS, Up:[6809]=
H =

hidden flag n.

[scientific computation] An extra option added to a routine without changing the calling sequence. For example, instead of adding an explicit input variable to instruct a routine to give extra diagnostic output, the programmer might just add a test for some otherwise meaningless feature of the existing inputs, such as a negative mass. The use of hidden flags can make a program very hard to debug and understand, but is all too common wherever programs are hacked on in a hurry.

Node:high bit, Next:[6810]high moby, Previous:[6811]hidden flag,
Up:[6812]= H =

high bit n.

[from 'high-order bit'] 1. The most significant bit in a byte. 2. [common] By extension, the most significant part of something other than a data byte: "Spare me the whole [6813]saga, just give me the high bit." See also [6814]meta bit, [6815]hobbit, [6816]dread high-bit disease, and compare the mainstream slang 'bottom line'.

Node:high moby, Next:[6817]highly, Previous:[6818]high bit, Up:[6819]=
H =

high moby /hi:' mohb'ee/ n.

The high half of a 512K [6820]PDP-10's physical address space; the other half was of course the low moby. This usage has been generalized in a way that has outlasted the [6821]PDP-10; for example, at the 1990 Washington D.C. Area Science Fiction Conclave (Disclave), when a miscommunication resulted in two separate wakes being held in commemoration of the shutdown of MIT's last [6822]ITS machines, the one on the upper floor was dubbed the 'high moby' and the other the

'low moby'. All parties involved [6823]grokked this instantly. See [6824]moby.

Node:highly, Next:[6825]hing, Previous:[6826]high moby, Up:[6827]= H =

highly adv.

[scientific computation] The preferred modifier for overstating an understatement. As in: 'highly nonoptimal', the worst possible way to do something; 'highly nontrivial', either impossible or requiring a major research project; 'highly nonlinear', completely erratic and unpredictable; 'highly nontechnical', drivel written for [6828]users, oversimplified to the point of being misleading or incorrect (compare [6829]drool-proof paper). In other computing cultures, postfixing of [6830]in the extreme might be preferred.

Node:hing, Next:[6831]hired gun, Previous:[6832]highly, Up:[6833]= H =

hing // n.

[IRC] Fortuitous typo for 'hint', now in wide intentional use among players of [6834]initgame. Compare [6835]newsfroup, [6836]filk.

Node:hired gun, Next:[6837]hirsute, Previous:[6838]hing, Up:[6839]= H =

hired gun n.

A contract programmer, as opposed to a full-time staff member. All the connotations of this term suggested by innumerable spaghetti Westerns are intentional.

Node:hirsute, Next:[6840]HLL, Previous:[6841]hired gun, Up:[6842]= H =

hirsute adj.

Occasionally used humorously as a synonym for [6843]hairy.

Node:HLL, Next:[6844]hoarding, Previous:[6845]hirsute, Up:[6846]= H =

HLL /H-L-L/ n.

[High-Level Language (as opposed to assembler)] Found primarily in email and news rather than speech. Rarely, the variants 'VHLL' and 'MLL' are found. VHLL stands for 'Very-High-Level Language' and is used to describe a [6847]bondage-and-discipline language that the speaker happens to like; Prolog and Backus's FP are often called VHLLs. 'MLL' stands for 'Medium-Level Language' and is sometimes used

half-jokingly to describe [6848]C, alluding to its 'structured-assembler' image. See also [6849]languages of choice.

Node:hoarding, Next:[6850]hobbit, Previous:[6851]HLL, Up:[6852]= H =

hoarding n.

See [6853]software hoarding.

Node:hobbit, Next:[6854]hog, Previous:[6855]hoarding, Up:[6856]= H =

hobbit n.

1. [rare] The High Order BIT of a byte; same as the [6857]meta bit or [6858]high bit. 2. The non-ITS name of [6859]vad@ai.mit.edu (*Hobbit*), master of lasers.

Node:hog, Next:[6860]hole, Previous:[6861]hobbit, Up:[6862]= H =

hog n.,vt.

1. Favored term to describe programs or hardware that seem to eat far more than their share of a system's resources, esp. those which noticeably degrade interactive response. Not used of programs that are simply extremely large or complex or that are merely painfully slow themselves. More often than not encountered in qualified forms, e.g., 'memory hog', 'core hog', 'hog the processor', 'hog the disk'. "A controller that never gives up the I/O bus gets killed after the bus-hog timer expires." 2. Also said of people who use more than their fair share of resources (particularly disk, where it seems that 10% of the people use 90% of the disk, no matter how big the disk is or how many people use it). Of course, once disk hogs fill up one filesystem, they typically find some other new one to infect, claiming to the sysadmin that they have an important new project to complete.

Node:hole, Next:[6863]hollised, Previous:[6864]hog, Up:[6865]= H =

hole n.

A region in an otherwise [6866]flat entity which is not actually present. For example, some Unix filesystems can store large files with holes so that unused regions of the file are never actually stored on disk. (In techspeak, these are referred to as 'sparse' files.) As another example, the region of memory in IBM PCs reserved for memory-mapped I/O devices which may not actually be present is called 'the I/O hole', since memory-management systems must skip over this area when filling user requests for memory.

Node:hollised, Next:[6867]holy wars, Previous:[6868]hole, Up:[6869]= H =

hollised /hol'ist/ adj.

[Usenet: sci.space] To be hollised is to have been ordered by one's employer not to post any even remotely job-related material to Usenet (or, by extension, to other Internet media). The original and most notorious case of this involved one Ken Hollis, a Lockheed employee and space-program enthusiast who posted publicly available material on access to Space Shuttle launches to sci.space. He was gagged under threat of being fired in 1994 at the behest of NASA public-relations officers. The result was, of course, a huge publicity black eye for NASA. Nevertheless several other NASA contractor employees were subsequently hollised for similar activities. Use of this term carries the strong connotation that the persons doing the gagging are bureaucratic idiots blinded to their own best interests by territorial reflexes.

Node:holy wars, Next:[6870]home box, Previous:[6871]hollised, Up:[6872]= H =

holy wars n.

[from [6873]Usenet, but may predate it; common] n. [6874]flame wars over [6875]religious issues. The paper by Danny Cohen that popularized the terms [6876]big-endian and [6877]little-endian in connection with the LSB-first/MSB-first controversy was entitled "On Holy Wars and a Plea for Peace".

Great holy wars of the past have included [6878]ITS vs. [6879]Unix, [6880]Unix vs. [6881]VMS, [6882]BSD Unix vs. [6883]USG Unix, [6884]C vs. [6885]Pascal, [6886]C vs. FORTRAN, etc. In the year 2000, popular favorites of the day are KDE vs. GNOME, vim vs. elvis, Linux vs. [Free]Net[Open]BSD. Hardy perennials include [6887]EMACS vs. [6888]vi, my personal computer vs. everyone else's personal computer, ad nauseam. The characteristic that distinguishes holy wars from normal technical disputes is that in a holy war most of the participants spend their time trying to pass off personal value choices and cultural attachments as objective technical evaluations. This happens precisely because in a true holy war, the actual substantive differences between the sides are relatively minor. See also [6889]theology.

Node:home box, Next:[6890]home machine, Previous:[6891]holy wars, Up:[6892]= H =

home box n.

A hacker's personal machine, especially one he or she owns. "Yeah? Well, my home box runs a full 4.4 BSD, so there!"

Node:home machine, Next:[6893]home page, Previous:[6894]home box,
Up:[6895]= H =

home machine n.

1. Syn. [6896]home box. 2. The machine that receives your email. These senses might be distinct, for example, for a hacker who owns one computer at home, but reads email at work.

Node:home page, Next:[6897]honey pot, Previous:[6898]home machine,
Up:[6899]= H =

home page n.

1. One's personal billboard on the World Wide Web. The term 'home page' is perhaps a bit misleading because home directories and physical homes in [6900]URL are private, but home pages are designed to be very public. 2. By extension, a WWW repository for information and links related to a project or organization. Compare [6901]home box.

Node:honey pot, Next:[6902]hook, Previous:[6903]home page, Up:[6904]=
H =

honey pot n.

A box designed to attract [6905]crackers so that they can be observed in action. It is usually well isolated from the rest of the network, but has extensive logging (usually network layer, on a different machine). Different from an [6906]iron box in that it's purpose is to attract, not merely observe. Sometimes, it is also a defensive network security tactic - you set up an easy-to-crack box so that your real servers don't get messed with. The concept was presented in Cheswick & Bellovin's book "Firewalls and Internet Security".

Node:hook, Next:[6907]hop, Previous:[6908]honey pot, Up:[6909]= H =

hook n.

A software or hardware feature included in order to simplify later additions or changes by a user. For example, a simple program that prints numbers might always print them in base 10, but a more flexible version would let a variable determine what base to use; setting the variable to 5 would make the program print numbers in base 5. The variable is a simple hook. An even more flexible program might examine the variable and treat a value of 16 or less as the base to use, but treat any other number as the address of a user-supplied routine for printing a number. This is a [6910]hairly but powerful hook; one can then write a routine to print numbers as Roman numerals, say, or as

Hebrew characters, and plug it into the program through the hook. Often the difference between a good program and a superb one is that the latter has useful hooks in judiciously chosen places. Both may do the original job about equally well, but the one with the hooks is much more flexible for future expansion of capabilities ([6911]EMACS, for example, is all hooks). The term 'user exit' is synonymous but much more formal and less hackish.

Node:hop, Next:[6912]hose, Previous:[6913]hook, Up:[6914]= H =

hop

1. n. [common] One file transmission in a series required to get a file from point A to point B on a store-and-forward network. On such networks (including [6915]UUCPNET and [6916]FidoNet), an important inter-machine metric is the number of hops in the shortest path between them, which can be more significant than their geographical separation. See [6917]bang path. 2. v. [rare] To log in to a remote machine, esp. via rlogin or telnet. "I'll hop over to foovax to FTP that."

Node:hose, Next:[6918]hosed, Previous:[6919]hop, Up:[6920]= H =

hose

1. vt. [common] To make non-functional or greatly degraded in performance. "That big ray-tracing program really hoses the system." See [6921]hosed. 2. n. A narrow channel through which data flows under pressure. Generally denotes data paths that represent performance bottlenecks. 3. n. Cabling, especially thick Ethernet cable. This is sometimes called 'bit hose' or 'hosery' (play on 'hosiery') or 'etherhose'. See also [6922]washing machine.

Node:hosed, Next:[6923]hot chat, Previous:[6924]hose, Up:[6925]= H =

hosed adj.

Same as [6926]down. Used primarily by Unix hackers. Humorous: also implies a condition thought to be relatively easy to reverse. Probably derived from the Canadian slang 'hoser' popularized by the Bob and Doug Mackenzie skits on SCTV, but this usage predated SCTV by years in hackerdom (it was certainly already live at CMU in the 1970s). See [6927]hose. It is also widely used of people in the mainstream sense of 'in an extremely unfortunate situation'.

Once upon a time, a Cray that had been experiencing periodic difficulties crashed, and it was announced to have been hosed. It was discovered that the crash was due to the disconnection of some coolant hoses. The problem was corrected, and users were then assured that everything was OK because the system had been rehosed. See also

[6928]dehose.

Node:hot chat, Next:[6929]hot spot, Previous:[6930]hosed, Up:[6931]= H =

hot chat n.

Sexually explicit one-on-one chat. See [6932]teledildonics.

Node:hot spot, Next:[6933]hotlink, Previous:[6934]hot chat, Up:[6935]= H =

hot spot n.

1. [primarily used by C/Unix programmers, but spreading] It is received wisdom that in most programs, less than 10% of the code eats 90% of the execution time; if one were to graph instruction visits versus code addresses, one would typically see a few huge spikes amidst a lot of low-level noise. Such spikes are called 'hot spots' and are good candidates for heavy optimization or [6936]hand-hacking. The term is especially used of tight loops and recursions in the code's central algorithm, as opposed to (say) initial set-up costs or large but infrequent I/O operations. See [6937]tune, [6938]bum, [6939]hand-hacking. 2. The active location of a cursor on a bit-map display. "Put the mouse's hot spot on the 'ON' widget and click the left button." 3. A screen region that is sensitive to mouse gestures, which trigger some action. World Wide Web pages now provide the [6940]canonical examples; WWW browsers present hypertext links as hot spots which, when clicked on, point the browser at another document (these are specifically called [6941]hotlinks). 4. In a massively parallel computer with shared memory, the one location that all 10,000 processors are trying to read or write at once (perhaps because they are all doing a [6942]busy-wait on the same lock). 5. More generally, any place in a hardware design that turns into a performance bottleneck due to resource contention.

Node:hotlink, Next:[6943]house wizard, Previous:[6944]hot spot, Up:[6945]= H =

hotlink /hot'link/ n.

A [6946]hot spot on a World Wide Web page; an area, which, when clicked or selected, chases a URL. Also spelled 'hot link'. Use of this term focuses on the link's role as an immediate part of your display, as opposed to the timeless sense of logical connection suggested by [6947]web pointer. Your screen shows hotlinks but your document has web pointers, not (in normal usage) the other way around.

Node:house wizard, Next:[6948]HP-SUX, Previous:[6949]hotlink,

Up:[6950]= H =

house wizard n.

[prob. from ad-agency tradetalk, 'house freak'] A hacker occupying a technical-specialist, R&D, or systems position at a commercial shop. A really effective house wizard can have influence out of all proportion to his/her ostensible rank and still not have to wear a suit. Used esp. of Unix wizards. The term 'house guru' is equivalent.

Node:HP-SUX, Next:[6951]HTH, Previous:[6952]house wizard, Up:[6953]= H =

HP-SUX /H-P suhks/ n.

Unflattering hackerism for HP-UX, Hewlett-Packard's Unix port, which features some truly unique bogosities in the filesystem internals and elsewhere (these occasionally create portability problems). HP-UX is often referred to as 'hockey-pux' inside HP, and one respondent claims that the proper pronunciation is /H-P ukkkhhhh/ as though one were about to spit. Another such alternate spelling and pronunciation is "H-PUX" /H-puhks/. Hackers at HP/Apollo (the former Apollo Computers which was swallowed by HP in 1989) have been heard to complain that Mr. Packard should have pushed to have his name first, if for no other reason than the greater eloquence of the resulting acronym. Compare [6954]AIDX, [6955]buglix. See also [6956]Nominal Semidestructor, [6957]Telerat, [6958]ScumOS, [6959]sun-stools, [6960]Slowlaris.

Node:HTH, Next:[6961]huff, Previous:[6962]HP-SUX, Up:[6963]= H =

HTH //

[Usenet: very common] Abbreviation: Hope This Helps (e.g. following a response to a technical question). Often used just before [6964]HAND. See also [6965]YHBT.

Node:huff, Next:[6966]humma, Previous:[6967]HTH, Up:[6968]= H =

huff v.

To compress data using a Huffman code. Various programs that use such methods have been called 'HUFF' or some variant thereof. Oppose [6969]puff. Compare [6970]crunch, [6971]compress.

Node:humma, Next:[6972]hung, Previous:[6973]huff, Up:[6974]= H =

humma // excl.

A filler word used on various 'chat' and 'talk' programs when you had

nothing to say but felt that it was important to say something. The word apparently originated (at least with this definition) on the MECC Timeshare System (MTS, a now-defunct educational time-sharing system running in Minnesota during the 1970s and the early 1980s) but was later sighted on early Unix systems. Compare the U.K.'s [6975]wibble.

Node:hung, Next:[6976]hungry puppy, Previous:[6977]humma, Up:[6978]= H =

hung adj.

[from 'hung up'; common] Equivalent to [6979]wedged, but more common at Unix/C sites. Not generally used of people. Syn. with [6980]locked up, [6981]wedged; compare [6982]hosed. See also [6983]hang. A hung state is distinguished from [6984]crashed or [6985]down, where the program or system is also unusable but because it is not running rather than because it is waiting for something. However, the recovery from both situations is often the same. It is also distinguished from the similar but more drastic state [6986]wedged - hung software can be woken up with easy things like interrupt keys, but wedged will need a kill -9 or even reboot.

Node:hungry puppy, Next:[6987]hungus, Previous:[6988]hung, Up:[6989]= H =

hungry puppy n.

Syn. [6990]slopsucker.

Node:hungus, Next:[6991]hyperspace, Previous:[6992]hungry puppy, Up:[6993]= H =

hungus /huhng'g*s/ adj.

[perhaps related to slang 'humongous'] Large, unwieldy, usually unmanageable. "TCP is a hungus piece of code." "This is a hungus set of modifications." The [6994]Infocom text adventure game "Beyond Zork" included two monsters called hunguses.

Node:hyperspace, Next:[6995]hysterical reasons, Previous:[6996]hungus, Up:[6997]= H =

hyperspace /hi:'per-spays/ n.

A memory location that is far away from where the program counter should be pointing, especially a place that is inaccessible because it is not even mapped in by the virtual-memory system. "Another core dump -- looks like the program jumped off to hyperspace somehow." (Compare [6998]jump off into never-never land.) This usage is from the SF

notion of a spaceship jumping 'into hyperspace', that is, taking a shortcut through higher-dimensional space -- in other words, bypassing this universe. The variant 'east hyperspace' is recorded among CMU and Bliss hackers.

Node:hysterical reasons, Next:[6999]I didn't change anything!,
Previous:[7000]hyperspace, Up:[7001]= H =

hysterical reasons n.

(also 'hysterical raisins') A variant on the stock phrase "for historical reasons", indicating specifically that something must be done in some stupid way for backwards compatibility, and moreover that the feature it must be compatible with was the result of a bad design in the first place. "All IBM PC video adapters have to support MDA text mode for hysterical reasons." Compare [7002]bug-for-bug compatible.

Node:= I =, Next:[7003]= J =, Previous:[7004]= H =, Up:[7005]The Jargon Lexicon

= I =

- * [7006]I didn't change anything!:
- * [7007]I see no X here.:
- * [7008]IANAL:
- * [7009]IBM:
- * [7010]IBM discount:
- * [7011]ICBM address:
- * [7012]jice:
- * [7013]ID10T error:
- * [7014]idempotent:
- * [7015>IDP:
- * [7016]If you want X you know where to find it.:
- * [7017]ifdef out:
- * [7018]IIRC:
- * [7019]jill-behaved:
- * [7020]IMHO:
- * [7021]Imminent Death Of The Net Predicted!:
- * [7022]in the extreme:
- * [7023]inc:
- * [7024]incantation:
- * [7025]include:
- * [7026]include war:
- * [7027]indent style:
- * [7028]index of X:
- * [7029]infant mortality:
- * [7030]infinite:
- * [7031]infinite loop:
- * [7032]Infinite-Monkey Theorem:
- * [7033]infinity:

- * [7034]inflate:
 - * [7035]Infocom:
 - * [7036]initgame:
 - * [7037]insanely great:
 - * [7038]installfest:
 - * [7039]INTERCAL:
 - * [7040]interesting:
 - * [7041]Internet:
 - * [7042]Internet address:
 - * [7043]Internet Death Penalty:
 - * [7044]Internet Exploder:
 - * [7045]Internet Exploiter:
 - * [7046]interrupt:
 - * [7047]interrupt list:
 - * [7048]interrupts locked out:
 - * [7049]intro:
 - * [7050]IRC:
 - * [7051]iron:
 - * [7052]Iron Age:
 - * [7053]iron box:
 - * [7054]ironmonger:
 - * [7055]ISO standard cup of tea:
 - * [7056]ISP:
 - * [7057]ITS:
 - * [7058]IWBNI:
 - * [7059]IYFEG:
-

Node:I didn't change anything!, Next:[7060]I see no X here.,
Previous:[7061]hysterical reasons, Up:[7062]= I =

I didn't change anything! interj.

An aggrieved cry often heard as bugs manifest during a regression test. The [7063]canonical reply to this assertion is "Then it works just the same as it did before, doesn't it?" See also [7064]one-line fix. This is also heard from applications programmers trying to blame an obvious applications problem on an unrelated systems software change, for example a divide-by-0 fault after terminals were added to a network. Usually, their statement is found to be false. Upon close questioning, they will admit some major restructuring of the program that shouldn't have broken anything, in their opinion, but which actually [7065]hosed the code completely.

Node:I see no X here., Next:[7066]IANAL, Previous:[7067]I didn't change anything!, Up:[7068]= I =

I see no X here.

Hackers (and the interactive computer games they write) traditionally favor this slightly marked usage over other possible equivalents such as "There's no X here!" or "X is missing." or "Where's the X?". This

goes back to the original PDP-10 [7069]ADVENT, which would respond in this wise if you asked it to do something involving an object not present at your location in the game.

Node:IANAL, Next:[7070]IBM, Previous:[7071]I see no X here.,
Up:[7072]= I =

IANAL //

[Usenet] Abbreviation, "I Am Not A Lawyer". Usually precedes legal advice.

Node:IBM, Next:[7073]IBM discount, Previous:[7074]IANAL, Up:[7075]= I =

IBM /I-B-M/

Inferior But Marketable; It's Better Manually; Insidious Black Magic; It's Been Malfunctioning; Incontinent Bowel Movement; and a near-[7076]infinite number of even less complimentary expansions, including 'International Business Machines'. See [7077]TLA. These abbreviations illustrate the considerable antipathy most hackers long felt toward the 'industry leader' (see [7078]fear and loathing).

What galled hackers about most IBM machines above the PC level wasn't so much that they were underpowered and overpriced (though that does count against them), but that the designs are incredibly archaic, [7079]crufty, and [7080]elephantine ... and you can't fix them -- source code is locked up tight, and programming tools are expensive, hard to find, and bletcherous to use once you've found them. For many years, before Microsoft, IBM was the company hackers loved to hate.

But everything changes. In the 1980s IBM had its own troubles with Microsoft. In the late 1990s IBM re-invented itself as a services company, began to release open-source software through its AlphaWorks group, and began shipping [7081]Linux systems and building ties to the Linux community. To the astonishment of all parties, IBM emerged as a friend of the hacker community

This lexicon includes a number of entries attributed to 'IBM'; these derive from some rampantly unofficial jargon lists circulated within IBM's own beleaguered hacker underground.

Node:IBM discount, Next:[7082]ICBM address, Previous:[7083]IBM,
Up:[7084]= I =

IBM discount n.

A price increase. Outside IBM, this derives from the common perception that IBM products are generally overpriced (see [7085]clone); inside,

it is said to spring from a belief that large numbers of IBM employees living in an area cause prices to rise.

Node:ICBM address, Next:[7086]ice, Previous:[7087]IBM discount, Up:[7088]= I =

ICBM address n.

(Also 'missile address') The form used to register a site with the Usenet mapping project, back before the day of pervasive Internet, included a blank for longitude and latitude, preferably to seconds-of-arc accuracy. This was actually used for generating geographically-correct maps of Usenet links on a plotter; however, it became traditional to refer to this as one's 'ICBM address' or 'missile address', and some people include it in their [7089]sig block with that name. (A real missile address would include target elevation.)

Node:ice, Next:[7090]ID10T error, Previous:[7091]ICBM address, Up:[7092]= I =

ice n.

[coined by Usenetter Tom Maddox, popularized by William Gibson's cyberpunk SF novels: a contrived acronym for 'Intrusion Countermeasure Electronics'] Security software (in Gibson's novels, software that responds to intrusion by attempting to immobilize or even literally kill the intruder). Hence, 'icebreaker': a program designed for cracking security on a system.

Neither term is in serious use yet as of early 1999, but many hackers find the metaphor attractive, and each may develop a denotation in the future. In the meantime, the speculative usage could be confused with 'ICE', an acronym for "in-circuit emulator".

In ironic reference to the speculative usage, however, some hackers and computer scientists formed ICE (International Cryptographic Experiment) in 1994. ICE is a consortium to promote uniform international access to strong cryptography.

Node:ID10T error, Next:[7093]idempotent, Previous:[7094]ice, Up:[7095]= I =

ID10T error /I-D-ten-T er*/r/

Synonym for [7096]PEBKAC, e.g. "The user is being an idiot". Tech-support people passing a problem report to someone higher up the food chain (and presumably better equipped to deal with idiots) may ask the user to convey that there seems to be an I-D-ten-T error. Users never twig.

Node: idempotent, Next:[7097]IDP, Previous:[7098]ID10T error,
Up:[7099]= I =

idempotent adj.

[from mathematical techspeak] Acting as if used only once, even if used multiple times. This term is often used with respect to [7100]C header files, which contain common definitions and declarations to be included by several source files. If a header file is ever included twice during the same compilation (perhaps due to nested #include files), compilation errors can result unless the header file has protected itself against multiple inclusion; a header file so protected is said to be idempotent. The term can also be used to describe an initialization subroutine that is arranged to perform some critical action exactly once, even if the routine is called several times.

Node: IDP, Next:[7101]If you want X you know where to find it.,
Previous:[7102]idempotent, Up:[7103]= I =

IDP /I-D-P/ v.,n.

[Usenet] Abbreviation for [7104]Internet Death Penalty. Common (probably now more so than the full form), and frequently verbed. Compare [7105]UDP.

Node: If you want X you know where to find it., Next:[7106]ifdef out,
Previous:[7107]IDP, Up:[7108]= I =

If you want X, you know where to find it.

There is a legend that Dennis Ritchie, inventor of [7109]C, once responded to demands for features resembling those of what at the time was a much more popular language by observing "If you want PL/I, you know where to find it." Ever since, this has been hackish standard form for fending off requests to alter a new design to mimic some older (and, by implication, inferior and [7110]baroque) one. The case X = [7111]Pascal manifests semi-regularly on Usenet's comp.lang.c newsgroup. Indeed, the case X = X has been reported in discussions of graphics software (see [7112]X).

Node: ifdef out, Next:[7113]IIRC, Previous:[7114]If you want X you know where to find it., Up:[7115]= I =

ifdef out /if'def owt/ v.

Syn. for [7116]condition out, specific to [7117]C.

Node:IIRC, Next:[7118]ill-behaved, Previous:[7119]ifdef out,
Up:[7120]= I =

IIRC //

Common abbreviation for "If I Recall Correctly".

Node:ill-behaved, Next:[7121]IMHO, Previous:[7122]IIRC, Up:[7123]= I =

ill-behaved adj.

1. [numerical analysis] Said of an algorithm or computational method that tends to blow up because of accumulated roundoff error or poor convergence properties. 2. Software that bypasses the defined [7124]OS interfaces to do things (like screen, keyboard, and disk I/O) itself, often in a way that depends on the hardware of the machine it is running on or which is nonportable or incompatible with other pieces of software. In the IBM PC/MS-DOS world, there is a folk theorem (nearly true) to the effect that (owing to gross inadequacies and performance penalties in the OS interface) all interesting applications are ill-behaved. See also [7125]bare metal. Oppose [7126]well-behaved, compare [7127]PC-ism. See [7128]mess-dos.

Node:IMHO, Next:[7129]Imminent Death Of The Net Predicted!,
Previous:[7130]ill-behaved, Up:[7131]= I =

IMHO // abbrev.

[from SF fandom via Usenet; abbreviation for 'In My Humble Opinion']
"IMHO, mixed-case C names should be avoided, as mistyping something in the wrong case can cause hard-to-detect errors -- and they look too Pascalish anyhow." Also seen in variant forms such as IMNSHO (In My Not-So-Humble Opinion) and IMAO (In My Arrogant Opinion).

Node:Imminent Death Of The Net Predicted!, Next:[7132]in the extreme,
Previous:[7133]IMHO, Up:[7134]= I =

Imminent Death Of The Net Predicted! prov.

[Usenet] Since [7135]Usenet first got off the ground in 1980-81, it has grown exponentially, approximately doubling in size every year. On the other hand, most people feel the [7136]signal-to-noise ratio of Usenet has dropped steadily. These trends led, as far back as mid-1983, to predictions of the imminent collapse (or death) of the net. Ten years and numerous doublings later, enough of these gloomy prognostications have been confounded that the phrase "Imminent Death Of The Net Predicted!" has become a running joke, hauled out any time someone grumbles about the [7137]S/N ratio or the huge and steadily increasing volume, or the possible loss of a key node or link, or the

potential for lawsuits when ignoramuses post copyrighted material, etc., etc., etc.

Node:in the extreme, Next:[7138]inc, Previous:[7139]Imminent Death Of The Net Predicted!, Up:[7140]= I =

in the extreme adj.

A preferred superlative suffix for many hackish terms. See, for example, 'obscure in the extreme' under [7141]obscure, and compare [7142]highly.

Node:inc, Next:[7143]incantation, Previous:[7144]in the extreme, Up:[7145]= I =

inc /ink/ v.

Verbal (and only rarely written) shorthand for increment, i.e. 'increase by one'. Especially used by assembly programmers, as many assembly languages have an inc mnemonic. Antonym: dec (see [7146]DEC).

Node:incantation, Next:[7147]include, Previous:[7148]inc, Up:[7149]= I =

incantation n.

Any particularly arbitrary or obscure command that one must mutter at a system to attain a desired result. Not used of passwords or other explicit security features. Especially used of tricks that are so poorly documented that they must be learned from a [7150]wizard. "This compiler normally locates initialized data in the data segment, but if you [7151]mutter the right incantation they will be forced into text space."

Node:include, Next:[7152]include war, Previous:[7153]incantation, Up:[7154]= I =

include vt.

[Usenet] 1. To duplicate a portion (or whole) of another's message (typically with attribution to the source) in a reply or followup, for clarifying the context of one's response. See the discussion of inclusion styles under "Hacker Writing Style". 2. [from [7155]C] #include <disclaimer.h> has appeared in [7156]sig blocks to refer to a notional 'standard [7157]disclaimer file'.

Node:include war, Next:[7158]indent style, Previous:[7159]include, Up:[7160]= I =

include war n.

Excessive multi-leveled inclusion within a discussion [7161]thread, a practice that tends to annoy readers. In a forum with high-traffic newsgroups, such as Usenet, this can lead to [7162]flames and the urge to start a [7163]kill file.

Node:indent style, Next:[7164]index of X, Previous:[7165]include war, Up:[7166]= I =

indent style n.

[C, C++, and Java programmers] The rules one uses to indent code in a readable fashion. There are four major C indent styles, described below; all have the aim of making it easier for the reader to visually track the scope of control constructs. They have been inherited by C++ and Java, which have C-like syntaxes. The significant variable is the placement of { and } with respect to the statement(s) they enclose and to the guard or controlling statement (if, else, for, while, or do) on the block, if any.

'K&R style' -- Named after Kernighan & Ritchie, because the examples in [7167]K&R are formatted this way. Also called 'kernel style' because the Unix kernel is written in it, and the 'One True Brace Style' (abbrev. 1TBS) by its partisans. In C code, the body is typically indented by eight spaces (or one tab) per level, as shown here. Four spaces are occasionally seen in C, but in C++ and Java four tends to be the rule rather than the exception.

```
if (<cond>) {  
    <body>  
}
```

'Allman style' -- Named for Eric Allman, a Berkeley hacker who wrote a lot of the BSD utilities in it (it is sometimes called 'BSD style'). Resembles normal indent style in Pascal and Algol. It is the only style other than K&R in widespread use among Java programmers. Basic indent per level shown here is eight spaces, but four (or sometimes three) spaces are generally preferred by C++ and Java programmers.

```
if (<cond>)  
{  
    <body>  
}
```

'Whitesmiths style' -- popularized by the examples that came with Whitesmiths C, an early commercial C compiler. Basic indent per level shown here is eight spaces, but four spaces are occasionally seen.

```
if (<cond>)  
{  
    <body>  
}
```


'GNU style' -- Used throughout GNU EMACS and the Free Software Foundation code, and just about nowhere else. Indents are always four spaces per level, with { and } halfway between the outer and inner indent levels.

```
if (<cond>
{
  <body>
}
```

Surveys have shown the Allman and Whitesmiths styles to be the most common, with about equal mind shares. K&R/1TBS used to be nearly universal, but is now much less common in C (the opening brace tends to get lost against the right paren of the guard part in an if or while, which is a [7168]Bad Thing). Defenders of 1TBS argue that any putative gain in readability is less important than their style's relative economy with vertical space, which enables one to see more code on one's screen at once.

The Java Language Specification legislates not only the capitalization of identifiers, but where nouns, adjectives, and verbs should be in method, class, interface, and variable names (section 6.8). While the specification stops short of also standardizing on a bracing style, all source code originating from Sun Laboratories uses the K&R style. This has set a precedent for Java programmers, which most follow.

Doubtless these issues will continue to be the subject of [7169]holy wars.

Node:index of X, Next:[7170]infant mortality, Previous:[7171]indent style, Up:[7172]= I =

index of X n.

See [7173]coefficient of X.

Node:infant mortality, Next:[7174]infinite, Previous:[7175]index of X, Up:[7176]= I =

infant mortality n.

It is common lore among hackers (and in the electronics industry at large; this term is possibly techspeak by now) that the chances of sudden hardware failure drop off exponentially with a machine's time since first use (that is, until the relatively distant time at which enough mechanical wear in I/O devices and thermal-cycling stress in components has accumulated for the machine to start going senile). Up to half of all chip and wire failures happen within a new system's first few weeks; such failures are often referred to as 'infant mortality' problems (or, occasionally, as 'sudden infant death syndrome'). See [7177]bathtub curve, [7178]burn-in period.

Node:infinite, Next:[7179]infinite loop, Previous:[7180]infant mortality, Up:[7181]= I =

infinite adj.

[common] Consisting of a large number of objects; extreme. Used very loosely as in: "This program produces infinite garbage." "He is an infinite loser." The word most likely to follow 'infinite', though, is [7182]hair. (It has been pointed out that fractals are an excellent example of infinite hair.) These uses are abuses of the word's mathematical meaning. The term 'semi-infinite', denoting an immoderately large amount of some resource, is also heard. "This compiler is taking a semi-infinite amount of time to optimize my program." See also [7183]semi.

Node:infinite loop, Next:[7184]Infinite-Monkey Theorem, Previous:[7185]infinite, Up:[7186]= I =

infinite loop n.

One that never terminates (that is, the machine [7187]spins or [7188]buzzes forever and goes [7189]catatonic). There is a standard joke that has been made about each generation's exemplar of the ultra-fast machine: "The Cray-3 is so fast it can execute an infinite loop in under 2 seconds!"

Node:Infinite-Monkey Theorem, Next:[7190]infinity, Previous:[7191]infinite loop, Up:[7192]= I =

Infinite-Monkey Theorem n.

"If you put an [7193]infinite number of monkeys at typewriters, eventually one will bash out the script for Hamlet." (One may also hypothesize a small number of monkeys and a very long period of time.) This theorem asserts nothing about the intelligence of the one [7194]random monkey that eventually comes up with the script (and note that the mob will also type out all the possible incorrect versions of Hamlet). It may be referred to semi-seriously when justifying a [7195]brute force method; the implication is that, with enough resources thrown at it, any technical challenge becomes a [7196]one-banana problem. This argument gets more respect since [7197]Linux justified the [7198]bazaar mode of development.

This theorem was first popularized by the astronomer Sir Arthur Eddington. It became part of the idiom of techies via the classic SF short story "Inflexible Logic" by Russell Maloney, and many younger hackers know it through a reference in Douglas Adams's "Hitchhiker's Guide to the Galaxy". On 1 April 2000 the usage acquired its own Internet standard, [7199]<http://www.rfc-editor.org/rfc/rfc2795.txt> (Infinite Monkey Protocol Suite).

Node:infinity, Next:[7200]inflate, Previous:[7201]Infinite-Monkey
Theorem, Up:[7202]= I =

infinity n.

1. The largest value that can be represented in a particular type of variable (register, memory location, data type, whatever). 2. 'minus infinity': The smallest such value, not necessarily or even usually the simple negation of plus infinity. In N-bit twos-complement arithmetic, infinity is $2^{(N-1)} - 1$ but minus infinity is $-(2^{(N-1)})$, not $-(2^{(N-1)} - 1)$. Note also that this is different from time T equals minus infinity, which is closer to a mathematician's usage of infinity.

Node:inflate, Next:[7203]Infocom, Previous:[7204]infinity, Up:[7205]=
I =

inflate vt.

To decompress or [7206]puff a file. Rare among Internet hackers, used primarily by MS-DOS/Windows types.

Node:Infocom, Next:[7207]initgame, Previous:[7208]inflate, Up:[7209]=
I =

Infocom n.

A now-legendary games company, active from 1979 to 1989, that commercialized the MDL parser technology used for [7210]Zork to produce a line of text adventure games that remain favorites among hackers. Infocom's games were intelligent, funny, witty, erudite, irreverent, challenging, satirical, and most thoroughly hackish in spirit. The physical game packages from Infocom are now prized collector's items. After being acquired by Activision in 1989 they did a few more "modern" (e.g. graphics-intensive) games which were less successful than reissues of their classics.

The software, thankfully, is still extant; Infocom games were written in a kind of P-code and distributed with a P-code interpreter core, and not only freeware emulators for that interpreter but an actual compiler as well have been written to permit the P-code to be run on platforms the games never originally graced. In fact, new games written in this P-code are still being written. (Emulators that can run Infocom game ZIPs, and new games, are available at [7211]<ftp://wuarchive.wustl.edu:/doc/misc/if-archive/infocom>.)

Node:initgame, Next:[7212]insanely great, Previous:[7213]Infocom,
Up:[7214]= I =

initgame /in-it'gaym/ n.

[IRC] An [7215]IRC version of the trivia game "Botticelli", in which one user changes his [7216]nick to the initials of a famous person or other named entity, and the others on the channel ask yes or no questions, with the one to guess the person getting to be "it" next. As a courtesy, the one picking the initials starts by providing a 4-letter hint of the form sex, nationality, life-status, reality-status. For example, MAAR means "Male, American, Alive, Real" (as opposed to "fictional"). Initgame can be surprisingly addictive. See also [7217]hing.

[1996 update: a recognizable version of the initgame has become a staple of some radio talk shows in the U.S. We had it first! - ESR]

Node:insanely great, Next:[7218]installfest, Previous:[7219]initgame, Up:[7220]= I =

insanely great adj.

[Mac community, from Steve Jobs; also BSD Unix people via Bill Joy] Something so incredibly [7221]elegant that it is imaginable only to someone possessing the most puissant of [7222]hacker-natures.

Node:installfest, Next:[7223]INTERCAL, Previous:[7224]insanely great, Up:[7225]= I =

installfest

[Linux community since c.1998] Common portmanteau word for "installation festival"; Linux user groups frequently run these. Computer users are invited to bring their machines to have Linux installed on their machines. The idea is to get them painlessly over the biggest hump in migrating to Linux, which is initially installing and configuring it for the user's machine.

Node:INTERCAL, Next:[7226]interesting, Previous:[7227]installfest, Up:[7228]= I =

INTERCAL /in't*r-kal/ n.

[said by the authors to stand for 'Compiler Language With No Pronounceable Acronym'] A computer language designed by Don Woods and James Lyons in 1972. INTERCAL is purposely different from all other computer languages in all ways but one; it is purely a written language, being totally unspeakable. An excerpt from the INTERCAL Reference Manual will make the style of the language clear:

It is a well-known and oft-demonstrated fact that a person whose

work is incomprehensible is held in high esteem. For example, if one were to state that the simplest way to store a value of 65536 in a 32-bit INTERCAL variable is:

```
DO :1 <- #0$#256
```

any sensible programmer would say that that was absurd. Since this is indeed the simplest method, the programmer would be made to look foolish in front of his boss, who would of course have happened to turn up, as bosses are wont to do. The effect would be no less devastating for the programmer having been correct.

INTERCAL has many other peculiar features designed to make it even more unspeakable. The Woods-Lyons implementation was actually used by many (well, at least several) people at Princeton. The language has been recently reimplemented as C-INTERCAL and is consequently enjoying an unprecedented level of unpopularity; there is even an alt.lang.intercal newsgroup devoted to the study and ... appreciation of the language on Usenet.

Inevitably, INTERCAL has a home page on the Web:

[7229]<http://www.tuxedo.org/~esr/intercal/>. An extended version, implemented in (what else?) [7230]Perl and adding object-oriented features, is available at [7231]<http://dd-sh.assurdo.com/INTERCAL>. See also [7232]Befunge.

Node:interesting, Next:[7233]Internet, Previous:[7234]INTERCAL, Up:[7235]= I =

interesting adj.

In hacker parlance, this word has strong connotations of 'annoying', or 'difficult', or both. Hackers relish a challenge, and enjoy wringing all the irony possible out of the ancient Chinese curse "May you live in interesting times". Oppose [7236]trivial, [7237]uninteresting.

Node:Internet, Next:[7238]Internet address, Previous:[7239]interesting, Up:[7240]= I =

Internet n.

The mother of all networks. First incarnated beginning in 1969 as the ARPANET, a U.S. Department of Defense research testbed. Though it has been widely believed that the goal was to develop a network architecture for military command-and-control that could survive disruptions up to and including nuclear war, this is a myth; in fact, ARPANET was conceived from the start as a way to get most economical use out of then-scarce large-computer resources.

As originally imagined, ARPANET's major use would have been to support what is now called remote login and more sophisticated forms of

distributed computing, but the infant technology of electronic mail quickly grew to dominate actual usage. Universities, research labs and defense contractors early discovered the Internet's potential as a medium of communication between humans and linked up in steadily increasing numbers, connecting together a quirky mix of academics, techies, hippies, SF fans, hackers, and anarchists. The roots of this lexicon lie in those early years.

Over the next quarter-century the Internet evolved in many ways. The typical machine/OS combination moved from [7241]DEC [7242]PDP-10s and [7243]PDP-20s, running [7244]TOPS-10 and [7245]TOPS-20, to PDP-11s and VAXes and Suns running [7246]Unix, and in the 1990s to Unix on Intel microcomputers. The Internet's protocols grew more capable, most notably in the move from NCP/IP to [7247]TCP/IP in 1982 and the implementation of Domain Name Service in 1983. It was around this time that people began referring to the collection of interconnected networks with ARPANET at its core as "the Internet".

The ARPANET had a fairly strict set of participation guidelines - connected institutions had to be involved with a DOD-related research project. By the mid-80s, many of the organizations clamoring to join didn't fit this profile. In 1986, the National Science Foundation built NSFnet to open up access to its five regional supercomputing centers; NSFnet became the backbone of the Internet, replacing the original ARPANET pipes (which were formally shut down in 1990). Between 1990 and late 1994 the pieces of NSFnet were sold to major telecommunications companies until the Internet backbone had gone completely commercial.

That year, 1994, was also the year the mainstream culture discovered the Internet. Once again, the [7248]killer app was not the anticipated one - rather, what caught the public imagination was the hypertext and multimedia features of the World Wide Web. Subsequently the Internet has seen off its only serious challenger (the OSI protocol stack favored by European telecom monopolies) and is in the process of absorbing into itself many of the proprietary networks built during the second wave of wide-area networking after 1980. It is now (1996) a commonplace even in mainstream media to predict that a globally-extended Internet will become the key unifying communications technology of the next century. See also [7249]the network and [7250]Internet address.

Node:Internet address, Next:[7251]Internet Death Penalty,
Previous:[7252]Internet, Up:[7253]= I =

Internet address n.

1. [techspeak] An absolute network address of the form foo@bar.baz, where foo is a user name, bar is a [7254]sitename, and baz is a 'domain' name, possibly including periods itself. Contrast with [7255]bang path; see also [7256]the network and [7257]network address. All Internet machines and most UUCP sites can now resolve these

addresses, thanks to a large amount of behind-the-scenes magic and [7258]PD software written since 1980 or so. See also [7259]bang path, [7260]domainist. 2. More loosely, any network address reachable through Internet; this includes [7261]bang path addresses and some internal corporate and government networks.

Reading Internet addresses is something of an art. Here are the four most important top-level functional Internet domains followed by a selection of geographical domains:

com
commercial organizations

edu
educational institutions

gov
U.S. government civilian sites

mil
U.S. military sites

Note that most of the sites in the com and edu domains are in the U.S. or Canada.

us
sites in the U.S. outside the functional domains

su
sites in the ex-Soviet Union (see [7262]kremvax).

uk
sites in the United Kingdom

Within the us domain, there are subdomains for the fifty states, each generally with a name identical to the state's postal abbreviation. Within the uk domain, there is an ac subdomain for academic sites and a co domain for commercial ones. Other top-level domains may be divided up in similar ways.

Node:Internet Death Penalty, Next:[7263]Internet Exploder,
Previous:[7264]Internet address, Up:[7265]= I =

Internet Death Penalty

[Usenet] (often abbreviated IDP) The ultimate sanction against [7266]spam-emitting sites - complete shunning at the router level of all mail and packets, as well as Usenet messages, from the offending domain(s). Compare [7267]Usenet Death Penalty, with which it is sometimes confused.

Node:Internet Exploder, Next:[7268]Internet Exploiter,
Previous:[7269]Internet Death Penalty, Up:[7270]= I =

Internet Exploder

[very common] Pejorative hackerism for Microsoft's "Internet Explorer" web browser (also "Internet Exploiter"). Compare [7271]HP-SUX, [7272]AIDX, [7273]buglix, [7274]Macintrash, [7275]Telerat, [7276]ScumOS, [7277]sun-stools, [7278]Slowlaris.

Node:Internet Exploiter, Next:[7279]interrupt, Previous:[7280]Internet Exploder, Up:[7281]= I =

Internet Exploiter n.

Another common name-of-insult for Internet Explorer, Microsoft's overweight Web Browser; more hostile than [7282]Internet Exploder. Reflects widespread hostility to Microsoft and a sense that it is seeking to hijack, monopolize, and corrupt the Internet. Compare [7283]Exploder and the less pejorative [7284]Netscape.

Node:interrupt, Next:[7285]interrupt list, Previous:[7286]Internet Exploiter, Up:[7287]= I =

interrupt

1. [techspeak] n. On a computer, an event that interrupts normal processing and temporarily diverts flow-of-control through an "interrupt handler" routine. See also [7288]trap. 2. interj. A request for attention from a hacker. Often explicitly spoken. "Interrupt -- have you seen Joe recently?" See [7289]priority interrupt. 3. Under MS-DOS, nearly synonymous with 'system call', because the OS and BIOS routines are both called using the INT instruction (see [7290]interrupt list) and because programmers so often have to bypass the OS (going directly to a BIOS interrupt) to get reasonable performance.

Node:interrupt list, Next:[7291]interrupts locked out,
Previous:[7292]interrupt, Up:[7293]= I =

interrupt list n.

[MS-DOS] The list of all known software interrupt calls (both documented and undocumented) for IBM PCs and compatibles, maintained and made available for free redistribution by Ralf Brown [7294]<ralf@cs.cmu.edu>. As of late 1992, it had grown to approximately two megabytes in length.

Node:interrupts locked out, Next:[7295]intro, Previous:[7296]interrupt

list, Up:[7297]= I =

interrupts locked out adj.

When someone is ignoring you. In a restaurant, after several fruitless attempts to get the waitress's attention, a hacker might well observe "She must have interrupts locked out". The synonym 'interrupts disabled' is also common. Variations abound; "to have one's interrupt mask bit set" and "interrupts masked out" are also heard. See also [7298]spl.

Node:intro, Next:[7299]IRC, Previous:[7300]interrupts locked out, Up:[7301]= I =

intro n.

[[7302]demoscene] Introductory [7303]screen of some production. 2. A short [7304]demo, usually showing just one or two [7305]screens. 3. Small, usually 64k, 40k or 4k [7306]demo. Sizes are generally dictated by [7307]compo rules. See also [7308]dentro, [7309]demo.

Node:IRC, Next:[7310]iron, Previous:[7311]intro, Up:[7312]= I =

IRC /I-R-C/ n.

[Internet Relay Chat] A worldwide "party line" network that allows one to converse with others in real time. IRC is structured as a network of Internet servers, each of which accepts connections from client programs, one per user. The IRC community and the [7313]Usenet and [7314]MUD communities overlap to some extent, including both hackers and regular folks who have discovered the wonders of computer networks. Some Usenet jargon has been adopted on IRC, as have some conventions such as [7315]emoticons. There is also a vigorous native jargon, represented in this lexicon by entries marked '[IRC]'. See also [7316]talk mode.

Node:iron, Next:[7317]Iron Age, Previous:[7318]IRC, Up:[7319]= I =

iron n.

Hardware, especially older and larger hardware of [7320]mainframe class with big metal cabinets housing relatively low-density electronics (but the term is also used of modern supercomputers). Often in the phrase [7321]big iron. Oppose [7322]silicon. See also [7323]dinosaur.

Node:Iron Age, Next:[7324]iron box, Previous:[7325]iron, Up:[7326]= I =

=

Iron Age n.

In the history of computing, 1961-1971 -- the formative era of commercial [7327]mainframe technology, when ferrite-core [7328]dinosaurs ruled the earth. The Iron Age began, ironically enough, with the delivery of the first minicomputer (the PDP-1) and ended with the introduction of the first commercial microprocessor (the Intel 4004) in 1971. See also [7329]Stone Age; compare [7330]elder days.

Node:iron box, Next:[7331]ironmonger, Previous:[7332]Iron Age, Up:[7333]= I =

iron box n.

[Unix/Internet] A special environment set up to trap a [7334]cracker logging in over remote connections long enough to be traced. May include a modified [7335]shell restricting the cracker's movements in unobvious ways, and 'bait' files designed to keep him interested and logged on. See also [7336]back door, [7337]firewall machine, [7338]Venus flytrap, and Clifford Stoll's account in "[7339]The Cuckoo's Egg" of how he made and used one (see the [7340]Bibliography in Appendix C). Compare [7341]padded cell, [7342]honey pot.

Node:ironmonger, Next:[7343]ISO standard cup of tea, Previous:[7344]iron box, Up:[7345]= I =

ironmonger n.

[IBM] A hardware specialist (derogatory). Compare [7346]sandbender, [7347]polygon pusher.

Node:ISO standard cup of tea, Next:[7348]ISP, Previous:[7349]ironmonger, Up:[7350]= I =

ISO standard cup of tea n.

[South Africa] A cup of tea with milk and one teaspoon of sugar, where the milk is poured into the cup before the tea. Variations are ISO 0, with no sugar; ISO 2, with two spoons of sugar; and so on. This may derive from the "NATO standard" cup of coffee and tea (milk and two sugars), military slang going back to the late 1950s and parodying NATO's relentless bureaucratic drive to standardize parts across European and U.S. militaries.

Like many ISO standards, this one has a faintly alien ring in North America, where hackers generally shun the decadent British practice of adulterating perfectly good tea with dairy products and prefer instead to add a wedge of lemon, if anything. If one were feeling extremely silly, one might hypothesize an analogous 'ANSI standard cup of tea'

and wind up with a political situation distressingly similar to several that arise in much more serious technical contexts. (Milk and lemon don't mix very well.)

[2000 update: There is now, in fact, a 'British Standard BS6008: How to make a standard cup of tea.' - ESR]

Node:ISP, Next:[7351]ITS, Previous:[7352]ISO standard cup of tea, Up:[7353]= I =

ISP /I-S-P/

Common abbreviation for Internet Service Provider, a kind of company that barely existed before 1993. ISPs sell Internet access to the mass market. While the big nationwide commercial BBSs with Internet access (like America Online, CompuServe, GEnie, Netcom, etc.) are technically ISPs, the term is usually reserved for local or regional small providers (often run by hackers turned entrepreneurs) who resell Internet access cheaply without themselves being information providers or selling advertising. Compare [7354]NSP.

Node:ITS, Next:[7355]IWBNI, Previous:[7356]ISP, Up:[7357]= I =

ITS /I-T-S/ n.

1. Incompatible Time-sharing System, an influential though highly idiosyncratic operating system written for PDP-6s and PDP-10s at MIT and long used at the MIT AI Lab. Much AI-hacker jargon derives from ITS folklore, and to have been 'an ITS hacker' qualifies one instantly as an old-timer of the most venerable sort. ITS pioneered many important innovations, including transparent file sharing between machines and terminal-independent I/O. After about 1982, most actual work was shifted to newer machines, with the remaining ITS boxes run essentially as a hobby and service to the hacker community. The shutdown of the lab's last ITS machine in May 1990 marked the end of an era and sent old-time hackers into mourning nationwide (see [7358]high moby). 2. A mythical image of operating-system perfection worshiped by a bizarre, fervent retro-cult of old-time hackers and ex-users (see [7359]troglodyte, sense 2). ITS worshipers manage somehow to continue believing that an OS maintained by assembly-language hand-hacking that supported only monospace 6-character filenames in one directory per account remains superior to today's state of commercial art (their venom against [7360]Unix is particularly intense). See also [7361]holy wars, [7362]Weenix.

Node:IWBNI, Next:[7363]IYFEG, Previous:[7364]ITS, Up:[7365]= I =

IWBNI //

Abbreviation for 'It Would Be Nice If'. Compare [7366]WIBNI.

Node:IYFEG, Next:[7367]J. Random, Previous:[7368]IWBNI, Up:[7369]= I =

IYFEG //

[Usenet] Abbreviation for 'Insert Your Favorite Ethnic Group'. Used as a meta-name when telling ethnic jokes on the net to avoid offending anyone. See [7370]JEDR.

Node:= J =, Next:[7371]= K =, Previous:[7372]= I =, Up:[7373]The Jargon Lexicon

= J =

- * [7374]J. Random:
 - * [7375]J. Random Hacker:
 - * [7376]jack in:
 - * [7377]jaggies:
 - * [7378]Java:
 - * [7379]JCL:
 - * [7380]JEDR:
 - * [7381]Jeff K.:
 - * [7382]jello:
 - * [7383]jiffy:
 - * [7384]job security:
 - * [7385]jock:
 - * [7386]joe code:
 - * [7387]jolix:
 - * [7388]juggling eggs:
 - * [7389]jump off into never-never land:
 - * [7390]jupiter:
-

Node:J. Random, Next:[7391]J. Random Hacker, Previous:[7392]IYFEG, Up:[7393]= J =

J. Random /J rand'm/ n.

[common; generalized from [7394]J. Random Hacker] Arbitrary; ordinary; any one; any old. 'J. Random' is often prefixed to a noun to make a name out of it. It means roughly 'some particular' or 'any specific one'. "Would you let J. Random Loser marry your daughter?" The most common uses are 'J. Random Hacker', 'J. Random Loser', and 'J. Random Nerd' ("Should J. Random Loser be allowed to [7395]gun down other people?"), but it can be used simply as an elaborate version of [7396]random in any sense.

Node:J. Random Hacker, Next:[7397]jack in, Previous:[7398]J. Random, Up:[7399]= J =

J. Random Hacker /J rand'm hak'r/ n.

[very common] A mythical figure like the Unknown Soldier; the archetypal hacker nerd. This term is one of the oldest in the jargon, apparently going back to MIT in the 1960s. See [7400]random, [7401]Suzie COBOL. This may originally have been inspired by 'J. Fred Muggs', a show-biz chimpanzee whose name was a household word back in the early days of [7402]TMRC, and was probably influenced by 'J. Presper Eckert' (one of the co-inventors of the electronic computer). See also [7403]Fred Foobar.

Node:jack in, Next:[7404]jaggies, Previous:[7405]J. Random Hacker, Up:[7406]= J =

jack in v.

To log on to a machine or connect to a network or [7407]BBS, esp. for purposes of entering a [7408]virtual reality simulation such as a [7409]MUD or [7410]IRC (leaving is "jacking out"). This term derives from [7411]cyberpunk SF, in which it was used for the act of plugging an electrode set into neural sockets in order to interface the brain directly to a virtual reality. It is primarily used by MUD and IRC fans and younger hackers on BBS systems.

Node:jaggies, Next:[7412]Java, Previous:[7413]jack in, Up:[7414]= J =

jaggies /jag'eez/ n.

The 'stairstep' effect observable when an edge (esp. a linear edge of very shallow or steep slope) is rendered on a pixel device (as opposed to a vector display).

Node:Java, Next:[7415]JCL, Previous:[7416]jaggies, Up:[7417]= J =

Java

An object-oriented language originally developed at Sun by James Gosling (and known by the name "Oak") with the intention of being the successor to [7418]C++ (the project was however originally sold to Sun as an embedded language for use in set-top boxes). After the great Internet explosion of 1993-1994, Java was hacked into a byte-interpreted language and became the focus of a relentless hype campaign by Sun, which touted it as the new language of choice for distributed applications.

Java is indeed a stronger and cleaner design than C++ and has been embraced by many in the hacker community - but it has been a considerable source of frustration to many others, for reasons ranging from uneven support on different Web browser platforms, performance issues, and some notorious deficiencies of some of the standard

toolkits (AWT in particular). [7419]Microsoft's determined attempts to corrupt the language (which it rightly sees as a threat to its OS monopoly) have not helped. As of 1999, these issues are still in the process of being resolved.

Despite many attractive features and a good design, it is difficult to find people willing to praise Java who have tried to implement a complex, real-world system with it (but to be fair it is early days yet, and no other language has ever been forced to spend its childhood under the limelight the way Java has). On the other hand, Java has already been a big [7420]win in academic circles, where it has taken the place of [7421]Pascal as the preferred tool for teaching the basics of good programming to the next generation of hackers.

Node:JCL, Next:[7422]JEDR, Previous:[7423]Java, Up:[7424]= J =

JCL /J-C-L/ n.

1. IBM's supremely [7425]rude Job Control Language. JCL is the script language used to control the execution of programs in IBM's batch systems. JCL has a very [7426]fascist syntax, and some versions will, for example, [7427]barf if two spaces appear where it expects one. Most programmers confronted with JCL simply copy a working file (or card deck), changing the file names. Someone who actually understands and generates unique JCL is regarded with the mixed respect one gives to someone who memorizes the phone book. It is reported that hackers at IBM itself sometimes sing "Who's the breeder of the crud that mangles you and me? I-B-M, J-C-L, M-o-u-s-e" to the tune of the "Mickey Mouse Club" theme to express their opinion of the beast. 2. A comparative for any very [7428]rude software that a hacker is expected to use. "That's as bad as JCL." As with [7429]COBOL, JCL is often used as an archetype of ugliness even by those who haven't experienced it. See also [7430]IBM, [7431]fear and loathing.

A (poorly documented, naturally) shell simulating JCL syntax is available at the Retrocomputing Museum [7432]<http://www.ccil.org/retro>.

Node:JEDR, Next:[7433]Jeff K., Previous:[7434]JCL, Up:[7435]= J =

JEDR // n.

Synonymous with [7436]IYFEG. At one time, people in the Usenet newsgroup rec.humor.funny tended to use 'JEDR' instead of [7437]IYFEG or '<ethnic>'; this stemmed from a public attempt to suppress the group once made by a loser with initials JEDR after he was offended by an ethnic joke posted there. (The practice was [7438]retconned by the expanding these initials as 'Joke Ethnic/Denomination/Race'.) After much sound and fury JEDR faded away; this term appears to be doing likewise. JEDR's only permanent effect on the net.culture was to discredit 'sensitivity' arguments for censorship so thoroughly that

more recent attempts to raise them have met with immediate and near-universal rejection.

Node:Jeff K., Next:[7439]jello, Previous:[7440]JEDR, Up:[7441]= J =

Jeff K.

The spiritual successor to [7442]B1FF and the archetype of [7443]script kiddies. Jeff K. is a sixteen-year-old suburbanite who fancies himself a "l33t haX0r", although his knowledge of computers seems to be limited to the procedure for getting Quake up and running. His Web page [7444]<http://www.somethingawful.com/jeffk> features a number of hopelessly naive articles, essays, and rants, all filled with the kind of misspellings, [7445]studlycaps, and number-for-letter substitutions endemic to the script kiddie and [7446]warez d00dz communities. Jeff's offerings, among other things, include hardware advice (such as "AMD VERSIS PENTIUM" and "HOW TO OVARCLOAK YOUR COMPUTAR"), his own Quake clan (Clan 40 OUNSCE), and his own comic strip (Wacky Fun Computar Comic Jokes).

Like B1FF, Jeff K. is (fortunately) a hoax. Jeff K. was created by internet game journalist Richard "Lowtax" Kyanka, whose web site Something Awful (<http://www.somethingawful.com>) highlights unintentionally humorous news items and Web sites, as a parody of the kind of teenage [7447]luser who infests Quake servers, chat rooms, and other places where computer enthusiasts congregate. He is well-recognized in the PC game community and his influence has spread to hacker [7448]fora like Slashdot as well.

Node:jello, Next:[7449]jiffy, Previous:[7450]Jeff K., Up:[7451]= J =

jello n.

[Usenet: by analogy with [7452]spam] A message that is both excessively cross-posted and too frequently posted, as opposed to [7453]spam (which is merely too frequently posted) or [7454]velveeta (which is merely excessively cross-posted). This term is widely recognized but not commonly used; most people refer to both kinds of abuse or their combination as spam.

Node:jiffy, Next:[7455]job security, Previous:[7456]jello, Up:[7457]= J =

jiffy n.

1. The duration of one tick of the system clock on your computer (see [7458]tick). Often one AC cycle time (1/60 second in the U.S. and Canada, 1/50 most other places), but more recently 1/100 sec has become common. "The swapper runs every 6 jiffies" means that the virtual memory management routine is executed once for every 6 ticks

of the clock, or about ten times a second. 2. Confusingly, the term is sometimes also used for a 1-millisecond [7459]wall time interval. 3. Even more confusingly, physicists semi-jokingly use 'jiffy' to mean the time required for light to travel one foot in a vacuum, which turns out to be close to one nanosecond. 4. Indeterminate time from a few seconds to forever. "I'll do it in a jiffy" means certainly not now and possibly never. This is a bit contrary to the more widespread use of the word. Oppose [7460]nano. See also [7461]Real Soon Now.

Node:job security, Next:[7462]jock, Previous:[7463]jiffy, Up:[7464]= J =

job security n.

When some piece of code is written in a particularly [7465]obscure fashion, and no good reason (such as time or space optimization) can be discovered, it is often said that the programmer was attempting to increase his job security (i.e., by making himself indispensable for maintenance). This sour joke seldom has to be said in full; if two hackers are looking over some code together and one points at a section and says "job security", the other one may just nod.

Node:jock, Next:[7466]joe code, Previous:[7467]job security, Up:[7468]= J =

jock n.

1. A programmer who is characterized by large and somewhat brute-force programs. See [7469]brute force. 2. When modified by another noun, describes a specialist in some particular computing area. The compounds 'compiler jock' and 'systems jock' seem to be the best-established examples.

Node:joe code, Next:[7470]jolix, Previous:[7471]jock, Up:[7472]= J =

joe code /joh' kohd'/ n.

1. Code that is overly [7473]tense and unmaintainable. "[7474]Perl may be a handy program, but if you look at the source, it's complete joe code." 2. Badly written, possibly buggy code.

Correspondents wishing to remain anonymous have fingered a particular Joe at the Lawrence Berkeley Laboratory and observed that usage has drifted slightly; the original sobriquet 'Joe code' was intended in sense 1.

1994 update: This term has now generalized to '<name> code', used to designate code with distinct characteristics traceable to its author. "This section doesn't check for a NULL return from malloc()! Oh. No wonder! It's Ed code!". Used most often with a programmer who has left

the shop and thus is a convenient scapegoat for anything that is wrong with the project.

Node:jolix, Next:[7475]juggling eggs, Previous:[7476]joe code,
Up:[7477]= J =

jolix /joh'liks/ n.,adj.

386BSD, the freeware port of the BSD Net/2 release to the Intel i386 architecture by Bill Jolitz, Lynne Greer Jolitz, and friends. Used to differentiate from BSDI's port based on the same source tape, which used to be called BSD/386 and is now BSD/OS. See [7478]BSD.

Node:juggling eggs, Next:[7479]jump off into never-never land,
Previous:[7480]jolix, Up:[7481]= J =

juggling eggs vi.

Keeping a lot of [7482]state in your head while modifying a program. "Don't bother me now, I'm juggling eggs", means that an interrupt is likely to result in the program's being scrambled. In the classic 1975 first-contact SF novel "The Mote in God's Eye", by Larry Niven and Jerry Pournelle, an alien describes a very difficult task by saying "We juggle priceless eggs in variable gravity." See also [7483]hack mode and [7484]on the gripping hand.

Node:jump off into never-never land, Next:[7485]jupiter,
Previous:[7486]juggling eggs, Up:[7487]= J =

jump off into never-never land v.

[from J. M. Barrie's "Peter Pan"] Same as [7488]branch to Fishkill, but more common in technical cultures associated with non-IBM computers that use the term 'jump' rather than 'branch'. Compare [7489]hyperspace.

Node:jupiter, Next:[7490]K, Previous:[7491]jump off into never-never land, Up:[7492]= J =

jupiter vt.

[IRC] To kill an [7493]IRC [7494]bot or user and then take its place by adopting its [7495]nick so that it cannot reconnect. Named after a particular IRC user who did this to NickServ, the robot in charge of preventing people from inadvertently using a nick claimed by another user. Now commonly shortened to 'jupe'.

Node:= K =, Next:[7496]= L =, Previous:[7497]= J =, Up:[7498]The

Jargon Lexicon

= K =

- * [7499]K:
- * [7500]K&R:
- * [7501]k-:
- * [7502]kahuna:
- * [7503]kamikaze packet:
- * [7504]kangaroo code:
- * [7505]ken:
- * [7506]kernel-of-the-week club:
- * [7507]kgbvax:
- * [7508]KIBO:
- * [7509]kiboze:
- * [7510]kibozo:
- * [7511]kick:
- * [7512]kill file:
- * [7513]killer app:
- * [7514]killer micro:
- * [7515]killer poke:
- * [7516]kilo-:
- * [7517]KIPS:
- * [7518]KISS Principle:
- * [7519]kit:
- * [7520]klone:
- * [7521]kludge:
- * [7522]kluge:
- * [7523]kluge around:
- * [7524]kluge up:
- * [7525]Knights of the Lambda Calculus:
- * [7526]knobs:
- * [7527]Knuth:
- * [7528]koan:
- * [7529]kremvax:
- * [7530]kyrka:

Node:K, Next:[7531]K&R, Previous:[7532]jupiter, Up:[7533]= K =

K /K/ n.

[from [7534]kilo-] A kilobyte. Used both as a spoken word and a written suffix (like [7535]meg and [7536]gig for megabyte and gigabyte). See [7537]quantifiers.

Node:K&R, Next:[7538]k-, Previous:[7539]K, Up:[7540]= K =

K&R [Kernighan and Ritchie] n.

Brian Kernighan and Dennis Ritchie's book "The C Programming Language", esp. the classic and influential first edition

(Prentice-Hall 1978; ISBN 0-13-110163-3). Syn. [7541]White Book, [7542]Old Testament. See also [7543]New Testament.

Node:k-, Next:[7544]kahuna, Previous:[7545]K&R, Up:[7546]= K =

k- pref.

[rare; poss fr. 'kilo-' prefix] Extremely. Rare among hackers, but quite common among crackers and [7547]warez d00dz in compounds such as 'k-kool' /K'kool'/, 'k-rad' /K'rad'/, and 'k-awesome' /K'aw'sm/. Also used to intensify negatives; thus, 'k-evil', 'k-lame', 'k-screwed', and 'k-annoying'. Overuse of this prefix, or use in more formal or technical contexts, is considered an indicator of [7548]lamer status.

Node:kahuna, Next:[7549]kamikaze packet, Previous:[7550]k-, Up:[7551]= K =

kahuna /k*-hoo'n*/ n.

[IBM: from the Hawaiian title for a shaman] Synonym for [7552]wizard, [7553]guru.

Node:kamikaze packet, Next:[7554]kangaroo code, Previous:[7555]kahuna, Up:[7556]= K =

kamikaze packet n.

The 'official' jargon for what is more commonly called a [7557]Christmas tree packet. [7558]RFC-1025, "TCP and IP Bake Off" says:

10 points for correctly being able to process a "Kamikaze" packet (AKA nastygram, christmas tree packet, lamp test segment, et al.). That is, correctly handle a segment with the maximum combination of features at once (e.g., a SYN URG PUSH FIN segment with options and data).

See also [7559]Chernobyl packet.

Node:kangaroo code, Next:[7560]ken, Previous:[7561]kamikaze packet, Up:[7562]= K =

kangaroo code n.

Syn. [7563]spaghetti code.

Node:ken, Next:[7564]kernel-of-the-week club, Previous:[7565]kangaroo code, Up:[7566]= K =

ken /ken/ n.

1. [Unix] Ken Thompson, principal inventor of Unix. In the early days he used to hand-cut distribution tapes, often with a note that read "Love, ken". Old-timers still use his first name (sometimes uncapitalized, because it's a login name and mail address) in third-person reference; it is widely understood (on Usenet, in particular) that without a last name 'Ken' refers only to Ken Thompson. Similarly, Dennis without last name means Dennis Ritchie (and he is often known as dmr). See also [7567]demigod, [7568]Unix. 2. A flaming user. This was originated by the Software Support group at Symbolics because the two greatest flammers in the user community were both named Ken.

Node:kernel-of-the-week club, Next:[7569]kgbvax, Previous:[7570]ken, Up:[7571]= K =

kernel-of-the-week club

The fictional society that [7572]BSD [7573]bigots claim [Linux] users belong to, alluding to the release-early-release-often style preferred by the kernel maintainers. See [7574]bazaar. This was almost certainly inspired by the earlier [7575]bug-of-the-month club.

Node:kgbvax, Next:[7576]KIBO, Previous:[7577]kernel-of-the-week club, Up:[7578]= K =

kgbvax /K-G-B'vaks/ n.

See [7579]kremvax.

Node:KIBO, Next:[7580]kiboze, Previous:[7581]kgbvax, Up:[7582]= K =

KIBO /ki:'boh/

1. [acronym] Knowledge In, Bullshit Out. A summary of what happens whenever valid data is passed through an organization (or person) that deliberately or accidentally disregards or ignores its significance. Consider, for example, what an advertising campaign can do with a product's actual specifications. Compare [7583]GIGO; see also [7584]SNAFU principle. 2. James Parry <kibo@world.std.com>, a Usenetter infamous for various surrealist net.pranks and an uncanny, machine-assisted knack for joining any thread in which his nom de guerre is mentioned. He has a website at [7585]http://www.kibo.com/.

Node:kiboze, Next:[7586]kibozo, Previous:[7587]KIBO, Up:[7588]= K =

kiboze v.

[Usenet] To [7589]grep the Usenet news for a string, especially with the intention of posting a follow-up. This activity was popularised by Kibo (see [7590]KIBO, sense 2).

Node:kibozo, Next:[7591]kick, Previous:[7592]kiboze, Up:[7593]= K =

kibozo /ki:-boh'zoh/ n.

[Usenet] One who [7594]kibozes but is not Kibo (see [7595]KIBO, sense 2).

Node:kick, Next:[7596]kill file, Previous:[7597]kibozo, Up:[7598]= K =

kick v.

1. [IRC] To cause somebody to be removed from a [7599]IRC channel, an option only available to channel ops. This is an extreme measure, often used to combat extreme [7600]flamage or [7601]flooding, but sometimes used at the [7602]CHOP's whim. Compare [7603]gun. 2. To reboot a machine or kill a running process. "The server's down, let me go kick it."

Node:kill file, Next:[7604]killer app, Previous:[7605]kick, Up:[7606]= K =

kill file n.

[Usenet; very common] (alt. 'KILL file') Per-user file(s) used by some [7607]Usenet reading programs (originally Larry Wall's rn(1)) to discard summarily (without presenting for reading) articles matching some particularly uninteresting (or unwanted) patterns of subject, author, or other header lines. Thus to add a person (or subject) to one's kill file is to arrange for that person to be ignored by one's newsreader in future. By extension, it may be used for a decision to ignore the person or subject in other media. See also [7608]plonk.

Node:killer app, Next:[7609]killer micro, Previous:[7610]kill file, Up:[7611]= K =

killer app

The application that actually makes a sustaining market for a promising but under-utilized technology. First used in the mid-1980s to describe Lotus 1-2-3 once it became evident that demand for that product had been the major driver of the early business market for IBM PCs. The term was then retrospectively applied to VisiCalc, which had played a similar role in the success of the Apple II. After 1994 it became commonplace to describe the World Wide Web as the Internet's

killer app. One of the standard questions asked about each new personal-computer technology as it emerges has become "what's the killer app?"

Node:killer micro, Next:[7612]killer poke, Previous:[7613]killer app, Up:[7614]= K =

killer micro n.

[popularized by Eugene Brooks] A microprocessor-based machine that infringes on mini, mainframe, or supercomputer performance turf. Often heard in "No one will survive the attack of the killer micros!", the battle cry of the downsizers. Used esp. of RISC architectures.

The popularity of the phrase 'attack of the killer micros' is doubtless reinforced by the title of the movie "Attack Of The Killer Tomatoes" (one of the [7615]canonical examples of so-bad-it's-wonderful among hackers). This has even more [7616]flavor now that killer micros have gone on the offensive not just individually (in workstations) but in hordes (within massively parallel computers).

[1996 update: Eugene Brooks was right. Since this term first entered the Jargon File in 1990, the minicomputer has effectively vanished, the [7617]mainframe sector is in deep and apparently terminal decline (with IBM but a shadow of its former self), and even the supercomputer business has contracted into a smaller niche. It's networked killer micros as far as the eye can see. --ESR]

Node:killer poke, Next:[7618]kilo-, Previous:[7619]killer micro, Up:[7620]= K =

killer poke n.

A recipe for inducing hardware damage on a machine via insertion of invalid values (see [7621]poke) into a memory-mapped control register; used esp. of various fairly well-known tricks on [7622]bitty boxes without hardware memory management (such as the IBM PC and Commodore PET) that can overload and trash analog electronics in the monitor. See also [7623]HCF.

Node:kilo-, Next:[7624]KIPS, Previous:[7625]killer poke, Up:[7626]= K =

kilo- pref.

[SI] See [7627]quantifiers.

Node:KIPS, Next:[7628]KISS Principle, Previous:[7629]kilo-, Up:[7630]=

K =

KIPS /kips/ n.

[abbreviation, by analogy with [7631]MIPS using [7632]K] Thousands (not 1024s) of Instructions Per Second. Usage: rare.

Node:KISS Principle, Next:[7633]kit, Previous:[7634]KIPS, Up:[7635]= K =

KISS Principle /kis' prin'si-pl/ n.

"Keep It Simple, Stupid". A maxim often invoked when discussing design to fend off [7636]creeping featurism and control development complexity. Possibly related to the [7637]marketroid maxim on sales presentations, "Keep It Short and Simple".

Node:kit, Next:[7638]klone, Previous:[7639]KISS Principle, Up:[7640]= K =

kit n.

[Usenet; poss. fr. [7641]DEC slang for a full software distribution, as opposed to a patch or upgrade] A source software distribution that has been packaged in such a way that it can (theoretically) be unpacked and installed according to a series of steps using only standard Unix tools, and entirely documented by some reasonable chain of references from the top-level [7642]README file. The more general term [7643]distribution may imply that special tools or more stringent conditions on the host environment are required.

Node:klone, Next:[7644]kludge, Previous:[7645]kit, Up:[7646]= K =

klone /klohn/ n.

See [7647]clone, sense 4.

Node:kludge, Next:[7648]kluge, Previous:[7649]klone, Up:[7650]= K =

kludge 1. /klooj/ n.

Incorrect (though regrettably common) spelling of [7651]kluge (US). These two words have been confused in American usage since the early 1960s, and widely confounded in Great Britain since the end of World War II. 2. [TMRC] A [7652]crock that works. (A long-ago "Datamation" article by Jackson Granholme similarly said: "An ill-assorted collection of poorly matching parts, forming a distressing whole.") 3. v. To use a kludge to get around a problem. "I've kludged around it for now, but I'll fix it up properly later."

This word appears to have derived from Scots 'kludge' or 'kludgie' for a common toilet, via British military slang. It apparently became confused with U.S. [7653]kluge during or after World War II; some Britons from that era use both words in definably different ways, but [7654]kluge is now uncommon in Great Britain. 'Kludge' in Commonwealth hackish differs in meaning from 'kluge' in that it lacks the positive senses; a kludge is something no Commonwealth hacker wants to be associated too closely with. Also, 'kludge' is more widely known in British mainstream slang than 'kluge' is in the U.S.

Node:kluge, Next:[7655]kluge around, Previous:[7656]kludge, Up:[7657]=
K =

kluge /klooʒ/

[from the German 'klug', clever; poss. related to Polish 'klucz' (a key, a hint, a main point)] 1. n. A Rube Goldberg (or Heath Robinson) device, whether in hardware or software. 2. n. A clever programming trick intended to solve a particular nasty case in an expedient, if not clear, manner. Often used to repair bugs. Often involves [7658]ad-hockery and verges on being a [7659]crook. 3. n. Something that works for the wrong reason. 4. vt. To insert a kluge into a program. "I've kluged this routine to get around that weird bug, but there's probably a better way." 5. [WPI] n. A feature that is implemented in a [7660]rude manner.

Nowadays this term is often encountered in the variant spelling 'kludge'. Reports from [7661]old farts are consistent that 'kluge' was the original spelling, reported around computers as far back as the mid-1950s and, at that time, used exclusively of hardware kluges. In 1947, the "New York Folklore Quarterly" reported a classic shaggy-dog story 'Murgatroyd the Kluge Maker' then current in the Armed Forces, in which a 'kluge' was a complex and puzzling artifact with a trivial function. Other sources report that 'kluge' was common Navy slang in the WWII era for any piece of electronics that worked well on shore but consistently failed at sea.

However, there is reason to believe this slang use may be a decade older. Several respondents have connected it to the brand name of a device called a "Kluge paper feeder", an adjunct to mechanical printing presses. Legend has it that the Kluge feeder was designed before small, cheap electric motors and control electronics; it relied on a fiendishly complex assortment of cams, belts, and linkages to both power and synchronize all its operations from one motive driveshaft. It was accordingly temperamental, subject to frequent breakdowns, and devilishly difficult to repair -- but oh, so clever! People who tell this story also aver that 'Kluge' was the name of a design engineer.

There is in fact a Brandtjen & Kluge Inc., an old family business that manufactures printing equipment - interestingly, their name is

pronounced /kloo'gee/! Henry Brandtjen, president of the firm, told me (ESR, 1994) that his company was co-founded by his father and an engineer named Kluge /kloo'gee/, who built and co-designed the original Kluge automatic feeder in 1919. Mr. Brandtjen claims, however, that this was a simple device (with only four cams); he says he has no idea how the myth of its complexity took hold.

[7662]TMRC and the MIT hacker culture of the early '60s seems to have developed in a milieu that remembered and still used some WWII military slang (see also [7663]foobar). It seems likely that 'kluge' came to MIT via alumni of the many military electronics projects that had been located in Cambridge (many in MIT's venerable Building 20, in which [7664]TMRC is also located) during the war.

The variant 'kludge' was apparently popularized by the [7665]Datamation article mentioned above; it was titled "How to Design a Kludge" (February 1962, pp. 30, 31). This spelling was probably imported from Great Britain, where [7666]kludge has an independent history (though this fact was largely unknown to hackers on either side of the Atlantic before a mid-1993 debate in the Usenet group alt.folklore.computers over the First and Second Edition versions of this entry; everybody used to think [7667]kludge was just a mutation of [7668]kluge). It now appears that the British, having forgotten the etymology of their own 'kludge' when 'kluge' crossed the Atlantic, repaid the U.S. by lobbying the 'kludge' orthography in the other direction and confusing their American cousins' spelling!

The result of this history is a tangle. Many younger U.S. hackers pronounce the word as /klooj/ but spell it, incorrectly for its meaning and pronunciation, as 'kludge'. (Phonetically, consider huge, refuge, centrifuge, and deluge as opposed to sludge, judge, budge, and fudge. Whatever its failings in other areas, English spelling is perfectly consistent about this distinction.) British hackers mostly learned /kluhj/ orally, use it in a restricted negative sense and are at least consistent. European hackers have mostly learned the word from written American sources and tend to pronounce it /kluhj/ but use the wider American meaning!

Some observers consider this mess appropriate in view of the word's meaning.

Node:kluge around, Next:[7669]kluge up, Previous:[7670]kluge,
Up:[7671]= K =

kluge around vt.

To avoid a bug or difficult condition by inserting a [7672]kluge.
Compare [7673]workaround.

Node:kluge up, Next:[7674]Knights of the Lambda Calculus,
Previous:[7675]kluge around, Up:[7676]= K =

kluge up vt.

To lash together a quick hack to perform a task; this is milder than [7677]cruft together and has some of the connotations of [7678]hack up (note, however, that the construction 'kluge on' corresponding to [7679]hack on is never used). "I've kluged up this routine to dump the buffer contents to a safe place."

Node:Knights of the Lambda Calculus, Next:[7680]knobs,
Previous:[7681]kluge up, Up:[7682]= K =

Knights of the Lambda Calculus n.

A semi-mythical organization of wizardly LISP and Scheme hackers. The name refers to a mathematical formalism invented by Alonzo Church, with which LISP is intimately connected. There is no enrollment list and the criteria for induction are unclear, but one well-known LISPer has been known to give out buttons and, in general, the members know who they are....

Node:knobs, Next:[7683]Knuth, Previous:[7684]Knights of the Lambda Calculus, Up:[7685]= K =

knobs pl.n.

Configurable options, even in software and even those you can't adjust in real time. Anything you can [7686]twiddle is a knob. "Has this PNG viewer got an alpha knob?" Software may be described as having "knobs and switches" or occasionally "knobs and lights".

Node:Knuth, Next:[7687]koan, Previous:[7688]knobs, Up:[7689]= K =

Knuth /ka-nooth'/ n.

[Donald E. Knuth's "The Art of Computer Programming"] Mythically, the reference that answers all questions about data structures or algorithms. A safe answer when you do not know: "I think you can find that in Knuth." Contrast [7690]the literature. See also [7691]bible.

There is a Donald Knuth home page at [7692]<http://www-cs-faculty.Stanford.EDU/~knuth>.

Node:koan, Next:[7693]kremvax, Previous:[7694]Knuth, Up:[7695]= K =

koan /koh'an/ n.

A Zen teaching riddle. Classically, koans are attractive paradoxes to be meditated on; their purpose is to help one to enlightenment by temporarily jamming normal cognitive processing so that something more

interesting can happen (this practice is associated with Rinzei Zen Buddhism). Hackers are very fond of the koan form and compose their own koans for humorous and/or enlightening effect. See [7696]Some AI Koans, [7697]has the X nature, [7698]hacker humor.

Node:kremvax, Next:[7699]kyrka, Previous:[7700]koan, Up:[7701]= K =

kremvax /krem-vaks/ n.

[from the then large number of [7702]Usenet [7703]VAXen with names of the form foovax] Originally, a fictitious Usenet site at the Kremlin, announced on April 1, 1984 in a posting ostensibly originated there by Soviet leader Konstantin Chernenko. The posting was actually forged by Piet Beertema as an April Fool's joke. Other fictitious sites mentioned in the hoax were moskvax and [7704]kgbvax. This was probably the funniest of the many April Fool's forgeries perpetrated on Usenet (which has negligible security against them), because the notion that Usenet might ever penetrate the Iron Curtain seemed so totally absurd at the time.

In fact, it was only six years later that the first genuine site in Moscow, demos.su, joined Usenet. Some readers needed convincing that the postings from it weren't just another prank. Vadim Antonov, senior programmer at Demos and the major poster from there up to mid-1991, was quite aware of all this, referred to it frequently in his own postings, and at one point twitted some credulous readers by blandly asserting that he was a hoax!

Eventually he even arranged to have the domain's gateway site named kremvax, thus neatly turning fiction into fact and demonstrating that the hackish sense of humor transcends cultural barriers. [Mr. Antonov also contributed the Russian-language material for this lexicon.

--ESR]

In an even more ironic historical footnote, kremvax became an electronic center of the anti-communist resistance during the bungled hard-line coup of August 1991. During those three days the Soviet UUCP network centered on kremvax became the only trustworthy news source for many places within the USSR. Though the sysops were concentrating on internal communications, cross-border postings included immediate transliterations of Boris Yeltsin's decrees condemning the coup and eyewitness reports of the demonstrations in Moscow's streets. In those hours, years of speculation that totalitarianism would prove unable to maintain its grip on politically-loaded information in the age of computer networking were proved devastatingly accurate -- and the original kremvax joke became a reality as Yeltsin and the new Russian revolutionaries of 'glasnost' and 'perestroika' made kremvax one of the timeliest means of their outreach to the West.

Node:kyrka, Next:[7705]lace card, Previous:[7706]kremvax, Up:[7707]= K =

=

kyrka /chur'ka/ n.

[Swedish] See [7708]feature key.

Node:= L =, Next:[7709]= M =, Previous:[7710]= K =, Up:[7711]The
Jargon Lexicon

= L =

- * [7712]lace card:
- * [7713]lag:
- * [7714]lamer:
- * [7715]language lawyer:
- * [7716]languages of choice:
- * [7717]LART:
- * [7718]larval stage:
- * [7719]lase:
- * [7720]laser chicken:
- * [7721]lasherism:
- * [7722]laundromat:
- * [7723]LDB:
- * [7724]leaf site:
- * [7725]leak:
- * [7726]leaky heap:
- * [7727]leapfrog attack:
- * [7728]leech:
- * [7729]leech mode:
- * [7730]legal:
- * [7731]legalese:
- * [7732]LER:
- * [7733]LERP:
- * [7734]let the smoke out:
- * [7735]letterbomb:
- * [7736]lexer:
- * [7737]lexiphage:
- * [7738]life:
- * [7739]Life is hard:
- * [7740]light pipe:
- * [7741]lightweight:
- * [7742]like kicking dead whales down the beach:
- * [7743]like nailing jelly to a tree:
- * [7744]line 666:
- * [7745]line eater the:
- * [7746]line noise:
- * [7747]line starve:
- * [7748]linearithmic:
- * [7749]link farm:
- * [7750]link rot:
- * [7751]link-dead:
- * [7752]lint:
- * [7753]Lintel:

- * [7754]Linux:
- * [7755]Linux:
- * [7756]lion food:
- * [7757]Lions Book:
- * [7758]LISP:
- * [7759]list-bomb:
- * [7760]lithium lick:
- * [7761]little-endian:
- * [7762]live:
- * [7763]live data:
- * [7764]Live Free Or Die!:
- * [7765]livelock:
- * [7766]liveware:
- * [7767]lobotomy:
- * [7768]locals the:
- * [7769]locked and loaded:
- * [7770]locked up:
- * [7771]logic bomb:
- * [7772]logical:
- * [7773]loop through:
- * [7774]loose bytes:
- * [7775]lord high fixer:
- * [7776]lose:
- * [7777]lose lose:
- * [7778]loser:
- * [7779]losing:
- * [7780]loss:
- * [7781]lossage:
- * [7782]lost in the noise:
- * [7783]lost in the underflow:
- * [7784]lots of MIPS but no I/O:
- * [7785]low-bandwidth:
- * [7786]LPT:
- * [7787]Lubarsky's Law of Cybernetic Entomology:
- * [7788]Lumber Cartel:
- * [7789]lunatic fringe:
- * [7790]lurker:
- * [7791]luser:

Node:lace card, Next:[7792]lag, Previous:[7793]kyrka, Up:[7794]= L =

lace card n. obs.

A [7795]punched card with all holes punched (also called a 'whoopee card' or 'ventilator card'). Card readers tended to jam when they got to one of these, as the resulting card had too little structural strength to avoid buckling inside the mechanism. Card punches could also jam trying to produce these things owing to power-supply problems. When some practical joker fed a lace card through the reader, you needed to clear the jam with a 'card knife' -- which you used on the joker first.

Node:lag, Next:[7796]lamer, Previous:[7797]lace card, Up:[7798]= L =

lag n.

[MUD, IRC; very common] When used without qualification this is synonymous with [7799]netlag. Curiously, people will often complain "I'm really lagged" when in fact it is their server or network connection that is lagging.

Node:lamer, Next:[7800]language lawyer, Previous:[7801]lag, Up:[7802]=

L =

lamer n.

[prob. originated in skateboarder slang] 1. Synonym for [7803]user, not used much by hackers but common among [7804]warez d00dz, crackers, and [7805]phreakers. A person who downloads much, but who never uploads. (Also known as 'leecher'). Oppose [7806]elite. Has the same connotations of self-conscious elitism that use of [7807]user does among hackers. 2. Someone who tries to crack a BBS. 3. Someone who annoys the sysop or other BBS users - for instance, by posting lots of silly messages, uploading virus-ridden software, frequently dropping carrier, etc.

Crackers also use it to refer to cracker [7808]wannabees. In phreak culture, a lamer is one who scams codes off others rather than doing cracks or really understanding the fundamental concepts. In [7809]warez d00dz culture, where the ability to wave around cracked commercial software within days of (or before) release to the commercial market is much esteemed, the lamer might try to upload garbage or shareware or something incredibly old (old in this context is read as a few years to anything older than 3 days).

'Lamer' is also much used in the IRC world in a similar sense to the above.

Node:language lawyer, Next:[7810]languages of choice, Previous:[7811]lamer, Up:[7812]= L =

language lawyer n.

A person, usually an experienced or senior software engineer, who is intimately familiar with many or most of the numerous restrictions and features (both useful and esoteric) applicable to one or more computer programming languages. A language lawyer is distinguished by the ability to show you the five sentences scattered through a 200-plus-page manual that together imply the answer to your question "if only you had thought to look there". Compare [7813]wizard, [7814]legal, [7815]legalese.

Node:languages of choice, Next:[7816]LART, Previous:[7817]language lawyer, Up:[7818]= L =

languages of choice n.

[7819]C, [7820]C++, [7821]LISP, and [7822]Perl. Nearly every hacker knows one of C or LISP, and most good ones are fluent in both. C++, despite some serious drawbacks, is generally preferred to other object-oriented languages (though in 1999 it looks as though [7823]Java has displaced it in the affections of hackers, if not everywhere). Since around 1990 Perl has rapidly been gaining favor, especially as a tool for systems-administration utilities and rapid prototyping. [7824]Python, Smalltalk and Prolog are also popular in small but influential communities.

There is also a rapidly dwindling category of older hackers with FORTRAN, or even assembler, as their language of choice. They often prefer to be known as [7825]Real Programmers, and other hackers consider them a bit odd (see "[7826]The Story of Mel" in Appendix A). Assembler is generally no longer considered interesting or appropriate for anything but [7827]HLL implementation, [7828]glue, and a few time-critical and hardware-specific uses in systems programs. FORTRAN occupies a shrinking niche in scientific programming.

Most hackers tend to frown on languages like [7829]Pascal and [7830]Ada, which don't give them the near-total freedom considered necessary for hacking (see [7831]bondage-and-discipline language), and to regard everything even remotely connected with [7832]COBOL or other traditional [7833]card walloper languages as a total and unmitigated [7834]loss.

Node:LART, Next:[7835]larval stage, Previous:[7836]languages of choice, Up:[7837]= L =

LART //

Luser Attitude Readjustment Tool. 1. n. In the collective mythos of [7838]scary devil monastery, this is an essential item in the toolkit of every [7839]BOFH. The LART classic is a 2x4 or other large billet of wood usable as a club, to be applied upside the head of spammers and other people who cause sysadmins more grief than just naturally goes with the job. Perennial debates rage on alt.sysadmin.recovery over what constitutes the truly effective LART; knobkerries, semiautomatic weapons, flamethrowers, and tactical nukes all have their partisans. Compare [7840]clue-by-four. 2. v. To use a LART. Some would add "in malice", but some sysadmins do prefer to gently lart their users as a first (and sometimes final) warning. 3. interj. Calling for one's LART, much as a surgeon might call "Scalpel!". 4. interj. [rare] Used in [7841]flames as a rebuke. "LART! LART! LART!"

Node:larval stage, Next:[7842]lase, Previous:[7843]LART, Up:[7844]= L =

larval stage n.

Describes a period of monomaniacal concentration on coding apparently passed through by all fledgling hackers. Common symptoms include the perpetration of more than one 36-hour [7845]hacking run in a given week; neglect of all other activities including usual basics like food, sleep, and personal hygiene; and a chronic case of advanced bleary-eye. Can last from 6 months to 2 years, the apparent median being around 18 months. A few so afflicted never resume a more 'normal' life, but the ordeal seems to be necessary to produce really wizardly (as opposed to merely competent) programmers. See also [7846]wannabee. A less protracted and intense version of larval stage (typically lasting about a month) may recur when one is learning a new [7847]OS or programming language.

Node:lase, Next:[7848]laser chicken, Previous:[7849]larval stage, Up:[7850]= L =

lase /layz/ vt.

To print a given document via a laser printer. "OK, let's lase that sucker and see if all those graphics-macro calls did the right things."

Node:laser chicken, Next:[7851]lasherism, Previous:[7852]lase, Up:[7853]= L =

laser chicken n.

Kung Pao Chicken, a standard Chinese dish containing chicken, peanuts, and hot red peppers in a spicy pepper-oil sauce. Many hackers call it 'laser chicken' for two reasons: It can [7854]zap you just like a laser, and the sauce has a red color reminiscent of some laser beams. The dish has also been called 'gunpowder chicken'.

In a variation on this theme, it is reported that some Australian hackers have redesignated the common dish 'lemon chicken' as 'Chernobyl Chicken'. The name is derived from the color of the sauce, which is considered bright enough to glow in the dark (as, mythically, do some of the inhabitants of Chernobyl).

Node:lasherism, Next:[7855]laundromat, Previous:[7856]laser chicken, Up:[7857]= L =

lasherism n.

[Harvard] A program that solves a standard problem (such as the Eight

Queens puzzle or implementing the [7858]life algorithm) in a deliberately nonstandard way. Distinguished from a [7859]crock or [7860]kluge by the fact that the programmer did it on purpose as a mental exercise. Such constructions are quite popular in exercises such as the [7861]Obfuscated C Contest, and occasionally in [7862]retrocomputing. Lew Lasher was a student at Harvard around 1980 who became notorious for such behavior.

Node:laundromat, Next:[7863]LDB, Previous:[7864]lasherism, Up:[7865]=
L =

laundromat n.

Syn. [7866]disk farm; see [7867]washing machine.

Node:LDB, Next:[7868]leaf site, Previous:[7869]laundromat, Up:[7870]=
L =

LDB /l*'d*b/ vt.

[from the PDP-10 instruction set] To extract from the middle. "LDB me a slice of cake, please." This usage has been kept alive by Common LISP's function of the same name. Considered silly. See also [7871]DPB.

Node:leaf site, Next:[7872]leak, Previous:[7873]LDB, Up:[7874]= L =

leaf site n.,obs.

Before pervasive TCP/IP, this term was used of a machine that merely originated and read Usenet news or mail, and did not relay any third-party traffic. It was often uttered in a critical tone; when the ratio of leaf sites to backbone, rib, and other relay sites got too high, the network tended to develop bottlenecks. Compare [7875]backbone site, [7876]rib site. Now that traffic patterns depend more on the distribution of routers than of host machines this term has largely fallen out of use.

Node:leak, Next:[7877]leaky heap, Previous:[7878]leaf site, Up:[7879]=
L =

leak n.

With qualifier, one of a class of resource-management bugs that occur when resources are not freed properly after operations on them are finished, so they effectively disappear (leak out). This leads to eventual exhaustion as new allocation requests come in. [7880]memory leak and [7881]fd leak have their own entries; one might also refer, to, say, a 'window handle leak' in a window system.

Node:leaky heap, Next:[7882]leapfrog attack, Previous:[7883]leak,
Up:[7884]= L =

leaky heap n.

[Cambridge] An [7885]arena with a [7886]memory leak.

Node:leapfrog attack, Next:[7887]leech, Previous:[7888]leaky heap,
Up:[7889]= L =

leapfrog attack n.

Use of userid and password information obtained illicitly from one host (e.g., downloading a file of account IDs and passwords, tapping TELNET, etc.) to compromise another host. Also, the act of TELNETting through one or more hosts in order to confuse a trace (a standard cracker procedure).

Node:leech, Next:[7890]leech mode, Previous:[7891]leapfrog attack,
Up:[7892]= L =

leech

1. n. (Also 'leecher'.) Among BBS types, crackers and [7893]warez d00dz, one who consumes knowledge without generating new software, cracks, or techniques. BBS culture specifically defines a leech as someone who downloads files with few or no uploads in return, and who does not contribute to the message section. Cracker culture extends this definition to someone (a [7894]lamer, usually) who constantly presses informed sources for information and/or assistance, but has nothing to contribute. 2. v. [common, Toronto area] To instantly fetch a file (other than a mail attachment) whether by FTP or IRC file req or any other method. Seems to be a holdover from the early 1990s when Toronto had a very active BBS and warez scene.

Node:leech mode, Next:[7895]legal, Previous:[7896]leech, Up:[7897]= L =

leech mode n.

[warez d00dz] "Leech mode" or "leech access" or (simply "leech" as in "You get leech") is the access mode on a FTP site where one can download as many files as one wants, without having to upload. Leech mode is often promised on banner sites, but rarely obtained. See [7898]ratio site, [7899]banner site.

Node:legal, Next:[7900]legalese, Previous:[7901]leech mode, Up:[7902]=

L =

legal adj.

Loosely used to mean 'in accordance with all the relevant rules', esp. in connection with some set of constraints defined by software. "The older == alternate for += is no longer legal syntax in ANSI C." "This parser processes each line of legal input the moment it sees the trailing linefeed." Hackers often model their work as a sort of game played with the environment in which the objective is to maneuver through the thicket of 'natural laws' to achieve a desired objective. Their use of 'legal' is flavored as much by this game-playing sense as by the more conventional one having to do with courts and lawyers. Compare [7903]language lawyer, [7904]legalese.

Node:legalese, Next:[7905]LER, Previous:[7906]legal, Up:[7907]= L =

legalese n.

Dense, pedantic verbiage in a language description, product specification, or interface standard; text that seems designed to obfuscate and requires a [7908]language lawyer to [7909]parse it. Though hackers are not afraid of high information density and complexity in language (indeed, they rather enjoy both), they share a deep and abiding loathing for legalese; they associate it with deception, [7910]suits, and situations in which hackers generally get the short end of the stick.

Node:LER, Next:[7911]LERP, Previous:[7912]legalese, Up:[7913]= L =

LER /L-E-R/

n. 1. [TMRC, from 'Light-Emitting Diode'] A light-emitting resistor (that is, one in the process of burning up). Ohm's law was broken. See also [7914]SED. 2. An incandescent light bulb (the filament emits light because it's resistively heated).

Node:LERP, Next:[7915]let the smoke out, Previous:[7916]LER, Up:[7917]= L =

LERP /lerp/ vi.,n.

Quasi-acronym for Linear Interpolation, used as a verb or noun for the operation. "Bresenham's algorithm lerps incrementally between the two endpoints of the line."

Node:let the smoke out, Next:[7918]letterbomb, Previous:[7919]LERP, Up:[7920]= L =

let the smoke out v.

To fry hardware (see [7921]fried). See [7922]magic smoke for a discussion of the underlying mythology.

Node:letterbomb, Next:[7923]lexer, Previous:[7924]let the smoke out, Up:[7925]= L =

letterbomb

1. n. A piece of [7926]email containing [7927]live data intended to do nefarious things to the recipient's machine or terminal. It used to be possible, for example, to send letterbombs that would lock up some specific kinds of terminals when they are viewed, so thoroughly that the user must cycle power (see [7928]cycle, sense 3) to unwedge them. Under Unix, a letterbomb can also try to get part of its contents interpreted as a shell command to the mailer. The results of this could range from silly to tragic; fortunately it has been some years since any of the standard Unix/Internet mail software was vulnerable to such an attack (though, as the Melissa virus attack demonstrated in early 1999, Microsoft systems can have serious problems). See also [7929]Trojan horse; compare [7930]nastygram. 2. Loosely, a [7931]mailbomb.

Node:lexer, Next:[7932]lexiphage, Previous:[7933]letterbomb, Up:[7934]= L =

lexer /lek'sr/ n.

Common hacker shorthand for 'lexical analyzer', the input-tokenizing stage in the parser for a language (the part that breaks it into word-like pieces). "Some C lexers get confused by the old-style compound ops like =-."

Node:lexiphage, Next:[7935]life, Previous:[7936]lexer, Up:[7937]= L =

lexiphage /lek'si-fayj/ n.

A notorious word [7938]chomper on ITS. See [7939]bagbiter. This program would draw on a selected victim's bitmapped terminal the words "THE BAG" in ornate letters, followed a pair of jaws biting pieces of it off.

Node:life, Next:[7940]Life is hard, Previous:[7941]lexiphage, Up:[7942]= L =

life n.

1. A cellular-automata game invented by John Horton Conway and first

introduced publicly by Martin Gardner ("Scientific American", October 1970); the game's popularity had to wait a few years for computers on which it could reasonably be played, as it's no fun to simulate the cells by hand. Many hackers pass through a stage of fascination with it, and hackers at various places contributed heavily to the mathematical analysis of this game (most notably Bill Gosper at MIT, who even implemented life in [7943]TECO!; see [7944]Gosperism). When a hacker mentions 'life', he is much more likely to mean this game than the magazine, the breakfast cereal, or the human state of existence.

2. The opposite of [7945]Usenet. As in "[7946]Get a life!"

Node:Life is hard, Next:[7947]light pipe, Previous:[7948]life,
Up:[7949]= L =

Life is hard prov.

[XEROX PARC] This phrase has two possible interpretations: (1) "While your suggestion may have some merit, I will behave as though I hadn't heard it." (2) "While your suggestion has obvious merit, equally obvious circumstances prevent it from being seriously considered." The charm of the phrase lies precisely in this subtle but important ambiguity.

Node:light pipe, Next:[7950]lightweight, Previous:[7951]Life is hard,
Up:[7952]= L =

light pipe n.

Fiber optic cable. Oppose [7953]copper.

Node:lightweight, Next:[7954]like kicking dead whales down the beach,
Previous:[7955]light pipe, Up:[7956]= L =

lightweight adj.

Opposite of [7957]heavyweight; usually found in combining forms such as 'lightweight process'.

Node:like kicking dead whales down the beach, Next:[7958]like nailing jelly to a tree, Previous:[7959]lightweight, Up:[7960]= L =

like kicking dead whales down the beach adj.

Describes a slow, difficult, and disgusting process. First popularized by a famous quote about the difficulty of getting work done under one of IBM's mainframe OSes. "Well, you could write a C compiler in COBOL, but it would be like kicking dead whales down the beach." See also [7961]fear and loathing.

Node:like nailing jelly to a tree, Next:[7962]line 666,
Previous:[7963]like kicking dead whales down the beach, Up:[7964]= L =

like nailing jelly to a tree adj.

Used to describe a task thought to be impossible, esp. one in which the difficulty arises from poor specification or inherent slipperiness in the problem domain. "Trying to display the 'prettiest' arrangement of nodes and arcs that diagrams a given graph is like nailing jelly to a tree, because nobody's sure what 'prettiest' means algorithmically."

Hacker use of this term may recall mainstream slang originated early in the 20th century by President Theodore Roosevelt. There is a legend that, weary of inconclusive talks with Colombia over the right to dig a canal through its then-province Panama, he remarked, "Negotiating with those pirates is like trying to nail currant jelly to the wall." Roosevelt's government subsequently encouraged the anti-Colombian insurgency that created the nation of Panama.

Node:line 666, Next:[7965]line eater the, Previous:[7966]like nailing jelly to a tree, Up:[7967]= L =

line 666 [from Christian eschatological myth] n.

The notional line of source at which a program fails for obscure reasons, implying either that somebody is out to get it (when you are the programmer), or that it richly deserves to be so gotten (when you are not). "It works when I trace through it, but seems to crash on line 666 when I run it." "What happens is that whenever a large batch comes through, mmdf dies on the Line of the Beast. Probably some twit hardcoded a buffer size."

Node:line eater the, Next:[7968]line noise, Previous:[7969]line 666,
Up:[7970]= L =

line eater, the n. obs.

[Usenet] 1. A bug in some now-obsolete versions of the netnews software that used to eat up to BUFSIZ bytes of the article text. The bug was triggered by having the text of the article start with a space or tab. This bug was quickly personified as a mythical creature called the 'line eater', and postings often included a dummy line of 'line eater food'. Ironically, line eater 'food' not beginning with a space or tab wasn't actually eaten, since the bug was avoided; but if there was a space or tab before it, then the line eater would eat the food and the beginning of the text it was supposed to be protecting. The practice of 'sacrificing to the line eater' continued for some time after the bug had been [7971]nailed to the wall, and is still humorously referred to. The bug itself was still occasionally reported to be lurking in some mail-to-netnews gateways as late as 1991. 2. See

[7972]NSA line eater.

Node:line noise, Next:[7973]line starve, Previous:[7974]line eater
the, Up:[7975]= L =

line noise n.

1. [techspeak] Spurious characters due to electrical noise in a communications link, especially an RS-232 serial connection. Line noise may be induced by poor connections, interference or crosstalk from other circuits, electrical storms, [7976]cosmic rays, or (notionally) birds crapping on the phone wires. 2. Any chunk of data in a file or elsewhere that looks like the results of line noise in sense 1. 3. Text that is theoretically a readable text or program source but employs syntax so bizarre that it looks like line noise in senses 1 or 2. Yes, there are languages this ugly. The canonical example is [7977]TECO; it is often claimed that "TECO's input syntax is indistinguishable from line noise." Other non-[7978]WYSIWYG editors, such as Multics qed and Unix ed, in the hands of a real hacker, also qualify easily, as do deliberately obfuscated languages such as [7979]INTERCAL.

Node:line starve, Next:[7980]linearithmic, Previous:[7981]line noise,
Up:[7982]= L =

line starve

[MIT] 1. vi. To feed paper through a printer the wrong way by one line (most printers can't do this). On a display terminal, to move the cursor up to the previous line of the screen. "To print 'X squared', you just output 'X', line starve, '2', line feed." (The line starve causes the '2' to appear on the line above the 'X', and the line feed gets back to the original line.) 2. n. A character (or character sequence) that causes a terminal to perform this action. ASCII 0011010, also called SUB or control-Z, was one common line-starve character in the days before microcomputers and the X3.64 terminal standard. Today, the term might be used for the ISO reverse line feed character 0x8D. Unlike 'line feed', 'line starve' is not standard [7983]ASCII terminology. Even among hackers it is considered a bit silly. 3. [proposed] A sequence such as \c (used in System V echo, as well as [7984]nroff and [7985]troff) that suppresses a [7986]newline or other character(s) that would normally be emitted.

Node:linearithmic, Next:[7987]link farm, Previous:[7988]line starve,
Up:[7989]= L =

linearithmic adj.

Of an algorithm, having running time that is $O(N \log N)$. Coined as a portmanteau of 'linear' and 'logarithmic' in "Algorithms In C" by

Robert Sedgewick (Addison-Wesley 1990, ISBN 0-201-51425-7).

Node:link farm, Next:[7990]link rot, Previous:[7991]linearithmic,
Up:[7992]= L =

link farm n.

[Unix] A directory tree that contains many links to files in a master directory tree of files. Link farms save space when one is maintaining several nearly identical copies of the same source tree -- for example, when the only difference is architecture-dependent object files. "Let's freeze the source and then rebuild the FROBOZZ-3 and FROBOZZ-4 link farms." Link farms may also be used to get around restrictions on the number of -I (include-file directory) arguments on older C preprocessors. However, they can also get completely out of hand, becoming the filesystem equivalent of [7993]spaghetti code.

Node:link rot, Next:[7994]link-dead, Previous:[7995]link farm,
Up:[7996]= L =

link rot n.

The natural decay of web links as the sites they're connected to change or die. Compare [7997]bit rot.

Node:link-dead, Next:[7998]lint, Previous:[7999]link rot, Up:[8000]= L =

link-dead adj.

[MUD] The state a player is in when they kill their connection to a [8001]MUD without leaving it properly. The player is then commonly left as a statue in the game, and is only removed after a certain period of time (an hour on most MUDs). Used on [8002]IRC as well, although it is inappropriate in that context. Compare [8003]netdead.

Node:lint, Next:[8004]Lintel, Previous:[8005]link-dead, Up:[8006]= L =

lint

[from Unix's lint(1), named for the bits of fluff it supposedly picks from programs] 1. vt. To examine a program closely for style, language usage, and portability problems, esp. if in C, esp. if via use of automated analysis tools, most esp. if the Unix utility lint(1) is used. This term used to be restricted to use of lint(1) itself, but (judging by references on Usenet) it has become a shorthand for [8007]desk check at some non-Unix shops, even in languages other than C. Also as v. [8008]delint. 2. n. Excess verbiage in a document, as in "This draft has too much lint".

Node:Lintel, Next:[8009]Linus, Previous:[8010]lint, Up:[8011]= L =

Lintel n.

The emerging [8012]Linux/Intel alliance. This term began to be used in early 1999 after it became clear that the [8013]Wintel alliance was under increasing strain and Intel started taking stakes in Linux companies.

Node:Linus, Next:[8014]Linux, Previous:[8015]Lintel, Up:[8016]= L =

Linus /leen'us'/ or /lin'us'/, not /li:'nus/

Linus Torvalds, the author of [8017]Linux. Nobody in the hacker culture has been as readily recognized by first name alone since Ken (Thompson).

Node:Linux, Next:[8018]lion food, Previous:[8019]Linus, Up:[8020]= L =

Linux /lee'nuhks/ or /li'nuks/, not /li:'nuhks/ n.

The free Unix workalike created by Linus Torvalds and friends starting about 1991. The pronunciation /lee'nuhks/ is preferred because the name 'Linus' has an /ee/ sound in Swedish (Linus's family is part of Finland's 6% ethnic-Swedish minority). This may be the most remarkable hacker project in history -- an entire clone of Unix for 386, 486 and Pentium micros, distributed for free with sources over the net (ports to Alpha and Sparc and many other machines are also in use).

Linux is what [8021]GNU aimed to be, and it relies on the GNU toolset. But the Free Software Foundation didn't produce the kernel to go with that toolset until 1999, which was too late. Other, similar efforts like FreeBSD and NetBSD have been technically successful but never caught fire the way Linux has; as this is written in 2000, Linux is seriously challenging Microsoft's OS dominance. It has already captured 31% of the Internet-server market and 25% of general business servers.

An earlier version of this entry opined "The secret of Linux's success seems to be that Linus worked much harder early on to keep the development process open and recruit other hackers, creating a snowball effect." Truer than we knew. See [8022]bazaar.

(Some people object that the name 'Linux' should be used to refer only to the kernel, not the entire operating system. This claim is a proxy for an underlying territorial dispute; people who insist on the term 'GNU/Linux' want the the [8023]FSF to get most of the credit for Linux because RMS and friends wrote many of its user-level tools. Neither this theory nor the term 'GNU/Linux' has gained more than minority

acceptance).

Node:lion food, Next:[8024]Lions Book, Previous:[8025]Linux,
Up:[8026]= L =

lion food n.

[IBM] Middle management or HQ staff (or, by extension, administrative drones in general). From an old joke about two lions who, escaping from the zoo, split up to increase their chances but agree to meet after 2 months. When they finally meet, one is skinny and the other overweight. The thin one says: "How did you manage? I ate a human just once and they turned out a small army to chase me -- guns, nets, it was terrible. Since then I've been reduced to eating mice, insects, even grass." The fat one replies: "Well, I hid near an IBM office and ate a manager a day. And nobody even noticed!"

Node:Lions Book, Next:[8027]LISP, Previous:[8028]lion food, Up:[8029]=
L =

Lions Book n.

"Source Code and Commentary on Unix level 6", by John Lions. The two parts of this book contained (1) the entire source listing of the Unix Version 6 kernel, and (2) a commentary on the source discussing the algorithms. These were circulated internally at the University of New South Wales beginning 1976-77, and were, for years after, the only detailed kernel documentation available to anyone outside Bell Labs. Because Western Electric wished to maintain trade secret status on the kernel, the Lions Book was only supposed to be distributed to affiliates of source licensees. In spite of this, it soon spread by [8030]samizdat to a good many of the early Unix hackers.

[1996 update: The Lions book lives again! It was put back in print as ISBN 1-57398-013-7 from Peer-To-Peer Communications, with forewords by Dennis Ritchie and Ken Thompson. In a neat bit of reflexivity, the page before the contents quotes this entry.]

Node:LISP, Next:[8031]list-bomb, Previous:[8032]Lions Book, Up:[8033]=
L =

LISP n.

[from 'LISt Processing language', but mythically from 'Lots of Irritating Superfluous Parentheses'] AI's mother tongue, a language based on the ideas of (a) variable-length lists and trees as fundamental data types, and (b) the interpretation of code as data and vice-versa. Invented by John McCarthy at MIT in the late 1950s, it is actually older than any other [8034]HLL still in use except FORTRAN. Accordingly, it has undergone considerable adaptive radiation over the

years; modern variants are quite different in detail from the original LISP 1.5. The dominant HLL among hackers until the early 1980s, LISP now shares the throne with [8035]C. Its partisans claim it is the only language that is truly beautiful. See [8036]languages of choice.

All LISP functions and programs are expressions that return values; this, together with the high memory utilization of LISPs, gave rise to Alan Perlis's famous quip (itself a take on an Oscar Wilde quote) that "LISP programmers know the value of everything and the cost of nothing".

One significant application for LISP has been as a proof by example that most newer languages, such as [8037]COBOL and [8038]Ada, are full of unnecessary [8039]crocks. When the [8040]Right Thing has already been done once, there is no justification for [8041]bogosity in newer languages.

Node: list-bomb, Next:[8042]lithium lick, Previous:[8043]LISP,
Up:[8044]= L =

list-bomb v.

To [8045]mailbomb someone by forging messages causing the victim to become a subscriber to many mailing lists. This is a self-defeating tactic; it merely forces mailing list servers to require confirmation by return message for every subscription.

Node: lithium lick, Next:[8046]little-endian, Previous:[8047]list-bomb,
Up:[8048]= L =

lithium lick n.

[NeXT] Steve Jobs. Employees who have gotten too much attention from their esteemed founder are said to have 'lithium lick' when they begin to show signs of Jobsian fervor and repeat the most recent catch phrases in normal conversation -- for example, "It just works, right out of the box!"

Node: little-endian, Next:[8049]live, Previous:[8050]lithium lick,
Up:[8051]= L =

little-endian adj.

Describes a computer architecture in which, within a given 16- or 32-bit word, bytes at lower addresses have lower significance (the word is stored 'little-end-first'). The PDP-11 and VAX families of computers and Intel microprocessors and a lot of communications and networking hardware are little-endian. See [8052]big-endian, [8053]middle-endian, [8054]NUXI problem. The term is sometimes used to describe the ordering of units other than bytes; most often, bits

within a byte.

Node:live, Next:[8055]live data, Previous:[8056]little-endian,
Up:[8057]= L =

live /li:v/ adj.,adv.

[common] Opposite of 'test'. Refers to actual real-world data or a program working with it. For example, the response to "I think the record deleter is finished" might be "Is it live yet?" or "Have you tried it out on live data?" This usage usually carries the connotation that live data is more fragile and must not be corrupted, or bad things will happen. So a more appropriate response might be: "Well, make sure it works perfectly before we throw live data at it." The implication here is that record deletion is something pretty significant, and a haywire record-deleter running amok live would probably cause great harm.

Node:live data, Next:[8058]Live Free Or Die!, Previous:[8059]live,
Up:[8060]= L =

live data n.

1. Data that is written to be interpreted and takes over program flow when triggered by some un-obvious operation, such as viewing it. One use of such hacks is to break security. For example, some smart terminals have commands that allow one to download strings to program keys; this can be used to write live data that, when listed to the terminal, infects it with a security-breaking [8061]virus that is triggered the next time a hapless user strikes that key. For another, there are some well-known bugs in [8062]vi that allow certain texts to send arbitrary commands back to the machine when they are simply viewed. 2. In C code, data that includes pointers to function [8063]hooks (executable code). 3. An object, such as a [8064]trampoline, that is constructed on the fly by a program and intended to be executed as code.

Node:Live Free Or Die!, Next:[8065]livelock, Previous:[8066]live data,
Up:[8067]= L =

Live Free Or Die! imp.

1. The state motto of New Hampshire, which appears on that state's automobile license plates. 2. A slogan associated with Unix in the romantic days when Unix aficionados saw themselves as a tiny, beleaguered underground tilting against the windmills of industry. The "free" referred specifically to freedom from the [8068]fascist design philosophies and cruffy misfeatures common on competing operating systems. Armando Stettner, one of the early Unix developers, used to give out fake license plates bearing this motto under a large Unix,

all in New Hampshire colors of green and white. These are now valued collector's items. In 1994 [8069]DEC put an inferior imitation of these in circulation with a red corporate logo added. Compaq (half of which was once DEC) has continued the practice.

Node:livelock, Next:[8070]liveware, Previous:[8071]Live Free Or Die!, Up:[8072]= L =

livelock /li:v'lok/ n.

A situation in which some critical stage of a task is unable to finish because its clients perpetually create more work for it to do after they have been serviced but before it can clear its queue. Differs from [8073]deadlock in that the process is not blocked or waiting for anything, but has a virtually infinite amount of work to do and can never catch up.

Node:liveware, Next:[8074]lobotomy, Previous:[8075]livelock, Up:[8076]= L =

liveware /li:v'weir/ n.

1. Synonym for [8077]wetware. Less common. 2. [Cambridge] Vermin. "Waiter, there's some liveware in my salad..."

Node:lobotomy, Next:[8078]locals the, Previous:[8079]liveware, Up:[8080]= L =

lobotomy n.

1. What a hacker subjected to formal management training is said to have undergone. At IBM and elsewhere this term is used by both hackers and low-level management; the latter doubtless intend it as a joke. 2. The act of removing the processor from a microcomputer in order to replace or upgrade it. Some very cheap [8081]clone systems are sold in 'lobotomized' form -- everything but the brain.

Node:locals the, Next:[8082]locked and loaded, Previous:[8083]lobotomy, Up:[8084]= L =

locals, the pl.n.

The users on one's local network (as opposed, say, to people one reaches via public Internet or UUCP connects). The marked thing about this usage is how little it has to do with real-space distance. "I have to do some tweaking on this mail utility before releasing it to the locals."

Node:locked and loaded, Next:[8085]locked up, Previous:[8086]locals the, Up:[8087]= L =

locked and loaded adj.,obs.

[from military slang for an M-16 rifle with magazine inserted and prepared for firing] Said of a removable disk volume properly prepared for use -- that is, locked into the drive and with the heads loaded. Ironically, because their heads are 'loaded' whenever the power is up, this description is never used of [8088]Winchester drives (which are named after a rifle).

Node:locked up, Next:[8089]logic bomb, Previous:[8090]locked and loaded, Up:[8091]= L =

locked up adj.

Syn. for [8092]hung, [8093]wedged.

Node:logic bomb, Next:[8094]logical, Previous:[8095]locked up, Up:[8096]= L =

logic bomb n.

Code surreptitiously inserted into an application or OS that causes it to perform some destructive or security-compromising activity whenever specified conditions are met. Compare [8097]back door.

Node:logical, Next:[8098]loop through, Previous:[8099]logic bomb, Up:[8100]= L =

logical adj.

[from the technical term 'logical device', wherein a physical device is referred to by an arbitrary 'logical' name] Having the role of. If a person (say, Les Earnest at SAIL) who had long held a certain post left and were replaced, the replacement would for a while be known as the 'logical' Les Earnest. (This does not imply any judgment on the replacement.) Compare [8101]virtual.

At Stanford, 'logical' compass directions denote a coordinate system in which 'logical north' is toward San Francisco, 'logical west' is toward the ocean, etc., even though logical north varies between physical (true) north near San Francisco and physical west near San Jose. (The best rule of thumb here is that, by definition, El Camino Real always runs logical north-and-south.) In giving directions, one might say: "To get to Rincon Tarasco restaurant, get onto [8102]El Camino Bignum going logical north." Using the word 'logical' helps to prevent the recipient from worrying about that the fact that the sun is setting almost directly in front of him. The concept is reinforced

by North American highways which are almost, but not quite, consistently labeled with logical rather than physical directions. A similar situation exists at MIT: Route 128 (famous for the electronics industry that has grown up along it) is a 3-quarters circle surrounding Boston at a radius of 10 miles, terminating near the coastline at each end. It would be most precise to describe the two directions along this highway as 'clockwise' and 'counterclockwise', but the road signs all say "north" and "south", respectively. A hacker might describe these directions as 'logical north' and 'logical south', to indicate that they are conventional directions not corresponding to the usual denotation for those words. (If you went logical south along the entire length of route 128, you would start out going northwest, curve around to the south, and finish headed due east, passing along one infamous stretch of pavement that is simultaneously route 128 south and Interstate 93 north, and is signed as such!)

Node:loop through, Next:[8103]loose bytes, Previous:[8104]logical, Up:[8105]= L =

loop through vt.

To process each element of a list of things. "Hold on, I've got to loop through my paper mail." Derives from the computer-language notion of an iterative loop; compare 'cdr down' (under [8106]cdr), which is less common among C and Unix programmers. ITS hackers used to say 'IRP over' after an obscure pseudo-op in the MIDAS PDP-10 assembler (the same IRP op can nowadays be found in Microsoft's assembler).

Node:loose bytes, Next:[8107]lord high fixer, Previous:[8108]loop through, Up:[8109]= L =

loose bytes n.

Commonwealth hackish term for the padding bytes or [8110]shims many compilers insert between members of a record or structure to cope with alignment requirements imposed by the machine architecture.

Node:lord high fixer, Next:[8111]lose, Previous:[8112]loose bytes, Up:[8113]= L =

lord high fixer n.

[primarily British, from Gilbert & Sullivan's 'lord high executioner']
The person in an organization who knows the most about some aspect of a system. See [8114]wizard.

Node:lose, Next:[8115]lose lose, Previous:[8116]lord high fixer, Up:[8117]= L =

lose vi.

1. [very common] To fail. A program loses when it encounters an exceptional condition or fails to work in the expected manner. 2. To be exceptionally unesthetic or crocky. 3. Of people, to be obnoxious or unusually stupid (as opposed to ignorant). See also [8118]deserves to lose. 4. n. Refers to something that is [8119]losing, especially in the phrases "That's a lose!" and "What a lose!"

Node:lose lose, Next:[8120]loser, Previous:[8121]lose, Up:[8122]= L =

lose lose interj.

A reply to or comment on an undesirable situation. "I accidentally deleted all my files!" "Lose, lose."

Node:loser, Next:[8123]losing, Previous:[8124]lose lose, Up:[8125]= L =

loser n.

An unexpectedly bad situation, program, programmer, or person. Someone who habitually loses. (Even winners can lose occasionally.) Someone who knows not and knows not that he knows not. Emphatic forms are 'real loser', 'total loser', and 'complete loser' (but not ***'moby loser', which would be a contradiction in terms). See [8126]luser.

Node:losing, Next:[8127]loss, Previous:[8128]loser, Up:[8129]= L =

losing adj.

Said of anything that is or causes a [8130]lose or [8131]lossage. "The compiler is losing badly when I try to use templates."

Node:loss, Next:[8132]lossage, Previous:[8133]losing, Up:[8134]= L =

loss n.

Something (not a person) that loses; a situation in which something is losing. Emphatic forms include 'moby loss', and 'total loss', 'complete loss'. Common interjections are "What a loss!" and "What a moby loss!" Note that 'moby loss' is OK even though ***'moby loser' is not used; applied to an abstract noun, moby is simply a magnifier, whereas when applied to a person it implies substance and has positive connotations. Compare [8135]lossage.

Node:lossage, Next:[8136]lost in the noise, Previous:[8137]loss,

Up:[8138]= L =

lossage /los*ɹ/ n.

[very common] The result of a bug or malfunction. This is a mass or collective noun. "What a loss!" and "What lossage!" are nearly synonymous. The former is slightly more particular to the speaker's present circumstances; the latter implies a continuing [8139]lose of which the speaker is currently a victim. Thus (for example) a temporary hardware failure is a loss, but bugs in an important tool (like a compiler) are serious lossage.

Node:lost in the noise, Next:[8140]lost in the underflow,
Previous:[8141]lossage, Up:[8142]= L =

lost in the noise adj.

Syn. [8143]lost in the underflow. This term is from signal processing, where signals of very small amplitude cannot be separated from low-intensity noise in the system. Though popular among hackers, it is not confined to hackerdom; physicists, engineers, astronomers, and statisticians all use it.

Node:lost in the underflow, Next:[8144]lots of MIPS but no I/O,
Previous:[8145]lost in the noise, Up:[8146]= L =

lost in the underflow adj.

Too small to be worth considering; more specifically, small beyond the limits of accuracy or measurement. This is a reference to 'floating underflow', a condition that can occur when a floating-point arithmetic processor tries to handle quantities smaller than its limit of magnitude. It is also a pun on 'undertow' (a kind of fast, cold current that sometimes runs just offshore and can be dangerous to swimmers). "Well, sure, photon pressure from the stadium lights alters the path of a thrown baseball, but that effect gets lost in the underflow." Compare [8147]epsilon, [8148]epsilon squared; see also [8149]overflow bit.

Node:lots of MIPS but no I/O, Next:[8150]low-bandwidth,
Previous:[8151]lost in the underflow, Up:[8152]= L =

lots of MIPS but no I/O adj.

Used to describe a person who is technically brilliant but can't seem to communicate with human beings effectively. Technically it describes a machine that has lots of processing power but is bottlenecked on input-output (in 1991, the IBM Rios, a.k.a. RS/6000, was a notorious example).

Node:low-bandwidth, Next:[8153]LPT, Previous:[8154]lots of MIPS but no I/O, Up:[8155]= L =

low-bandwidth adj.

[from communication theory] Used to indicate a talk that, although not [8156]content-free, was not terribly informative. "That was a low-bandwidth talk, but what can you expect for an audience of [8157]suits!" Compare [8158]zero-content, [8159]bandwidth, [8160]math-out.

Node:LPT, Next:[8161]Lubarsky's Law of Cybernetic Entomology, Previous:[8162]low-bandwidth, Up:[8163]= L =

LPT /L-P-T/ or /lip'it/ or /lip-it'/ n.

1. Line printer (originally Line Printing Terminal). Rare under Unix, more common among hackers who grew up with ITS, MS-DOS, CP/M and other operating systems that were strongly influenced by early [8164]DEC conventions. 2. Local PorT. Used among MS-DOS programmers (and so expanded in the MS-DOS 5 manual). It seems likely this is a [8165]backronym.

Node:Lubarsky's Law of Cybernetic Entomology, Next:[8166]Lumber Cartel, Previous:[8167]LPT, Up:[8168]= L =

Lubarsky's Law of Cybernetic Entomology prov.

"There is always one more bug."

Node:Lumber Cartel, Next:[8169]lunatic fringe, Previous:[8170]Lubarsky's Law of Cybernetic Entomology, Up:[8171]= L =

Lumber Cartel n.

A mythical conspiracy accused by [8172]spam-spewers of funding anti-spam activism in order to force the direct-mail promotions industry back onto paper. Hackers, predictably, responded by forming a "Lumber Cartel" spoofing this paranoid theory; the web page is [8173]<http://come.to/the.lumber.cartel>. Members often include the tag TINLC ("There Is No Lumber Cartel") in their postings; see [8174]TINC, [8175]backbone cabal and [8176]NANA for explanation.

Node:lunatic fringe, Next:[8177]lurker, Previous:[8178]Lumber Cartel, Up:[8179]= L =

lunatic fringe n.

[IBM] Customers who can be relied upon to accept release 1 versions of software. Compare [8180]heatseeker.

Node:lurker, Next:[8181]luser, Previous:[8182]lunatic fringe,
Up:[8183]= L =

lurker n.

One of the 'silent majority' in a electronic forum; one who posts occasionally or not at all but is known to read the group's postings regularly. This term is not pejorative and indeed is casually used reflexively: "Oh, I'm just lurking." Often used in 'the lurkers', the hypothetical audience for the group's [8184]flamage-emitting regulars. When a lurker speaks up for the first time, this is called 'delurking'.

The creator of the popular science-fiction TV series "Babylon 5" has ties to SF fandom and the hacker culture. In that series, the use of the term 'lurker' for a homeless or displaced person is a conscious reference to the jargon term.

Node:luser, Next:[8185]M, Previous:[8186]lurker, Up:[8187]= L =

luser /loo'zr/ n.

[common] A [8188]user; esp. one who is also a [8189]loser. ([8190]luser and [8191]loser are pronounced identically.) This word was coined around 1975 at MIT. Under ITS, when you first walked up to a terminal at MIT and typed Control-Z to get the computer's attention, it printed out some status information, including how many people were already using the computer; it might print "14 users", for example. Someone thought it would be a great joke to patch the system to print "14 losers" instead. There ensued a great controversy, as some of the users didn't particularly want to be called losers to their faces every time they used the computer. For a while several hackers struggled covertly, each changing the message behind the back of the others; any time you logged into the computer it was even money whether it would say "users" or "losers". Finally, someone tried the compromise "lusers", and it stuck. Later one of the ITS machines supported luser as a request-for-help command. ITS died the death in mid-1990, except as a museum piece; the usage lives on, however, and the term 'luser' is often seen in program comments and on Usenet. Compare [8192]mundane, [8193]muggle.

Node:= M =, Next:[8194]= N =, Previous:[8195]= L =, Up:[8196]The Jargon Lexicon

= M =

* [8197]M:

- * [8198]M\$:
- * [8199]macdink:
- * [8200]machinable:
- * [8201]machoflops:
- * [8202]Macintoy:
- * [8203]Macintrash:
- * [8204]macro:
- * [8205]macro-:
- * [8206]macrology:
- * [8207]macrotape:
- * [8208]maggotbox:
- * [8209]magic:
- * [8210]magic cookie:
- * [8211]magic number:
- * [8212]magic smoke:
- * [8213]mail storm:
- * [8214]mailbomb:
- * [8215]mailing list:
- * [8216]main loop:
- * [8217]mainframe:
- * [8218]management:
- * [8219]mandelbug:
- * [8220]manged:
- * [8221]mangle:
- * [8222]mangled name:
- * [8223]mangler:
- * [8224]manularity:
- * [8225]marbles:
- * [8226]marginal:
- * [8227]Marginal Hacks:
- * [8228]marginally:
- * [8229]marketroid:
- * [8230]Mars:
- * [8231]martian:
- * [8232]massage:
- * [8233]math-out:
- * [8234]Matrix:
- * [8235]maximum Maytag mode:
- * [8236]meatspace:
- * [8237]meatware:
- * [8238]meeces:
- * [8239]meg:
- * [8240]mega-:
- * [8241]megapenny:
- * [8242]MEGO:
- * [8243]meltdown network:
- * [8244]meme:
- * [8245]meme plague:
- * [8246]memetics:
- * [8247]memory farts:
- * [8248]memory leak:
- * [8249]memory smash:
- * [8250]menuitis:

- * [8251]mess-dos:
- * [8252]meta:
- * [8253]meta bit:
- * [8254]metasyntactic variable:
- * [8255]MFTL:
- * [8256]mickey:
- * [8257]mickey mouse program:
- * [8258]micro-:
- * [8259]MicroDroid:
- * [8260]microfloppies:
- * [8261]microfortnight:
- * [8262]microLenat:
- * [8263]microReid:
- * [8264]microserf:
- * [8265]Microsloth Windows:
- * [8266]Microsoft:
- * [8267]micros~1:
- * [8268]middle-endian:
- * [8269]middle-out implementation:
- * [8270]milliLampson:
- * [8271]minifloppies:
- * [8272]MIPS:
- * [8273]misbug:
- * [8274]misfeature:
- * [8275]Missed'em-five:
- * [8276]missile address:
- * [8277]miswart:
- * [8278]MMF:
- * [8279]mobo:
- * [8280]moby:
- * [8281]mockingbird:
- * [8282]mod:
- * [8283]mode:
- * [8284]mode bit:
- * [8285]modulo:
- * [8286]molly-guard:
- * [8287]Mongolian Hordes technique:
- * [8288]monkey up:
- * [8289]monkey scratch:
- * [8290]monstrosity:
- * [8291]monty:
- * [8292]Moof:
- * [8293]Moore's Law:
- * [8294]moose call:
- * [8295]moria:
- * [8296]MOTAS:
- * [8297]MOTOS:
- * [8298]MOTSS:
- * [8299]mouse ahead:
- * [8300]mouse around:
- * [8301]mouse belt:
- * [8302]mouse droppings:
- * [8303]mouse elbow:

- * [8304]mouso:
 - * [8305]MS-DOS:
 - * [8306]mu:
 - * [8307]MUD:
 - * [8308]muddie:
 - * [8309]mudhead:
 - * [8310]muggle:
 - * [8311]multician:
 - * [8312]Multics:
 - * [8313]multitask:
 - * [8314]mumblage:
 - * [8315]mumble:
 - * [8316]munch:
 - * [8317]munching:
 - * [8318]munching squares:
 - * [8319]munchkin:
 - * [8320]mundane:
 - * [8321]mung:
 - * [8322]munge:
 - * [8323]Murphy's Law:
 - * [8324]music:
 - * [8325]mutter:
-

Node:M, Next:[8326]M\$, Previous:[8327]luser, Up:[8328]= M =

M pref. (on units) suff. (on numbers)

[SI] See [8329]quantifiers.

Node:M\$, Next:[8330]macdink, Previous:[8331]M, Up:[8332]= M =

M\$

Common net abbreviation for Microsoft, everybody's least favorite monopoly.

Node:macdink, Next:[8333]machinable, Previous:[8334]M\$, Up:[8335]= M =

macdink /mak'dink/ vt.

[from the Apple Macintosh, which is said to encourage such behavior]
To make many incremental and unnecessary cosmetic changes to a program or file. Often the subject of the macdinking would be better off without them. "When I left at 11 P.M. last night, he was still macdinking the slides for his presentation." See also [8336]fritterware, [8337]window shopping.

Node:machinable, Next:[8338]machoflops, Previous:[8339]macdink, Up:[8340]= M =

machinable adj.

Machine-readable. Having the [8341]softcopy nature.

Node:machoflops, Next:[8342]Macintoy, Previous:[8343]machinable,
Up:[8344]= M =

machoflops /mach'oh-flops/ n.

[pun on 'megaflops', a coinage for 'millions of Floating-point Operations Per Second'] Refers to artificially inflated performance figures often quoted by computer manufacturers. Real applications are lucky to get half the quoted speed. See [8345]Your mileage may vary, [8346]benchmark.

Node:Macintoy, Next:[8347]Macintrash, Previous:[8348]machoflops,
Up:[8349]= M =

Macintoy /mak'in-toy/ n.

The Apple Macintosh, considered as a [8350]toy. Less pejorative than [8351]Macintrash.

Node:Macintrash, Next:[8352]macro, Previous:[8353]Macintoy, Up:[8354]=
M =

Macintrash /mak'in-trash'/ n.

The Apple Macintosh, as described by a hacker who doesn't appreciate being kept away from the real computer by the interface. The term [8355]maggotbox has been reported in regular use in the Research Triangle area of North Carolina. Compare [8356]Macintoy. See also [8357]beige toaster, [8358]WIMP environment, [8359]point-and-drool interface, [8360]drool-proof paper, [8361]user-friendly.

Node:macro, Next:[8362]macro-, Previous:[8363]Macintrash, Up:[8364]= M
=

macro /mak'roh/ n.

[techspeak] A name (possibly followed by a formal [8365]arg list) that is equated to a text or symbolic expression to which it is to be expanded (possibly with the substitution of actual arguments) by a macro expander. This definition can be found in any technical dictionary; what those won't tell you is how the hackish connotations of the term have changed over time.

The term 'macro' originated in early assemblers, which encouraged the

use of macros as a structuring and information-hiding device. During the early 1970s, macro assemblers became ubiquitous, and sometimes quite as powerful and expensive as [8366]HLLs, only to fall from favor as improving compiler technology marginalized assembler programming (see [8367]languages of choice). Nowadays the term is most often used in connection with the C preprocessor, LISP, or one of several special-purpose languages built around a macro-expansion facility (such as TeX or Unix's [nt]roff suite).

Indeed, the meaning has drifted enough that the collective 'macros' is now sometimes used for code in any special-purpose application control language (whether or not the language is actually translated by text expansion), and for macro-like entities such as the 'keyboard macros' supported in some text editors (and PC TSR or Macintosh INIT/CDEV keyboard enhancers).

Node:macro-, Next:[8368]macrology, Previous:[8369]macro, Up:[8370]= M =

macro- pref.

Large. Opposite of [8371]micro-. In the mainstream and among other technical cultures (for example, medical people) this competes with the prefix [8372]mega-, but hackers tend to restrict the latter to quantification.

Node:macrology, Next:[8373]macrotape, Previous:[8374]macro-, Up:[8375]= M =

macrology /mak-rol'-jee/ n.

1. Set of usually complex or cruffy macros, e.g., as part of a large system written in [8376]LISP, [8377]TECO, or (less commonly) assembler. 2. The art and science involved in comprehending a macrology in sense 1. Sometimes studying the macrology of a system is not unlike archeology, ecology, or [8378]theology, hence the sound-alike construction. See also [8379]boxology.

Node:macrotape, Next:[8380]maggotbox, Previous:[8381]macrology, Up:[8382]= M =

macrotape /mak'roh-tayp/ n.

An industry-standard reel of tape. Originally, as opposed to a DEC microtape; nowadays, as opposed to modern QIC and DDS tapes. Syn. [8383]round tape.

Node:maggotbox, Next:[8384]magic, Previous:[8385]macrotape, Up:[8386]= M =

maggotbox /mag**t-boks/ n.

See [8387]Macintrash. This is even more derogatory.

Node:magic, Next:[8388]magic cookie, Previous:[8389]maggotbox,
Up:[8390]= M =

magic

1. adj. As yet unexplained, or too complicated to explain; compare [8391]automagically and (Arthur C.) Clarke's Third Law: "Any sufficiently advanced technology is indistinguishable from magic." "TTY echoing is controlled by a large number of magic bits." "This routine magically computes the parity of an 8-bit byte in three instructions." 2. adj. Characteristic of something that works although no one really understands why (this is especially called [8392]black magic). 3. n. [Stanford] A feature not generally publicized that allows something otherwise impossible, or a feature formerly in that category but now unveiled. 4. n. The ultimate goal of all engineering & development, elegance in the extreme; from the first corollary to Clarke's Third Law: "Any technology distinguishable from magic is insufficiently advanced".

Parodies playing on these senses of the term abound; some have made their way into serious documentation, as when a MAGIC directive was described in the Control Card Reference for GCOS c.1978. For more about hackish 'magic', see [8393]Appendix A. Compare [8394]black magic, [8395]wizardly, [8396]deep magic, [8397]heavy wizardry.

Node:magic cookie, Next:[8398]magic number, Previous:[8399]magic,
Up:[8400]= M =

magic cookie n.

[Unix; common] 1. Something passed between routines or programs that enables the receiver to perform some operation; a capability ticket or opaque identifier. Especially used of small data objects that contain data encoded in a strange or intrinsically machine-dependent way. E.g., on non-Unix OSes with a non-byte-stream model of files, the result of ftell(3) may be a magic cookie rather than a byte offset; it can be passed to fseek(3), but not operated on in any meaningful way. The phrase 'it hands you a magic cookie' means it returns a result whose contents are not defined but which can be passed back to the same or some other program later. 2. An in-band code for changing graphic rendition (e.g., inverse video or underlining) or performing other control functions (see also [8401]cookie). Some older terminals would leave a blank on the screen corresponding to mode-change magic cookies; this was also called a [8402]glitch (or occasionally a 'turd'; compare [8403]mouse droppings). See also [8404]cookie.

Node:magic number, Next:[8405]magic smoke, Previous:[8406]magic cookie, Up:[8407]= M =

magic number n.

[Unix/C; common] 1. In source code, some non-obvious constant whose value is significant to the operation of a program and that is inserted inconspicuously in-line ([8408]hardcoded), rather than expanded in by a symbol set by a commented #define. Magic numbers in this sense are bad style. 2. A number that encodes critical information used in an algorithm in some opaque way. The classic examples of these are the numbers used in hash or CRC functions, or the coefficients in a linear congruential generator for pseudo-random numbers. This sense actually predates and was ancestral to the more commonsense 1. 3. Special data located at the beginning of a binary data file to indicate its type to a utility. Under Unix, the system and various applications programs (especially the linker) distinguish between types of executable file by looking for a magic number. Once upon a time, these magic numbers were PDP-11 branch instructions that skipped over header data to the start of executable code; 0407, for example, was octal for 'branch 16 bytes relative'. Many other kinds of files now have magic numbers somewhere; some magic numbers are, in fact, strings, like the !<arch> at the beginning of a Unix archive file or the %! leading PostScript files. Nowadays only a [8409]wizard knows the spells to create magic numbers. How do you choose a fresh magic number of your own? Simple -- you pick one at random. See? It's magic!

The magic number, on the other hand, is 7+/-2. See "The magical number seven, plus or minus two: some limits on our capacity for processing information" by George Miller, in the "Psychological Review" 63:81-97 (1956). This classic paper established the number of distinct items (such as numeric digits) that humans can hold in short-term memory. Among other things, this strongly influenced the interface design of the phone system.

Node:magic smoke, Next:[8410]mail storm, Previous:[8411]magic number, Up:[8412]= M =

magic smoke n.

A substance trapped inside IC packages that enables them to function (also called 'blue smoke'; this is similar to the archaic 'phlogiston' hypothesis about combustion). Its existence is demonstrated by what happens when a chip burns up -- the magic smoke gets let out, so it doesn't work any more. See [8413]smoke test, [8414]let the smoke out.

Usenetter Jay Maynard tells the following story: "Once, while hacking on a dedicated Z80 system, I was testing code by blowing EPROMs and plugging them in the system, then seeing what happened. One time, I plugged one in backwards. I only discovered that after I realized that

Intel didn't put power-on lights under the quartz windows on the tops of their EPROMs -- the die was glowing white-hot. Amazingly, the EPROM worked fine after I erased it, filled it full of zeros, then erased it again. For all I know, it's still in service. Of course, this is because the magic smoke didn't get let out." Compare the original phrasing of [8415]Murphy's Law.

Node:mail storm, Next:[8416]mailbomb, Previous:[8417]magic smoke, Up:[8418]= M =

mail storm n.

[from [8419]broadcast storm, influenced by 'maelstrom'] What often happens when a machine with an Internet connection and active users re-connects after extended downtime -- a flood of incoming mail that brings the machine to its knees. See also [8420]hairball.

Node:mailbomb, Next:[8421]mailing list, Previous:[8422]mail storm, Up:[8423]= M =

mailbomb

(also mail bomb) [Usenet] 1. v. To send, or urge others to send, massive amounts of [8424]email to a single system or person, esp. with intent to crash or [8425]spam the recipient's system. Sometimes done in retaliation for a perceived serious offense. Mailbombing is itself widely regarded as a serious offense -- it can disrupt email traffic or other facilities for innocent users on the victim's system, and in extreme cases, even at upstream sites. 2. n. An automatic procedure with a similar effect. 3. n. The mail sent. Compare [8426]letterbomb, [8427]nastygram, [8428]BLOB (sense 2), [8429]list-bomb.

Node:mailing list, Next:[8430]main loop, Previous:[8431]mailbomb, Up:[8432]= M =

mailing list n.

(often shortened in context to 'list') 1. An [8433]email address that is an alias (or [8434]macro, though that word is never used in this connection) for many other email addresses. Some mailing lists are simple 'reflectors', redirecting mail sent to them to the list of recipients. Others are filtered by humans or programs of varying degrees of sophistication; lists filtered by humans are said to be 'moderated'. 2. The people who receive your email when you send it to such an address.

Mailing lists are one of the primary forms of hacker interaction, along with [8435]Usenet. They predate Usenet, having originated with the first UUCP and ARPANET connections. They are often used for private information-sharing on topics that would be too specialized

for or inappropriate to public Usenet groups. Though some of these maintain almost purely technical content (such as the Internet Engineering Task Force mailing list), others (like the 'sf-lovers' list maintained for many years by Saul Jaffe) are recreational, and many are purely social. Perhaps the most infamous of the social lists was the eccentric bandykin distribution; its latter-day progeny, lectroids and tanstaaf!, still include a number of the oddest and most interesting people in hackerdom.

Mailing lists are easy to create and (unlike Usenet) don't tie up a significant amount of machine resources (until they get very large, at which point they can become interesting torture tests for mail software). Thus, they are often created temporarily by working groups, the members of which can then collaborate on a project without ever needing to meet face-to-face. Much of the material in this lexicon was criticized and polished on just such a mailing list (called 'jargon-friends'), which included all the co-authors of Steele-1983.

Node:main loop, Next:[8436]mainframe, Previous:[8437]mailing list, Up:[8438]= M =

main loop n.

The top-level control flow construct in an input- or event-driven program, the one which receives and acts or dispatches on the program's input. See also [8439]driver.

Node:mainframe, Next:[8440]management, Previous:[8441]main loop, Up:[8442]= M =

mainframe n.

Term originally referring to the cabinet containing the central processor unit or 'main frame' of a room-filling [8443]Stone Age batch machine. After the emergence of smaller 'minicomputer' designs in the early 1970s, the traditional [8444]big iron machines were described as 'mainframe computers' and eventually just as mainframes. The term carries the connotation of a machine designed for batch rather than interactive use, though possibly with an interactive timesharing operating system retrofitted onto it; it is especially used of machines built by IBM, Unisys, and the other great [8445]dinosaurs surviving from computing's [8446]Stone Age.

It has been common wisdom among hackers since the late 1980s that the mainframe architectural tradition is essentially dead (outside of the tiny market for [8447]number-crunching supercomputers (see [8448]cray)), having been swamped by the recent huge advances in IC technology and low-cost personal computing. The wave of failures, takeovers, and mergers among traditional mainframe makers in the early 1990s bore this out. The biggest mainframer of all, IBM, was compelled to re-invent itself as a huge systems-consulting house. (See

[8449]dinosaurs mating and [8450]killer micro).

Node:management, Next:[8451]mandelbug, Previous:[8452]mainframe,
Up:[8453]= M =

management n.

1. Corporate power elites distinguished primarily by their distance from actual productive work and their chronic failure to manage (see also [8454]suit). Spoken derisively, as in "Management decided that ...". 2. Mythically, a vast bureaucracy responsible for all the world's minor irritations. Hackers' satirical public notices are often signed 'The Mgt'; this derives from the "Illuminatus" novels (see the [8455]Bibliography in Appendix C).

Node:mandelbug, Next:[8456]manged, Previous:[8457]management,
Up:[8458]= M =

mandelbug /man'del-buhg/ n.

[from the Mandelbrot set] A bug whose underlying causes are so complex and obscure as to make its behavior appear chaotic or even non-deterministic. This term implies that the speaker thinks it is a [8459]Bohr bug, rather than a [8460]heisenbug. See also [8461]schroedinbug.

Node:manged, Next:[8462]mangle, Previous:[8463]mandelbug, Up:[8464]= M =

manged /mahnjɔd/ n.

[probably from the French 'manger' or Italian 'mangiare', to eat; perhaps influenced by English 'mange', 'mangy'] adj. Refers to anything that is mangled or damaged, usually beyond repair. "The disk was manged after the electrical storm." Compare [8465]mung.

Node:mangle, Next:[8466]mangled name, Previous:[8467]manged,
Up:[8468]= M =

mangle vt.

1. Used similarly to [8469]mung or [8470]scribble, but more violent in its connotations; something that is mangled has been irreversibly and totally trashed. 2. To produce the [8471]mangled name corresponding to a C++ declaration.

Node:mangled name, Next:[8472]mangler, Previous:[8473]mangle,
Up:[8474]= M =

mangled name n.

A name, appearing in a C++ object file, that is a coded representation of the object declaration as it appears in the source. Mangled names are used because C++ allows multiple objects to have the same name, as long as they are distinguishable in some other way, such as by having different parameter types. Thus, the internal name must have that additional information embedded in it, using the limited character set allowed by most linkers. For instance, one popular compiler encodes the standard library function declaration "memchr(const void*,int,unsigned int)" as "@memchr\$qpXviui".

Node:mangler, Next:[8475]manularity, Previous:[8476]mangled name, Up:[8477]= M =

mangler n.

[DEC] A manager. Compare [8478]management. Note that [8479]system mangler is somewhat different in connotation.

Node:manularity, Next:[8480]marbles, Previous:[8481]mangler, Up:[8482]= M =

manularity /man'yoo-la'ri-tee/ n.

[prob. fr. techspeak 'manual' + 'granularity'] A notional measure of the manual labor required for some task, particularly one of the sort that automation is supposed to eliminate. "Composing English on paper has much higher manularity than using a text editor, especially in the revising stage." Hackers tend to consider manularity a symptom of primitive methods; in fact, a true hacker confronted with an apparent requirement to do a computing task [8483]by hand will inevitably seize the opportunity to build another tool (see [8484]toolsmith).

Node:marbles, Next:[8485]marginal, Previous:[8486]manularity, Up:[8487]= M =

marbles pl.n.

[from mainstream "lost all his/her marbles"] The minimum needed to build your way further up some hierarchy of tools or abstractions. After a bad system crash, you need to determine if the machine has enough marbles to come up on its own, or enough marbles to allow a rebuild from backups, or if you need to rebuild from scratch. "This compiler doesn't even have enough marbles to compile [8488]hello world."

Node:marginal, Next:[8489]Marginal Hacks, Previous:[8490]marbles,

Up:[8491]= M =

marginal adj.

[common] 1. [techspeak] An extremely small change. "A marginal increase in [8492]core can decrease [8493]GC time drastically." In everyday terms, this means that it is a lot easier to clean off your desk if you have a spare place to put some of the junk while you sort through it. 2. Of little merit. "This proposed new feature seems rather marginal to me." 3. Of extremely small probability of [8494]winning. "The power supply was rather marginal anyway; no wonder it fried."

Node:Marginal Hacks, Next:[8495]marginally, Previous:[8496]marginal, Up:[8497]= M =

Marginal Hacks n.

Margaret Jacks Hall, a building into which the Stanford AI Lab was moved near the beginning of the 1980s (from the [8498]D. C. Power Lab).

Node:marginally, Next:[8499]marketroid, Previous:[8500]Marginal Hacks, Up:[8501]= M =

marginally adv.

Slightly. "The ravs here are only marginally better than at Small Eating Place." See [8502]epsilon.

Node:marketroid, Next:[8503]Mars, Previous:[8504]marginally, Up:[8505]= M =

marketroid /mar'k*-troyd/ n.

alt. 'marketing slime', 'marketeer', 'marketing droid', 'marketdroid'.
A member of a company's marketing department, esp. one who promises users that the next version of a product will have features that are not actually scheduled for inclusion, are extremely difficult to implement, and/or are in violation of the laws of physics; and/or one who describes existing features (and misfeatures) in ebullient, buzzword-laden adspeak. Derogatory. Compare [8506]droid.

Node:Mars, Next:[8507]martian, Previous:[8508]marketroid, Up:[8509]= M =

Mars n.

A legendary tragic failure, the archetypal Hacker Dream Gone Wrong.

Mars was the code name for a family of PDP-10 compatible computers built by Systems Concepts (now, The SC Group): the multi-processor SC-30M, the small uniprocessor SC-25M, and the never-built superprocessor SC-40M. These machines were marvels of engineering design; although not much slower than the unique [8510]Foonly F-1, they were physically smaller and consumed less power than the much slower [8511]DEC KS10 or Foonly F-2, F-3, or F-4 machines. They were also completely compatible with the DEC KL10, and ran all KL10 binaries (including the operating system) with no modifications at about 2-3 times faster than a KL10.

When DEC cancelled the Jupiter project in 1983, Systems Concepts should have made a bundle selling their machine into shops with a lot of software investment in PDP-10s, and in fact their spring 1984 announcement generated a great deal of excitement in the PDP-10 world. TOPS-10 was running on the Mars by the summer of 1984, and TOPS-20 by early fall. Unfortunately, the hackers running Systems Concepts were much better at designing machines than at mass producing or selling them; the company allowed itself to be sidetracked by a bout of perfectionism into continually improving the design, and lost credibility as delivery dates continued to slip. They also overpriced the product ridiculously; they believed they were competing with the KL10 and VAX 8600 and failed to reckon with the likes of Sun Microsystems and other hungry startups building workstations with power comparable to the KL10 at a fraction of the price. By the time SC shipped the first SC-30M to Stanford in late 1985, most customers had already made the traumatic decision to abandon the PDP-10, usually for VMS or Unix boxes. Most of the Mars computers built ended up being purchased by CompuServe.

This tale and the related saga of [8512]Foonly hold a lesson for hackers: if you want to play in the [8513]Real World, you need to learn Real World moves.

Node:martian, Next:[8514]massage, Previous:[8515]Mars, Up:[8516]= M =

martian n.

A packet sent on a TCP/IP network with a source address of the test loopback interface [127.0.0.1]. This means that it will come back labeled with a source address that is clearly not of this earth. "The domain server is getting lots of packets from Mars. Does that gateway have a martian filter?" Compare [8517]Christmas tree packet, [8518]Godzillagram.

Node:massage, Next:[8519]math-out, Previous:[8520]martian, Up:[8521]= M =

massage vt.

[common] Vague term used to describe 'smooth' transformations of a

data set into a different form, esp. transformations that do not lose information. Connotes less pain than [8522]munch or [8523]crunch. "He wrote a program that massages X bitmap files into GIF format." Compare [8524]slurp.

Node:math-out, Next:[8525]Matrix, Previous:[8526]massage, Up:[8527]= M =

math-out n.

[poss. from 'white-out' (the blizzard variety)] A paper or presentation so encrusted with mathematical or other formal notation as to be incomprehensible. This may be a device for concealing the fact that it is actually [8528]content-free. See also [8529]numbers, [8530]social science number.

Node:Matrix, Next:[8531]maximum Maytag mode, Previous:[8532]math-out, Up:[8533]= M =

Matrix n.

[FidoNet] 1. What the Opus BBS software and sysops call [8534]FidoNet. 2. Fanciful term for a [8535]cyberspace expected to emerge from current networking experiments (see [8536]the network). The name of the rather good 1999 [8537]cypherpunk movie "The Matrix" played on this sense, which however had been established for years before. 3. The totality of present-day computer networks (popularized in this sense by John Quarterman; rare outside academic literature).

Node:maximum Maytag mode, Next:[8538]meatspace, Previous:[8539]Matrix, Up:[8540]= M =

maximum Maytag mode n.

What a [8541]washing machine or, by extension, any disk drive is in when it's being used so heavily that it's shaking like an old Maytag with an unbalanced load. If prolonged for any length of time, can lead to disks becoming [8542]walking drives. In 1999 it's been some years since hard disks were large enough to do this, but the same phenomenon has recently been reported with 24X CD-ROM drives.

Node:meatspace, Next:[8543]meatware, Previous:[8544]maximum Maytag mode, Up:[8545]= M =

meatspace /meet'spays/ n.

The physical world, where the meat lives - as opposed to [8546]cyberspace. Hackers are actually more willing to use this term than 'cyberspace', because it's not speculative - we already have a

running meatspace implementation (the universe). Compare [8547]RL.

Node:meatware, Next:[8548]meeces, Previous:[8549]meatspace, Up:[8550]= M =

meatware n.

Synonym for [8551]wetware. Less common.

Node:meeces, Next:[8552]meg, Previous:[8553]meatware, Up:[8554]= M =

meeces /mees'z/ n.

[TMRC] Occasional furry visitors who are not [8555]urchins. [That is, mice. This may no longer be in live use; it clearly derives from the refrain of the early-1960s cartoon character Mr. Jinx: "I hate meeces to pieces!" -- ESR]

Node:meg, Next:[8556]mega-, Previous:[8557]meeces, Up:[8558]= M =

meg /meg/ n.

See [8559]quantifiers.

Node:mega-, Next:[8560]megapenny, Previous:[8561]meg, Up:[8562]= M =

mega- /me'g*/ pref.

[SI] See [8563]quantifiers.

Node:megapenny, Next:[8564]MEGO, Previous:[8565]mega-, Up:[8566]= M =

megapenny /meg'*-pen'ee/ n.

\$10,000 (1 cent * 10⁶). Used semi-humorously as a unit in comparing computer cost and performance figures.

Node:MEGO, Next:[8567]meltdown network, Previous:[8568]megapenny, Up:[8569]= M =

MEGO /me'goh/ or /mee'goh/

['My Eyes Glaze Over', often 'Mine Eyes Glazeth (sic) Over', attributed to the futurologist Herman Kahn] Also 'MEGO factor'. 1. n. A [8570]handwave intended to confuse the listener and hopefully induce agreement because the listener does not want to admit to not understanding what is going on. MEGO is usually directed at senior

management by engineers and contains a high proportion of [8571]TLAs.
2. excl. An appropriate response to MEGO tactics. 3. Among non-hackers, often refers not to behavior that causes the eyes to glaze, but to the eye-glazing reaction itself, which may be triggered by the mere threat of technical detail as effectively as by an actual excess of it.

Node:meltdown network, Next:[8572]meme, Previous:[8573]MEGO, Up:[8574]= M =

meltdown, network n.

See [8575]network meltdown.

Node:meme, Next:[8576]meme plague, Previous:[8577]meltdown network, Up:[8578]= M =

meme /meem/ n.

[coined by analogy with 'gene', by Richard Dawkins] An idea considered as a [8579]replicator, esp. with the connotation that memes parasitize people into propagating them much as viruses do. Used esp. in the phrase 'meme complex' denoting a group of mutually supporting memes that form an organized belief system, such as a religion. This lexicon is an (epidemiological) vector of the 'hacker subculture' meme complex; each entry might be considered a meme. However, 'meme' is often misused to mean 'meme complex'. Use of the term connotes acceptance of the idea that in humans (and presumably other tool- and language-using sophonts) cultural evolution by selection of adaptive ideas has superseded biological evolution by selection of hereditary traits. Hackers find this idea congenial for tolerably obvious reasons.

Node:meme plague, Next:[8580]memetics, Previous:[8581]meme, Up:[8582]= M =

meme plague n.

The spread of a successful but pernicious [8583]meme, esp. one that parasitizes the victims into giving their all to propagate it. Astrology, BASIC, and the other guy's religion are often considered to be examples. This usage is given point by the historical fact that 'joiner' ideologies like Naziism or various forms of millennialian Christianity have exhibited plague-like cycles of exponential growth followed by collapses to small reservoir populations.

Node:memetics, Next:[8584]memory farts, Previous:[8585]meme plague, Up:[8586]= M =

memetics /me-met'iks/ n.

[from [8587]meme] The study of memes. As of early 1999, this is still an extremely informal and speculative endeavor, though the first steps towards at least statistical rigor have been made by H. Keith Henson and others. Memetics is a popular topic for speculation among hackers, who like to see themselves as the architects of the new information ecologies in which memes live and replicate.

Node:memory farts, Next:[8588]memory leak, Previous:[8589]memetics, Up:[8590]= M =

memory farts n.

The flatulent sounds that some DOS box BIOSes (most notably AMI's) make when checking memory on bootup.

Node:memory leak, Next:[8591]memory smash, Previous:[8592]memory farts, Up:[8593]= M =

memory leak n.

An error in a program's dynamic-store allocation logic that causes it to fail to reclaim discarded memory, leading to eventual collapse due to memory exhaustion. Also (esp. at CMU) called [8594]core leak. These problems were severe on older machines with small, fixed-size address spaces, and special "leak detection" tools were commonly written to root them out. With the advent of virtual memory, it is unfortunately easier to be sloppy about wasting a bit of memory (although when you run out of memory on a VM machine, it means you've got a real leak!). See [8595]aliasing bug, [8596]fandango on core, [8597]smash the stack, [8598]precedence lossage, [8599]overrun screw, [8600]leaky heap, [8601]leak.

Node:memory smash, Next:[8602]menutitis, Previous:[8603]memory leak, Up:[8604]= M =

memory smash n.

[XEROX PARC] Writing through a pointer that doesn't point to what you think it does. This occasionally reduces your machine to a rubble of bits. Note that this is subtly different from (and more general than) related terms such as a [8605]memory leak or [8606]fandango on core because it doesn't imply an allocation error or overrun condition.

Node:menutitis, Next:[8607]mess-dos, Previous:[8608]memory smash, Up:[8609]= M =

menutitis /men'yoo-i:'tis/ n.

Notional disease suffered by software with an obsessively simple-minded menu interface and no escape. Hackers find this intensely irritating and much prefer the flexibility of command-line or language-style interfaces, especially those customizable via macros or a special-purpose language in which one can encode useful hacks. See [8610]user-obsequious, [8611]drool-proof paper, [8612]WIMP environment, [8613]for the rest of us.

Node:mess-dos, Next:[8614]meta, Previous:[8615]menuitis, Up:[8616]= M =

mess-dos /mes-dos/ n.

[semi-obsolescent now that DOS is] Derisory term for MS-DOS. Often followed by the ritual banishing "Just say No!" See [8617]MS-DOS. Most hackers (even many MS-DOS hackers) loathed MS-DOS for its single-tasking nature, its limits on application size, its nasty primitive interface, and its ties to IBMness and Microsoftness (see [8618]fear and loathing). Also 'mess-loss', 'messy-dos', 'mess-dog', 'mess-dross', 'mush-dos', and various combinations thereof. In Ireland and the U.K. it is even sometimes called 'Domestos' after a brand of toilet cleanser.

Node:meta, Next:[8619]meta bit, Previous:[8620]mess-dos, Up:[8621]= M =

meta /me't*/ or /may't*/ or (Commonwealth) /mee't*/ adj.,pref.

[from analytic philosophy] One level of description up. A metasyntactic variable is a variable in notation used to describe syntax, and meta-language is language used to describe language. This is difficult to explain briefly, but much hacker humor turns on deliberate confusion between meta-levels. See [8622]hacker humor.

Node:meta bit, Next:[8623]metasyntactic variable, Previous:[8624]meta, Up:[8625]= M =

meta bit n.

The top bit of an 8-bit character, which is on in character values 128-255. Also called [8626]high bit, [8627]alt bit, or (rarely) [8628]hobbit. Some terminals and consoles (see [8629]space-cadet keyboard) have a META shift key. Others (including, mirabile dictu, keyboards on IBM PC-class machines) have an ALT key. See also [8630]bucky bits.

Historical note: although in modern usage shaped by a universe of 8-bit bytes the meta bit is invariably hex 80 (octal 0200), things were different on earlier machines with 36-bit words and 9-bit bytes.

The MIT and Stanford keyboards (see [8631]space-cadet keyboard) generated hex 100 (octal 400) from their meta keys.

Node:metasyntactic variable, Next:[8632]MFTL, Previous:[8633]meta bit, Up:[8634]= M =

metasyntactic variable n.

A name used in examples and understood to stand for whatever thing is under discussion, or any random member of a class of things under discussion. The word [8635]foo is the [8636]canonical example. To avoid confusion, hackers never (well, hardly ever) use 'foo' or other words like it as permanent names for anything. In filenames, a common convention is that any filename beginning with a metasyntactic-variable name is a [8637]scratch file that may be deleted at any time.

Metasyntactic variables are so called because (1) they are variables in the metalanguage used to talk about programs etc; (2) they are variables whose values are often variables (as in usages usages like "the value of f(foo,bar) is the sum of foo and bar"). However, it has been plausibly suggested that the real reason for the term "metasyntactic variable" is that it sounds good.

To some extent, the list of one's preferred metasyntactic variables is a cultural signature. They occur both in series (used for related groups of variables or objects) and as singletons. Here are a few common signatures:

[8638]foo, [8639]bar, [8640]baz, [8641]quux, quuux, quuuux...:

MIT/Stanford usage, now found everywhere (thanks largely to early versions of this lexicon!). At MIT (but not at Stanford), [8642]baz dropped out of use for a while in the 1970s and '80s. A common recent mutation of this sequence inserts [8643]qux before [8644]quux.

bazola, ztesch:

Stanford (from mid-'70s on).

[8645]foo, [8646]bar, thud, grunt:

This series was popular at CMU. Other CMU-associated variables include [8647]gorp.

[8648]foo, [8649]bar, fum:

This series is reported to be common at XEROX PARC.

[8650]fred, jim, sheila, [8651]barney:

See the entry for [8652]fred. These tend to be Britishisms.

[8653]corge, [8654]grault, [8655]flarp:

Popular at Rutgers University and among [8656]GOSMACS hackers.

zxc, spqr, wombat:

Cambridge University (England).

shme

Berkeley, GeoWorks, Ingres. Pronounced /shme/ with a short /e/.

foo, bar, baz, bongo

Yale, late 1970s.

spam

[8657]Python programmers.

snork

Brown University, early 1970s.

[8658]foo, [8659]bar, zot

Helsinki University of Technology, Finland.

blarg, wibble

New Zealand.

toto, titi, tata, tutu

France.

pippo, pluto, paperino

Italy. Pippo /pee'po/ and Paperino /pa-per-ee'-no/ are the Italian names for Goofy and Donald Duck.

aap, noot, mies

The Netherlands. These are the first words a child used to learn to spell on a Dutch spelling board.

oogle, foogle, boogle; zork, gork, bork

These two series (which may be continued with other initial consonents) are reportedly common in England, and said to go back to Lewis Carroll.

Of all these, only 'foo' and 'bar' are universal (and [8660]baz nearly so). The compounds [8661]foobar and 'foobaz' also enjoy very wide currency.

Some jargon terms are also used as metasyntactic names; [8662]barf and [8663]mumble, for example. See also [8664]Commonwealth Hackish for discussion of numerous metasyntactic variables found in Great Britain and the Commonwealth.

Node:MFTL, Next:[8665]mickey, Previous:[8666]metasyntactic variable, Up:[8667]= M =

MFTL /M-F-T-L/

[abbreviation: 'My Favorite Toy Language'] 1. adj. Describes a talk on

a programming language design that is heavy on the syntax (with lots of BNF), sometimes even talks about semantics (e.g., type systems), but rarely, if ever, has any content (see [8668]content-free). More broadly applied to talks -- even when the topic is not a programming language -- in which the subject matter is gone into in unnecessary and meticulous detail at the sacrifice of any conceptual content.

"Well, it was a typical MFTL talk". 2. n. Describes a language about which the developers are passionate (often to the point of proselytic zeal) but no one else cares about. Applied to the language by those outside the originating group. "He cornered me about type resolution in his MFTL."

The first great goal in the mind of the designer of an MFTL is usually to write a compiler for it, then bootstrap the design away from contamination by lesser languages by writing a compiler for it in itself. Thus, the standard put-down question at an MFTL talk is "Has it been used for anything besides its own compiler?" On the other hand, a (compiled) language that cannot even be used to write its own compiler is beneath contempt. (The qualification has become necessary because of the increasing popularity of interpreted languages like [8669]Perl and [8670]Python. See [8671]break-even point.

(On a related note, Doug McIlroy once proposed a test of the generality and utility of a language and the operating system under which it is compiled: "Is the output of a FORTRAN program acceptable as input to the FORTRAN compiler?" In other words, can you write programs that write programs? (See [8672]toolsmith.) Alarming numbers of (language, OS) pairs fail this test, particularly when the language is FORTRAN; aficionados are quick to point out that [8673]Unix (even using FORTRAN) passes it handily. That the test could ever be failed is only surprising to those who have had the good fortune to have worked only under modern systems which lack OS-supported and -imposed "file types".)

Node:mickey, Next:[8674]mickey mouse program, Previous:[8675]MFTL, Up:[8676]= M =

mickey n.

The resolution unit of mouse movement. It has been suggested that the 'disney' will become a benchmark unit for animation graphics performance.

Node:mickey mouse program, Next:[8677]micro-, Previous:[8678]mickey, Up:[8679]= M =

mickey mouse program n.

North American equivalent of a [8680]nobby (that is, trivial) program. Doesn't necessarily have the belittling connotations of mainstream slang "Oh, that's just mickey mouse stuff!"; sometimes trivial

programs can be very useful.

Node:micro-, Next:[8681]MicroDroid, Previous:[8682]mickey mouse program, Up:[8683]= M =

micro- pref.

1. Very small; this is the root of its use as a quantifier prefix. 2. A quantifier prefix, calling for multiplication by 10^{-6} (see [8684]quantifiers). Neither of these uses is peculiar to hackers, but hackers tend to fling them both around rather more freely than is countenanced in standard English. It is recorded, for example, that one CS professor used to characterize the standard length of his lectures as a microcentury -- that is, about 52.6 minutes (see also [8685]attoparsec, [8686]nanoacre, and especially [8687]microfortnight). 3. Personal or human-scale -- that is, capable of being maintained or comprehended or manipulated by one human being. This sense is generalized from 'microcomputer', and is esp. used in contrast with 'macro-' (the corresponding Greek prefix meaning 'large'). 4. Local as opposed to global (or [8688]macro-). Thus a hacker might say that buying a smaller car to reduce pollution only solves a microproblem; the macroproblem of getting to work might be better solved by using mass transit, moving to within walking distance, or (best of all) telecommuting.

Node:MicroDroid, Next:[8689]microfloppies, Previous:[8690]micro-, Up:[8691]= M =

MicroDroid n.

[Usenet] A Microsoft employee, esp. one who posts to various operating-system advocacy newsgroups. MicroDroids post follow-ups to any messages critical of Microsoft's operating systems, and often end up sounding like visiting fundamentalist missionaries. See also [8692]astrourfing; compare [8693]microserf.

Node:microfloppies, Next:[8694]microfortnight, Previous:[8695]MicroDroid, Up:[8696]= M =

microfloppies n.

3.5-inch floppies, as opposed to 5.25-inch [8697]vanilla or mini-floppies and the now-obsolete 8-inch variety. This term may be headed for obsolescence as 5.25-inchers pass out of use, only to be revived if anybody floats a sub-3-inch floppy standard. See [8698]stiffy, [8699]minifloppies.

Node:microfortnight, Next:[8700]microLenat, Previous:[8701]microfloppies, Up:[8702]= M =

microfortnight n.

1/1000000 of the fundamental unit of time in the Furlong/Firkin/Fortnight system of measurement; 1.2096 sec. (A furlong is 1/8th of a mile; a firkin is 1/4th of a barrel; the mass unit of the system is taken to be a firkin of water). The VMS operating system has a lot of tuning parameters that you can set with the SYSGEN utility, and one of these is TIMEPROMPTWAIT, the time the system will wait for an operator to set the correct date and time at boot if it realizes that the current value is bogus. This time is specified in microfortnights!

Multiple uses of the millifortnight (about 20 minutes) and [8703]nanofortnight have also been reported.

Node: microLenat, Next:[8704]microReid, Previous:[8705]microfortnight, Up:[8706]= M =

microLenat /mi:'-kroh-len'-'*t/ n.

The unit of [8707]bogosity. consensus is that this is the largest unit practical for everyday use. The microLenat, originally invented by David Jefferson, was promulgated as an attack against noted computer scientist Doug Lenat by a [8708]tenured graduate student at CMU. Doug had failed the student on an important exam because the student gave only "AI is bogus" as his answer to the questions. The slur is generally considered unmerited, but it has become a running gag nevertheless. Some of Doug's friends argue that of course a microLenat is bogus, since it is only one millionth of a Lenat. Others have suggested that the unit should be redesignated after the grad student, as the microReid.

Node: microReid, Next:[8709]microserf, Previous:[8710]microLenat, Up:[8711]= M =

microReid /mi:'kroh-reed/ n.

See [8712]microLenat.

Node: microserf, Next:[8713]Microsloth Windows, Previous:[8714]microReid, Up:[8715]= M =

microserf /mi:'kro-s*rf/

[popularized, though not originated, by Douglas Copeland's book "Microserfs"] A programmer at [8716]Microsoft, especially a low-level coder with little chance of fame or fortune. Compare [8717]MicroDroid.

Node:Microslth Windows, Next:[8718]Microsoft,
Previous:[8719]microserf, Up:[8720]= M =

Microslth Windows /mi:'kroh-sloth' win'dohz/ n.

(Variants combine {Microshift, Macroshaft, Microsuck} with {Windoze, WinDOS}. Hackerism(s) for 'Microsoft Windows'. A thirty-two bit extension and graphical shell to a sixteen bit patch to an eight bit operating system originally coded for a four bit microprocessor which was written by a two-bit company that can't stand one bit of competition. Also just called 'Windoze', with the implication that you can fall asleep waiting for it to do anything; the latter term is extremely common on Usenet. See [8721]Black Screen of Death and [8722]Blue Screen of Death; compare [8723]X, [8724]sun-stools.

Node:Microsoft, Next:[8725]micros~1, Previous:[8726]Microslth Windows, Up:[8727]= M =

Microsoft

The new [8728]Evil Empire (the old one was [8729]IBM). The basic complaints are, as formerly with IBM, that (a) their system designs are horrible botches, (b) we can't get [8730]source to fix them, and (c) they throw their weight around a lot. See also [8731]Halloween Documents.

Node:micros~1, Next:[8732]middle-endian, Previous:[8733]Microsoft, Up:[8734]= M =

micros~1

An abbreviation of the full name [8735]Microsoft resembling the rather [8736]bogus way Windows 9x's VFAT filesystem truncates long file names to fit in the MS-DOS 8+3 scheme (the real filename is stored elsewhere). If other files start with the same prefix, they'll be called micros~2 and so on, causing lots of problems with backups and other routine system-administration problems. During the US Antitrust trial against Microsoft the names Micros~1 and Micros~2 were suggested for the two companies that would exist after a break-up.

Node:middle-endian, Next:[8737]middle-out implementation, Previous:[8738]micros~1, Up:[8739]= M =

middle-endian adj.

Not [8740]big-endian or [8741]little-endian. Used of perverse byte orders such as 3-4-1-2 or 2-1-4-3, occasionally found in the packed-decimal formats of minicomputer manufacturers who shall remain nameless. See [8742]NUXI problem. Non-US hackers use this term to describe the American mm/dd/yy style of writing dates (Europeans write

little-endian dd/mm/yy, and Japanese use big-endian yy/mm/dd for Western dates).

Node:middle-out implementation, Next:[8743]milliLampson,
Previous:[8744]middle-endian, Up:[8745]= M =

middle-out implementation

See [8746]bottom-up implementation.

Node:milliLampson, Next:[8747]minifloppies, Previous:[8748]middle-out
implementation, Up:[8749]= M =

milliLampson /mil'*-lamp'sn/ n.

A unit of talking speed, abbreviated mL. Most people run about 200 milliLampsons. The eponymous Butler Lampson (a CS theorist and systems implementor highly regarded among hackers) goes at 1000. A few people speak faster. This unit is sometimes used to compare the (sometimes widely disparate) rates at which people can generate ideas and actually emit them in speech. For example, noted computer architect C. Gordon Bell (designer of the PDP-11) is said, with some awe, to think at about 1200 mL but only talk at about 300; he is frequently reduced to fragments of sentences as his mouth tries to keep up with his speeding brain.

Node:minifloppies, Next:[8750]MIPS, Previous:[8751]milliLampson,
Up:[8752]= M =

minifloppies n.,obs.

5.25-inch floppy disks, as opposed to 3.5-inch or [8753]microfloppies and the long-obsolescent 8-inch variety (if there is ever a smaller size, they will undoubtedly be tagged 'nanofloppies'). At one time, this term was a trademark of Shugart Associates for their SA-400 minifloppy drive. Nobody paid any attention. See [8754]stiffy.

Node:MIPS, Next:[8755]misbug, Previous:[8756]minifloppies, Up:[8757]=
M =

MIPS /mips/ n.

[abbreviation] 1. A measure of computing speed; formally, 'Million Instructions Per Second' (that's 10^6 per second, not $2^{(20)}$!); often rendered by hackers as 'Meaningless Indication of Processor Speed' or in other unflattering ways, such as 'Meaningless Information Provided by Salesmen'. This joke expresses an attitude nearly universal among hackers about the value of most [8758]benchmark claims, said attitude being one of the great cultural divides between hackers and

[8759]marketroids (see also [8760]BogoMIPS). The singular is sometimes '1 MIP' even though this is clearly etymologically wrong. See also [8761]KIPS and [8762]GIPS. 2. Computers, especially large computers, considered abstractly as sources of [8763]computrons. "This is just a workstation; the heavy MIPS are hidden in the basement." 3. The corporate name of a particular RISC-chip company; among other things, they designed the processor chips used in [8764]DEC's 3100 workstation series. 4. Acronym for 'Meaningless Information per Second' (a joke, prob. from sense 1).

Node:misbug, Next:[8765]misfeature, Previous:[8766]MIPS, Up:[8767]= M =

misbug /mis-buhg/ n.

[MIT; rare (like its referent)] An unintended property of a program that turns out to be useful; something that should have been a [8768]bug but turns out to be a [8769]feature. Compare [8770]green lightning. See [8771]miswart.

Node:misfeature, Next:[8772]Missed'em-five, Previous:[8773]misbug, Up:[8774]= M =

misfeature /mis-fee'chr/ or /mis'fee'chr/ n.

[common] A feature that eventually causes lossage, possibly because it is not adequate for a new situation that has evolved. Since it results from a deliberate and properly implemented feature, a misfeature is not a bug. Nor is it a simple unforeseen side effect; the term implies that the feature in question was carefully planned, but its long-term consequences were not accurately or adequately predicted (which is quite different from not having thought ahead at all). A misfeature can be a particularly stubborn problem to resolve, because fixing it usually involves a substantial philosophical change to the structure of the system involved.

Many misfeatures (especially in user-interface design) arise because the designers/implementors mistake their personal tastes for laws of nature. Often a former feature becomes a misfeature because trade-offs were made whose parameters subsequently change (possibly only in the judgment of the implementors). "Well, yeah, it is kind of a misfeature that file names are limited to six characters, but the original implementors wanted to save directory space and we're stuck with it for now."

Node:Missed'em-five, Next:[8775]missile address, Previous:[8776]misfeature, Up:[8777]= M =

Missed'em-five n.

Pejorative hackerism for AT&T System V Unix, generally used by [8778]BSD partisans in a bigoted mood. (The synonym 'SysVile' is also encountered.) See [8779]software bloat, [8780]Berzerkeley.

Node:missile address, Next:[8781]miswart,
Previous:[8782]Missed'em-five, Up:[8783]= M =

missile address n.

See [8784]ICBM address.

Node:miswart, Next:[8785]MMF, Previous:[8786]missile address,
Up:[8787]= M =

miswart /mis-wort/ n.

[from [8788]wart by analogy with [8789]misbug] A [8790]feature that superficially appears to be a [8791]wart but has been determined to be the [8792]Right Thing. For example, in some versions of the [8793]EMACS text editor, the 'transpose characters' command exchanges the character under the cursor with the one before it on the screen, except when the cursor is at the end of a line, in which case the two characters before the cursor are exchanged. While this behavior is perhaps surprising, and certainly inconsistent, it has been found through extensive experimentation to be what most users want. This feature is a miswart.

Node:MMF, Next:[8794]mobo, Previous:[8795]miswart, Up:[8796]= M =

MMF //

[Usenet; common] Abbreviation: "Make Money Fast". Refers to any kind of scheme which promises participants large profits with little or no risk or effort. Typically, it is a some kind of multi-level marketing operation which involves recruiting more members, or an illegal pyramid scam. The term is also used to refer to any kind of spam which promotes this. For more information, see the [8797]Make Money Fast Myth Page.

Node:mobo, Next:[8798]moby, Previous:[8799]MMF, Up:[8800]= M =

mobo /moh'bo/

Written and (rarely) spoken contraction of "motherboard"

Node:moby, Next:[8801]mockingbird, Previous:[8802]mobo, Up:[8803]= M =

moby /moh'bee/

[MIT: seems to have been in use among model railroad fans years ago. Derived from Melville's "Moby Dick" (some say from 'Moby Pickle'). Now common.] 1. adj. Large, immense, complex, impressive. "A Saturn V rocket is a truly moby frob." "Some MIT undergrads pulled off a moby hack at the Harvard-Yale game." (See [8804]Appendix A for discussion.) 2. n. obs. The maximum address space of a machine (see below). For a 680[234]0 or VAX or most modern 32-bit architectures, it is 4,294,967,296 8-bit bytes (4 gigabytes). 3. A title of address (never of third-person reference), usually used to show admiration, respect, and/or friendliness to a competent hacker. "Greetings, moby Dave. How's that address-book thing for the Mac going?" 4. adj. In backgammon, doubles on the dice, as in 'moby sixes', 'moby ones', etc. Compare this with [8805]bignum (sense 3): double sixes are both bignums and moby sixes, but moby ones are not bignums (the use of 'moby' to describe double ones is sarcastic). Standard emphatic forms: 'Moby foo', 'moby win', 'moby loss'. 'Foby moo': a spoonerism due to Richard Greenblatt. 5. The largest available unit of something which is available in discrete increments. Thus, ordering a "moby Coke" at the local fast-food joint is not just a request for a large Coke, it's an explicit request for the largest size they sell.

This term entered hackerdom with the Fabritek 256K memory added to the MIT AI PDP-6 machine, which was considered unimaginably huge when it was installed in the 1960s (at a time when a more typical memory size for a timesharing system was 72 kilobytes). Thus, a moby is classically 256K 36-bit words, the size of a PDP-6 or PDP-10 moby. Back when address registers were narrow the term was more generally useful, because when a computer had virtual memory mapping, it might actually have more physical memory attached to it than any one program could access directly. One could then say "This computer has 6 mobies" meaning that the ratio of physical memory to address space is 6, without having to say specifically how much memory there actually is. That in turn implied that the computer could timeshare six 'full-sized' programs without having to swap programs between memory and disk.

Nowadays the low cost of processor logic means that address spaces are usually larger than the most physical memory you can cram onto a machine, so most systems have much less than one theoretical 'native' moby of [8806]core. Also, more modern memory-management techniques (esp. paging) make the 'moby count' less significant. However, there is one series of widely-used chips for which the term could stand to be revived -- the Intel 8088 and 80286 with their incredibly [8807]brain-damaged segmented-memory designs. On these, a 'moby' would be the 1-megabyte address span of a segment/offset pair (by coincidence, a PDP-10 moby was exactly 1 megabyte of 9-bit bytes).

Node:mockingbird, Next:[8808]mod, Previous:[8809]moby, Up:[8810]= M =

mockingbird n.

Software that intercepts communications (especially login transactions) between users and hosts and provides system-like responses to the users while saving their responses (especially account IDs and passwords). A special case of [8811]Trojan horse.

Node:mod, Next:[8812]mode, Previous:[8813]mockingbird, Up:[8814]= M =

mod vt.,n.

[very common] 1. Short for 'modify' or 'modification'. Very commonly used -- in fact the full terms are considered markers that one is being formal. The plural 'mods' is used esp. with reference to bug fixes or minor design changes in hardware or software, most esp. with respect to [8815]patch sets or a [8816]diff. 2. Short for [8817]modulo but used only for its techspeak sense.

Node:mode, Next:[8818]mode bit, Previous:[8819]mod, Up:[8820]= M =

mode n.

[common] A general state, usually used with an adjective describing the state. Use of the word 'mode' rather than 'state' implies that the state is extended over time, and probably also that some activity characteristic of that state is being carried out. "No time to hack; I'm in thesis mode." In its jargon sense, 'mode' is most often attributed to people, though it is sometimes applied to programs and inanimate objects. In particular, see [8821]hack mode, [8822]day mode, [8823]night mode, [8824]demo mode, [8825]fireworks mode, and [8826]yo-yo mode; also [8827]talk mode.

One also often hears the verbs 'enable' and 'disable' used in connection with jargon modes. Thus, for example, a sillier way of saying "I'm going to crash" is "I'm going to enable crash mode now". One might also hear a request to "disable flame mode, please".

In a usage much closer to techspeak, a mode is a special state that certain user interfaces must pass into in order to perform certain functions. For example, in order to insert characters into a document in the Unix editor vi, one must type the "i" key, which invokes the "Insert" command. The effect of this command is to put vi into "insert mode", in which typing the "i" key has a quite different effect (to wit, it inserts an "i" into the document). One must then hit another special key, "ESC", in order to leave "insert mode". Nowadays, modeful interfaces are generally considered [8828]losing but survive in quite a few widely used tools built in less enlightened times.

Node:mode bit, Next:[8829]modulo, Previous:[8830]mode, Up:[8831]= M =

mode bit n.

[common] A [8832]flag, usually in hardware, that selects between two (usually quite different) modes of operation. The connotations are different from [8833]flag bit in that mode bits are mainly written during a boot or set-up phase, are seldom explicitly read, and seldom change over the lifetime of an ordinary program. The classic example was the EBCDIC-vs.-ASCII bit (#12) of the Program Status Word of the IBM 360.

Node:modulo, Next:[8834]molly-guard, Previous:[8835]mode bit, Up:[8836]= M =

modulo /mod'yu-loh/ prep.

Except for. An overgeneralization of mathematical terminology; one can consider saying that 4 equals 22 except for the 9s ($4 = 22 \bmod 9$). "Well, LISP seems to work okay now, modulo that [8837]GC bug." "I feel fine today modulo a slight headache."

Node:molly-guard, Next:[8838]Mongolian Hordes technique, Previous:[8839]modulo, Up:[8840]= M =

molly-guard /mol'ee-gard/ n.

[University of Illinois] A shield to prevent tripping of some [8841]Big Red Switch by clumsy or ignorant hands. Originally used of the plexiglass covers improvised for the BRS on an IBM 4341 after a programmer's toddler daughter (named Molly) frobbed it twice in one day. Later generalized to covers over stop/reset switches on disk drives and networking equipment. In hardware catalogues, you'll see the much less interesting description "guarded button".

Node:Mongolian Hordes technique, Next:[8842]monkey up, Previous:[8843]molly-guard, Up:[8844]= M =

Mongolian Hordes technique n.

[poss. from the Sixties counterculture expression 'Mongolian clusterfuck' for a public orgy] Development by [8845]gang bang. Implies that large numbers of inexperienced programmers are being put on a job better performed by a few skilled ones (but see [8846]bazaar). Also called 'Chinese Army technique'; see also [8847]Brooks's Law.

Node:monkey up, Next:[8848]monkey scratch, Previous:[8849]Mongolian Hordes technique, Up:[8850]= M =

monkey up vt.

To hack together hardware for a particular task, especially a one-shot

job. Connotes an extremely [8851]crufty and consciously temporary solution. Compare [8852]hack up, [8853]kluge up, [8854]cruft together.

Node:monkey scratch, Next:[8855]monstrosity, Previous:[8856]monkey up, Up:[8857]= M =

monkey, scratch n.

See [8858]scratch monkey.

Node:monstrosity, Next:[8859]monty, Previous:[8860]monkey scratch, Up:[8861]= M =

monstrosity

1. n. A ridiculously [8862]elephantine program or system, esp. one that is buggy or only marginally functional. 2. adj. The quality of being monstrous (see 'Overgeneralization' in the discussion of jargonification). See also [8863]baroque.

Node:monty, Next:[8864]Moof, Previous:[8865]monstrosity, Up:[8866]= M =

monty /mon'tee/ n.

1. [US Geological Survey] A program with a ludicrously complex user interface written to perform extremely trivial tasks. An example would be a menu-driven, button clicking, pulldown, pop-up windows program for listing directories. The original monty was an infamous weather-reporting program, Monty the Amazing Weather Man, written at the USGS. Monty had a widget-packed X-window interface with over 200 buttons; and all monty actually did was [8867]FTP files off the network. 2. [Great Britain; commonly capitalized as 'Monty' or as 'the Full Monty'] 16 megabytes of memory, when fitted to an IBM-PC or compatible. A standard PC-compatible using the AT- or ISA-bus with a normal BIOS cannot access more than 16 megabytes of RAM. Generally used of a PC, Unix workstation, etc. to mean 'fully populated with' memory, disk-space or some other desirable resource. This usage may be related to a TV commercial for Del Monte fruit juice, in which one of the characters insisted on "the full Del Monte"; but see the World Wide Words article [8868]"The Full Monty" for discussion of the rather complex etymology that may lie behind this. Compare American [8869]moby.

Node:Moof, Next:[8870]Moore's Law, Previous:[8871]monty, Up:[8872]= M =

Moof /moof/

[Macintosh users] 1. n. The call of a semi-legendary creature, properly called the [8873]dogcow. (Some previous versions of this entry claimed, incorrectly, that Moof was the name of the creature.) 2. adj. Used to flag software that's a hack, something untested and on the edge. On one Apple CD-ROM, certain folders such as "Tools & Apps (Moof!)" and "Development Platforms (Moof!)", are so marked to indicate that they contain software not fully tested or sanctioned by the powers that be. When you open these folders you cross the boundary into hackerland. 3. v. On the Microsoft Network, the term 'moof' has gained popularity as a verb meaning 'to be suddenly disconnected by the system'. One might say "I got moofed".

Node:Moore's Law, Next:[8874]moose call, Previous:[8875]Moof, Up:[8876]= M =

Moore's Law /morz law/ prov.

The observation that the logic density of silicon integrated circuits has closely followed the curve (bits per square inch) = $2^{(t - 1962)}$ where t is time in years; that is, the amount of information storable on a given amount of silicon has roughly doubled every year since the technology was invented. This relation, first uttered in 1964 by semiconductor engineer Gordon Moore (who co-founded Intel four years later) held until the late 1970s, at which point the doubling period slowed to 18 months. The doubling period remained at that value through time of writing (late 1999). Moore's Law is apparently self-fulfilling. The implication is that somebody, somewhere is going to be able to build a better chip than you if you rest on your laurels, so you'd better start pushing hard on the problem. See also [8877]Parkinson's Law of Data and [8878]Gates's Law.

Node:moose call, Next:[8879]moria, Previous:[8880]Moore's Law, Up:[8881]= M =

moose call n.

See [8882]whalesong.

Node:moria, Next:[8883]MOTAS, Previous:[8884]moose call, Up:[8885]= M =

moria /mor'ee-*/ n.

Like [8886]nethack and [8887]rogue, one of the large PD Dungeons-and-Dragons-like simulation games, available for a wide range of machines and operating systems. The name is from Tolkien's Mines of Moria; compare [8888]elder days, [8889]elvish. The game is extremely addictive and a major consumer of time better used for hacking. See also [8890]nethack, [8891]rogue, [8892]Angband.

Node:MOTAS, Next:[8893]MOTOS, Previous:[8894]moria, Up:[8895]= M =

MOTAS /moh-tahz/ n.

[Usenet: Member Of The Appropriate Sex, after [8896]MOTOS and [8897]MOTSS] A potential or (less often) actual sex partner. See also [8898]SO.

Node:MOTOS, Next:[8899]MOTSS, Previous:[8900]MOTAS, Up:[8901]= M =

MOTOS /moh-tohs/ n.

[acronym from the 1970 U.S. census forms via Usenet: Member Of The Opposite Sex] A potential or (less often) actual sex partner. See [8902]MOTAS, [8903]MOTSS, [8904]SO. Less common than MOTSS or [8905]MOTAS, which has largely displaced it.

Node:MOTSS, Next:[8906]mouse ahead, Previous:[8907]MOTOS, Up:[8908]= M =

MOTSS /mots/ or /M-O-T-S-S/ n.

[from the 1970 U.S. census forms via Usenet] Member Of The Same Sex, esp. one considered as a possible sexual partner. The gay-issues newsgroup on Usenet is called soc.motss. See [8909]MOTOS and [8910]MOTAS, which derive from it. See also [8911]SO.

Node:mouse ahead, Next:[8912]mouse around, Previous:[8913]MOTSS, Up:[8914]= M =

mouse ahead vi.

Point-and-click analog of 'type ahead'. To manipulate a computer's pointing device (almost always a mouse in this usage, but not necessarily) and its selection or command buttons before a computer program is ready to accept such input, in anticipation of the program accepting the input. Handling this properly is rare, but it can help make a [8915]WIMP environment much more usable, assuming the users are familiar with the behavior of the user interface.

Node:mouse around, Next:[8916]mouse belt, Previous:[8917]mouse ahead, Up:[8918]= M =

mouse around vi.

To explore public portions of a large system, esp. a network such as Internet via [8919]FTP or [8920]TELNET, looking for interesting stuff to [8921]snarf.

Node:mouse belt, Next:[8922]mouse droppings, Previous:[8923]mouse around, Up:[8924]= M =

mouse belt n.

See [8925]rat belt.

Node:mouse droppings, Next:[8926]mouse elbow, Previous:[8927]mouse belt, Up:[8928]= M =

mouse droppings n.

[MS-DOS] Pixels (usually single) that are not properly restored when the mouse pointer moves away from a particular location on the screen, producing the appearance that the mouse pointer has left droppings behind. The major causes for this problem are programs that write to the screen memory corresponding to the mouse pointer's current location without hiding the mouse pointer first, and mouse drivers that do not quite support the graphics mode in use.

Node:mouse elbow, Next:[8929]mouso, Previous:[8930]mouse droppings, Up:[8931]= M =

mouse elbow n.

A tennis-elbow-like fatigue syndrome resulting from excessive use of a [8932]WIMP environment. Similarly, 'mouse shoulder'; GLS reports that he used to get this a lot before he taught himself to be ambimoustrous.

Node:mouso, Next:[8933]MS-DOS, Previous:[8934]mouse elbow, Up:[8935]= M =

mouso /mow'soh/ n.

[by analogy with 'typo'] An error in mouse usage resulting in an inappropriate selection or graphic garbage on the screen. Compare [8936]thinko, [8937]braino.

Node:MS-DOS, Next:[8938]mu, Previous:[8939]mouso, Up:[8940]= M =

MS-DOS /M-S-dos/ n.

[MicroSoft Disk Operating System] A [8941]clone of [8942]CP/M for the 8088 cruffed together in 6 weeks by hacker Tim Paterson at Seattle Computer Products, who called the original QDOS (Quick and Dirty Operating System) and is said to have regretted it ever since.

Microsoft licensed QDOS order to have something to demo for IBM on time, and the rest is history. Numerous features, including vaguely Unix-like but rather broken support for subdirectories, I/O redirection, and pipelines, were hacked into Microsoft's 2.0 and subsequent versions; as a result, there are two or more incompatible versions of many system calls, and MS-DOS programmers can never agree on basic things like what character to use as an option switch or whether to be case-sensitive. The resulting appalling mess is now the highest-unit-volume OS in history. Often known simply as DOS, which annoys people familiar with other similarly abbreviated operating systems (the name goes back to the mid-1960s, when it was attached to IBM's first disk operating system for the 360). The name further annoys those who know what the term [8943]operating system does (or ought to) connote; DOS is more properly a set of relatively simple interrupt services. Some people like to pronounce DOS like "dose", as in "I don't work on dose, man!", or to compare it to a dose of brain-damaging drugs (a slogan button in wide circulation among hackers exhorts: "MS-DOS: Just say No!"). See [8944]mess-dos, [8945]jill-behaved.

Node:mu, Next:[8946]MUD, Previous:[8947]MS-DOS, Up:[8948]= M =

mu /moo/

The correct answer to the classic trick question "Have you stopped beating your wife yet?". Assuming that you have no wife or you have never beaten your wife, the answer "yes" is wrong because it implies that you used to beat your wife and then stopped, but "no" is worse because it suggests that you have one and are still beating her. According to various Discordians and Douglas Hofstadter the correct answer is usually "mu", a Japanese word alleged to mean "Your question cannot be answered because it depends on incorrect assumptions". Hackers tend to be sensitive to logical inadequacies in language, and many have adopted this suggestion with enthusiasm. The word 'mu' is actually from Chinese, meaning 'nothing'; it is used in mainstream Japanese in that sense. Native speakers do not recognize the Discordian question-denying use, which almost certainly derives from overgeneralization of the answer in the following well-known Rinzai Zen [8949]koan:

A monk asked Joshu, "Does a dog have the Buddha nature?" Joshu retorted, "Mu!"

See also [8950]has the X nature, [8951]Some AI Koans, and Douglas Hofstadter's "Gödel, Escher, Bach: An Eternal Golden Braid" (pointer in the [8952]Bibliography in Appendix C.

Node:MUD, Next:[8953]muddie, Previous:[8954]mu, Up:[8955]= M =

MUD /muhd/ n.

[acronym, Multi-User Dungeon; alt. Multi-User Dimension] 1. A class of [8956]virtual reality experiments accessible via the Internet. These are real-time chat forums with structure; they have multiple 'locations' like an adventure game, and may include combat, traps, puzzles, magic, a simple economic system, and the capability for characters to build more structure onto the database that represents the existing world. 2. vi. To play a MUD. The acronym MUD is often lowercased and/or verbed; thus, one may speak of 'going mudding', etc.

Historically, MUDs (and their more recent progeny with names of MU-form) derive from a hack by Richard Bartle and Roy Trubshaw on the University of Essex's DEC-10 in the early 1980s; descendants of that game still exist today and are sometimes generically called BartleMUDs. There is a widespread myth (repeated, unfortunately, by earlier versions of this lexicon) that the name MUD was trademarked to the commercial MUD run by Bartle on British Telecom (the motto: "You haven't lived 'til you've died on MUD!"); however, this is false -- Richard Bartle explicitly placed 'MUD' in the public domain in 1985. BT was upset at this, as they had already printed trademark claims on some maps and posters, which were released and created the myth.

Students on the European academic networks quickly improved on the MUD concept, spawning several new MUDs (VAXMUD, AberMUD, LPMUD). Many of these had associated bulletin-board systems for social interaction. Because these had an image as 'research' they often survived administrative hostility to BBSs in general. This, together with the fact that Usenet feeds were often spotty and difficult to get in the U.K., made the MUDs major foci of hackish social interaction there.

AberMUD and other variants crossed the Atlantic around 1988 and quickly gained popularity in the U.S.; they became nuclei for large hacker communities with only loose ties to traditional hackerdom (some observers see parallels with the growth of Usenet in the early 1980s). The second wave of MUDs (TinyMUD and variants) tended to emphasize social interaction, puzzles, and cooperative world-building as opposed to combat and competition (in writing, these social MUDs are sometimes referred to as 'MU*', with 'MUD' implicitly reserved for the more game-oriented ones). By 1991, over 50% of MUD sites were of a third major variety, LPMUD, which synthesizes the combat/puzzle aspects of AberMUD and older systems with the extensibility of TinyMud. In 1996 the cutting edge of the technology is Pavel Curtis's MOO, even more extensible using a built-in object-oriented language. The trend toward greater programmability and flexibility will doubtless continue.

The state of the art in MUD design is still moving very rapidly, with new simulation designs appearing (seemingly) every month. Around 1991 there was an unsuccessful movement to deprecate the term [8957]MUD itself, as newer designs exhibit an exploding variety of names corresponding to the different simulation styles being explored. It survived. See also [8958]bonk/oif, [8959]FOD, [8960]link-dead, [8961]mudhead, [8962]talk mode.

Node:muddie, Next:[8963]mudhead, Previous:[8964]MUD, Up:[8965]= M =

muddie n.

Syn. [8966]mudhead. More common in Great Britain, possibly because system administrators there like to mutter "bloody muddies" when annoyed at the species.

Node:mudhead, Next:[8967]muggle, Previous:[8968]muddie, Up:[8969]= M =

mudhead n.

Commonly used to refer to a [8970]MUD player who eats, sleeps, and breathes MUD. Mudheads have been known to fail their degrees, drop out, etc., with the consolation, however, that they made wizard level. When encountered in person, on a MUD, or in a chat system, all a mudhead will talk about is three topics: the tactic, character, or wizard that is supposedly always unfairly stopping him/her from becoming a wizard or beating a favorite MUD; why the specific game he/she has experience with is so much better than any other; and the MUD he or she is writing or going to write because his/her design ideas are so much better than in any existing MUD. See also [8971]wannabee.

To the anthropologically literate, this term may recall the Zuni/Hopi legend of the mudheads or 'koyemshi', mythical half-formed children of an unnatural union. Figures representing them act as clowns in Zuni sacred ceremonies. Others may recall the 'High School Madness' sequence from the Firesign Theatre album "Don't Crush That Dwarf, Hand Me the Pliers", in which there is a character named "Mudhead".

Node:muggle, Next:[8972]multician, Previous:[8973]mudhead, Up:[8974]= M =

muggle

[from J.K. Rowling's 'Harry Potter' books, 1998] A non-[8975]wizard. Not as disparaging as [8976]luser; implies vague pity rather than contempt. In the universe of Rowling's enormously (and deservedly) popular children's series, muggles and wizards inhabit the same modern world, but each group is ignorant of the commonplaces of the others' existence - most muggles are unaware that wizards exist, and wizards (used to magical ways of doing everything) are perplexed and fascinated by muggle artifacts.

In retrospect it seems completely inevitable that hackers would adopt this metaphor, and in hacker usage it readily forms compounds such as 'muggle-friendly'. Compare [8977]luser, [8978]mundane.

Node:multician, Next:[8979]Multics, Previous:[8980]muggle, Up:[8981]=

M =

multician /muhl-ti'shn/ n.

[coined at Honeywell, ca. 1970] Competent user of [8982]Multics.
Perhaps oddly, no one has ever promoted the analogous 'Unician'.

Node:Multics, Next:[8983]multitask, Previous:[8984]multician,
Up:[8985]= M =

Multics /muhl'tiks/ n.

[from "MULTiplexed Information and Computing Service"] An early time-sharing [8986]operating system co-designed by a consortium including MIT, GE, and Bell Laboratories as a successor to [8987]CTSS. The design was first presented in 1965, planned for operation in 1967, first operational in 1969, and took several more years to achieve respectable performance and stability.

Multics was very innovative for its time -- among other things, it provided a hierarchical file system with access control on individual files and introduced the idea of treating all devices uniformly as special files. It was also the first OS to run on a symmetric multiprocessor, and the only general-purpose system to be awarded a B2 security rating by the NSA (see [8988]Orange Book).

Bell Labs left the development effort in 1969 after judging that [8989]second-system effect had bloated Multics to the point of practical unusability. Honeywell commercialized Multics in 1972 after buying out GE's computer group, but it was never very successful: at its peak in the 1980s, there were between 75 and 100 Multics sites, each a multi-million dollar mainframe.

One of the former Multics developers from Bell Labs was Ken Thompson, and [8990]Unix deliberately carried through and extended many of Multics' design ideas; indeed, Thompson described the very name 'Unix' as 'a weak pun on Multics'. For this and other reasons, aspects of the Multics design remain a topic of occasional debate among hackers. See also [8991]brain-damaged and [8992]GCOS.

MIT ended its development association with Multics in 1977. Honeywell sold its computer business to Bull in the mid 80s, and development on Multics was stopped in 1988. Four Multics sites were known to be still in use as late as 1998. There is a Multics page at [8993]<http://www.stratus.com/pub/vos/multics/tvv/multics.html>.

Node:multitask, Next:[8994]mumblage, Previous:[8995]Multics,
Up:[8996]= M =

multitask n.

Often used of humans in the same meaning it has for computers, to describe a person doing several things at once (but see [8997]thrash). The term 'multiplex', from communications technology (meaning to handle more than one channel at the same time), is used similarly.

Node:mumblage, Next:[8998]mumble, Previous:[8999]multitask, Up:[9000]= M =

mumblage /muhm'bl*/ n.

The topic of one's mumbling (see [9001]mumble). "All that mumblage" is used like "all that stuff" when it is not quite clear how the subject of discussion works, or like "all that crap" when 'mumble' is being used as an implicit replacement for pejoratives.

Node:mumble, Next:[9002]munch, Previous:[9003]mumblage, Up:[9004]= M =

mumble interj.

1. Said when the correct response is too complicated to enunciate, or the speaker has not thought it out. Often prefaces a longer answer, or indicates a general reluctance to get into a long discussion. "Don't you think that we could improve LISP performance by using a hybrid reference-count transaction garbage collector, if the cache is big enough and there are some extra cache bits for the microcode to use?" "Well, mumble ... I'll have to think about it." 2. [MIT] Expression of not-quite-articulated agreement, often used as an informal vote of consensus in a meeting: "So, shall we dike out the COBOL emulation?" "Mumble!" 3. Sometimes used as an expression of disagreement (distinguished from sense 2 by tone of voice and other cues). "I think we should buy a [9005]VAX." "Mumble!" Common variant: 'mumble frotz' (see [9006]frotz; interestingly, one does not say 'mumble frobnitz' even though 'frotz' is short for 'frobnitz'). 4. Yet another [9007]metasyntactic variable, like [9008]foo. 5. When used as a question ("Mumble?") means "I didn't understand you". 6. Sometimes used in 'public' contexts on-line as a placefiller for things one is barred from giving details about. For example, a poster with pre-released hardware in his machine might say "Yup, my machine now has an extra 16M of memory, thanks to the card I'm testing for Mumbleco." 7. A conversational wild card used to designate something one doesn't want to bother spelling out, but which can be [9009]glarked from context. Compare [9010]blurgle. 8. [XEROX PARC] A colloquialism used to suggest that further discussion would be fruitless.

Node:munch, Next:[9011]munching, Previous:[9012]mumble, Up:[9013]= M =

munch vt.

[often confused with [9014]mung, q.v.] To transform information in a

serial fashion, often requiring large amounts of computation. To trace down a data structure. Related to [9015]crunch and nearly synonymous with [9016]grovel, but connotes less pain.

Node:munching, Next:[9017]munching squares, Previous:[9018]munch, Up:[9019]= M =

munching n.

Exploration of security holes of someone else's computer for thrills, notoriety, or to annoy the system manager. Compare [9020]cracker. See also [9021]hacked off.

Node:munching squares, Next:[9022]munchkin, Previous:[9023]munching, Up:[9024]= M =

munching squares n.

A [9025]display hack dating back to the PDP-1 (ca. 1962, reportedly discovered by Jackson Wright), which employs a trivial computation (repeatedly plotting the graph $Y = X \text{ XOR } T$ for successive values of T -- see [9026]HAKMEM items 146-148) to produce an impressive display of moving and growing squares that devour the screen. The initial value of T is treated as a parameter, which, when well-chosen, can produce amazing effects. Some of these, later (re)discovered on the LISP machine, have been christened 'munching triangles' (try AND for XOR and toggling points instead of plotting them), 'munching w's', and 'munching mazes'. More generally, suppose a graphics program produces an impressive and ever-changing display of some basic form, foo, on a display terminal, and does it using a relatively simple program; then the program (or the resulting display) is likely to be referred to as 'munching foos'. [This is a good example of the use of the word [9027]foo as a [9028]metasyntactic variable.]

Node:munchkin, Next:[9029]mundane, Previous:[9030]munching squares, Up:[9031]= M =

munchkin /muhnch'kin/ n.

[from the squeaky-voiced little people in L. Frank Baum's "The Wizard of Oz"] A teenage-or-younger micro enthusiast hacking BASIC or something else equally constricted. A term of mild derision -- munchkins are annoying but some grow up to be hackers after passing through a [9032]larval stage. The term [9033]urchin is also used. See also [9034]wannabee, [9035]bitty box.

Node:mundane, Next:[9036]mung, Previous:[9037]munchkin, Up:[9038]= M =

mundane n.

[from SF fandom] 1. A person who is not in science fiction fandom. 2. A person who is not in the computer industry. In this sense, most often an adjectival modifier as in "in my mundane life...." See also [9039]Real World, [9040]muggle.

Node:mung, Next:[9041]munge, Previous:[9042]mundane, Up:[9043]= M =

mung /muhng/ vt.

[in 1960 at MIT, 'Mash Until No Good'; sometime after that the derivation from the [9044]recursive acronym 'Mung Until No Good' became standard; but see [9045]munge] 1. To make changes to a file, esp. large-scale and irrevocable changes. See [9046]BLT. 2. To destroy, usually accidentally, occasionally maliciously. The system only mungs things maliciously; this is a consequence of [9047]Finagle's Law. See [9048]scribble, [9049]mangle, [9050]trash, [9051]nuke. Reports from [9052]Usenet suggest that the pronunciation /muhnj/ is now usual in speech, but the spelling 'mung' is still common in program comments (compare the widespread confusion over the proper spelling of [9053]kluge). 3. The kind of beans the sprouts of which are used in Chinese food. (That's their real name! Mung beans! Really!)

Like many early hacker terms, this one seems to have originated at [9054]TMRC; it was already in use there in 1958. Peter Samson (compiler of the original TMRC lexicon) thinks it may originally have been onomatopoeic for the sound of a relay spring (contact) being twanged. However, it is known that during the World Wars, 'mung' was U.S. army slang for the ersatz creamed chipped beef better known as 'SOS', and it seems quite likely that the word in fact goes back to Scots-dialect [9055]munge.

Node:munge, Next:[9056]Murphy's Law, Previous:[9057]mung, Up:[9058]= M =

munge /muhnj/ vt.

1. [derogatory] To imperfectly transform information. 2. A comprehensive rewrite of a routine, data structure or the whole program. 3. To modify data in some way the speaker doesn't need to go into right now or cannot describe succinctly (compare [9059]mumble). 4. To add [9060]spamblock to an email address.

This term is often confused with [9061]mung, which probably was derived from it. However, it also appears the word 'munge' was in common use in Scotland in the 1940s, and in Yorkshire in the 1950s, as a verb, meaning to munch up into a masticated mess, and as a noun, meaning the result of munging something up (the parallel with the [9062]kluge/[9063]kludge pair is amusing). The OED reports 'munge' as an archaic verb meaning "to wipe (a person's nose)".

Node:Murphy's Law, Next:[9064]music, Previous:[9065]munge, Up:[9066]=
M =

Murphy's Law prov.

The correct, original Murphy's Law reads: "If there are two or more ways to do something, and one of those ways can result in a catastrophe, then someone will do it." This is a principle of defensive design, cited here because it is usually given in mutant forms less descriptive of the challenges of design for [9067]users. For example, you don't make a two-pin plug symmetrical and then label it 'THIS WAY UP'; if it matters which way it is plugged in, then you make the design asymmetrical (see also the anecdote under [9068]magic smoke).

Edward A. Murphy, Jr. was one of the engineers on the rocket-sled experiments that were done by the U.S. Air Force in 1949 to test human acceleration tolerances (USAF project MX981). One experiment involved a set of 16 accelerometers mounted to different parts of the subject's body. There were two ways each sensor could be glued to its mount, and somebody methodically installed all 16 the wrong way around. Murphy then made the original form of his pronouncement, which the test subject (Major John Paul Stapp) quoted at a news conference a few days later.

Within months 'Murphy's Law' had spread to various technical cultures connected to aerospace engineering. Before too many years had gone by variants had passed into the popular imagination, changing as they went. Most of these are variants on "Anything that can go wrong, will"; this is correctly referred to as [9069]Finagle's Law. The memetic drift apparent in these mutants clearly demonstrates Murphy's Law acting on itself!

Node:music, Next:[9070]mutter, Previous:[9071]Murphy's Law, Up:[9072]=
M =

music n.

A common extracurricular interest of hackers (compare [9073]science-fiction fandom, [9074]oriental food; see also [9075]filk). Hackish folklore has long claimed that musical and programming abilities are closely related, and there has been at least one large-scale statistical study that supports this. Hackers, as a rule, like music and often develop musical appreciation in unusual and interesting directions. Folk music is very big in hacker circles; so is electronic music, and the sort of elaborate instrumental jazz/rock that used to be called 'progressive' and isn't recorded much any more. The hacker's musical range tends to be wide; many can listen with equal appreciation to (say) Talking Heads, Yes, Gentle Giant, Pat Metheny, Scott Joplin, Tangerine Dream, Dream Theater, King Sunny Ade,

The Pretenders, Screaming Trees, or the Brandenburg Concerti. It is also apparently true that hackerdom includes a much higher concentration of talented amateur musicians than one would expect from a similar-sized control group of [9076]mundane types.

Node:mutter, Next:[9077]N, Previous:[9078]music, Up:[9079]= M =

mutter vt.

To quietly enter a command not meant for the ears, eyes, or fingers of ordinary mortals. Often used in 'mutter an [9080]incantation'. See also [9081]wizard.

Node:= N =, Next:[9082]= O =, Previous:[9083]= M =, Up:[9084]The Jargon Lexicon

= N =

- * [9085]N:
- * [9086]nadger:
- * [9087]nagware:
- * [9088]nailed to the wall:
- * [9089]nailing jelly:
- * [9090]naive:
- * [9091]naive user:
- * [9092]NAK:
- * [9093]NANA:
- * [9094]nano:
- * [9095]nano-:
- * [9096]nanoacre:
- * [9097]nanobot:
- * [9098]nanocomputer:
- * [9099]nanofortnight:
- * [9100]nanotechnology:
- * [9101]nasal demons:
- * [9102]nastygram:
- * [9103]Nathan Hale:
- * [9104]nature:
- * [9105]neat hack:
- * [9106]neats vs. scruffies:
- * [9107]neep-neep:
- * [9108]neophilia:
- * [9109]nerd:
- * [9110]nerd knob:
- * [9111]net.-:
- * [9112]net.god:
- * [9113]net.personality:
- * [9114]net.police:
- * [9115]NetBOLLIX:
- * [9116]netburp:
- * [9117]netdead:

- * [9118]nethack:
- * [9119]netiquette:
- * [9120]netlag:
- * [9121]netnews:
- * [9122]netrock:
- * [9123]Netscape:
- * [9124]netsplit:
- * [9125]netter:
- * [9126]network address:
- * [9127]network meltdown:
- * [9128]New Jersey:
- * [9129]New Testament:
- * [9130]newbie:
- * [9131]newgroup wars:
- * [9132]newline:
- * [9133]NeWS:
- * [9134]newsfroup:
- * [9135]newsgroup:
- * [9136]nick:
- * [9137]nickle:
- * [9138]night mode:
- * [9139]Nightmare File System:
- * [9140]NIL:
- * [9141]Ninety-Ninety Rule:
- * [9142]nipple mouse:
- * [9143]NMI:
- * [9144]no-op:
- * [9145]noddy:
- * [9146]node:
- * [9147]Nominal Semidestructor:
- * [9148]non-optimal solution:
- * [9149]nonlinear:
- * [9150]nontrivial:
- * [9151]not ready for prime time:
- * [9152]notwork:
- * [9153]NP-:
- * [9154]nroff:
- * [9155]NSA line eater:
- * [9156]NSP:
- * [9157]nude:
- * [9158]nugry:
- * [9159]nuke:
- * [9160]number-crunching:
- * [9161]numbers:
- * [9162]NUXI problem:
- * [9163]nybble:
- * [9164]nyetwork:

Node:N, Next:[9165]nadger, Previous:[9166]mutter, Up:[9167]= N =

N /N/ quant.

1. A large and indeterminate number of objects: "There were N bugs in that crock!" Also used in its original sense of a variable name: "This crock has N bugs, as N goes to infinity." (The true number of bugs is always at least $N + 1$; see [9168]Lubarsky's Law of Cybernetic Entomology.) 2. A variable whose value is inherited from the current context. For example, when a meal is being ordered at a restaurant, N may be understood to mean however many people there are at the table. From the remark "We'd like to order N wonton soups and a family dinner for $N - 1$ " you can deduce that one person at the table wants to eat only soup, even though you don't know how many people there are (see [9169]great-wall). 3. 'Nth': adj. The ordinal counterpart of N, senses 1 and 2. "Now for the Nth and last time..." In the specific context "Nth-year grad student", N is generally assumed to be at least 4, and is usually 5 or more (see [9170]tenured graduate student). See also [9171]random numbers, [9172]two-to-the-N.

Node:nadger, Next:[9173]nagware, Previous:[9174]N, Up:[9175]= N =

nadger /nad'jɪr/ v.

[UK, from rude slang noun 'nadgers' for testicles; compare American & British 'bollixed'] Of software or hardware (not people), to twiddle some object in a hidden manner, generally so that it conforms better to some format. For instance, string printing routines on 8-bit processors often take the string text from the instruction stream, thus a print call looks like `jsr print:"Hello world"`. The print routine has to 'nadger' the saved instruction pointer so that the processor doesn't try to execute the text as instructions when the subroutine returns. See [9176]adger.

Node:nagware, Next:[9177]nailed to the wall, Previous:[9178]nadger, Up:[9179]= N =

nagware /nag'weɪr/ n.

[Usenet] The variety of [9180]shareware that displays a large screen at the beginning or end reminding you to register, typically requiring some sort of keystroke to continue so that you can't use the software in batch mode. Compare [9181]annoyware, [9182]crippleware.

Node:nailed to the wall, Next:[9183]nailing jelly, Previous:[9184]nagware, Up:[9185]= N =

nailed to the wall adj.

[like a trophy] Said of a bug finally eliminated after protracted, and even heroic, effort.

Node:nailing jelly, Next:[9186]naive, Previous:[9187]nailed to the

wall, Up:[9188]= N =

nailing jelly vi.

See [9189]like nailing jelly to a tree.

Node:naive, Next:[9190]naive user, Previous:[9191]nailing jelly,
Up:[9192]= N =

naive adj.

1. Untutored in the perversities of some particular program or system; one who still tries to do things in an intuitive way, rather than the right way (in really good designs these coincide, but most designs aren't 'really good' in the appropriate sense). This trait is completely unrelated to general maturity or competence, or even competence at any other specific program. It is a sad commentary on the primitive state of computing that the natural opposite of this term is often claimed to be 'experienced user' but is really more like 'cynical user'. 2. Said of an algorithm that doesn't take advantage of some superior but advanced technique, e.g., the [9193]bubble sort. It may imply naivete on the part of the programmer, although there are situations where a naive algorithm is preferred, because it is more important to keep the code comprehensible than to go for maximum performance. "I know the linear search is naive, but in this case the list typically only has half a dozen items."

Node:naive user, Next:[9194]NAK, Previous:[9195]naive, Up:[9196]= N =

naive user n.

A [9197]luser. Tends to imply someone who is ignorant mainly owing to inexperience. When this is applied to someone who has experience, there is a definite implication of stupidity.

Node:NAK, Next:[9198]NANA, Previous:[9199]naive user, Up:[9200]= N =

NAK /nak/ interj.

[from the ASCII mnemonic for 0010101] 1. On-line joke answer to [9201]ACK?: "I'm not here." 2. On-line answer to a request for chat: "I'm not available." 3. Used to politely interrupt someone to tell them you don't understand their point or that they have suddenly stopped making sense. See [9202]ACK, sense 3. "And then, after we recode the project in COBOL...." "Nak, Nak, Nak! I thought I heard you say COBOL!" 4. A negative answer. "OK if I boot the server?" "NAK!"

Node:NANA, Next:[9203]nano, Previous:[9204]NAK, Up:[9205]= N =

NANA //

[Usenet] The newsgroups news.admin.net-abuse.*, devoted to fighting [9206]spam and network abuse. Each individual newsgroup is often referred to by adding a letter to NANA. For example, NANAU would refer to news.admin.net-abuse.usenet.

When spam began to be a serious problem around 1995, and a loose network of anti-spammers formed to combat it, spammers immediately accused them of being the [9207]backbone cabal, or the Cabal reborn. Though this was not true, spam-fighters ironically accepted the label and the tag line "There is No Cabal" reappeared (later, and now commonly, abbreviated to "TINC"). Nowadays "the Cabal" is generally understood to refer to the NANA regulars.

Node:nano, Next:[9208]nano-, Previous:[9209]NANA, Up:[9210]= N =

nano /nan'oh/ n.

[CMU: from 'nanosecond'] A brief period of time. "Be with you in a nano" means you really will be free shortly, i.e., implies what mainstream people mean by "in a jiffy" (whereas the hackish use of 'jiffy' is quite different -- see [9211]jiffy).

Node:nano-, Next:[9212]nanoacre, Previous:[9213]nano, Up:[9214]= N =

nano- pref.

[SI: the next quantifier below [9215]micro-; meaning * 10⁽⁻⁹⁾]
Smaller than [9216]micro-, and used in the same rather loose and connotative way. Thus, one has [9217]nanotechnology (coined by hacker K. Eric Drexler) by analogy with 'microtechnology'; and a few machine architectures have a 'nanocode' level below 'microcode'. Tom Duff at Bell Labs has also pointed out that "Pi seconds is a nanocentury". See also [9218]quantifiers, [9219]pico-, [9220]nanoacre, [9221]nanobot, [9222]nanocomputer, [9223]nanofortnight.

Node:nanoacre, Next:[9224]nanobot, Previous:[9225]nano-, Up:[9226]= N =

nanoacre /nan'oh-ay'kr/ n.

A unit (about 2 mm square) of real estate on a VLSI chip. The term gets its giggle value from the fact that VLSI nanoacres have costs in the same range as real acres once one figures in design and fabrication-setup costs.

Node:nanobot, Next:[9227]nanocomputer, Previous:[9228]nanoacre, Up:[9229]= N =

nanobot /nan'oh-bot/ n.

A robot of microscopic proportions, presumably built by means of [9230]nanotechnology. As yet, only used informally (and speculatively!). Also called a 'nanoagent'.

Node:nanocomputer, Next:[9231]nanofortnight, Previous:[9232]nanobot, Up:[9233]= N =

nanocomputer /nan'oh-k*m-pyoo'tr/ n.

A computer with molecular-sized switching elements. Designs for mechanical nanocomputers which use single-molecule sliding rods for their logic have been proposed. The controller for a [9234]nanobot would be a nanocomputer.

Node:nanofortnight, Next:[9235]nanotechnology, Previous:[9236]nanocomputer, Up:[9237]= N =

nanofortnight n.

[Adelaide University] 1 fortnight * 10⁽⁻⁹⁾, or about 1.2 msec. This unit was used largely by students doing undergraduate practicals. See [9238]microfortnight, [9239]attoparsec, and [9240]micro-.

Node:nanotechnology, Next:[9241]nasal demons, Previous:[9242]nanofortnight, Up:[9243]= N =

nanotechnology /nan'-oh-tek-no'l*-jee/ n.

A hypothetical fabrication technology in which objects are designed and built with the individual specification and placement of each separate atom. The first unequivocal nanofabrication experiments took place in 1990, for example with the deposition of individual xenon atoms on a nickel substrate to spell the logo of a certain very large computer company. Nanotechnology has been a hot topic in the hacker subculture ever since the term was coined by K. Eric Drexler in his book "Engines of Creation" (Anchor/Doubleday, ISBN 0-385-19973-2), where he predicted that nanotechnology could give rise to replicating assemblers, permitting an exponential growth of productivity and personal wealth (there's an authorized transcription at [9244]<http://www.foresight.org/EOC/index.html>). See also [9245]blue goo, [9246]gray goo, [9247]nanobot.

Node:nasal demons, Next:[9248]nastygram, Previous:[9249]nanotechnology, Up:[9250]= N =

nasal demons n.

Recognized shorthand on the Usenet group comp.std.c for any unexpected behavior of a C compiler on encountering an undefined construct. During a discussion on that group in early 1992, a regular remarked "When the compiler encounters [a given undefined construct] it is legal for it to make demons fly out of your nose" (the implication is that the compiler may choose any arbitrarily bizarre way to interpret the code without violating the ANSI C standard). Someone else followed up with a reference to "nasal demons", which quickly became established.

Node:nastygram, Next:[9251]Nathan Hale, Previous:[9252]nasal demons, Up:[9253]= N =

nastygram /nas'tee-gram/ n.

1. A protocol packet or item of email (the latter is also called a [9254]letterbomb) that takes advantage of misfeatures or security holes on the target system to do untoward things. 2. Disapproving mail, esp. from a [9255]net.god, pursuant to a violation of [9256]netiquette or a complaint about failure to correct some mail- or news-transmission problem. Compare [9257]shitogram, [9258]mailbomb. 3. A status report from an unhappy, and probably picky, customer. "What'd Corporate say in today's nastygram?" 4. [deprecated] An error reply by mail from a [9259]daemon; in particular, a [9260]bounce message.

Node:Nathan Hale, Next:[9261]nature, Previous:[9262]nastygram, Up:[9263]= N =

Nathan Hale n.

An asterisk (see also [9264]splat, [9265]ASCII). Oh, you want an etymology? Notionally, from "I regret that I have only one asterisk for my country!", a misquote of the famous remark uttered by Nathan Hale just before he was hanged. Hale was a (failed) spy for the rebels in the American War of Independence.

Node:nature, Next:[9266]neat hack, Previous:[9267]Nathan Hale, Up:[9268]= N =

nature n.

See [9269]has the X nature.

Node:neat hack, Next:[9270]neats vs. scruffies, Previous:[9271]nature, Up:[9272]= N =

neat hack n.

[very common] 1. A clever technique. 2. A brilliant practical joke, where neatness is correlated with cleverness, harmlessness, and surprise value. Example: the Caltech Rose Bowl card display switch (see [9273]Appendix A for discussion). See also [9274]hack.

Node:neats vs. scruffies, Next:[9275]neep-neep, Previous:[9276]neat hack, Up:[9277]= N =

neats vs. scruffies n.

The label used to refer to one of the continuing [9278]holy wars in AI research. This conflict tangles together two separate issues. One is the relationship between human reasoning and AI; 'neats' tend to try to build systems that 'reason' in some way identifiably similar to the way humans report themselves as doing, while 'scruffies' profess not to care whether an algorithm resembles human reasoning in the least as long as it works. More importantly, neats tend to believe that logic is king, while scruffies favor looser, more ad-hoc methods driven by empirical knowledge. To a neat, scruffy methods appear promiscuous, successful only by accident, and not productive of insights about how intelligence actually works; to a scruffy, neat methods appear to be hung up on formalism and irrelevant to the hard-to-capture 'common sense' of living intelligences.

Node:neep-neep, Next:[9279]neophilia, Previous:[9280]neats vs. scruffies, Up:[9281]= N =

neep-neep /neep neep/ n.

[onomatopoeic, widely spread through SF fandom but reported to have originated at Caltech in the 1970s] One who is fascinated by computers. Less specific than [9282]hacker, as it need not imply more skill than is required to boot games on a PC. The derived noun 'neeping' applies specifically to the long conversations about computers that tend to develop in the corners at most SF-convention parties (the term 'neepery' is also in wide use). Fandom has a related proverb to the effect that "Hacking is a conversational black hole!".

Node:neophilia, Next:[9283]nerd, Previous:[9284]neep-neep, Up:[9285]= N =

neophilia /nee'oh-fil'-ee-*/ n.

The trait of being excited and pleased by novelty. Common among most hackers, SF fans, and members of several other connected leading-edge subcultures, including the pro-technology 'Whole Earth' wing of the ecology movement, space activists, many members of Mensa, and the Discordian/neo-pagan underground. All these groups overlap heavily and (where evidence is available) seem to share characteristic hacker tropisms for science fiction, [9286]music, and [9287]oriental food.

The opposite tendency is 'neophobia'.

Node:nerd, Next:[9288]nerd knob, Previous:[9289]neophilia, Up:[9290]=
N =

nerd n.

1. [mainstream slang] Pejorative applied to anyone with an above-average IQ and few gifts at small talk and ordinary social rituals. 2. [jargon] Term of praise applied (in conscious ironic reference to sense 1) to someone who knows what's really important and interesting and doesn't care to be distracted by trivial chatter and silly status games. Compare the two senses of [9291]computer geek.

The word itself appears to derive from the lines "And then, just to show them, I'll sail to Ka-Troo / And Bring Back an It-Kutch, a Preep and a Proo, / A Nerkle, a Nerd, and a Seersucker, too!" in the Dr. Seuss book "If I Ran the Zoo" (1950). (The spellings 'nurd' and 'gnurd' also used to be current at MIT, where 'nurd' is reported from as far back as 1957.) How it developed its mainstream meaning is unclear, but sense 1 seems to have entered mass culture in the early 1970s (there are reports that in the mid-1960s it meant roughly "annoying misfit" without the connotation of intelligence).

An IEEE Spectrum article (4/95, page 16) once derived 'nerd' in its variant form 'knurd' from the word 'drunk' backwards, but this bears all the hallmarks of a bogus folk etymology.

Hackers developed sense 2 in self-defense perhaps ten years later, and some actually wear "Nerd Pride" buttons, only half as a joke. At MIT one can find not only buttons but (what else?) pocket protectors bearing the slogan and the MIT seal.

Node:nerd knob, Next:[9292]net.-, Previous:[9293]nerd, Up:[9294]= N =

nerd knob n.

[Cisco] a command in a complex piece of software which is more likely to be used by an extremely experienced user to tweak a setting of one sort or another - a setting which the average user may not even know exists. Nerd knobs tend to be toggles, turning on or off a particular, specific, narrowly defined behavior.

Node:net.-, Next:[9295]net.god, Previous:[9296]nerd knob, Up:[9297]= N =

net.- /net dot/ pref.

[Usenet] Prefix used to describe people and events related to Usenet. From the time before the [9298]Great Renaming, when most non-local

newsgroups had names beginning 'net.'. Includes [9299]net.gods, 'net.goddesses' (various charismatic net.women with circles of on-line admirers), 'net.lurkers' (see [9300]lurker), 'net.person', 'net.parties' (a synonym for [9301]boink, sense 2), and many similar constructs. See also [9302]net.police.

Node:net.god, Next:[9303]net.personality, Previous:[9304]net.-,
Up:[9305]= N =

net.god /net god/ n.

Accolade referring to anyone who satisfies some combination of the following conditions: has been visible on Usenet for more than 5 years, ran one of the original backbone sites, moderated an important newsgroup, wrote news software, or knows Gene, Mark, Rick, Mel, Henry, Chuq, and Greg personally. See [9306]demigod. Net.goddesses such as Rissa or the Slime Sisters have (so far) been distinguished more by personality than by authority.

Node:net.personality, Next:[9307]net.police, Previous:[9308]net.god,
Up:[9309]= N =

net.personality /net per'sn-al'-'-tee/ n.

Someone who has made a name for him or herself on [9310]Usenet, through either longevity or attention-getting posts, but doesn't meet the other requirements of [9311]net.godhood.

Node:net.police, Next:[9312]NetBOLLIX, Previous:[9313]net.personality,
Up:[9314]= N =

net.police /net-p*-lees'/ n.

(var. 'net.cops') Those Usenet readers who feel it is their responsibility to pounce on and [9315]flame any posting which they regard as offensive or in violation of their understanding of [9316]netiquette. Generally used sarcastically or pejoratively. Also spelled 'net police'. See also [9317]net.-, [9318]code police.

Node:NetBOLLIX, Next:[9319]netburp, Previous:[9320]net.police,
Up:[9321]= N =

NetBOLLIX n.

[from bollix: to bungle, or British 'bollocks'] [9322]IBM's NetBIOS, an extremely [9323]brain-damaged network protocol that, like [9324]Blue Glue, is used at commercial shops that don't know any better.

Node:netburp, Next:[9325]netdead, Previous:[9326]NetBOLLIX, Up:[9327]=
N =

netburp n.

[IRC] When [9328]netlag gets really bad, and delays between servers exceed a certain threshold, the [9329]IRC network effectively becomes partitioned for a period of time, and large numbers of people seem to be signing off at the same time and then signing back on again when things get better. An instance of this is called a 'netburp' (or, sometimes, [9330]netsplit).

Node:netdead, Next:[9331]nethack, Previous:[9332]netburp, Up:[9333]= N
=

netdead n.

[IRC] The state of someone who signs off [9334]IRC, perhaps during a [9335]netburp, and doesn't sign back on until later. In the interim, he is "dead to the net". Compare [9336]link-dead.

Node:nethack, Next:[9337]netiquette, Previous:[9338]netdead,
Up:[9339]= N =

nethack /net'hak/ n.

[Unix] A dungeon game similar to [9340]rogue but more elaborate, distributed in C source over [9341]Usenet and very popular at Unix sites and on PC-class machines (nethack is probably the most widely distributed of the freeware dungeon games). The earliest versions, written by Jay Fenlason and later considerably enhanced by Andries Brouwer, were simply called 'hack'. The name changed when maintenance was taken over by a group of hackers originally organized by Mike Stephenson. There is now an official site one at [9342]<http://www.nethack.org/>. See also [9343]moria, [9344]rogue, [9345]Angband.

Node:netiquette, Next:[9346]netlag, Previous:[9347]nethack, Up:[9348]=
N =

netiquette /net'ee-ket/ or /net'i-ket/ n.

[portmanteau, network + etiquette] The conventions of politeness recognized on [9349]Usenet, such as avoidance of cross-posting to inappropriate groups and refraining from commercial pluggery outside the biz groups.

Node:netlag, Next:[9350]netnews, Previous:[9351]netiquette, Up:[9352]=

N =

netlag n.

[IRC, MUD] A condition that occurs when the delays in the [9353]IRC network or on a [9354]MUD become severe enough that servers briefly lose and then reestablish contact, causing messages to be delivered in bursts, often with delays of up to a minute. (Note that this term has nothing to do with mainstream "jet lag", a condition which hackers tend not to be much bothered by.) Often shortened to just 'lag'.

Node:netnews, Next:[9355]netrock, Previous:[9356]netlag, Up:[9357]= N

=

netnews /net'n[y]ooz/ n.

1. The software that makes [9358]Usenet run. 2. The content of Usenet.
"I read netnews right after my mail most mornings."

Node:netrock, Next:[9359]Netscape, Previous:[9360]netnews, Up:[9361]=

N =

netrock /net'rok/ n.

[IBM] A [9362]flame; used esp. on VNET, IBM's internal corporate network.

Node:Netscape, Next:[9363]netsplit, Previous:[9364]netrock,

Up:[9365]= N =

Netscape n.

[sometimes elaborated to 'Netscape Fornicator', also 'Nutscape']
Standard name-of-insult for Netscape Navigator/Communicator,
Netscape's overweight Web browser. Compare [9366]Internet Exploiter.

Node:netsplit, Next:[9367]netter, Previous:[9368]Netscape, Up:[9369]=

N =

netsplit n.

Syn. [9370]netburp.

Node:netter, Next:[9371]network address, Previous:[9372]netsplit,

Up:[9373]= N =

netter n.

1. Loosely, anyone with a [9374]network address. 2. More specifically, a [9375]Usenet regular. Most often found in the plural. "If you post that in a technical group, you're going to be flamed by angry netters for the rest of time!"

Node:network address, Next:[9376]network meltdown,
Previous:[9377]netter, Up:[9378]= N =

network address n.

(also 'net address') As used by hackers, means an address on 'the' network (see [9379]the network; this used to include [9380]bang path addresses but now almost always implies an [9381]Internet address). Net addresses are often used in email text as a more concise substitute for personal names; indeed, hackers may come to know each other quite well by network names without ever learning each others' 'legal' monikers. Indeed, display of a network address (e.g on business cards) used to function as an important hacker identification signal, like lodge pins among Masons or tie-dyed T-shirts among Grateful Dead fans. In the day of pervasive Internet this is less true, but you can still be fairly sure that anyone with a network address handwritten on his or her convention badge is a hacker.

Node:network meltdown, Next:[9382]New Jersey, Previous:[9383]network address, Up:[9384]= N =

network meltdown n.

A state of complete network overload; the network equivalent of [9385]thrashing. This may be induced by a [9386]Chernobyl packet. See also [9387]broadcast storm, [9388]kamikaze packet.

Network meltdown is often a result of network designs that are optimized for a steady state of moderate load and don't cope well with the very jagged, bursty usage patterns of the real world. One amusing instance of this is triggered by the popular and very bloody shoot-'em-up game Doom on the PC. When used in multiplayer mode over a network, the game uses broadcast packets to inform other machines when bullets are fired. This causes problems with weapons like the chain gun which fire rapidly -- it can blast the network into a meltdown state just as easily as it shreds opposing monsters.

Node:New Jersey, Next:[9389]New Testament, Previous:[9390]network meltdown, Up:[9391]= N =

New Jersey adj.

[primarily Stanford/Silicon Valley] Brain-damaged or of poor design. This refers to the allegedly wretched quality of such software as C, C++, and Unix (which originated at Bell Labs in Murray Hill, New

Jersey). "This compiler bites the bag, but what can you expect from a compiler designed in New Jersey?" Compare [9392]Berkeley Quality Software. See also [9393]Unix conspiracy.

Node:New Testament, Next:[9394]newbie, Previous:[9395]New Jersey, Up:[9396]= N =

New Testament n.

[C programmers] The second edition of K&R's "The C Programming Language" (Prentice-Hall, 1988; ISBN 0-13-110362-8), describing ANSI Standard C. See [9397]K&R; this version is also called 'K&R2'.

Node:newbie, Next:[9398]newgroup wars, Previous:[9399]New Testament, Up:[9400]= N =

newbie /n[y]oo'bee/ n.

[very common; orig. from British public-school and military slang variant of 'new boy'] A Usenet neophyte. This term surfaced in the [9401]newsgroup talk.bizarre but is now in wide use (the combination "clueless newbie" is especially common). Criteria for being considered a newbie vary wildly; a person can be called a newbie in one newsgroup while remaining a respected regular in another. The label 'newbie' is sometimes applied as a serious insult to a person who has been around Usenet for a long time but who carefully hides all evidence of having a clue. See [9402]B1FF; see also [9403]gnubie.

Node:newgroup wars, Next:[9404]newline, Previous:[9405]newbie, Up:[9406]= N =

newgroup wars /n[y]oo'groop worz/ n.

[Usenet] The salvos of dueling newgroup and rmgroup messages sometimes exchanged by persons on opposite sides of a dispute over whether a [9407]newsgroup should be created net-wide, or (even more frequently) whether an obsolete one should be removed. These usually settle out within a week or two as it becomes clear whether the group has a natural constituency (usually, it doesn't). At times, especially in the completely anarchic alt hierarchy, the names of newsgroups themselves become a form of comment or humor; e.g., the group alt.swedish.chef.bork.bork.bork which originated as a birthday joke for a Muppets fan, or any number of specialized abuse groups named after particularly notorious [9408]flamers, e.g., alt.weemba.

Node:newline, Next:[9409]NeWS, Previous:[9410]newgroup wars, Up:[9411]= N =

newline /n[y]oo'li:n/ n.

1. [techspeak, primarily Unix] The ASCII LF character (0001010), used under [9412]Unix as a text line terminator. Though the term 'newline' appears in ASCII standards, it never caught on in the general computing world before Unix. 2. More generally, any magic character, character sequence, or operation (like Pascal's writeln procedure) required to terminate a text record or separate lines. See [9413]crlf, [9414]terpri.

Node:NeWS, Next:[9415]newsfroup, Previous:[9416]newline, Up:[9417]= N =

NeWS /nee'wis/, /n[y]oo'is/ or /n[y]ooz/ n.

[acronym; the 'Network Window System'] The road not taken in window systems, an elegant [9418]PostScript-based environment that would almost certainly have won the standards war with [9419]X if it hadn't been [9420]proprietary to Sun Microsystems. There is a lesson here that too many software vendors haven't yet heeded. Many hackers insist on the two-syllable pronunciations above as a way of distinguishing NeWS from Usenet news (the [9421]netnews software).

Node:newsfroup, Next:[9422]newsgroup, Previous:[9423]NeWS, Up:[9424]= N =

newsfroup // n.

[Usenet] Silly synonym for [9425]newsgroup, originally a typo but now in regular use on Usenet's talk.bizarre, and other lunatic-fringe groups. Compare [9426]hing, [9427]grilf, [9428]pr0n and [9429]filk.

Node:newsgroup, Next:[9430]nick, Previous:[9431]newsfroup, Up:[9432]= N =

newsgroup n.

[Usenet] One of [9433]Usenet's huge collection of topic groups or [9434]fora. Usenet groups can be 'unmoderated' (anyone can post) or 'moderated' (submissions are automatically directed to a moderator, who edits or filters and then posts the results). Some newsgroups have parallel [9435]mailing lists for Internet people with no netnews access, with postings to the group automatically propagated to the list and vice versa. Some moderated groups (especially those which are actually gatewayed Internet mailing lists) are distributed as 'digests', with groups of postings periodically collected into a single large posting with an index.

Among the best-known are comp.lang.c (the C-language forum), comp.arch (on computer architectures), comp.unix.wizards (for Unix wizards), rec.arts.sf.written and siblings (for science-fiction fans), and

talk.politics.misc (miscellaneous political discussions and [9436]flamage).

Node:nick, Next:[9437]nickle, Previous:[9438]newsgroup, Up:[9439]= N =

nick n.

[IRC; very common] Short for nickname. On [9440]IRC, every user must pick a nick, which is sometimes the same as the user's real name or login name, but is often more fanciful. Compare [9441]handle, [9442]screen name.

Node:nickle, Next:[9443]night mode, Previous:[9444]nick, Up:[9445]= N =

nickle /ni'kl/ n.

[from 'nickel', common name for the U.S. 5-cent coin] A [9446]nybble + 1; 5 bits. Reported among developers for Mattel's GI 1600 (the Intellivision games processor), a chip with 16-bit-wide RAM but 10-bit-wide ROM. See also [9447]deckle, and [9448]nybble for names of other bit units.

Node:night mode, Next:[9449]Nightmare File System, Previous:[9450]nickle, Up:[9451]= N =

night mode n.

See [9452]phase (of people).

Node:Nightmare File System, Next:[9453]NIL, Previous:[9454]night mode, Up:[9455]= N =

Nightmare File System n.

Pejorative hackerism for Sun's Network File System (NFS). In any nontrivial network of Suns where there is a lot of NFS cross-mounting, when one Sun goes down, the others often freeze up. Some machine tries to access the down one, and (getting no response) repeats indefinitely. This causes it to appear dead to some messages (what is actually happening is that it is locked up in what should have been a brief excursion to a higher [9456]spl level). Then another machine tries to reach either the down machine or the pseudo-down machine, and itself becomes pseudo-down. The first machine to discover the down one is now trying both to access the down one and to respond to the pseudo-down one, so it is even harder to reach. This situation snowballs very quickly, and soon the entire network of machines is frozen -- worst of all, the user can't even abort the file access that started the problem! Many of NFS's problems are excused by partisans

as being an inevitable result of its statelessness, which is held to be a great feature (critics, of course, call it a great [9457]misfeature). (ITS partisans are apt to cite this as proof of Unix's alleged bogosity; ITS had a working NFS-like shared file system with none of these problems in the early 1970s.) See also [9458]broadcast storm.

Node:NIL, Next:[9459]Ninety-Ninety Rule, Previous:[9460]Nightmare File System, Up:[9461]= N =

NIL /nil/

No. Used in reply to a question, particularly one asked using the '-P' convention. Most hackers assume this derives simply from LISP terminology for 'false' (see also [9462]T), but NIL as a negative reply was well-established among radio hams decades before the advent of LISP. The historical connection between early hackerdom and the ham radio world was strong enough that this may have been an influence.

Node:Ninety-Ninety Rule, Next:[9463]nipple mouse, Previous:[9464]NIL, Up:[9465]= N =

Ninety-Ninety Rule n.

"The first 90% of the code accounts for the first 90% of the development time. The remaining 10% of the code accounts for the other 90% of the development time." Attributed to Tom Cargill of Bell Labs, and popularized by Jon Bentley's September 1985 "Bumper-Sticker Computer Science" column in "Communications of the ACM". It was there called the "Rule of Credibility", a name which seems not to have stuck. Other maxims in the same vein include the law attributed to the early British computer scientist Douglas Hartree: "The time from now until the completion of the project tends to become constant."

Node:nipple mouse, Next:[9466]NMI, Previous:[9467]Ninety-Ninety Rule, Up:[9468]= N =

nipple mouse n.

Var. 'clit mouse, clitoris' Common term for the pointing device used on IBM ThinkPads and a few other laptop computers. The device, which sits between the 'g' and 'h' keys on the keyboard, indeed resembles a rubber nipple intended to be tweaked by a forefinger. Many hackers consider these superior to the glide pads found on most laptops, which are harder to control precisely.

Node:NMI, Next:[9469]no-op, Previous:[9470]nipple mouse, Up:[9471]= N =

NMI /N-M-I/ n.

Non-Maskable Interrupt. An IRQ 7 on the PDP-11 or 680[01234]0; the NMI line on an 80[1234]86. In contrast with a [9472]priority interrupt (which might be ignored, although that is unlikely), an NMI is never ignored. Except, that is, on [9473]clone boxes, where NMI is often ignored on the motherboard because flaky hardware can generate many spurious ones.

Node:no-op, Next:[9474]nobby, Previous:[9475]NMI, Up:[9476]= N =

no-op /noh'op/ n.,v.

alt. NOP /nop/ [no operation] 1. A machine instruction that does nothing (sometimes used in assembler-level programming as filler for data or patch areas, or to overwrite code to be removed in binaries). 2. A person who contributes nothing to a project, or has nothing going on upstairs, or both. As in "He's a no-op." 3. Any operation or sequence of operations with no effect, such as circling the block without finding a parking space, or putting money into a vending machine and having it fall immediately into the coin-return box, or asking someone for help and being told to go away. "Oh, well, that was a no-op." Hot-and-sour soup (see [9477]great-wall) that is insufficiently either is 'no-op soup'; so is wonton soup if everybody else is having hot-and-sour.

Node:nobby, Next:[9478]node, Previous:[9479]no-op, Up:[9480]= N =

nobby /nod'ee/ adj.

[UK: from the children's books] 1. Small and un-useful, but demonstrating a point. Nobby programs are often written by people learning a new language or system. The archetypal nobby program is [9481]hello world. Nobby code may be used to demonstrate a feature or bug of a compiler. May be used of real hardware or software to imply that it isn't worth using. "This editor's a bit nobby." 2. A program that is more or less instant to produce. In this use, the term does not necessarily connote uselessness, but describes a [9482]hack sufficiently trivial that it can be written and debugged while carrying on (and during the space of) a normal conversation. "I'll just throw together a nobby [9483]awk script to dump all the first fields." In North America this might be called a [9484]mickey mouse program. See [9485]toy program.

Node:node, Next:[9486]Nominal Semidestructor, Previous:[9487]nobby, Up:[9488]= N =

node n.

1. [Internet, UUCP] A host machine on the network. 2. [MS-DOS BBSes] A

dial-in line on a BBS. Thus an MS-DOS [9489]sysop might say that his BBS has 4 nodes even though it has a single machine and no Internet link, confusing an Internet hacker no end.

Node:Nominal Semidestructor, Next:[9490]non-optimal solution,
Previous:[9491]node, Up:[9492]= N =

Nominal Semidestructor n.

Soundalike slang for 'National Semiconductor', found among other places in the Networking/2 networking sources. During the late 1970s to mid-1980s this company marketed a series of microprocessors including the NS16000 and NS32000 and several variants. At one point early in the great microprocessor race, the specs on these chips made them look like serious competition for the rising Intel 80x86 and Motorola 680x0 series. Unfortunately, the actual parts were notoriously flaky and never implemented the full instruction set promised in their literature, apparently because the company couldn't get any of the mask steppings to work as designed. They eventually sank without trace, joining the Zilog Z8000 and a few even more obscure also-rans in the graveyard of forgotten microprocessors. Compare [9493]HP-SUX, [9494]AIDX, [9495]buglix, [9496]Macintrash, [9497]Telerat, [9498]ScumOS, [9499]sun-stools, [9500]Slowlaris, [9501]Internet Exploder.

Node:non-optimal solution, Next:[9502]nonlinear,
Previous:[9503]Nominal Semidestructor, Up:[9504]= N =

non-optimal solution n.

(also 'sub-optimal solution') An astoundingly stupid way to do something. This term is generally used in deadpan sarcasm, as its impact is greatest when the person speaking looks completely serious. Compare [9505]stunning. See also [9506]Bad Thing.

Node:nonlinear, Next:[9507]nontrivial, Previous:[9508]non-optimal solution, Up:[9509]= N =

nonlinear adj.

[scientific computation] 1. Behaving in an erratic and unpredictable fashion; unstable. When used to describe the behavior of a machine or program, it suggests that said machine or program is being forced to run far outside of design specifications. This behavior may be induced by unreasonable inputs, or may be triggered when a more mundane bug sends the computation far off from its expected course. 2. When describing the behavior of a person, suggests a tantrum or a [9510]flame. "When you talk to Bob, don't mention the drug problem or he'll go nonlinear for hours." In this context, 'go nonlinear' connotes 'blow up out of proportion' (proportion connotes linearity).

Node:nontrivial, Next:[9511]not ready for prime time,
Previous:[9512]nonlinear, Up:[9513]= N =

nontrivial adj.

Requiring real thought or significant computing power. Often used as an understated way of saying that a problem is quite difficult or impractical, or even entirely unsolvable ("Proving P=NP is nontrivial"). The preferred emphatic form is 'decidedly nontrivial'. See [9514]trivial, [9515]uninteresting, [9516]interesting.

Node:not ready for prime time, Next:[9517]network,
Previous:[9518]nontrivial, Up:[9519]= N =

not ready for prime time adj.

Usable, but only just so; not very robust; for internal use only. Said of a program or device. Often connotes that the thing will be made more solid [9520]Real Soon Now. This term comes from the ensemble name of the original cast of "Saturday Night Live", the "Not Ready for Prime Time Players". It has extra flavor for hackers because of the special (though now semi-obsolescent) meaning of [9521]prime time. Compare [9522]beta.

Node:network, Next:[9523]NP-, Previous:[9524]not ready for prime time,
Up:[9525]= N =

network /not'werk/ n.

A network, when it is acting [9526]flaky or is [9527]down. Compare [9528]nyetwork. Said at IBM to have originally referred to a particular period of flakiness on IBM's VNET corporate network ca. 1988; but there are independent reports of the term from elsewhere.

Node:NP-, Next:[9529]nroff, Previous:[9530]network, Up:[9531]= N =

NP- /N-P/ pref.

Extremely. Used to modify adjectives describing a level or quality of difficulty; the connotation is often 'more so than it should be' This is generalized from the computer-science terms 'NP-hard' and 'NP-complete'; NP-complete problems all seem to be very hard, but so far no one has found a proof that they are. NP is the set of Nondeterministic-Polynomial algorithms, those that can be completed by a nondeterministic Turing machine in an amount of time that is a polynomial function of the size of the input; a solution for one NP-complete problem would solve all the others. "Coding a BitBlt implementation to perform correctly in every case is NP-annoying."

Note, however, that strictly speaking this usage is misleading; there are plenty of easy problems in class NP. NP-complete problems are hard not because they are in class NP, but because they are the hardest problems in class NP.

Node:nroff, Next:[9532]NSA line eater, Previous:[9533]NP-, Up:[9534]=
N =

nroff /N'rof/

n. [Unix, from "new roff" (see [9535]troff)] A companion program to the Unix typesetter [9536]troff, accepting identical input but preparing output for terminals and line printers.

Node:NSA line eater, Next:[9537]NSP, Previous:[9538]nroff, Up:[9539]=
N =

NSA line eater n.

The National Security Agency trawling program sometimes assumed to be reading the net for the U.S. Government's spooks. Most hackers used to think it was mythical but believed in acting as though existed just in case. since the mid-1990s it has gradually become known that the NSA actually does this, quite illegally, through its Echelon program.

The standard countermeasure is to put loaded phrases like 'KGB', 'Uzi', 'nuclear materials', 'Palestine', 'cocaine', and 'assassination' in their [9540]sig blocks in a (probably futile) attempt to confuse and overload the creature. The [9541]GNU version of [9542]EMACS actually has a command that randomly inserts a bunch of insidious anarcho-verbiage into your edited text.

As far back as the 1970s there was a mainstream variant of this myth involving a 'Trunk Line Monitor', which supposedly used speech recognition to extract words from telephone trunks. This is much harder than noticing keywords in email, and most of the people who originally propagated it had no idea of then-current technology or the storage, signal-processing, or speech recognition needs of such a project. On the basis of mass-storage costs alone it would have been cheaper to hire 50 high-school students and just let them listen in. Twenty years and several orders of technological magnitude later, however, there are clear indications that the NSA has actually deployed such filtering (again, very much against U.S. law).

Node:NSP, Next:[9543]nude, Previous:[9544]NSA line eater, Up:[9545]= N
=

NSP /N-S-P/ n.

Common abbreviation for 'Network Service Provider', one of the big national or regional companies that maintains a portion of the Internet backbone and resells connectivity to [9546]ISPs. In 1996, major NSPs include ANS, MCI, UUNET, and Sprint. An Internet wholesaler.

Node:nude, Next:[9547]nugry, Previous:[9548]NSP, Up:[9549]= N =

nude adj.

Said of machines delivered without an operating system (compare [9550]bare metal). "We ordered 50 systems, but they all arrived nude, so we had to spend a an extra weekend with the installation disks." This usage is a recent innovation reflecting the fact that most IBM-PC clones are now delivered with an operating system pre-installed at the factory. Other kinds of hardware are still normally delivered without OS, so this term is particular to PC support groups.

Node:nugry, Next:[9551]nuke, Previous:[9552]nude, Up:[9553]= N =

nugry /n[y]oo'gree/

[Usenet, 'newbie' + '-gry'] ' . n. A [9554]newbie who posts a [9555]FAQ in the rec.puzzles newsgroup, especially if it is a variant of the notorious and unanswerable "What, besides 'angry' and 'hungry', is the third common English word that ends in -GRY?". In the newsgroup, the canonical answer is of course 'nugry' itself. Plural is 'nusgry' /n[y]oos'gree/. 2. adj. Having the qualities of a nugry.

Node:nuke, Next:[9556]number-crunching, Previous:[9557]nugry, Up:[9558]= N =

nuke /n[y]ook/ vt.

[common] 1. To intentionally delete the entire contents of a given directory or storage volume. "On Unix, rm -r /usr will nuke everything in the usr filesystem." Never used for accidental deletion; contrast [9559]blow away. 2. Syn. for [9560]dike, applied to smaller things such as files, features, or code sections. Often used to express a final verdict. "What do you want me to do with that 80-meg [9561]wallpaper file?" "Nuke it." 3. Used of processes as well as files; nuke is a frequent verbal alias for kill -9 on Unix. 4. On IBM PCs, a bug that results in [9562]fandango on core can trash the operating system, including the FAT (the in-core copy of the disk block chaining information). This can utterly scramble attached disks, which are then said to have been 'nuked'. This term is also used of analogous lossages on Macintoshes and other micros without memory protection.

Node: number-crunching, Next:[9563]numbers, Previous:[9564]nuke,
Up:[9565]= N =

number-crunching n.

[common] Computations of a numerical nature, esp. those that make extensive use of floating-point numbers. The only thing [9566]Fortrash is good for. This term is in widespread informal use outside hackerdom and even in mainstream slang, but has additional hackish connotations: namely, that the computations are mindless and involve massive use of [9567]brute force. This is not always [9568]evil, esp. if it involves ray tracing or fractals or some other use that makes [9569]pretty pictures, esp. if such pictures can be used as [9570]wallpaper. See also [9571]crunch.

Node: numbers, Next:[9572]NUXI problem,
Previous:[9573]number-crunching, Up:[9574]= N =

numbers n.

[scientific computation] Output of a computation that may not be significant results but at least indicate that the program is running. May be used to placate management, grant sponsors, etc. 'Making numbers' means running a program because output -- any output, not necessarily meaningful output -- is needed as a demonstration of progress. See [9575]pretty pictures, [9576]math-out, [9577]social science number.

Node: NUXI problem, Next:[9578]nybble, Previous:[9579]numbers,
Up:[9580]= N =

NUXI problem /nuk'see pro'bl*m/ n.

Refers to the problem of transferring data between machines with differing byte-order. The string 'UNIX' might look like 'NUXI' on a machine with a different 'byte sex' (e.g., when transferring data from a [9581]little-endian to a [9582]big-endian, or vice-versa). See also [9583]middle-endian, [9584]swab, and [9585]bytesexual.

Node: nybble, Next:[9586]nyetwork, Previous:[9587]NUXI problem,
Up:[9588]= N =

nybble /nib'l/ (alt. 'nibble') n.

[from v. 'nibble' by analogy with 'bite' => 'byte'] Four bits; one [9589]hex digit; a half-byte. Though 'byte' is now techspeak, this useful relative is still jargon. Compare [9590]byte; see also [9591]bit. The more mundane spelling "nibble" is also commonly used. Apparently the 'nybble' spelling is uncommon in Commonwealth Hackish, as British orthography would suggest the pronunciation /ni:'bl/.

Following 'bit', 'byte' and 'nybble' there have been quite a few analogical attempts to construct unambiguous terms for bit blocks of other sizes. All of these are strictly jargon, not techspeak, and not very common jargon at that (most hackers would recognize them in context but not use them spontaneously). We collect them here for reference together with the ambiguous techspeak terms 'word', 'half-word' and 'double word'; some (indicated) have substantial information separate entries.

2 bits:

[9592]crumb, [9593]quad, [9594]quarter, tayste, tydbit

4 bits:

nybble

5 bits:

[9595]nickle

10 bits:

[9596]deckle

16 bits:

playte, [9597]chawmp (on a 32-bit machine), word (on a 16-bit machine), half-word (on a 32-bit machine).

18 bits:

[9598]chawmp (on a 36-bit machine), half-word (on a 36-bit machine)

32 bits:

dynner, [9599]gawble (on a 32-bit machine), word (on a 32-bit machine), longword (on a 16-bit machine).

36:

word (on a 36-bit machine)

48 bits:

[9600]gawble (under circumstances that remain obscure)

64 bits

double word (on a 32-bit machine)

The fundamental motivation for most of these jargon terms (aside from the normal hackerly enjoyment of punning wordplay) is the extreme ambiguity of the term 'word' and its derivatives.

Node:nyetwork, Next:[9601]Ob-, Previous:[9602]nybble, Up:[9603]= N =

nyetwork /nyet'werk/ n.

[from Russian 'nyet' = no] A network, when it is acting [9604]flaky or

is [9605]down. Compare [9606]network.

Node:= O =, Next:[9607]= P =, Previous:[9608]= N =, Up:[9609]The
Jargon Lexicon

= O =

- * [9610]Ob-:
 - * [9611]Obfuscated C Contest:
 - * [9612]obi-wan error:
 - * [9613]Objectionable-C:
 - * [9614]obscure:
 - * [9615]octal forty:
 - * [9616]off the trolley:
 - * [9617]off-by-one error:
 - * [9618]offline:
 - * [9619]ogg:
 - * [9620]-oid:
 - * [9621]old fart:
 - * [9622]Old Testament:
 - * [9623]on the gripping hand:
 - * [9624]one-banana problem:
 - * [9625]one-line fix:
 - * [9626]one-liner wars:
 - * [9627]ooblick:
 - * [9628]op:
 - * [9629]open:
 - * [9630]open source:
 - * [9631]open switch:
 - * [9632]operating system:
 - * [9633]optical diff:
 - * [9634]optical grep:
 - * [9635]optimism:
 - * [9636]Oracle the:
 - * [9637]Orange Book:
 - * [9638]oriental food:
 - * [9639]orphan:
 - * [9640]orphaned i-node:
 - * [9641]orthogonal:
 - * [9642]OS:
 - * [9643]OS/2:
 - * [9644]OSS:
 - * [9645]OSU:
 - * [9646]OTOH:
 - * [9647]out-of-band:
 - * [9648]overclock:
 - * [9649]overflow bit:
 - * [9650]overflow pdl:
 - * [9651]overrun:
 - * [9652]overrun screw:
-

Node:Ob-, Next:[9653]Obfuscated C Contest, Previous:[9654]nyetwork,
Up:[9655]= O =

Ob- /ob/ pref.

Obligatory. A piece of [9656]netiquette acknowledging that the author has been straying from the newsgroup's charter topic. For example, if a posting in alt.sex is a response to a part of someone else's posting that has nothing particularly to do with sex, the author may append 'ObSex' (or 'Obsex') and toss off a question or vignette about some unusual erotic act. It is considered a sign of great [9657]winnitude when one's Obs are more interesting than other people's whole postings.

Node:Obfuscated C Contest, Next:[9658]jobi-wan error,
Previous:[9659]Ob-, Up:[9660]= O =

Obfuscated C Contest n.

(in full, the 'International Obfuscated C Code Contest', or IOCCC) An annual contest run since 1984 over Usenet by Landon Curt Noll and friends. The overall winner is whoever produces the most unreadable, creative, and bizarre (but working) C program; various other prizes are awarded at the judges' whim. C's terse syntax and macro-preprocessor facilities give contestants a lot of maneuvering room. The winning programs often manage to be simultaneously (a) funny, (b) breathtaking works of art, and (c) horrible examples of how not to code in C.

This relatively short and sweet entry might help convey the flavor of obfuscated C:

```
/*
 * HELLO WORLD program
 * by Jack Applin and Robert Heckendorn, 1985
 * (Note: depends on being able to modify elements of argv[],
 * which is not guaranteed by ANSI and often not possible.)
 */
main(v,c)char**c;{for(v[c++]="Hello, world!\n");
(!c)[*c]&&(v--|--c&&exclp(*c,*c,c[!c]+!c,!c));
**c=!c)write(!*c,*c,!*c);}
```

Here's another good one:

```
/*
 * Program to compute an approximation of pi
 * by Brian Westley, 1988
 * (requires pcc macro concatenation; try gcc -traditional-cpp)
 */

#define _ -F<00|--F-OO--;
int F=00,OO=00;
main(){F_00();printf("%1.3f\n",4.*-F/OO/OO);}F_00()
{
```


Used in an exaggeration of its normal meaning, to imply total incomprehensibility. "The reason for that last crash is obscure." "The find(1) command's syntax is obscure!" The phrase 'moderately obscure' implies that something could be figured out but probably isn't worth the trouble. The construction 'obscure in the extreme' is the preferred emphatic form.

Node:octal forty, Next:[9675]off the trolley, Previous:[9676]obscure, Up:[9677]= O =

octal forty /ok'tl for'tee/ n.

Hackish way of saying "I'm drawing a blank." Octal 40 is the [9678]ASCII space character, 0100000; by an odd coincidence, [9679]hex 40 (01000000) is the [9680]EBCDIC space character. See [9681]wall.

Node:off the trolley, Next:[9682]off-by-one error, Previous:[9683]octal forty, Up:[9684]= O =

off the trolley adj.

Describes the behavior of a program that malfunctions and goes catatonic, but doesn't actually [9685]crash or abort. See [9686]glitch, [9687]bug, [9688]deep space, [9689]wedged.

This term is much older than computing, and is (uncommon) slang elsewhere. A trolley is the small wheel that trolls, or runs against, the heavy wire that carries the current to run a streetcar. It's at the end of the long pole (the trolley pole) that reaches from the roof of the streetcar to the overhead line. When the trolley stops making contact with the wire (from passing through a switch, going over bumpy track, or whatever), the streetcar comes to a halt, (usually) without crashing. The streetcar is then said to be off the trolley, or off the wire. Later on, trolley came to mean the streetcar itself. Since streetcars became common in the 1890s, the term is more than 100 years old. Nowadays, trolleys are only seen on historic streetcars, since modern streetcars use pantographs to contact the wire.

Node:off-by-one error, Next:[9690]offline, Previous:[9691]off the trolley, Up:[9692]= O =

off-by-one error n.

[common] Exceedingly common error induced in many ways, such as by starting at 0 when you should have started at 1 or vice-versa, or by writing < N instead of <= N or vice-versa. Also applied to giving something to the person next to the one who should have gotten it. Often confounded with [9693]fencepost error, which is properly a particular subtype of it.

Node:offline, Next:[9694]ogg, Previous:[9695]off-by-one error,
Up:[9696]= O =

offline adv.

Not now or not here. "Let's take this discussion offline."
Specifically used on [9697]Usenet to suggest that a discussion be
moved off a public newsgroup to email.

Node:ogg, Next:[9698]-oid, Previous:[9699]offline, Up:[9700]= O =

ogg /og/ v.

[CMU] 1. In the multi-player space combat game Netrek, to execute kamikaze attacks against enemy ships which are carrying armies or occupying strategic positions. Named during a game in which one of the players repeatedly used the tactic while playing Orion ship G, showing up in the player list as "Og". This trick has been roundly denounced by those who would return to the good old days when the tactic of dogfighting was dominant, but as Sun Tzu wrote, "What is of supreme importance in war is to attack the enemy's strategy, not his tactics." However, the traditional answer to the newbie question "What does ogg mean?" is just "Pick up some armies and I'll show you." 2. In other games, to forcefully attack an opponent with the expectation that the resources expended will be renewed faster than the opponent will be able to regain his previous advantage. Taken more seriously as a tactic since it has gained a simple name. 3. To do anything forcefully, possibly without consideration of the drain on future resources. "I guess I'd better go ogg the problem set that's due tomorrow." "Whoops! I looked down at the map for a sec and almost ogged that oncoming car."

Node:-oid, Next:[9701]old fart, Previous:[9702]ogg, Up:[9703]= O =

-oid suff.

[from Greek suffix -oid = 'in the image of'] 1. Used as in mainstream slang English to indicate a poor imitation, a counterfeit, or some otherwise slightly bogus resemblance. Hackers will happily use it with all sorts of non-Greco/Latin stem words that wouldn't keep company with it in mainstream English. For example, "He's a nerdoid" means that he superficially resembles a nerd but can't make the grade; a 'modemoid' might be a 300-baud box (Real Modems run at 28.8 or up); a 'computeroid' might be any [9704]bitty box. The word 'keyboid' could be used to describe a [9705]chiclet keyboard, but would have to be written; spoken, it would confuse the listener as to the speaker's city of origin. 2. More specifically, an indicator for 'resembling an android' which in the past has been confined to science-fiction fans and hackers. It too has recently (in 1991) started to go mainstream (most notably in the term 'trendoid' for victims of terminal hipness).

This is probably traceable to the popularization of the term [9706]droid in "Star Wars" and its sequels. (See also [9707]windoid.)

Coinages in both forms have been common in science fiction for at least fifty years, and hackers (who are often SF fans) have probably been making '-oid' jargon for almost that long [though GLS and I can personally confirm only that they were already common in the mid-1970s --ESR].

Node:old fart, Next:[9708]Old Testament, Previous:[9709]-oid, Up:[9710]= O =

old fart n.

Tribal elder. A title self-assumed with remarkable frequency by (esp.) Usenetters who have been programming for more than about 25 years; often appears in [9711]sig blocks attached to Jargon File contributions of great archeological significance. This is a term of insult in the second or third person but one of pride in first person.

Node:Old Testament, Next:[9712]on the gripping hand, Previous:[9713]old fart, Up:[9714]= O =

Old Testament n.

[C programmers] The first edition of [9715]K&R, the sacred text describing [9716]Classic C.

Node:on the gripping hand, Next:[9717]one-banana problem, Previous:[9718]Old Testament, Up:[9719]= O =

on the gripping hand

In the progression that starts "On the one hand..." and continues "On the other hand..." mainstream English may add "on the third hand..." even though most people don't have three hands. Among hackers, it is just as likely to be "on the gripping hand". This metaphor supplied the title of Larry Niven & Jerry Pournelle's 1993 SF novel "The Gripping Hand" which involved a species of hostile aliens with three arms (the same species, in fact, referenced in [9720]juggling eggs). As with [9721]TANSTAAFL and [9722]con, this usage one of the naturalized imports from SF fandom frequently observed among hackers.

Node:one-banana problem, Next:[9723]one-line fix, Previous:[9724]on the gripping hand, Up:[9725]= O =

one-banana problem n.

At mainframe shops, where the computers have operators for routine

administrivia, the programmers and hardware people tend to look down on the operators and claim that a trained monkey could do their job. It is frequently observed that the incentives that would be offered said monkeys can be used as a scale to describe the difficulty of a task. A one-banana problem is simple; hence, "It's only a one-banana job at the most; what's taking them so long?"

At IBM, folklore divides the world into one-, two-, and three-banana problems. Other cultures have different hierarchies and may divide them more finely; at ICL, for example, five grapes (a bunch) equals a banana. Their upper limit for the in-house [9726]sysapes is said to be two bananas and three grapes (another source claims it's three bananas and one grape, but observes "However, this is subject to local variations, cosmic rays and ISO"). At a complication level any higher than that, one asks the manufacturers to send someone around to check things.

See also [9727]Infinite-Monkey Theorem.

Node:one-line fix, Next:[9728]one-liner wars,
Previous:[9729]one-banana problem, Up:[9730]= O =

one-line fix n.

Used (often sarcastically) of a change to a program that is thought to be trivial or insignificant right up to the moment it crashes the system. Usually 'cured' by another one-line fix. See also [9731]I didn't change anything!

Node:one-liner wars, Next:[9732]ooblick, Previous:[9733]one-line fix,
Up:[9734]= O =

one-liner wars n.

A game popular among hackers who code in the language APL (see [9735]write-only language and [9736]line noise). The objective is to see who can code the most interesting and/or useful routine in one line of operators chosen from APL's exceedingly [9737]hairy primitive set. A similar amusement was practiced among [9738]TECO hackers and is now popular among [9739]Perl aficionados.

Ken Iverson, the inventor of APL, has been credited with a one-liner that, given a number N, produces a list of the prime numbers from 1 to N inclusive. It looks like this:

```
(2 = 0 +.= T o.| T) / T <- iN
```

where 'o' is the APL null character, the assignment arrow is a single character, and 'i' represents the APL iota.

Here's a [9740]Perl program that prints primes:

```
perl -wle '(1 x $_) !~ /^(11+)\1+$/ && print while ++ $_'
```

In the Perl world this game is sometimes called Perl Golf because the player with the fewest (key)strokes wins.

Node:ooblick, Next:[9741]op, Previous:[9742]one-liner wars, Up:[9743]=
O =

ooblick /oo'blik/ n.

[from the Dr. Seuss title "Bartholomew and the Oobleck"; the spelling 'oobleck' is still current in the mainstream] A bizarre semi-liquid sludge made from cornstarch and water. Enjoyed among hackers who make batches during playtime at parties for its amusing and extremely non-Newtonian behavior; it pours and splatters, but resists rapid motion like a solid and will even crack when hit by a hammer. Often found near lasers.

Here is a field-tested ooblick recipe contributed by GLS:

1 cup cornstarch
1 cup baking soda
3/4 cup water
N drops of food coloring

This recipe isn't quite as non-Newtonian as a pure cornstarch ooblick, but has an appropriately slimy feel.

Some, however, insist that the notion of an ooblick recipe is far too mechanical, and that it is best to add the water in small increments so that the various mixed states the cornstarch goes through as it becomes ooblick can be grokked in fullness by many hands. For optional ingredients of this experience, see the "[9744]Ceremonial Chemicals" section of Appendix B.

Node:op, Next:[9745]open, Previous:[9746]ooblick, Up:[9747]= O =

op /op/ n.

1. In England and Ireland, common verbal abbreviation for 'operator', as in system operator. Less common in the U.S., where [9748]sysop seems to be preferred. 2. [IRC] Someone who is endowed with privileges on [9749]IRC, not limited to a particular channel. These are generally people who are in charge of the IRC server at their particular site. Sometimes used interchangeably with [9750]CHOP. Compare [9751]sysop.

Node:open, Next:[9752]open source, Previous:[9753]op, Up:[9754]= O =

open n.

Abbreviation for 'open (or left) parenthesis' -- used when necessary to eliminate oral ambiguity. To read aloud the LISP form (DEFUN FOO (X) (PLUS X 1)) one might say: "Open defun foo, open eks close, open, plus eks one, close close."

Node:open source, Next:[9755]open switch, Previous:[9756]open, Up:[9757]= O =

open source n.

[common; also adj. 'open-source'] Term coined in March 1998 following the Mozilla release to describe software distributed in source under licenses guaranteeing anybody rights to freely use, modify, and redistribute, the code. The intent was to be able to sell the hackers' ways of doing software to industry and the mainstream by avoid the negative connotations (to [9758]suits) of the term "[9759]free software". For discussion of the followon tactics and their consequences, see the [9760]Open Source Initiative site.

Node:open switch, Next:[9761]operating system, Previous:[9762]open source, Up:[9763]= O =

open switch n.

[IBM: prob. from railroading] An unresolved question, issue, or problem.

Node:operating system, Next:[9764]optical diff, Previous:[9765]open switch, Up:[9766]= O =

operating system n.

[techspeak] (Often abbreviated 'OS') The foundation software of a machine; that which schedules tasks, allocates storage, and presents a default interface to the user between applications. The facilities an operating system provides and its general design philosophy exert an extremely strong influence on programming style and on the technical cultures that grow up around its host machines. Hacker folklore has been shaped primarily by the [9767]Unix, [9768]ITS, [9769]TOPS-10, [9770]TOPS-20/[9771]TWENEX, [9772]WAITS, [9773]CP/M, [9774]MS-DOS, and [9775]Multics operating systems (most importantly by ITS and Unix).

Node:optical diff, Next:[9776]optical grep, Previous:[9777]operating system, Up:[9778]= O =

optical diff n.

See [9779]vdiff.

Node:optical grep, Next:[9780]optimism, Previous:[9781]optical diff,
Up:[9782]= O =

optical grep n.

See [9783]vgrep.

Node:optimism, Next:[9784]Oracle the, Previous:[9785]optical grep,
Up:[9786]= O =

optimism n.

What a programmer is full of after fixing the last bug and before discovering the next last bug. Fred Brooks's book "The Mythical Man-Month" (See "Brooks's Law") contains the following paragraph that describes this extremely well:

All programmers are optimists. Perhaps this modern sorcery especially attracts those who believe in happy endings and fairy godmothers. Perhaps the hundreds of nitty frustrations drive away all but those who habitually focus on the end goal. Perhaps it is merely that computers are young, programmers are younger, and the young are always optimists. But however the selection process works, the result is indisputable: "This time it will surely run," or "I just found the last bug."

See also [9787]Lubarsky's Law of Cybernetic Entomology.

Node:Oracle the, Next:[9788]Orange Book, Previous:[9789]optimism,
Up:[9790]= O =

Oracle, the

The all-knowing, all-wise Internet Oracle (rec.humor.oracle), or one of the foreign language derivatives of same. Newbies frequently confuse the Oracle with Oracle, a database vendor. As a result, the unmoderated rec.humor.oracle.d is frequently crossposted to by the clueless, looking for advice on SQL. As more than one person has said in similar situations, "Don't people bother to look at the newsgroup description line anymore?" (To which the standard response is, "Did people ever read it in the first place?")

Node:Orange Book, Next:[9791]oriental food, Previous:[9792]Oracle the,
Up:[9793]= O =

Orange Book n.

The U.S. Government's standards document "Trusted Computer System Evaluation Criteria, DOD standard 5200.28-STD, December, 1985" which

characterize secure computing architectures and defines levels A1 (most secure) through D (least). Modern Unices are roughly C2. See also [9794]crayola books, [9795]book titles.

Node:oriental food, Next:[9796]orphan, Previous:[9797]Orange Book, Up:[9798]= O =

oriental food n.

Hackers display an intense tropism towards oriental cuisine, especially Chinese, and especially of the spicier varieties such as Szechuan and Hunan. This phenomenon (which has also been observed in subcultures that overlap heavily with hackerdom, most notably science-fiction fandom) has never been satisfactorily explained, but is sufficiently intense that one can assume the target of a hackish dinner expedition to be the best local Chinese place and be right at least three times out of four. See also [9799]ravs, [9800]great-wall, [9801]stir-fried random, [9802]laser chicken, [9803]Yu-Shiang Whole Fish. Thai, Indian, Korean, and Vietnamese cuisines are also quite popular.

Node:orphan, Next:[9804]orphaned i-node, Previous:[9805]oriental food, Up:[9806]= O =

orphan n.

[Unix] A process whose parent has died; one inherited by init(1). Compare [9807]zombie.

Node:orphaned i-node, Next:[9808]orthogonal, Previous:[9809]orphan, Up:[9810]= O =

orphaned i-node /or'f*nd i:'nohd/ n.

[Unix] 1. [techspeak] A file that retains storage but no longer appears in the directories of a filesystem. 2. By extension, a pejorative for any person no longer serving a useful function within some organization, esp. [9811]lion food without subordinates.

Node:orthogonal, Next:[9812]OS, Previous:[9813]orphaned i-node, Up:[9814]= O =

orthogonal adj.

[from mathematics] Mutually independent; well separated; sometimes, irrelevant to. Used in a generalization of its mathematical meaning to describe sets of primitives or capabilities that, like a vector basis in geometry, span the entire 'capability space' of the system and are in some sense non-overlapping or mutually independent. For example, in

architectures such as the PDP-11 or VAX where all or nearly all registers can be used interchangeably in any role with respect to any instruction, the register set is said to be orthogonal. Or, in logic, the set of operators 'not' and 'or' is orthogonal, but the set 'nand', 'or', and 'not' is not (because any one of these can be expressed in terms of the others). Also used in comments on human discourse: "This may be orthogonal to the discussion, but...."

Node:OS, Next:[9815]OS/2, Previous:[9816]orthogonal, Up:[9817]= O =

OS /O-S/

1. [Operating System] n. An abbreviation heavily used in email, occasionally in speech. 2. n. obs. On ITS, an output spy. See "[9818]OS and JEDGAR" in Appendix A.

Node:OS/2, Next:[9819]OSS, Previous:[9820]OS, Up:[9821]= O =

OS/2 /O S too/ n.

The anointed successor to MS-DOS for Intel 286- and 386-based micros; proof that IBM/Microsoft couldn't get it right the second time, either. Often called 'Half-an-OS'. Mentioning it is usually good for a cheap laugh among hackers -- the design was so [9822]baroque, and the implementation of 1.x so bad, that 3 years after introduction you could still count the major [9823]apps shipping for it on the fingers of two hands -- in unary. The 2.x versions are said to have improved somewhat, and informed hackers now rate them superior to Microsoft Windows (an endorsement which, however, could easily be construed as damning with faint praise). See [9824]monstrosity, [9825]cretinous, [9826]second-system effect.

Node:OSS, Next:[9827]OSU, Previous:[9828]OS/2, Up:[9829]= O =

OSS

Written-only acronym for "Open Source Software" (see [9830]open source. This is a rather ugly [9831]TLA, and the principals in the open-source movement don't use it, but it has (perhaps inevitably) spread through the trade press like kudzu.

Node:OSU, Next:[9832]OTOH, Previous:[9833]OSS, Up:[9834]= O =

OSU /O-S-U/ n. obs.

[TMRC] Acronym for Officially Sanctioned User; a user who is recognized as such by the computer authorities and allowed to use the computer above the objections of the security monitor.

Node:OTOH, Next:[9835]out-of-band, Previous:[9836]OSU, Up:[9837]= O =

OTOH //

[Usenet; very common] On The Other Hand.

Node:out-of-band, Next:[9838]overclock, Previous:[9839]OTOH,
Up:[9840]= O =

out-of-band adj.

[from telecommunications and network theory] 1. In software, describes values of a function which are not in its 'natural' range of return values, but are rather signals that some kind of exception has occurred. Many C functions, for example, return a nonnegative integral value, but indicate failure with an out-of-band return value of -1. Compare [9841]hidden flag, [9842]green bytes, [9843]fence. 2. Also sometimes used to describe what communications people call 'shift characters', such as the ESC that leads control sequences for many terminals, or the level shift indicators in the old 5-bit Baudot codes. 3. In personal communication, using methods other than email, such as telephones or [9844]snail-mail.

Node:overclock, Next:[9845]overflow bit, Previous:[9846]out-of-band,
Up:[9847]= O =

overclock /oh'vr-klok'/ vt.

To operate a CPU or other digital logic device at a rate higher than it was designed for, under the assumption that the manufacturer put some [9848]slop into the specification to account for manufacturing tolerances. Overclocking something can result in intermittent [9849]crashes, and can even burn things out, since power dissipation is directly proportional to [9850]clock frequency. People who make a hobby of this are sometimes called "overclockers"; they are thrilled that they can run their 450MHz CPU at 500MHz, even though they can only tell the difference by running a [9851]benchmark program.

Node:overflow bit, Next:[9852]overflow pdl, Previous:[9853]overclock,
Up:[9854]= O =

overflow bit n.

1. [techspeak] A [9855]flag on some processors indicating an attempt to calculate a result too large for a register to hold. 2. More generally, an indication of any kind of capacity overload condition. "Well, the [9856]Ada description was [9857]baroque all right, but I could hack it OK until they got to the exception handling ... that set my overflow bit." 3. The hypothetical bit that will be set if a hacker

doesn't get to make a trip to the Room of Porcelain Fixtures: "I'd better process an internal interrupt before the overflow bit gets set."

Node:overflow pdl, Next:[9858]overrun, Previous:[9859]overflow bit, Up:[9860]= O =

overflow pdl n.

[MIT] The place where you put things when your [9861]PDL is full. If you don't have one and too many things get pushed, you forget something. The overflow pdl for a person's memory might be a memo pad. This usage inspired the following doggerel:

Hey, diddle, diddle
The overflow pdl
To get a little more stack;
If that's not enough
Then you lose it all,
And have to pop all the way back.
-The Great Quux

The term 'pdl' (see [9862]PDL) seems to be primarily an MITism; outside MIT this term is replaced by 'overflow [9863]stack' (but that wouldn't rhyme with 'diddle').

Node:overrun, Next:[9864]overrun screw, Previous:[9865]overflow pdl, Up:[9866]= O =

overrun n.

1. [techspeak] Term for a frequent consequence of data arriving faster than it can be consumed, esp. in serial line communications. For example, at 9600 baud there is almost exactly one character per millisecond, so if a [9867]silo can hold only two characters and the machine takes longer than 2 msec to get to service the interrupt, at least one character will be lost. 2. Also applied to non-serial-I/O communications. "I forgot to pay my electric bill due to mail overrun." "Sorry, I got four phone calls in 3 minutes last night and lost your message to overrun." When [9868]thrashing at tasks, the next person to make a request might be told "Overrun!" Compare [9869]firehose syndrome. 3. More loosely, may refer to a [9870]buffer overflow not necessarily related to processing time (as in [9871]overrun screw).

Node:overrun screw, Next:[9872]P-mail, Previous:[9873]overrun, Up:[9874]= O =

overrun screw n.

[C programming] A variety of [9875]fandango on core produced by scribbling past the end of an array (C implementations typically have no checks for this error). This is relatively benign and easy to spot if the array is static; if it is auto, the result may be to [9876]smash the stack -- often resulting in [9877]heisenbugs of the most diabolical subtlety. The term 'overflow screw' is used esp. of scribbles beyond the end of arrays allocated with malloc(3); this typically trashes the allocation header for the next block in the [9878]arena, producing massive lossage within malloc and often a core dump on the next operation to use stdio(3) or malloc(3) itself. See [9879]spam, [9880]overflow; see also [9881]memory leak, [9882]memory smash, [9883]aliasing bug, [9884]precedence lossage, [9885]fandango on core, [9886]secondary damage.

Node:= P =, Next:[9887]= Q =, Previous:[9888]= O =, Up:[9889]The Jargon Lexicon

= P =

- * [9890]P-mail:
- * [9891]P.O.D.:
- * [9892]packet over air:
- * [9893]padded cell:
- * [9894]page in:
- * [9895]page out:
- * [9896]pain in the net:
- * [9897]Pangloss parity:
- * [9898]paper-net:
- * [9899]param:
- * [9900]PARC:
- * [9901]parent message:
- * [9902]parity errors:
- * [9903]Parkinson's Law of Data:
- * [9904]parm:
- * [9905]parse:
- * [9906]Pascal:
- * [9907]pastie:
- * [9908]patch:
- * [9909]patch pumpkin:
- * [9910]patch space:
- * [9911]path:
- * [9912]pathological:
- * [9913]payware:
- * [9914]PBD:
- * [9915]PC-ism:
- * [9916]PD:
- * [9917]PDL:
- * [9918]PDP-10:
- * [9919]PDP-20:
- * [9920]PEBKAC:
- * [9921]peek:
- * [9922]pencil and paper:

- * [9923]Pentagram Pro:
- * [9924]Pentium:
- * [9925]peon:
- * [9926]percent-S:
- * [9927]perf:
- * [9928]perfect programmer syndrome:
- * [9929]Perl:
- * [9930]person of no account:
- * [9931]pessimial:
- * [9932]pessimizing compiler:
- * [9933]peta-:
- * [9934]PETSCII:
- * [9935]PFY:
- * [9936]phage:
- * [9937]phase:
- * [9938]phase of the moon:
- * [9939]phase-wrapping:
- * [9940]PHB:
- * [9941]phreaker:
- * [9942]phreaking:
- * [9943]pico-:
- * [9944]pig-tail:
- * [9945]pilot error:
- * [9946]ping:
- * [9947]Ping O' Death:
- * [9948]ping storm:
- * [9949]pink wire:
- * [9950]pipe:
- * [9951]pistol:
- * [9952]pixel sort:
- * [9953]pizza box:
- * [9954]plaid screen:
- * [9955]plain-ASCII:
- * [9956]plan file:
- * [9957]platinum-iridium:
- * [9958]playpen:
- * [9959]playte:
- * [9960]plingnet:
- * [9961]plokta:
- * [9962]plonk:
- * [9963]plug-and-pray:
- * [9964]plugh:
- * [9965]plumbing:
- * [9966]PM:
- * [9967]pnambic:
- * [9968]pod:
- * [9969]point-and-drool interface:
- * [9970]pointy hat:
- * [9971]pointy-haired:
- * [9972]poke:
- * [9973]poll:
- * [9974]polygon pusher:
- * [9975]POM:

- * [9976]pop:
- * [9977]POPJ:
- * [9978]poser:
- * [9979]post:
- * [9980]postcardware:
- * [9981]posting:
- * [9982]postmaster:
- * [9983]PostScript:
- * [9984]pound on:
- * [9985]power cycle:
- * [9986]power hit:
- * [9987]PPN:
- * [9988]pr0n:
- * [9989]precedence lossage:
- * [9990]prepend:
- * [9991]prestidigitization:
- * [9992]pretty pictures:
- * [9993]prettyprint:
- * [9994]pretzel key:
- * [9995]priesthood:
- * [9996]prime time:
- * [9997]print:
- * [9998]printing discussion:
- * [9999]priority interrupt:
- * [10000]profile:
- * [10001]progasm:
- * [10002]proggy:
- * [10003]proplet:
- * [10004]program:
- * [10005]Programmer's Cheer:
- * [10006]programming:
- * [10007]programming fluid:
- * [10008]propeller head:
- * [10009]propeller key:
- * [10010]proprietary:
- * [10011]protocol:
- * [10012]provocative maintenance:
- * [10013]prowler:
- * [10014]pseudo:
- * [10015]pseudoprime:
- * [10016]pseudosuit:
- * [10017]psychedelicware:
- * [10018]psyton:
- * [10019]pubic directory:
- * [10020]puff:
- * [10021]pumpkin holder:
- * [10022]pumpking:
- * [10023]punched card:
- * [10024]punt:
- * [10025]Purple Book:
- * [10026]purple wire:
- * [10027]push:
- * [10028]Python:

Node:P-mail, Next:[10029]P.O.D., Previous:[10030]overrun screw,
Up:[10031]= P =

P-mail n.

[rare] Physical mail, as opposed to [10032]email. Synonymous with
[10033]snail-mail, but much less common.

Node:P.O.D., Next:[10034]packet over air, Previous:[10035]P-mail,
Up:[10036]= P =

P.O.D. /P-O-D/

[rare] Acronym for 'Piece Of Data' (as opposed to a code section). See
also [10037]pod.

Node:packet over air, Next:[10038]padded cell, Previous:[10039]P.O.D.,
Up:[10040]= P =

packet over air

[common among backbone ISPs] The protocol notionally being used by
Internet data attempting to traverse a physical gap or break in the
network, such as might be caused by a [10041]fiber-seeking backhoe. "I
see why you're dropping packets. You seem to have a packet over air
problem."

Node:padded cell, Next:[10042]page in, Previous:[10043]packet over
air, Up:[10044]= P =

padded cell n.

Where you put [10045]users so they can't hurt anything. A program
that limits a user to a carefully restricted subset of the
capabilities of the host system (for example, the rsh(1) utility on
USG Unix). Note that this is different from an [10046]iron box because
it is overt and not aimed at enforcing security so much as protecting
others (and the user) from the consequences of the user's boundless
naivete (see [10047]naive). Also 'padded cell environment'.

Node:page in, Next:[10048]page out, Previous:[10049]padded cell,
Up:[10050]= P =

page in v.

[MIT] 1. To become aware of one's surroundings again after having
paged out (see [10051]page out). Usually confined to the sarcastic

comment: "Eric pages in, [10052]film at 11!" 2. Syn. 'swap in'; see [10053]swap.

Node:page out, Next:[10054]pain in the net, Previous:[10055]page in, Up:[10056]= P =

page out vi.

[MIT] 1. To become unaware of one's surroundings temporarily, due to daydreaming or preoccupation. "Can you repeat that? I paged out for a minute." See [10057]page in. Compare [10058]glitch, [10059]thinko. 2. Syn. 'swap out'; see [10060]swap.

Node:pain in the net, Next:[10061]Pangloss parity, Previous:[10062]page out, Up:[10063]= P =

pain in the net n.

A [10064]flamer.

Node:Pangloss parity, Next:[10065]paper-net, Previous:[10066]pain in the net, Up:[10067]= P =

Pangloss parity n.

[from Dr. Pangloss, the eternal optimist in Voltaire's "Candide"] In corporate DP shops, a common condition of severe but equally shared [10068]lossage resulting from the theory that as long as everyone in the organization has the exactly the same model of obsolete computer, everything will be fine.

Node:paper-net, Next:[10069]param, Previous:[10070]Pangloss parity, Up:[10071]= P =

paper-net n.

Hackish way of referring to the postal service, analogizing it to a very slow, low-reliability network. Usenet [10072]sig blocks sometimes include a "Paper-Net:" header just before the sender's postal address; common variants of this are "Papernet" and "P-Net". Note that the standard [10073]netiquette guidelines discourage this practice as a waste of bandwidth, since netters are quite unlikely to casually use postal addresses. Compare [10074]voice-net, [10075]snail-mail, [10076]P-mail.

Node:param, Next:[10077]PARC, Previous:[10078]paper-net, Up:[10079]= P =

param /p*-ram'/ n.

[common] Shorthand for 'parameter'. See also [10080]parm; compare [10081]arg, [10082]var.

Node:PARC, Next:[10083]parent message, Previous:[10084]param, Up:[10085]= P =

PARC n.

See [10086]XEROX PARC.

Node:parent message, Next:[10087]parity errors, Previous:[10088]PARC, Up:[10089]= P =

parent message n.

What a [10090]followup follows up.

Node:parity errors, Next:[10091]Parkinson's Law of Data, Previous:[10092]parent message, Up:[10093]= P =

parity errors pl.n.

Little lapses of attention or (in more severe cases) consciousness, usually brought on by having spent all night and most of the next day hacking. "I need to go home and crash; I'm starting to get a lot of parity errors." Derives from a relatively common but nearly always correctable transient error in memory hardware. It predates RAM; in fact, this term is reported to have already have been in use in its jargoin sense back in the 1960s when magnetic cores ruled. Parity errors can also afflict mass storage and serial communication lines; this is more serious because not always correctable.

Node:Parkinson's Law of Data, Next:[10094]parm, Previous:[10095]parity errors, Up:[10096]= P =

Parkinson's Law of Data prov.

"Data expands to fill the space available for storage"; buying more memory encourages the use of more memory-intensive techniques. It has been observed since the mid-1980s that the memory usage of evolving systems tends to double roughly once every 18 months. Fortunately, memory density available for constant dollars also tends to about double once every 18 months (see [10097]Moore's Law); unfortunately, the laws of physics guarantee that the latter cannot continue indefinitely.

Node:parm, Next:[10098]parse, Previous:[10099]Parkinson's Law of Data,
Up:[10100]= P =

parm /parm/ n.

Further-compressed form of [10101]param. This term is an IBMism, and written use is almost unknown outside IBM shops; spoken /parm/ is more widely distributed, but the synonym [10102]arg is favored among hackers. Compare [10103]arg, [10104]var.

Node:parse, Next:[10105]Pascal, Previous:[10106]parm, Up:[10107]= P =

parse [from linguistic terminology] vt.

1. To determine the syntactic structure of a sentence or other utterance (close to the standard English meaning). "That was the one I saw you." "I can't parse that." 2. More generally, to understand or comprehend. "It's very simple; you just kretch the glims and then aos the zotz." "I can't parse that." 3. Of fish, to have to remove the bones yourself. "I object to parsing fish", means "I don't want to get a whole fish, but a sliced one is okay". A 'parsed fish' has been deboned. There is some controversy over whether 'unparsed' should mean 'bony', or also mean 'deboned'.

Node:Pascal, Next:[10108]pastie, Previous:[10109]parse, Up:[10110]= P =

Pascal n.

An Algol-descended language designed by Niklaus Wirth on the CDC 6600 around 1967-68 as an instructional tool for elementary programming. This language, designed primarily to keep students from shooting themselves in the foot and thus extremely restrictive from a general-purpose-programming point of view, was later promoted as a general-purpose tool and, in fact, became the ancestor of a large family of languages including Modula-2 and [10111]Ada (see also [10112]bondage-and-discipline language). The hackish point of view on Pascal was probably best summed up by a devastating (and, in its deadpan way, screamingly funny) 1981 paper by Brian Kernighan (of [10113]K&R fame) entitled "Why Pascal is Not My Favorite Programming Language", which was turned down by the technical journals but circulated widely via photocopies. It was eventually published in "Comparing and Assessing Programming Languages", edited by Alan Feuer and Narain Gehani (Prentice-Hall, 1984). Part of his discussion is worth repeating here, because its criticisms are still apposite to Pascal itself after ten years of improvement and could also stand as an indictment of many other bondage-and-discipline languages. At the end of a summary of the case against Pascal, Kernighan wrote:

9. There is no escape

This last point is perhaps the most important. The language is inadequate but circumscribed, because there is no way to escape its limitations. There are no casts to disable the type-checking when necessary. There is no way to replace the defective run-time environment with a sensible one, unless one controls the compiler that defines the "standard procedures". The language is closed.

People who use Pascal for serious programming fall into a fatal trap. Because the language is impotent, it must be extended. But each group extends Pascal in its own direction, to make it look like whatever language they really want. Extensions for separate compilation, FORTRAN-like COMMON, string data types, internal static variables, initialization, octal numbers, bit operators, etc., all add to the utility of the language for one group but destroy its portability to others.

I feel that it is a mistake to use Pascal for anything much beyond its original target. In its pure form, Pascal is a toy language, suitable for teaching but not for real programming.

Pascal has since been almost entirely displaced (by [10114]C) from the niches it had acquired in serious applications and systems programming, but retains some popularity as a hobbyist language in the MS-DOS and Macintosh worlds.

Node: [pastie](#), Next: [\[10115\]patch](#), Previous: [\[10116\]Pascal](#), Up: [\[10117\]= P](#)
=

pastie /pay'stee/ n.

An adhesive-backed label designed to be attached to a key on a keyboard to indicate some non-standard character which can be accessed through that key. Pasties are likely to be used in APL environments, where almost every key is associated with a special character. A pastie on the R key, for example, might remind the user that it is used to generate the rho character. The term properly refers to nipple-concealing devices formerly worn by strippers in concession to indecent-exposure laws; compare [10118]tits on a keyboard.

Node: [patch](#), Next: [\[10119\]patch pumpkin](#), Previous: [\[10120\]pastie](#),
Up: [\[10121\]= P](#) =

patch

1. n. A temporary addition to a piece of code, usually as a [10122]quick-and-dirty remedy to an existing bug or misfeature. A patch may or may not work, and may or may not eventually be incorporated permanently into the program. Distinguished from a [10123]diff or [10124]mod by the fact that a patch is generated by more primitive means than the rest of the program; the classical examples are instructions modified by using the front panel switches,

and changes made directly to the binary executable of a program originally written in an [10125]HLL. Compare [10126]one-line fix. 2. vt. To insert a patch into a piece of code. 3. [in the Unix world] n. A [10127]diff (sense 2). 4. A set of modifications to binaries to be applied by a patching program. IBM operating systems often receive updates to the operating system in the form of absolute hexadecimal patches. If you have modified your OS, you have to disassemble these back to the source. The patches might later be corrected by other patches on top of them (patches were said to "grow scar tissue"). The result was often a convoluted [10128]patch space and headaches galore. 5. [Unix] the patch(1) program, written by Larry Wall, which automatically applies a patch (sense 3) to a set of source code.

There is a classic story of a [10129]tiger team penetrating a secure military computer that illustrates the danger inherent in binary patches (or, indeed, any patches that you can't -- or don't -- inspect and examine before installing). They couldn't find any [10130]trap doors or any way to penetrate security of IBM's OS, so they made a site visit to an IBM office (remember, these were official military types who were purportedly on official business), swiped some IBM stationery, and created a fake patch. The patch was actually the trapdoor they needed. The patch was distributed at about the right time for an IBM patch, had official stationery and all accompanying documentation, and was dutifully installed. The installation manager very shortly thereafter learned something about proper procedures.

Node:patch pumpkin, Next:[10131]patch space, Previous:[10132]patch, Up:[10133]= P =

patch pumpkin n.

[Perl hackers] A notional token passed around among the members of a project. Possession of the patch pumpkin means one has the exclusive authority to make changes on the project's master source tree. The implicit assumption is that 'pumpkin holder' status is temporary and rotates periodically among senior project members.

This term comes from the Perl development community, but has been sighted elsewhere. It derives from a stuffed-toy pumpkin that was passed around at a development shop years ago as the access control for a shared backup-tape drive.

Node:patch space, Next:[10134]path, Previous:[10135]patch pumpkin, Up:[10136]= P =

patch space n.

An unused block of bits left in a binary so that it can later be modified by insertion of machine-language instructions there (typically, the patch space is modified to contain new code, and the superseded code is patched to contain a jump or call to the patch

space). The near-universal use of compilers and interpreters has made this term rare; it is now primarily historical outside IBM shops. See [10137]patch (sense 4), [10138]zap (sense 4), [10139]hook.

Node:patch, Next:[10140]pathological, Previous:[10141]patch space, Up:[10142]= P =

path n.

1. A [10143]bang path or explicitly routed [10144]Internet address; a node-by-node specification of a link between two machines. Though these are now obsolete as a form of addressing, they still show up in diagnostics and trace headers occasionally (e.g. in NNTP headers). 2. [Unix] A filename, fully specified relative to the root directory (as opposed to relative to the current directory; the latter is sometimes called a 'relative path'). This is also called a 'pathname'. 3. [Unix and MS-DOS] The 'search path', an environment variable specifying the directories in which the [10145]shell (COMMAND.COM, under MS-DOS) should look for commands. Other, similar constructs abound under Unix (for example, the C preprocessor has a 'search path' it uses in looking for #include files).

Node:pathological, Next:[10146]payware, Previous:[10147]path, Up:[10148]= P =

pathological adj.

1. [scientific computation] Used of a data set that is grossly atypical of normal expected input, esp. one that exposes a weakness or bug in whatever algorithm one is using. An algorithm that can be broken by pathological inputs may still be useful if such inputs are very unlikely to occur in practice. 2. When used of test input, implies that it was purposefully engineered as a worst case. The implication in both senses is that the data is spectacularly ill-conditioned or that someone had to explicitly set out to break the algorithm in order to come up with such a crazy example. 3. Also said of an unlikely collection of circumstances. "If the network is down and comes up halfway through the execution of that command by root, the system may just crash." "Yes, but that's a pathological case." Often used to dismiss the case from discussion, with the implication that the consequences are acceptable, since they will happen so infrequently (if at all) that it doesn't seem worth going to the extra trouble to handle that case (see sense 1).

Node:payware, Next:[10149]PBD, Previous:[10150]pathological, Up:[10151]= P =

payware /pay'weir/ n.

Commercial software. Oppose [10152]shareware or [10153]freeware.

Node:PBD, Next:[10154]PC-ism, Previous:[10155]payware, Up:[10156]= P =

PBD /P-B-D/ n.

[abbrev. of 'Programmer Brain Damage'] Applied to bug reports revealing places where the program was obviously broken by an incompetent or short-sighted programmer. Compare [10157]UBD; see also [10158]brain-damaged.

Node:PC-ism, Next:[10159]PD, Previous:[10160]PBD, Up:[10161]= P =

PC-ism /P-C-izm/ n.

A piece of code or coding technique that takes advantage of the unprotected single-tasking environment in IBM PCs and the like running DOS, e.g., by busy-waiting on a hardware register, direct diddling of screen memory, or using hard timing loops. Compare [10162]ill-behaved, [10163]vaxism, [10164]unixism. Also, 'PC-ware' n., a program full of PC-isms on a machine with a more capable operating system. Pejorative.

Node:PD, Next:[10165]PDL, Previous:[10166]PC-ism, Up:[10167]= P =

PD /P-D/ adj.

[common] Abbreviation for 'public domain', applied to software distributed over [10168]Usenet and from Internet archive sites. Much of this software is not in fact public domain in the legal sense but travels under various copyrights granting reproduction and use rights to anyone who can [10169]snarf a copy. See [10170]copyleft.

Node:PDL, Next:[10171]PDP-10, Previous:[10172]PD, Up:[10173]= P =

PDL /P-D-L/, /pid'l/, /p*d'l/ or /puhd'l/

1. n. 'Program Design Language'. Any of a large class of formal and profoundly useless pseudo-languages in which [10174]management forces one to design programs. Too often, management expects PDL descriptions to be maintained in parallel with the code, imposing massive overhead to little or no benefit. See also [10175]flowchart. 2. v. To design using a program design language. "I've been pdling so long my eyes won't focus beyond 2 feet." 3. n. 'Page Description Language'. Refers to any language which is used to control a graphics device, usually a laserprinter. The most common example is, of course, Adobe's [10176]PostScript language, but there are many others, such as Xerox InterPress, etc. 4. In ITS days, the preferred MITism for [10177]stack. See [10178]overflow pdl. 5. Dave Lebling, one of the co-authors of [10179]Zork; (his [10180]network address on the ITS machines was at one time pdl@dms).

Node:PDP-10, Next:[10181]PDP-20, Previous:[10182]PDL, Up:[10183]= P =

PDP-10 n.

[Programmed Data Processor model 10] The machine that made timesharing real. It looms large in hacker folklore because of its adoption in the mid-1970s by many university computing facilities and research labs, including the MIT AI Lab, Stanford, and CMU. Some aspects of the instruction set (most notably the bit-field instructions) are still considered unsurpassed. The 10 was eventually eclipsed by the VAX machines (descendants of the PDP-11) when [10184]DEC recognized that the 10 and VAX product lines were competing with each other and decided to concentrate its software development effort on the more profitable VAX. The machine was finally dropped from DEC's line in 1983, following the failure of the Jupiter Project at DEC to build a viable new model. (Some attempts by other companies to market clones came to nothing; see [10185]Foonly and [10186]Mars.) This event spelled the doom of [10187]ITS and the technical cultures that had spawned the original Jargon File, but by mid-1991 it had become something of a badge of honorable old-timerhood among hackers to have cut one's teeth on a PDP-10. See [10188]TOPS-10, [10189]ITS, [10190]BLT, [10191]DDT, [10192]DPB, [10193]EXCH, [10194]HAKMEM, [10195]LDB, [10196]pop, [10197]push. See also [10198]<http://www.inwap.com/pdp10/>.

Node:PDP-20, Next:[10199]PEBKAC, Previous:[10200]PDP-10, Up:[10201]= P =

PDP-20 n.

The most famous computer that never was. [10202]PDP-10 computers running the [10203]TOPS-10 operating system were labeled 'DECsystem-10' as a way of differentiating them from the PDP-11. Later on, those systems running [10204]TOPS-20 were labeled 'DECSYSTEM-20' (the block capitals being the result of a lawsuit brought against DEC by Singer, which once made a computer called 'system-10'), but contrary to popular lore there was never a 'PDP-20'; the only difference between a 10 and a 20 was the operating system and the color of the paint. Most (but not all) machines sold to run TOPS-10 were painted 'Basil Blue', whereas most TOPS-20 machines were painted 'Chinese Red' (often mistakenly called orange).

Node:PEBKAC, Next:[10205]peek, Previous:[10206]PDP-20, Up:[10207]= P =

PEBKAC /peb'kak/

[Abbrev., "Problem Exists Between Keyboard And Chair"] Used by support people, particularly at call centers and help desks. Not used with the public. Denotes pilot error as the cause of the crash, especially

stupid errors that even a [10208]user could figure out. Very derogatory. Usage: "Did you ever figure out why that guy couldn't print?" "Yeah, he kept cancelling the operation before it could finish. PEBKAC."

Node:peek, Next:[10209]pencil and paper, Previous:[10210]PEBKAC, Up:[10211]= P =

peek n.,vt.

(and [10212]poke) The commands in most microcomputer BASICs for directly accessing memory contents at an absolute address; often extended to mean the corresponding constructs in any [10213]HLL (peek reads memory, poke modifies it). Much hacking on small, non-MMU micros used to consist of 'peek'ing around memory, more or less at random, to find the location where the system keeps interesting stuff. Long (and variably accurate) lists of such addresses for various computers circulated (see [10214]interrupt list). The results of 'poke's at these addresses may be highly useful, mildly amusing, useless but neat, or (most likely) total [10215]lossage (see [10216]killer poke).

Since a [10217]real operating system provides useful, higher-level services for the tasks commonly performed with peeks and pokes on micros, and real languages tend not to encourage low-level memory groveling, a question like "How do I do a peek in C?" is diagnostic of the [10218]newbie. (Of course, OS kernels often have to do exactly this; a real kernel hacker would unhesitatingly, if unportably, assign an absolute address to a pointer variable and indirect through it.)

Node:pencil and paper, Next:[10219]Pentagram Pro, Previous:[10220]peek, Up:[10221]= P =

pencil and paper n.

An archaic information storage and transmission device that works by depositing smears of graphite on bleached wood pulp. More recent developments in paper-based technology include improved 'write-once' update devices which use tiny rolling heads similar to mouse balls to deposit colored pigment. All these devices require an operator skilled at so-called 'handwriting' technique. These technologies are ubiquitous outside hackerdom, but nearly forgotten inside it. Most hackers had terrible handwriting to begin with, and years of keyboarding tend to have encouraged it to degrade further. Perhaps for this reason, hackers deprecate pencil-and-paper technology and often resist using it in any but the most trivial contexts.

Node:Pentagram Pro, Next:[10222]Pentium, Previous:[10223]pencil and paper, Up:[10224]= P =

Pentagram Pro n.

A humorous corruption of "Pentium Pro", with a Satanic reference, implying that the chip is inherently [10225]evil. Often used with "666 MHz"; there is a T-shirt. See [10226]Pentium

Node:Pentium, Next:[10227]peon, Previous:[10228]Pentagram Pro, Up:[10229]= P =

Pentium n.

The name given to Intel's P5 chip, the successor to the 80486. The name was chosen because of difficulties Intel had in trademarking a number. It suggests the number five (implying 586) while (according to Intel) conveying a meaning of strength "like titanium". Among hackers, the plural is frequently 'pentia'. See also [10230]Pentagram Pro.

Intel did not stick to this convention when naming its P6 processor the Pentium Pro; many believe this is due to difficulties in selling a chip with "sex" in its name. Successor chips have been called 'Pentium II' and 'Pentium III'.

Node:peon, Next:[10231]percent-S, Previous:[10232]Pentium, Up:[10233]= P =

peon n.

A person with no special ([10234]root or [10235]wheel) privileges on a computer system. "I can't create an account on foovax for you; I'm only a peon there."

Node:percent-S, Next:[10236]perf, Previous:[10237]peon, Up:[10238]= P =

percent-S /per-sent' es'/ n.

[From the code in C's printf(3) library function used to insert an arbitrary string argument] An unspecified person or object. "I was just talking to some percent-s in administration." Compare [10239]random.

Node:perf, Next:[10240]perfect programmer syndrome, Previous:[10241]percent-S, Up:[10242]= P =

perf /perf/ n.

Syn. [10243]chad (sense 1). The term 'perfor' /per'f*-ree/ is also heard. The term [10244]perf may also refer to the perforations themselves, rather than the chad they produce when torn (philatelists use it this way).

Node:perfect programmer syndrome, Next:[10245]Perl,
Previous:[10246]perf, Up:[10247]= P =

perfect programmer syndrome n.

Arrogance; the egotistical conviction that one is above normal human error. Most frequently found among programmers of some native ability but relatively little experience (especially new graduates; their perceptions may be distorted by a history of excellent performance at solving [10248]toy problems). "Of course my program is correct, there is no need to test it." "Yes, I can see there may be a problem here, but I'll never type `rm -r /` while in [10249]root mode."

Node:Perl, Next:[10250]person of no account, Previous:[10251]perfect programmer syndrome, Up:[10252]= P =

Perl /perl/ n.

[Practical Extraction and Report Language, a.k.a. Pathologically Eclectic Rubbish Lister] An interpreted language developed by Larry Wall ([10253]<larry@wall.org>, author of `patch(1)` and `rn(1)`) and distributed over Usenet. Superficially resembles [10254]`awk`, but is much hairier, including many facilities reminiscent of `sed(1)` and shells and a comprehensive Unix system-call interface. Unix sysadmins, who are almost always incorrigible hackers, generally consider it one of the [10255]languages of choice, and it is by far the most widely used tool for making 'live' web pages via CGI. Perl has been described, in a parody of a famous remark about `lex(1)`, as the "Swiss-Army chainsaw" of Unix programming. Though Perl is very useful, it would be a stretch to describe it as pretty or [10256]elegant; people who like clean, spare design generally prefer [10257]Python. See also [10258]Camel Book, [10259]TMTOWTDI.

Node:person of no account, Next:[10260]pessimal, Previous:[10261]Perl,
Up:[10262]= P =

person of no account n.

[University of California at Santa Cruz] Used when referring to a person with no [10263]network address, frequently to forestall confusion. Most often as part of an introduction: "This is Bill, a person of no account, but he used to be `bill@random.com`". Compare [10264]return from the dead.

Node:pessimal, Next:[10265]pessimizing compiler,
Previous:[10266]person of no account, Up:[10267]= P =

pessimal /pes'im-l/ adj.

[Latin-based antonym for 'optimal'] Maximally bad. "This is a pessimal situation." Also 'pessimize' vt. To make as bad as possible. These words are the obvious Latin-based antonyms for 'optimal' and 'optimize', but for some reason they do not appear in most English dictionaries, although 'pessimize' is listed in the OED.

Node:pessimizing compiler, Next:[10268]peta-,
Previous:[10269]pessimal, Up:[10270]= P =

pessimizing compiler /pes'*-mi:z'ing k*m-pi:l'r/ n.

A compiler that produces object [antonym of techspeak 'optimizing compiler'] code that is worse than the straightforward or obvious hand translation. The implication is that the compiler is actually trying to optimize the program, but through excessive cleverness is doing the opposite. A few pessimizing compilers have been written on purpose, however, as pranks or burlesques.

Node:peta-, Next:[10271]PETSCII, Previous:[10272]pessimizing compiler,
Up:[10273]= P =

peta- /pe't*/ pref

[SI] See [10274]quantifiers.

Node:PETSCII, Next:[10275]PFY, Previous:[10276]peta-, Up:[10277]= P =

PETSCII /pet'skee/ n. obs.

[abbreviation of PET ASCII] The variation (many would say perversion) of the [10278]ASCII character set used by the Commodore Business Machines PET series of personal computers and the later Commodore C64, C16, C128, and VIC20 machines. The PETSCII set used left-arrow and up-arrow (as in old-style ASCII) instead of underscore and caret, placed the unshifted alphabet at positions 65-90, put the shifted alphabet at positions 193-218, and added graphics characters.

Node:PFY, Next:[10279]phage, Previous:[10280]PETSCII, Up:[10281]= P =

PFY n.

[Usenet; common] Abbreviation for 'Pimply-Faced Youth'. A [10282]BOFH in training, esp. one apprenticed to an elder BOFH aged in evil.

Node:phage, Next:[10283]phase, Previous:[10284]PFY, Up:[10285]= P =

phage n.

A program that modifies other programs or databases in unauthorized ways; esp. one that propagates a [10286]virus or [10287]Trojan horse. See also [10288]worm, [10289]mockingbird. The analogy, of course, is with phage viruses in biology.

Node:phase, Next:[10290]phase of the moon, Previous:[10291]phage, Up:[10292]= P =

phase

1. n. The offset of one's waking-sleeping schedule with respect to the standard 24-hour cycle; a useful concept among people who often work at night and/or according to no fixed schedule. It is not uncommon to change one's phase by as much as 6 hours per day on a regular basis. "What's your phase?" "I've been getting in about 8 P.M. lately, but I'm going to [10293]wrap around to the day schedule by Friday." A person who is roughly 12 hours out of phase is sometimes said to be in 'night mode'. (The term 'day mode' is also (but less frequently) used, meaning you're working 9 to 5 (or, more likely, 10 to 6).) The act of altering one's cycle is called 'changing phase'; 'phase shifting' has also been recently reported from Caltech. 2. 'change phase the hard way': To stay awake for a very long time in order to get into a different phase. 3. 'change phase the easy way': To stay asleep, etc. However, some claim that either staying awake longer or sleeping longer is easy, and that it is shortening your day or night that is really hard (see [10294]wrap around). The 'jet lag' that afflicts travelers who cross many time-zone boundaries may be attributed to two distinct causes: the strain of travel per se, and the strain of changing phase. Hackers who suddenly find that they must change phase drastically in a short period of time, particularly the hard way, experience something very like jet lag without traveling.

Node:phase of the moon, Next:[10295]phase-wrapping, Previous:[10296]phase, Up:[10297]= P =

phase of the moon n.

Used humorously as a random parameter on which something is said to depend. Sometimes implies unreliability of whatever is dependent, or that reliability seems to be dependent on conditions nobody has been able to determine. "This feature depends on having the channel open in mumble mode, having the foo switch set, and on the phase of the moon." See also [10298]heisenbug.

True story: Once upon a time there was a program bug that really did depend on the phase of the moon. There was a little subroutine that had traditionally been used in various programs at MIT to calculate an approximation to the moon's true phase. GLS incorporated this routine into a LISP program that, when it wrote out a file, would print a timestamp line almost 80 characters long. Very occasionally the first

line of the message would be too long and would overflow onto the next line, and when the file was later read back in the program would [10299]barf. The length of the first line depended on both the precise date and time and the length of the phase specification when the timestamp was printed, and so the bug literally depended on the phase of the moon!

The first paper edition of the Jargon File (Steele-1983) included an example of one of the timestamp lines that exhibited this bug, but the typesetter 'corrected' it. This has since been described as the phase-of-the-moon-bug bug.

However, beware of assumptions. A few years ago, engineers of CERN (European Center for Nuclear Research) were baffled by some errors in experiments conducted with the LEP particle accelerator. As the formidable amount of data generated by such devices is heavily processed by computers before being seen by humans, many people suggested the software was somehow sensitive to the phase of the moon. A few desperate engineers discovered the truth; the error turned out to be the result of a tiny change in the geometry of the 27km circumference ring, physically caused by the deformation of the Earth by the passage of the Moon! This story has entered physics folklore as a Newtonian vengeance on particle physics and as an example of the relevance of the simplest and oldest physical laws to the most modern science.

Node:phase-wrapping, Next:[10300]PHB, Previous:[10301]phase of the moon, Up:[10302]= P =

phase-wrapping n.

[MIT] Syn. [10303]wrap around, sense 2.

Node:PHB, Next:[10304]phreaker, Previous:[10305]phase-wrapping, Up:[10306]= P =

PHB /P-H-B/

[Usenet; common; rarely spoken] Abbreviation, "Pointy-Haired Boss". From the [10307]Dilbert character, the archetypal halfwitted middle-[10308]management type. See also [10309]pointy-haired.

Node:phreaker, Next:[10310]phreaking, Previous:[10311]PHB, Up:[10312]= P =

phreaker /freak'r/ n.

One who engages in [10313]phreaking. See also [10314]blue box.

Node:phreaking, Next:[10315]pico-, Previous:[10316]phreaker,
Up:[10317]= P =

phreaking /freak'ing/ n.

[from 'phone phreak'] 1. The art and science of [10318]cracking the phone network (so as, for example, to make free long-distance calls).
2. By extension, security-cracking in any other context (especially, but not exclusively, on communications networks) (see [10319]cracking).

At one time phreaking was a semi-respectable activity among hackers; there was a gentleman's agreement that phreaking as an intellectual game and a form of exploration was OK, but serious theft of services was taboo. There was significant crossover between the hacker community and the hard-core phone phreaks who ran semi-underground networks of their own through such media as the legendary "TAP Newsletter". This ethos began to break down in the mid-1980s as wider dissemination of the techniques put them in the hands of less responsible phreaks. Around the same time, changes in the phone network made old-style technical ingenuity less effective as a way of hacking it, so phreaking came to depend more on overtly criminal acts such as stealing phone-card numbers. The crimes and punishments of gangs like the '414 group' turned that game very ugly. A few old-time hackers still phreak casually just to keep their hand in, but most these days have hardly even heard of 'blue boxes' or any of the other paraphernalia of the great phreaks of yore.

Node:pico-, Next:[10320]pig-tail, Previous:[10321]phreaking,
Up:[10322]= P =

pico- pref.

[SI: a quantifier meaning * 10⁻¹²] Smaller than [10323]nano-; used in the same rather loose connotative way as [10324]nano- and micro-. This usage is not yet common in the way [10325]nano- and [10326]micro- are, but should be instantly recognizable to any hacker. See also [10327]quantifiers, [10328]micro-.

Node:pig-tail, Next:[10329]pilot error, Previous:[10330]pico-,
Up:[10331]= P =

pig-tail

[radio hams] A short piece of cable with two connectors on each end for converting between one connector type and another. Common pig-tails are 9-to-25-pin serial-port converters and cables to connect PCMCIA network cards to an RJ-45 network cable.

Node:pilot error, Next:[10332]ping, Previous:[10333]pig-tail,

Up:[10334]= P =

pilot error n.

[Sun: from aviation] A user's misconfiguration or misuse of a piece of software, producing apparently buglike results (compare [10335]UBD). "Joe Luser reported a bug in sendmail that causes it to generate bogus headers." "That's not a bug, that's pilot error. His sendmail.cf is hosed."

Node:ping, Next:[10336]Ping O' Death, Previous:[10337]pilot error,
Up:[10338]= P =

ping

[from the submariners' term for a sonar pulse] 1. n. Slang term for a small network message (ICMP ECHO) sent by a computer to check for the presence and alertness of another. The Unix command ping(8) can be used to do this manually (note that ping(8)'s author denies the widespread folk etymology that the name was ever intended as acronym for 'Packet INternet Groper'). Occasionally used as a phone greeting. See [10339]ACK, also [10340]ENQ. 2. vt. To verify the presence of. 3. vt. To get the attention of. 4. vt. To send a message to all members of a [10341]mailing list requesting an [10342]ACK (in order to verify that everybody's addresses are reachable). "We haven't heard much of anything from Geoff, but he did respond with an ACK both times I pinged jargon-friends." 5. n. A quantum packet of happiness. People who are very happy tend to exude pings; furthermore, one can intentionally create pings and aim them at a needy party (e.g., a depressed person). This sense of ping may appear as an exclamation; "Ping!" (I'm happy; I am emitting a quantum of happiness; I have been struck by a quantum of happiness). The form "pingfulness", which is used to describe people who exude pings, also occurs. (In the standard abuse of language, "pingfulness" can also be used as an exclamation, in which case it's a much stronger exclamation than just "ping!"). Oppose [10343]blargh.

The funniest use of 'ping' to date was described in January 1991 by Steve Hayman on the Usenet group comp.sys.next. He was trying to isolate a faulty cable segment on a TCP/IP Ethernet hooked up to a NeXT machine, and got tired of having to run back to his console after each cabling tweak to see if the ping packets were getting through. So he used the sound-recording feature on the NeXT, then wrote a script that repeatedly invoked ping(8), listened for an echo, and played back the recording on each returned packet. Result? A program that caused the machine to repeat, over and over, "Ping ... ping ... ping ..." as long as the network was up. He turned the volume to maximum, ferreted through the building with one ear cocked, and found a faulty tee connector in no time.

Node:Ping O' Death, Next:[10344]ping storm, Previous:[10345]ping,

Up:[10346]= P =

Ping O' Death n.

A notorious [10347]exploit that (when first discovered) could be easily used to crash a wide variety of machines by overrunning size limits in their TCP/IP stacks. First revealed in late 1996. The open-source Unix community patched its systems to remove the vulnerability within days or weeks, the closed-source OS vendors generally took months. While the difference in response times repeated a pattern familiar from other security incidents, the accompanying glare of Web-fueled publicity proved unusually embarrassing to the OS vendors and so passed into history and myth. The term is now used to refer to any nudge delivered by network wizards over the network that causes bad things to happen on the system being nudged. For the full story on the original exploit, see [10348]<http://www.insecure.org/spl0its/ping-o-death.html>.

Compare with 'kamikaze packet,' 'Finger of Death' and 'Chernobyl packet.'

Node:ping storm, Next:[10349]pink wire, Previous:[10350]Ping O' Death, Up:[10351]= P =

ping storm n.

A form of [10352]DoS attack consisting of a flood of [10353]ping requests (normally used to check network conditions) designed to disrupt the normal activity of a system. This act is sometimes called 'ping lashing' or 'ping flood'. Compare [10354]mail storm, [10355]broadcast storm.

Node:pink wire, Next:[10356]pipe, Previous:[10357]ping storm, Up:[10358]= P =

pink wire n.

[from the pink PTFE wire used in military equipment] As [10359]blue wire, but used in military applications. 2. vi. To add a pink wire to a board.

Node:pipe, Next:[10360]pistol, Previous:[10361]pink wire, Up:[10362]= P =

pipe n.

[common] Idiomatically, one's connection to the Internet; in context, the expansion "bit pipe" is understood. A "fat pipe" is a line with T1 or higher capacity. A person with a 28.8 modem might be heard to complain "I need a bigger pipe".

Node:pistol, Next:[10363]pixel sort, Previous:[10364]pipe, Up:[10365]=

P =

pistol n.

[IBM] A tool that makes it all too easy for you to shoot yourself in the foot. "Unix rm * makes such a nice pistol!"

Node:pixel sort, Next:[10366]pizza box, Previous:[10367]pistol,

Up:[10368]= P =

pixel sort n.

[Commodore users] Any compression routine which irretrievably loses valuable data in the process of [10369]crunching it. Disparagingly used for 'lossy' methods such as JPEG. The theory, of course, is that these methods are only used on photographic images in which minor loss-of-data is not visible to the human eye. The term 'pixel sort' implies distrust of this theory. Compare [10370]bogo-sort.

Node:pizza box, Next:[10371]plaid screen, Previous:[10372]pixel sort,

Up:[10373]= P =

pizza box n.

[Sun] The largish thin box housing the electronics in (especially Sun) desktop workstations, so named because of its size and shape and the dimpled pattern that looks like air holes.

Two meg single-platter removable disk packs used to be called pizzas, and the huge drive they were stuck into was referred to as a pizza oven. It's an index of progress that in the old days just the disk was pizza-sized, while now the entire computer is.

Node:plaid screen, Next:[10374]plain-ASCII, Previous:[10375]pizza box,

Up:[10376]= P =

plaid screen n.

[XEROX PARC] A 'special effect' that occurs when certain kinds of [10377]memory smashes overwrite the control blocks or image memory of a bit-mapped display. The term "salt and pepper" may refer to a different pattern of similar origin. Though the term as coined at PARC refers to the result of an error, some of the [10378]X demos induce plaid-screen effects deliberately as a [10379]display hack.

Node:plain-ASCII, Next:[10380]plan file, Previous:[10381]plaid screen,

Up:[10382]= P =

plain-ASCII /playn-as'kee/

Syn. [10383]flat-ASCII.

Node:plan file, Next:[10384]platinum-iridium,
Previous:[10385]plain-ASCII, Up:[10386]= P =

plan file n.

[Unix] On systems that support [10387]finger, the '.plan' file in a user's home directory is displayed when the user is fingered. This feature was originally intended to be used to keep potential fingerers apprised of one's location and near-future plans, but has been turned almost universally to humorous and self-expressive purposes (like a [10388]sig block). See also [10389]Hacking X for Y.

A recent innovation in plan files has been the introduction of "scrolling plan files" which are one-dimensional animations made using only the printable ASCII character set, carriage return and line feed, avoiding terminal specific escape sequences, since the [10390]finger command will (for security reasons; see [10391]letterbomb) not pass the escape character.

Scrolling .plan files have become art forms in miniature, and some sites have started competitions to find who can create the longest running, funniest, and most original animations. Various animation characters include:

Centipede:

mmmmme

Lorry/Truck:

oo-oP

Andalusian Video Snail:

_@/

and a compiler (ASP) is available on Usenet for producing them. See also [10392]twirling baton.

Node:platinum-iridium, Next:[10393]playpen, Previous:[10394]plan file,
Up:[10395]= P =

platinum-iridium adj.

Standard, against which all others of the same category are measured.

Usage: silly. The notion is that one of whatever it is has actually been cast in platinum-iridium alloy and placed in the vault beside the Standard Kilogram at the International Bureau of Weights and Measures

near Paris. (From 1889 to 1960, the meter was defined to be the distance between two scratches in a platinum-iridium bar kept in that same vault -- this replaced an earlier definition as $10^{(-7)}$ times the distance between the North Pole and the Equator along a meridian through Paris; unfortunately, this had been based on an inexact value of the circumference of the Earth. From 1960 to 1984 it was defined to be 1650763.73 wavelengths of the orange-red line of krypton-86 propagating in a vacuum. It is now defined as the length of the path traveled by light in a vacuum in the time interval of $1/299,792,458$ of a second. The kilogram is now the only unit of measure officially defined in terms of a unique artifact.) "This garbage-collection algorithm has been tested against the platinum-iridium cons cell in Paris." Compare [10396]golden.

Node:playpen, Next:[10397]playte, Previous:[10398]platinum-iridium, Up:[10399]= P =

playpen n.

[IBM] A room where programmers work. Compare [10400]salt mines.

Node:playte, Next:[10401]plingnet, Previous:[10402]playpen, Up:[10403]= P =

playte /playt/

16 bits, by analogy with [10404]nybble and [10405]byte. Usage: rare and extremely silly. See also [10406]dynner and [10407]crumb. General discussion of such terms is under [10408]nybble.

Node:plingnet, Next:[10409]plokta, Previous:[10410]playte, Up:[10411]= P =

plingnet /pling'net/ n.

Syn. [10412]UUCPNET. Also see [10413]Commonwealth Hackish, which uses 'pling' for [10414]bang (as in [10415]bang path).

Node:plokta, Next:[10416]plonk, Previous:[10417]plingnet, Up:[10418]= P =

plokta /plok't*/ v.

[acronym: Press Lots Of Keys To Abort] To press random keys in an attempt to get some response from the system. One might plokta when the abort procedure for a program is not known, or when trying to figure out if the system is just sluggish or really hung. Plokta can also be used while trying to figure out any unknown key sequence for a particular operation. Someone going into 'plokta mode' usually places

both hands flat on the keyboard and mashes them down, hoping for some useful response.

A slightly more directed form of plokta can often be seen in mail messages or Usenet articles from new users -- the text might end with

^X^C

q

quit

:q

^C

end

x

exit

ZZ

^D

?

help

as the user vainly tries to find the right exit sequence, with the incorrect tries piling up at the end of the message....

Node:plonk, Next:[10419]plug-and-pray, Previous:[10420]plokta,
Up:[10421]= P =

plonk excl.,vt.

[Usenet: possibly influenced by British slang 'plonk' for cheap booze, or 'plonker' for someone behaving stupidly (latter is lit. equivalent to Yiddish 'schmuck')] The sound a [10422]newbie makes as he falls to the bottom of a [10423]kill file. While it originated in the [10424]newsgroup talk.bizarre, this term (usually written "*plonk*") is now (1994) widespread on Usenet as a form of public ridicule.

Node:plug-and-pray, Next:[10425]plugh, Previous:[10426]plonk,
Up:[10427]= P =

plug-and-pray adj.,vi.

Parody of the techspeak term 'plug-and-play', describing a PC peripheral card which is claimed to have no need for hardware configuration via DIP switches, and which should be work as soon as it is inserted in the PC. Unfortunately, even the PCI bus is not up to pulling this off reliably, and people who have to do installation or troubleshoot PCs soon find themselves longing for the DIP switches.

Node:plugh, Next:[10428]plumbing, Previous:[10429]plug-and-pray,
Up:[10430]= P =

plugh /ploogh/ v.

[from the [10431]ADVENT game] See [10432]xyzyzy.

Node:plumbing, Next:[10433]PM, Previous:[10434]plugh, Up:[10435]= P =

plumbing n.

[Unix] Term used for [10436]shell code, so called because of the prevalence of 'pipelines' that feed the output of one program to the input of another. Under Unix, user utilities can often be implemented or at least prototyped by a suitable collection of pipelines and temp-file grinding encapsulated in a shell script; this is much less effort than writing C every time, and the capability is considered one of Unix's major winning features. A few other OSs such as IBM's VM/CMS support similar facilities. Esp. used in the construction 'hairy plumbing' (see [10437]hairy). "You can kluge together a basic spell-checker out of sort(1), comm(1), and tr(1) with a little plumbing." See also [10438]tee.

Node:PM, Next:[10439]pnambic, Previous:[10440]plumbing, Up:[10441]= P =

PM /P-M/

1. v. (from 'preventive maintenance') To bring down a machine for inspection or test purposes. See [10442]provocative maintenance; see also [10443]scratch monkey. 2. n. Abbrev. for 'Presentation Manager', an [10444]elephantine OS/2 graphical user interface.

Node:pnambic, Next:[10445]pod, Previous:[10446]PM, Up:[10447]= P =

pnambic /p*-nam'bik/

[Acronym from the scene in the film version of "The Wizard of Oz" in which the true nature of the wizard is first discovered: "Pay no attention to the man behind the curtain."] 1. A stage of development of a process or function that, owing to incomplete implementation or to the complexity of the system, requires human interaction to simulate or replace some or all of the actions, inputs, or outputs of the process or function. 2. Of or pertaining to a process or function whose apparent operations are wholly or partially falsified. 3. Requiring [10448]prestidigitization.

The ultimate pnambic product was "Dan Bricklin's Demo", a program which supported flashy user-interface design prototyping. There is a related maxim among hackers: "Any sufficiently advanced technology is indistinguishable from a rigged demo." See [10449]magic, sense 1, for illumination of this point.

Node:pod, Next:[10450]point-and-drool interface,

Previous:[10451]pnambic, Up:[10452]= P =

pod n.

[allegedly from abbreviation POD for 'Prince Of Darkness'] A Diablo 630 (or, latterly, any letter-quality impact printer). From the DEC-10 PODTYPE program used to feed formatted text to it. Not to be confused with [10453]P.O.D..

Node:point-and-drool interface, Next:[10454]pointy hat,
Previous:[10455]pod, Up:[10456]= P =

point-and-drool interface n.

Parody of the techspeak term 'point-and-shoot interface', describing a windows, icons, and mouse-based interface such as is found on the Macintosh. The implication, of course, is that such an interface is only suitable for idiots. See [10457]for the rest of us, [10458]WIMP environment, [10459]Macintrash, [10460]drool-proof paper. Also 'point-and-grunt interface'.

Node:pointy hat, Next:[10461]pointy-haired,
Previous:[10462]point-and-drool interface, Up:[10463]= P =

pointy hat n.

See [10464]wizard hat. This synonym specifically refers to the wizards of Unseen University in Terry Pratchett's "Discworld" series of humorous fantasies; these books are extremely popular among hackers.

Node:pointy-haired, Next:[10465]poke, Previous:[10466]pointy hat,
Up:[10467]= P =

pointy-haired adj.

[after the character in the [10468]Dilbert comic strip] Describes the extreme form of the property that separates [10469]suits and [10470]marketroids from hackers. Compare [10471]brain-dead; [10472]demented; see [10473]PHB. Always applied to people, never to ideas. The plural form is often used as a noun. "The pointy-haireds ordered me to use Windows NT, but I set up a Linux server with Samba instead."

Node:poke, Next:[10474]poll, Previous:[10475]pointy-haired,
Up:[10476]= P =

poke n.,vt.

See [10477]peek.

Node:poll, Next:[10478]polygon pusher, Previous:[10479]poke,
Up:[10480]= P =

poll v.,n.

1. [techspeak] The action of checking the status of an input line, sensor, or memory location to see if a particular external event has been registered. 2. To repeatedly call or check with someone: "I keep polling him, but he's not answering his phone; he must be swapped out." 3. To ask. "Lunch? I poll for a takeout order daily."

Node:polygon pusher, Next:[10481]POM, Previous:[10482]poll,
Up:[10483]= P =

polygon pusher n.

A chip designer who spends most of his or her time at the physical layout level (which requires drawing lots of multi-colored polygons). Also 'rectangle slinger'.

Node:POM, Next:[10484]pop, Previous:[10485]polygon pusher, Up:[10486]=
P =

POM /P-O-M/ n.

Common abbreviation for [10487]phase of the moon. Usage: usually in the phrase 'POM-dependent', which means [10488]flaky.

Node:pop, Next:[10489]POPJ, Previous:[10490]POM, Up:[10491]= P =

pop /pop/

[from the operation that removes the top of a stack, and the fact that procedure return addresses are usually saved on the stack] (also capitalized 'POP') 1. vt. To remove something from a [10492]stack or [10493]PDL. If a person says he/she has popped something from his stack, that means he/she has finally finished working on it and can now remove it from the list of things hanging overhead. 2. When a discussion gets to a level of detail so deep that the main point of the discussion is being lost, someone will shout "Pop!", meaning "Get back up to a higher level!" The shout is frequently accompanied by an upthrust arm with a finger pointing to the ceiling. 3. [all-caps, as 'POP'] Point of Presence, a bank of dial-in lines allowing customers to make (local) calls into an ISP. This is borderline techspeak.

Node:POPJ, Next:[10494]poser, Previous:[10495]pop, Up:[10496]= P =

POPJ /pop'J/ n.,v.

[from a [10497]PDP-10 return-from-subroutine instruction] To return from a digression. By verb doubling, "Popj, popj" means roughly "Now let's see, where were we?" See [10498]RTI.

Node:poser, Next:[10499]post, Previous:[10500]POPJ, Up:[10501]= P =

poser n.

A [10502]wannabee; not hacker slang, but used among crackers, phreaks and [10503]warez d00dz. Not as negative as [10504]lamer or [10505]leech. Probably derives from a similar usage among punk-rockers and metalheads, putting down those who "talk the talk but don't walk the walk".

Node:post, Next:[10506]postcardware, Previous:[10507]poser, Up:[10508]= P =

post v.

To send a message to a [10509]mailing list or [10510]newsgroup. Distinguished in context from 'mail'; one might ask, for example: "Are you going to post the patch or mail it to known users?"

Node:postcardware, Next:[10511]posting, Previous:[10512]post, Up:[10513]= P =

postcardware n.

A kind of [10514]shareware that borders on [10515]freeware, in that the author requests only that satisfied users send a postcard of their home town or something. (This practice, silly as it might seem, serves to remind users that they are otherwise getting something for nothing, and may also be psychologically related to real estate 'sales' in which \$1 changes hands just to keep the transaction from being a gift.)

Node:posting, Next:[10516]postmaster, Previous:[10517]postcardware, Up:[10518]= P =

posting n.

Noun corresp. to v. [10519]post (but note that [10520]post can be nouned). Distinguished from a 'letter' or ordinary [10521]email message by the fact that it is broadcast rather than point-to-point. It is not clear whether messages sent to a small mailing list are postings or email; perhaps the best dividing line is that if you don't know the names of all the potential recipients, it is a posting.

Node:postmaster, Next:[10522]PostScript, Previous:[10523]posting,
Up:[10524]= P =

postmaster n.

The email contact and maintenance person at a site connected to the Internet or UUCPNET. Often, but not always, the same as the [10525]admin. The Internet standard for electronic mail ([10526]RFC-822) requires each machine to have a 'postmaster' address; usually it is aliased to this person.

Node:PostScript, Next:[10527]pound on, Previous:[10528]postmaster,
Up:[10529]= P =

PostScript n.

A Page Description Language ([10530]PDL), based on work originally done by John Gaffney at Evans and Sutherland in 1976, evolving through 'JaM' ('John and Martin', Martin Newell) at [10531]XEROX PARC, and finally implemented in its current form by John Warnock et al. after he and Chuck Geschke founded Adobe Systems Incorporated in 1982. PostScript gets its leverage by using a full programming language, rather than a series of low-level escape sequences, to describe an image to be printed on a laser printer or other output device (in this it parallels [10532]EMACS, which exploited a similar insight about editing tasks). It is also noteworthy for implementing on-the fly rasterization, from Bezier curve descriptions, of high-quality fonts at low (e.g. 300 dpi) resolution (it was formerly believed that hand-tuned bitmap fonts were required for this task). Hackers consider PostScript to be among the most elegant hacks of all time, and the combination of technical merits and widespread availability has made PostScript the language of choice for graphical output.

Node:pound on, Next:[10533]power cycle, Previous:[10534]PostScript,
Up:[10535]= P =

pound on vt.

Syn. [10536]bang on.

Node:power cycle, Next:[10537]power hit, Previous:[10538]pound on,
Up:[10539]= P =

power cycle vt.

(also, 'cycle power' or just 'cycle') To power off a machine and then power it on immediately, with the intention of clearing some kind of [10540]hung or [10541]gronked state. Syn. [10542]120 reset; see also

[10543]Big Red Switch. Compare [10544]Vulcan nerve pinch, [10545]bounce (sense 4), and [10546]boot, and see the "[10547]Some AI Koans" (in Appendix A) about Tom Knight and the novice.

Node:power hit, Next:[10548]PPN, Previous:[10549]power cycle,
Up:[10550]= P =

power hit n.

A spike or drop-out in the electricity supplying your machine; a power [10551]glitch. These can cause crashes and even permanent damage to your machine(s).

Node:PPN, Next:[10552]pr0n, Previous:[10553]power hit, Up:[10554]= P =

PPN /P-P-N/, /pip'n/ n. obs.

[from 'Project-Programmer Number'] A user-ID under [10555]TOPS-10 and its various mutant progeny at SAIL, BBN, CompuServe, and elsewhere. Old-time hackers from the PDP-10 era sometimes use this to refer to user IDs on other systems as well.

Node:pr0n, Next:[10556]precedence lossage, Previous:[10557]PPN,
Up:[10558]= P =

pr0n //

[Usenet, IRC] Pornography. Originally this referred only to Internet porn but since then it has expanded to refer to just about anything. The term comes from the [10559]warez kiddies tendency to replace letters with numbers. At some point on IRC someone mistyped, swapped the middle two letters, and the name stuck, then propagated over into mainstream hacker usage. Compare [10560]filk, [10561]grilf, [10562]hing and [10563]newsfroup.

Node:precedence lossage, Next:[10564]prepend, Previous:[10565]pr0n,
Up:[10566]= P =

precedence lossage /pre's*-dens los*'j/ n.

[C programmers] Coding error in an expression due to unexpected grouping of arithmetic or logical operators by the compiler. Used esp. of certain common coding errors in C due to the nonintuitively low precedence levels of &, |, ^, <<, and >> (for this reason, experienced C programmers deliberately forget the language's [10567]baroque precedence hierarchy and parenthesize defensively). Can always be avoided by suitable use of parentheses. [10568]LISP fans enjoy pointing out that this can't happen in their favorite language, which eschews precedence entirely, requiring one to use explicit parentheses

everywhere. See [10569]aliasing bug, [10570]memory leak, [10571]memory smash, [10572]smash the stack, [10573]fandango on core, [10574]overrun screw.

Node:prepend, Next:[10575]prestidigitization,
Previous:[10576]precedence lossage, Up:[10577]= P =

prepend /pree'pend'/ vt.

[by analogy with 'append'] To prefix. As with 'append' (but not 'prefix' or 'suffix' as a verb), the direct object is always the thing being added and not the original word (or character string, or whatever). "If you prepend a semicolon to the line, the translation routine will pass it through unaltered."

Node:prestidigitization, Next:[10578]pretty pictures,
Previous:[10579]prepend, Up:[10580]= P =

prestidigitization /pres't*-di'j*-ti:-zay'sh*n/ n.

1. The act of putting something into digital notation via sleight of hand. 2. Data entry through legerdemain.

Node:pretty pictures, Next:[10581]prettyprint,
Previous:[10582]prestidigitization, Up:[10583]= P =

pretty pictures n.

[scientific computation] The next step up from [10584]numbers. Interesting graphical output from a program that may not have any sensible relationship to the system the program is intended to model. Good for showing to [10585]management.

Node:prettyprint, Next:[10586]pretzel key, Previous:[10587]pretty pictures, Up:[10588]= P =

prettyprint /prit'ee-print/ v.

(alt. 'pretty-print') 1. To generate 'pretty' human-readable output from a [10589]hairly internal representation; esp. used for the process of [10590]grinding (sense 1) program code, and most esp. for LISP code. 2. To format in some particularly slick and nontrivial way.

Node:pretzel key, Next:[10591]priesthood, Previous:[10592]prettyprint,
Up:[10593]= P =

pretzel key n.

[Mac users] See [10594]feature key.

Node:priesthood, Next:[10595]prime time, Previous:[10596]pretzel key,
Up:[10597]= P =

priesthood n. obs.

[TMRC] The select group of system managers responsible for the operation and maintenance of a batch operated computer system. On these computers, a user never had direct access to a computer, but had to submit his/her data and programs to a priest for execution. Results were returned days or even weeks later. See [10598]acolyte.

Node:prime time, Next:[10599]print, Previous:[10600]priesthood,
Up:[10601]= P =

prime time n.

[from TV programming] Normal high-usage hours on a system or network. Back in the days of big timesharing machines 'prime time' was when lots of people were competing for limited cycles, usually the day shift. Avoidance of prime time was traditionally given as a major reason for [10602]night mode hacking. The term fell into disuse during the early PC era, but has been revived to refer to times of day or evening at which the Internet tends to be heavily loaded, making Web access slow. The hackish tendency to late-night [10603]hacking runs has changed not a bit.

Node:print, Next:[10604]printing discussion, Previous:[10605]prime time, Up:[10606]= P =

print v.

To output, even if to a screen. If a hacker says that a program "printed a message", he means this; if he refers to printing a file, he probably means it in the conventional sense of writing to a hardcopy device (compounds like 'print job' and 'printout', on the other hand, always refer to the latter). This very common term is likely a holdover from the days when printing terminals were the norm, perpetuated by programming language constructs like [10607]C's printf(3). See senses 1 and 2 of [10608]tty.

Node:printing discussion, Next:[10609]priority interrupt,
Previous:[10610]print, Up:[10611]= P =

printing discussion n.

[XEROX PARC] A protracted, low-level, time-consuming, generally pointless discussion of something only peripherally interesting to

all.

Node:priority interrupt, Next:[10612]profile, Previous:[10613]printing discussion, Up:[10614]= P =

priority interrupt n.

[from the hardware term] Describes any stimulus compelling enough to yank one right out of [10615]hack mode. Classically used to describe being dragged away by an [10616]SO for immediate sex, but may also refer to more mundane interruptions such as a fire alarm going off in the near vicinity. Also called an [10617]NMI (non-maskable interrupt), especially in PC-land.

Node:profile, Next:[10618]progasm, Previous:[10619]priority interrupt, Up:[10620]= P =

profile n.

1. A control file for a program, esp. a text file automatically read from each user's home directory and intended to be easily modified by the user in order to customize the program's behavior. Used to avoid [10621]hardcoded choices (see also [10622]dot file, [10623]rc file).
 2. [techspeak] A report on the amounts of time spent in each routine of a program, used to find and [10624]tune away the [10625]hot spots in it. This sense is often verbed. Some profiling modes report units other than time (such as call counts) and/or report at granularities other than per-routine, but the idea is similar.
 3. [techspeak] A subset of a standard used for a particular purpose. This sense confuses hackers who wander into the weird world of ISO standards no end!
-

Node:progasm, Next:[10626]proggy, Previous:[10627]profile, Up:[10628]= P =

progasm /proh'gaz-m/ n.

[University of Wisconsin] The euphoria experienced upon the completion of a program or other computer-related project.

Node:proggy, Next:[10629]proglet, Previous:[10630]progasm, Up:[10631]= P =

proggy n.

1. Any computer program that is considered a full application.
2. Any computer program that is made up of or otherwise contains [10632]proglets.
3. Any computer program that is large enough to be normally distributed as an RPM or [10633]tarball.

Node:proglet, Next:[10634]program, Previous:[10635]proggy, Up:[10636]=
P =

proglet /prog'let/ n.

[UK] A short extempore program written to meet an immediate, transient need. Often written in BASIC, rarely more than a dozen lines long, and containing no subroutines. The largest amount of code that can be written off the top of one's head, that does not need any editing, and that runs correctly the first time (this amount varies significantly according to one's skill and the language one is using). Compare [10637]toy program, [10638]noddy, [10639]one-liner wars.

Node:program, Next:[10640]Programmer's Cheer, Previous:[10641]proglet, Up:[10642]= P =

program n.

1. A magic spell cast over a computer allowing it to turn one's input into error messages. 2. An exercise in experimental epistemology. 3. A form of art, ostensibly intended for the instruction of computers, which is nevertheless almost inevitably a failure if other programmers can't understand it.

Node:Programmer's Cheer, Next:[10643]programming, Previous:[10644]program, Up:[10645]= P =

Programmer's Cheer

"Shift to the left! Shift to the right! Pop up, push down! Byte! Byte! Byte!" A joke so old it has hair on it.

Node:programming, Next:[10646]programming fluid, Previous:[10647]Programmer's Cheer, Up:[10648]= P =

programming n.

1. The art of debugging a blank sheet of paper (or, in these days of on-line editing, the art of debugging an empty file). "Bloody instructions which, being taught, return to plague their inventor" ("Macbeth", Act 1, Scene 7) 2. A pastime similar to banging one's head against a wall, but with fewer opportunities for reward. 3. The most fun you can have with your clothes on. 4. The least fun you can have with your clothes off.

Node:programming fluid, Next:[10649]propeller head, Previous:[10650]programming, Up:[10651]= P =

programming fluid n.

1. Coffee. 2. Cola. 3. Any caffeinacious stimulant. Many hackers consider these essential for those all-night hacking runs. See [10652]wirewater.

Node:propeller head, Next:[10653]propeller key,
Previous:[10654]programming fluid, Up:[10655]= P =

propeller head n.

Used by hackers, this is syn. with [10656]computer geek. Non-hackers sometimes use it to describe all techies. Prob. derives from SF fandom's tradition (originally invented by old-time fan Ray Faraday Nelson) of propeller beanies as fannish insignia (though nobody actually wears them except as a joke).

Node:propeller key, Next:[10657]proprietary, Previous:[10658]propeller head, Up:[10659]= P =

propeller key n.

[Mac users] See [10660]feature key.

Node:proprietary, Next:[10661]protocol, Previous:[10662]propeller key,
Up:[10663]= P =

proprietary adj.

1. In [10664]marketroid-speak, superior; implies a product imbued with exclusive magic by the unmatched brilliance of the company's own hardware or software designers. 2. In the language of hackers and users, inferior; implies a product not conforming to open-systems standards, and thus one that puts the customer at the mercy of a vendor able to gouge freely on service and upgrade charges after the initial sale has locked the customer in. Often in the phrase "proprietary crap". 3. Synonym for closed-source, e.g. software issued in binary without source and under a restrictive license.

Since the coining of the term [10665]open source, many hackers have made a conscious effort to distinguish between 'proprietary' and 'commercial' software. It is possible for software to be commercial (that is, intended to make a profit for the producers) without being proprietary. The reverse is also possible, for example in binary-only freeware.

Node:protocol, Next:[10666]provocative maintenance,
Previous:[10667]proprietary, Up:[10668]= P =

protocol n.

As used by hackers, this never refers to niceties about the proper form for addressing letters to the Papal Nuncio or the order in which one should use the forks in a Russian-style place setting; hackers don't care about such things. It is used instead to describe any set of rules that allow different machines or pieces of software to coordinate with each other without ambiguity. So, for example, it does include niceties about the proper form for addressing packets on a network or the order in which one should use the forks in the Dining Philosophers Problem. It implies that there is some common message format and an accepted set of primitives or commands that all parties involved understand, and that transactions among them follow predictable logical sequences. See also [10669]handshaking, [10670]do protocol.

Node:provocative maintenance, Next:[10671]proowler,
Previous:[10672]protocol, Up:[10673]= P =

provocative maintenance n.

[common ironic mutation of 'preventive maintenance'] Actions performed upon a machine at regularly scheduled intervals to ensure that the system remains in a usable state. So called because it is all too often performed by a [10674]field servoid who doesn't know what he is doing; such 'maintenance' often induces problems, or otherwise results in the machine's remaining in an unusable state for an indeterminate amount of time. See also [10675]scratch monkey.

Node:proowler, Next:[10676]pseudo, Previous:[10677]provocative maintenance, Up:[10678]= P =

proowler n.

[Unix] A [10679]daemon that is run periodically (typically once a week) to seek out and erase [10680]core files, truncate administrative logfiles, nuke lost+found directories, and otherwise clean up the [10681]cruft that tends to pile up in the corners of a file system. See also [10682]GFR, [10683]reaper, [10684]skulker.

Node:pseudo, Next:[10685]pseudoprime, Previous:[10686]proowler,
Up:[10687]= P =

pseudo /soo'doh/ n.

[Usenet: truncation of 'pseudonym'] 1. An electronic-mail or [10688]Usenet persona adopted by a human for amusement value or as a means of avoiding negative repercussions of one's net.behavior; a 'nom de Usenet', often associated with forged postings designed to conceal

message origins. Perhaps the best-known and funniest hoax of this type is [10689]B1FF. See also [10690]tentacle. 2. Notionally, a [10691]flamage-generating AI program simulating a Usenet user. Many flammers have been accused of actually being such entities, despite the fact that no AI program of the required sophistication yet exists. However, in 1989 there was a famous series of forged postings that used a phrase-frequency-based travesty generator to simulate the styles of several well-known flammers; it was based on large samples of their back postings (compare [10692]Dissociated Press). A significant number of people were fooled by the forgeries, and the debate over their authenticity was settled only when the perpetrator came forward to publicly admit the hoax.

Node:pseudoprime, Next:[10693]pseudosuit, Previous:[10694]pseudo, Up:[10695]= P =

pseudoprime n.

A backgammon prime (six consecutive occupied points) with one point missing. This term is an esoteric pun derived from number theory: a number that passes a certain kind of "primality test" may be called a 'pseudoprime' (all primes pass any such test, but so do some composite numbers), and any number that passes several is, in some sense, almost certainly prime. The hacker backgammon usage stems from the idea that a pseudoprime is almost as good as a prime: it will do the same job unless you are unlucky.

Node:pseudosuit, Next:[10696]psychedelicware, Previous:[10697]pseudoprime, Up:[10698]= P =

pseudosuit /soo'doh-s[y]oot'/ n.

A [10699]suit wannabee; a hacker who has decided that he wants to be in management or administration and begins wearing ties, sport coats, and (shudder!) suits voluntarily. It's his funeral. See also [10700]lobotomy.

Node:psychedelicware, Next:[10701]psyton, Previous:[10702]pseudosuit, Up:[10703]= P =

psychedelicware /si:'k*-del'-ik-weir/ n.

[UK] Syn. [10704]display hack. See also [10705]smoking clover.

Node:psyton, Next:[10706]pubic directory, Previous:[10707]psychedelicware, Up:[10708]= P =

psyton /si:'ton/ n.

[TMRC] The elementary particle carrying the sinister force. The probability of a process losing is proportional to the number of psytons falling on it. Psytons are generated by observers, which is why demos are more likely to fail when lots of people are watching. [This term appears to have been largely superseded by [10709]bogon; see also [10710]quantum bogodynamics. --ESR]

Node:pubic directory, Next:[10711]puff, Previous:[10712]psyton, Up:[10713]= P =

pubic directory /pyoob'ik d*-rek't*-ree/) n.

[NYU] (also 'pube directory' /pyoob' d*-rek't*-ree/) The 'pub' (public) directory on a machine that allows [10714]FTP access. So called because it is the default location for [10715]SEX (sense 1). "I'll have the source in the pube directory by Friday."

Node:puff, Next:[10716]pumpkin holder, Previous:[10717]pubic directory, Up:[10718]= P =

puff vt.

To decompress data that has been crunched by Huffman coding. At least one widely distributed Huffman decoder program was actually named 'PUFF', but these days it is usually packaged with the encoder. Oppose [10719]huff, see [10720]inflate.

Node:pumpkin holder, Next:[10721]pumpking, Previous:[10722]puff, Up:[10723]= P =

pumpkin holder n.

See [10724]patch pumpkin.

Node:pumpking, Next:[10725]punched card, Previous:[10726]pumpkin holder, Up:[10727]= P =

pumpking n.

Syn. for [10728]pumpkin holder; see [10729]patch pumpkin.

Node:punched card, Next:[10730]punt, Previous:[10731]pumpking, Up:[10732]= P =

punched card n.obs.

[techspeak] (alt. 'punch card') The signature medium of computing's [10733]Stone Age, now obsolescent outside of some IBM shops. The

punched card actually predated computers considerably, originating in 1801 as a control device for mechanical looms. The version patented by Hollerith and used with mechanical tabulating machines in the 1890 U.S. Census was a piece of cardboard about 90 mm by 215 mm. There is a widespread myth that it was designed to fit in the currency trays used for that era's larger dollar bills, but recent investigations have falsified this.

IBM (which originated as a tabulating-machine manufacturer) married the punched card to computers, encoding binary information as patterns of small rectangular holes; one character per column, 80 columns per card. Other coding schemes, sizes of card, and hole shapes were tried at various times.

The 80-column width of most character terminals is a legacy of the IBM punched card; so is the size of the quick-reference cards distributed with many varieties of computers even today. See [10734]chad, [10735]chad box, [10736]eighty-column mind, [10737]green card, [10738]dusty deck, [10739]lace card, [10740]card walloper.

Node:punt, Next:[10741]Purple Book, Previous:[10742]punched card, Up:[10743]= P =

punt v.

[from the punch line of an old joke referring to American football: "Drop back 15 yards and punt!"] 1. To give up, typically without any intention of retrying. "Let's punt the movie tonight." "I was going to hack all night to get this feature in, but I decided to punt" may mean that you've decided not to stay up all night, and may also mean you're not ever even going to put in the feature. 2. More specifically, to give up on figuring out what the [10744]Right Thing is and resort to an inefficient hack. 3. A design decision to defer solving a problem, typically because one cannot define what is desirable sufficiently well to frame an algorithmic solution. "No way to know what the right form to dump the graph in is -- we'll punt that for now." 4. To hand a tricky implementation problem off to some other section of the design. "It's too hard to get the compiler to do that; let's punt to the runtime system." 5. To knock someone off an Internet or chat connection; a 'punter' thus, is a person or program that does this.

Node:Purple Book, Next:[10745]purple wire, Previous:[10746]punt, Up:[10747]= P =

Purple Book n.

1. The "System V Interface Definition". The covers of the first editions were an amazingly nauseating shade of off-lavender. 2. Syn. [10748]Wizard Book. Donald Lewine's "POSIX Programmer's Guide" (O'Reilly, 1991, ISBN 0-937175-73-0). See also [10749]book titles.

Node:purple wire, Next:[10750]push, Previous:[10751]Purple Book,
Up:[10752]= P =

purple wire n.

[IBM] Wire installed by Field Engineers to work around problems discovered during testing or debugging. These are called 'purple wires' even when (as is frequently the case) their actual physical color is yellow.... Compare [10753]blue wire, [10754]yellow wire, and [10755]red wire.

Node:push, Next:[10756]Python, Previous:[10757]purple wire,
Up:[10758]= P =

push

[from the operation that puts the current information on a stack, and the fact that procedure return addresses are saved on a stack] (Also PUSH /push/ or PUSHJ /push'J/, the latter based on the PDP-10 procedure call instruction.) 1. To put something onto a [10759]stack or [10760]PDL. If one says that something has been pushed onto one's stack, it means that the Damoclean list of things hanging over one's head has grown longer and heavier yet. This may also imply that one will deal with it before other pending items; otherwise one might say that the thing was 'added to my queue'. 2. vi. To enter upon a digression, to save the current discussion for later. Antonym of [10761]pop; see also [10762]stack, [10763]PDL.

Node:Python, Next:[10764]quad, Previous:[10765]push, Up:[10766]= P =

Python /pi:'thon/

In the words of its author, "the other scripting language" (other than [10767]Perl, that is). Python's design is notably clean, elegant, and well thought through; it tends to attract the sort of programmers who find Perl grubby and exiguous. Python's relationship with Perl is rather like the [10768]BSD community's relationship to [10769]Linux - it's the smaller party in a (usually friendly) rivalry, but the average quality of its developers is generally conceded to be rather higher than in the larger community it competes with. There's a Python resource page at [10770]<http://www.python.org>. See also [10771]Guido.

Node:= Q =, Next:[10772]= R =, Previous:[10773]= P =, Up:[10774]The Jargon Lexicon

= Q =

* [10775]quad:

* [10776]quadruple bucky:

- * [10777]quantifiers:
 - * [10778]quantum bogodynamics:
 - * [10779]quarter:
 - * [10780]ques:
 - * [10781]quick-and-dirty:
 - * [10782]quine:
 - * [10783]quote chapter and verse:
 - * [10784]quotient:
 - * [10785]quux:
 - * [10786]qux:
 - * [10787]QWERTY:
-

Node:quad, Next:[10788]quadruple bucky, Previous:[10789]Python,
Up:[10790]= Q =

quad n.

1. Two bits; syn. for [10791]quarter, [10792]crumb, [10793]tayste. 2. A four-pack of anything (compare [10794]hex, sense 2). 3. The rectangle or box glyph used in the APL language for various arcane purposes mostly related to I/O. Former Ivy-Leaguers and Oxford types are said to associate it with nostalgic memories of dear old University.

Node:quadruple bucky, Next:[10795]quantifiers, Previous:[10796]quad,
Up:[10797]= Q =

quadruple bucky n. obs.

1. On an MIT [10798]space-cadet keyboard, use of all four of the shifting keys (control, meta, hyper, and super) while typing a character key. 2. On a Stanford or MIT keyboard in [10799]raw mode, use of four shift keys while typing a fifth character, where the four shift keys are the control and meta keys on both sides of the keyboard. This was very difficult to do! One accepted technique was to press the left-control and left-meta keys with your left hand, the right-control and right-meta keys with your right hand, and the fifth key with your nose.

Quadruple-bucky combinations were very seldom used in practice, because when one invented a new command one usually assigned it to some character that was easier to type. If you want to imply that a program has ridiculously many commands or features, you can say something like: "Oh, the command that makes it spin the tapes while whistling Beethoven's Fifth Symphony is quadruple-bucky-cokebottle." See [10800]double bucky, [10801]bucky bits, [10802]cokebottle.

Node:quantifiers, Next:[10803]quantum bogodynamics,
Previous:[10804]quadruple bucky, Up:[10805]= Q =

quantifiers

In techspeak and jargon, the standard metric prefixes used in the SI (Système International) conventions for scientific measurement have dual uses. With units of time or things that come in powers of 10, such as money, they retain their usual meanings of multiplication by powers of 1000 = 10^3 . But when used with bytes or other things that naturally come in powers of 2, they usually denote multiplication by powers of $1024 = 2^{10}$.

Here are the SI magnifying prefixes, along with the corresponding binary interpretations in common use:

prefix decimal binary

kilo- 1000^1 $1024^1 = 2^{10} = 1,024$

mega- 1000^2 $1024^2 = 2^{20} = 1,048,576$

giga- 1000^3 $1024^3 = 2^{30} = 1,073,741,824$

tera- 1000^4 $1024^4 = 2^{40} = 1,099,511,627,776$

peta- 1000^5 $1024^5 = 2^{50} = 1,125,899,906,842,624$

exa- 1000^6 $1024^6 = 2^{60} = 1,152,921,504,606,846,976$

zetta- 1000^7 $1024^7 = 2^{70} = 1,180,591,620,717,411,303,424$

yotta- 1000^8 $1024^8 = 2^{80} = 1,208,925,819,614,629,174,706,176$

Here are the SI fractional prefixes:

prefix decimal jargon usage

milli- 1000^{-1} (seldom used in jargon)

micro- 1000^{-2} small or human-scale (see [10806]micro-)

nano- 1000^{-3} even smaller (see [10807]nano-)

pico- 1000^{-4} even smaller yet (see [10808]pico-)

femto- 1000^{-5} (not used in jargon---yet)

atto- 1000^{-6} (not used in jargon---yet)

zepto- 1000^{-7} (not used in jargon---yet)

yocto- 1000^{-8} (not used in jargon---yet)

The prefixes zetta-, yotta-, zepto-, and yocto- have been included in these tables purely for completeness and giggle value; they were adopted in 1990 by the '19th Conference Generale des Poids et Mesures'. The binary peta- and exa- loadings, though well established, are not in jargon use either -- yet. The prefix milli-, denoting multiplication by 1/1000, has always been rare in jargon (there is, however, a standard joke about the 'millihelen' -- notionally, the amount of beauty required to launch one ship). See the entries on [10809]micro-, [10810]pico-, and [10811]nano- for more information on connotative jargon use of these terms. 'Femto' and 'atto' (which, interestingly, derive not from Greek but from Danish) have not yet acquired jargon loadings, though it is easy to predict what those will be once computing technology enters the required realms of magnitude

(however, see [10812]attoparsec).

There are, of course, some standard unit prefixes for powers of 10. In the following table, the 'prefix' column is the international standard suffix for the appropriate power of ten; the 'binary' column lists jargon abbreviations and words for the corresponding power of 2. The B-suffixed forms are commonly used for byte quantities; the words 'meg' and 'gig' are nouns that may (but do not always) pluralize with 's'.

prefix	decimal	binary	pronunciation
kilo-	k	K, KB,	/kay/
mega-	M	M, MB, meg	/meg/
giga-	G	G, GB, gig	/gig/,/jig/

Confusingly, hackers often use K or M as though they were suffix or numeric multipliers rather than a prefix; thus "2K dollars", "2M of disk space". This is also true (though less commonly) of G.

Note that the formal SI metric prefix for 1000 is 'k'; some use this strictly, reserving 'K' for multiplication by 1024 (KB is thus 'kilobytes').

K, M, and G used alone refer to quantities of bytes; thus, 64G is 64 gigabytes and 'a K' is a kilobyte (compare mainstream use of 'a G' as short for 'a grand', that is, \$1000). Whether one pronounces 'gig' with hard or soft 'g' depends on what one thinks the proper pronunciation of 'giga-' is.

Confusing 1000 and 1024 (or other powers of 2 and 10 close in magnitude) -- for example, describing a memory in units of 500K or 524K instead of 512K -- is a sure sign of the [10813]marketroid. One example of this: it is common to refer to the capacity of 3.5" [10814]microfloppies as '1.44 MB' In fact, this is a completely [10815]bogus number. The correct size is 1440 KB, that is, $1440 * 1024 = 1474560$ bytes. So the 'mega' in '1.44 MB' is compounded of two 'kilos', one of which is 1024 and the other of which is 1000. The correct number of megabytes would of course be $1440 / 1024 = 1.40625$. Alas, this fine point is probably lost on the world forever.

[1993 update: hacker Morgan Burke has proposed, to general approval on Usenet, the following additional prefixes:

groucho
 $10^{(-30)}$

harpo
 $10^{(-27)}$

harpi
 $10^{(27)}$

grouchi
 $10^{(30)}$

We observe that this would leave the prefixes zeppo-, gummo-, and chico- available for future expansion. Sadly, there is little immediate prospect that Mr. Burke's eminently sensible proposal will be ratified.]

[1999 upate: there is an [10816]IEC proposal for binary multipliers, but no evidence that any of its proposals are in live use.]

Node:quantum bogodynamics, Next:[10817]quarter,
Previous:[10818]quantifiers, Up:[10819]= Q =

quantum bogodynamics /kwon'tm boh'goh-di:-nam'iks/ n.

A theory that characterizes the universe in terms of bogon sources (such as politicians, used-car salesmen, TV evangelists, and [10820]suits in general), bogon sinks (such as taxpayers and computers), and bogosity potential fields. Bogon absorption, of course, causes human beings to behave mindlessly and machines to fail (and may also cause both to emit secondary bogons); however, the precise mechanics of the bogon-computron interaction are not yet understood and remain to be elucidated. Quantum bogodynamics is most often invoked to explain the sharp increase in hardware and software failures in the presence of suits; the latter emit bogons, which the former absorb. See [10821]bogon, [10822]computron, [10823]suit, [10824]psyton.

Node:quarter, Next:[10825]ques, Previous:[10826]quantum bogodynamics,
Up:[10827]= Q =

quarter n.

Two bits. This in turn comes from the 'pieces of eight' famed in pirate movies -- Spanish silver crowns that could be broken into eight pie-slice-shaped 'bits' to make change. Early in American history the Spanish coin was considered equal to a dollar, so each of these 'bits' was considered worth 12.5 cents. Syn. [10828]tayste, [10829]crumb, [10830]quad. Usage: rare. General discussion of such terms is under [10831]nybble.

Node:ques, Next:[10832]quick-and-dirty, Previous:[10833]quarter,
Up:[10834]= Q =

ques /kwes/

1. n. The question mark character (? , ASCII 0111111). 2. interj. What? Also frequently verb-doubled as "Ques ques?" See [10835]wall.

Node:quick-and-dirty, Next:[10836]quine, Previous:[10837]ques,

Up:[10838]= Q =

quick-and-dirty adj.

[common] Describes a [10839]crock put together under time or user pressure. Used esp. when you want to convey that you think the fast way might lead to trouble further down the road. "I can have a quick-and-dirty fix in place tonight, but I'll have to rewrite the whole module to solve the underlying design problem." See also [10840]kluge.

Node:quine, Next:[10841]quote chapter and verse,
Previous:[10842]quick-and-dirty, Up:[10843]= Q =

quine /kwi:n/ n.

[from the name of the logician Willard van Orman Quine, via Douglas Hofstadter] A program that generates a copy of its own source text as its complete output. Devising the shortest possible quine in some given programming language is a common hackish amusement. (We ignore some variants of BASIC in which a program consisting of a single empty string literal reproduces itself trivially.) Here is one classic quine:

```
((lambda (x)
 (list x (list (quote quote) x)))
 (quote
 (lambda (x)
 (list x (list (quote quote) x))))))
```

This one works in LISP or Scheme. It's relatively easy to write quines in other languages such as Postscript which readily handle programs as data; much harder (and thus more challenging!) in languages like C which do not. Here is a classic C quine for ASCII machines:

```
char*f="char*f=%c%s%c;main()
{printf(f,34,f,34,10);}%c";
main(){printf(f,34,f,34,10);}
```

For excruciatingly exact quinishness, remove the interior line breaks.

Here is another elegant quine in ANSI C:

```
#define q(k)main(){return!puts("#k\nq("#k"););}
q(#define q(k)main(){return!puts("#k\nq("#k"););})
```

Some infamous [10844]Obfuscated C Contest entries have been quines that reproduced in exotic ways. There is an amusing [10845]Quine Home Page.

Node:quote chapter and verse, Next:[10846]quotient,
Previous:[10847]quine, Up:[10848]= Q =

quote chapter and verse v.

[by analogy with the mainstream phrase] To cite a relevant excerpt from an appropriate [10849]bible. "I don't care if rn gets it wrong; 'Followup-To: poster' is explicitly permitted by [10850]RFC-1036. I'll quote chapter and verse if you don't believe me." See also [10851]legalese, [10852]language lawyer, [10853]RTFS (sense 2).

Node:quotient, Next:[10854]quux, Previous:[10855]quote chapter and verse, Up:[10856]= Q =

quotient n.

See [10857]coefficient of X.

Node:quux, Next:[10858]qux, Previous:[10859]quotient, Up:[10860]= Q =

quux /kwuhks/ n.

[Mythically, from the Latin semi-deponent verb quuxo, quuxare, quuxandum iri; noun form variously 'quux' (plural 'quuces', anglicized to 'quuxes') and 'quuxu' (genitive plural is 'quuxuum', for four u-letters out of seven in all, using up all the 'u' letters in Scrabble).] 1. Originally, a [10861]metasyntactic variable like [10862]foo and [10863]foobar. Invented by Guy Steele for precisely this purpose when he was young and naive and not yet interacting with the real computing community. Many people invent such words; this one seems simply to have been lucky enough to have spread a little. In an eloquent display of poetic justice, it has returned to the originator in the form of a nickname. 2. interj. See [10864]foo; however, denotes very little disgust, and is uttered mostly for the sake of the sound of it. 3. Guy Steele in his persona as 'The Great Quux', which is somewhat infamous for light verse and for the 'Crunchly' cartoons. 4. In some circles, used as a punning opposite of 'cruX'. "Ah, that's the quux of the matter!" implies that the point is not crucial (compare [10865]tip of the ice-cube). 5. quuxy: adj. Of or pertaining to a quux.

Node:qux, Next:[10866]QWERTY, Previous:[10867]quux, Up:[10868]= Q =

qux /kwuhks/

The fourth of the standard [10869]metasyntactic variable, after [10870]baz and before the quu(u...)x series. See [10871]foo, [10872]bar, [10873]baz, [10874]quux. This appears to be a recent mutation from [10875]quux, and many versions (especially older versions) of the standard series just run [10876]foo, [10877]bar, [10878]baz, [10879]quux,

Node:QWERTY, Next:[10880]rabbit job, Previous:[10881]qux, Up:[10882]= Q =

QWERTY /kwer'tee/ adj.

[from the keycaps at the upper left] Pertaining to a standard English-language typewriter keyboard (sometimes called the Sholes keyboard after its inventor), as opposed to Dvorak or non-US-ASCII layouts or a [10883]space-cadet keyboard or APL keyboard.

Historical note: The QWERTY layout is a fine example of a [10884]fossil. It is sometimes said that it was designed to slow down the typist, but this is wrong; it was designed to allow faster typing -- under a constraint now long obsolete. In early typewriters, fast typing using nearby type-bars jammed the mechanism. So Sholes fiddled the layout to separate the letters of many common digraphs (he did a far from perfect job, though; 'th', 'tr', 'ed', and 'er', for example, each use two nearby keys). Also, putting the letters of 'typewriter' on one line allowed it to be typed with particular speed and accuracy for [10885]demos. The jamming problem was essentially solved soon afterward by a suitable use of springs, but the keyboard layout lives on.

The QWERTY keyboard has also spawned some unhelpful economic myths about how technical standards get and stay established; see [10886]<http://www.reasonmag.com/9606/Fe.QWERTY.html>.

Node:= R =, Next:[10887]= S =, Previous:[10888]= Q =, Up:[10889]The Jargon Lexicon

= R =

- * [10890]rabbit job:
- * [10891]rain dance:
- * [10892]rainbow series:
- * [10893]random:
- * [10894]Random Number God:
- * [10895]random numbers:
- * [10896]randomness:
- * [10897]rape:
- * [10898]rare mode:
- * [10899]raster blaster:
- * [10900]raster burn:
- * [10901]rasterbation:
- * [10902]rat belt:
- * [10903]rat dance:
- * [10904]ratio site:
- * [10905]rave:
- * [10906]rave on!:
- * [10907]rav's:
- * [10908]raw mode:
- * [10909]RBL:
- * [10910]rc file:
- * [10911]RE:

- * [10912]read-only user:
- * [10913]README file:
- * [10914]real:
- * [10915]real estate:
- * [10916]real hack:
- * [10917]real operating system:
- * [10918]Real Programmer:
- * [10919]Real Soon Now:
- * [10920]real time:
- * [10921]real user:
- * [10922]Real World:
- * [10923]reality check:
- * [10924]reality-distortion field:
- * [10925]reaper:
- * [10926]recompile the world:
- * [10927]rectangle slinger:
- * [10928]recursion:
- * [10929]recursive acronym:
- * [10930]Red Book:
- * [10931]red wire:
- * [10932]regexp:
- * [10933]register dancing:
- * [10934]rehi:
- * [10935]reincarnation cycle of:
- * [10936]reinvent the wheel:
- * [10937]relay rape:
- * [10938]religion of CHI:
- * [10939]religious issues:
- * [10940]replicator:
- * [10941]reply:
- * [10942]restriction:
- * [10943]retcon:
- * [10944]RETI:
- * [10945]retrocomputing:
- * [10946]return from the dead:
- * [10947]RFC:
- * [10948]RFE:
- * [10949]rib site:
- * [10950]rice box:
- * [10951]Right Thing:
- * [10952]rip:
- * [10953]ripoff:
- * [10954]RL:
- * [10955]roach:
- * [10956]robocancellor:
- * [10957]robot:
- * [10958]robust:
- * [10959]rococo:
- * [10960]rogue:
- * [10961]room-temperature IQ:
- * [10962]root:
- * [10963]root mode:
- * [10964]rot13:

* [10965]rotary debugger:
* [10966]round tape:
* [10967]RSN:
* [10968]RTBM:
* [10969]RTFAQ:
* [10970]RTFB:
* [10971]RTFM:
* [10972]RTFS:
* [10973]RTI:
* [10974]RTM:
* [10975]RTS:
* [10976]rude:
* [10977]runes:
* [10978]runic:
* [10979]rusty iron:
* [10980]rusty memory:
* [10981]rusty wire:

Node:rabbit job, Next:[10982]rain dance, Previous:[10983]QWERTY,
Up:[10984]= R =

rabbit job n.

[Cambridge] A batch job that does little, if any, real work, but creates one or more copies of itself, breeding like rabbits. Compare [10985]wabbit, [10986]fork bomb.

Node:rain dance, Next:[10987]rainbow series, Previous:[10988]rabbit job, Up:[10989]= R =

rain dance n.

1. Any ceremonial action taken to correct a hardware problem, with the expectation that nothing will be accomplished. This especially applies to reseating printed circuit boards, reconnecting cables, etc. "I can't boot up the machine. We'll have to wait for Greg to do his rain dance." 2. Any arcane sequence of actions performed with computers or software in order to achieve some goal; the term is usually restricted to rituals that include both an [10990]incantation or two and physical activity or motion. Compare [10991]magic, [10992]voodoo programming, [10993]black art, [10994]cargo cult programming, [10995]wave a dead chicken; see also [10996]casting the runes.

Node:rainbow series, Next:[10997]random, Previous:[10998]rain dance,
Up:[10999]= R =

rainbow series n.

Any of several series of technical manuals distinguished by cover color. The original rainbow series was the NCSC security manuals (see

[11000]Orange Book, [11001]Crayola books); the term has also been commonly applied to the PostScript reference set (see [11002]Red Book, [11003]Green Book, [11004]Blue Book, [11005]White Book). Which books are meant by "the 'rainbow series'" unqualified is thus dependent on one's local technical culture.

Node:random, Next:[11006]Random Number God, Previous:[11007]rainbow series, Up:[11008]= R =

random adj.

1. Unpredictable (closest to mathematical definition); weird. "The system's been behaving pretty randomly." 2. Assorted; undistinguished. "Who was at the conference?" "Just a bunch of random business types." 3. (pejorative) Frivolous; unproductive; undirected. "He's just a random loser." 4. Incoherent or inelegant; poorly chosen; not well organized. "The program has a random set of misfeatures." "That's a random name for that function." "Well, all the names were chosen pretty randomly." 5. In no particular order, though deterministic. "The I/O channels are in a pool, and when a file is opened one is chosen randomly." 6. Arbitrary. "It generates a random name for the scratch file." 7. Gratuitously wrong, i.e., poorly done and for no good apparent reason. For example, a program that handles file name defaulting in a particularly useless way, or an assembler routine that could easily have been coded using only three registers, but redundantly uses seven for values with non-overlapping lifetimes, so that no one else can invoke it without first saving four extra registers. What [11009]randomness! 8. n. A random hacker; used particularly of high-school students who soak up computer time and generally get in the way. 9. n. Anyone who is not a hacker (or, sometimes, anyone not known to the hacker speaking); the noun form of sense 2. "I went to the talk, but the audience was full of randoms asking bogus questions". 10. n. (occasional MIT usage) One who lives at Random Hall. See also [11010]J. Random, [11011]some random X. 11. [UK] Conversationally, a non sequitur or something similarly out-of-the-blue. As in: "Stop being so random!" This sense equates to 'hatstand', taken from the Viz comic character "Roger Irrelevant - He's completely Hatstand."

Node:Random Number God, Next:[11012]random numbers, Previous:[11013]random, Up:[11014]= R =

Random Number God

[rec.games.roguelike.angband; often abbreviated 'RNG'] The malign force which lurks behind the random number generator in [11015]Angband (and by extension elsewhere). A dark god that demands sacrifices and toys with its victims. "I just found a really great item; I suppose the RNG is about to punish me..." Apparently, Angband's random number generator occasionally gets locked in a repetition, so you get something with a 3% chance happening 8 times in a row. Improbable, but

far too common to be pure chance. Compare [11016]Shub-Internet.

Node:random numbers, Next:[11017]randomness, Previous:[11018]Random Number God, Up:[11019]= R =

random numbers n.

When one wishes to specify a large but random number of things, and the context is inappropriate for [11020]N, certain numbers are preferred by hacker tradition (that is, easily recognized as placeholders). These include the following:

17

Long described at MIT as 'the least random number'; see 23.

23

Sacred number of Eris, Goddess of Discord (along with 17 and 5).

42

The Answer to the Ultimate Question of Life, the Universe, and Everything. (Note that this answer is completely fortuitous. :-))

69

From the sexual act. This one was favored in MIT's ITS culture.

105

69 hex = 105 decimal, and 69 decimal = 105 octal.

666

The Number of the Beast.

For further enlightenment, study the "Principia Discordia", "[11021]The Hitchhiker's Guide to the Galaxy", "The Joy of Sex", and the Christian Bible (Revelation 13:18). See also [11022]Discordianism or consult your pineal gland. See also [11023]for values of.

Node:randomness, Next:[11024]rape, Previous:[11025]random numbers, Up:[11026]= R =

randomness n.

1. An inexplicable misfeature; gratuitous inelegance. 2. A [11027]hack or [11028]crock that depends on a complex combination of coincidences (or, possibly, the combination upon which the crock depends for its accidental failure to malfunction). "This hack can output characters 40-57 by putting the character in the four-bit accumulator field of an XCT and then extracting six bits -- the low 2 bits of the XCT opcode are the right thing." "What randomness!" 3. Of people, synonymous with 'flakiness'. The connotation is that the person so described is

behaving weirdly, incompetently, or inappropriately for reasons which are (a) too tiresome to bother inquiring into, (b) are probably as inscrutable as quantum phenomena anyway, and (c) are likely to pass with time. "Maybe he has a real complaint, or maybe it's just randomness. See if he calls back."

Despite the negative connotations jargon uses of this term have, it is worth noting that randomness can actually be a valuable resource, very useful for applications in cryptography and elsewhere. Computers are so thoroughly deterministic that they have a hard time generating high-quality randomness, so hackers have sometimes felt the need to built special-purpose contraptions for this purpose alone. One well-known website offers random bits [11029]generated by radioactive decay. Another derives random bits from [11030]images of Lava Lite lamps. (Hackers invariably find the latter hilarious. If you have to ask why, you'll never get it.)

Node:rape, Next:[11031]rare mode, Previous:[11032]randomness, Up:[11033]= R =

rape vt.

1. To [11034]screw someone or something, violently; in particular, to destroy a program or information irrecoverably. Often used in describing file-system damage. "So-and-so was running a program that did absolute disk I/O and ended up raping the master directory." 2. To strip a piece of hardware for parts. 3. [CMU/Pitt] To mass-copy files from an anonymous ftp site. "Last night I raped Simtel's dskutl directory."

Node:rare mode, Next:[11035]raster blaster, Previous:[11036]rape, Up:[11037]= R =

rare mode adj.

[Unix] CBREAK mode (character-by-character with interrupts enabled). Distinguished from [11038]raw mode and [11039]cooked mode; the phrase "a sort of half-cooked (rare?) mode" is used in the V7/BSD manuals to describe the mode. Usage: rare.

Node:raster blaster, Next:[11040]raster burn, Previous:[11041]rare mode, Up:[11042]= R =

raster blaster n.

[Cambridge] Specialized hardware for [11043]bitblt operations (a [11044]blitter). Allegedly inspired by 'Rasta Blasta', British slang for the sort of portable stereo Americans call a 'boom box' or 'ghetto blaster'.

Node:raster burn, Next:[11045]rasterbation, Previous:[11046]raster blaster, Up:[11047]= R =

raster burn n.

Eyestrain brought on by too many hours of looking at low-res, poorly tuned, or glare-ridden monitors, esp. graphics monitors. See [11048]terminal illness.

Node:rasterbation, Next:[11049]rat belt, Previous:[11050]raster burn, Up:[11051]= R =

rasterbation n.

[portmanteau: raster + masturbation] The gratuitous use of computer generated images and effects in movies and graphic art which would have been better without them. Especially employed as a term of abuse by Photoshop/GIMP users and graphic artists.

Node:rat belt, Next:[11052]rat dance, Previous:[11053]rasterbation, Up:[11054]= R =

rat belt n.

A cable tie, esp. the sawtoothed, self-locking plastic kind that you can remove only by cutting (as opposed to a random twist of wire or a twist tie or one of those humongous metal clip frobs). Small cable ties are 'mouse belts'.

Node:rat dance, Next:[11055]ratio site, Previous:[11056]rat belt, Up:[11057]= R =

rat dance n.

[From the [11058]Dilbert comic strip of November 14, 1995] A [11059]hacking run that produces results which, while superficially coherent, have little or nothing to do with its original objectives. There are strong connotations that the coding process and the objectives themselves were pretty [11060]random. (In the original comic strip, the Ratbert is invited to dance on Dilbert's keyboard in order to produce bugs for him to fix, and authors a Web browser instead.) Compare [11061]Infinite-Monkey Theorem.

This term seems to have become widely recognized quite rapidly after the original strip, a fact which testifies to Dilbert's huge popularity among hackers. All too many find the perverse incentives and Kafkaesque atmosphere of Dilbert's mythical workplace reflective of their own experiences.

Node:ratio site, Next:[11062]rave, Previous:[11063]rat dance,
Up:[11064]= R =

ratio site

[warez d00dz] A FTP site storing pirated files where one must first upload something before being able to download. There is a ratio, based on bytes or files count, between the uploads and download. For instance, on a 2:1 site, to download a 4 Mb file, one must first upload at least 2 Mb of files. The hotter the contents of the server are, the smaller the ratio is. More often than not, the server refuses uploads because its disk is full, making it useless for downloading - or the connection magically breaks after one has uploaded a large amount of files, just before the downloading phase begins. See also [11065]banner site, [11066]leech mode.

Node:rave, Next:[11067]rave on!, Previous:[11068]ratio site,
Up:[11069]= R =

rave vi.

[WPI] 1. To persist in discussing a specific subject. 2. To speak authoritatively on a subject about which one knows very little. 3. To complain to a person who is not in a position to correct the difficulty. 4. To purposely annoy another person verbally. 5. To evangelize. See [11070]flame. 6. Also used to describe a less negative form of blather, such as friendly bullshitting. 'Rave' differs slightly from [11071]flame in that 'rave' implies that it is the persistence or obliviousness of the person speaking that is annoying, while [11072]flame implies somewhat more strongly that the tone or content is offensive as well.

Node:rave on!, Next:[11073]ravs, Previous:[11074]rave, Up:[11075]= R =

rave on! imp.

Sarcastic invitation to continue a [11076]rave, often by someone who wishes the raver would get a clue but realizes this is unlikely.

Node:ravs, Next:[11077]raw mode, Previous:[11078]rave on!, Up:[11079]=
R =

ravs /ravz/, also 'Chinese rav's' n.

[primarily MIT/Boston usage] Jiao-zi (steamed or boiled) or Guo-tie (pan-fried). A Chinese appetizer, known variously in the plural as dumplings, pot stickers (the literal translation of guo-tie), and (around Boston) 'Peking Ravioli'. The term 'rav' is short for 'ravioli', and among hackers always means the Chinese kind rather than

the Italian kind. Both consist of a filling in a pasta shell, but the Chinese kind includes no cheese, uses a thinner pasta, has a pork-vegetable filling (good ones include Chinese chives), and is cooked differently, either by steaming or frying. A ravioli or dumpling can be cooked any way, but a potsticker is always the pan-fried kind (so called because it sticks to the frying pot and has to be scraped off). "Let's get hot-and-sour soup and three orders of ravioli." See also [11080]oriental food.

Node:raw mode, Next:[11081]RBL, Previous:[11082]ravioli, Up:[11083]= R =

raw mode n.

A mode that allows a program to transfer bits directly to or from an I/O device (or, under [11084]bogus operating systems that make a distinction, a disk file) without any processing, abstraction, or interpretation by the operating system. Compare [11085]rare mode, [11086]cooked mode. This is techspeak under Unix, jargon elsewhere.

Node:RBL, Next:[11087]rc file, Previous:[11088]raw mode, Up:[11089]= R =

RBL /R-B-L/

Abbreviation: "Realtime Blackhole List". A service that allows people to blacklist sites for emitting [11090]spam, and makes the blacklist available in real time to electronic-mail transport programs that know how to use RBL so they can filter out mail from those sites. Drastic (and controversial) but effective. There is an [11091]RBL home page.

Node:rc file, Next:[11092]RE, Previous:[11093]RBL, Up:[11094]= R =

rc file /R-C fi:/ n.

[Unix: from 'runcom files' on the [11095]CTSS system 1962-63, via the startup script /etc/rc] Script file containing startup instructions for an application program (or an entire operating system), usually a text file containing commands of the sort that might have been invoked manually once the system was running but are to be executed automatically each time the system starts up. See also [11096]dot file, [11097]profile (sense 1).

Node:RE, Next:[11098]read-only user, Previous:[11099]rc file, Up:[11100]= R =

RE /R-E/ n.

Common spoken and written shorthand for [11101]regexp.

Node:read-only user, Next:[11102]README file, Previous:[11103]RE,
Up:[11104]= R =

read-only user n.

Describes a [11105]user who uses computers almost exclusively for reading Usenet, bulletin boards, and/or email, rather than writing code or purveying useful information. See [11106]twink, [11107]terminal junkie, [11108]lurker.

Node:README file, Next:[11109]real, Previous:[11110]read-only user,
Up:[11111]= R =

README file n.

Hacker's-eye introduction traditionally included in the top-level directory of a Unix source distribution, containing a pointer to more detailed documentation, credits, miscellaneous revision history, notes, etc. (The file may be named README, or READ.ME, or rarely ReadMe or readme.txt or some other variant.) In the Mac and PC worlds, software is not usually distributed in source form, and the README is more likely to contain user-oriented material like last-minute documentation changes, error workarounds, and restrictions. When asked, hackers invariably relate the README convention to the famous scene in Lewis Carroll's "Alice's Adventures In Wonderland" in which Alice confronts magic munchies labeled "Eat Me" and "Drink Me".

Node:real, Next:[11112]real estate, Previous:[11113]README file,
Up:[11114]= R =

real adj.

Not simulated. Often used as a specific antonym to [11115]virtual in any of its jargon senses.

Node:real estate, Next:[11116]real hack, Previous:[11117]real,
Up:[11118]= R =

real estate n.

May be used for any critical resource measured in units of area. Most frequently used of 'chip real estate', the area available for logic on the surface of an integrated circuit (see also [11119]nanoacre). May also be used of floor space in a [11120]dinosaur pen, or even space on a crowded desktop (whether physical or electronic).

Node:real hack, Next:[11121]real operating system,
Previous:[11122]real estate, Up:[11123]= R =

real hack n.

A [11124]croak. This is sometimes used affectionately; see [11125]hack.

Node:real operating system, Next:[11126]Real Programmer,
Previous:[11127]real hack, Up:[11128]= R =

real operating system n.

The sort the speaker is used to. People from the BSDophilic academic community are likely to issue comments like "System V? Why don't you use a real operating system?", people from the commercial/industrial Unix sector are known to complain "BSD? Why don't you use a real operating system?", and people from IBM object "Unix? Why don't you use a real operating system?" Only [11129]MS-DOS is universally considered unreal. See [11130]holy wars, [11131]religious issues, [11132]proprietary, [11133]Get a real computer!

Node:Real Programmer, Next:[11134]Real Soon Now, Previous:[11135]real operating system, Up:[11136]= R =

Real Programmer n.

[indirectly, from the book "Real Men Don't Eat Quiche"] A particular sub-variety of hacker: one possessed of a flippant attitude toward complexity that is arrogant even when justified by experience. The archetypal 'Real Programmer' likes to program on the [11137]bare metal and is very good at same, remembers the binary opcodes for every machine he has ever programmed, thinks that HLLs are sissy, and uses a debugger to edit his code because full-screen editors are for wimps.

Real Programmers aren't satisfied with code that hasn't been [11138]bummed into a state of [11139]tenseness just short of rupture. Real Programmers never use comments or write documentation: "If it was hard to write", says the Real Programmer, "it should be hard to understand." Real Programmers can make machines do things that were never in their spec sheets; in fact, they are seldom really happy unless doing so. A Real Programmer's code can awe with its fiendish brilliance, even as its crockishness appalls. Real Programmers live on junk food and coffee, hang line-printer art on their walls, and terrify the crap out of other programmers -- because someday, somebody else might have to try to understand their code in order to change it. Their successors generally consider it a [11140]Good Thing that there aren't many Real Programmers around any more. For a famous (and somewhat more positive) portrait of a Real Programmer, see "[11141]The Story of Mel" in Appendix A. The term itself was popularized by a 1983 Datamation article "Real Programmers Don't Use Pascal" by Ed Post, still circulating on Usenet and Internet in on-line form. You can browse "Real Programmers Don't Use Pascal" from the Datamation home page [11142]<http://www.datamation.com>.

Node:Real Soon Now, Next:[11143]real time, Previous:[11144]Real Programmer, Up:[11145]= R =

Real Soon Now adv.

[orig. from SF's fanzine community, popularized by Jerry Pournelle's column in "BYTE"] 1. Supposed to be available (or fixed, or cheap, or whatever) real soon now according to somebody, but the speaker is quite skeptical. 2. When one's gods, fates, or other time commitments permit one to get to it (in other words, don't hold your breath). Often abbreviated RSN. Compare [11146]copious free time.

Node:real time, Next:[11147]real user, Previous:[11148]Real Soon Now, Up:[11149]= R =

real time

1. [techspeak] adj. Describes an application which requires a program to respond to stimuli within some small upper limit of response time (typically milli- or microseconds). Process control at a chemical plant is the [11150]canonical example. Such applications often require special operating systems (because everything else must take a back seat to response time) and speed-tuned hardware. 2. adv. In jargon, refers to doing something while people are watching or waiting. "I asked her how to find the calling procedure's program counter on the stack and she came up with an algorithm in real time."

Node:real user, Next:[11151]Real World, Previous:[11152]real time, Up:[11153]= R =

real user n.

1. A commercial user. One who is paying real money for his computer usage. 2. A non-hacker. Someone using the system for an explicit purpose (a research project, a course, etc.) other than pure exploration. See [11154]user. Hackers who are also students may also be real users. "I need this fixed so I can do a problem set. I'm not complaining out of randomness, but as a real user." See also [11155]user.

Node:Real World, Next:[11156]reality check, Previous:[11157]real user, Up:[11158]= R =

Real World n.

1. Those institutions at which 'programming' may be used in the same sentence as 'FORTRAN', '[11159]COBOL', 'RPG', '[11160]IBM', 'DBASE', etc. Places where programs do such commercially necessary but

intellectually uninspiring things as generating payroll checks and invoices. 2. The location of non-programmers and activities not related to programming. 3. A bizarre dimension in which the standard dress is shirt and tie and in which a person's working hours are defined as 9 to 5 (see [11161]code grinder). 4. Anywhere outside a university. "Poor fellow, he's left MIT and gone into the Real World." Used pejoratively by those not in residence there. In conversation, talking of someone who has entered the Real World is not unlike speaking of a deceased person. It is also noteworthy that on the campus of Cambridge University in England, there is a gaily-painted lamp-post which bears the label 'REALITY CHECKPOINT'. It marks the boundary between university and the Real World; check your notions of reality before passing. This joke is funnier because the Cambridge 'campus' is actually coextensive with the center of Cambridge town. See also [11162]fear and loathing, [11163]mundane, and [11164]uninteresting.

Node:reality check, Next:[11165]reality-distortion field,
Previous:[11166]Real World, Up:[11167]= R =

reality check n.

1. The simplest kind of test of software or hardware; doing the equivalent of asking it what $2 + 2$ is and seeing if you get 4. The software equivalent of a [11168]smoke test. 2. The act of letting a [11169]real user try out prototype software. Compare [11170]sanity check.

Node:reality-distortion field, Next:[11171]reaper,
Previous:[11172]reality check, Up:[11173]= R =

reality-distortion field n.

An expression used to describe the persuasive ability of managers like Steve Jobs (the term originated at Apple in the 1980s to describe his peculiar charisma). Those close to these managers become passionately committed to possibly insane projects, without regard to the practicality of their implementation or competitive forces in the marketplace.

Node:reaper, Next:[11174]recompile the world,
Previous:[11175]reality-distortion field, Up:[11176]= R =

reaper n.

A [11177]proowler that [11178]GFRs files. A file removed in this way is said to have been 'reaped'.

Node:recompile the world, Next:[11179]rectangle slinger,

Previous:[11180]reaper, Up:[11181]= R =

recompile the world

The surprisingly large amount of work that needs to be done as the result of any small but globally visible program change. "The world" may mean the entirety of some huge program, or may in theory refer to every program of a certain class in the entire known universe. For instance, "Add one #define to stdio.h, and you have to recompile the world." This means that any minor change to the standard-I/O header file theoretically mandates recompiling every C program in existence, even if only to verify that the change didn't screw something else up. In practice, you may not actually have to recompile the world, but the implication is that some human cleverness is required to figure out what parts can be safely left out.

Node:rectangle slinger, Next:[11182]recursion,
Previous:[11183]recompile the world, Up:[11184]= R =

rectangle slinger n.

See [11185]polygon pusher.

Node:recursion, Next:[11186]recursive acronym,
Previous:[11187]rectangle slinger, Up:[11188]= R =

recursion n.

See [11189]recursion. See also [11190]tail recursion.

Node:recursive acronym, Next:[11191]Red Book,
Previous:[11192]recursion, Up:[11193]= R =

recursive acronym n.

A hackish (and especially MIT) tradition is to choose acronyms/abbreviations that refer humorously to themselves or to other acronyms/abbreviations. The classic examples were two MIT editors called EINE ("EINE Is Not EMACS") and ZWEI ("ZWEI Was EINE Initially"). More recently, there is a Scheme compiler called LIAR (Liar Imitates Apply Recursively), and [11194]GNU (q.v., sense 1) stands for "GNU's Not Unix!" -- and a company with the name Cygnus, which expands to "Cygnus, Your GNU Support" (though Cygnus people say this is a [11195]backronym). See also [11196]mung, [11197]EMACS.

Node:Red Book, Next:[11198]red wire, Previous:[11199]recursive acronym, Up:[11200]= R =

Red Book n.

1. Informal name for one of the four standard references on [11201]PostScript ("PostScript Language Reference Manual", Adobe Systems (Addison-Wesley, 1985; QA76.73.P67P67; ISBN 0-201-10174-2, or the 1990 second edition ISBN 0-201-18127-4); the others are known as the [11202]Green Book, the [11203]Blue Book, and the [11204]White Book (sense 2). 2. Informal name for one of the 3 standard references on Smalltalk ("Smalltalk-80: The Interactive Programming Environment" by Adele Goldberg (Addison-Wesley, 1984; QA76.8.S635G638; ISBN 0-201-11372-4); this too is associated with blue and green books). 3. Any of the 1984 standards issued by the CCITT eighth plenary assembly. These include, among other things, the X.400 email spec and the Group 1 through 4 fax standards. 4. The new version of the [11205]Green Book (sense 4) -- IEEE 1003.1-1990, a.k.a ISO 9945-1 -- is (because of the color and the fact that it is printed on A4 paper) known in the USA as "the Ugly Red Book That Won't Fit On The Shelf" and in Europe as "the Ugly Red Book That's A Sensible Size". 5. The NSA "Trusted Network Interpretation" companion to the [11206]Orange Book. 6. Nemeth, Snyder, Seebass, Hein; "Unix System Administration Handbook, Second Edition" (Prentice Hall PTR, New Jersey; 1995; QA76.76.063N45; ISBN 0-13-151051-7). See also [11207]book titles.

Node:red wire, Next:[11208]regexp, Previous:[11209]Red Book,
Up:[11210]= R =

red wire n.

[IBM] Patch wires installed by programmers who have no business mucking with the hardware. It is said that the only thing more dangerous than a hardware guy with a code patch is a [11211]softy with a soldering iron.... Compare [11212]blue wire, [11213]yellow wire, [11214]purple wire.

Node:regexp, Next:[11215]register dancing, Previous:[11216]red wire,
Up:[11217]= R =

regexp /reg'eksp/ n.

[Unix] (alt. 'regex' or 'reg-ex') 1. Common written and spoken abbreviation for 'regular expression', one of the wildcard patterns used, e.g., by Unix utilities such as grep(1), sed(1), and awk(1). These use conventions similar to but more elaborate than those described under [11218]glob. For purposes of this lexicon, it is sufficient to note that regexps also allow complemented character sets using ^; thus, one can specify 'any non-alphabetic character' with [^A-Za-z]. 2. Name of a well-known PD regexp-handling package in portable C, written by revered Usenetter Henry Spencer [11219]<henry@zoo.toronto.edu>.

Node:register dancing, Next:[11220]rehi, Previous:[11221]regexp,

Up:[11222]= R =

register dancing n.

Many older processor architectures suffer from a serious shortage of general-purpose registers. This is especially a problem for compiler-writers, because their generated code needs places to store temporaries for things like intermediate values in expression evaluation. Some designs with this problem, like the Intel 80x86, do have a handful of special-purpose registers that can be pressed into service, providing suitable care is taken to avoid unpleasant side effects on the state of the processor: while the special-purpose register is being used to hold an intermediate value, a delicate minuet is required in which the previous value of the register is saved and then restored just before the official function (and value) of the special-purpose register is again needed.

Node:rehi, Next:[11223]reincarnation cycle of,
Previous:[11224]register dancing, Up:[11225]= R =

rehi

[IRC, MUD] "Hello again." Very commonly used to greet people upon returning to an IRC channel after [11226]channel hopping.

Node:reincarnation cycle of, Next:[11227]reinvent the wheel,
Previous:[11228]rehi, Up:[11229]= R =

reincarnation, cycle of n.

See [11230]cycle of reincarnation.

Node:reinvent the wheel, Next:[11231]relay rape,
Previous:[11232]reincarnation cycle of, Up:[11233]= R =

reinvent the wheel v.

To design or implement a tool equivalent to an existing one or part of one, with the implication that doing so is silly or a waste of time. This is often a valid criticism. On the other hand, automobiles don't use wooden rollers, and some kinds of wheel have to be reinvented many times before you get them right. On the third hand, people reinventing the wheel do tend to come up with the moral equivalent of a trapezoid with an offset axle.

Node:relay rape, Next:[11234]religion of CHI, Previous:[11235]reinvent the wheel, Up:[11236]= R =

relay rape n.

The hijacking of a third party's unsecured mail server to deliver [11237]spam.

Node:religion of CHI, Next:[11238]religious issues,
Previous:[11239]relay rape, Up:[11240]= R =

religion of CHI /ki:/ n.

[Case Western Reserve University] Yet another hackish parody religion (see also [11241]Church of the SubGenius, [11242]Discordianism). In the mid-70s, the canonical "Introduction to Programming" courses at CWRU were taught in Algol, and student exercises were punched on cards and run on a Univac 1108 system using a homebrew operating system named CHI. The religion had no doctrines and but one ritual: whenever the worshipper noted that a digital clock read 11:08, he or she would recite the phrase "It is 11:08; ABS, ALPHABETIC, ARCSIN, ARCCOS, ARCTAN." The last five words were the first five functions in the appropriate chapter of the Algol manual; note the special pronunciations /obz/ and /ark'sin/ rather than the more common /ahbz/ and /ark'si:n/. Using an alarm clock to warn of 11:08's arrival was [11243]considered harmful.

Node:religious issues, Next:[11244]replicator,
Previous:[11245]religion of CHI, Up:[11246]= R =

religious issues n.

Questions which seemingly cannot be raised without touching off [11247]holy wars, such as "What is the best operating system (or editor, language, architecture, shell, mail reader, news reader)?", "What about that Heinlein guy, eh?", "What should we add to the new Jargon File?" See [11248]holy wars; see also [11249]theology, [11250]bigot.

This term is a prime example of [11251]ha ha only serious. People actually develop the most amazing and religiously intense attachments to their tools, even when the tools are intangible. The most constructive thing one can do when one stumbles into the crossfire is mumble [11252]Get a life! and leave -- unless, of course, one's own unassailably rational and obviously correct choices are being slammed.

Node:replicator, Next:[11253]reply, Previous:[11254]religious issues,
Up:[11255]= R =

replicator n.

Any construct that acts to produce copies of itself; this could be a living organism, an idea (see [11256]meme), a program (see [11257]quine, [11258]worm, [11259]wabbit, [11260]fork bomb, and

[11261]virus), a pattern in a cellular automaton (see [11262]life, sense 1), or (speculatively) a robot or [11263]nanobot. It is even claimed by some that [11264]Unix and [11265]C are the symbiotic halves of an extremely successful replicator; see [11266]Unix conspiracy.

Node:reply, Next:[11267]restriction, Previous:[11268]replicator,
Up:[11269]= R =

reply n.

See [11270]followup.

Node:restriction, Next:[11271]retcon, Previous:[11272]reply,
Up:[11273]= R =

restriction n.

A [11274]bug or design error that limits a program's capabilities, and which is sufficiently egregious that nobody can quite work up enough nerve to describe it as a [11275]feature. Often used (esp. by [11276]marketroid types) to make it sound as though some crippling bogosity had been intended by the designers all along, or was forced upon them by arcane technical constraints of a nature no mere user could possibly comprehend (these claims are almost invariably false).

Old-time hacker Joseph M. Newcomer advises that whenever choosing a quantifiable but arbitrary restriction, you should make it either a power of 2 or a power of 2 minus 1. If you impose a limit of 107 items in a list, everyone will know it is a random number -- on the other hand, a limit of 15 or 16 suggests some deep reason (involving 0- or 1-based indexing in binary) and you will get less [11277]flamage for it. Limits which are round numbers in base 10 are always especially suspect.

Node:retcon, Next:[11278]RETI, Previous:[11279]restriction,
Up:[11280]= R =

retcon /ret'kon/

[short for 'retroactive continuity', from the Usenet newsgroup rec.arts.comics] 1. n. The common situation in pulp fiction (esp. comics or soap operas) where a new story 'reveals' things about events in previous stories, usually leaving the 'facts' the same (thus preserving continuity) while completely changing their interpretation. For example, revealing that a whole season of "Dallas" was a dream was a retcon. 2. vt. To write such a story about a character or fictitious object. "Byrne has retconned Superman's cape so that it is no longer unbreakable." "Marvelman's old adventures were retconned into synthetic dreams." "Swamp Thing was retconned from a transformed person into a sentient vegetable." "Darth Vader was retconned into

Luke Skywalker's father in "The Empire Strikes Back".

[This term is included because it is a good example of hackish linguistic innovation in a field completely unrelated to computers. The word 'retcon' will probably spread through comics fandom and lose its association with hackerdom within a couple of years; for the record, it started here. --ESR]

[1993 update: some comics fans on the net now claim that retcon was independently in use in comics fandom before rec.arts.comics. In lexicography, nothing is ever simple. --ESR]

Node:RETI, Next:[11281]retrocomputing, Previous:[11282]retcon, Up:[11283]= R =

RETI v.

Syn. [11284]RTI

Node:retrocomputing, Next:[11285]return from the dead, Previous:[11286]RETI, Up:[11287]= R =

retrocomputing /ret'-roh-k*m-pyoo'ting/ n.

Refers to emulations of way-behind-the-state-of-the-art hardware or software, or implementations of never-was-state-of-the-art; esp. if such implementations are elaborate practical jokes and/or parodies, written mostly for [11288]hack value, of more 'serious' designs. Perhaps the most widely distributed retrocomputing utility was the pnch(6) or bcd(6) program on V7 and other early Unix versions, which would accept up to 80 characters of text argument and display the corresponding pattern in [11289]punched card code. Other well-known retrocomputing hacks have included the programming language [11290]INTERCAL, a [11291]JCL-emulating shell for Unix, the card-punch-emulating editor named 029, and various elaborate PDP-11 hardware emulators and RT-11 OS emulators written just to keep an old, sourceless [11292]Zork binary running.

A tasty selection of retrocomputing programs are made available at the Retrocomputing Museum, [11293]<http://www.ccil.org/retro>.

Node:return from the dead, Next:[11294]RFC, Previous:[11295]retrocomputing, Up:[11296]= R =

return from the dead v.

To regain access to the net after a long absence. Compare [11297]person of no account.

Node:RFC, Next:[11298]RFE, Previous:[11299]return from the dead,
Up:[11300]= R =

RFC /R-F-C/ n.

[Request For Comment] One of a long-established series of numbered Internet informational documents and standards widely followed by commercial software and freeware in the Internet and Unix communities. Perhaps the single most influential one has been RFC-822 (the Internet mail-format standard). The RFCs are unusual in that they are floated by technical experts acting on their own initiative and reviewed by the Internet at large, rather than formally promulgated through an institution such as ANSI. For this reason, they remain known as RFCs even once adopted as standards.

The RFC tradition of pragmatic, experience-driven, after-the-fact standard writing done by individuals or small working groups has important advantages over the more formal, committee-driven process typical of ANSI or ISO. Emblematic of some of these advantages is the existence of a flourishing tradition of 'joke' RFCs; usually at least one a year is published, usually on April 1st. Well-known joke RFCs have included 527 ("ARPAWOCKY", R. Merryman, UCSD; 22 June 1973), 748 ("Telnet Randomly-Lose Option", Mark R. Crispin; 1 April 1978), and 1149 ("A Standard for the Transmission of IP Datagrams on Avian Carriers", D. Waitzman, BBN STC; 1 April 1990). The first was a Lewis Carroll pastiche; the second a parody of the TCP-IP documentation style, and the third a deadpan skewering of standards-document legalese, describing protocols for transmitting Internet data packets by carrier pigeon.

The RFCs are most remarkable for how well they work -- they manage to have neither the ambiguities that are usually rife in informal specifications, nor the committee-perpetrated misfeatures that often haunt formal standards, and they define a network that has grown to truly worldwide proportions.

Node:RFE, Next:[11301]rib site, Previous:[11302]RFC, Up:[11303]= R =

RFE /R-F-E/ n.

1. [techspeak] Request For Enhancement (compare [11304]RFC). 2. [from 'Radio Free Europe', Bellcore and Sun] Radio Free Ethernet, a system (originated by Peter Langston) for broadcasting audio among Sun SPARCstations over the ethernet.

Node:rib site, Next:[11305]rice box, Previous:[11306]RFE, Up:[11307]=
R =

rib site n.

[by analogy with [11308]backbone site] A machine that has an on-demand

high-speed link to a [11309]backbone site and serves as a regional distribution point for lots of third-party traffic in email and Usenet news. Compare [11310]leaf site, [11311]backbone site.

Node:rice box, Next:[11312]Right Thing, Previous:[11313]rib site,
Up:[11314]= R =

rice box n.

[from ham radio slang] Any Asian-made commodity computer, esp. an 80x86-based machine built to IBM PC-compatible ISA or EISA-bus standards.

Node:Right Thing, Next:[11315]rip, Previous:[11316]rice box,
Up:[11317]= R =

Right Thing n.

That which is compellingly the correct or appropriate thing to use, do, say, etc. Often capitalized, always emphasized in speech as though capitalized. Use of this term often implies that in fact reasonable people may disagree. "What's the right thing for LISP to do when it sees (mod a 0)? Should it return a, or give a divide-by-0 error?" Oppose [11318]Wrong Thing.

Node:rip, Next:[11319]ripoff, Previous:[11320]Right Thing, Up:[11321]=
R =

rip v.

1. To extract the digital representation of a piece of music from an audio CD. Software that does this is often called a "CD ripper". 2. [Amiga hackers] To extract sound or graphics from a program that they have been compiled/assembled into, or which generates them at run-time. In the case of older Amiga games this entails searching through memory shortly after a reboot. This sense has been in use for many years and probably gave rise to the (now more common) sense 1.

Node:ripoff, Next:[11322]RL, Previous:[11323]rip, Up:[11324]= R =

ripoff n.

Synonym for [11325]chad, sense 1.

Node:RL, Next:[11326]roach, Previous:[11327]ripoff, Up:[11328]= R =

RL // n.

[MUD community] Real Life. "Firiss laughs in RL" means that Firiss's player is laughing. Compare [11329]meatspace; oppose [11330]VR.

Node:roach, Next:[11331]robocanceller, Previous:[11332]RL, Up:[11333]=
R =

roach vt.

[Bell Labs] To destroy, esp. of a data structure. Hardware gets [11334]toasted or [11335]fried, software gets roached.

Node:robocanceller, Next:[11336]robot, Previous:[11337]roach,
Up:[11338]= R =

robocanceller /roh-boh-kan'sel-*r/

A program that monitors Usenet feeds, attempting to detect and eliminate [11339]spam by sending appropriate cancel messages . Robocancellers may use the [11340]Breadbar Index as a trigger. Programming them is not a game for amateurs; see [11341]ARMM. See also [11342]Dave the Resurrector.

Node:robot, Next:[11343]robust, Previous:[11344]robocanceller,
Up:[11345]= R =

robot n.

See [11346]bot.

Node:robust, Next:[11347]rococo, Previous:[11348]robot, Up:[11349]= R
=

robust adj.

Said of a system that has demonstrated an ability to recover gracefully from the whole range of exceptional inputs and situations in a given environment. One step below [11350]bulletproof. Carries the additional connotation of elegance in addition to just careful attention to detail. Compare [11351]smart, oppose [11352]brittle.

Node:rococo, Next:[11353]rogue, Previous:[11354]robust, Up:[11355]= R
=

rococo adj.

Terminally [11356]baroque. Used to imply that a program has become so encrusted with the software equivalent of gold leaf and curlicues that they have completely swamped the underlying design. Called after the

later and more extreme forms of Baroque architecture and decoration prevalent during the mid-1700s in Europe. Alan Perlis said: "Every program eventually becomes rococo, and then rubble." Compare [11357]critical mass.

Node:rogue, Next:[11358]room-temperature IQ, Previous:[11359]rococo, Up:[11360]= R =

rogue

1. [Unix] n. A Dungeons-and-Dragons-like game using character graphics, written under BSD Unix and subsequently ported to other Unix systems. The original BSD curses(3) screen-handling package was hacked together by Ken Arnold primarily to support games, and the development of rogue(6) popularized its use; it has since become one of Unix's most important and heavily used application libraries. Nethack, Omega, Larn, Angband, and an entire subgenre of computer dungeon games (all known as 'roguelikes') all took off from the inspiration provided by rogue(6); the popular Windows game Diablo, though graphics-intensive, has very similar play logic. See also [11361]nethack. 2. [Usenet] adj. An [11362]ISP which permits net abuse (usually in the form of [11363]spamming) by its customers, or which itself engages in such activities. Rogue ISPs are sometimes subject to [11364]IDPs or [11365]UDPs. Sometimes deliberately misspelled as "rouge". See also [11366]nethack, [11367]moria, [11368]Angband.

Node:room-temperature IQ, Next:[11369]root, Previous:[11370]rogue, Up:[11371]= R =

room-temperature IQ quant.

[IBM] 80 or below (nominal room temperature is 72 degrees Fahrenheit, 22 degrees Celsius). Used in describing the expected intelligence range of the [11372]user. "Well, but how's this interface going to play with the room-temperature IQ crowd?" See [11373]drool-proof paper. This is a much more insulting phrase in countries that use Celsius thermometers.

Node:root, Next:[11374]root mode, Previous:[11375]room-temperature IQ, Up:[11376]= R =

root n.

[Unix] 1. The [11377]superuser account (with user name 'root') that ignores permission bits, user number 0 on a Unix system. The term [11378]avatar is also used. 2. The top node of the system directory structure; historically the home directory of the root user, but probably named after the root of an (inverted) tree. 3. By extension, the privileged system-maintenance login on any OS. See [11379]root mode, [11380]go root, see also [11381]wheel.

Node:root mode, Next:[11382]rot13, Previous:[11383]root, Up:[11384]= R

=

root mode n.

Syn. with [11385]wizard mode or 'wheel mode'. Like these, it is often generalized to describe privileged states in systems other than OSes.

Node:rot13, Next:[11386]rotary debugger, Previous:[11387]root mode, Up:[11388]= R =

rot13 /rot ther'teen/ n.,v.

[Usenet: from 'rotate alphabet 13 places'] The simple Caesar-cypher encryption that replaces each English letter with the one 13 places forward or back along the alphabet, so that "The butler did it!" becomes "Gur ohgyre qvq vg!" Most Usenet news reading and posting programs include a rot13 feature. It is used to enclose the text in a sealed wrapper that the reader must choose to open -- e.g., for posting things that might offend some readers, or [11389]spoilers. A major advantage of rot13 over rot(N) for other N is that it is self-inverse, so the same code can be used for encoding and decoding. See also [11390]spoiler space, which has partly displaced rot13 since non-Unix-based newsreaders became common.

Node:rotary debugger, Next:[11391]round tape, Previous:[11392]rot13, Up:[11393]= R =

rotary debugger n.

[Commodore] Essential equipment for those late-night or early-morning debugging sessions. Mainly used as sustenance for the hacker. Comes in many decorator colors, such as Sausage, Pepperoni, and Garbage. See [11394]ANSI standard pizza.

Node:round tape, Next:[11395]RSN, Previous:[11396]rotary debugger, Up:[11397]= R =

round tape n.

Industry-standard 1/2-inch magnetic tape (7- or 9-track) on traditional circular reels. See [11398]macrotape, oppose [11399]square tape.

Node:RSN, Next:[11400]RTBM, Previous:[11401]round tape, Up:[11402]= R

=

RSN /R-S-N/ adj.

See [11403]Real Soon Now.

Node:RTBM, Next:[11404]RTFAQ, Previous:[11405]RSN, Up:[11406]= R =

RTBM /R-T-B-M/ imp.

[Unix] Commonwealth Hackish variant of [11407]RTFM; expands to 'Read The Bloody Manual'. RTBM is often the entire text of the first reply to a question from a [11408]newbie; the second would escalate to "RTFM".

Node:RTFAQ, Next:[11409]RTFB, Previous:[11410]RTBM, Up:[11411]= R =

RTFAQ /R-T-F-A-Q/ imp.

[Usenet: primarily written, by analogy with [11412]RTFM] Abbrev. for 'Read the FAQ!', an exhortation that the person addressed ought to read the newsgroup's [11413]FAQ list before posting questions.

Node:RTFB, Next:[11414]RTFM, Previous:[11415]RTFAQ, Up:[11416]= R =

RTFB /R-T-F-B/ imp.

[Unix] Abbreviation for 'Read The Fucking Binary'. Used when neither documentation nor source for the problem at hand exists, and the only thing to do is use some debugger or monitor and directly analyze the assembler or even the machine code. "No source for the buggy port driver? Aaargh! I hate proprietary operating systems. Time to RTFB."

Of the various RTF? forms, 'RTFB' is the least pejorative against anyone asking a question for which RTFB is the answer; the anger here is directed at the absence of both source and adequate documentation.

Node:RTFM, Next:[11417]RTFS, Previous:[11418]RTFB, Up:[11419]= R =

RTFM /R-T-F-M/ imp.

[Unix] Abbreviation for 'Read The Fucking Manual'. 1. Used by [11420]gurus to brush off questions they consider trivial or annoying. Compare [11421]Don't do that then!. 2. Used when reporting a problem to indicate that you aren't just asking out of [11422]randomness. "No, I can't figure out how to interface Unix to my toaster, and yes, I have RTFM." Unlike sense 1, this use is considered polite. See also [11423]FM, [11424]RTFAQ, [11425]RTFB, [11426]RTFS, [11427]STFW, [11428]RTM, all of which mutated from RTFM, and compare [11429]UTSL.

Node:RTFS, Next:[11430]RTI, Previous:[11431]RTFM, Up:[11432]= R =

RTFS /R-T-F-S/

[Unix] 1. imp. Abbreviation for 'Read The Fucking Source'. Variant form of [11433]RTFM, used when the problem at hand is not necessarily obvious and not answerable from the manuals -- or the manuals are not yet written and maybe never will be. For even trickier situations, see [11434]RTFB. Unlike RTFM, the anger inherent in RTFS is not usually directed at the person asking the question, but rather at the people who failed to provide adequate documentation. 2. imp. 'Read The Fucking Standard'; this oath can only be used when the problem area (e.g., a language or operating system interface) has actually been codified in a ratified standards document. The existence of these standards documents (and the technically inappropriate but politically mandated compromises that they inevitably contain, and the impenetrable [11435]legalese in which they are invariably written, and the unbelievably tedious bureaucratic process by which they are produced) can be unnerving to hackers, who are used to a certain amount of ambiguity in the specifications of the systems they use. (Hackers feel that such ambiguities are acceptable as long as the [11436]Right Thing to do is obvious to any thinking observer; sadly, this casual attitude towards specifications becomes unworkable when a system becomes popular in the [11437]Real World.) Since a hacker is likely to feel that a standards document is both unnecessary and technically deficient, the deprecation inherent in this term may be directed as much against the standard as against the person who ought to read it.

Node:RTI, Next:[11438]RTM, Previous:[11439]RTFS, Up:[11440]= R =

RTI /R-T-I/ interj.

The mnemonic for the 'return from interrupt' instruction on many computers including the 6502 and 6800. The variant 'RETI' is found among former Z80 hackers (almost nobody programs these things in assembler anymore). Equivalent to "Now, where was I?" or used to end a conversational digression. See [11441]pop; see also [11442]POPJ.

Node:RTM, Next:[11443]RTS, Previous:[11444]RTI, Up:[11445]= R =

RTM /R-T-M/

[Usenet: abbreviation for 'Read The Manual'] 1. Politer variant of [11446]RTFM. 2. Robert Tappan Morris, perpetrator of the great Internet worm of 1988 (see [11447]Great Worm); villain to many, naive hacker gone wrong to a few. Morris claimed that the worm that brought the Internet to its knees was a benign experiment that got out of control as the result of a coding error. After the storm of negative publicity that followed this blunder, Morris's username on ITS was hacked from RTM to [11448]RTFM.

Node:RTS, Next:[11449]rude, Previous:[11450]RTM, Up:[11451]= R =

RTS /R-T-S/ imp.

Abbreviation for 'Read The Screen'. Mainly used by hackers in the microcomputer world. Refers to what one would like to tell the [11452]suit one is forced to explain an extremely simple application to. Particularly appropriate when the suit failed to notice the 'Press any key to continue' prompt, and wishes to know 'why won't it do anything'. Also seen as 'RTFS' in especially deserving cases.

Node:rude, Next:[11453]runes, Previous:[11454]RTS, Up:[11455]= R =

rude [WPI] adj.

1. (of a program) Badly written. 2. Functionally poor, e.g., a program that is very difficult to use because of gratuitously poor (random?) design decisions. Oppose [11456]cuspy. 3. Anything that manipulates a shared resource without regard for its other users in such a way as to cause a (non-fatal) problem. Examples: programs that change tty modes without resetting them on exit, or windowing programs that keep forcing themselves to the top of the window stack. Compare [11457]all-elbows.

Node:runes, Next:[11458]runic, Previous:[11459]rude, Up:[11460]= R =

runes pl.n.

1. Anything that requires [11461]heavy wizardry or [11462]black art to [11463]parse: core dumps, JCL commands, APL, or code in a language you haven't a clue how to read. Not quite as bad as [11464]line noise, but close. Compare [11465]casting the runes, [11466]Great Runes. 2. Special display characters (for example, the high-half graphics on an IBM PC). 3. [borderline techspeak] 16-bit characters from the Unicode multilingual character set.

Node:runic, Next:[11467]rusty iron, Previous:[11468]runes, Up:[11469]= R =

runic adj.

Syn. [11470]obscure. VMS fans sometimes refer to Unix as 'Runix'; Unix fans return the compliment by expanding VMS to 'Very Messy Syntax' or 'Vachement Mauvais SystŁme' (French idiom, "Hugely Bad System").

Node:rusty iron, Next:[11471]rusty memory, Previous:[11472]runic, Up:[11473]= R =

rusty iron n.

Syn. [11474]tired iron. It has been claimed that this is the inevitable fate of [11475]water MIPS.

Node:rusty memory, Next:[11476]rusty wire, Previous:[11477]rusty iron, Up:[11478]= R =

rusty memory n.

Mass-storage that uses iron-oxide-based magnetic media (esp. tape and the pre-Winchester removable disk packs used in [11479]washing machines). Compare [11480]donuts.

Node:rusty wire, Next:[11481]S/N ratio, Previous:[11482]rusty memory, Up:[11483]= R =

rusty wire n.

[Amateur Packet Radio] Any very noisy network medium, in which the packets are subject to frequent corruption. Most prevalent in reference to wireless links subject to all the vagaries of RF noise and marginal propagation conditions. "Yes, but how good is your whizbang new protocol on really rusty wire?".

Node:= S =, Next:[11484]= T =, Previous:[11485]= R =, Up:[11486]The Jargon Lexicon

= S =

- * [11487]S/N ratio:
- * [11488]sacred:
- * [11489]saga:
- * [11490]sagan:
- * [11491]SAIL:
- * [11492]salescritter:
- * [11493]salt:
- * [11494]salt mines:
- * [11495]salt substrate:
- * [11496]same-day service:
- * [11497]samizdat:
- * [11498]samurai:
- * [11499]sandbender:
- * [11500]sandbox:
- * [11501]sanity check:
- * [11502]Saturday-night special:
- * [11503]say:
- * [11504]scag:
- * [11505]scanno:

- * [11506]scary devil monastery:
- * [11507]schroedinbug:
- * [11508]science-fiction fandom:
- * [11509]scram switch:
- * [11510]scratch:
- * [11511]scratch monkey:
- * [11512]scream and die:
- * [11513]screaming tty:
- * [11514]screen:
- * [11515]screen name:
- * [11516]screw:
- * [11517]screwage:
- * [11518]scribble:
- * [11519]script kiddies:
- * [11520]scrog:
- * [11521]scrool:
- * [11522]scrozzle:
- * [11523]scruffies:
- * [11524]SCSI:
- * [11525]ScumOS:
- * [11526]search-and-destroy mode:
- * [11527]second-system effect:
- * [11528]secondary damage:
- * [11529]security through obscurity:
- * [11530]SED:
- * [11531]segfault:
- * [11532]seggie:
- * [11533]segment:
- * [11534]segmentation fault:
- * [11535]segv:
- * [11536]self-reference:
- * [11537]selvage:
- * [11538]semi:
- * [11539]semi-automated:
- * [11540]semi-infinite:
- * [11541]senior bit:
- * [11542]September that never ended:
- * [11543]server:
- * [11544]SEX:
- * [11545]sex changer:
- * [11546]shambolic link:
- * [11547]shar file:
- * [11548]sharchive:
- * [11549]Share and enjoy!:
- * [11550]shareware:
- * [11551]sharing violation:
- * [11552]shebang:
- * [11553]shelfware:
- * [11554]shell:
- * [11555]shell out:
- * [11556]shift left (or right) logical:
- * [11557]shim:
- * [11558]shitogram:

- * [11559]short card:
- * [11560]shotgun debugging:
- * [11561]shovelware:
- * [11562]showstopper:
- * [11563]shriek:
- * [11564]Shub-Internet:
- * [11565]sidecar:
- * [11566]SIG:
- * [11567]sig block:
- * [11568]sig quote:
- * [11569]sig virus:
- * [11570]signal-to-noise ratio:
- * [11571]silicon:
- * [11572]silly walk:
- * [11573]silo:
- * [11574]Silver Book:
- * [11575]since time T equals minus infinity:
- * [11576]sitename:
- * [11577]skrog:
- * [11578]skulker:
- * [11579]slab:
- * [11580]slack:
- * [11581]slap on the side:
- * [11582]slash:
- * [11583]slashdot effect:
- * [11584]sleep:
- * [11585]slim:
- * [11586]slop:
- * [11587]slopsucker:
- * [11588]Slowlaris:
- * [11589]slurp:
- * [11590]smart:
- * [11591]smart terminal:
- * [11592]smash case:
- * [11593]smash the stack:
- * [11594]smiley:
- * [11595]smoke:
- * [11596]smoke and mirrors:
- * [11597]smoke test:
- * [11598]smoking clover:
- * [11599]smoot:
- * [11600]SMOP:
- * [11601]smurf:
- * [11602]SNAFU principle:
- * [11603]snail:
- * [11604]snail-mail:
- * [11605]snap:
- * [11606]snarf:
- * [11607]snarf & barf:
- * [11608]snarf down:
- * [11609]snark:
- * [11610]sneaker:
- * [11611]sneakernet:

- * [11612]sniff:
- * [11613]snivitz:
- * [11614]'Snooze:
- * [11615]SO:
- * [11616]social engineering:
- * [11617]social science number:
- * [11618]sock puppet:
- * [11619]sodium substrate:
- * [11620]soft boot:
- * [11621]softcopy:
- * [11622]software bloat:
- * [11623]software hoarding:
- * [11624]software laser:
- * [11625]software rot:
- * [11626]softwarily:
- * [11627]softy:
- * [11628]some random X:
- * [11629]sorcerer's apprentice mode:
- * [11630]SOS:
- * [11631]source:
- * [11632]source of all good bits:
- * [11633]space-cadet keyboard:
- * [11634]spaceship operator:
- * [11635]SPACEWAR:
- * [11636]spaghetti code:
- * [11637]spaghetti inheritance:
- * [11638]spam:
- * [11639]spam bait:
- * [11640]spamblock:
- * [11641]spamhaus:
- * [11642]spamvertize:
- * [11643]spangle:
- * [11644]spawn:
- * [11645]special-case:
- * [11646]speedometer:
- * [11647]spell:
- * [11648]spelling flame:
- * [11649]spider:
- * [11650]spider food:
- * [11651]spiffy:
- * [11652]spike:
- * [11653]spin:
- * [11654]spl:
- * [11655]splash screen:
- * [11656]splat:
- * [11657]splat out:
- * [11658]spod:
- * [11659]spoiler:
- * [11660]spoiler space:
- * [11661]sponge:
- * [11662]spoof:
- * [11663]spool:
- * [11664]spool file:

- * [11665]spungle:
- * [11666]square tape:
- * [11667]squirrelcide:
- * [11668]stack:
- * [11669]stack puke:
- * [11670]stale pointer bug:
- * [11671]star out:
- * [11672]state:
- * [11673]stealth manager:
- * [11674]steam-powered:
- * [11675]STFW:
- * [11676]stiffy:
- * [11677]stir-fried random:
- * [11678]stomp on:
- * [11679]Stone Age:
- * [11680]stone knives and bearskins:
- * [11681]stoppage:
- * [11682]store:
- * [11683]strided:
- * [11684]stroke:
- * [11685]strudel:
- * [11686]stubroutine:
- * [11687]study:
- * [11688]studlycaps:
- * [11689]stunning:
- * [11690]stupid-sort:
- * [11691]Stupids:
- * [11692]Sturgeon's Law:
- * [11693]sucking mud:
- * [11694]sufficiently small:
- * [11695]suit:
- * [11696]suitable win:
- * [11697]suitably small:
- * [11698]Sun:
- * [11699]sun lounge:
- * [11700]sun-stools:
- * [11701]sunspots:
- * [11702]super source quench:
- * [11703]superloser:
- * [11704]superprogrammer:
- * [11705]superuser:
- * [11706]support:
- * [11707]surf:
- * [11708]Suzie COBOL:
- * [11709]swab:
- * [11710]swap:
- * [11711]swap space:
- * [11712]swapped in:
- * [11713]swapped out:
- * [11714]swizzle:
- * [11715]sync:
- * [11716]syntactic salt:
- * [11717]syntactic sugar:

* [11718]sys-frog:
* [11719]sysadmin:
* [11720]sysape:
* [11721]sysop:
* [11722]system:
* [11723]systems jock:
* [11724]system mangler:
* [11725]SysVile:

Node:S/N ratio, Next:[11726]sacred, Previous:[11727]rusty wire,
Up:[11728]= S =

S/N ratio // n.

(also 's/n ratio', 's:n ratio'). Syn. [11729]signal-to-noise ratio.
Often abbreviated 'SNR'.

Node:sacred, Next:[11730]saga, Previous:[11731]S/N ratio, Up:[11732]=
S =

sacred adj.

Reserved for the exclusive use of something (an extension of the standard meaning). Often means that anyone may look at the sacred object, but clobbering it will screw whatever it is sacred to. The comment "Register 7 is sacred to the interrupt handler" appearing in a program would be interpreted by a hacker to mean that if any other part of the program changes the contents of register 7, dire consequences are likely to ensue.

Node:saga, Next:[11733]sagan, Previous:[11734]sacred, Up:[11735]= S =

saga n.

[WPI] A cuspy but bogus raving story about N random broken people.

Here is a classic example of the saga form, as told by Guy L. Steele:

Jon L. White (login name JONL) and I (GLS) were office mates at MIT for many years. One April, we both flew from Boston to California for a week on research business, to consult face-to-face with some people at Stanford, particularly our mutual friend Richard P. Gabriel (RPG; see [11736]gabriel).

RPG picked us up at the San Francisco airport and drove us back to Palo Alto (going [11737]logical south on route 101, parallel to [11738]El Camino Bignum). Palo Alto is adjacent to Stanford University and about 40 miles south of San Francisco. We ate at The Good Earth, a 'health food' restaurant, very popular, the sort whose milkshakes all contain honey and protein powder. JONL ordered

such a shake -- the waitress claimed the flavor of the day was "lalaberry". I still have no idea what that might be, but it became a running joke. It was the color of raspberry, and JONL said it tasted rather bitter. I ate a better tostada there than I have ever had in a Mexican restaurant.

After this we went to the local Uncle Gaylord's Old Fashioned Ice Cream Parlor. They make ice cream fresh daily, in a variety of intriguing flavors. It's a chain, and they have a slogan: "If you don't live near an Uncle Gaylord's -- MOVE!" Also, Uncle Gaylord (a real person) wages a constant battle to force big-name ice cream makers to print their ingredients on the package (like air and plastic and other non-natural garbage). JONL and I had first discovered Uncle Gaylord's the previous August, when we had flown to a computer-science conference in Berkeley, California, the first time either of us had been on the West Coast. When not in the conference sessions, we had spent our time wandering the length of Telegraph Avenue, which (like Harvard Square in Cambridge) was lined with picturesque street vendors and interesting little shops. On that street we discovered Uncle Gaylord's Berkeley store. The ice cream there was very good. During that August visit JONL went absolutely bananas (so to speak) over one particular flavor, ginger honey.

Therefore, after eating at The Good Earth -- indeed, after every lunch and dinner and before bed during our April visit -- a trip to Uncle Gaylord's (the one in Palo Alto) was mandatory. We had arrived on a Wednesday, and by Thursday evening we had been there at least four times. Each time, JONL would get ginger honey ice cream, and proclaim to all bystanders that "Ginger was the spice that drove the Europeans mad! That's why they sought a route to the East! They used it to preserve their otherwise off-taste meat." After the third or fourth repetition RPG and I were getting a little tired of this spiel, and began to paraphrase him: "Wow! Ginger! The spice that makes rotten meat taste good!" "Say! Why don't we find some dog that's been run over and sat in the sun for a week and put some ginger on it for dinner?!" "Right! With a lalaberry shake!" And so on. This failed to faze JONL; he took it in good humor, as long as we kept returning to Uncle Gaylord's. He loves ginger honey ice cream.

Now RPG and his then-wife KBT (Kathy Tracy) were putting us up (putting up with us?) in their home for our visit, so to thank them JONL and I took them out to a nice French restaurant of their choosing. I unadventurously chose the filet mignon, and KBT had *je ne sais quoi du jour*, but RPG and JONL had *lapin* (rabbit). (Waitress: "Oui, we have fresh rabbit, fresh today." RPG: "Well, JONL, I guess we won't need any ginger!")

We finished the meal late, about 11 P.M., which is 2 A.M Boston time, so JONL and I were rather droopy. But it wasn't yet midnight. Off to Uncle Gaylord's!

Now the French restaurant was in Redwood City, north of Palo Alto. In leaving Redwood City, we somehow got onto route 101 going north instead of south. JONL and I wouldn't have known the difference had RPG not mentioned it. We still knew very little of the local geography. I did figure out, however, that we were headed in the direction of Berkeley, and half-jokingly suggested that we continue north and go to Uncle Gaylord's in Berkeley.

RPG said "Fine!" and we drove on for a while and talked. I was drowsy, and JONL actually dropped off to sleep for 5 minutes. When he awoke, RPG said, "Gee, JONL, you must have slept all the way over the bridge!", referring to the one spanning San Francisco Bay. Just then we came to a sign that said "University Avenue". I mumbled something about working our way over to Telegraph Avenue; RPG said "Right!" and maneuvered some more. Eventually we pulled up in front of an Uncle Gaylord's.

Now, I hadn't really been paying attention because I was so sleepy, and I didn't really understand what was happening until RPG let me in on it a few moments later, but I was just alert enough to notice that we had somehow come to the Palo Alto Uncle Gaylord's after all.

JONL noticed the resemblance to the Palo Alto store, but hadn't caught on. (The place is lit with red and yellow lights at night, and looks much different from the way it does in daylight.) He said, "This isn't the Uncle Gaylord's I went to in Berkeley! It looked like a barn! But this place looks just like the one back in Palo Alto!"

RPG deadpanned, "Well, this is the one I always come to when I'm in Berkeley. They've got two in San Francisco, too. Remember, they're a chain."

JONL accepted this bit of wisdom. And he was not totally ignorant -- he knew perfectly well that University Avenue was in Berkeley, not far from Telegraph Avenue. What he didn't know was that there is a completely different University Avenue in Palo Alto.

JONL went up to the counter and asked for ginger honey. The guy at the counter asked whether JONL would like to taste it first, evidently their standard procedure with that flavor, as not too many people like it.

JONL said, "I'm sure I like it. Just give me a cone." The guy behind the counter insisted that JONL try just a taste first. "Some people think it tastes like soap." JONL insisted, "Look, I love ginger. I eat Chinese food. I eat raw ginger roots. I already went through this hassle with the guy back in Palo Alto. I know I like that flavor!"

At the words "back in Palo Alto" the guy behind the counter got a very strange look on his face, but said nothing. KBT caught his eye

and winked. Through my stupor I still hadn't quite grasped what was going on, and thought RPG was rolling on the floor laughing and clutching his stomach just because JONL had launched into his spiel ("makes rotten meat a dish for princes") for the forty-third time. At this point, RPG clued me in fully.

RPG, KBT, and I retreated to a table, trying to stifle our chuckles. JONL remained at the counter, talking about ice cream with the guy b.t.c., comparing Uncle Gaylord's to other ice cream shops and generally having a good old time.

At length the g.b.t.c. said, "How's the ginger honey?" JONL said, "Fine! I wonder what exactly is in it?" Now Uncle Gaylord publishes all his recipes and even teaches classes on how to make his ice cream at home. So the g.b.t.c. got out the recipe, and he and JONL pored over it for a while. But the g.b.t.c. could contain his curiosity no longer, and asked again, "You really like that stuff, huh?" JONL said, "Yeah, I've been eating it constantly back in Palo Alto for the past two days. In fact, I think this batch is about as good as the cones I got back in Palo Alto!"

G.b.t.c. looked him straight in the eye and said, "You're in Palo Alto!"

JONL turned slowly around, and saw the three of us collapse in a fit of giggles. He clapped a hand to his forehead and exclaimed, "I've been hacked!"

[My spies on the West Coast inform me that there is a close relative of the raspberry found out there called an 'ollalieberry' --ESR]

[Ironic footnote: the [11739]meme about ginger vs. rotting meat is an urban legend. It's not borne out by an examination of medieval recipes or period purchase records for spices, and appears full-blown in the works of Samuel Pegge, a gourmand and notorious flake case who originated numerous food myths. The truth seems to be that ginger was used to cover not rot but the extreme salt taste of meat packed in brine, which was the best method available before refrigeration. --ESR]

Node:sagan, Next:[11740]SAIL, Previous:[11741]saga, Up:[11742]= S =

sagan /say'gn/ n.

[from Carl Sagan's TV series "Cosmos"; think "billions and billions"]
A large quantity of anything. "There's a sagan different ways to tweak EMACS." "The U.S. Government spends sagan on bombs and welfare -- hard to say which is more destructive."

Node:SAIL, Next:[11743]salescritter, Previous:[11744]sagan, Up:[11745]= S =

SAIL /sayl/, not /S-A-I-L/ n.

1. The Stanford Artificial Intelligence Lab. An important site in the early development of LISP; with the MIT AI Lab, BBN, CMU, XEROX PARC, and the Unix community, one of the major wellsprings of technical innovation and hacker-culture traditions (see the [11746]WAITS entry for details). The SAIL machines were shut down in late May 1990, scant weeks after the MIT AI Lab's ITS cluster was officially decommissioned. 2. The Stanford Artificial Intelligence Language used at SAIL (sense 1). It was an Algol-60 derivative with a corouting facility and some new data types intended for building search trees and association lists.

Node:salescritter, Next:[11747]salt, Previous:[11748]SAIL, Up:[11749]=
S =

salescritter /sayls'kri'tr/ n.

Pejorative hackerism for a computer salesperson. Hackers tell the following joke:

- Q. What's the difference between a used-car dealer and a computer salesman?
A. The used-car dealer knows he's lying. [Some versions add: ...and probably knows how to drive.]

This reflects the widespread hacker belief that salescritters are self-selected for stupidity (after all, if they had brains and the inclination to use them, they'd be in programming). The terms 'salesthing' and 'salesdroid' are also common. Compare [11750]marketroid, [11751]suit, [11752]droid.

Node:salt, Next:[11753]salt mines, Previous:[11754]salescritter, Up:[11755]= S =

salt n.

A tiny bit of near-random data inserted where too much regularity would be undesirable; a data [11756]frob (sense 1). For example, the Unix crypt(3) man page mentions that "the salt string is used to perturb the DES algorithm in one of 4096 different ways."

Node:salt mines, Next:[11757]salt substrate, Previous:[11758]salt, Up:[11759]= S =

salt mines n.

Dense quarters housing large numbers of programmers working long hours on grungy projects, with some hope of seeing the end of the tunnel in N years. Noted for their absence of sunshine. Compare [11760]playpen,

[11761]sandbox.

Node:salt substrate, Next:[11762]same-day service,
Previous:[11763]salt mines, Up:[11764]= S =

salt substrate n.

[MIT] Collective noun used to refer to potato chips, pretzels, saltines, or any other form of snack food designed primarily as a carrier for sodium chloride. Also 'sodium substrate'. From the technical term 'chip substrate', used to refer to the silicon on the top of which the active parts of integrated circuits are deposited.

Node:same-day service, Next:[11765]samizdat, Previous:[11766]salt substrate, Up:[11767]= S =

same-day service n.

Ironic term used to describe long response time, particularly with respect to [11768]MS-DOS system calls (which ought to require only a tiny fraction of a second to execute). Such response time is a major incentive for programmers to write programs that are not [11769]well-behaved. See also [11770]PC-ism.

Node:samizdat, Next:[11771]samurai, Previous:[11772]same-day service, Up:[11773]= S =

samizdat /sahm-iz-daht/ n.

[Russian, literally "self publishing"] The process of disseminating documentation via underground channels. Originally referred to underground duplication and distribution of banned books in the Soviet Union; now refers by obvious extension to any less-than-official promulgation of textual material, esp. rare, obsolete, or never-formally-published computer documentation. Samizdat is obviously much easier when one has access to high-bandwidth networks and high-quality laser printers. Note that samizdat is properly used only with respect to documents which contain needed information (see also [11774]hacker ethic) but which are for some reason otherwise unavailable, but not in the context of documents which are available through normal channels, for which unauthorized duplication would be unethical copyright violation. See [11775]Lions Book for a historical example.

Node:samurai, Next:[11776]sandbender, Previous:[11777]samizdat, Up:[11778]= S =

samurai n.

A hacker who hires out for legal cracking jobs, snooping for factions in corporate political fights, lawyers pursuing privacy-rights and First Amendment cases, and other parties with legitimate reasons to need an electronic locksmith. In 1991, mainstream media reported the existence of a loose-knit culture of samurai that meets electronically on BBS systems, mostly bright teenagers with personal micros; they have modeled themselves explicitly on the historical samurai of Japan and on the "net cowboys" of William Gibson's [11779]cyberpunk novels. Those interviewed claim to adhere to a rigid ethic of loyalty to their employers and to disdain the vandalism and theft practiced by criminal crackers as beneath them and contrary to the hacker ethic; some quote Miyamoto Musashi's "Book of Five Rings", a classic of historical samurai doctrine, in support of these principles. See also [11780]sneaker, [11781]Stupids, [11782]social engineering, [11783]cracker, [11784]hacker ethic, and [11785]dark-side hacker.

Node:sandbender, Next:[11786]sandbox, Previous:[11787]samurai, Up:[11788]= S =

sandbender n.

[IBM] A person involved with silicon lithography and the physical design of chips. Compare [11789]ironmonger, [11790]polygon pusher.

Node:sandbox, Next:[11791]sanity check, Previous:[11792]sandbender, Up:[11793]= S =

sandbox n.

1. (also 'sandbox, the') Common term for the R&D department at many software and computer companies (where hackers in commercial environments are likely to be found). Half-derisive, but reflects the truth that research is a form of creative play. Compare [11794]playpen. 2. Syn. [11795]link farm. 3. A controlled environment within which potentially dangerous programs are run. Used esp. in reference to Java implementations.

Node:sanity check, Next:[11796]Saturday-night special, Previous:[11797]sandbox, Up:[11798]= S =

sanity check n.

[very common] 1. The act of checking a piece of code (or anything else, e.g., a Usenet posting) for completely stupid mistakes. Implies that the check is to make sure the author was sane when it was written; e.g., if a piece of scientific software relied on a particular formula and was giving unexpected results, one might first look at the nesting of parentheses or the coding of the formula, as a 'sanity check', before looking at the more complex I/O or data structure manipulation routines, much less the algorithm itself.

Compare [11799]reality check. 2. A run-time test, either validating input or ensuring that the program hasn't screwed up internally (producing an inconsistent value or state).

Node:Saturday-night special, Next:[11800]say, Previous:[11801]sanity check, Up:[11802]= S =

Saturday-night special n.

[from police slang for a cheap handgun] A [11803]quick-and-dirty program or feature kluged together during off hours, under a deadline, and in response to pressure from a [11804]salescritter. Such hacks are dangerously unreliable, but all too often sneak into a production release after insufficient review.

Node:say, Next:[11805]scag, Previous:[11806]Saturday-night special, Up:[11807]= S =

say vt.

1. To type to a terminal. "To list a directory verbosely, you have to say ls -l." Tends to imply a [11808]newline-terminated command (a 'sentence'). 2. A computer may also be said to 'say' things to you, even if it doesn't have a speech synthesizer, by displaying them on a terminal in response to your commands. Hackers find it odd that this usage confuses [11809]mundanes.

Node:scag, Next:[11810]scanno, Previous:[11811]say, Up:[11812]= S =

scag vt.

To destroy the data on a disk, either by corrupting the filesystem or by causing media damage. "That last power hit scagged the system disk." Compare [11813]scrog, [11814]roach.

Node:scanno, Next:[11815]scary devil monastery, Previous:[11816]scag, Up:[11817]= S =

scanno /skan'oh/ n.

An error in a document caused by a scanner glitch, analogous to a typo or [11818]thinko.

Node:scary devil monastery, Next:[11819]schroedinbug, Previous:[11820]scanno, Up:[11821]= S =

scary devil monastery n.

Anagram frequently used to refer to the newsgroup alt.sysadmin.recovery, which is populated with characters that rather justify the reference.

Node:schroedinbug, Next:[11822]science-fiction fandom,
Previous:[11823]scary devil monastery, Up:[11824]= S =

schroedinbug /shroh'din-buhg/ n.

[MIT: from the Schroedinger's Cat thought-experiment in quantum physics] A design or implementation bug in a program that doesn't manifest until someone reading source or using the program in an unusual way notices that it never should have worked, at which point the program promptly stops working for everybody until fixed. Though (like [11825]bit rot) this sounds impossible, it happens; some programs have harbored latent schroedinbugs for years. Compare [11826]heisenbug, [11827]Bohr bug, [11828]mandelbug.

Node:science-fiction fandom, Next:[11829]scram switch,
Previous:[11830]schroedinbug, Up:[11831]= S =

science-fiction fandom n.

Another voluntary subculture having a very heavy overlap with hackerdom; most hackers read SF and/or fantasy fiction avidly, and many go to 'cons' (SF conventions) or are involved in fandom-connected activities such as the Society for Creative Anachronism. Some hacker jargon originated in SF fandom; see [11832]defenestration, [11833]great-wall, [11834]cyberpunk, [11835]h, [11836]ha ha only serious, [11837]IMHO, [11838]mundane, [11839]neep-neep, [11840]Real Soon Now. Additionally, the jargon terms [11841]cowboy, [11842]cyberspace, [11843]de-rezz, [11844]go flatline, [11845]ice, [11846]phage, [11847]virus, [11848]wetware, [11849]wirehead, and [11850]worm originated in SF stories.

Node:scram switch, Next:[11851]scratch,
Previous:[11852]science-fiction fandom, Up:[11853]= S =

scram switch n.

[from the nuclear power industry] An emergency-power-off switch (see [11854]Big Red Switch), esp. one positioned to be easily hit by evacuating personnel. In general, this is not something you [11855]frob lightly; these often initiate expensive events (such as Halon dumps) and are installed in a [11856]dinosaur pen for use in case of electrical fire or in case some luckless [11857]field servoid should put 120 volts across himself while [11858]Easter egging. (See also [11859]molly-guard, [11860]TMRC.)

A correspondent reports a legend that "Scram" is an acronym for "Start

Cutting Right Away, Man" (another less plausible variant of this legend refers to "Safety Control Rod Axe Man"; these are almost certainly both [11861]backronyms). The story goes that in the earliest nuclear power experiments the engineers recognized the possibility that the reactor wouldn't behave exactly as predicted by their mathematical models. Accordingly, they made sure that they had mechanisms in place that would rapidly drop the control rods back into the reactor. One mechanism took the form of 'scram technicians'. These individuals stood next to the ropes or cables that raised and lowered the control rods. Equipped with axes or cable-cutters, these technicians stood ready for the (literal) 'scram' command. If necessary, they would cut the cables, and gravity would expeditiously return the control rods to the reactor, thereby averting yet another kind of [11862]core dump.

Modern reactor control rods are held in place with claw-like devices, held closed by current. SCRAM switches are circuit breakers that immediately open the circuit to the rod arms, resulting in the rapid insertion and subsequent bottoming of the control rods.

Node:scratch, Next:[11863]scratch monkey, Previous:[11864]scram switch, Up:[11865]= S =

scratch

1. [from 'scratchpad'] adj. Describes a data structure or recording medium attached to a machine for testing or temporary-use purposes; one that can be [11866]scribbled on without loss. Usually in the combining forms 'scratch memory', 'scratch register', 'scratch disk', 'scratch tape', 'scratch volume'. See also [11867]scratch monkey. 2. [primarily IBM] vt. To delete (as in a file).

Node:scratch monkey, Next:[11868]scream and die, Previous:[11869]scratch, Up:[11870]= S =

scratch monkey n.

As in "Before testing or reconfiguring, always mount a [11871]scratch monkey", a proverb used to advise caution when dealing with irreplaceable data or devices. Used to refer to any scratch volume hooked to a computer during any risky operation as a replacement for some precious resource or data that might otherwise get trashed.

This term preserves the memory of Mabel, the Swimming Wonder Monkey, star of a biological research program at the University of Toronto. Mabel was not (so the legend goes) your ordinary monkey; the university had spent years teaching her how to swim, breathing through a regulator, in order to study the effects of different gas mixtures on her physiology. Mabel suffered an untimely demise one day when a [11872]DEC [11873]field circus engineer troubleshooting a crash on the program's VAX inadvertently interfered with some custom hardware that

was wired to Mabel.

It is reported that, after calming down an understandably irate customer sufficiently to ascertain the facts of the matter, a DEC troubleshooter called up the [11874]field circus manager responsible and asked him sweetly, "Can you swim?"

Not all the consequences to humans were so amusing; the sysop of the machine in question was nearly thrown in jail at the behest of certain clueless [11875]droids at the local 'humane' society. The moral is clear: When in doubt, always mount a scratch monkey.

[The actual incident occurred in 1979 or 1980. There is a version of this story, complete with reported dialogue between one of the project people and DEC field service, that has been circulating on Internet since 1986. It is hilarious and mythic, but gets some facts wrong. For example, it reports the machine as a PDP-11 and alleges that Mabel's demise occurred when DEC [11876]PMed the machine. Earlier versions of this entry were based on that story; this one has been corrected from an interview with the hapless sysop. --ESR]

Node:scream and die, Next:[11877]screaming tty,
Previous:[11878]scratch monkey, Up:[11879]= S =

scream and die v.

Syn. [11880]cough and die, but connotes that an error message was printed or displayed before the program crashed.

Node:screaming tty, Next:[11881]screen, Previous:[11882]scream and die, Up:[11883]= S =

screaming tty n.

[Unix] A terminal line which spews an infinite number of random characters at the operating system. This can happen if the terminal is either disconnected or connected to a powered-off terminal but still enabled for login; misconfiguration, misimplementation, or simple bad luck can start such a terminal screaming. A screaming tty or two can seriously degrade the performance of a vanilla Unix system; the arriving "characters" are treated as userid/password pairs and tested as such. The Unix password encryption algorithm is designed to be computationally intensive in order to foil brute-force crack attacks, so although none of the logins succeeds; the overhead of rejecting them all can be substantial.

Node:screen, Next:[11884]screen name, Previous:[11885]screaming tty,
Up:[11886]= S =

screen n.

[Atari ST [11887]demoscene] One [11888]demoeffect or one screenful of them. Probably comes from old Sierra-style adventures or shoot-em-ups where one travels from one place to another one screenful at a time.

Node:screen name, Next:[11889]screw, Previous:[11890]screen,
Up:[11891]= S =

screen name n.

A [11892]handle sense 1. This term has been common among users of IRC, MUDs, and commercial on-line services since the mid-1990s. Hackers recognize the term but don't generally use it.

Node:screw, Next:[11893]screwage, Previous:[11894]screen name,
Up:[11895]= S =

screw n.

[MIT] A [11896]lose, usually in software. Especially used for user-visible misbehavior caused by a bug or misfeature. This use has become quite widespread outside MIT.

Node:screwage, Next:[11897]scribble, Previous:[11898]screw,
Up:[11899]= S =

screwage /skroo**j*/ n.

Like [11900]lossage but connotes that the failure is due to a designed-in misfeature rather than a simple inadequacy or a mere bug.

Node:scribble, Next:[11901]script kiddies, Previous:[11902]screwage,
Up:[11903]= S =

scribble n.

To modify a data structure in a random and unintentionally destructive way. "Blech! Somebody's disk-compactor program went berserk and scribbled on the i-node table." "It was working fine until one of the allocation routines scribbled on low core." Synonymous with [11904]trash; compare [11905]mung, which conveys a bit more intention, and [11906]mangle, which is more violent and final.

Node:script kiddies, Next:[11907]scrog, Previous:[11908]scribble,
Up:[11909]= S =

script kiddies pl.n.

1. The lowest form of [11910]cracker; script kiddies do mischief with scripts and programs written by others, often without understanding the [11911]exploit. 2. People who cannot program, but who create tacky HTML pages by copying JavaScript routines from other tacky HTML pages. More generally, a script kiddie writes (or more likely cuts and pastes) code without either having or desiring to have a mental model of what the code does; someone who thinks of code as magical incantations and asks only "what do I need to type to make this happen?"

Node:scrog, Next:[11912]scrool, Previous:[11913]script kiddies,
Up:[11914]= S =

scrog /skrog/ vt.

[Bell Labs] To damage, trash, or corrupt a data structure. "The list header got scrogged." Also reported as 'skrog', and ascribed to the comic strip "The Wizard of Id". Compare [11915]scag; possibly the two are related. Equivalent to [11916]scribble or [11917]mangle.

Node:scrool, Next:[11918]scrozzle, Previous:[11919]scrog, Up:[11920]=
S =

scrool /skrool/ n.

[from the pioneering Roundtable chat system in Houston ca. 1984; prob. originated as a typo for 'scroll'] The log of old messages, available for later perusal or to help one get back in synch with the conversation. It was originally called the 'scrool monster', because an early version of the roundtable software had a bug where it would dump all 8K of scrool on a user's terminal.

Node:scrozzle, Next:[11921]scruffies, Previous:[11922]scrool,
Up:[11923]= S =

scrozzle /skroz'l/ vt.

Used when a self-modifying code segment runs incorrectly and corrupts the running program or vital data. "The damn compiler scrozzled itself again!"

Node:scruffies, Next:[11924]SCSI, Previous:[11925]scrozzle,
Up:[11926]= S =

scruffies n.

See [11927]neats vs. scruffies.

Node:SCSI, Next:[11928]ScumOS, Previous:[11929]scruffies, Up:[11930]=
S =

SCSI n.

[Small Computer System Interface] A bus-independent standard for system-level interfacing between a computer and intelligent devices. Typically annotated in literature with 'sexy' (/sek'see/), 'sissy' (/sis'ee/), and 'scuzzy' (/skuh'zee/) as pronunciation guides -- the last being the overwhelmingly predominant form, much to the dismay of the designers and their marketing people. One can usually assume that a person who pronounces it /S-C-S-I/ is clueless.

Node:ScumOS, Next:[11931]search-and-destroy mode,
Previous:[11932]SCSI, Up:[11933]= S =

ScumOS /skuhm'os/ or /skuhm'O-S/ n.

Unflattering hackerism for SunOS, the BSD Unix variant supported on Sun Microsystems's Unix workstations (see also [11934]sun-stools), and compare [11935]AIDX, [11936]Macintrash, [11937]Nominal Semidestructor, [11938]HP-SUX. Despite what this term might suggest, Sun was founded by hackers and still enjoys excellent relations with hackerdom; usage is more often in exasperation than outright loathing.

Node:search-and-destroy mode, Next:[11939]second-system effect,
Previous:[11940]ScumOS, Up:[11941]= S =

search-and-destroy mode n.

Hackerism for a noninteractive search-and-replace facility in an editor, so called because an incautiously chosen match pattern can cause [11942]infinite damage.

Node:second-system effect, Next:[11943]secondary damage,
Previous:[11944]search-and-destroy mode, Up:[11945]= S =

second-system effect n.

(sometimes, more euphoniously, 'second-system syndrome') When one is designing the successor to a relatively small, elegant, and successful system, there is a tendency to become grandiose in one's success and design an [11946]elephantine feature-laden monstrosity. The term was first used by Fred Brooks in his classic "The Mythical Man-Month: Essays on Software Engineering" (Addison-Wesley, 1975; ISBN 0-201-00650-2). It described the jump from a set of nice, simple operating systems on the IBM 70xx series to OS/360 on the 360 series. A similar effect can also happen in an evolving system; see [11947]Brooks's Law, [11948]creeping elegance, [11949]creeping featurism. See also [11950]Multics, [11951]OS/2, [11952]X,

[11953]software bloat.

This version of the jargon lexicon has been described (with altogether too much truth for comfort) as an example of second-system effect run amok on jargon-1....

Node:secondary damage, Next:[11954]security through obscurity,
Previous:[11955]second-system effect, Up:[11956]= S =

secondary damage n.

When a fatal error occurs (esp. a [11957]segfault) the immediate cause may be that a pointer has been trashed due to a previous [11958]fandango on core. However, this fandango may have been due to an earlier fandango, so no amount of analysis will reveal (directly) how the damage occurred. "The data structure was clobbered, but it was secondary damage."

By extension, the corruption resulting from N cascaded fandangoes on core is 'Nth-level damage'. There is at least one case on record in which 17 hours of [11959]grovelling with adb actually dug up the underlying bug behind an instance of seventh-level damage! The hacker who accomplished this near-superhuman feat was presented with an award by his fellows.

Node:security through obscurity, Next:[11960]SED,
Previous:[11961]secondary damage, Up:[11962]= S =

security through obscurity

(alt. 'security by obscurity') A term applied by hackers to most OS vendors' favorite way of coping with security holes -- namely, ignoring them, documenting neither any known holes nor the underlying security algorithms, trusting that nobody will find out about them and that people who do find out about them won't exploit them. This "strategy" never works for long and occasionally sets the world up for debacles like the [11963]RTM worm of 1988 (see [11964]Great Worm), but once the brief moments of panic created by such events subside most vendors are all too willing to turn over and go back to sleep. After all, actually fixing the bugs would siphon off the resources needed to implement the next user-interface frill on marketing's wish list -- and besides, if they started fixing security bugs customers might begin to expect it and imagine that their warranties of merchantability gave them some sort of right to a system with fewer holes in it than a shotgunned Swiss cheese, and then where would we be?

Historical note: There are conflicting stories about the origin of this term. It has been claimed that it was first used in the Usenet newsgroup in comp.sys.apollo during a campaign to get HP/Apollo to fix security problems in its Unix-[11965]clone Aegis/DomainOS (they didn't

change a thing). [11966]ITS fans, on the other hand, say it was coined years earlier in opposition to the incredibly paranoid [11967]Multics people down the hall, for whom security was everything. In the ITS culture it referred to (1) the fact that by the time a tourist figured out how to make trouble he'd generally gotten over the urge to make it, because he felt part of the community; and (2) (self-mockingly) the poor coverage of the documentation and obscurity of many commands. One instance of deliberate security through obscurity is recorded; the command to allow patching the running ITS system (escape escape control-R) echoed as \$\$^D. If you actually typed alt alt ^D, that set a flag that would prevent patching the system even if you later got it right.

Node:SED, Next:[11968]sefault, Previous:[11969]security through obscurity, Up:[11970]= S =

SED /S-E-D/ n.

[TMRC, from 'Light-Emitting Diode'] Smoke-emitting diode. A [11971]friode that lost the war. See also [11972]LER.

Node:sefault, Next:[11973]seggie, Previous:[11974]SED, Up:[11975]= S =

sefault n.,vi.

Syn. [11976]segment, [11977]segmentation fault.

Node:seggie, Next:[11978]segment, Previous:[11979]sefault, Up:[11980]= S =

seggie /seg'ee/ n.

[Unix] Shorthand for [11981]segmentation fault reported from Britain.

Node:segment, Next:[11982]segmentation fault, Previous:[11983]seggie, Up:[11984]= S =

segment /seg'ment/ vi.

To experience a [11985]segmentation fault. Confusingly, this is often pronounced more like the noun 'segment' than like mainstream v. segment; this is because it is actually a noun shorthand that has been verbed.

Node:segmentation fault, Next:[11986]segv, Previous:[11987]segment, Up:[11988]= S =

segmentation fault n.

[Unix] 1. [techspeak] An error in which a running program attempts to access memory not allocated to it and [1989]core dumps with a segmentation violation error. This is often caused by improper usage of pointers in the source code, dereferencing a null pointer, or (in C) inadvertently using a non-pointer variable as a pointer. The classic example is:

```
int i;  
scanf ("%d", i); /* should have used &i */
```

2. To lose a train of thought or a line of reasoning. Also uttered as an exclamation at the point of befuddlement.

Node:segv, Next:[1990]self-reference, Previous:[1991]segmentation fault, Up:[1992]= S =

segv /seg'vee/ n.,vi.

Yet another synonym for [1993]segmentation fault (actually, in this case, 'segmentation violation').

Node:self-reference, Next:[1994]selvage, Previous:[1995]segv, Up:[1996]= S =

self-reference n.

See [1997]self-reference.

Node:selvage, Next:[1998]semi, Previous:[1999]self-reference, Up:[2000]= S =

selvage /sel'v*j/ n.

[from sewing and weaving] See [2001]chad (sense 1).

Node:semi, Next:[2002]semi-automated, Previous:[2003]selvage, Up:[2004]= S =

semi /se'mee/ or /se'mi:/

1. n. Abbreviation for 'semicolon', when speaking. "Commands to [2005]grind are prefixed by semi-semi-star" means that the prefix is ;;*, not 1/4 of a star. 2. A prefix used with words such as 'immediately' as a qualifier. "When is the system coming up?" "Semi-immediately." (That is, maybe not for an hour.) "We did consider that possibility semi-seriously." See also [2006]infinite.

Node:semi-automated, Next:[12007]semi-infinite, Previous:[12008]semi,
Up:[12009]= S =

semi-automated adj.

[US Geological Survey] A procedure that has yet to be completely automated; it still requires a smidge of clueful human interaction. Semi-automated programs usually come with written-out operator instructions that are worth their weight in gold - without them, very nasty things can happen. At USGS semi-automated programs are often referred to as "semi-automated weapons".

Node:semi-infinite, Next:[12010]senior bit,
Previous:[12011]semi-automated, Up:[12012]= S =

semi-infinite n.

See [12013]infinite.

Node:senior bit, Next:[12014]September that never ended,
Previous:[12015]semi-infinite, Up:[12016]= S =

senior bit n.

[IBM; rare] Syn. [12017]meta bit.

Node:September that never ended, Next:[12018]server,
Previous:[12019]senior bit, Up:[12020]= S =

September that never ended

All time since September 1993. One of the seasonal rhythms of the Usenet used to be the annual September influx of clueless newbies who, lacking any sense of [12021]netiquette, made a general nuisance of themselves. This coincided with people starting college, getting their first internet accounts, and plunging in without bothering to learn what was acceptable. These relatively small drafts of newbies could be assimilated within a few months. But in September 1993, AOL users became able to post to Usenet, nearly overwhelming the old-timers' capacity to acculturate them; to those who nostalgically recall the period before hand, this triggered an inexorable decline in the quality of discussions on newsgroups. See also [12022]AOL!.

Node:server, Next:[12023]SEX, Previous:[12024]September that never ended, Up:[12025]= S =

server n.

A kind of [12026]daemon that performs a service for the requester and

which often runs on a computer other than the one on which the server runs. A particularly common term on the Internet, which is rife with 'web servers', 'name servers', 'domain servers', 'news servers', 'finger servers', and the like.

Node:SEX, Next:[12027]sex changer, Previous:[12028]server, Up:[12029]=
S =

SEX /seks/

[Sun Users' Group & elsewhere] n. 1. Software EXchange. A technique invented by the blue-green algae hundreds of millions of years ago to speed up their evolution, which had been terribly slow up until then. Today, SEX parties are popular among hackers and others (of course, these are no longer limited to exchanges of genetic software). In general, SEX parties are a [12030]Good Thing, but unprotected SEX can propagate a [12031]virus. See also [12032]pubic directory. 2. The rather Freudian mnemonic often used for Sign EXtend, a machine instruction found in the PDP-11 and many other architectures. The RCA 1802 chip used in the early Elf and SuperElf personal computers had a 'SEt X register' SEX instruction, but this seems to have had little folkloric impact. The Data General instruction set also had SEX.

[12033]DEC's engineers nearly got a PDP-11 assembler that used the SEX mnemonic out the door at one time, but (for once) marketing wasn't asleep and forced a change. That wasn't the last time this happened, either. The author of "The Intel 8086 Primer", who was one of the original designers of the 8086, noted that there was originally a SEX instruction on that processor, too. He says that Intel management got cold feet and decreed that it be changed, and thus the instruction was renamed CBW and CWD (depending on what was being extended). Amusingly, the Intel 8048 (the microcontroller used in IBM PC keyboards) is also missing straight SEX but has logical-or and logical-and instructions ORL and ANL.

The Motorola 6809, used in the Radio Shack Color Computer and in U.K.'s 'Dragon 32' personal computer, actually had an official SEX instruction; the 6502 in the Apple II with which it competed did not. British hackers thought this made perfect mythic sense; after all, it was commonly observed, you could (on some theoretical level) have sex with a dragon, but you can't have sex with an apple.

Node:sex changer, Next:[12034]shambolic link, Previous:[12035]SEX,
Up:[12036]= S =

sex changer n.

Syn. [12037]gender mender.

Node:shambolic link, Next:[12038]shar file, Previous:[12039]sex

changer, Up:[12040]= S =

shambolic link /sham-bol'ik link/ n.

A Unix symbolic link, particularly when it confuses you, points to nothing at all, or results in your ending up in some completely unexpected part of the filesystem....

Node:shar file, Next:[12041]sharchive, Previous:[12042]shambolic link, Up:[12043]= S =

shar file /shar' fi:l/ n.

Syn. [12044]sharchive.

Node:sharchive, Next:[12045]Share and enjoy!, Previous:[12046]shar file, Up:[12047]= S =

sharchive /shar'ki:v/ n.

[Unix and Usenet; from /bin/sh archive] A [12048]flattened representation of a set of one or more files, with the unique property that it can be unflattened (the original files restored) by feeding it through a standard Unix shell; thus, a sharchive can be distributed to anyone running Unix, and no special unpacking software is required. Sharchives are also intriguing in that they are typically created by shell scripts; the script that produces sharchives is thus a script which produces self-unpacking scripts, which may themselves contain scripts. (The downsides of sharchives are that they are an ideal venue for [12049]Trojan horse attacks and that, for recipients not running Unix, no simple un-sharchiving program is possible; sharchives can and do make use of arbitrarily-powerful shell features.) Sharchives are also commonly referred to as 'shar files' after the name of the most common program for generating them.

Node:Share and enjoy!, Next:[12050]shareware, Previous:[12051]sharchive, Up:[12052]= S =

Share and enjoy! imp.

1. Commonly found at the end of software release announcements and [12053]README files, this phrase indicates allegiance to the hacker ethic of free information sharing (see [12054]hacker ethic, sense 1).
 2. The motto of the complaints division of Sirius Cybernetics Corporation (the ultimate gaggle of incompetent [12055]suits) in Douglas Adams's "Hitch Hiker's Guide to the Galaxy". The irony of using this as a cultural recognition signal appeals to hackers.
-

Node:shareware, Next:[12056]sharing violation, Previous:[12057]Share

and enjoy!, Up:[12058]= S =

shareware /sheir'weir/ n.

A kind of [12059]freeware (sense 1) for which the author requests some payment, usually in the accompanying documentation files or in an announcement made by the software itself. Such payment may or may not buy additional support or functionality. See also [12060]careware, [12061]charityware, [12062]crippleware, [12063]FRS, [12064]guiltware, [12065]postcardware, and [12066]-ware; compare [12067]payware.

Node:sharing violation, Next:[12068]shebang,

Previous:[12069]shareware, Up:[12070]= S =

sharing violation

[From a file error common to several [12071]OSs] A response to receiving information, typically of an excessively personal nature, that you were probably happier not knowing. "You know those little noises that Pat makes in bed..?" "Whoa! Sharing violation!" In contrast to the original file error, which indicated that you were not being given data that you did want.

Node:shebang, Next:[12072]shelfware, Previous:[12073]sharing violation, Up:[12074]= S =

shebang /sh*-bang/ n.

The character sequence "#!" that frequently begins executable shell scripts under Unix. Probably derived from "shell bang" under the influence of American slang "the whole shebang" (everything, the works).

Node:shelfware, Next:[12075]shell, Previous:[12076]shebang,

Up:[12077]= S =

shelfware /shelf'weir/ n.

Software purchased on a whim (by an individual user) or in accordance with policy (by a corporation or government agency), but not actually required for any particular use. Therefore, it often ends up on some shelf.

Node:shell, Next:[12078]shell out, Previous:[12079]shelfware,

Up:[12080]= S =

shell [orig. [12081]Multics n.

techspeak, widely propagated via Unix] 1. [techspeak] The command

interpreter used to pass commands to an operating system; so called because it is the part of the operating system that interfaces with the outside world. 2. More generally, any interface program that mediates access to a special resource or [12082]server for convenience, efficiency, or security reasons; for this meaning, the usage is usually 'a shell around' whatever. This sort of program is also called a 'wrapper'. 3. A skeleton program, created by hand or by another program (like, say, a parser generator), which provides the necessary [12083]incantations to set up some task and the control flow to drive it (the term [12084]driver is sometimes used synonymously). The user is meant to fill in whatever code is needed to get real work done. This usage is common in the AI and Microsoft Windows worlds, and confuses Unix hackers.

Historical note: Apparently, the original Multics shell (sense 1) was so called because it was a shell (sense 3); it ran user programs not by starting up separate processes, but by dynamically linking the programs into its own code, calling them as subroutines, and then dynamically de-linking them on return. The VMS command interpreter still does something very like this.

Node:shell out, Next:[12085]shift left (or right) logical,
Previous:[12086]shell, Up:[12087]= S =

shell out vi.

[Unix] To [12088]spawn an interactive subshell from within a program (e.g., a mailer or editor). "Bang foo runs foo in a subshell, while bang alone shells out."

Node:shift left (or right) logical, Next:[12089]shim,
Previous:[12090]shell out, Up:[12091]= S =

shift left (or right) logical

[from any of various machines' instruction sets] 1. vi. To move oneself to the left (right). To move out of the way. 2. imper. "Get out of that (my) seat! You can shift to that empty one to the left (right)." Often used without the 'logical', or as 'left shift' instead of 'shift left'. Sometimes heard as LSH /lish/, from the [12092]PDP-10 instruction set. See [12093]Programmer's Cheer.

Node:shim, Next:[12094]shitogram, Previous:[12095]shift left (or right) logical, Up:[12096]= S =

shim n.

A small piece of data inserted in order to achieve a desired memory alignment or other addressing property. For example, the PDP-11 Unix linker, in split I&D (instructions and data) mode, inserts a two-byte

shim at location 0 in data space so that no data object will have an address of 0 (and be confused with the C null pointer). See also [12097]loose bytes.

Node:shitogram, Next:[12098]short card, Previous:[12099]shim,
Up:[12100]= S =

shitogram /shit'oh-gram/ n.

A really nasty piece of email. Compare [12101]nastygram, [12102]flame.

Node:short card, Next:[12103]shotgun debugging,
Previous:[12104]shitogram, Up:[12105]= S =

short card n.

A half-length IBM XT expansion card or adapter that will fit in one of the two short slots located towards the right rear of a standard chassis (tucked behind the floppy disk drives). See also [12106]tall card.

Node:shotgun debugging, Next:[12107]shovelware, Previous:[12108]short card, Up:[12109]= S =

shotgun debugging n.

The software equivalent of [12110]Easter egging; the making of relatively undirected changes to software in the hope that a bug will be perturbed out of existence. This almost never works, and usually introduces more bugs.

Node:shovelware, Next:[12111]showstopper, Previous:[12112]shotgun debugging, Up:[12113]= S =

shovelware /shuh'v'i-weir'/ n.

1. Extra software dumped onto a CD-ROM or tape to fill up the remaining space on the medium after the software distribution it's intended to carry, but not integrated with the distribution. 2. A slipshod compilation of software dumped onto a CD-ROM without much care for organization or even usability.

Node:showstopper, Next:[12114]shriek, Previous:[12115]shovelware,
Up:[12116]= S =

showstopper n.

A hardware or (especially) software bug that makes an implementation

effectively unusable; one that absolutely has to be fixed before development can go on. Opposite in connotation from its original theatrical use, which refers to something stunningly good.

Node:shriek, Next:[12117]Shub-Internet, Previous:[12118]showstopper, Up:[12119]= S =

shriek n.

See [12120]excl. Occasional CMU usage, also in common use among APL fans and mathematicians, especially category theorists.

Node:Shub-Internet, Next:[12121]sidecar, Previous:[12122]shriek, Up:[12123]= S =

Shub-Internet /shuhb' in't*r-net/ n.

[MUD: from H. P. Lovecraft's evil fictional deity Shub-Niggurath, the Black Goat with a Thousand Young] The harsh personification of the Internet: Beast of a Thousand Processes, Eater of Characters, Avatar of Line Noise, and Imp of Call Waiting; the hideous multi-tendriled entity formed of all the manifold connections of the net. A sect of MUDders worships Shub-Internet, sacrificing objects and praying for good connections. To no avail -- its purpose is malign and evil, and is the cause of all network slowdown. Often heard as in "Freela casts a tac nuke at Shub-Internet for slowing her down." (A forged response often follows along the lines of: "Shub-Internet gulps down the tac nuke and burps happily.") Also cursed by users of the Web, [12124]FTP and [12125]TELNET when the system slows down. The dread name of Shub-Internet is seldom spoken aloud, as it is said that repeating it three times will cause the being to wake, deep within its lair beneath the Pentagon. Compare [12126]Random Number God.

[January 1996: It develops that one of the computer administrators in the basement of the Pentagon read this entry and fell over laughing. As a result, you too can now poke Shub-Internet by [12127]pinging shub-internet.ims.disa.mil. See also [12128]kremvax. - ESR]

[April 1999: shub-internet.ims.disa.mil is no more, alas. But Shub-Internet lives o^#\$*^ - ESR]

Node:sidecar, Next:[12129]SIG, Previous:[12130]Shub-Internet, Up:[12131]= S =

sidecar n.

1. Syn. [12132]slap on the side. Esp. used of add-ons for the late and unlamented IBM PCjr. 2. The IBM PC compatibility box that could be bolted onto the side of an Amiga. Designed and produced by Commodore, it broke all of the company's own design rules. If it worked with any

other peripherals, it was by [12133]magic. 3. More generally, any of various devices designed to be connected to the expansion slot on the left side of the Amiga 500 (and later, 600 & 1200), which included a hard drive controller, a hard drive, and additional memory.

Node:SIG, Next:[12134]sig block, Previous:[12135]sidecar, Up:[12136]=
S =

SIG /sig/ n.

(also common as a prefix in combining forms) A Special Interest Group, in one of several technical areas, sponsored by the Association for Computing Machinery; well-known ones include SIGPLAN (the Special Interest Group on Programming Languages), SIGARCH (the Special Interest Group for Computer Architecture) and SIGGRAPH (the Special Interest Group for Computer Graphics). Hackers, not surprisingly, like to overextend this naming convention to less formal associations like SIGBEER (at ACM conferences) and SIGFOOD (at University of Illinois).

Node:sig block, Next:[12137]sig quote, Previous:[12138]SIG,
Up:[12139]= S =

sig block /sig blok/ n.

[Unix; often written '.sig' there] Short for 'signature', used specifically to refer to the electronic signature block that most Unix mail- and news-posting software will [12140]automagically append to outgoing mail and news. The composition of one's sig can be quite an art form, including an ASCII logo or one's choice of witty sayings (see [12141]sig quote, [12142]fool file); but many consider large sigs a waste of [12143]bandwidth, and it has been observed that the size of one's sig block is usually inversely proportional to one's longevity and level of prestige on the net. See also [12144]doubled sig.

Node:sig quote, Next:[12145]sig virus, Previous:[12146]sig block,
Up:[12147]= S =

sig quote /sig kwoht/ n.

[Usenet] A maxim, quote, proverb, joke, or slogan embedded in one's [12148]sig block and intended to convey something of one's philosophical stance, pet peeves, or sense of humor. "Calm down, it's only ones and zeroes."

Node:sig virus, Next:[12149]signal-to-noise ratio, Previous:[12150]sig
quote, Up:[12151]= S =

sig virus n.

A parasitic [12152]meme embedded in a [12153]sig block. There was a [12154]meme plague or fad for these on Usenet in late 1991. Most were equivalents of "I am a .sig virus. Please reproduce me in your .sig block.". Of course, the .sig virus's memetic hook is the giggle value of going along with the gag; this, however, was a self-limiting phenomenon as more and more people picked up on the idea. There were creative variants on it; some people stuck 'sig virus antibody' texts in their sigs, and there was at least one instance of a sig virus eater.

Node:signal-to-noise ratio, Next:[12155]silicon, Previous:[12156]sig virus, Up:[12157]= S =

signal-to-noise ratio [from analog electronics] n.

Used by hackers in a generalization of its technical meaning. 'Signal' refers to useful information conveyed by some communications medium, and 'noise' to anything else on that medium. Hence a low ratio implies that it is not worth paying attention to the medium in question. Figures for such metaphorical ratios are never given. The term is most often applied to [12158]Usenet newsgroups during [12159]flame wars. Compare [12160]bandwidth. See also [12161]coefficient of X, [12162]lost in the noise.

Node:silicon, Next:[12163]silly walk, Previous:[12164]signal-to-noise ratio, Up:[12165]= S =

silicon n.

Hardware, esp. ICs or microprocessor-based computer systems (compare [12166]iron). Contrasted with software. See also [12167]sandbender.

Node:silly walk, Next:[12168]silo, Previous:[12169]silicon, Up:[12170]= S =

silly walk vi.

[from Monty Python's Flying Circus] 1. A ridiculous procedure required to accomplish a task. Like [12171]grovel, but more [12172]random and humorous. "I had to silly-walk through half the /usr directories to find the maps file." 2. Syn. [12173]fandango on core.

Node:silo, Next:[12174]Silver Book, Previous:[12175]silly walk, Up:[12176]= S =

silo n.

The FIFO input-character buffer in an RS-232 line card. So called from [12177]DEC terminology used on DH and DZ line cards for the VAX and

PDP-11, presumably because it was a storage space for fungible stuff that went in at the top and came out at the bottom.

Node:Silver Book, Next:[12178]since time T equals minus infinity,
Previous:[12179]silo, Up:[12180]= S =

Silver Book n.

Jensen and Wirth's infamous "Pascal User Manual and Report", so called because of the silver cover of the widely distributed Springer-Verlag second edition of 1978 (ISBN 0-387-90144-2). See [12181]book titles, [12182]Pascal.

Node:since time T equals minus infinity, Next:[12183]sitename,
Previous:[12184]Silver Book, Up:[12185]= S =

since time T equals minus infinity adv.

A long time ago; for as long as anyone can remember; at the time that some particular frob was first designed. Usually the word 'time' is omitted. See also [12186]time T; contrast [12187]epoch.

Node:sitename, Next:[12188]skrog, Previous:[12189]since time T equals minus infinity, Up:[12190]= S =

sitename /si:t'naym/ n.

[Unix/Internet] The unique electronic name of a computer system, used to identify it in UUCP mail, Usenet, or other forms of electronic information interchange. The folklore interest of sitenames stems from the creativity and humor they often display. Interpreting a sitename is not unlike interpreting a vanity license plate; one has to mentally unpack it, allowing for mono-case and length restrictions and the lack of whitespace. Hacker tradition deprecates dull, institutional-sounding names in favor of punchy, humorous, and clever coinages (except that it is considered appropriate for the official public gateway machine of an organization to bear the organization's name or acronym). Mythological references, cartoon characters, animal names, and allusions to SF or fantasy literature are probably the most popular sources for sitenames (in roughly descending order). The obligatory comment when discussing these is Harris's Lament: "All the good ones are taken!" See also [12191]network address.

Node:skrog, Next:[12192]skulker, Previous:[12193]sitename, Up:[12194]= S =

skrog v.

Syn. [12195]scrog.

Node:skulker, Next:[12196]slab, Previous:[12197]skrog, Up:[12198]= S =

skulker n.

Syn. [12199]proowler.

Node:slab, Next:[12200]slack, Previous:[12201]skulker, Up:[12202]= S =

slab [Apple]

1. n. A continuous horizontal line of pixels, all with the same color.
 2. vi. To paint a slab on an output device. Apple's QuickDraw, like most other professional-level graphics systems, renders polygons and lines not with Bresenham's algorithm, but by calculating 'slab points' for each scan line on the screen in succession, and then slabbing in the actual image pixels.
-

Node:slack, Next:[12203]slap on the side, Previous:[12204]slab, Up:[12205]= S =

slack n.

1. Space allocated to a disk file but not actually used to store useful information. The techspeak equivalent is 'internal fragmentation'. Antonym: [12206]hole. 2. In the theology of the [12207]Church of the SubGenius, a mystical substance or quality that is the prerequisite of all human happiness.

Since Unix files are stored compactly, except for the unavoidable wastage in the last block or fragment, it might be said that "Unix has no slack". See [12208]ha ha only serious.

Node:slap on the side, Next:[12209]slash, Previous:[12210]slack, Up:[12211]= S =

slap on the side n.

(also called a [12212]sidecar, or abbreviated 'SOTS'.) A type of external expansion hardware marketed by computer manufacturers (e.g., Commodore for the Amiga 500/1000 series and IBM for the hideous failure called 'PCjr'). Various SOTS boxes provided necessities such as memory, hard drive controllers, and conventional expansion slots.

Node:slash, Next:[12213]slashdot effect, Previous:[12214]slap on the side, Up:[12215]= S =

slash n.

Common name for the slant ('', ASCII 0101111) character. See [12216]ASCII for other synonyms.

Node:slashdot effect, Next:[12217]sleep, Previous:[12218]slash, Up:[12219]= S =

slashdot effect n.

1. Also spelled "/. effect"; what is said to have happened when a website being virtually unreachable because too many people are hitting it after the site was mentioned in an interesting article on the popular [12220]Slashdot news service. The term is quite widely used by /. readers, including variants like "That site has been slashdotted again!" 2. In a perhaps inevitable generation, the term is being used to describe any similar effect from being listed on a popular site. This would better be described as a [12221]flash crowd.

Node:sleep, Next:[12222]slim, Previous:[12223]slashdot effect, Up:[12224]= S =

sleep vi.

1. [techspeak] To relinquish a claim (of a process on a multitasking system) for service; to indicate to the scheduler that a process may be deactivated until some given event occurs or a specified time delay elapses. 2. In jargon, used very similarly to v. [12225]block; also in 'sleep on', syn. with 'block on'. Often used to indicate that the speaker has relinquished a demand for resources until some (possibly unspecified) external event: "They can't get the fix I've been asking for into the next release, so I'm going to sleep on it until the release, then start hassling them again."

Node:slim, Next:[12226]slop, Previous:[12227]sleep, Up:[12228]= S =

slim n.

A small, derivative change (e.g., to code).

Node:slop, Next:[12229]slopsucker, Previous:[12230]slim, Up:[12231]= S =

slop n.

1. A one-sided [12232]fudge factor, that is, an allowance for error but in only one of two directions. For example, if you need a piece of wire 10 feet long and have to guess when you cut it, you make very sure to cut it too long, by a large amount if necessary, rather than too short by even a little bit, because you can always cut off the

slop but you can't paste it back on again. When discrete quantities are involved, slop is often introduced to avoid the possibility of being on the losing side of a [12233]fencepost error. 2. The percentage of 'extra' code generated by a compiler over the size of equivalent assembler code produced by [12234]hand-hacking; i.e., the space (or maybe time) you lose because you didn't do it yourself. This number is often used as a measure of the goodness of a compiler; slop below 5% is very good, and 10% is usually acceptable. With modern compiler technology, esp. on RISC machines, the compiler's slop may actually be negative; that is, humans may be unable to generate code as good. This is one of the reasons assembler programming is no longer common.

Node:slopsucker, Next:[12235]Slowlaris, Previous:[12236]slop,
Up:[12237]= S =

slopsucker /slop'suhk-r/ n.

A lowest-priority task that waits around until everything else has 'had its fill' of machine resources. Only when the machine would otherwise be idle is the task allowed to 'suck up the slop'. Also called a 'hungry puppy' or 'bottom feeder'. One common variety of slopsucker hunts for large prime numbers. Compare [12238]background.

Node:Slowlaris, Next:[12239]slurp, Previous:[12240]slopsucker,
Up:[12241]= S =

Slowlaris /slo'-lahr-is/ n.

[Usenet; poss. from the variety of prosimian called a "slow loris". The variant 'Slowlartus' is also common, related to [12242]LART] Common hackish term for Solaris, Sun's System VR4 version of UNIX that came out of the standardization wars of the early 1990s. So named because especially on older hardware, responsiveness was much less crisp than under the preceding SunOS. Early releases of Solaris (that is, Solaris 2, as some [12243]marketroids at Sun retroactively rechristened SunOS as Solaris 1) were quite buggy, and Sun was forced by customer demand to support SunOS for quite some time. Newer versions are acknowledged to be among the best commercial UNIX variants in 1998, but still lose single-processor benchmarks to Sparc [12244]Linux. Compare [12245]AIDX, [12246]HP-SUX, [12247]Nominal Semidestructor, [12248]Telerat, [12249]sun-stools.

Node:slurp, Next:[12250]smart, Previous:[12251]Slowlaris, Up:[12252]=
S =

slurp vt.

To read a large data file entirely into [12253]core before working on it. This may be contrasted with the strategy of reading a small piece

at a time, processing it, and then reading the next piece. "This program slurps in a 1K-by-1K matrix and does an FFT." See also [12254]sponge.

Node:smart, Next:[12255]smart terminal, Previous:[12256]slurp, Up:[12257]= S =

smart adj.

Said of a program that does the [12258]Right Thing in a wide variety of complicated circumstances. There is a difference between calling a program smart and calling it intelligent; in particular, there do not exist any intelligent programs (yet -- see [12259]AI-complete). Compare [12260]robust (smart programs can be [12261]brittle).

Node:smart terminal, Next:[12262]smash case, Previous:[12263]smart, Up:[12264]= S =

smart terminal n.

1. A terminal that has enough computing capability to render graphics or to offload some kind of front-end processing from the computer it talks to. The development of workstations and personal computers has made this term and the product it describes semi-obsolete, but one may still hear variants of the phrase 'act like a smart terminal' used to describe the behavior of workstations or PCs with respect to programs that execute almost entirely out of a remote [12265]server's storage, using local devices as displays. 2. obs. Any terminal with an addressable cursor; the opposite of a [12266]glass tty. Today, a terminal with merely an addressable cursor, but with none of the more-powerful features mentioned in sense 1, is called a [12267]dumb terminal.

There is a classic quote from Rob Pike (inventor of the [12268]blit terminal): "A smart terminal is not a smartass terminal, but rather a terminal you can educate." This illustrates a common design problem: The attempt to make peripherals (or anything else) intelligent sometimes results in finicky, rigid 'special features' that become just so much dead weight if you try to use the device in any way the designer didn't anticipate. Flexibility and programmability, on the other hand, are really smart. Compare [12269]hook.

Node:smash case, Next:[12270]smash the stack, Previous:[12271]smart terminal, Up:[12272]= S =

smash case vi.

To lose or obliterate the uppercase/lowercase distinction in text input. "MS-DOS will automatically smash case in the names of all the files you create." Compare [12273]fold case.

Node:smash the stack, Next:[12274]smiley, Previous:[12275]smash case,
Up:[12276]= S =

smash the stack n.

[C programming] To corrupt the execution stack by writing past the end of a local array or other data structure. Code that smashes the stack can cause a return from the routine to jump to a random address, resulting in some of the most insidious data-dependent bugs known to mankind. Variants include 'trash' the stack, [12277]scribble the stack, [12278]mangle the stack; the term **[12279]mung the stack is not used, as this is never done intentionally. See [12280]spam; see also [12281]aliasing bug, [12282]fandango on core, [12283]memory leak, [12284]memory smash, [12285]precedence lossage, [12286]overrun screw.

Node:smiley, Next:[12287]smoke, Previous:[12288]smash the stack,
Up:[12289]= S =

smiley n.

See [12290]emoticon.

Node:smoke, Next:[12291]smoke and mirrors, Previous:[12292]smiley,
Up:[12293]= S =

smoke vi.

1. To [12294]crash or blow up, usually spectacularly. "The new version smoked, just like the last one." Used for both hardware (where it often describes an actual physical event), and software (where it's merely colorful). 2. [from automotive slang] To be conspicuously fast. "That processor really smokes." Compare [12295]magic smoke.

Node:smoke and mirrors, Next:[12296]smoke test, Previous:[12297]smoke,
Up:[12298]= S =

smoke and mirrors n.

Marketing deceptions. The term is mainstream in this general sense. Among hackers it's strongly associated with bogus demos and crooked [12299]benchmarks (see also [12300]MIPS, [12301]machoflops). "They claim their new box cranks 50 MIPS for under \$5000, but didn't specify the instruction mix -- sounds like smoke and mirrors to me." The phrase, popularized by newspaper columnist Jimmy Breslin c.1975, has been said to derive from carnie slang for magic acts and 'freak show' displays that depend on 'trompe l'oeil' effects, but also calls to mind the fierce Aztec god Tezcatlipoca (lit. "Smoking Mirror") for whom the hearts of huge numbers of human sacrificial victims were

regularly cut out. Upon hearing about a rigged demo or yet another round of fantasy-based marketing promises, hackers often feel analogously disheartened. See also [12302]stealth manager.

Node:smoke test, Next:[12303]smoking clover, Previous:[12304]smoke and mirrors, Up:[12305]= S =

smoke test n.

1. A rudimentary form of testing applied to electronic equipment following repair or reconfiguration, in which power is applied and the tester checks for sparks, smoke, or other dramatic signs of fundamental failure. See [12306]magic smoke. 2. By extension, the first run of a piece of software after construction or a critical change. See and compare [12307]reality check.

There is an interesting semi-parallel to this term among typographers and printers: When new typefaces are being punch-cut by hand, a 'smoke test' (hold the letter in candle smoke, then press it onto paper) is used to check out new dies.

Node:smoking clover, Next:[12308]smoot, Previous:[12309]smoke test, Up:[12310]= S =

smoking clover n.

[ITS] A [12311]display hack originally due to Bill Gosper. Many convergent lines are drawn on a color monitor in such a way that every pixel struck has its color incremented. The lines all have one endpoint in the middle of the screen; the other endpoints are spaced one pixel apart around the perimeter of a large square. The color map is then repeatedly rotated. This results in a striking, rainbow-hued, shimmering four-leaf clover. Gosper joked about keeping it hidden from the FDA (the U.S.'s Food and Drug Administration) lest its hallucinogenic properties cause it to be banned.

Node:smoot, Next:[12312]SMOP, Previous:[12313]smoking clover, Up:[12314]= S =

smoot /smoot/ n.

[MIT] A unit of length equal five feet seven inches. The length of the Harvard Bridge in Boston is famously 364.4 smoots plus or minus an ear (the ear stands for [12315]epsilon). This legend began with a fraternity prank in 1958 during which the body length of Oliver Smoot (class of '62) was actually used to measure out that distance. It is commemorated by smoot marks that MIT students repaint every few years; the tradition even survived the demolition and rebuilding of the bridge in the late 1980s. The Boston police have been known to use smoot markers to indicate accident locations on the bridge.

Node:SMOP, Next:[12316]smurf, Previous:[12317]smoot, Up:[12318]= S =

SMOP /S-M-O-P/ n.

[Simple (or Small) Matter of Programming] 1. A piece of code, not yet written, whose anticipated length is significantly greater than its complexity. Used to refer to a program that could obviously be written, but is not worth the trouble. Also used ironically to imply that a difficult problem can be easily solved because a program can be written to do it; the irony is that it is very clear that writing such a program will be a great deal of work. "It's easy to enhance a FORTRAN compiler to compile COBOL as well; it's just an SMOP." 2. Often used ironically by the intended victim when a suggestion for a program is made which seems easy to the suggester, but is obviously (to the victim) a lot of work.

Node:smurf, Next:[12319]SNAFU principle, Previous:[12320]SMOP, Up:[12321]= S =

smurf /smerf/ n.

1. [from the soc.motss newsgroup on Usenet, after some obnoxiously gooey cartoon characters] A newsgroup regular with a habitual style that is irreverent, silly, and cute. Like many other hackish terms for people, this one may be praise or insult depending on who uses it. In general, being referred to as a smurf is probably not going to make your day unless you've previously adopted the label yourself in a spirit of irony. Compare [12322]old fart. 2. [techspeak] A ping packet with a forged source address sent to some other network's broadcast address. All the machines on the destination network will send a ping response to the forged source address (the victim). This both overloads the victim's network and hides the location of the attacker.

Node:SNAFU principle, Next:[12323]snail, Previous:[12324]smurf, Up:[12325]= S =

SNAFU principle /sna'foo prin'si-pl/ n.

[from a WWII Army acronym for 'Situation Normal, All Fucked Up'] "True communication is possible only between equals, because inferiors are more consistently rewarded for telling their superiors pleasant lies than for telling the truth." -- a central tenet of [12326]Discordianism, often invoked by hackers to explain why authoritarian hierarchies screw up so reliably and systematically. The effect of the SNAFU principle is a progressive disconnection of decision-makers from reality. This lightly adapted version of a fable dating back to the early 1960s illustrates the phenomenon perfectly:

In the beginning was the plan,

and then the specification;
And the plan was without form,
and the specification was void.

And darkness
was on the faces of the implementors thereof;
And they spake unto their leader,
saying:
"It is a crock of shit,
and smells as of a sewer."

And the leader took pity on them,
and spoke to the project leader:
"It is a crock of excrement,
and none may abide the odor thereof."

And the project leader
spoke unto his section head, saying:
"It is a container of excrement,
and it is very strong, such that none may abide it."

The section head then hurried to his department manager,
and informed him thus:
"It is a vessel of fertilizer,
and none may abide its strength."

The department manager carried these words
to his general manager,
and spoke unto him
saying:
"It containeth that which aideth the growth of plants,
and it is very strong."

And so it was that the general manager rejoiced
and delivered the good news unto the Vice President.
"It promoteth growth,
and it is very powerful."

The Vice President rushed to the President's side,
and joyously exclaimed:
"This powerful new software product
will promote the growth of the company!"

And the President looked upon the product,
and saw that it was very good.

After the subsequent and inevitable disaster, the [12327]suits protect themselves by saying "I was misinformed!", and the implementors are demoted or fired. Compare [12328]Conway's Law.

snail vt.

To [12332]snail-mail something. "Snail me a copy of those graphics, will you?"

Node:snail-mail, Next:[12333]snap, Previous:[12334]snail, Up:[12335]=
S =

snail-mail n.

Paper mail, as opposed to electronic. Sometimes written as the single word 'SnailMail'. One's postal address is, correspondingly, a 'snail address'. Derives from earlier coinage 'USnail' (from 'U.S. Mail'), for which there have even been parody posters and stamps made. Also (less commonly) called 'P-mail', from 'paper mail' or 'physical mail'. Oppose [12336]email.

Node:snap, Next:[12337]snarf, Previous:[12338]snail-mail, Up:[12339]=
S =

snap v.

To replace a pointer to a pointer with a direct pointer; to replace an old address with the forwarding address found there. If you telephone the main number for an institution and ask for a particular person by name, the operator may tell you that person's extension before connecting you, in the hopes that you will 'snap your pointer' and dial direct next time. The underlying metaphor may be that of a rubber band stretched through a number of intermediate points; if you remove all the thumbtacks in the middle, it snaps into a straight line from first to last. See [12340]chase pointers.

Often, the behavior of a [12341]trampoline is to perform an error check once and then snap the pointer that invoked it so as henceforth to bypass the trampoline (and its one-shot error check). In this context one also speaks of 'snapping links'. For example, in a LISP implementation, a function interface trampoline might check to make sure that the caller is passing the correct number of arguments; if it is, and if the caller and the callee are both compiled, then snapping the link allows that particular path to use a direct procedure-call instruction with no further overhead.

Node:snarf, Next:[12342]snarf & barf, Previous:[12343]snap,
Up:[12344]= S =

snarf /snarf/ vt.

1. To grab, esp. to grab a large document or file for the purpose of using it with or without the author's permission. See also [12345]BLT.

2. [in the Unix community] To fetch a file or set of files across a network. See also [12346]blast. This term was mainstream in the late 1960s, meaning 'to eat piggishly'. It may still have this connotation in context. "He's in the snarfing phase of hacking -- [12347]FTPing megs of stuff a day." 3. To acquire, with little concern for legal forms or politesse (but not quite by stealing). "They were giving away samples, so I snarfed a bunch of them." 4. Syn. for [12348]slurp. "This program starts by snarfing the entire database into core, then...." 5. [GEnie] To spray food or [12349]programming fluids due to laughing at the wrong moment. "I was drinking coffee, and when I read your post I snarfed all over my desk." "If I keep reading this topic, I think I'll have to snarf-proof my computer with a keyboard [12350]condom." [This sense appears to be widespread among mundane teenagers --ESR]

Node:snarf & barf, Next:[12351]snarf down, Previous:[12352]snarf, Up:[12353]= S =

snarf & barf /snarf'n-barf/ n.

Under a [12354]WIMP environment, the act of grabbing a region of text and then stuffing the contents of that region into another region (or the same one) to avoid retyping a command line. In the late 1960s, this was a mainstream expression for an 'eat now, regret it later' cheap-restaurant expedition.

Node:snarf down, Next:[12355]snark, Previous:[12356]snarf & barf, Up:[12357]= S =

snarf down v.

To [12358]snarf, with the connotation of absorbing, processing, or understanding. "I'll snarf down the latest version of the [12359]nethack user's guide -- it's been a while since I played last and I don't know what's changed recently."

Node:snark, Next:[12360]sneaker, Previous:[12361]snarf down, Up:[12362]= S =

snark n.

[Lewis Carroll, via the Michigan Terminal System] 1. A system failure. When a user's process bombed, the operator would get the message "Help, Help, Snark in MTS!" 2. More generally, any kind of unexplained or threatening event on a computer (especially if it might be a boojum). Often used to refer to an event or a log file entry that might indicate an attempted security violation. See [12363]snivitz. 3. UUCP name of snark.thysus.com, home site of the Jargon File versions from 2.*.* on (i.e., this lexicon).

Node:sneaker, Next:[12364]sneakernet, Previous:[12365]snark,
Up:[12366]= S =

sneaker n.

An individual hired to break into places in order to test their security; analogous to [12367]tiger team. Compare [12368]samurai.

Node:sneakernet, Next:[12369]sniff, Previous:[12370]sneaker,
Up:[12371]= S =

sneakernet /snee'ker-net/ n.

Term used (generally with ironic intent) for transfer of electronic information by physically carrying tape, disks, or some other media from one machine to another. "Never underestimate the bandwidth of a station wagon filled with magtape, or a 747 filled with CD-ROMs." Also called 'Tennis-Net', 'Armpit-Net', 'Floppy-Net' or 'Shoenet'; in the 1990s, 'Nike network' after a well-known sneaker brand.

Node:sniff, Next:[12372]snivitz, Previous:[12373]sneakernet,
Up:[12374]= S =

sniff v.,n.

1. To watch IP packets traversing a local network. Most often in the phrase 'packet sniffer', a program for doing same. 2.Synonym for [12375]poll.

Node:snivitz, Next:[12376]'Snooze, Previous:[12377]sniff, Up:[12378]=
S =

snivitz /sniv'itz/ n.

A hiccup in hardware or software; a small, transient problem of unknown origin (less serious than a [12379]snark). Compare [12380]glitch.

Node:'Snooze, Next:[12381]SO, Previous:[12382]snivitz, Up:[12383]= S =

'Snooze /snooz/ [FidoNet] n.

Fidonews, the weekly official on-line newsletter of FidoNet. As the editorial policy of Fidonews is "anything that arrives, we print", there are often large articles completely unrelated to FidoNet, which in turn tend to elicit [12384]flamage in subsequent issues.

Node:SO, Next:[12385]social engineering, Previous:[12386]'Snooze,
Up:[12387]= S =

SO /S-O/ n.

1. (also 'S.O.')

Abbrev. for Significant Other, almost invariably written abbreviated and pronounced /S-O/ by hackers. Used to refer to one's primary relationship, esp. a live-in to whom one is not married. See [12388]MOTAS, [12389]MOTOS, [12390]MOTSS. 2. [techspeak] The Shift Out control character in ASCII (Control-N, 0001110).

Node:social engineering, Next:[12391]social science number,
Previous:[12392]SO, Up:[12393]= S =

social engineering n.

Term used among [12394]crackers and [12395]samurai for cracking techniques that rely on weaknesses in [12396]wetware rather than software; the aim is to trick people into revealing passwords or other information that compromises a target system's security. Classic scams include phoning up a mark who has the required information and posing as a field service tech or a fellow employee with an urgent access problem. See also the [12397]tiger team story in the [12398]patch entry.

Node:social science number, Next:[12399]sock puppet,
Previous:[12400]social engineering, Up:[12401]= S =

social science number n. //

[IBM] A statistic that is [12402]content-free, or nearly so. A measure derived via methods of questionable validity from data of a dubious and vague nature. Predictively, having a social science number in hand is seldom much better than nothing, and can be considerably worse. As a rule, [12403]management loves them. See also [12404]numbers, [12405]math-out, [12406]pretty pictures.

Node:sock puppet, Next:[12407]sodium substrate, Previous:[12408]social science number, Up:[12409]= S =

sock puppet n.

[Usenet: from the act of placing a sock over your hand and talking to it and pretending it's talking back] In Usenet parlance, a [12410]pseudo through which the puppeteer posts follow-ups to their own original message to give the appearance that a number of people support the views held in the original message.

Node:sodium substrate, Next:[12411]soft boot, Previous:[12412]sock

puppet, Up:[12413]= S =

sodium substrate n.

Syn [12414]salt substrate.

Node:soft boot, Next:[12415]softcopy, Previous:[12416]sodium substrate, Up:[12417]= S =

soft boot n.

See [12418]boot.

Node:softcopy, Next:[12419]software bloat, Previous:[12420]soft boot, Up:[12421]= S =

softcopy /soft'kop-ee/ n.

[by analogy with 'hardcopy'] A machine-readable form of corresponding hardcopy. See [12422]bits, [12423]machinable.

Node:software bloat, Next:[12424]software hoarding, Previous:[12425]softcopy, Up:[12426]= S =

software bloat n.

The results of [12427]second-system effect or [12428]creeping featuritis. Commonly cited examples include ls(1), [12429]X, [12430]BSD, [12431]Missed'em-five, and [12432]OS/2.

Node:software hoarding, Next:[12433]software laser, Previous:[12434]software bloat, Up:[12435]= S =

software hoarding n.

Pejorative term employed by members and adherents of the [12436]GNU project to describe the act of holding software proprietary, keeping it under trade secret or license terms which prohibit free redistribution and modification. Used primarily in Free Software Foundation propaganda. For a summary of related issues, see [12437]GNU.

Node:software laser, Next:[12438]software rot, Previous:[12439]software hoarding, Up:[12440]= S =

software laser n.

An optical laser works by bouncing photons back and forth between two

mirrors, one totally reflective and one partially reflective. If the lasing material (usually a crystal) has the right properties, photons scattering off the atoms in the crystal will excite cascades of more photons, all in lockstep. Eventually the beam will escape through the partially-reflective mirror. One kind of [12441]sorcerer's apprentice mode involving [12442]bounce messages can produce closely analogous results, with a [12443]cascade of messages escaping to flood nearby systems. By mid-1993 there had been at least two publicized incidents of this kind.

Node:software rot, Next:[12444]softwarily, Previous:[12445]software laser, Up:[12446]= S =

software rot n.

Term used to describe the tendency of software that has not been used in a while to [12447]lose; such failure may be semi-humorously ascribed to [12448]bit rot. More commonly, 'software rot' strikes when a program's assumptions become out of date. If the design was insufficiently [12449]robust, this may cause it to fail in mysterious ways. Syn. 'code rot'. See also [12450]link rot.

For example, owing to endemic shortsightedness in the design of COBOL programs, a good number of them succumbed to software rot when their 2-digit year counters underwent [12451]wrap around at the beginning of the year 2000. Actually, related lossages often afflict centenarians who have to deal with computer software designed by unimaginative clods. One such incident became the focus of a minor public flap in 1990, when a gentleman born in 1889 applied for a driver's license renewal in Raleigh, North Carolina. The new system refused to issue the card, probably because with 2-digit years the ages 101 and 1 cannot be distinguished.

Historical note: Software rot in an even funnier sense than the mythical one was a real problem on early research computers (e.g., the R1; see [12452]grind crank). If a program that depended on a peculiar instruction hadn't been run in quite a while, the user might discover that the opcodes no longer did the same things they once did. ("Hey, so-and-so needs an instruction to do such-and-such. We can [12453]snarf this opcode, right? No one uses it.")

Another classic example of this sprang from the time an MIT hacker found a simple way to double the speed of the unconditional jump instruction on a PDP-6, so he patched the hardware. Unfortunately, this broke some fragile timing software in a music-playing program, throwing its output out of tune. This was fixed by adding a defensive initialization routine to compare the speed of a timing loop with the real-time clock; in other words, it figured out how fast the PDP-6 was that day, and corrected appropriately.

Compare [12454]bit rot.

Node:softwarily, Next:[12455]softy, Previous:[12456]software rot,
Up:[12457]= S =

softwarily /soft-weir'i-lee/ adv.

In a way pertaining to software. "The system is softwarily unreliable." The adjective **softwary** is not used. See [12458]hardwarily.

Node:softy, Next:[12459]some random X, Previous:[12460]softwarily,
Up:[12461]= S =

softy n.

[IBM] Hardware hackers' term for a software expert who is largely ignorant of the mysteries of hardware.

Node:some random X, Next:[12462]sorcerer's apprentice mode,
Previous:[12463]softy, Up:[12464]= S =

some random X adj.

Used to indicate a member of class X, with the implication that Xs are interchangeable. "I think some random cracker tripped over the guest timeout last night." See also [12465]J. Random.

Node:sorcerer's apprentice mode, Next:[12466]SOS, Previous:[12467]some random X, Up:[12468]= S =

sorcerer's apprentice mode n.

[from Goethe's "Der Zauberlehrling" via Paul Dukas's "L'apprenti sorcier" the film "Fantasia"] A bug in a protocol where, under some circumstances, the receipt of a message causes multiple messages to be sent, each of which, when received, triggers the same bug. Used esp. of such behavior caused by [12469]bounce message loops in [12470]email software. Compare [12471]broadcast storm, [12472]network meltdown, [12473]software laser, [12474]ARMM.

Node:SOS, Next:[12475]source, Previous:[12476]sorcerer's apprentice mode, Up:[12477]= S =

SOS /S-O-S/

n.,obs. An infamously [12478]losing text editor. Once, back in the 1960s, when a text editor was needed for the PDP-6, a hacker crufted together a [12479]quick-and-dirty 'stopgap editor' to be used until a better one was written. Unfortunately, the old one was never really

discarded when new ones came along. SOS is a descendant ('Son of Stopgap') of that editor, and many PDP-10 users gained the dubious pleasure of its acquaintance. Since then other programs similar in style to SOS have been written, notably the early font editor BILOS /bye'lohs/, the Brother-In-Law Of Stopgap (the alternate expansion 'Bastard Issue, Loins of Stopgap' has been proposed).

Node:source, Next:[12480]source of all good bits, Previous:[12481]SOS,
Up:[12482]= S =

source n.

[very common] In reference to software, 'source' is invariably shorthand for 'source code', the preferred human-readable and human-modifiable form of the program. This is as opposed to object code, the derived binary executable form of a program. This shorthand readily takes derivative forms; one may speak of "the sources of a system" or of "having source".

Node:source of all good bits, Next:[12483]space-cadet keyboard,
Previous:[12484]source, Up:[12485]= S =

source of all good bits n.

A person from whom (or a place from which) useful information may be obtained. If you need to know about a program, a [12486]guru might be the source of all good bits. The title is often applied to a particularly competent secretary.

Node:space-cadet keyboard, Next:[12487]spaceship operator,
Previous:[12488]source of all good bits, Up:[12489]= S =

space-cadet keyboard n.

A now-legendary device used on MIT LISP machines, which inspired several still-current jargon terms and influenced the design of [12490]EMACS. It was equipped with no fewer than seven shift keys: four keys for [12491]bucky bits ('control', 'meta', 'hyper', and 'super') and three like regular shift keys, called 'shift', 'top', and 'front'. Many keys had three symbols on them: a letter and a symbol on the top, and a Greek letter on the front. For example, the 'L' key had an 'L' and a two-way arrow on the top, and the Greek letter lambda on the front. By pressing this key with the right hand while playing an appropriate 'chord' with the left hand on the shift keys, you could get the following results:

L

lowercase l

shift-L

uppercase L

front-L

lowercase lambda

front-shift-L

uppercase lambda

top-L

two-way arrow (front and shift are ignored)

And of course each of these might also be typed with any combination of the control, meta, hyper, and super keys. On this keyboard, you could type over 8000 different characters! This allowed the user to type very complicated mathematical text, and also to have thousands of single-character commands at his disposal. Many hackers were actually willing to memorize the command meanings of that many characters if it reduced typing time (this attitude obviously shaped the interface of EMACS). Other hackers, however, thought having that many bucky bits was overkill, and objected that such a keyboard can require three or four hands to operate. See [12492]bucky bits, [12493]cokebottle, [12494]double bucky, [12495]meta bit, [12496]quadruple bucky.

Note: early versions of this entry incorrectly identified the space-cadet keyboard with the 'Knight keyboard'. Though both were designed by Tom Knight, the latter term was properly applied only to a keyboard used for ITS on the PDP-10 and modeled on the Stanford keyboard (as described under [12497]bucky bits). The true space-cadet keyboard evolved from the first Knight keyboard.

Node:spaceship operator, Next:[12498]SPACEWAR,
Previous:[12499]space-cadet keyboard, Up:[12500]= S =

spaceship operator n.

The glyph <=>, so-called apparently because in the low-resolution constant-width font used on many terminals it vaguely resembles a flying saucer. [12501]Perl uses this to denote the signum-of-difference operation.

Node:SPACEWAR, Next:[12502]spaghetti code, Previous:[12503]spaceship operator, Up:[12504]= S =

SPACEWAR n.

A space-combat simulation game, inspired by E. E. "Doc" Smith's "Lensman" books, in which two spaceships duel around a central sun, shooting torpedoes at each other and jumping through hyperspace. This game was first implemented on the PDP-1 at MIT in 1962. In 1968-69, a descendant of the game motivated Ken Thompson to build, in his spare time on a scavenged PDP-7, the operating system that became

[12505]Unix. Less than nine years after that, SPACEWAR was commercialized as one of the first video games; descendants are still [12506]feeping in video arcades everywhere.

Node:spaghetti code, Next:[12507]spaghetti inheritance,
Previous:[12508]SPACEWAR, Up:[12509]= S =

spaghetti code n.

Code with a complex and tangled control structure, esp. one using many GOTOs, exceptions, or other 'unstructured' branching constructs. Pejorative. The synonym 'kangaroo code' has been reported, doubtless because such code has so many jumps in it.

Node:spaghetti inheritance, Next:[12510]spam,
Previous:[12511]spaghetti code, Up:[12512]= S =

spaghetti inheritance n.

[encountered among users of object-oriented languages that use inheritance, such as Smalltalk] A convoluted class-subclass graph, often resulting from carelessly deriving subclasses from other classes just for the sake of reusing their code. Coined in a (successful) attempt to discourage such practice, through guilt-by-association with [12513]spaghetti code.

Node:spam, Next:[12514]spam bait, Previous:[12515]spaghetti inheritance, Up:[12516]= S =

spam vt.,vi.,n.

[from "Monty Python's Flying Circus"] 1. To crash a program by overrunning a fixed-size buffer with excessively large input data. See also [12517]buffer overflow, [12518]overrun screw, [12519]smash the stack. 2. To cause a newsgroup to be flooded with irrelevant or inappropriate messages. You can spam a newsgroup with as little as one well- (or ill-) planned message (e.g. asking "What do you think of abortion?" on soc.women). This is often done with [12520]cross-posting (e.g. any message which is crossposted to alt.rush-limbaugh and alt.politics.homosexuality will almost inevitably spam both groups). This overlaps with [12521]troll behavior; the latter more specific term has become more common. 3. To send many identical or nearly-identical messages separately to a large number of Usenet newsgroups. This is more specifically called 'ECP', Excessive Cross-Posting. This is one sure way to infuriate nearly everyone on the Net. See also [12522]velveeta and [12523]jello. 4. To bombard a newsgroup with multiple copies of a message. This is more specifically called 'EMP', Excessive Multi-Posting. 5. To mass-mail unrequested identical or nearly-identical email messages, particularly those containing advertising. Especially used when the mail addresses have

been culled from network traffic or databases without the consent of the recipients. Synonyms include [12524]UCE, [12525]UBE. 6. Any large, annoying, quantity of output. For instance, someone on IRC who walks away from their screen and comes back to find 200 lines of text might say "Oh no, spam".

The later definitions have become much more prevalent as the Internet has opened up to non-techies, and to most people senses 3 4 and 5 are now primary. All three behaviors are considered abuse of the net, and are almost universally grounds for termination of the originator's email account or network connection. In these senses the term 'spam' has gone mainstream, though without its original sense or folkloric freight - there is apparently a widespread myth among [12526]users that "spamming" is what happens when you dump cans of Spam into a revolving fan.

Node:spam bait, Next:[12527]spamblock, Previous:[12528]spam,
Up:[12529]= S =

spam bait n.

Email addresses included in, or comprising the entirety of, a usenet message so that spammers mining a newsgroup with an [12530]address harvester will collect them. These addresses can be people who have offended or annoyed the poster, or who are included so that a spammer will spam an official, thereby causing himself trouble. One particularly effective form of spam bait is the address of a [12531]teergrube.

Node:spamblock, Next:[12532]spamhaus, Previous:[12533]spam bait,
Up:[12534]= S =

spamblock /spam'blok/ n.

[poss. by analogy to sunblock] Text inserted in an email address to render it invalid and thus useless to spammers. For example, the address 'jrandom@hacker.org' might be transformed to 'jrandom@NOSPAM.hacker.org'. Adding spamblock to an address is often referred to as 'munging' it (see [12535]munge)-. This evasion tactic depends on the fact that most spammers collect names with some sort of [12536]address harvester on volumes too high to de-mung by hand, but individual humans reading an email message can readily spot and remove a spamblock in the from address.

Note: This is not actually a very effective tactic, and may already be passing out of use in early 1999 after about two years of life. In both mail and news, it's essentially impossible to keep a smart address harvester from mining out the addresses in the message header and trace lines. Therefore the only people who can be protected are third parties mentioned by email address in the message - not a common enough case to interest spammers.

Node:spamhaus, Next:[12537]spamvertize, Previous:[12538]spamblock,
Up:[12539]= S =

spamhaus spam'how's n.

Pejorative term for an internet service provider that permits or even encourages [12540]spam mailings from its systems. The plural is 'spamhausen'. There is a web page devoted to [12541]tracking spamhausen.

The most notorious of the spamhausen was Sanford Wallace's Cyber Promotions Inc., shut down by a lawsuit on 16 October 1997. The anniversary of the shutdown is celebrated on Usenet as Spam Freedom Day, but lesser imitators of the Spamford still infest various murky corners of the net. Since prosecution of spammers became routine under the junk-fax laws and statues specifically targeting spam, spamhausen have declined in relative importance; today, hit-and-run attacks by spammers using [12542]relay rape and [12543]throwaway accounts on reputable ISPs seem to account for most of the flow.

Node:spamvertize, Next:[12544]spangle, Previous:[12545]spamhaus,
Up:[12546]= S =

spamvertize v.

To advertise using [12547]spam. Pejorative.

Node:spangle, Next:[12548]spawn, Previous:[12549]spamvertize,
Up:[12550]= S =

spangle n.

[UK] The singular of [12551]bells and whistles. See also [12552]spungle.

Node:spawn, Next:[12553]special-case, Previous:[12554]spangle,
Up:[12555]= S =

spawn n.,vi.

1. [techspeak] In UNIX parlance, to create a child process from within a process. Technically this is a 'fork'; the term 'spawn' is a bit more general and is used for threads (lightweight processes) as well as traditional heavyweight processes. 2. In gaming, meant to indicate where ('spawn-point') and when a player comes to life (or 're-spawns') after being killed. Opposite of [12556]frag.

Node:special-case, Next:[12557]speedometer, Previous:[12558]spawn,
Up:[12559]= S =

special-case vt.

To write unique code to handle input to or situations arising in a program that are somehow distinguished from normal processing. This would be used for processing of mode switches or interrupt characters in an interactive interface (as opposed, say, to text entry or normal commands), or for processing of [12560]hidden flags in the input of a batch program or [12561]filter.

Node:speedometer, Next:[12562]spell, Previous:[12563]special-case,
Up:[12564]= S =

speedometer n.

A pattern of lights displayed on a linear set of LEDs (today) or nixie tubes (yesterday, on ancient mainframes). The pattern is shifted left every N times the operating system goes through its [12565]main loop. A swiftly moving pattern indicates that the system is mostly idle; the speedometer slows down as the system becomes overloaded. The speedometer on Sun Microsystems hardware bounces back and forth like the eyes on one of the Cylons from the wretched "Battlestar Galactica" TV series.

Historical note: One computer, the GE 600 (later Honeywell 6000) actually had an analog speedometer on the front panel, calibrated in instructions executed per second.

Node:spell, Next:[12566]spelling flame, Previous:[12567]speedometer,
Up:[12568]= S =

spell n.

Syn. [12569]incantation.

Node:spelling flame, Next:[12570]spider, Previous:[12571]spell,
Up:[12572]= S =

spelling flame n. //

[Usenet] A posting ostentatiously correcting a previous article's spelling as a way of casting scorn on the point the article was trying to make, instead of actually responding to that point (compare [12573]dictionary flame). Of course, people who are more than usually slovenly spellers are prone to think any correction is a spelling flame. It's an amusing comment on human nature that spelling flames themselves often contain spelling errors.

Node:spider, Next:[12574]spider food, Previous:[12575]spelling flame,
Up:[12576]= S =

spider

The Web-walking part of a search engine that collects pages for indexing in the search engine's database. Also called a [12577]bot. The best-known spider is Scooter, the web-walker for the Alta Vista search engine.

Node:spider food, Next:[12578]spiffy, Previous:[12579]spider,
Up:[12580]= S =

spider food n.

Keywords embedded (usually invisibly) into a web page to attract search engines (spiders). The intended result of including spider food in one's web page is to insure that the page appears high on the list of matching entries to a search engine query. There are right and wrong ways to do this; the right way is a discreet 'meta keywords' tag, the wrong way is to embed many repeats of a keyword in comments (and many search engines now detect and ignore the latter).

Node:spiffy, Next:[12581]spike, Previous:[12582]spider food,
Up:[12583]= S =

spiffy /spi'fee/ adj.

1. Said of programs having a pretty, clever, or exceptionally well-designed interface. "Have you seen the spiffy [12584]X version of [12585]empire yet?" 2. Said sarcastically of a program that is perceived to have little more than a flashy interface going for it. Which meaning should be drawn depends delicately on tone of voice and context. This word was common mainstream slang during the 1940s, in a sense close to 1.

Node:spike, Next:[12586]spin, Previous:[12587]spiffy, Up:[12588]= S =

spike v.

To defeat a selection mechanism by introducing a (sometimes temporary) device that forces a specific result. The word is used in several industries; telephone engineers refer to spiking a relay by inserting a pin to hold the relay in either the closed or open state, and railroaders refer to spiking a track switch so that it cannot be moved. In programming environments it normally refers to a temporary change, usually for testing purposes (as opposed to a permanent change, which would be called [12589]hardwired).

Node:spin, Next:[12590]spl, Previous:[12591]spike, Up:[12592]= S =

spin vi.

Equivalent to [12593]buzz. More common among C and Unix programmers.
See the discussion of 'spinlock' under [12594]busy-wait.

Node:spl, Next:[12595]splash screen, Previous:[12596]spin, Up:[12597]=
S =

spl /S-P-L/

[abbrev, from Set Priority Level] The way traditional Unix kernels implement mutual exclusion by running code at high interrupt levels. Used in jargon to describe the act of tuning in or tuning out ordinary communication. Classically, spl levels run from 1 to 7; "Fred's at spl 6 today" would mean that he is very hard to interrupt. "Wait till I finish this; I'll spl down then." See also [12598]interrupts locked out.

Node:splash screen, Next:[12599]splat, Previous:[12600]spl,
Up:[12601]= S =

splash screen n.

[Mac users] Syn. [12602]banner, sense 3.

Node:splat, Next:[12603]splat out, Previous:[12604]splash screen,
Up:[12605]= S =

splat n.

1. Name used in many places (DEC, IBM, and others) for the asterisk (*) character (ASCII 0101010). This may derive from the 'squashed-bug' appearance of the asterisk on many early line printers. 2. [MIT] Name used by some people for the # character (ASCII 0100011). 3. The [12606]feature key on a Mac (same as [12607]alt, sense 2). 4. obs. Name used by some people for the Stanford/ITS extended ASCII circle-x character. This character is also called 'blobby' and 'frob', among other names; it is sometimes used by mathematicians as a notation for 'tensor product'. 5. obs. Name for the semi-mythical Stanford extended ASCII circle-plus character. See also [12608]ASCII.

Node:splat out, Next:[12609]spod, Previous:[12610]splat, Up:[12611]= S =

splat out v.

[Usenet] To partially obscure a potentially provocative word by substituting [12612]splat characters for some of its letters (usually, but not always, the vowels). The purpose is not to make the word unrecognizable but to make it a mention rather than a use, so that no flamewar ensues. Words often splatted out include N*z* (see [12613]Godwin's Law), *v*!*"**n (anywhere fundamentalists might be lurking), *b*rt**n, and g*n c*ntr*I. Compare [12614]UN*X.

Node:spod, Next:[12615]spoiler, Previous:[12616]splat out, Up:[12617]= S =

spod n.

[UK] 1. A lower form of life found on [12618]talker systems and [12619]MUDs. The spod has few friends in [12620]RL and uses talkers instead, finding communication easier and preferable over the net. He has all the negative traits of the [12621]computer geek without having any interest in computers per se. Lacking any knowledge of or interest in how networks work, and considering his access a God-given right, he is a major irritant to sysadmins, clogging up lines in order to reach new MUDs, following passed-on instructions on how to sneak his way onto Internet ("Wow! It's in America!") and complaining when he is not allowed to use busy routes. A true spod will start any conversation with "Are you male or female?" (and follow it up with "Got any good numbers/IDs/passwords?") and will not talk to someone physically present in the same terminal room until they log onto the same machine that he is using and enter talk mode. Compare [12622]newbie, [12623]tourist, [12624]weenie, [12625]twink, [12626]terminal junkie, [12627]warez d00dz. 2. A [12628]backronym for "Sole Purpose, Obtain a Degree"; according to some self-described spods, this term is used by indifferent students to condemn their harder-working fellows. Compare the defiant adoption of the term 'geek' in the mid-1990s by people who would previously have been stigmatized by it (see [12629]computer geek). 3. [obs.] An ordinary person; a [12630]random. This is the meaning with which the term was coined, but the inventor informs us he has himself accepted sense 1.

Node:spoiler, Next:[12631]spoiler space, Previous:[12632]spod, Up:[12633]= S =

spoiler n.

[Usenet] 1. A remark which reveals important plot elements from books or movies, thus denying the reader (of the article) the proper suspense when reading the book or watching the movie. 2. Any remark which telegraphs the solution of a problem or puzzle, thus denying the reader the pleasure of working out the correct answer (see also [12634]interesting). Either sense readily forms compounds like 'total spoiler', 'quasi-spoiler' and even 'pseudo-spoiler'.

By convention, articles which are spoilers in either sense should

contain the word 'spoiler' in the Subject: line, or guarantee via various tricks that the answer appears only after several screens-full of warning, or conceal the sensitive information via [12635]rot13, [12636]spoiler space or some combination of these techniques.

Node:spoiler space, Next:[12637]sponge, Previous:[12638]spoiler, Up:[12639]= S =

spoiler space

[also 'spoiler spoo'] A screenful of blank lines (and, often, form-feeds) deliberately inserted in a message following a [12640]spoiler warning, so the actual spoiler can't be seen without hitting a key.

Node:sponge, Next:[12641]spoo, Previous:[12642]spoiler space, Up:[12643]= S =

sponge n.

[Unix] A special case of a [12644]filter that reads its entire input before writing any output; the canonical example is a sort utility. Unlike most filters, a sponge can conveniently overwrite the input file with the output data stream. If a file system has versioning (as ITS did and VMS does now) the sponge/filter distinction loses its usefulness, because directing filter output would just write a new version. See also [12645]slurp.

Node:spoo, Next:[12646]spool, Previous:[12647]sponge, Up:[12648]= S =

spoo vi.

To capture, alter, and retransmit a communication stream in a way that misleads the recipient. As used by hackers, refers especially to altering TCP/IP packet source addresses or other packet-header data in order to masquerade as a trusted machine. This term has become very widespread and is borderline techspeak.

Node:spool, Next:[12649]spool file, Previous:[12650]spoo, Up:[12651]= S =

spool vi.

[from early IBM 'Simultaneous Peripheral Operation On-Line', but is widely thought to be a [12652]backronym] To send files to some device or program (a 'spooler') that queues them up and does something useful with them later. Without qualification, the spooler is the 'print spooler' controlling output of jobs to a printer; but the term has been used in connection with other peripherals (especially plotters

and graphics devices) and occasionally even for input devices. See also [12653]demon.

Node:spool file, Next:[12654]spungle, Previous:[12655]spool, Up:[12656]= S =

spool file n.

Any file to which data is [12657]spooled to await the next stage of processing. Especially used in circumstances where spooling the data copes with a mismatch between speeds in two devices or pieces of software. For example, when you send mail under Unix, it's typically copied to a spool file to await a transport [12658]demon's attentions. This is borderline techspeak.

Node:spungle, Next:[12659]square tape, Previous:[12660]spool file, Up:[12661]= S =

spungle n.

[Durham, UK; portmanteau, [12662]spangle + bungle] A [12663]spangle of no actual usefulness. Example: Roger the Bent Paperclip in Microsoft Word '98. A spungle's only virtue is that it looks pretty, unless you find creeping featurism ugly.

Node:square tape, Next:[12664]squirrelcide, Previous:[12665]spungle, Up:[12666]= S =

square tape n.

Mainframe magnetic tape cartridges for use with IBM 3480 or compatible tape drives; or QIC tapes used on workstations and micros. The term comes from the square (actually rectangular) shape of the cartridges; contrast [12667]round tape.

Node:squirrelcide, Next:[12668]stack, Previous:[12669]square tape, Up:[12670]= S =

squirrelcide n.

[common on Usenet's comp.risks newsgroup.] (alt. 'squirrelcide') What all too frequently happens when a squirrel decides to exercise its species's unfortunate penchant for shorting out power lines with their little furry bodies. Result: one dead squirrel, one down computer installation. In this situation, the computer system is said to have been squirrelcided.

Node:stack, Next:[12671]stack puke, Previous:[12672]squirrelcide,

Up:[12673]= S =

stack n.

The set of things a person has to do in the future. One speaks of the next project to be attacked as having risen to the top of the stack. "I'm afraid I've got real work to do, so this'll have to be pushed way down on my stack." "I haven't done it yet because every time I pop my stack something new gets pushed." If you are interrupted several times in the middle of a conversation, "My stack overflowed" means "I forget what we were talking about." The implication is that more items were pushed onto the stack than could be remembered, so the least recent items were lost. The usual physical example of a stack is to be found in a cafeteria: a pile of plates or trays sitting on a spring in a well, so that when you put one on the top they all sink down, and when you take one off the top the rest spring up a bit. See also [12674]push and [12675]pop.

At MIT, [12676]PDL used to be a more common synonym for [12677]stack in all these contexts, and this may still be true. Everywhere else [12678]stack seems to be the preferred term. [12679]Knuth ("The Art of Computer Programming", second edition, vol. 1, p. 236) says:

Many people who realized the importance of stacks and queues independently have given other names to these structures: stacks have been called push-down lists, reversion storages, cellars, nesting stores, piles, last-in-first-out ("LIFO") lists, and even yo-yo lists!

Node:stack puke, Next:[12680]stale pointer bug, Previous:[12681]stack, Up:[12682]= S =

stack puke n.

Some processor architectures are said to 'puke their guts onto the stack' to save their internal state during exception processing. The Motorola 68020, for example, regurgitates up to 92 bytes on a bus fault. On a pipelined machine, this can take a while.

Node:stale pointer bug, Next:[12683]star out, Previous:[12684]stack puke, Up:[12685]= S =

stale pointer bug n.

Synonym for [12686]aliasing bug used esp. among microcomputer hackers.

Node:star out, Next:[12687]state, Previous:[12688]stale pointer bug, Up:[12689]= S =

star out v.

[University of York, England] To replace a user's encrypted password in /etc/passwd with a single asterisk. Under Unix this is not a legal encryption of any password; hence the user is not permitted to log in. In general, accounts like adm, news, and daemon are permanently "starred out"; occasionally a real user might have the this inflicted upon him/her as a punishment, e.g. "Graham was starred out for playing Omega in working hours". Also occasionally known as The Order Of The Gold Star in this context. "Don't do that, or you'll be awarded the Order of the Gold Star..." Compare [12690]disusered.

Node:state, Next:[12691]stealth manager, Previous:[12692]star out, Up:[12693]= S =

state n.

1. Condition, situation. "What's the state of your latest hack?" "It's winning away." "The system tried to read and write the disk simultaneously and got into a totally [12694]wedged state." The standard question "What's your state?" means "What are you doing?" or "What are you about to do?" Typical answers are "about to gronk out", or "hungry". Another standard question is "What's the state of the world?", meaning "What's new?" or "What's going on?". The more terse and humorous way of asking these questions would be "State-p?". Another way of phrasing the first question under sense 1 would be "state-p latest hack?". 2. Information being maintained in non-permanent memory (electronic or human).

Node:stealth manager, Next:[12695]steam-powered, Previous:[12696]state, Up:[12697]= S =

stealth manager n.

[Corporate DP] A manager that appears out of nowhere, promises undeliverable software to unknown end users, and vanishes before the programming staff realizes what has happened. See [12698]smoke and mirrors.

Node:steam-powered, Next:[12699]STFW, Previous:[12700]stealth manager, Up:[12701]= S =

steam-powered adj.

Old-fashioned or underpowered; archaic. This term does not have a strong negative loading and may even be used semi-affectionately for something that clanks and wheezes a lot but hangs in there doing the job.

Node:STFW, Next:[12702]stiffy, Previous:[12703]steam-powered,

Up:[12704]= S =

STFW imp. /S-T-F-W/

[Usenet] Common abbreviation for "Search The Fucking Web", a suggestion that what you're asking for is a query better handled by a search engine than a human being. Usage is common and exactly parallel to both senses of [12705]RTFM.

Node:stiffy, Next:[12706]stir-fried random, Previous:[12707]STFW,
Up:[12708]= S =

stiffy n.

3.5-inch [12709]microflops, so called because their jackets are more rigid than those of the 5.25-inch and the (now totally obsolete) 8-inch floppy. Elsewhere this might be called a 'firmy'. For some odd reason, several sources have taken the trouble to inform us that this term is widespread in South Africa.

Node:stir-fried random, Next:[12710]stomp on, Previous:[12711]stiffy,
Up:[12712]= S =

stir-fried random n.

(alt. 'stir-fried mumble') Term used for the best dish of many of those hackers who can cook. Consists of random fresh veggies and meat wokked with random spices. Tasty and economical. See [12713]random, [12714]great-wall, [12715]ravs, [12716]laser chicken, [12717]oriental food; see also [12718]mumble.

Node:stomp on, Next:[12719]Stone Age, Previous:[12720]stir-fried random, Up:[12721]= S =

stomp on vt.

To inadvertently overwrite something important, usually automatically. "All the work I did this weekend got stomped on last night by the nightly server script." Compare [12722]scribble, [12723]mangle, [12724]trash, [12725]scrog, [12726]roach.

Node:Stone Age, Next:[12727]stone knives and bearskins,
Previous:[12728]stomp on, Up:[12729]= S =

Stone Age n.,adj.

1. In computer folklore, an ill-defined period from ENIAC (ca. 1943) to the mid-1950s; the great age of electromechanical [12730]dinosaurs. Sometimes used for the entire period up to 1960-61 (see [12731]Iron

Age); however, it is funnier and more descriptive to characterize the latter period in terms of a 'Bronze Age' era of transistor-logic, pre-ferrite-[12732]core machines with drum or CRT mass storage (as opposed to just mercury delay lines and/or relays). See also [12733]Iron Age. 2. More generally, a pejorative for any cruddy, ancient piece of hardware or software technology. Note that this is used even by people who were there for the [12734]Stone Age (sense 1).

Node:stone knives and bearskins, Next:[12735]stoppage,
Previous:[12736]Stone Age, Up:[12737]= S =

stone knives and bearskins n.

[from the Star Trek Classic episode "The City on the Edge of Forever"]
A term traditionally used to describe (and deprecate) computing environments that are grotesquely primitive in light of what is known about good ways to design things. As in "Don't get too used to the facilities here. Once you leave SAIL it's stone knives and bearskins as far as the eye can see". Compare [12738]steam-powered.

Node:stoppage, Next:[12739]store, Previous:[12740]stone knives and bearskins, Up:[12741]= S =

stoppage /sto'p*j/ n.

Extreme [12742]lossage that renders something (usually something vital) completely unusable. "The recent system stoppage was caused by a [12743]fried transformer."

Node:store, Next:[12744]strided, Previous:[12745]stoppage, Up:[12746]= S =

store n.

[prob. from techspeak 'main store'] In some varieties of Commonwealth hackish, the preferred synonym for [12747]core. Thus, 'bringing a program into store' means not that one is returning shrink-wrapped software but that a program is being [12748]swapped in.

Node:strided, Next:[12749]stroke, Previous:[12750]store, Up:[12751]= S =

strided /stri:'d*d/ adj.

[scientific computing] Said of a sequence of memory reads and writes to addresses, each of which is separated from the last by a constant interval called the 'stride length'. These can be a worst-case access pattern for the standard memory-caching schemes when the stride length is a multiple of the cache line size. Strided references are often

generated by loops through an array, and (if your data is large enough that access-time is significant) it can be worthwhile to tune for better locality by inverting double loops or by partially unrolling the outer loop of a loop nest. This usage is borderline techspeak; the related term 'memory stride' is definitely techspeak.

Node:stroke, Next:[12752]strudel, Previous:[12753]strided, Up:[12754]=
S =

stroke n.

Common name for the slant ('/', ASCII 0101111) character. See [12755]ASCII for other synonyms.

Node:strudel, Next:[12756]stubroutine, Previous:[12757]stroke,
Up:[12758]= S =

strudel n.

Common (spoken) name for the at-sign ('@', ASCII 1000000) character. See [12759]ASCII for other synonyms.

Node:stubroutine, Next:[12760]studly, Previous:[12761]strudel,
Up:[12762]= S =

stubroutine /stuhb'roo-teen/ n.

[contraction of 'stub subroutine'] Tiny, often vacuous placeholder for a subroutine that is to be written or fleshed out later.

Node:studly, Next:[12763]studlycaps, Previous:[12764]stubroutine,
Up:[12765]= S =

studly adj.

Impressive; powerful. Said of code and designs which exhibit both complexity and a virtuoso flair. Has connotations similar to [12766]hairy but is more positive in tone. Often in the emphatic 'most studly' or as noun-form 'studliness'. "Smail 3.0's configuration parser is most studly."

Node:studlycaps, Next:[12767]stunning, Previous:[12768]studly,
Up:[12769]= S =

studlycaps /stuhd'lee-kaps/ n.

A hackish form of silliness similar to [12770]BiCapitalization for trademarks, but applied randomly and to arbitrary text rather than to

trademarks. The origin and significance of this practice is obscure.

Node:stunning, Next:[12771]stupid-sort, Previous:[12772]studlycaps,
Up:[12773]= S =

stunning adj.

Mind-bogglingly stupid. Usually used in sarcasm. "You want to code what in ADA? That's a ... stunning idea!"

Node:stupid-sort, Next:[12774]Stupids, Previous:[12775]stunning,
Up:[12776]= S =

stupid-sort n.

Syn. [12777]bogo-sort.

Node:Stupids, Next:[12778]Sturgeon's Law, Previous:[12779]stupid-sort,
Up:[12780]= S =

Stupids n.

Term used by [12781]samurai for the [12782]suits who employ them; succinctly expresses an attitude at least as common, though usually better disguised, among other subcultures of hackers. There may be intended reference here to an SF story originally published in 1952 but much anthologized since, Mark Clifton's "Star, Bright". In it, a super-genius child classifies humans into a very few 'Brights' like herself, a huge majority of 'Stupids', and a minority of 'Tweens', the merely ordinary geniuses.

Node:Sturgeon's Law, Next:[12783]sucking mud, Previous:[12784]Stupids,
Up:[12785]= S =

Sturgeon's Law prov.

"Ninety percent of everything is crap". Derived from a quote by science fiction author Theodore Sturgeon, who once said, "Sure, 90% of science fiction is crud. That's because 90% of everything is crud." Oddly, when Sturgeon's Law is cited, the final word is almost invariably changed to 'crap'. Compare [12786]Hanlon's Razor, [12787]Ninety-Ninety Rule. Though this maxim originated in SF fandom, most hackers recognize it and are all too aware of its truth.

Node:sucking mud, Next:[12788]sufficiently small,
Previous:[12789]Sturgeon's Law, Up:[12790]= S =

sucking mud adj.

[Applied Data Research] (also 'pumping mud') Crashed or [12791]wedged. Usually said of a machine that provides some service to a network, such as a file server. This Dallas regionalism derives from the East Texas oilfield lament, "Shut 'er down, Ma, she's a-suckin' mud". Often used as a query. "We are going to reconfigure the network, are you ready to suck mud?"

Node:sufficiently small, Next:[12792]suit, Previous:[12793]sucking mud, Up:[12794]= S =

sufficiently small adj.

Syn. [12795]suitably small.

Node:suit, Next:[12796]suitable win, Previous:[12797]sufficiently small, Up:[12798]= S =

suit n.

1. Ugly and uncomfortable 'business clothing' often worn by non-hackers. Invariably worn with a 'tie', a strangulation device that partially cuts off the blood supply to the brain. It is thought that this explains much about the behavior of suit-wearers. Compare [12799]droid. 2. A person who habitually wears suits, as distinct from a techie or hacker. See [12800]pointy-haired, [12801]burble, [12802]management, [12803]Stupids, [12804]SNAFU principle, [12805]PHB, and [12806]brain-damaged.

Node:suitable win, Next:[12807]suitably small, Previous:[12808]suit, Up:[12809]= S =

suitable win n.

See [12810]win.

Node:suitably small, Next:[12811]Sun, Previous:[12812]suitable win, Up:[12813]= S =

suitably small adj.

[perverted from mathematical jargon]

An expression used ironically to characterize unquantifiable behavior that differs from expected or required behavior. For example, suppose a newly created program came up with a correct full-screen display, and one publicly exclaimed: "It works!" Then, if the program dumped core on the first mouse click, one might add: "Well, for suitably small values of 'works'." Compare the characterization of pi under

[12814]random numbers.

Node:Sun, Next:[12815]sun lounge, Previous:[12816]suitably small,
Up:[12817]= S =

Sun n.

Sun Microsystems. Hackers remember that the name was originally an acronym, Stanford University Network. Sun started out around 1980 with some hardware hackers (mainly) from Stanford talking to some software hackers (mainly) from UC Berkeley; Sun's original technology concept married a clever board design based on the Motorola 68000 to [12818]BSD Unix. Sun went on to lead the workstation industry through the 1980s, and for years afterwards remained an engineering-driven company and a good place for hackers to work. Though Sun drifted away from its techie origins after 1990 and has since made some strategic moves that disappointed and annoyed many hackers (especially by maintaining proprietary control of Java and rejecting Linux), it's still considered within the family in much the same way [12819]DEC was in the 1970s and early 1980s.

Node:sun lounge, Next:[12820]sun-stools, Previous:[12821]Sun,
Up:[12822]= S =

sun lounge n.

[UK] The room where all the Sun workstations live. The humor in this term comes from the fact that it's also in mainstream use to describe a solarium, and all those Sun workstations clustered together give off an amazing amount of heat.

Node:sun-stools, Next:[12823]sunspots, Previous:[12824]sun lounge,
Up:[12825]= S =

sun-stools n.

Unflattering hackerism for SunTools, a pre-X windowing environment notorious in its day for size, slowness, and misfeatures. [12826]X, however, is larger and (some claim) slower; see [12827]second-system effect.

Node:sunspots, Next:[12828]super source quench,
Previous:[12829]sun-stools, Up:[12830]= S =

sunspots n.

1. Notional cause of an odd error. "Why did the program suddenly turn the screen blue?" "Sunspots, I guess." 2. Also the cause of [12831]bit rot -- from the myth that sunspots will increase [12832]cosmic rays,

which can flip single bits in memory. See also [12833]phase of the moon.

Node:super source quench, Next:[12834]superloser,
Previous:[12835]sunspots, Up:[12836]= S =

super source quench n.

A special packet designed to shut up an Internet host. The Internet Protocol (IP) has a control message called Source Quench that asks a host to transmit more slowly on a particular connection to avoid congestion. It also has a Redirect control message intended to instruct a host to send certain packets to a different local router. A "super source quench" is actually a redirect control packet, forged to look like it came from a local router, that instructs a host to send all packets to its own local loopback address. This will effectively tie many Internet hosts up in knots. Compare [12837]Godzillagram, [12838]breath-of-life packet.

Node:superloser, Next:[12839]superprogrammer, Previous:[12840]super source quench, Up:[12841]= S =

superloser n.

[Unix] A superuser with no clue - someone with root privileges on a Unix system and no idea what he/she is doing, the moral equivalent of a three-year-old with an unsafetied Uzi. Anyone who thinks this is an uncommon situation reckons without the territorial urges of [12842]management.

Node:superprogrammer, Next:[12843]superuser,
Previous:[12844]superloser, Up:[12845]= S =

superprogrammer n.

A prolific programmer; one who can code exceedingly well and quickly. Not all hackers are superprogrammers, but many are. (Productivity can vary from one programmer to another by three orders of magnitude. For example, one programmer might be able to write an average of 3 lines of working code in one day, while another, with the proper tools, might be able to write 3,000. This range is astonishing; it is matched in very few other areas of human endeavor.) The term 'superprogrammer' is more commonly used within such places as IBM than in the hacker community. It tends to stress naive measures of productivity and to underweight creativity, ingenuity, and getting the job done -- and to sidestep the question of whether the 3,000 lines of code do more or less useful work than three lines that do the [12846]Right Thing. Hackers tend to prefer the terms [12847]hacker and [12848]wizard.

Node:superuser, Next:[12849]support, Previous:[12850]superprogrammer,
Up:[12851]= S =

superuser n.

[Unix] Syn. [12852]root, [12853]avatar. This usage has spread to non-Unix environments; the superuser is any account with all [12854]wheel bits on. A more specific term than [12855]wheel.

Node:support, Next:[12856]surf, Previous:[12857]superuser, Up:[12858]=
S =

support n.

After-sale handholding; something many software vendors promise but few deliver. To hackers, most support people are useless -- because by the time a hacker calls support he or she will usually know the software and the relevant manuals better than the support people (sadly, this is not a joke or exaggeration). A hacker's idea of 'support' is a tCÈte-àtCÈte with the software's designer.

Node:surf, Next:[12859]Suzie COBOL, Previous:[12860]support,
Up:[12861]= S =

surf v.

[from the 'surf' idiom for rapidly flipping TV channels] To traverse the Internet in search of interesting stuff, used esp. if one is doing so with a World Wide Web browser. It is also common to speak of 'surfing in' to a particular resource.

Hackers adopted this term early, but many have stopped using it since it went completely mainstream around 1995. The passive, couch-potato connotations that go with TV channel surfing were never pleasant, and hearing non-hackers wax enthusiastic about "surfing the net" tends to make hackers feel a bit as though their home is being overrun by ignorami.

Node:Suzie COBOL, Next:[12862]swab, Previous:[12863]surf, Up:[12864]=
S =

Suzie COBOL /soo'zee koh'bol/

1. [IBM: prob. from Frank Zappa's 'Suzy Creamcheese'] n. A coder straight out of training school who knows everything except the value of comments in plain English. Also (fashionable among personkind wishing to avoid accusations of sexism) 'Sammy Cobol' or (in some non-IBM circles) 'Cobol Charlie'. 2. [proposed] Meta-name for any [12865]code grinder, analogous to [12866]J. Random Hacker.

Node:swab, Next:[12867]swap, Previous:[12868]Suzie COBOL, Up:[12869]=
S =

swab /swob/

[From the mnemonic for the PDP-11 'SWAp Byte' instruction, as immortalized in the dd(1) option conv=swab (see [12870]dd)] 1. vt. To solve the [12871]NUXI problem by swapping bytes in a file. 2. n. The program in V7 Unix used to perform this action, or anything functionally equivalent to it. See also [12872]big-endian, [12873]little-endian, [12874]middle-endian, [12875]bytesexual.

Node:swap, Next:[12876]swap space, Previous:[12877]swab, Up:[12878]= S
=

swap vt.

1. [techspeak] To move information from a fast-access memory to a slow-access memory ('swap out'), or vice versa ('swap in'). Often refers specifically to the use of disks as 'virtual memory'. As pieces of data or program are needed, they are swapped into [12879]core for processing; when they are no longer needed they may be swapped out again. 2. The jargon use of these terms analogizes people's short-term memories with core. Cramming for an exam might be spoken of as swapping in. If you temporarily forget someone's name, but then remember it, your excuse is that it was swapped out. To 'keep something swapped in' means to keep it fresh in your memory: "I reread the TECO manual every few months to keep it swapped in." If someone interrupts you just as you got a good idea, you might say "Wait a moment while I swap this out", implying that a piece of paper is your extra-somatic memory and that if you don't swap the idea out by writing it down it will get overwritten and lost as you talk. Compare [12880]page in, [12881]page out.

Node:swap space, Next:[12882]swapped in, Previous:[12883]swap, Up:[12884]= S =

swap space n.

Storage space, especially temporary storage space used during a move or reconfiguration. "I'm just using that corner of the machine room for swap space."

Node:swapped in, Next:[12885]swapped out, Previous:[12886]swap space, Up:[12887]= S =

swapped in n.

See [12888]swap. See also [12889]page in.

Node:swapped out, Next:[12890]swizzle, Previous:[12891]swapped in,
Up:[12892]= S =

swapped out n.

See [12893]swap. See also [12894]page out.

Node:swizzle, Next:[12895]sync, Previous:[12896]swapped out,
Up:[12897]= S =

swizzle v.

To convert external names, array indices, or references within a data structure into address pointers when the data structure is brought into main memory from external storage (also called 'pointer swizzling'); this may be done for speed in chasing references or to simplify code (e.g., by turning lots of name lookups into pointer dereferences). The converse operation is sometimes termed 'unswizzling'. See also [12898]snap.

Node:sync, Next:[12899]syntactic salt, Previous:[12900]swizzle,
Up:[12901]= S =

sync /sink/ n., vi.

(var. 'synch') 1. To synchronize, to bring into synchronization. 2. [techspeak] To force all pending I/O to the disk; see [12902]flush, sense 2. 3. More generally, to force a number of competing processes or agents to a state that would be 'safe' if the system were to crash; thus, to checkpoint (in the database-theory sense).

Node:syntactic salt, Next:[12903]syntactic sugar,
Previous:[12904]sync, Up:[12905]= S =

syntactic salt n.

The opposite of [12906]syntactic sugar, a feature designed to make it harder to write bad code. Specifically, syntactic salt is a hoop the programmer must jump through just to prove that he knows what's going on, rather than to express a program action. Some programmers consider required type declarations to be syntactic salt. A requirement to write end if, end while, end do, etc. to terminate the last block controlled by a control construct (as opposed to just end) would definitely be syntactic salt. Syntactic salt is like the real thing in that it tends to raise hackers' blood pressures in an unhealthy way. Compare [12907]candygrammar.

Node:syntactic sugar, Next:[12908]sys-frog, Previous:[12909]syntactic salt, Up:[12910]= S =

syntactic sugar n.

[coined by Peter Landin] Features added to a language or other formalism to make it 'sweeter' for humans, features which do not affect the expressiveness of the formalism (compare [12911]chrome). Used esp. when there is an obvious and trivial translation of the 'sugar' feature into other constructs already present in the notation. C's a[i] notation is syntactic sugar for *(a + i). "Syntactic sugar causes cancer of the semicolon." -- Alan Perlis.

The variants 'syntactic saccharin' and 'syntactic syrup' are also recorded. These denote something even more gratuitous, in that syntactic sugar serves a purpose (making something more acceptable to humans), but syntactic saccharin or syrup serve no purpose at all. Compare [12912]candygrammar, [12913]syntactic salt.

Node:sys-frog, Next:[12914]sysadmin, Previous:[12915]syntactic sugar, Up:[12916]= S =

sys-frog /sis'frog/ n.

[the PLATO system] Playful variant of 'sysprog', which is in turn short for 'systems programmer'.

Node:sysadmin, Next:[12917]sysape, Previous:[12918]sys-frog, Up:[12919]= S =

sysadmin /sis'ad-min/ n.

Common contraction of 'system admin'; see [12920]admin.

Node:sysape, Next:[12921]sysop, Previous:[12922]sysadmin, Up:[12923]= S =

sysape /sys'ayp/ n.

A rather derogatory term for a computer operator; a play on [12924]sysop common at sites that use the banana hierarchy of problem complexity (see [12925]one-banana problem).

Node:sysop, Next:[12926]system, Previous:[12927]sysape, Up:[12928]= S =

sysop /sis'op/ n.

[esp. in the BBS world] The operator (and usually the owner) of a

bulletin-board system. A common neophyte mistake on [12929]FidoNet is to address a message to 'sysop' in an international [12930]echo, thus sending it to hundreds of sysops around the world.

Node:system, Next:[12931]systems jock, Previous:[12932]sysop,
Up:[12933]= S =

system n.

1. The supervisor program or OS on a computer. 2. The entire computer system, including input/output devices, the supervisor program or OS, and possibly other software. 3. Any large-scale program. 4. Any method or algorithm. 5. 'System hacker': one who hacks the system (in senses 1 and 2 only; for sense 3 one mentions the particular program: e.g., 'LISP hacker')

Node:systems jock, Next:[12934]system mangler, Previous:[12935]system,
Up:[12936]= S =

systems jock n.

See [12937]jock, sense 2.

Node:system mangler, Next:[12938]SysVile, Previous:[12939]systems
jock, Up:[12940]= S =

system mangler n.

Humorous synonym for 'system manager', poss. from the fact that one major IBM OS had a [12941]root account called SYSMANGR. Refers specifically to a systems programmer in charge of administration, software maintenance, and updates at some site. Unlike [12942]admin, this term emphasizes the technical end of the skills involved.

Node:SysVile, Next:[12943]T, Previous:[12944]system mangler,
Up:[12945]= S =

SysVile /sis-vi:l/ n.

See [12946]Missed'em-five.

Node:= T =, Next:[12947]= U =, Previous:[12948]= S =, Up:[12949]The
Jargon Lexicon

= T =

* [12950]T:

* [12951]tail recursion:

- * [12952]talk mode:
- * [12953]talker system:
- * [12954]tall card:
- * [12955]tanked:
- * [12956]TANSTAAFL:
- * [12957]tape monkey:
- * [12958]tar and feather:
- * [12959]tarball:
- * [12960]tardegy:
- * [12961]taste:
- * [12962]tayste:
- * [12963]TCB:
- * [12964]TCP/IP:
- * [12965]TechRef:
- * [12966]TECO:
- * [12967]tee:
- * [12968]teergrube:
- * [12969]teledildonics:
- * [12970]Telerat:
- * [12971]TELNET:
- * [12972]ten-finger interface:
- * [12973]tense:
- * [12974]tentacle:
- * [12975]tenured graduate student:
- * [12976]tera-:
- * [12977]teraflop club:
- * [12978]terminak:
- * [12979]terminal brain death:
- * [12980]terminal illness:
- * [12981]terminal junkie:
- * [12982]terpri:
- * [12983]test:
- * [12984]TeX:
- * [12985]text:
- * [12986]thanks in advance:
- * [12987]That's not a bug that's a feature!:
- * [12988]the literature:
- * [12989]the network:
- * [12990]the X that can be Y is not the true X:
- * [12991]theology:
- * [12992]theory:
- * [12993]thinko:
- * [12994]This can't happen:
- * [12995]This time for sure!:
- * [12996]thrash:
- * [12997]thread:
- * [12998]three-finger salute:
- * [12999]throwaway account:
- * [13000]thud:
- * [13001]thumb:
- * [13002]thundering herd problem:
- * [13003]thunk:
- * [13004]tick:

- * [13005]tick-list features:
- * [13006]tickle a bug:
- * [13007]tiger team:
- * [13008]time bomb:
- * [13009]time sink:
- * [13010]time T:
- * [13011]times-or-divided-by:
- * [13012]TINC:
- * [13013]Tinkerbelle program:
- * [13014]TINLC:
- * [13015]tip of the ice-cube:
- * [13016]tired iron:
- * [13017]tits on a keyboard:
- * [13018]TLA:
- * [13019](TM):
- * [13020]TMRC:
- * [13021]TMRCie:
- * [13022]TMTOWTDI:
- * [13023]to a first approximation:
- * [13024]to a zeroth approximation:
- * [13025]toad:
- * [13026]toast:
- * [13027]toaster:
- * [13028]toeprint:
- * [13029]toggle:
- * [13030]tool:
- * [13031]toolsmith:
- * [13032]toor:
- * [13033]topic drift:
- * [13034]topic group:
- * [13035]TOPS-10:
- * [13036]TOPS-20:
- * [13037]tourist:
- * [13038]tourist information:
- * [13039]touristic:
- * [13040]toy:
- * [13041]toy language:
- * [13042]toy problem:
- * [13043]toy program:
- * [13044]trampoline:
- * [13045]trap:
- * [13046]trap door:
- * [13047]trash:
- * [13048]trawl:
- * [13049]tree-killer:
- * [13050]treeware:
- * [13051]trit:
- * [13052]trivial:
- * [13053]troff:
- * [13054]troglodyte:
- * [13055]troglodyte mode:
- * [13056]Trojan horse:
- * [13057]troll:

* [13058]Troll-O-Meter:
* [13059]tron:
* [13060>true-hacker:
* [13061]tty:
* [13062]tube:
* [13063]tube time:
* [13064]tunafish:
* [13065]tune:
* [13066]turbo nerd:
* [13067]Turing tar-pit:
* [13068]turist:
* [13069]Tux:
* [13070]tweak:
* [13071]tweeter:
* [13072]TWENEX:
* [13073]twiddle:
* [13074]twiddle:
* [13075]twilight zone:
* [13076]twink:
* [13077]twirling baton:
* [13078]two pi:
* [13079]two-to-the-N:
* [13080]twonkie:

Node:T, Next:[13081]tail recursion, Previous:[13082]SysVile,
Up:[13083]= T =

T /T/

1. [from LISP terminology for 'true'] Yes. Used in reply to a question (particularly one asked using [13084]The -P convention). In LISP, the constant T means 'true', among other things. Some Lisp hackers use 'T' and 'NIL' instead of 'Yes' and 'No' almost reflexively. This sometimes causes misunderstandings. When a waiter or flight attendant asks whether a hacker wants coffee, he may absently respond 'T', meaning that he wants coffee; but of course he will be brought a cup of tea instead. Fortunately, most hackers (particularly those who frequent Chinese restaurants) like tea at least as well as coffee -- so it is not that big a problem. 2. See [13085]time T (also [13086]since time T equals minus infinity). 3. [techspeak] In transaction-processing circles, an abbreviation for the noun 'transaction'. 4. [Purdue] Alternate spelling of [13087]tee. 5. A dialect of [13088]LISP developed at Yale. (There is an intended allusion to NIL, "New Implementation of Lisp", another dialect of Lisp developed for the [13089]VAX)

Node:tail recursion, Next:[13090]talk mode, Previous:[13091]T,
Up:[13092]= T =

tail recursion n.

If you aren't sick of it already, see [13093]tail recursion.

Node:talk mode, Next:[13094]talker system, Previous:[13095]tail recursion, Up:[13096]= T =

talk mode n.

A feature supported by Unix, ITS, and some other OSES that allows two or more logged-in users to set up a real-time on-line conversation. It combines the immediacy of talking with all the precision (and verbosity) that written language entails. It is difficult to communicate inflection, though conventions have arisen for some of these (see the section on writing style in the Prependices for details).

Talk mode has a special set of jargon words, used to save typing, which are not used orally. Some of these are identical to (and probably derived from) Morse-code jargon used by ham-radio amateurs since the 1920s.

AFAIAC

as far as I am concerned

AFAIK

as far as I know

BCNU

be seeing you

BTW

by the way

BYE?

are you ready to unlink? (this is the standard way to end a talk-mode conversation; the other person types BYE to confirm, or else continues the conversation)

CUL

see you later

ENQ?

are you busy? (expects ACK or NAK in return)

FOO?

are you there? (often used on unexpected links, meaning also "Sorry if I butted in ..." (linker) or "What's up?" (linkee))

FWIW

for what it's worth

FYI

for your information

FYA

for your amusement

GA

go ahead (used when two people have tried to type simultaneously; this cedes the right to type to the other)

GRMBL

grumble (expresses disquiet or disagreement)

HELLOP

hello? (an instance of the '-P' convention)

IIRC

if I recall correctly

JAM

just a minute (equivalent to SEC....)

MIN

same as JAM

NIL

no (see [13097]NIL)

NP

no problem

O

over to you

OO

over and out

/

another form of "over to you" (from x/y as "x over y")

\

lambda (used in discussing LISP-y things)

OBTW

oh, by the way

OTOH

on the other hand

R U THERE?

are you there?

SEC

wait a second (sometimes written SEC...)

SYN

Are you busy? (expects ACK, SYN|ACK, or RST in return; this is modeled on the TCP/IP handshake sequence)

T

yes (see the main entry for [13098]T)

TNX

thanks

TNX 1.0E6

thanks a million (humorous)

TNxE6

another form of "thanks a million"

WRT

with regard to, or with respect to.

WTF

the universal interrogative particle; WTF knows what it means?

WTH

what the hell?

<double newline>

When the typing party has finished, he/she types two newlines to signal that he/she is done; this leaves a blank line between 'speeches' in the conversation, making it easier to reread the preceding text.

<name>:

When three or more terminals are linked, it is conventional for each typist to [13099]prepend his/her login name or handle and a colon (or a hyphen) to each line to indicate who is typing (some conferencing facilities do this automatically). The login name is often shortened to a unique prefix (possibly a single letter) during a very long conversation.

^^

A giggle or chuckle. On a MUD, this usually means 'earthquake fault'.

Most of the above sub-jargon is used at both Stanford and MIT. Several of these expressions are also common in [13100]email, esp. FYI, FYA, BTW, BCNU, WTF, and CUL. A few other abbreviations have been reported from commercial networks, such as GEnie and CompuServe, where on-line 'live' chat including more than two people is common and usually involves a more 'social' context, notably the following:

<g>

grin

<gd&r>

grinning, ducking, and running

BBL

be back later

BRB

be right back

HHOJ

ha ha only joking

HHOK

ha ha only kidding

HHOS

[13101]ha ha only serious

IMHO

in my humble opinion (see [13102]IMHO)

LOL

laughing out loud

NHOH

Never Heard of Him/Her (often used in [13103]initgame)

ROTF

rolling on the floor

ROTFL

rolling on the floor laughing

AFK

away from keyboard

b4

before

CU l8tr

see you later

MORF

male or female?

TTFN

ta-ta for now

TTYL

talk to you later

OIC

oh, I see

rehi

hello again

Most of these are not used at universities or in the Unix world, though ROTF and TTFN have gained some currency there and IMHO is common; conversely, most of the people who know these are unfamiliar with FOO?, BCNU, HELLOP, [13104]NIL, and [13105]T.

The [13106]MUD community uses a mixture of Usenet/Internet emoticons, a few of the more natural of the old-style talk-mode abbrevs, and some of the 'social' list above; specifically, MUD respondents report use of BBL, BRB, LOL, b4, BTW, WTF, TTFN, and WTH. The use of 'rehi' is also common; in fact, mudders are fond of re- compounds and will frequently 'rehug' or 'rebonk' (see [13107]bonk/oif) people. The word 're' by itself is taken as 'regreet'. In general, though, MUDders express a preference for typing things out in full rather than using abbreviations; this may be due to the relative youth of the MUD cultures, which tend to include many touch typists and to assume high-speed links. The following uses specific to MUDs are reported:

CU l8er

see you later (mutant of CU l8tr)

FOAD

fuck off and die (use of this is generally OTT)

OTT

over the top (excessive, uncalled for)

ppl

abbrev for "people"

THX

thanks (mutant of TNX; clearly this comes in batches of 1138 (the Lucasian K)).

UOK?

are you OK?

Some [13108]B1FFisms (notably the variant spelling d00d) appear to be passing into wider use among some subgroups of MUDders.

One final note on talk mode style: neophytes, when in talk mode, often seem to think they must produce letter-perfect prose because they are typing rather than speaking. This is not the best approach. It can be very frustrating to wait while your partner pauses to think of a word, or repeatedly makes the same spelling error and backs up to fix it. It is usually best just to leave typographical errors behind and plunge forward, unless severe confusion may result; in that case it is often fastest just to type "xxx" and start over from before the mistake.

See also [13109]hakspek, [13110]emoticon.

Node:talker system, Next:[13111]tall card, Previous:[13112]talk mode,
Up:[13113]= T =

talker system n.

British hackerism for software that enables real-time chat or
[13114]talk mode.

Node:tall card, Next:[13115]tanked, Previous:[13116]talker system,
Up:[13117]= T =

tall card n.

A PC/AT-size expansion card (these can be larger than IBM PC or XT cards because the AT case is bigger). See also [13118]short card. When IBM introduced the PS/2 model 30 (its last gasp at supporting the ISA) they made the case lower and many industry-standard tall cards wouldn't fit; this was felt to be a reincarnation of the [13119]connector conspiracy, done with less style.

Node:tanked, Next:[13120]TANSTAAFL, Previous:[13121]tall card,
Up:[13122]= T =

tanked adj.

Same as [13123]down, used primarily by Unix hackers. See also [13124]hosed. Popularized as a synonym for 'drunk' by Steve Dallas in the late lamented "Bloom County" comic strip.

Node:TANSTAAFL, Next:[13125]tape monkey, Previous:[13126]tanked,
Up:[13127]= T =

TANSTAAFL /tan'stah-fl/

[acronym, from Robert Heinlein's classic "The Moon is a Harsh Mistress".] "There Ain't No Such Thing As A Free Lunch", often invoked when someone is balking at the prospect of using an unpleasantly [13128]heavyweight technique, or at the poor quality of some piece of software, or at the [13129]signal-to-noise ratio of unmoderated Usenet newsgroups. "What? Don't tell me I have to implement a database backend to get my address book program to work!" "Well, TANSTAAFL you know." This phrase owes some of its popularity to the high concentration of science-fiction fans and political libertarians in hackerdom (see [13130]Appendix B for discussion).

Node:tape monkey, Next:[13131]tar and feather,
Previous:[13132]TANSTAAFL, Up:[13133]= T =

tape monkey n.

A junior system administrator, one who might plausibly be assigned to do physical swapping of tapes and subsequent storage. When a backup needs to be restored, one might holler "Tape monkey!" (Compare [13134]one-banana problem) Also used to dismiss jobs not worthy of a highly trained sysadmin's ineffable talents: "Cable up her PC? You must be joking - I'm no tape monkey."

Node:tar and feather, Next:[13135]tarball, Previous:[13136]tape monkey, Up:[13137]= T =

tar and feather vi.

[from Unix tar(1)] To create a transportable archive from a group of files by first sticking them together with tar(1) (the Tape ARchiver) and then compressing the result (see [13138]compress). The latter action is dubbed 'feathering' partly for euphony and (if only for contrived effect) by analogy to what you do with an airplane propeller to decrease wind resistance, or with an oar to reduce water resistance; smaller files, after all, slip through comm links more easily. Compare the more common [13139]tarball.

Node:tarball, Next:[13140]tardegy, Previous:[13141]tar and feather, Up:[13142]= T =

tarball n.

[very common; prob. based on the "tar baby" in the Uncle Remus folk tales] An archive, created with the Unix tar(1) utility, containing myriad related files. "Here, I'll just ftp you a tarball of the whole project." Tarballs have been the standard way to ship around source-code distributions since the mid-1980s; in retrospect it seems odd that this term did not enter common usage until the late 1990s.

Node:tardegy, Next:[13143]taste, Previous:[13144]tarball, Up:[13145]= T =

tardegy

n. [deliberate mangling of 'tragedy'] An incident in which someone who clearly deserves to be selected out of the gene pool on grounds of extreme stupidity meets with a messy end. Coined on the Darwin list, which is dedicated to chronicling such incidents; but almost all hackers would instantly recognize the intention of the term and laugh.

Node:taste, Next:[13146]tayste, Previous:[13147]tardegy, Up:[13148]= T =

taste [primarily MIT] n.

1. The quality in a program that tends to be inversely proportional to the number of features, hacks, and kluges programmed into it. Also 'tasty', 'tasteful', 'tastefulness'. "This feature comes in N tasty flavors." Although 'tasty' and 'flavorful' are essentially synonyms, 'taste' and [13149]flavor are not. Taste refers to sound judgment on the part of the creator; a program or feature can exhibit taste but cannot have taste. On the other hand, a feature can have [13150]flavor. Also, [13151]flavor has the additional meaning of 'kind' or 'variety' not shared by 'taste'. The marked sense of [13152]flavor is more popular than 'taste', though both are widely used. See also [13153]elegant. 2. Alt. sp. of [13154]tayste.

Node:tayste, Next:[13155]TCB, Previous:[13156]taste, Up:[13157]= T =

tayste /tayst/

n. Two bits; also as [13158]taste. Syn. [13159]crumb, [13160]quarter. See [13161]nybble.

Node:TCB, Next:[13162]TCP/IP, Previous:[13163]tayste, Up:[13164]= T =

TCB /T-C-B/ n.

[IBM] 1. Trouble Came Back. An intermittent or difficult-to-reproduce problem that has failed to respond to neglect or [13165]shotgun debugging. Compare [13166]heisenbug. Not to be confused with: 2. Trusted Computing Base, an 'official' jargon term from the [13167]Orange Book.

Node:TCP/IP, Next:[13168]TechRef, Previous:[13169]TCB, Up:[13170]= T =

TCP/IP /T'C-P I'P/ n.

1. [Transmission Control Protocol/Internet Protocol] The wide-area-networking protocol that makes the Internet work, and the only one most hackers can speak the name of without laughing or retching. Unlike such allegedly 'standard' competitors such as X.25, DECnet, and the ISO 7-layer stack, TCP/IP evolved primarily by actually being used, rather than being handed down from on high by a vendor or a heavily-politicized standards committee. Consequently, it (a) works, (b) actually promotes cheap cross-platform connectivity, and (c) annoys the hell out of corporate and governmental empire-builders everywhere. Hackers value all three of these properties. See [13171]creationism. 2. [Amateur Packet Radio] Formerly expanded as "The Crap Phil Is Pushing". The reference is to Phil Karn, KA9Q, and the context was an ongoing technical/political war between the majority of sites still running AX.25 and the TCP/IP relays.

TCP/IP won.

Node:TechRef, Next:[13172]TECO, Previous:[13173]TCP/IP, Up:[13174]= T =

TechRef /tek'ref/ n.

[MS-DOS] The original "IBM PC Technical Reference Manual", including the BIOS listing and complete schematics for the PC. The only PC documentation in the original-issue package that was considered serious by real hackers.

Node:TECO, Next:[13175]tee, Previous:[13176]TechRef, Up:[13177]= T =

TECO /tee'koh/ n.,v. obs.

1. [originally an acronym for '[paper] Tape Editor and COrrector'; later, 'Text Editor and COrrector'] n. A text editor developed at MIT and modified by just about everybody. With all the dialects included, TECO may have been the most prolific editor in use before [13178]EMACS, to which it was directly ancestral. Noted for its powerful programming-language-like features and its unspeakably hairy syntax. It is literally the case that every string of characters is a valid TECO program (though probably not a useful one); one common game used to be mentally working out what the TECO commands corresponding to human names did. 2. vt. Originally, to edit using the TECO editor in one of its infinite variations (see below). 3. vt.,obs. To edit even when TECO is not the editor being used! This usage is rare and now primarily historical.

As an example of TECO's obscurity, here is a TECO program that takes a list of names such as:

Loser, J. Random
Quux, The Great
Dick, Moby

sorts them alphabetically according to surname, and then puts the surname last, removing the comma, to produce the following:

Moby Dick
J. Random Loser
The Great Quux

The program is

```
[1 J^P$L$$  
J <.-Z; ,(S,$ -D .)FX1 @F^B $K :L I $ G1 L>$$
```

(where ^B means 'Control-B' (ASCII 0000010) and \$ is actually an [13179]alt or escape (ASCII 0011011) character).

In fact, this very program was used to produce the second, sorted list from the first list. The first hack at it had a [13180]bug: GLS (the

author) had accidentally omitted the @ in front of F^B, which as anyone can see is clearly the [13181]Wrong Thing. It worked fine the second time. There is no space to describe all the features of TECO, but it may be of interest that ^P means 'sort' and J<.-Z; ... L> is an idiomatic series of commands for 'do once for every line'.

In mid-1991, TECO is pretty much one with the dust of history, having been replaced in the affections of hackerdom by [13182]EMACS. Descendants of an early (and somewhat lobotomized) version adopted by DEC can still be found lurking on VMS and a couple of crufty PDP-11 operating systems, however, and ports of the more advanced MIT versions remain the focus of some antiquarian interest. See also [13183]retrocomputing, [13184]write-only language.

Node:tee, Next:[13185]teergrube, Previous:[13186]TECO, Up:[13187]= T =

tee n.,vt.

[Purdue] A carbon copy of an electronic transmission. "Oh, you're sending him the [13188]bits to that? Slap on a tee for me." From the Unix command tee(1), itself named after a pipe fitting (see [13189]plumbing). Can also mean 'save one for me', as in "Tee a slice for me!" Also spelled 'T'.

Node:teergrube, Next:[13190]teledildonics, Previous:[13191]tee, Up:[13192]= T =

teergrube /teer'groob/ n.

[German for 'tar pit'] A trap set to punish spammers who use an [13193]address harvester; a mail server deliberately set up to be really, really slow. To activate it, scatter addresses that look like users on the teergrube's host in places where the address harvester will be trolling (one popular way is to embed the fake address in a Usenet sig block next to a human-readable warning not to send mail to it). The address harvester will dutifully collect the address. When the spammer tries to mailbomb it, his mailer will get stuck.

Node:teledildonics, Next:[13194]Telerat, Previous:[13195]teergrube, Up:[13196]= T =

teledildonics /tel'*-dil-do'-niks/ n.

Sex in a computer simulated virtual reality, esp. computer-mediated sexual interaction between the [13197]VR presences of two humans. This practice is not yet possible except in the rather limited form of erotic conversation on [13198]MUDs and the like. The term, however, is widely recognized in the VR community as a [13199]ha ha only serious projection of things to come. "When we can sustain a multi-sensory surround good enough for teledildonics, then we'll know we're getting

somewhere." See also [13200]hot chat.

Node:Telerat, Next:[13201]TELNET, Previous:[13202]teledildonics,
Up:[13203]= T =

Telerat /tel*-rat/ n. obs.

Unflattering hackerism for 'Teleray', a now-extinct line of extremely losing terminals. Compare [13204]AIDX, [13205]Macintrash [13206]Nominal Semidestructor, [13207]ScumOS, [13208]sun-stools, [13209]HP-SUX, [13210]Slowlaris.

Node:TELNET, Next:[13211]ten-finger interface,
Previous:[13212]Telerat, Up:[13213]= T =

TELNET /tel'net/ vt.

(also commonly lowercased as 'telnet') To communicate with another Internet host using the TELNET ([13214]RFC 854) protocol (usually using a program of the same name). TOPS-10 people used the word IMPCOM, since that was the program name for them. Sometimes abbreviated to TN /T-N/. "I usually TN over to SAIL just to read the AP News."

Node:ten-finger interface, Next:[13215]tense, Previous:[13216]TELNET,
Up:[13217]= T =

ten-finger interface n.

The interface between two networks that cannot be directly connected for security reasons; refers to the practice of placing two terminals side by side and having an operator read from one and type into the other.

Node:tense, Next:[13218]tentacle, Previous:[13219]ten-finger interface, Up:[13220]= T =

tense adj.

Of programs, very clever and efficient. A tense piece of code often got that way because it was highly [13221]bummed, but sometimes it was just based on a great idea. A comment in a clever routine by Mike Kazar, once a grad-student hacker at CMU: "This routine is so tense it will bring tears to your eyes." A tense programmer is one who produces tense code.

Node:tentacle, Next:[13222]tenured graduate student,
Previous:[13223]tense, Up:[13224]= T =

tentacle n.

A covert [13225]pseudo, sense 1. An artificial identity created in cyberspace for nefarious and deceptive purposes. The implication is that a single person may have multiple tentacles. This term was originally floated in some paranoid ravings on the cypherpunks list (see [13226]cypherpunk), and adopted in a spirit of irony by other, saner members. It has since shown up, used seriously, in the documentation for some remailer software, and is now (1994) widely recognized on the net.

Node:tenured graduate student, Next:[13227]tera-,
Previous:[13228]tentacle, Up:[13229]= T =

tenured graduate student n.

One who has been in graduate school for 10 years (the usual maximum is 5 or 6): a 'ten-yearred' student (get it?). Actually, this term may be used of any grad student beginning in his seventh year. Students don't really get tenure, of course, the way professors do, but a tenth-year graduate student has probably been around the university longer than any untenured professor.

Node:tera-, Next:[13230]teraflop club, Previous:[13231]tenured graduate student, Up:[13232]= T =

tera- /te'r*/ pref.

[SI] See [13233]quantifiers.

Node:teraflop club, Next:[13234]terminak, Previous:[13235]tera-,
Up:[13236]= T =

teraflop club /te'r*-flop kluhb/ n.

[FLOP = Floating Point Operation] A mythical association of people who consume outrageous amounts of computer time in order to produce a few simple pictures of glass balls with intricate ray-tracing techniques. Caltech professor James Kajiya is said to have been the founder. Compare [13237]Knights of the Lambda Calculus.

Node:terminak, Next:[13238]terminal brain death,
Previous:[13239]teraflop club, Up:[13240]= T =

terminak /ter'mi-nak'/ n.

[Caltech, ca. 1979] Any malfunctioning computer terminal. A common failure mode of Lear-Siegler ADM 3a terminals caused the 'L' key to

produce the 'K' code instead; complaints about this tended to look like "Terminak #3 has a bad keyboard. Pkease fix." Compare [13241]dread high-bit disease, [13242]frogging; see also [13243]AIDX, [13244]Nominal Semidestructor, [13245]ScumOS, [13246]sun-stools, [13247]Telerat, [13248]HP-SUX, [13249]Slowlaris.

Node:terminal brain death, Next:[13250]terminal illness,
Previous:[13251]terminak, Up:[13252]= T =

terminal brain death n.

The extreme form of [13253]terminal illness (sense 1). What someone who has obviously been hacking continuously for far too long is said to be suffering from.

Node:terminal illness, Next:[13254]terminal junkie,
Previous:[13255]terminal brain death, Up:[13256]= T =

terminal illness n.

1. Syn. [13257]raster burn. 2. The 'burn-in' condition your CRT tends to get if you don't have a screen saver.

Node:terminal junkie, Next:[13258]terpri, Previous:[13259]terminal illness, Up:[13260]= T =

terminal junkie n.

[UK] A [13261]wannabee or early [13262]larval stage hacker who spends most of his or her time wandering the directory tree and writing [13263]noddy programs just to get a fix of computer time. Variants include 'terminal jockey', 'console junkie', and [13264]console jockey. The term 'console jockey' seems to imply more expertise than the other three (possibly because of the exalted status of the [13265]console relative to an ordinary terminal). See also [13266]twink, [13267]read-only user. Appropriately, this term was used in the works of William S. Burroughs to describe a heroin addict with an unlimited supply.

Node:terpri, Next:[13268]test, Previous:[13269]terminal junkie,
Up:[13270]= T =

terpri /ter'pree/ vi.

[from LISP 1.5 (and later, MacLISP)] To output a [13271]newline. Now rare as jargon, though still used as techspeak in Common LISP. It is a contraction of 'TERminate PRInt line', named for the fact that, on some early OSes and hardware, no characters would be printed until a complete line was formed, so this operation terminated the line and

emitted the output.

Node:test, Next:[13272]TeX, Previous:[13273]terpri, Up:[13274]= T =

test n.

1. Real users bashing on a prototype long enough to get thoroughly acquainted with it, with careful monitoring and followup of the results. 2. Some bored random user trying a couple of the simpler features with a developer looking over his or her shoulder, ready to pounce on mistakes. Judging by the quality of most software, the second definition is far more prevalent. See also [13275]demo.

Node:TeX, Next:[13276]text, Previous:[13277]test, Up:[13278]= T =

TeX /tekh/ n.

An extremely powerful [13279]macro-based text formatter written by Donald E. [13280]Knuth, very popular in the computer-science community (it is good enough to have displaced Unix [13281]troff, the other favored formatter, even at many Unix installations). TeX fans insist on the correct (guttural) pronunciation, and the correct spelling (all caps, squished together, with the E depressed below the baseline; the mixed-case 'TeX' is considered an acceptable kluge on ASCII-only devices). Fans like to proliferate names from the word 'TeX' -- such as TeXnician (TeX user), TeXhacker (TeX programmer), TeXmaster (competent TeX programmer), TeXhax, and TeXnique. See also [13282]CrApTeX.

Knuth began TeX because he had become annoyed at the declining quality of the typesetting in volumes I-III of his monumental "Art of Computer Programming" (see [13283]Knuth, also [13284]bible). In a manifestation of the typical hackish urge to solve the problem at hand once and for all, he began to design his own typesetting language. He thought he would finish it on his sabbatical in 1978; he was wrong by only about 8 years. The language was finally frozen around 1985, but volume IV of "The Art of Computer Programming" is not expected to appear until 2002. The impact and influence of TeX's design has been such that nobody minds this very much. Many grand hackish projects have started as a bit of [13285]toolsmithing on the way to something else; Knuth's diversion was simply on a grander scale than most.

TeX has also been a noteworthy example of free, shared, but high-quality software. Knuth offers a monetary awards to anyone who found and reported bugs dating from before the 1989 code freeze; as the years wore on and the few remaining bugs were fixed (and new ones even harder to find), the bribe went up. Though well-written, TeX is so large (and so full of cutting edge technique) that it is said to have unearthed at least one bug in every Pascal system it has been compiled with.

Node:text, Next:[13286]thanks in advance, Previous:[13287]TeX,
Up:[13288]= T =

text n.

1. [techspeak] Executable code, esp. a 'pure code' portion shared between multiple instances of a program running in a multitasking OS. Compare [13289]English. 2. Textual material in the mainstream sense; data in ordinary [13290]ASCII or [13291]EBCDIC representation (see [13292]flat-ASCII). "Those are text files; you can review them using the editor." These two contradictory senses confuse hackers, too.

Node:thanks in advance, Next:[13293]That's not a bug that's a feature!, Previous:[13294]text, Up:[13295]= T =

thanks in advance

[Usenet] Conventional net.politeness ending a posted request for information or assistance. Sometimes written 'advTHANKSance' or 'aTdHvAaNnKcSe' or abbreviated 'TIA'. See [13296]net.-, [13297]netiquette.

Node:That's not a bug that's a feature!, Next:[13298]the literature, Previous:[13299]thanks in advance, Up:[13300]= T =

That's not a bug, that's a feature!

The [13301]canonical first parry in a debate about a purported bug. The complainant, if unconvinced, is likely to retort that the bug is then at best a [13302]misfeature. See also [13303]feature.

Node:the literature, Next:[13304]the network, Previous:[13305]That's not a bug that's a feature!, Up:[13306]= T =

the literature n.

Computer-science journals and other publications, vaguely gestured at to answer a question that the speaker believes is [13307]trivial. Thus, one might answer an annoying question by saying "It's in the literature." Oppose [13308]Knuth, which has no connotation of triviality.

Node:the network, Next:[13309]the X that can be Y is not the true X, Previous:[13310]the literature, Up:[13311]= T =

the network n.

1. Historically, the union of all the major noncommercial, academic,

and hacker-oriented networks, such as Internet, the pre-1990 ARPANET, NSFnet, [13312]BITNET, and the virtual UUCP and [13313]Usenet 'networks', plus the corporate in-house networks and commercial time-sharing services (such as CompuServe, GENie and AOL) that gateway to them. A site is generally considered 'on the network' if it can be reached through some combination of Internet-style (@-sign) and UUCP (bang-path) addresses. See [13314]Internet, [13315]bang path, [13316]Internet address, [13317]network address. 2. Following the mass-culture discovery of the Internet in 1994 and subsequent proliferation of cheap TCP/IP connections, "the network" is increasingly synonymous with the Internet itself (as it was before the second wave of wide-area computer networking began around 1980). 3. A fictional conspiracy of libertarian hacker-subversives and anti-authoritarian monkeywrenchers described in Robert Anton Wilson's novel "Schrödinger's Cat", to which many hackers have subsequently decided they belong (this is an example of [13318]ha ha only serious).

In sense 1, 'the network' is often abbreviated to 'the net'. "Are you on the net?" is a frequent question when hackers first meet face to face, and "See you on the net!" is a frequent goodbye.

Node:the X that can be Y is not the true X, Next:[13319]theology,
Previous:[13320]the network, Up:[13321]= T =

the X that can be Y is not the true X

Yet another instance of hackerdom's peculiar attraction to mystical references -- a common humorous way of making exclusive statements about a class of things. The template is from the "Tao te Ching": "The Tao which can be spoken of is not the true Tao." The implication is often that the X is a mystery accessible only to the enlightened. See the [13322]trampoline entry for an example, and compare [13323]has the X nature.

Node:theology, Next:[13324]theory, Previous:[13325]the X that can be Y
is not the true X, Up:[13326]= T =

theology n.

1. Ironically or humorously used to refer to [13327]religious issues.
2. Technical fine points of an abstruse nature, esp. those where the resolution is of theoretical interest but is relatively [13328]marginal with respect to actual use of a design or system. Used esp. around software issues with a heavy AI or language-design component, such as the smart-data vs. smart-programs dispute in AI.

Node:theory, Next:[13329]thinko, Previous:[13330]theology, Up:[13331]=
T =

theory n.

The consensus, idea, plan, story, or set of rules that is currently being used to inform a behavior. This usage is a generalization and (deliberate) abuse of the technical meaning. "What's the theory on fixing this TECO loss?" "What's the theory on dinner tonight?" ("Chinatown, I guess.") "What's the current theory on letting lusers on during the day?" "The theory behind this change is to fix the following well-known screw...."

Node:thinko, Next:[13332]This can't happen, Previous:[13333]theory, Up:[13334]= T =

thinko /thing'koh/ n.

[by analogy with 'typo'] A momentary, correctable glitch in mental processing, especially one involving recall of information learned by rote; a bubble in the stream of consciousness. Syn. [13335]braino; see also [13336]brain fart. Compare [13337]mouso.

Node:This can't happen, Next:[13338]This time for sure!, Previous:[13339]thinko, Up:[13340]= T =

This can't happen

Less clipped variant of [13341]can't happen.

Node:This time for sure!, Next:[13342]thrash, Previous:[13343]This can't happen, Up:[13344]= T =

This time, for sure! excl.

Ritual affirmation frequently uttered during protracted debugging sessions involving numerous small obstacles (e.g., attempts to bring up a UUCP connection). For the proper effect, this must be uttered in a fruity imitation of Bullwinkle J. Moose. Also heard: "Hey, Rocky! Watch me pull a rabbit out of my hat!" The [13345]canonical response is, of course, "But that trick never works!" See [13346]hacker humor.

Node:thrash, Next:[13347]thread, Previous:[13348]This time for sure!, Up:[13349]= T =

thrash vi.

To move wildly or violently, without accomplishing anything useful. Paging or swapping systems that are overloaded waste most of their time moving data into and out of core (rather than performing useful computation) and are therefore said to thrash. Someone who keeps changing his mind (esp. about what to work on next) is said to be thrashing. A person frantically trying to execute too many tasks at

once (and not spending enough time on any single task) may also be described as thrashing. Compare [13350]multitask.

Node:thread, Next:[13351]three-finger salute, Previous:[13352]thrash, Up:[13353]= T =

thread n.

[Usenet, GEnie, CompuServe] Common abbreviation of 'topic thread', a more or less continuous chain of postings on a single topic. To 'follow a thread' is to read a series of Usenet postings sharing a common subject or (more correctly) which are connected by Reference headers. The better newsreaders can present news in thread order automatically. Not to be confused with the techspeak sense of 'thread', e.g. a lightweight process.

Interestingly, this is far from a neologism. The OED says: "That which connects the successive points in anything, esp. a narrative, train of thought, or the like; the sequence of events or ideas continuing throughout the whole course of anything;" Citations are given going back to 1642!

Node:three-finger salute, Next:[13354]throwaway account, Previous:[13355]thread, Up:[13356]= T =

three-finger salute n.

Syn. [13357]Vulcan nerve pinch.

Node:throwaway account, Next:[13358]thud, Previous:[13359]three-finger salute, Up:[13360]= T =

throwaway account n.

1. An inexpensive Internet account purchased on a legitimate [13361]ISP for the the sole purpose of spewing [13362]spam. 2. An inexpensive Internet account obtained for the sole purpose of doing something which requires a valid email address but being able to ignore spam since the user will not look at the account again.

Node:thud, Next:[13363]thumb, Previous:[13364]throwaway account, Up:[13365]= T =

thud n.

1. Yet another [13366]metasyntactic variable (see [13367]foo). It is reported that at CMU from the mid-1970s the canonical series of these was 'foo', 'bar', 'thud', 'blat'. 2. Rare term for the hash character, '#' (ASCII 0100011). See [13368]ASCII for other synonyms.

Node:thumb, Next:[13369]thundering herd problem, Previous:[13370]thud,
Up:[13371]= T =

thumb n.

The slider on a window-system scrollbar. So called because moving it allows you to browse through the contents of a text window in a way analogous to thumbing through a book.

Node:thundering herd problem, Next:[13372]thunk,
Previous:[13373]thumb, Up:[13374]= T =

thundering herd problem

Scheduler thrashing. This can happen under Unix when you have a number of processes that are waiting on a single event. When that event (a connection to the web server, say) happens, every process which could possibly handle the event is awakened. In the end, only one of those processes will actually be able to do the work, but, in the meantime, all the others wake up and contend for CPU time before being put back to sleep. Thus the system thrashes briefly while a herd of processes thunders through. If this starts to happen many times per second, the performance impact can be significant.

Node:thunk, Next:[13375]tick, Previous:[13376]thundering herd problem,
Up:[13377]= T =

thunk /thuhnk/ n.

1. [obs.]"A piece of coding which provides an address", according to P. Z. Ingerman, who invented thunks in 1961 as a way of binding actual parameters to their formal definitions in Algol-60 procedure calls. If a procedure is called with an expression in the place of a formal parameter, the compiler generates a thunk which computes the expression and leaves the address of the result in some standard location. 2. Later generalized into: an expression, frozen together with its environment, for later evaluation if and when needed (similar to what in techspeak is called a 'closure'). The process of unfreezing these thunks is called 'forcing'. 3. A [13378]stubroutine, in an overlay programming environment, that loads and jumps to the correct overlay. Compare [13379]trampoline. 4. People and activities scheduled in a thunklike manner. "It occurred to me the other day that I am rather accurately modeled by a thunk -- I frequently need to be forced to completion." -- paraphrased from a [13380]plan file.

Historical note: There are a couple of onomatopoeic myths circulating about the origin of this term. The most common is that it is the sound made by data hitting the stack; another holds that the sound is that of the data hitting an accumulator. Yet another suggests that it is

the sound of the expression being unfrozen at argument-evaluation time. In fact, according to the inventors, it was coined after they realized (in the wee hours after hours of discussion) that the type of an argument in Algol-60 could be figured out in advance with a little compile-time thought, simplifying the evaluation machinery. In other words, it had 'already been thought of'; thus it was christened a 'thunk', which is "the past tense of 'think' at two in the morning".

Node:tick, Next:[13381]tick-list features, Previous:[13382]thunk, Up:[13383]= T =

tick n.

1. A [13384]jiffy (sense 1). 2. In simulations, the discrete unit of time that passes between iterations of the simulation mechanism. In AI applications, this amount of time is often left unspecified, since the only constraint of interest is the ordering of events. This sort of AI simulation is often pejoratively referred to as 'tick-tick-tick' simulation, especially when the issue of simultaneity of events with long, independent chains of causes is [13385]handwaved. 3. In the FORTH language, a single quote character.

Node:tick-list features, Next:[13386]tickle a bug, Previous:[13387]tick, Up:[13388]= T =

tick-list features n.

[Acorn Computers] Features in software or hardware that customers insist on but never use (calculators in desktop TSRs and that sort of thing). The American equivalent would be 'checklist features', but this jargon sense of the phrase has not been reported.

Node:tickle a bug, Next:[13389]tiger team, Previous:[13390]tick-list features, Up:[13391]= T =

tickle a bug vt.

To cause a normally hidden bug to manifest itself through some known series of inputs or operations. "You can tickle the bug in the Paradise VGA card's highlight handling by trying to set bright yellow reverse video."

Node:tiger team, Next:[13392]time bomb, Previous:[13393]tickle a bug, Up:[13394]= T =

tiger team n.

[U.S. military jargon] 1. Originally, a team (of [13395]sneakers) whose purpose is to penetrate security, and thus test security

measures. These people are paid professionals who do hacker-type tricks, e.g., leave cardboard signs saying "bomb" in critical defense installations, hand-lettered notes saying "Your codebooks have been stolen" (they usually haven't been) inside safes, etc. After a successful penetration, some high-ranking security type shows up the next morning for a 'security review' and finds the sign, note, etc., and all hell breaks loose. Serious successes of tiger teams sometimes lead to early retirement for base commanders and security officers (see the [13396]patch entry for an example). 2. Recently, and more generally, any official inspection team or special [13397]firefighting group called in to look at a problem.

A subset of tiger teams are professional [13398]crackers, testing the security of military computer installations by attempting remote attacks via networks or supposedly 'secure' comm channels. Some of their escapades, if declassified, would probably rank among the greatest hacks of all times. The term has been adopted in commercial computer-security circles in this more specific sense.

Node:time bomb, Next:[13399]time sink, Previous:[13400]tiger team, Up:[13401]= T =

time bomb n.

A subspecies of [13402]logic bomb that is triggered by reaching some preset time, either once or periodically. There are numerous legends about time bombs set up by programmers in their employers' machines, to go off if the programmer is fired or laid off and is not present to perform the appropriate suppressing action periodically.

Interestingly, the only such incident for which we have been pointed to documentary evidence took place in the Soviet Union in 1986! A disgruntled programmer at the Volga Automobile Plant (where the Fiat clones called Ladas were manufactured) planted a time bomb which, a week after he'd left on vacation, stopped the entire main assembly line for a day. The case attracted lots of attention in the Soviet Union because it was the first cracking case to make it to court there. The perpetrator got a suspended sentence of 3 years in jail and was barred from future work as a programmer.

Node:time sink, Next:[13403]time T, Previous:[13404]time bomb, Up:[13405]= T =

time sink n.

[poss. by analogy with 'heat sink' or 'current sink'] A project that consumes unbounded amounts of time.

Node:time T, Next:[13406]times-or-divided-by, Previous:[13407]time sink, Up:[13408]= T =

time T /ti:m T/ n.

1. An unspecified but usually well-understood time, often used in conjunction with a later time T+1. "We'll meet on campus at time T or at Louie's at time T+1" means, in the context of going out for dinner: "We can meet on campus and go to Louie's, or we can meet at Louie's itself a bit later." (Louie's was a Chinese restaurant in Palo Alto that was a favorite with hackers.) Had the number 30 been used instead of the number 1, it would have implied that the travel time from campus to Louie's is 30 minutes; whatever time T is (and that hasn't been decided on yet), you can meet half an hour later at Louie's than you could on campus and end up eating at the same time. See also [13409]since time T equals minus infinity.

Node:times-or-divided-by, Next:[13410]TINC, Previous:[13411]time T, Up:[13412]= T =

times-or-divided-by quant.

[by analogy with 'plus-or-minus'] Term occasionally used when describing the uncertainty associated with a scheduling estimate, for either humorous or brutally honest effect. For a software project, the scheduling uncertainty factor is usually at least 2.

Node:TINC, Next:[13413]Tinkerbell program, Previous:[13414]times-or-divided-by, Up:[13415]= T =

TINC //

[Usenet] Abbreviation: "There Is No Cabal". See [13416]backbone cabal and [13417]NANA, but note that this abbreviation did not enter use until long after the dispersal of the backbone cabal.

Node:Tinkerbell program, Next:[13418]TINLC, Previous:[13419]TINC, Up:[13420]= T =

Tinkerbell program n.

[Great Britain] A monitoring program used to scan incoming network calls and generate alerts when calls are received from particular sites, or when logins are attempted using certain IDs. Named after 'Project Tinkerbell', an experimental phone-tapping program developed by British Telecom in the early 1980s.

Node:TINLC, Next:[13421]tip of the ice-cube, Previous:[13422]Tinkerbell program, Up:[13423]= T =

TINLC //

Abbreviation: "There Is No Lumber Cartel". See [13424]Lumber Cartel.
TINLC is a takeoff on [13425]TINC.

Node:tip of the ice-cube, Next:[13426]tired iron,
Previous:[13427]TINLC, Up:[13428]= T =

tip of the ice-cube n. //

[IBM] The visible part of something small and insignificant. Used as an ironic comment in situations where 'tip of the iceberg' might be appropriate if the subject were at all important.

Node:tired iron, Next:[13429]tits on a keyboard, Previous:[13430]tip of the ice-cube, Up:[13431]= T =

tired iron n.

[IBM] Hardware that is perfectly functional but far enough behind the state of the art to have been superseded by new products, presumably with sufficient improvement in bang-per-buck that the old stuff is starting to look a bit like a [13432]dinosaur.

Node:tits on a keyboard, Next:[13433]TLA, Previous:[13434]tired iron, Up:[13435]= T =

tits on a keyboard n.

Small bumps on certain keycaps to keep touch-typists registered. Usually on the 5 of a numeric keypad, and on the F and J of a [13436]QWERTY keyboard; but older Macs, perverse as usual, had them on the D and K keys (this changed in 1999).

Node:TLA, Next:[13437](TM), Previous:[13438]tits on a keyboard, Up:[13439]= T =

TLA /T-L-A/ n.

[Three-Letter Acronym] 1. Self-describing abbreviation for a species with which computing terminology is infested. 2. Any confusing acronym. Examples include MCA, FTP, SNA, CPU, MMU, SCCS, DMU, FPU, NNTP, TLA. People who like this looser usage argue that not all TLAs have three letters, just as not all four-letter words have four letters. One also hears of 'ETLA' (Extended Three-Letter Acronym, pronounced /ee tee el ay/) being used to describe four-letter acronyms. The term 'SFLA' (Stupid Four-Letter Acronym) has also been reported. See also [13440]YABA.

The self-effacing phrase "TDM TLA" (Too Damn Many...) is often used to

bemoan the plethora of TLAs in use. In 1989, a random of the journalistic persuasion asked hacker Paul Boutin "What do you think will be the biggest problem in computing in the 90s?" Paul's straight-faced response: "There are only 17,000 three-letter acronyms." (To be exact, there are $26^3 = 17,576$.) There is probably some karmic justice in the fact that Paul Boutin subsequently became a journalist.

Node:(TM), Next:[13441]TMRC, Previous:[13442]TLA, Up:[13443]= T =

(TM) //

[Usenet] ASCII rendition of the trademark-superscript symbol appended to phrases that the author feels should be recorded for posterity, perhaps in future editions of this lexicon. Sometimes used ironically as a form of protest against the recent spate of software and algorithm patents and 'look and feel' lawsuits. See also [13444]UN*X.

Node:TMRC, Next:[13445]TMRCie, Previous:[13446](TM), Up:[13447]= T =

TMRC /tmerk/ n.

The Tech Model Railroad Club at MIT, one of the wellsprings of hacker culture. The 1959 "Dictionary of the TMRC Language" compiled by Peter Samson included several terms that became basics of the hackish vocabulary (see esp. [13448]foo, [13449]mung, and [13450]frob).

By 1962, TMRC's legendary layout was already a marvel of complexity and has grown in the years since. All the features described here were still present when the old layout was decommissioned in 1998 just before the demolition of MIT Building 20, and will almost certainly be retained when the old layout is rebuilt (expected in 2003). The control system alone featured about 1200 relays. There were [13451]scram switches located at numerous places around the room that could be thwacked if something undesirable was about to occur, such as a train going full-bore at an obstruction. Another feature of the system was a digital clock on the dispatch board, which was itself something of a wonder in those bygone days before cheap LEDs and seven-segment displays. When someone hit a scram switch the clock stopped and the display was replaced with the word 'FOO'; at TMRC the scram switches are therefore called 'foo switches'.

Steven Levy, in his book "Hackers" (see the [13452]Bibliography in Appendix C), gives a stimulating account of those early years. TMRC's Signals and Power Committee included many of the early PDP-1 hackers and the people who later became the core of the MIT AI Lab staff. Thirty years later that connection is still very much alive, and this lexicon accordingly includes a number of entries from a recent revision of the TMRC dictionary.

TMRC has a web page at [13453]<http://web.mit.edu/tmrc/www/>.

Node:TMRCie, Next:[13454]TMTOWTDI, Previous:[13455]TMRC, Up:[13456]= T =

TMRCie /tmerk'ee/, n.

[MIT] A denizen of [13457]TMRC.

Node:TMTOWTDI, Next:[13458]to a first approximation,
Previous:[13459]TMRCie, Up:[13460]= T =

TMTOWTDI /tim-toh'-dee/

There's More Than One Way To Do It. This abbreviation of the official motto of [13461]Perl is frequently used on newsgroups and mailing lists related to that language.

Node:to a first approximation, Next:[13462]to a zeroth approximation,
Previous:[13463]TMTOWTDI, Up:[13464]= T =

to a first approximation adj.

1. [techspeak] When one is doing certain numerical computations, an approximate solution may be computed by any of several heuristic methods, then refined to a final value. By using the starting point of a first approximation of the answer, one can write an algorithm that converges more quickly to the correct result. 2. In jargon, a preface to any comment that indicates that the comment is only approximately true. The remark "To a first approximation, I feel good" might indicate that deeper questioning would reveal that not all is perfect (e.g., a nagging cough still remains after an illness).

Node:to a zeroth approximation, Next:[13465]toad, Previous:[13466]to a first approximation, Up:[13467]= T =

to a zeroth approximation

[from 'to a first approximation'] A really sloppy approximation; a wild guess. Compare [13468]social science number.

Node:toad, Next:[13469]toast, Previous:[13470]to a zeroth approximation, Up:[13471]= T =

toad vt. [MUD]

1. Notionally, to change a [13472]MUD player into a toad. 2. To permanently and totally exile a player from the MUD. A very serious action, which can only be done by a MUD [13473]wizard; often involves

a lot of debate among the other characters first. See also [13474]frog, [13475]FOD.

Node:toast, Next:[13476]toaster, Previous:[13477]toad, Up:[13478]= T =

toast 1. n.

Any completely inoperable system or component, esp. one that has just crashed and burned: "Uh, oh ... I think the serial board is toast." 2. vt. To cause a system to crash accidentally, especially in a manner that requires manual rebooting. "Rick just toasted the [13479]firewall machine again." Compare [13480]fried.

Node:toaster, Next:[13481]toeprint, Previous:[13482]toast, Up:[13483]= T =

toaster n.

1. The archetypal really stupid application for an embedded microprocessor controller; often used in comments that imply that a scheme is inappropriate technology (but see [13484]elevator controller). "[13485]DWIM for an assembler? That'd be as silly as running Unix on your [13486]toaster!" 2. A very, very dumb computer. "You could run this program on any dumb toaster." See [13487]bitty box, [13488]Get a real computer!, [13489]toy, [13490]beige toaster. 3. A Macintosh, esp. the Classic Mac. Some hold that this is implied by sense 2. 4. A peripheral device. "I bought my box without toasters, but since then I've added two boards and a second disk drive." 5. A specialized computer used as an appliance. See [13491]web toaster, [13492]video toaster.

Node:toeprint, Next:[13493]toggle, Previous:[13494]toaster, Up:[13495]= T =

toeprint n.

A [13496]footprint of especially small size.

Node:toggle, Next:[13497]tool, Previous:[13498]toeprint, Up:[13499]= T =

toggle vt.

To change a [13500]bit from whatever state it is in to the other state; to change from 1 to 0 or from 0 to 1. This comes from 'toggle switches', such as standard light switches, though the word 'toggle' actually refers to the mechanism that keeps the switch in the position to which it is flipped rather than to the fact that the switch has two positions. There are four things you can do to a bit: set it (force it

to be 1), clear (or zero) it, leave it alone, or toggle it.
(Mathematically, one would say that there are four distinct
boolean-valued functions of one boolean argument, but saying that is
much less fun than talking about toggling bits.)

Node:tool, Next:[13501]toolsmith, Previous:[13502]toggle, Up:[13503]=
T =

tool 1. n.

A program used primarily to create, manipulate, modify, or analyze
other programs, such as a compiler or an editor or a cross-referencing
program. Oppose [13504]app, [13505]operating system. 2. [Unix] An
application program with a simple, 'transparent' (typically
text-stream) interface designed specifically to be used in programmed
combination with other tools (see [13506]filter, [13507]plumbing). 3.
[MIT: general to students there] vi. To work; to study (connotes
tedium). The TMRC Dictionary defined this as "to set one's brain to
the grindstone". See [13508]hack. 4. n. [MIT] A student who studies
too much and hacks too little. (MIT's student humor magazine rejoices
in the name "Tool and Die".)

Node:toolsmith, Next:[13509]toor, Previous:[13510]tool, Up:[13511]= T
=

toolsmith n.

The software equivalent of a tool-and-die specialist; one who
specializes in making the [13512]tools with which other programmers
create applications. Many hackers consider this more fun than
applications per se; to understand why, see [13513]uninteresting. Jon
Bentley, in the "Bumper-Sticker Computer Science" chapter of his book
"More Programming Pearls", quotes Dick Sites from [13514]DEC as saying
"I'd rather write programs to write programs than write programs".

Node:toor, Next:[13515]topic drift, Previous:[13516]toolsmith,
Up:[13517]= T =

toor n.

The Bourne-Again Super-user. An alternate account with UID of 0,
created on Unix machines where the root user has an inconvenient
choice of shell. Compare [13518]avatar.

Node:topic drift, Next:[13519]topic group, Previous:[13520]toor,
Up:[13521]= T =

topic drift n.

Term used on GENie, Usenet and other electronic fora to describe the tendency of a [13522]thread to drift away from the original subject of discussion (and thus, from the Subject header of the originating message), or the results of that tendency. The header in each post can be changed to keep current with the posts, but usually isn't due to forgetfulness or laziness. A single post may often result in several posts each responding to a different point in the original. Some subthreads will actually be in response to some off-the-cuff side comment, possibly degenerating into a [13523]flame war, or just as often evolving into a separate discussion. Hence, discussions aren't really so much threads as they are trees. Except that they don't really have leaves, or multiple branching roots; usually some lines of discussion will just sort of die off after everyone gets tired of them. This could take anywhere from hours to weeks, or even longer.

The term 'topic drift' is often used in gentle reminders that the discussion has strayed off any useful track. "I think we started with a question about Niven's last book, but we've ended up discussing the sexual habits of the common marmoset. Now that's topic drift!"

Node:topic group, Next:[13524]TOPS-10, Previous:[13525]topic drift,
Up:[13526]= T =

topic group n.

Syn. [13527]forum.

Node:TOPS-10, Next:[13528]TOPS-20, Previous:[13529]topic group,
Up:[13530]= T =

TOPS-10 /tops-ten/ n.

[13531]DEC's proprietary OS for the fabled [13532]PDP-10 machines, long a favorite of hackers but now effectively extinct. A fountain of hacker folklore; see Appendix A. See also [13533]ITS, [13534]TOPS-20, [13535]TWENEX, [13536]VMS, [13537]operating system. TOPS-10 was sometimes called BOTS-10 (from 'bottoms-ten') as a comment on the inappropriateness of describing it as the top of anything.

Node:TOPS-20, Next:[13538]tourist, Previous:[13539]TOPS-10,
Up:[13540]= T =

TOPS-20 /tops-twen'tee/ n.

See [13541]TWENEX.

Node:tourist, Next:[13542]tourist information,
Previous:[13543]TOPS-20, Up:[13544]= T =

tourist n.

1. [ITS] A guest on the system, especially one who generally logs in over a network from a remote location for [13545]comm mode, email, games, and other trivial purposes. One step below [13546]luser. ITS hackers often used to spell this [13547]turist, perhaps by some sort of tenuous analogy with [13548]luser (this usage may also have expressed the ITS culture's penchant for six-letterisms, and-or been some sort of tribute to Alan Turing). Compare [13549]twink, [13550]lurker, [13551]read-only user. 2. [IRC] An [13552]IRC user who goes from channel to channel without saying anything; see [13553]channel hopping.

Node:tourist information, Next:[13554]touristic,
Previous:[13555]tourist, Up:[13556]= T =

tourist information n.

Information in an on-line display that is not immediately useful, but contributes to a viewer's gestalt of what's going on with the software or hardware behind it. Whether a given piece of info falls in this category depends partly on what the user is looking for at any given time. The 'bytes free' information at the bottom of an MS-DOS dir display is tourist information; so (most of the time) is the TIME information in a Unix ps(1) display.

Node:touristic, Next:[13557]toy, Previous:[13558]tourist information,
Up:[13559]= T =

touristic adj.

Having the quality of a [13560]tourist. Often used as a pejorative, as in 'losing touristic scum'. Often spelled 'turistic' or 'turistik', so that phrase might be more properly rendered 'lusing turistic scum'.

Node:toy, Next:[13561]toy language, Previous:[13562]touristic,
Up:[13563]= T =

toy n.

A computer system; always used with qualifiers. 1. 'nice toy': One that supports the speaker's hacking style adequately. 2. 'just a toy': A machine that yields insufficient [13564]computrons for the speaker's preferred uses. This is not condemnatory, as is [13565]bitty box; toys can at least be fun. It is also strongly conditioned by one's expectations; Cray XMP users sometimes consider the Cray-1 a 'toy', and certainly all RISC boxes and mainframes are toys by their standards. See also [13566]Get a real computer!.

Node:toy language, Next:[13567]toy problem, Previous:[13568]toy,
Up:[13569]= T =

toy language n.

A language useful for instructional purposes or as a proof-of-concept for some aspect of computer-science theory, but inadequate for general-purpose programming. [13570]Bad Things can result when a toy language is promoted as a general purpose solution for programming (see [13571]bondage-and-discipline language); the classic example is [13572]Pascal. Several moderately well-known formalisms for conceptual tasks such as programming Turing machines also qualify as toy languages in a less negative sense. See also [13573]MFTL.

Node:toy problem, Next:[13574]toy program, Previous:[13575]toy language, Up:[13576]= T =

toy problem n.

[AI] A deliberately oversimplified case of a challenging problem used to investigate, prototype, or test algorithms for a real problem. Sometimes used pejoratively. See also [13577]gedanken, [13578]toy program.

Node:toy program, Next:[13579]trampoline, Previous:[13580]toy problem, Up:[13581]= T =

toy program n.

1. One that can be readily comprehended; hence, a trivial program (compare [13582]noddy). 2. One for which the effort of initial coding dominates the costs through its life cycle. See also [13583]noddy.

Node:trampoline, Next:[13584]trap, Previous:[13585]toy program, Up:[13586]= T =

trampoline n.

An incredibly [13587]hairy technique, found in some [13588]HLL and program-overlay implementations (e.g., on the Macintosh), that involves on-the-fly generation of small executable (and, likely as not, self-modifying) code objects to do indirection between code sections. Under BSD and possibly in other Unixes, trampoline code is used to transfer control from the kernel back to user mode when a signal (which has had a handler installed) is sent to a process. These pieces of [13589]live data are called 'trampolines'. Trampolines are notoriously difficult to understand in action; in fact, it is said by those who use this term that the trampoline that doesn't bend your brain is not the true trampoline. See also [13590]snap.

Node:trap, Next:[13591]trap door, Previous:[13592]trampoline,
Up:[13593]= T =

trap

1. n. A program interrupt, usually an interrupt caused by some exceptional situation in the user program. In most cases, the OS performs some action, then returns control to the program. 2. vi. To cause a trap. "These instructions trap to the monitor." Also used transitively to indicate the cause of the trap. "The monitor traps all input/output instructions."

This term is associated with assembler programming ('interrupt' or 'exception' is more common among [13594]HLL programmers) and appears to be fading into history among programmers as the role of assembler continues to shrink. However, it is still important to computer architects and systems hackers (see [13595]system, sense 1), who use it to distinguish deterministically repeatable exceptions from timing-dependent ones (such as I/O interrupts).

Node:trap door, Next:[13596]trash, Previous:[13597]trap, Up:[13598]= T =

trap door n.

(alt. 'trapdoor') 1. Syn. [13599]back door -- a [13600]Bad Thing. 2. [techspeak] A 'trap-door function' is one which is easy to compute but very difficult to compute the inverse of. Such functions are [13601]Good Things with important applications in cryptography, specifically in the construction of public-key cryptosystems.

Node:trash, Next:[13602]trawl, Previous:[13603]trap door, Up:[13604]= T =

trash vt.

To destroy the contents of (said of a data structure). The most common of the family of near-synonyms including [13605]mung, [13606]mangle, and [13607]scribble.

Node:trawl, Next:[13608]tree-killer, Previous:[13609]trash,
Up:[13610]= T =

trawl v.

To sift through large volumes of data (e.g., Usenet postings, FTP archives, or the Jargon File) looking for something of interest.

Node:tree-killer, Next:[13611]treeware, Previous:[13612]trawl,
Up:[13613]= T =

tree-killer n.

[Sun] 1. A printer. 2. A person who wastes paper. This epithet should be interpreted in a broad sense; 'wasting paper' includes the production of [13614]spiffy but [13615]content-free documents. Thus, most [13616]suits are tree-killers. The negative loading of this term may reflect the epithet 'tree-killer' applied by Treebeard the Ent to the Orcs in J.R.R. Tolkien's "Lord of the Rings" (see also [13617]elvish, [13618]elder days).

Node:treeware, Next:[13619]trit, Previous:[13620]tree-killer,
Up:[13621]= T =

treeware /tree'weir/ n.

Printouts, books, and other information media made from pulped dead trees. Compare [13622]tree-killer, see [13623]documentation.

Node:trit, Next:[13624]trivial, Previous:[13625]treeware, Up:[13626]=
T =

trit /trit/ n.

[by analogy with 'bit'] One base-3 digit; the amount of information conveyed by a selection among one of three equally likely outcomes (see also [13627]bit). Trits arise, for example, in the context of a [13628]flag that should actually be able to assume three values -- such as yes, no, or unknown. Trits are sometimes jokingly called '3-state bits'. A trit may be semi-seriously referred to as 'a bit and a half', although it is linearly equivalent to 1.5849625 bits (that is, $\log_2(3)$ bits).

Node:trivial, Next:[13629]troff, Previous:[13630]trit, Up:[13631]= T =

trivial adj.

1. Too simple to bother detailing. 2. Not worth the speaker's time. 3. Complex, but solvable by methods so well known that anyone not utterly [13632]cretinous would have thought of them already. 4. Any problem one has already solved (some claim that hackish 'trivial' usually evaluates to 'I've seen it before'). Hackers' notions of triviality may be quite at variance with those of non-hackers. See [13633]nontrivial, [13634]uninteresting.

The physicist Richard Feynman, who had the hacker nature to an amazing degree (see his essay "Los Alamos From Below" in "Surely You're Joking, Mr. Feynman!"), defined 'trivial theorem' as "one that has

already been proved".

Node:troff, Next:[13635]troglodyte, Previous:[13636]trivial,
Up:[13637]= T =

troff /T'rof/ or /trof/ n.

[Unix] The gray eminence of Unix text processing; a formatting and phototypesetting program, written originally in PDP-11 assembler and then in barely-structured early C by the late Joseph Ossanna, modeled after the earlier ROFF which was in turn modeled after the [13638]Multics and [13639]CTSS program RUNOFF by Jerome Saltzer (that name came from the expression "to run off a copy"). A companion program, [13640]nroff, formats output for terminals and line printers.

In 1979, Brian Kernighan modified troff so that it could drive phototypesetters other than the Graphic Systems CAT. His paper describing that work ("A Typesetter-independent troff," AT&T CSTR #97) explains troff's durability. After discussing the program's "obvious deficiencies -- a rebarbative input syntax, mysterious and undocumented properties in some areas, and a voracious appetite for computer resources" and noting the ugliness and extreme hairiness of the code and internals, Kernighan concludes:

None of these remarks should be taken as denigrating Ossanna's accomplishment with TROFF. It has proven a remarkably robust tool, taking unbelievable abuse from a variety of preprocessors and being forced into uses that were never conceived of in the original design, all with considerable grace under fire.

The success of [13641]TeX and desktop publishing systems have reduced troff's relative importance, but this tribute perfectly captures the strengths that secured troff a place in hacker folklore; indeed, it could be taken more generally as an indication of those qualities of good programs that, in the long run, hackers most admire.

Node:troglodyte, Next:[13642]troglodyte mode, Previous:[13643]troff,
Up:[13644]= T =

troglodyte n.

[Commodore] 1. A hacker who never leaves his cubicle. The term 'gnoll' (from Dungeons & Dragons) is also reported. 2. A curmudgeon attached to an obsolescent computing environment. The combination 'ITS troglodyte' was flung around some during the Usenet and email wrinkle-wrangle attending the 2.x.x revision of the Jargon File; at least one of the people it was intended to describe adopted it with pride.

Node:troglodyte mode, Next:[13645]Trojan horse,

Previous:[13646]troglodyte, Up:[13647]= T =

troglodyte mode n.

[Rice University] Programming with the lights turned off, sunglasses on, and the terminal inverted (black on white) because you've been up for so many days straight that your eyes hurt (see [13648]raster burn). Loud music blaring from a stereo stacked in the corner is optional but recommended. See [13649]larval stage, [13650]hack mode.

Node:Trojan horse, Next:[13651]troll, Previous:[13652]troglodyte mode, Up:[13653]= T =

Trojan horse n.

[coined by MIT-hacker-turned-NSA-spook Dan Edwards] A malicious, security-breaking program that is disguised as something benign, such as a directory lister, archiver, game, or (in one notorious 1990 case on the Mac) a program to find and destroy viruses! See [13654]back door, [13655]virus, [13656]worm, [13657]phage, [13658]mockingbird.

Node:troll, Next:[13659]Troll-O-Meter, Previous:[13660]Trojan horse, Up:[13661]= T =

troll v.,n.

1. [From the Usenet group alt.folklore.urban] To utter a posting on [13662]Usenet designed to attract predictable responses or [13663]flames; or, the post itself. Derives from the phrase "trolling for [13664]newbies" which in turn comes from mainstream "trolling", a style of fishing in which one trails bait through a likely spot hoping for a bite. The well-constructed troll is a post that induces lots of newbies and flammers to make themselves look even more clueless than they already do, while subtly conveying to the more savvy and experienced that it is in fact a deliberate troll. If you don't fall for the joke, you get to be in on it. See also [13665]YHBT. 2. An individual who chronically trolls in sense 1; regularly posts specious arguments, flames or personal attacks to a newsgroup, discussion list, or in email for no other purpose than to annoy someone or disrupt a discussion. Trolls are recognizable by the fact that they have no real interest in learning about the topic at hand - they simply want to utter flame bait. Like the ugly creatures they are named after, they exhibit no redeeming characteristics, and as such, they are recognized as a lower form of life on the net, as in, "Oh, ignore him, he's just a troll." 3. [Berkeley] Computer lab monitor. A popular campus job for CS students. Duties include helping newbies and ensuring that lab policies are followed. Probably so-called because it involves lurking in dark cavelike corners.

Some people claim that the troll (sense 1) is properly a narrower category than [13666]flame bait, that a troll is categorized by

containing some assertion that is wrong but not overtly controversial.
See also [13667]Troll-O-Meter.

The use of 'troll' in either sense is a live metaphor that readily produces elaborations and combining forms. For example, one not infrequently sees the warning "Do not feed the troll" as part of a followup to troll postings.

Node:Troll-O-Meter, Next:[13668]tron, Previous:[13669]troll,
Up:[13670]= T =

Troll-O-Meter n.

Common Usenet jargon for a notional instrument used to measure the quality of a Usenet [13671]troll. "Come on, everyone! If the above doesn't set off the Troll-O-Meter, we're going to have to get him to run around with a big blinking sign saying 'I am a troll, I'm only in it for the controversy and flames' and shooting random gobs of Jell-O(tm) at us before the point is proven." Mentions of the Troll-O-Meter are often accompanied by an ASCII picture of an arrow pointing at a numeric scale. Compare [13672]bogometer.

Node:tron, Next:[13673>true-hacker, Previous:[13674]Troll-O-Meter,
Up:[13675]= T =

tron v.

[NRL, CMU; prob. fr. the movie "Tron"] To become inaccessible except via email or talk(1), especially when one is normally available via telephone or in person. Frequently used in the past tense, as in: "Ran seems to have tronned on us this week" or "Gee, Ran, glad you were able to un-tron yourself". One may also speak of 'tron mode'; compare [13676]spod.

Note that many dialects of BASIC have a TRON/TROFF command pair that enables/disables line number tracing; this has no obvious relationship to the slang usage.

Node:true-hacker, Next:[13677]tty, Previous:[13678]tron, Up:[13679]= T =

true-hacker n.

[analogy with 'trufan' from SF fandom] One who exemplifies the primary values of hacker culture, esp. competence and helpfulness to other hackers. A high compliment. "He spent 6 hours helping me bring up UUCP and netnews on my FOOBAR 4000 last week -- manifestly the act of a true-hacker." Compare [13680]demigod, oppose [13681]munchkin.

Node:tty, Next:[13682]tube, Previous:[13683>true-hacker, Up:[13684]= T =

tty /T-T-Y/, /tit'ee/ n.

The latter pronunciation was primarily ITS, but some Unix people say it this way as well; this pronunciation is not considered to have sexual undertones. 1. A terminal of the teletype variety, characterized by a noisy mechanical printer, a very limited character set, and poor print quality. Usage: antiquated (like the TTYs themselves). See also [13685]bit-paired keyboard. 2. [especially Unix] Any terminal at all; sometimes used to refer to the particular terminal controlling a given job. 3. [Unix] Any serial port, whether or not the device connected to it is a terminal; so called because under Unix such devices have names of the form tty*. Ambiguity between senses 2 and 3 is common but seldom bothersome.

Node:tube, Next:[13686]tube time, Previous:[13687]tty, Up:[13688]= T =

tube

1. n. A CRT terminal. Never used in the mainstream sense of TV; real hackers don't watch TV, except for Loony Toons, Rocky & Bullwinkle, Trek Classic, the Simpsons, and the occasional cheesy old swashbuckler movie. 2. [IBM] To send a copy of something to someone else's terminal. "Tube me that note?"

Node:tube time, Next:[13689]tunafish, Previous:[13690]tube, Up:[13691]= T =

tube time n.

Time spent at a terminal or console. More inclusive than hacking time; commonly used in discussions of what parts of one's environment one uses most heavily. "I find I'm spending too much of my tube time reading mail since I started this revision."

Node:tunafish, Next:[13692]tune, Previous:[13693]tube time, Up:[13694]= T =

tunafish n.

In hackish lore, refers to the mutated punchline of an age-old joke to be found at the bottom of the manual pages of tunefs(8) in the original [13695]BSD 4.2 distribution. The joke was removed in later releases once commercial sites started using 4.2, but apparently restored on the 4.4BSD tape and in {Net,Free,Open}BSD. Tunefs relates to the 'tuning' of file-system parameters for optimum performance, and at the bottom of a few pages of wizardly inscriptions was a 'BUGS' section consisting of the line "You can tune a file system, but you

can't tunafish". Variants of this can be seen in other BSD versions, though it has been excised from some versions by humorless management [13696]droids. The [nt]roff source for SunOS 4.1.1 contains a comment apparently designed to prevent this: "Take this out and a Unix Demon will dog your steps from now until the time_t's wrap around."

[It has since been pointed out that indeed you can tunafish. Usually at a canning factory... --ESR]

Node:tune, Next:[13697]turbo nerd, Previous:[13698]tunafish,
Up:[13699]= T =

tune vt.

[from automotive or musical usage] To optimize a program or system for a particular environment, esp. by adjusting numerical parameters designed as [13700]hooks for tuning, e.g., by changing #define lines in C. One may 'tune for time' (fastest execution), 'tune for space' (least memory use), or 'tune for configuration' (most efficient use of hardware). See [13701]bum, [13702]hot spot, [13703]hand-hacking.

Node:turbo nerd, Next:[13704]Turing tar-pit, Previous:[13705]tune,
Up:[13706]= T =

turbo nerd n.

See [13707]computer geek.

Node:Turing tar-pit, Next:[13708]tourist, Previous:[13709]turbo nerd,
Up:[13710]= T =

Turing tar-pit n.

1. A place where anything is possible but nothing of interest is practical. Alan Turing helped lay the foundations of computer science by showing that all machines and languages capable of expressing a certain very primitive set of operations are logically equivalent in the kinds of computations they can carry out, and in principle have capabilities that differ only in speed from those of the most powerful and elegantly designed computers. However, no machine or language exactly matching Turing's primitive set has ever been built (other than possibly as a classroom exercise), because it would be horribly slow and far too painful to use. A 'Turing tar-pit' is any computer language or other tool that shares this property. That is, it's theoretically universal -- but in practice, the harder you struggle to get any real work done, the deeper its inadequacies suck you in. Compare [13711]bondage-and-discipline language. 2. The perennial [13712]holy wars over whether language A or B is the "most powerful".

Node:turist, Next:[13713]Tux, Previous:[13714]Turing tar-pit,
Up:[13715]= T =

turist /too'rist/ n.

Var. sp. of [13716]tourist, q.v. Also in adjectival form, 'turistic'.
Poss. influenced by [13717]luser and 'Turing'.

Node:Tux, Next:[13718]tweak, Previous:[13719]turist, Up:[13720]= T =

Tux

Tux the Penguin is the official emblem of [13721]Linux, This eventuated after a logo contest in 1996, during which Linus Torvalds endorsed the idea of a penguin logo in a couple of famously funny [13722]postings. Linus explained that he was once bitten by a killer penguin in Australia and has felt a special affinity for the species ever since. (Linus has since admitted that he was also thinking of Feathers McGraw, the evil-genius penguin jewel thief who appeared in a Wallace & Grommit feature cartoon, "The Wrong Trousers".)

Larry Ewing [13723]designed the official Tux logo. It has proved a wise choice, amenable to hundreds of recognizable variations used as emblems of Linux-related projects, products, and user groups. In fact, Tux has spawned an entire mythology, of which the [13724]Gospel According to Tux and the mock-epic poem "Tuxowolf" are among the best-known examples.

There is a 'real' Tux - a black-footed penguin resident at the Bristol Zoo. Several friends of Linux bought a zoo sponsorship for Linus as a birthday present in 1996.

Node:tweak, Next:[13725]tweeter, Previous:[13726]Tux, Up:[13727]= T =

tweak vt.

1. To change slightly, usually in reference to a value. Also used synonymously with [13728]twiddle. If a program is almost correct, rather than figure out the precise problem you might just keep tweaking it until it works. See [13729]froblicate and [13730]fudge factor; also see [13731]shotgun debugging. 2. To [13732]tune or [13733]bum a program; preferred usage in the U.K.

Node:tweeter, Next:[13734]TWENEX, Previous:[13735]tweak, Up:[13736]= T =

tweeter n.

[University of Waterloo] Syn. [13737]perf, [13738]chad (sense 1). This term (like [13739]woofier) has been in use at Waterloo since 1972 but

is elsewhere unknown. In audio jargon, the word refers to the treble speaker(s) on a hi-fi.

Node:TWENEX, Next:[13740]twiddle, Previous:[13741]tweeter, Up:[13742]=
T =

TWENEX /twe'neks/ n.

The TOPS-20 operating system by [13743]DEC -- the second proprietary OS for the PDP-10 -- preferred by most PDP-10 hackers over TOPS-10 (that is, by those who were not [13744]ITS or [13745]WAITS partisans). TOPS-20 began in 1969 as Bolt, Beranek & Newman's TENEX operating system using special paging hardware. By the early 1970s, almost all of the systems on the ARPANET ran TENEX. DEC purchased the rights to TENEX from BBN and began work to make it their own. The first in-house code name for the operating system was VIROS (VIRtual memory Operating System); when customers started asking questions, the name was changed to SNARK so DEC could truthfully deny that there was any project called VIROS. When the name SNARK became known, the name was briefly reversed to become KRANS; this was quickly abandoned when someone objected that 'krans' meant 'funeral wreath' in Swedish (though some Swedish speakers have since said it means simply 'wreath'; this part of the story may be apocryphal). Ultimately DEC picked TOPS-20 as the name of the operating system, and it was as TOPS-20 that it was marketed. The hacker community, mindful of its origins, quickly dubbed it TWENEX (a contraction of 'twenty TENEX'), even though by this point very little of the original TENEX code remained (analogously to the differences between AT&T V6 Unix and BSD). DEC people cringed when they heard "TWENEX", but the term caught on nevertheless (the written abbreviation '20x' was also used). TWENEX was successful and very popular; in fact, there was a period in the early 1980s when it commanded as fervent a culture of partisans as Unix or ITS -- but DEC's decision to scrap all the internal rivals to the VAX architecture and its relatively stodgy VMS OS killed the DEC-20 and put a sad end to TWENEX's brief day in the sun. DEC attempted to convince TOPS-20 users to convert to [13746]VMS, but instead, by the late 1980s, most of the TOPS-20 hackers had migrated to Unix.

Node:twiddle, Next:[13747]twilight zone, Previous:[13748]TWENEX,
Up:[13749]= T =

twiddle n.

1. Tilde (ASCII 1111110, ~). Also called 'squiggle', 'sqiggle' (sic -- pronounced /skig'l/), and 'twaddle', but twiddle is the most common term. 2. A small and insignificant change to a program. Usually fixes one bug and generates several new ones (see also [13750]shotgun debugging). 3. vt. To change something in a small way. Bits, for example, are often twiddled. Twiddling a switch or [13751]knobs implies much less sense of purpose than toggling or tweaking it; see [13752]frobnicate. To speak of twiddling a bit connotes aimlessness,

and at best doesn't specify what you're doing to the bit; 'toggling a bit' has a more specific meaning (see [13753]bit twiddling, [13754]toggle). 4. Uncommon name for the [13755]twirling baton prompt.

Node:twilight zone, Next:[13756]twink, Previous:[13757]twiddle,
Up:[13758]= T =

twilight zone n. //

[IRC] Notionally, the area of cyberspace where [13759]IRC operators live. An [13760]op is said to have a "connection to the twilight zone".

Node:twink, Next:[13761]twirling baton, Previous:[13762]twilight zone,
Up:[13763]= T =

twink /twink/ n.

1. [Berkeley] A clue-repellant user; the next step beyond a clueless one. 2. [UCSC] A [13764]read-only user. Also reported on the Usenet group soc.motss; may derive from gay slang for a cute young thing with nothing upstairs (compare mainstream 'chick').

Node:twirling baton, Next:[13765]two pi, Previous:[13766]twink,
Up:[13767]= T =

twirling baton n.

[PLATO] The overstrike sequence -/|-/|- which produces an animated twirling baton. If you output it with a single backspace between characters, the baton spins in place. If you output the sequence BS SP between characters, the baton spins from left to right. If you output BS SP BS BS between characters, the baton spins from right to left. This is also occasionally called a twiddle prompt.

The twirling baton was a popular component of animated signature files on the pioneering PLATO educational timesharing system. Thearchie Internet service is perhaps the best-known baton program today; it uses the twirling baton as an idler indicating that the program is working on a query. The twirling baton is also used as a boot progress indicator on several BSD variants of Unix; if it stops you're probably going to have a long and trying day.

Node:two pi, Next:[13768]two-to-the-N, Previous:[13769]twirling baton,
Up:[13770]= T =

two pi quant.

The number of years it takes to finish one's thesis. Occurs in stories

in the following form: "He started on his thesis; 2 pi years later..."

Node:two-to-the-N, Next:[13771]twonkie, Previous:[13772]two pi,
Up:[13773]= T =

two-to-the-N quant.

An amount much larger than [13774]N but smaller than [13775]infinity.
"I have 2-to-the-N things to do before I can go out for lunch" means
you probably won't show up.

Node:twonkie, Next:[13776]u-, Previous:[13777]two-to-the-N,
Up:[13778]= T =

twonkie /twon'kee/ n.

The software equivalent of a Twinkie (a variety of sugar-loaded junk
food, or (in gay slang with a small t) the male equivalent of
'chick'); a useless 'feature' added to look sexy and placate a
[13779]marketroid (compare [13780]Saturday-night special). The term
may also be related to "The Twonky", title menace of a classic SF
short story by Lewis Padgett (Henry Kuttner and C. L. Moore), first
published in the September 1942 "Astounding Science Fiction" and
subsequently much anthologized.

Node:= U =, Next:[13781]= V =, Previous:[13782]= T =, Up:[13783]The
Jargon Lexicon

= U =

- * [13784]u-:
- * [13785]UBD:
- * [13786]UBE:
- * [13787]UCE:
- * [13788]UDP:
- * [13789]UN*X:
- * [13790]undefined external reference:
- * [13791]under the hood:
- * [13792]undocumented feature:
- * [13793]uninteresting:
- * [13794]Unix:
- * [13795]Unix brain damage:
- * [13796]Unix conspiracy:
- * [13797]Unix weenie:
- * [13798]unixism:
- * [13799]unswizzle:
- * [13800]unwind the stack:
- * [13801]unwind-protect:
- * [13802]up:
- * [13803]upload:

- * [13804]upthread:
 - * [13805]urchin:
 - * [13806]URL:
 - * [13807]Usenet:
 - * [13808]Usenet Death Penalty:
 - * [13809]user:
 - * [13810]user-friendly:
 - * [13811]user-obsequious:
 - * [13812]userland:
 - * [13813]USG Unix:
 - * [13814]UTSL:
 - * [13815]UUCPNET:
-

Node:u-, Next:[13816]UBD, Previous:[13817]twonkie, Up:[13818]= U =

u- pref.

Written shorthand for [13819]micro-; techspeak when applied to metric units, jargon when used otherwise. Derived from the Greek letter "mu", the first letter of "micro" (and which letter looks a lot like the English letter "u").

Node:UBD, Next:[13820]UBE, Previous:[13821]u-, Up:[13822]= U =

UBD /U-B-D/ n.

[abbreviation for 'User Brain Damage'] An abbreviation used to close out trouble reports obviously due to utter cluelessness on the user's part. Compare [13823]pilot error; oppose [13824]PBD; see also [13825]brain-damaged.

Node:UBE, Next:[13826]UCE, Previous:[13827]UBD, Up:[13828]= U =

UBE // n.

[abbrev., Unsolicited Bulk Email] A widespread, more formal term for email [13829]spam. Compare [13830]UCE. The UBE term recognizes that spam is uttered by nonprofit and advocacy groups whose motives are not commercial.

Node:UCE, Next:[13831]UDP, Previous:[13832]UBE, Up:[13833]= U =

UCE n.

[abbrev., Unsolicited Commercial Email] A widespread, more formal term for email [13834]spam. Compare [13835]UBE, which may be superseding it.

Node:UDP, Next:[13836]UN*X, Previous:[13837]UCE, Up:[13838]= U =

UDP /U-D-P/ v.,n.

[Usenet] Abbreviation for [13839]Usenet Death Penalty. Common (probably now more so than the full form), and frequently verbed. Compare [13840]IDP.

Node:UN*X, Next:[13841]undefined external reference, Previous:[13842]UDP, Up:[13843]= U =

UN*X n.

Used to refer to the Unix operating system (a trademark of AT&T, then of Novell, then of SCO, and then of Caldera) in writing, but avoiding the need for the ugly [13844](TM) typography. Also used to refer to any or all varieties of Unixoid operating systems. Ironically, lawyers now say that the requirement for the trademark postfix has no legal force, but the asterisk usage is entrenched anyhow. It has been suggested that there may be a psychological connection to practice in certain religions (especially Judaism) in which the name of the deity is never written out in full, e.g., 'YHWH' or 'G-d' is used. See also [13845]glob and [13846]splat out.

Node:undefined external reference, Next:[13847]under the hood, Previous:[13848]UN*X, Up:[13849]= U =

undefined external reference excl.

[Unix] A message from Unix's linker. Used in speech to flag loose ends or dangling references in an argument or discussion.

Node:under the hood, Next:[13850]undocumented feature, Previous:[13851]undefined external reference, Up:[13852]= U =

under the hood adj.

[hot-rodder talk] 1. Used to introduce the underlying implementation of a product (hardware, software, or idea). Implies that the implementation is not intuitively obvious from the appearance, but the speaker is about to enable the listener to [13853]grok it. "Let's now look under the hood to see how" 2. Can also imply that the implementation is much simpler than the appearance would indicate: "Under the hood, we are just fork/execing the shell." 3. Inside a chassis, as in "Under the hood, this baby has a 40MHz 68030!"

Node:undocumented feature, Next:[13854]uninteresting, Previous:[13855]under the hood, Up:[13856]= U =

undocumented feature n.

See [13857]feature.

Node:uninteresting, Next:[13858]Unix, Previous:[13859]undocumented feature, Up:[13860]= U =

uninteresting adj.

1. Said of a problem that, although [13861]nontrivial, can be solved simply by throwing sufficient resources at it. 2. Also said of problems for which a solution would neither advance the state of the art nor be fun to design and code.

Hackers regard uninteresting problems as intolerable wastes of time, to be solved (if at all) by lesser mortals. Real hackers (see [13862]toolsmith) generalize uninteresting problems enough to make them interesting and solve them -- thus solving the original problem as a special case (and, it must be admitted, occasionally turning a molehill into a mountain, or a mountain into a tectonic plate). See [13863]WOMBAT, [13864]SMOP; compare [13865]toy problem, oppose [13866]interesting.

Node:Unix, Next:[13867]Unix brain damage, Previous:[13868]uninteresting, Up:[13869]= U =

Unix /yoo'niks/ n.

[In the authors' words, "A weak pun on Multics"; very early on it was 'UNICS'] (also 'UNIX') An interactive time-sharing system invented in 1969 by Ken Thompson after Bell Labs left the Multics project, originally so he could play games on his scavenged PDP-7. Dennis Ritchie, the inventor of C, is considered a co-author of the system. The turning point in Unix's history came when it was reimplemented almost entirely in C during 1972-1974, making it the first source-portable OS. Unix subsequently underwent mutations and expansions at the hands of many different people, resulting in a uniquely flexible and developer-friendly environment. By 1991, Unix had become the most widely used multiuser general-purpose operating system in the world - and since 1996 the variant called [13870]Linux has been at the cutting edge of the [13871]open source movement. Many people consider the success of Unix the most important victory yet of hackerdom over industry opposition (but see [13872]Unix weenie and [13873]Unix conspiracy for an opposing point of view). See [13874]Version 7, [13875]BSD, [13876]USG Unix, [13877]Linux.

Some people are confused over whether this word is appropriately 'UNIX' or 'Unix'; both forms are common, and used interchangeably. Dennis Ritchie says that the 'UNIX' spelling originally happened in CACM's 1974 paper "The UNIX Time-Sharing System" because "we had a new typesetter and [13878]troff had just been invented and we were

intoxicated by being able to produce small caps." Later, dmr tried to get the spelling changed to 'Unix' in a couple of Bell Labs papers, on the grounds that the word is not acronymic. He failed, and eventually (his words) "wimped out" on the issue. So, while the trademark today is 'UNIX', both capitalizations are grounded in ancient usage; the Jargon File uses 'Unix' in deference to dmr's wishes.

Node:Unix brain damage, Next:[13879]Unix conspiracy,
Previous:[13880]Unix, Up:[13881]= U =

Unix brain damage n.

Something that has to be done to break a network program (typically a mailer) on a non-Unix system so that it will interoperate with Unix systems. The hack may qualify as 'Unix brain damage' if the program conforms to published standards and the Unix program in question does not. Unix brain damage happens because it is much easier for other (minority) systems to change their ways to match non-conforming behavior than it is to change all the hundreds of thousands of Unix systems out there.

An example of Unix brain damage is a [13882]kluge in a mail server to recognize bare line feed (the Unix newline) as an equivalent form to the Internet standard newline, which is a carriage return followed by a line feed. Such things can make even a hardened [13883]jock weep.

Node:Unix conspiracy, Next:[13884]Unix weenie, Previous:[13885]Unix brain damage, Up:[13886]= U =

Unix conspiracy n.

[ITS] According to a conspiracy theory long popular among [13887]ITS and [13888]TOPS-20 fans, Unix's growth is the result of a plot, hatched during the 1970s at Bell Labs, whose intent was to hobble AT&T's competitors by making them dependent upon a system whose future evolution was to be under AT&T's control. This would be accomplished by disseminating an operating system that is apparently inexpensive and easily portable, but also relatively unreliable and insecure (so as to require continuing upgrades from AT&T). This theory was lent a substantial impetus in 1984 by the paper referenced in the [13889]back door entry.

In this view, Unix was designed to be one of the first computer viruses (see [13890]virus) -- but a virus spread to computers indirectly by people and market forces, rather than directly through disks and networks. Adherents of this 'Unix virus' theory like to cite the fact that the well-known quotation "Unix is snake oil" was uttered by [13891]DEC president Kenneth Olsen shortly before DEC began actively promoting its own family of Unix workstations. (Olsen now claims to have been misquoted.)

[If there was ever such a conspiracy, it got thoroughly out of the plotters' control after 1990. AT&T sold its UNIX operation to Novell around the same time [13892]Linux and other free-UNIX distributions were beginning to make noise. --ESR]

Node:Unix weenie, Next:[13893]unixism, Previous:[13894]Unix conspiracy, Up:[13895]= U =

Unix weenie n.

[ITS] 1. A derogatory play on 'Unix wizard', common among hackers who use Unix by necessity but would prefer alternatives. The implication is that although the person in question may consider mastery of Unix arcana to be a wizardly skill, the only real skill involved is the ability to tolerate (and the bad taste to wallow in) the incoherence and needless complexity that is alleged to infest many Unix programs. "This shell script tries to parse its arguments in 69 bletcherous ways. It must have been written by a real Unix weenie." 2. A derogatory term for anyone who engages in uncritical praise of Unix. Often appearing in the context "stupid Unix weenie". See [13896]Weenix, [13897]Unix conspiracy. See also [13898]weenie.

Node:unixism, Next:[13899]unswizzle, Previous:[13900]Unix weenie, Up:[13901]= U =

unixism n.

A piece of code or a coding technique that depends on the protected multi-tasking environment with relatively low process-spawn overhead that exists on virtual-memory Unix systems. Common [13902]unixisms include: gratuitous use of fork(2); the assumption that certain undocumented but well-known features of Unix libraries such as stdio(3) are supported elsewhere; reliance on [13903]obscure side-effects of system calls (use of sleep(2) with a 0 argument to clue the scheduler that you're willing to give up your time-slice, for example); the assumption that freshly allocated memory is zeroed; and the assumption that fragmentation problems won't arise from never free()ing memory. Compare [13904]vaxocentrism; see also [13905]New Jersey.

Node:unswizzle, Next:[13906]unwind the stack, Previous:[13907]unixism, Up:[13908]= U =

unswizzle v.

See [13909]swizzle.

Node:unwind the stack, Next:[13910]unwind-protect, Previous:[13911]unswizzle, Up:[13912]= U =

unwind the stack vi.

1. [techspeak] During the execution of a procedural language, one is said to 'unwind the stack' from a called procedure up to a caller when one discards the stack frame and any number of frames above it, popping back up to the level of the given caller. In C this is done with longjmp/setjmp, in LISP or C++ with throw/catch. See also [13913]smash the stack. 2. People can unwind the stack as well, by quickly dealing with a bunch of problems: "Oh heck, let's do lunch. Just a second while I unwind my stack."

Node:unwind-protect, Next:[13914]up, Previous:[13915]unwind the stack, Up:[13916]= U =

unwind-protect n.

[MIT: from the name of a LISP operator] A task you must remember to perform before you leave a place or finish a project. "I have an unwind-protect to call my advisor."

Node:up, Next:[13917]upload, Previous:[13918]unwind-protect, Up:[13919]= U =

up adj.

1. Working, in order. "The down escalator is up." Oppose [13920]down. 2. 'bring up': vt. To create a working version and start it. "They brought up a down system." 3. 'come up' vi. To become ready for production use.

Node:upload, Next:[13921]upthread, Previous:[13922]up, Up:[13923]= U =

upload /uhp'lohd/ v.

1. [techspeak] To transfer programs or data over a digital communications link from a system near you (especially a smaller or peripheral 'client' system) to one further away from you (especially a larger or central 'host' system). A transfer in the other direction is, of course, called a [13924]download 2. [speculatively] To move the essential patterns and algorithms that make up one's mind from one's brain into a computer. Those who are convinced that such patterns and algorithms capture the complete essence of the self view this prospect with pleasant anticipation.

Node:upthread, Next:[13925]urchin, Previous:[13926]upload, Up:[13927]= U =

upthread adv.

Earlier in the discussion (see [13928]thread), i.e., 'above'. "As Joe pointed out upthread, ..." See also [13929]followup.

Node:urchin, Next:[13930]URL, Previous:[13931]upthread, Up:[13932]= U =

=

urchin n.

See [13933]munchkin.

Node:URL, Next:[13934]Usenet, Previous:[13935]urchin, Up:[13936]= U =

URL /U-R-L/ or /erl/ n.

Uniform Resource Locator, an address widget that identifies a document or resource on the World Wide Web. This entry is here primarily to record the fact that the term is commonly pronounced both /erl/, and /U-R-L/ (the latter predominates in more formal contexts).

Node:Usenet, Next:[13937]Usenet Death Penalty, Previous:[13938]URL, Up:[13939]= U =

Usenet /yoos'net/ or /yooz'net/ n.

[from 'Users' Network'; the original spelling was USENET, but the mixed-case form is now widely preferred] A distributed [13940]bboard (bulletin board) system supported mainly by Unix machines. Originally implemented in 1979-1980 by Steve Bellovin, Jim Ellis, Tom Truscott, and Steve Daniel at Duke University, it has swiftly grown to become international in scope and is now probably the largest decentralized information utility in existence. As of early 1996, it hosts over 10,000 [13941]newsgroups and an average of over 500 megabytes (the equivalent of several thousand paper pages) of new technical articles, news, discussion, chatter, and [13942]flamage every day (and that leaves out the graphics...).

By the year the Internet hit the mainstream (1994) the original UUCP transport for Usenet was fading out of use (see [13943]UUCPNET) - almost all Usenet connections were over Internet links. A lot of newbies and journalists began to refer to "Internet newsgroups" as though Usenet was and always had been just another Internet service. This ignorance greatly annoys experienced Usenetters.

Node:Usenet Death Penalty, Next:[13944]user, Previous:[13945]Usenet, Up:[13946]= U =

Usenet Death Penalty

[Usenet] A sanction against sites that habitually spew Usenet [13947]spam. This can be either passive or active. A passive UDP refers to the dropping of all postings by a particular domain so as to inhibit propagation. An active UDP refers to third-party cancellation of all postings by the UDPed domain. A partial UDP is one which applies only to certain newsgroups or hierarchies in Usenet. Compare [13948]Internet Death Penalty, with which this term is sometimes confused.

Node:user, Next:[13949]user-friendly, Previous:[13950]Usenet Death Penalty, Up:[13951]= U =

user n.

1. Someone doing 'real work' with the computer, using it as a means rather than an end. Someone who pays to use a computer. See [13952]real user. 2. A programmer who will believe anything you tell him. One who asks silly questions. [GLS observes: This is slightly unfair. It is true that users ask questions (of necessity). Sometimes they are thoughtful or deep. Very often they are annoying or downright stupid, apparently because the user failed to think for two seconds or look in the documentation before bothering the maintainer.] See [13953]user. 3. Someone who uses a program from the outside, however skillfully, without getting into the internals of the program. One who reports bugs instead of just going ahead and fixing them.

The general theory behind this term is that there are two classes of people who work with a program: there are implementors (hackers) and [13954]users. The users are looked down on by hackers to some extent because they don't understand the full ramifications of the system in all its glory. (The few users who do are known as 'real winners'.) The term is a relative one: a skilled hacker may be a user with respect to some program he himself does not hack. A LISP hacker might be one who maintains LISP or one who uses LISP (but with the skill of a hacker). A LISP user is one who uses LISP, whether skillfully or not. Thus there is some overlap between the two terms; the subtle distinctions must be resolved by context.

Node:user-friendly, Next:[13955]user-obsequious, Previous:[13956]user, Up:[13957]= U =

user-friendly adj.

Programmer-hostile. Generally used by hackers in a critical tone, to describe systems that hold the user's hand so obsessively that they make it painful for the more experienced and knowledgeable to get any work done. See [13958]menutitis, [13959]drool-proof paper, [13960]Macintrash, [13961]user-obsequious.

Node:user-obsequious, Next:[13962]userland,

Previous:[13963]user-friendly, Up:[13964]= U =

user-obsequious adj.

Emphatic form of [13965]user-friendly. Connotes a system so verbose, inflexible, and determinedly simple-minded that it is nearly unusable.

"Design a system any fool can use and only a fool will want to use it." See [13966]WIMP environment, [13967]Macintrash.

Node:userland, Next:[13968]USG Unix, Previous:[13969]user-obsequious, Up:[13970]= U =

userland n.

Anywhere outside the kernel. "That code belongs in userland." This term has been in common use among [13971]Linux kernel hackers since at least 1997, and seems to have originated in that community.

Node:USG Unix, Next:[13972]UTSL, Previous:[13973]userland, Up:[13974]= U =

USG Unix /U-S-G yoo'niks/ n.,obs.

Refers to AT&T Unix commercial versions after [13975]Version 7, especially System III and System V releases 1, 2, and 3. So called because during most of the lifespan of those versions AT&T's support crew was called the 'Unix Support Group', but it is applied to version that pre- and post-dated the USG group but were of the same lineage. This term is now historical. See [13976]BSD, [13977]Unix.

Node:UTSL, Next:[13978]UUCPNET, Previous:[13979]USG Unix, Up:[13980]= U =

UTSL // n.

[Unix] On-line acronym for 'Use the Source, Luke' (a pun on Obi-Wan Kenobi's "Use the Force, Luke!" in "Star Wars") -- analogous to [13981]RTFS (sense 1), but more polite. This is a common way of suggesting that someone would be better off reading the source code that supports whatever feature is causing confusion, rather than making yet another futile pass through the manuals, or broadcasting questions on Usenet that haven't attracted [13982]wizards to answer them.

Once upon a time in [13983]elder days, everyone running Unix had source. After 1978, AT&T's policy tightened up, so this objurgation was in theory appropriately directed only at associates of some outfit with a Unix source license. In practice, bootlegs of Unix source code (made precisely for reference purposes) were so ubiquitous that one could utter it at almost anyone on the network without concern.

Nowadays, free Unix clones have become widely enough distributed that anyone can read source legally. The most widely distributed is certainly Linux, with variants of the NET/2 and 4.4BSD distributions running second. Cheap commercial Unixes with source such as BSD/OS are accelerating this trend.

Node:UUCPNET, Next:[13984]V7, Previous:[13985]UTSL, Up:[13986]= U =

UUCPNET n. obs.

The store-and-forward network consisting of all the world's connected Unix machines (and others running some clone of the UUCP (Unix-to-Unix CoPy) software). Any machine reachable only via a [13987]bang path is on UUCPNET. This term has been rendered obsolescent by the spread of cheap Internet connections in the 1990s; the few remaining UUCP links are essentially slow channels to the Internet rather than an autonomous network. See [13988]network address.

Node:= V =, Next:[13989]= W =, Previous:[13990]= U =, Up:[13991]The Jargon Lexicon

= V =

- * [13992]V7:
- * [13993]vadding:
- * [13994]vanilla:
- * [13995]vanity domain:
- * [13996]vannevar:
- * [13997]vaporware:
- * [13998]var:
- * [13999]vaston:
- * [14000]VAX:
- * [14001]VAXectomy:
- * [14002]VAXen:
- * [14003]vaxherd:
- * [14004]vaxism:
- * [14005]vaxocentrism:
- * [14006]vdiff:
- * [14007]veeblefester:
- * [14008]velveeta:
- * [14009]ventilator card:
- * [14010]Venus flytrap:
- * [14011]verbage:
- * [14012]verbiage:
- * [14013]Version 7:
- * [14014]vgrep:
- * [14015]vi:
- * [14016]video toaster:
- * [14017]videotex:
- * [14018]virgin:

- * [14019]virtual:
- * [14020]virtual beer:
- * [14021]virtual Friday:
- * [14022]virtual reality:
- * [14023]virtual shredder:
- * [14024]virus:
- * [14025]visionary:
- * [14026]VMS:
- * [14027]voice:
- * [14028]voice-net:
- * [14029]voodoo programming:
- * [14030]VR:
- * [14031]Vulcan nerve pinch:
- * [14032]vulture capitalist:

Node:V7, Next:[14033]vadding, Previous:[14034]UUCPNET, Up:[14035]= V =

V7 /V'sev'en/ n.

See [14036]Version 7.

Node:vadding, Next:[14037]vanilla, Previous:[14038]V7, Up:[14039]= V =

vadding /vad'ing/ n.

[from VAD, a permutation of ADV (i.e., [14040]ADVENT), used to avoid a particular [14041]admin's continual search-and-destroy sweeps for the game] A leisure-time activity of certain hackers involving the covert exploration of the 'secret' parts of large buildings -- basements, roofs, freight elevators, maintenance crawlways, steam tunnels, and the like. A few go so far as to learn locksmithing in order to synthesise vadding keys. The verb is 'to vad' (compare [14042]phreaking; see also [14043]hack, sense 9). This term dates from the late 1970s, before which such activity was simply called 'hacking'; the older usage is still prevalent at MIT.

The most extreme and dangerous form of vadding is 'elevator rodeo', a.k.a. 'elevator surfing', a sport played by wrasslin' down a thousand-pound elevator car with a 3-foot piece of string, and then exploiting this mastery in various stimulating ways (such as elevator hopping, shaft exploration, rat-racing, and the ever-popular drop experiments). Kids, don't try this at home! See also [14044]hobbit (sense 2).

Node:vanilla, Next:[14045]vanity domain, Previous:[14046]vadding, Up:[14047]= V =

vanilla adj.

[from the default flavor of ice cream in the U.S.] Ordinary

[14048]flavor, standard. When used of food, very often does not mean that the food is flavored with vanilla extract! For example, 'vanilla wonton soup' means ordinary wonton soup, as opposed to hot-and-sour wonton soup. Applied to hardware and software, as in "Vanilla Version 7 Unix can't run on a vanilla 11/34." Also used to orthogonalize chip nomenclature; for instance, a 74V00 means what TI calls a 7400, as distinct from a 74LS00, etc. This word differs from [14049]canonical in that the latter means 'default', whereas vanilla simply means 'ordinary'. For example, when hackers go on a [14050]great-wall, hot-and-sour soup is the [14051]canonical soup to get (because that is what most of them usually order) even though it isn't the vanilla (wonton) soup.

Node:vanity domain, Next:[14052]vannevar, Previous:[14053]vanilla, Up:[14054]= V =

vanity domain n.

[common; from 'vanity plate' as in car license plate] An Internet domain, particularly in the .com or .org top-level domains, apparently created for no reason other than boosting the creator's ego.

Node:vannevar, Next:[14055]vaporware, Previous:[14056]vanity domain, Up:[14057]= V =

vannevar /van*'-var/ n.

A bogus technological prediction or a foredoomed engineering concept, esp. one that fails by implicitly assuming that technologies develop linearly, incrementally, and in isolation from one another when in fact the learning curve tends to be highly nonlinear, revolutions are common, and competition is the rule. The prototype was Vannevar Bush's prediction of 'electronic brains' the size of the Empire State Building with a Niagara-Falls-equivalent cooling system for their tubes and relays, a prediction made at a time when the semiconductor effect had already been demonstrated. Other famous vannevars have included magnetic-bubble memory, LISP machines, [14058]videotex, and a paper from the late 1970s that computed a purported ultimate limit on areal density for ICs that was in fact less than the routine densities of 5 years later.

Node:vaporware, Next:[14059]var, Previous:[14060]vannevar, Up:[14061]= V =

vaporware /vay'pr-weir/ n.

Products announced far in advance of any release (which may or may not actually take place). See also [14062]brochureware.

Node:var, Next:[14063]vaston, Previous:[14064]vaporware, Up:[14065]= V =

var /veir/ or /var/ n.

Short for 'variable'. Compare [14066]arg, [14067]param.

Node:vaston, Next:[14068]VAX, Previous:[14069]var, Up:[14070]= V =

vaston n.

[Durham, UK] The unit of 'load average'. A measure of how much work a computer is doing. A meter displaying this as a function of time is known as a 'vastometer'. First used during a computing practical in December 1996.

Node:VAX, Next:[14071]VAXectomy, Previous:[14072]vaston, Up:[14073]= V =

VAX /vaks/ n.

1. [from Virtual Address eXtension] The most successful minicomputer design in industry history, possibly excepting its immediate ancestor, the PDP-11. Between its release in 1978 and its eclipse by [14074]killer micros after about 1986, the VAX was probably the hacker's favorite machine of them all, esp. after the 1982 release of 4.2 BSD Unix (see [14075]BSD). Esp. noted for its large, assembler-programmer-friendly instruction set -- an asset that became a liability after the RISC revolution. 2. A major brand of vacuum cleaner in Britain. Cited here because its sales pitch, "Nothing sucks like a VAX!" became a sort of battle-cry of RISC partisans. It is even sometimes claimed that DEC actually entered a cross-licensing deal with the vacuum-Vax people that allowed them to market VAX computers in the U.K. in return for not challenging the vacuum cleaner trademark in the U.S.

A rival brand actually pioneered the slogan: its original form was "Nothing sucks like Electrolux". It has apparently become a classic example (used in advertising textbooks) of the perils of not knowing the local idiom. But in 1996, the press manager of Electrolux AB, while confirming that the company used this slogan in the late 1960s, also tells us that their marketing people were fully aware of the possible double entendre and intended it to gain attention.

And gain attention it did - the VAX-vacuum-cleaner people thought the slogan a sufficiently good idea to copy it. Several British hackers report that VAX's promotions used it in 1986-1987, and we have one report from a New Zealander that the infamous slogan surfaced there in TV ads for the product in 1992.

Node:VAXectomy, Next:[14076]VAXen, Previous:[14077]VAX, Up:[14078]= V

=

VAXectomy /vak-sek't*-mee/ n.

[by analogy with 'vasectomy'] A VAX removal. [14079]DEC's Microvaxen, especially, are much slower than newer RISC-based workstations such as the SPARC. Thus, if one knows one has a replacement coming, VAX removal can be cause for celebration.

Node:VAXen, Next:[14080]vaxherd, Previous:[14081]VAXectomy,

Up:[14082]= V =

VAXen /vak'sn/ n.

[from 'oxen', perhaps influenced by 'vixen'] (alt. 'vaxen') The plural canonically used among hackers for the [14083]DEC VAX computers. "Our installation has four PDP-10s and twenty vaxen." See [14084]boxen.

Node:vaxherd, Next:[14085]vaxism, Previous:[14086]VAXen, Up:[14087]= V

=

vaxherd /vaks'herd/ n. obs.

[from 'oxherd'] A VAX operator. The image is reinforced because VAXen actually did tend to come in herds, technically known as 'clusters'.

Node:vaxism, Next:[14088]vaxocentrism, Previous:[14089]vaxherd,

Up:[14090]= V =

vaxism /vak'sizm/ n.

A piece of code that exhibits [14091]vaxocentrism in critical areas. Compare [14092]PC-ism, [14093]unixism.

Node:vaxocentrism, Next:[14094]vdiff, Previous:[14095]vaxism,

Up:[14096]= V =

vaxocentrism /vak'soh-sen'trizm/ n.

[analogy with 'ethnocentrism'] A notional disease said to afflict C programmers who persist in coding according to certain assumptions that are valid (esp. under Unix) on [14097]VAXen but false elsewhere. Among these are:

1. The assumption that dereferencing a null pointer is safe because it is all bits 0, and location 0 is readable and 0. Problem: this may instead cause an illegal-address trap on non-VAXen, and even on VAXen under OSes other than BSD Unix. Usually this is an implicit assumption of sloppy code (forgetting to check the

pointer before using it), rather than deliberate exploitation of a misfeature.

2. The assumption that characters are signed.
3. The assumption that a pointer to any one type can freely be cast into a pointer to any other type. A stronger form of this is the assumption that all pointers are the same size and format, which means you don't have to worry about getting the casts or types correct in calls. Problem: this fails on word-oriented machines or others with multiple pointer formats.
4. The assumption that the parameters of a routine are stored in memory, on a stack, contiguously, and in strictly ascending or descending order. Problem: this fails on many RISC architectures.
5. The assumption that pointer and integer types are the same size, and that pointers can be stuffed into integer variables (and vice-versa) and drawn back out without being truncated or mangled. Problem: this fails on segmented architectures or word-oriented machines with funny pointer formats.
6. The assumption that a data type of any size may begin at any byte address in memory (for example, that you can freely construct and dereference a pointer to a word- or greater-sized object at an odd char address). Problem: this fails on many (esp. RISC) architectures better optimized for [14098]HLL execution speed, and can cause an illegal address fault or bus error.
7. The (related) assumption that there is no padding at the end of types and that in an array you can thus step right from the last byte of a previous component to the first byte of the next one. This is not only machine- but compiler-dependent.
8. The assumption that memory address space is globally flat and that the array reference `foo[-1]` is necessarily valid. Problem: this fails at 0, or other places on segment-addressed machines like Intel chips (yes, segmentation is universally considered a [14099]brain-damaged way to design machines (see [14100]moby), but that is a separate issue).
9. The assumption that objects can be arbitrarily large with no special considerations. Problem: this fails on segmented architectures and under non-virtual-addressing environments.
10. The assumption that the stack can be as large as memory. Problem: this fails on segmented architectures or almost anything else without virtual addressing and a paged stack.
11. The assumption that bits and addressable units within an object are ordered in the same way and that this order is a constant of nature. Problem: this fails on [14101]big-endian machines.
12. The assumption that it is meaningful to compare pointers to different objects not located within the same array, or to objects of different types. Problem: the former fails on segmented architectures, the latter on word-oriented machines or others with multiple pointer formats.
13. The assumption that an int is 32 bits, or (nearly equivalently) the assumption that `sizeof(int) == sizeof(long)`. Problem: this fails on PDP-11s, 286-based systems and even on 386 and 68000 systems under some compilers (and on 64-bit systems like the Alpha, of course).
14. The assumption that `argv[]` is writable. Problem: this fails in

many embedded-systems C environments and even under a few flavors of Unix.

Note that a programmer can validly be accused of vaxocentrism even if he or she has never seen a VAX. Some of these assumptions (esp. 2-5) were valid on the PDP-11, the original C machine, and became endemic years before the VAX. The terms 'vaxocentricity' and 'all-the-world's-a-VAX syndrome' have been used synonymously.

Node:vdiff, Next:[14102]veeblefester, Previous:[14103]vaxocentrism, Up:[14104]= V =

vdiff /vee'dif/ v.,n.

Visual diff. The operation of finding differences between two files by [14105]eyeball search. The term 'optical diff' has also been reported, and is sometimes more specifically used for the act of superimposing two nearly identical printouts on one another and holding them up to a light to spot differences. Though this method is poor for detecting omissions in the 'rear' file, it can also be used with printouts of graphics, a claim few if any diff programs can make. See [14106]diff.

Node:veeblefester, Next:[14107]velveeta, Previous:[14108]vdiff, Up:[14109]= V =

veeblefester /vee'b*l-fes'tr/ n.

[from the "Born Loser" comix via Commodore; prob. originally from "Mad" Magazine's 'Veeblefetzter' parodies beginning in #15, 1954] Any obnoxious person engaged in the (alleged) professions of marketing or management. Antonym of [14110]hacker. Compare [14111]suit, [14112]marketroid.

Node:velveeta, Next:[14113]ventilator card, Previous:[14114]veeblefester, Up:[14115]= V =

velveeta n.

[Usenet: by analogy with [14116]spam. The trade name Velveeta is attached in the U.S. to a particularly nasty processed-cheese spread.] Also known as [14117]ECP; a message that is excessively cross-posted, as opposed to [14118]spam which is too frequently posted. This term is widely recognized but not commonly used; most people refer to both kinds of abuse as spam. Compare [14119]jello.

Node:ventilator card, Next:[14120]Venus flytrap, Previous:[14121]velveeta, Up:[14122]= V =

ventilator card n.

Syn. [14123]lace card.

Node:Venus flytrap, Next:[14124]verbage, Previous:[14125]ventilator card, Up:[14126]= V =

Venus flytrap n.

[after the insect-eating plant] See [14127]firewall machine.

Node:verbage, Next:[14128]verbiage, Previous:[14129]Venus flytrap, Up:[14130]= V =

verbage /ver'b*]/ n.

A deliberate misspelling and mispronunciation of [14131]verbiage that assimilates it to the word 'garbage'. Compare [14132]content-free. More pejorative than 'verbiage'.

Node:verbiage, Next:[14133]Version 7, Previous:[14134]verbage, Up:[14135]= V =

verbiage n.

When the context involves a software or hardware system, this refers to [14136]documentation. This term borrows the connotations of mainstream 'verbiage' to suggest that the documentation is of marginal utility and that the motives behind its production have little to do with the ostensible subject.

Node:Version 7, Next:[14137]vgrep, Previous:[14138]verbiage, Up:[14139]= V =

Version 7 alt. V7 /vee' se'vn/ n.

The first widely distributed version of [14140]Unix, released unsupported by Bell Labs in 1978. The term is used adjectivally to describe Unix features and programs that date from that release, and are thus guaranteed to be present and portable in all Unix versions (this was the standard gauge of portability before the POSIX and IEEE 1003 standards). Note that this usage does not derive from the release being the "seventh version of [14141]Unix"; research [14142]Unix at Bell Labs has traditionally been numbered according to the edition of the associated documentation. Indeed, only the widely-distributed Sixth and Seventh Editions are widely known as V[67]; the OS that might today be known as 'V10' is instead known in full as "Tenth Edition Research Unix" or just "Tenth Edition" for short. For this reason, "V7" is often read by cognoscenti as "Seventh Edition". See [14143]BSD, [14144]USG Unix, [14145]Unix. Some old-timers impatient

with commercialization and kernel bloat still maintain that V7 was the Last True Unix.

Node:vgrep, Next:[14146]vi, Previous:[14147]Version 7, Up:[14148]= V =

vgrep /vee'grep/ v.,n.

Visual grep. The operation of finding patterns in a file optically rather than digitally (also called an 'optical grep'). See [14149]grep; compare [14150]vdiff.

Node:vi, Next:[14151]video toaster, Previous:[14152]vgrep, Up:[14153]= V =

vi /V-I/, not /vi:/ and never /siks/ n.

[from 'Visual Interface'] A screen editor crufted together by Bill Joy for an early [14154]BSD release. Became the de facto standard Unix editor and a nearly undisputed hacker favorite outside of MIT until the rise of [14155]EMACS after about 1984. Tends to frustrate new users no end, as it will neither take commands while expecting input text nor vice versa, and the default setup on older versions provides no indication of which mode the editor is in (years ago, a correspondent reported that he has often heard the editor's name pronounced /vi:l/; there is now a vi clone named 'vile'). Nevertheless vi (and variants such as vim and elvis) is still widely used (about half the respondents in a 1991 Usenet poll preferred it), and even EMACS fans often resort to it as a mail editor and for small editing jobs (mainly because it starts up faster than the bulkier versions of EMACS). See [14156]holy wars.

Node:video toaster, Next:[14157]videotex, Previous:[14158]vi, Up:[14159]= V =

video toaster n.

Historically, an Amiga fitted with a particular line of special video effects hardware from NewTek - long a popular platform at special-effects and video production houses. More generally, any computer system designed specifically for video production and manipulation. Compare [14160]web toaster and see [14161]toaster.

Node:videotex, Next:[14162]virgin, Previous:[14163]video toaster, Up:[14164]= V =

videotex n. obs.

An electronic service offering people the privilege of paying to read the weather on their television screens instead of having somebody

read it to them for free while they brush their teeth. The idea bombed everywhere it wasn't government-subsidized, because by the time videotex was practical the installed base of personal computers could hook up to timesharing services and do the things for which videotex might have been worthwhile better and cheaper. Videotex planners badly overestimated both the appeal of getting information from a computer and the cost of local intelligence at the user's end. Like the [14165]gorilla arm effect, this has been a cautionary tale to hackers ever since. See also [14166]vannevar.

Node:virgin, Next:[14167]virtual, Previous:[14168]videotex,
Up:[14169]= V =

virgin adj.

Unused; pristine; in a known initial state. "Let's bring up a virgin system and see if it crashes again." (Esp. useful after contracting a [14170]virus through [14171]SEX.) Also, by extension, buffers and the like within a program that have not yet been used.

Node:virtual, Next:[14172]virtual beer, Previous:[14173]virgin,
Up:[14174]= V =

virtual adj.

[via the technical term 'virtual memory', prob. from the term 'virtual image' in optics] 1. Common alternative to [14175]logical; often used to refer to the artificial objects (like addressable virtual memory larger than physical memory) simulated by a computer system as a convenient way to manage access to shared resources. 2. Simulated; performing the functions of something that isn't really there. An imaginative child's doll may be a virtual playmate. Oppose [14176]real.

Node:virtual beer, Next:[14177]virtual Friday,
Previous:[14178]virtual, Up:[14179]= V =

virtual beer n.

Praise or thanks. Used universally in the Linux community. Originally this term signified cash, after a famous incident in which some Britishers who wanted to buy Linus a beer and sent him money to Finland to do so.

Node:virtual Friday, Next:[14180]virtual reality,
Previous:[14181]virtual beer, Up:[14182]= V =

virtual Friday n.

(also 'logical Friday') The last day before an extended weekend, if that day is not a 'real' Friday. For example, the U.S. holiday Thanksgiving is always on a Thursday. The next day is often also a holiday or taken as an extra day off, in which case Wednesday of that week is a virtual Friday (and Thursday is a virtual Saturday, as is Friday). There are also 'virtual Mondays' that are actually Tuesdays, after the three-day weekends associated with many national holidays in the U.S.

Node:virtual reality, Next:[14183]virtual shredder,
Previous:[14184]virtual Friday, Up:[14185]= V =

virtual reality n.

1. Computer simulations that use 3-D graphics and devices such as the Dataglove to allow the user to interact with the simulation. See [14186]cyberspace. 2. A form of network interaction incorporating aspects of role-playing games, interactive theater, improvisational comedy, and 'true confessions' magazines. In a virtual reality forum (such as Usenet's alt.callahans newsgroup or the [14187]MUD experiments on Internet), interaction between the participants is written like a shared novel complete with scenery, 'foreground characters' that may be personae utterly unlike the people who write them, and common 'background characters' manipulable by all parties. The one iron law is that you may not write irreversible changes to a character without the consent of the person who 'owns' it. Otherwise anything goes. See [14188]bamf, [14189]cyberspace, [14190]teledildonics.

Node:virtual shredder, Next:[14191]virus, Previous:[14192]virtual reality, Up:[14193]= V =

virtual shredder n.

The jargonical equivalent of the [14194]bit bucket at shops using IBM's VM/CMS operating system. VM/CMS officially supports a whole bestiary of virtual card readers, virtual printers, and other phantom devices; these are used to supply some of the same capabilities Unix gets from pipes and I/O redirection.

Node:virus, Next:[14195]visionary, Previous:[14196]virtual shredder,
Up:[14197]= V =

virus n.

[from the obvious analogy with biological viruses, via SF] A cracker program that searches out other programs and 'infects' them by embedding a copy of itself in them, so that they become [14198]Trojan horses. When these programs are executed, the embedded virus is executed too, thus propagating the 'infection'. This normally happens

invisibly to the user. Unlike a [14199]worm, a virus cannot infect other computers without assistance. It is propagated by vectors such as humans trading programs with their friends (see [14200]SEX). The virus may do nothing but propagate itself and then allow the program to run normally. Usually, however, after propagating silently for a while, it starts doing things like writing cute messages on the terminal or playing strange tricks with the display (some viruses include nice [14201]display hacks). Many nasty viruses, written by particularly perversely minded [14202]crackers, do irreversible damage, like nuking all the user's files.

In the 1990s, viruses became a serious problem, especially among Windows users; the lack of security on these machines enables viruses to spread easily, even infecting the operating system (Unix machines, by contrast, are immune to such attacks). The production of special anti-virus software has become an industry, and a number of exaggerated media reports have caused outbreaks of near hysteria among users; many [14203]users tend to blame everything that doesn't work as they had expected on virus attacks. Accordingly, this sense of 'virus' has passed not only into techspeak but into also popular usage (where it is often incorrectly used to denote a [14204]worm or even a [14205]Trojan horse). See [14206]phage; compare [14207]back door; see also [14208]Unix conspiracy.

Node:visionary, Next:[14209]VMS, Previous:[14210]virus, Up:[14211]= V
=

visionary n.

1. One who hacks vision, in the sense of an Artificial Intelligence researcher working on the problem of getting computers to 'see' things using TV cameras. (There isn't any problem in sending information from a TV camera to a computer. The problem is, how can the computer be programmed to make use of the camera information? See [14212]SMOP, [14213]AI-complete.) 2. [IBM] One who reads the outside literature. At IBM, apparently, such a penchant is viewed with awe and wonder.

Node:VMS, Next:[14214]voice, Previous:[14215]visionary, Up:[14216]= V
=

VMS /V-M-S/ n.

[14217]DEC's proprietary operating system for its VAX minicomputer; one of the seven or so environments that loom largest in hacker folklore. Many Unix fans generously concede that VMS would probably be the hacker's favorite commercial OS if Unix didn't exist; though true, this makes VMS fans furious. One major hacker gripe with VMS concerns its slowness -- thus the following limerick:

There once was a system called VMS
Of cycles by no means abstemious.
It's chock-full of hacks

And runs on a VAX
And makes my poor stomach all squeamious.
--- The Great Quux

See also [14218]VAX, [14219]TOPS-10, [14220]TOPS-20, [14221]Unix,
[14222]runic.

Node:voice, Next:[14223]voice-net, Previous:[14224]VMS, Up:[14225]= V
=

voice vt.

To phone someone, as opposed to emailing them or connecting in
[14226]talk mode. "I'm busy now; I'll voice you later."

Node:voice-net, Next:[14227]voodoo programming, Previous:[14228]voice,
Up:[14229]= V =

voice-net n.

Hackish way of referring to the telephone system, analogizing it to a
digital network. Usenet [14230]sig blocks not uncommonly include the
sender's phone next to a "Voice:" or "Voice-Net:" header; common
variants of this are "Voicenet" and "V-Net". Compare [14231]paper-net,
[14232]snail-mail.

Node:voodoo programming, Next:[14233]VR, Previous:[14234]voice-net,
Up:[14235]= V =

voodoo programming n.

[from George Bush's "voodoo economics"] 1. The use by guess or
cookbook of an [14236]obscure or [14237]hairy system, feature, or
algorithm that one does not truly understand. The implication is that
the technique may not work, and if it doesn't, one will never know
why. Almost synonymous with [14238]black magic, except that black
magic typically isn't documented and nobody understands it. Compare
[14239]magic, [14240]deep magic, [14241]heavy wizardry, [14242]rain
dance, [14243]cargo cult programming, [14244]wave a dead chicken. 2.
Things programmers do that they know shouldn't work but they try
anyway, and which sometimes actually work, such as recompiling
everything.

Node:VR, Next:[14245]Vulcan nerve pinch, Previous:[14246]voodoo
programming, Up:[14247]= V =

VR // [MUD] n.

On-line abbrev for [14248]virtual reality, as opposed to [14249]RL.

Node:Vulcan nerve pinch, Next:[14250]vulture capitalist,
Previous:[14251]VR, Up:[14252]= V =

Vulcan nerve pinch n.

[from the old "Star Trek" TV series via Commodore Amiga hackers] The keyboard combination that forces a soft-boot or jump to ROM monitor (on machines that support such a feature). On PC clones this is Ctrl-Alt-Del; on Suns, L1-A; on Macintoshes, it is <Cmd>-<Power switch> or <CMD>-<CTRL>-<POWER>! Also called [14253]three-finger salute. Compare [14254]quadruple bucky.

Node:vulture capitalist, Next:[14255]W2K bug, Previous:[14256]Vulcan nerve pinch, Up:[14257]= V =

vulture capitalist n.

Pejorative hackerism for 'venture capitalist', deriving from the common practice of pushing contracts that deprive inventors of control over their own innovations and most of the money they ought to have made from them.

Node:= W =, Next:[14258]= X =, Previous:[14259]= V =, Up:[14260]The Jargon Lexicon

= W =

- * [14261]W2K bug:
- * [14262]wabbit:
- * [14263]WAITS:
- * [14264]waldo:
- * [14265]walk:
- * [14266]walk off the end of:
- * [14267]walking drives:
- * [14268]wall:
- * [14269]wall follower:
- * [14270]wall time:
- * [14271]wall wart:
- * [14272]wallpaper:
- * [14273>wango:
- * [14274>wank:
- * [14275>wannabee:
- * [14276]war dialer:
- * [14277]-ware:
- * [14278]warez:
- * [14279]warez d00dz:
- * [14280]warez kiddies:
- * [14281]warlording:
- * [14282]warm boot:

- * [14283]wart:
- * [14284]washing machine:
- * [14285]washing software:
- * [14286]water MIPS:
- * [14287]wave a dead chicken:
- * [14288]weasel:
- * [14289]web pointer:
- * [14290]web toaster:
- * [14291]webify:
- * [14292]webmaster:
- * [14293]web ring:
- * [14294]wedged:
- * [14295>wedgie:
- * [14296>wedgitude:
- * [14297>weeble:
- * [14298]weeds:
- * [14299>weenie:
- * [14300]Weenix:
- * [14301]well-behaved:
- * [14302]well-connected:
- * [14303]wetware:
- * [14304]whack:
- * [14305]whack-a-mole:
- * [14306]whacker:
- * [14307]whales:
- * [14308]whalesong:
- * [14309]What's a spline?:
- * [14310]wheel:
- * [14311]wheel bit:
- * [14312]wheel of reincarnation:
- * [14313]wheel wars:
- * [14314]White Book:
- * [14315]whitelist:
- * [14316]whizzy:
- * [14317>wibble:
- * [14318]WIBNI:
- * [14319>widget:
- * [14320>wiggles:
- * [14321]WIMP environment:
- * [14322]win:
- * [14323]win big:
- * [14324]win win:
- * [14325]Winchester:
- * [14326>windoid:
- * [14327>window shopping:
- * [14328]Windoze:
- * [14329>winged comments:
- * [14330]winkey:
- * [14331>winnage:
- * [14332>winner:
- * [14333>winnitude:
- * [14334]Wintel:
- * [14335>wired:

- * [14336]wirehead:
- * [14337]wirewater:
- * [14338]wish list:
- * [14339]within delta of:
- * [14340]within epsilon of:
- * [14341]wizard:
- * [14342]Wizard Book:
- * [14343]wizard hat:
- * [14344]wizard mode:
- * [14345]wizardly:
- * [14346]wok-on-the-wall:
- * [14347]womb box:
- * [14348]WOMBAT:
- * [14349>womble:
- * [14350>wonky:
- * [14351]woofer:
- * [14352]workaround:
- * [14353]working as designed:
- * [14354>worm:
- * [14355>wormhole:
- * [14356>wound around the axle:
- * [14357]wrap around:
- * [14358]write-only code:
- * [14359]write-only language:
- * [14360]write-only memory:
- * [14361]Wrong Thing:
- * [14362>wugga wugga:
- * [14363>wumpus:
- * [14364]WYSIAYG:
- * [14365]WYSIWYG:

Node:W2K bug, Next:[14366]wabbit, Previous:[14367]vulture capitalist,
Up:[14368]= W =

W2K bug

[from 'Y2K bug' for the Year 2000 problem] The upcoming deployment of Microsoft's Windows 2000 operating system, which hackers generally expect will be among the worst train wrecks in the history of software engineering. Such is the power of Microsoft marketing, however, that it is also expected this will not become obvious until it has incurred hundreds of millions of dollars in downtime and lost opportunity costs.

Node:wabbit, Next:[14369]WAITS, Previous:[14370]W2K bug, Up:[14371]= W =

wabbit /wab'it/ n.

[almost certainly from Elmer Fudd's immortal line "You wascawwy wabbit!"] 1. A legendary early hack reported on a System/360 at RPI

and elsewhere around 1978; this may have descended (if only by inspiration) from a hack called RABBITS reported from 1969 on a Burroughs 5500 at the University of Washington Computer Center. The program would make two copies of itself every time it was run, eventually crashing the system. 2. By extension, any hack that includes infinite self-replication but is not a [14372]virus or [14373]worm. See [14374]fork bomb and [14375]rabbit job, see also [14376]cookie monster.

Node:WAITS, Next:[14377]waldo, Previous:[14378]wabbit, Up:[14379]= W =

WAITS /ways/ n.

The mutant cousin of [14380]TOPS-10 used on a handful of systems at [14381]SAIL up to 1990. There was never an 'official' expansion of WAITS (the name itself having been arrived at by a rather sideways process), but it was frequently glossed as 'West-coast Alternative to ITS'. Though WAITS was less visible than ITS, there was frequent exchange of people and ideas between the two communities, and innovations pioneered at WAITS exerted enormous indirect influence. The early screen modes of [14382]EMACS, for example, were directly inspired by WAITS's 'E' editor -- one of a family of editors that were the first to do 'real-time editing', in which the editing commands were invisible and where one typed text at the point of insertion/overwriting. The modern style of multi-region windowing is said to have originated there, and WAITS alumni at XEROX PARC and elsewhere played major roles in the developments that led to the XEROX Star, the Macintosh, and the Sun workstations. Also invented there were [14383]bucky bits -- thus, the ALT key on every IBM PC is a WAITS legacy. One WAITS feature very notable in pre-Web days was a news-wire interface that allowed WAITS hackers to read, store, and filter AP and UPI dispatches from their terminals; the system also featured a still-unusual level of support for what is now called 'multimedia' computing, allowing analog audio and video signals to be switched to programming terminals.

Node:waldo, Next:[14384]walk, Previous:[14385]WAITS, Up:[14386]= W =

waldo /wol'doh/ n.

[From Robert A. Heinlein's story "Waldo"] 1. A mechanical agent, such as a gripper arm, controlled by a human limb. When these were developed for the nuclear industry in the mid-1940s they were named after the invention described by Heinlein in the story, which he wrote in 1942. Now known by the more generic term 'telefactoring', this technology is of intense interest to NASA for tasks like space station maintenance. 2. At Harvard (particularly by Tom Cheatham and students), this is used instead of [14387]foobar as a metasyntactic variable and general nonsense word. See [14388]foo, [14389]bar, [14390]foobar, [14391]quux.

Node:walk, Next:[14392]walk off the end of, Previous:[14393]waldo,
Up:[14394]= W =

walk n.,vt.

Traversal of a data structure, especially an array or linked-list data structure in [14395]core. See also [14396]codewalker, [14397]silly walk, [14398]clobber.

Node:walk off the end of, Next:[14399]walking drives,
Previous:[14400]walk, Up:[14401]= W =

walk off the end of vt.

To run past the end of an array, list, or medium after stepping through it -- a good way to land in trouble. Often the result of an [14402]off-by-one error. Compare [14403]clobber, [14404]roach, [14405]smash the stack.

Node:walking drives, Next:[14406]wall, Previous:[14407]walk off the end of, Up:[14408]= W =

walking drives n.

An occasional failure mode of magnetic-disk drives back in the days when they were huge, clunky [14409]washing machines. Those old [14410]dinosaur parts carried terrific angular momentum; the combination of a misaligned spindle or worn bearings and stick-slip interactions with the floor could cause them to 'walk' across a room, lurching alternate corners forward a couple of millimeters at a time. There is a legend about a drive that walked over to the only door to the computer room and jammed it shut; the staff had to cut a hole in the wall in order to get at it! Walking could also be induced by certain patterns of drive access (a fast seek across the whole width of the disk, followed by a slow seek in the other direction). Some bands of old-time hackers figured out how to induce disk-accessing patterns that would do this to particular drive models and held disk-drive races.

Node:wall, Next:[14411]wall follower, Previous:[14412]walking drives,
Up:[14413]= W =

wall interj.

[WPI] 1. An indication of confusion, usually spoken with a quizzical tone: "Wall??" 2. A request for further explication. Compare [14414]octal forty. 3. [Unix, from 'write all'] v. To send a message to everyone currently logged in, esp. with the wall(8) utility.

It is said that sense 1 came from the idiom 'like talking to a blank wall'. It was originally used in situations where, after you had carefully answered a question, the questioner stared at you blankly, clearly having understood nothing that was explained. You would then throw out a "Hello, wall?" to elicit some sort of response from the questioner. Later, confused questioners began voicing "Wall?" themselves.

Node:wall follower, Next:[14415]wall time, Previous:[14416]wall, Up:[14417]= W =

wall follower n.

A person or algorithm that compensates for lack of sophistication or native stupidity by efficiently following some simple procedure shown to have been effective in the past. Used of an algorithm, this is not necessarily pejorative; it recalls 'Harvey Wallbanger', the winning robot in an early AI contest (named, of course, after the cocktail). Harvey successfully solved mazes by keeping a 'finger' on one wall and running till it came out the other end. This was inelegant, but it was mathematically guaranteed to work on simply-connected mazes -- and, in fact, Harvey outperformed more sophisticated robots that tried to 'learn' each maze by building an internal representation of it. Used of humans, the term is pejorative and implies an uncreative, bureaucratic, by-the-book mentality. See also [14418]code grinder; compare [14419]droid.

Node:wall time, Next:[14420]wall wart, Previous:[14421]wall follower, Up:[14422]= W =

wall time n.

(also 'wall clock time') 1. 'Real world' time (what the clock on the wall shows), as opposed to the system clock's idea of time. 2. The real running time of a program, as opposed to the number of [14423]ticks required to execute it (on a timesharing system these always differ, as no one program gets all the ticks, and on multiprocessor systems with good thread support one may get more processor time than real time).

Node:wall wart, Next:[14424]wallpaper, Previous:[14425]wall time, Up:[14426]= W =

wall wart n.

A small power-supply brick with integral male plug, designed to plug directly into a wall outlet; called a 'wart' because when installed on a power strip it tends to block up at least one more socket than it uses.. These are frequently associated with modems and other small electronic devices which would become unacceptably bulky or hot if

they had power supplies on board (there are other reasons as well having to do with the cost of UL certification).

Node:wallpaper, Next:[14427]wango, Previous:[14428]wall wart, Up:[14429]= W =

wallpaper n.

1. A file containing a listing (e.g., assembly listing) or a transcript, esp. a file containing a transcript of all or part of a login session. (The idea was that the paper for such listings was essentially good only for wallpaper, as evidenced at Stanford, where it was used to cover windows.) Now rare, esp. since other systems have developed other terms for it (e.g., PHOTO on TWENEX). However, the Unix world doesn't have an equivalent term, so perhaps [14430]wallpaper will take hold there. The term probably originated on ITS, where the commands to begin and end transcript files were :WALBEG and :WALEND, with default file WALL PAPER (the space was a path delimiter). 2. The background pattern used on graphical workstations (this is techspeak under the 'Windows' graphical user interface to MS-DOS). 3. 'wallpaper file' n. The file that contains the wallpaper information before it is actually printed on paper. (Even if you don't intend ever to produce a real paper copy of the file, it is still called a wallpaper file.)

Node:wango, Next:[14431]wank, Previous:[14432]wallpaper, Up:[14433]= W =

wango /wang'goh/ n.

Random bit-level [14434]grovelling going on in a system during some unspecified operation. Often used in combination with [14435]mumble. For example: "You start with the '.o' file, run it through this postprocessor that does mumble-wango -- and it comes out a snazzy object-oriented executable."

Node:wank, Next:[14436]wannabee, Previous:[14437]wango, Up:[14438]= W =

wank /wank/ n.,v.,adj.

[Columbia University: prob. by mutation from Commonwealth slang v. 'wank', to masturbate] Used much as [14439]hack is elsewhere, as a noun denoting a clever technique or person or the result of such cleverness. May describe (negatively) the act of hacking for hacking's sake ("Quit wanking, let's go get supper!") or (more positively) a [14440]wizard. Adj. 'wanky' describes something particularly clever (a person, program, or algorithm). Conversations can also get wanky when there are too many wanks involved. This excess wankiness is signalled by an overload of the 'wankometer' (compare [14441]bogometer). When

the wankometer overloads, the conversation's subject must be changed, or all non-wanks will leave. Compare 'neep-neeping' (under [14442]neep-neep). Usage: U.S. only. In Britain and the Commonwealth this word is extremely rude and is best avoided unless one intends to give offense. Adjectival 'wanky' is less offensive and simply means 'stupid' or 'broken' (this is mainstream in Great Britain).

Node:wannabee, Next:[14443]war dialer, Previous:[14444]wank, Up:[14445]= W =

wannabee /won'*-bee/ n.

(also, more plausibly, spelled 'wannabe') [from a term recently used to describe Madonna fans who dress, talk, and act like their idol; prob. originally from biker slang] A would-be [14446]hacker. The connotations of this term differ sharply depending on the age and exposure of the subject. Used of a person who is in or might be entering [14447]larval stage, it is semi-approving; such wannabees can be annoying but most hackers remember that they, too, were once such creatures. When used of any professional programmer, CS academic, writer, or [14448]suit, it is derogatory, implying that said person is trying to cuddle up to the hacker mystique but doesn't, fundamentally, have a prayer of understanding what it is all about. Overuse of terms from this lexicon is often an indication of the [14449]wannabee nature. Compare [14450]newbie.

Historical note: The wannabee phenomenon has a slightly different flavor now (1993) than it did ten or fifteen years ago. When the people who are now hackerdom's tribal elders were in [14451]larval stage, the process of becoming a hacker was largely unconscious and unaffected by models known in popular culture -- communities formed spontaneously around people who, as individuals, felt irresistibly drawn to do hackerly things, and what wannabees experienced was a fairly pure, skill-focused desire to become similarly wizardly. Those days of innocence are gone forever; society's adaptation to the advent of the microcomputer after 1980 included the elevation of the hacker as a new kind of folk hero, and the result is that some people semi-consciously set out to be hackers and borrow hackish prestige by fitting the popular image of hackers. Fortunately, to do this really well, one has to actually become a wizard. Nevertheless, old-time hackers tend to share a poorly articulated disquiet about the change; among other things, it gives them mixed feelings about the effects of public compendia of lore like this one.

Node:war dialer, Next:[14452]-ware, Previous:[14453]wannabee, Up:[14454]= W =

war dialer n.

A cracking tool, a program that calls a given list or range of phone numbers and records those which answer with handshake tones (and so

might be entry points to computer or telecommunications systems). Some of these programs have become quite sophisticated, and can now detect modem, fax, or PBX tones and log each one separately. The war dialer is one of the most important tools in the [14455]phreaker's kit. These programs evolved from early [14456]demon dialers.

Node:-ware, Next:[14457]warez, Previous:[14458]war dialer, Up:[14459]=
W =

-ware suff.

[from 'software'] Commonly used to form jargon terms for classes of software. For examples, see [14460]annoyware, [14461]careware, [14462]crippleware, [14463]crudware, [14464]freeware, [14465]fritterware, [14466]guiltware, [14467]liveware, [14468]meatware, [14469]payware, [14470]psychedelicware, [14471]shareware, [14472]shelfware, [14473]vaporware, [14474]wetware.

Node:warez, Next:[14475]warez d00dz, Previous:[14476]-ware,
Up:[14477]= W =

warez /weirz/ n.

Widely used in [14478]cracker subcultures to denote cracked version of commercial software, that is versions from which copy-protection has been stripped. Hackers recognize this term but don't use it themselves. See [14479]warez d00dz, [14480]courier, [14481]leech, [14482]elite.

Node:warez d00dz, Next:[14483]warez kiddies, Previous:[14484]warez,
Up:[14485]= W =

warez d00dz /weirz doodz/ n.

A substantial subculture of [14486]crackers refer to themselves as 'warez d00dz'; there is evidently some connection with [14487]B1FF here. As 'Ozone Pilot', one former warez d00d, wrote:

Warez d00dz get illegal copies of copyrighted software. If it has copy protection on it, they break the protection so the software can be copied. Then they distribute it around the world via several gateways. Warez d00dz form badass group names like RAZOR and the like. They put up boards that distribute the latest ware, or pirate program. The whole point of the Warez sub-culture is to get the pirate program released and distributed before any other group. I know, I know. But don't ask, and it won't hurt as much. This is how they prove their poweress [sic]. It gives them the right to say, "I released King's Quest IVXIX before you so obviously my testicles are larger." Again don't ask...

The study thing to do if one is a warez d00d, it appears, is emit '0-day warez', that is copies of commercial software copied and cracked on the same day as its retail release. Warez d00ds also hoard software in a big way, collecting untold megabytes of arcade-style games, pornographic JPGs, and applications they'll never use onto their hard disks. As Ozone Pilot acutely observes:

[BELONG] is the only word you will need to know. Warez d00dz want to belong. They have been shunned by everyone, and thus turn to cyberspace for acceptance. That is why they always start groups like TGW, FLT, USA and the like. Structure makes them happy. [...] Warez d00dz will never have a handle like "Pink Daisy" because warez d00dz are insecure. Only someone who is very secure with a good dose of self-esteem can stand up to the cries of fag and girlie-man. More likely you will find warez d00dz with handles like: Doctor Death, Deranged Lunatic, Hellraiser, Mad Prince, Dreamdevil, The Unknown, Renegade Chemist, Terminator, and Twin Turbo. They like to sound badass when they can hide behind their terminals. More likely, if you were given a sample of 100 people, the person whose handle is Hellraiser is the last person you'd associate with the name.

The contrast with Internet hackers is stark and instructive. See [14488]cracker, [14489]wannabee, [14490]handle, [14491]elite, [14492]courier, [14493]leech; compare [14494]weenie, [14495]spod.

Node:warez kiddies, Next:[14496]warlording, Previous:[14497]warez d00dz, Up:[14498]= W =

warez kiddies n.

Even more derogatory way of referring to [14499]warez d00dz; refers to the fact that most warez d00dz are around the age of puberty. Compare [14500]script kiddies.

Node:warlording, Next:[14501]warm boot, Previous:[14502]warez kiddies, Up:[14503]= W =

warlording v.

[from the Usenet group alt.fan.warlord] The act of excoriating a bloated, ugly, or derivative [14504]sig block. Common grounds for warlording include the presence of a signature rendered in a [14505]BUAF, over-used or cliched [14506]sig quotes, ugly [14507]ASCII art, or simply excessive size. The original 'Warlord' was a [14508]B1FF-like [14509]newbie c.1991 who featured in his sig a particularly large and obnoxious ASCII graphic resembling the sword of Conan the Barbarian in the 1981 John Milius movie; the group name alt.fan.warlord was sarcasm, and the characteristic mode of warlording is devastatingly sarcastic praise.

Node:warm boot, Next:[14510]wart, Previous:[14511]warlording,
Up:[14512]= W =

warm boot n.

See [14513]boot.

Node:wart, Next:[14514]washing machine, Previous:[14515]warm boot,
Up:[14516]= W =

wart n.

A small, [14517]crocky [14518]feature that sticks out of an otherwise [14519]clean design. Something conspicuous for localized ugliness, especially a special-case exception to a general rule. For example, in some versions of csh(1), single quotes literalize every character inside them except !. In ANSI C, the ?? syntax used for obtaining ASCII characters in a foreign environment is a wart. See also [14520]miswart.

Node:washing machine, Next:[14521]washing software,
Previous:[14522]wart, Up:[14523]= W =

washing machine n.

1. Old-style 14-inch hard disks in floor-standing cabinets. So called because of the size of the cabinet and the 'top-loading' access to the media packs -- and, of course, they were always set on 'spin cycle'. The washing-machine idiom transcends language barriers; it is even used in Russian hacker jargon. See also [14524]walking drives. The thick channel cables connecting these were called 'bit hoses' (see [14525]hose, sense 3). 2. [CMU] A machine used exclusively for [14526]washing software. CMU has clusters of these.

Node:washing software, Next:[14527]water MIPS, Previous:[14528]washing machine, Up:[14529]= W =

washing software n.

The process of recompiling a software distribution (used more often when the recompilation is occurring from scratch) to pick up and merge together all of the various changes that have been made to the source.

Node:water MIPS, Next:[14530]wave a dead chicken,
Previous:[14531]washing software, Up:[14532]= W =

water MIPS n.

(see [14533]MIPS, sense 2) Large, water-cooled machines of either today's ECL-supercomputer flavor or yesterday's traditional [14534]mainframe type.

Node:wave a dead chicken, Next:[14535]weasel, Previous:[14536]water MIPS, Up:[14537]= W =

wave a dead chicken v.

To perform a ritual in the direction of crashed software or hardware that one believes to be futile but is nevertheless necessary so that others are satisfied that an appropriate degree of effort has been expended. "I'll wave a dead chicken over the source code, but I really think we've run into an OS bug." Compare [14538]voodoo programming, [14539]rain dance; see also [14540]casting the runes.

Node:weasel, Next:[14541]web pointer, Previous:[14542]wave a dead chicken, Up:[14543]= W =

weasel n.

[Cambridge] A naive user, one who deliberately or accidentally does things that are stupid or ill-advised. Roughly synonymous with [14544]loser.

Node:web pointer, Next:[14545]web toaster, Previous:[14546]weasel, Up:[14547]= W =

web pointer n.

A World Wide Web [14548]URL. See also [14549]hotlink, which has slightly different connotations.

Node:web toaster, Next:[14550]webify, Previous:[14551]web pointer, Up:[14552]= W =

web toaster n.

A small specialized computer, shipped with no monitor or keyboard or any other external peripherals, pre-configured to be controlled through an Ethernet port and function as a WWW server. Products of this kind (for example the Cobalt Qube) are often about the size of a toaster. See [14553]toaster; compare [14554]video toaster.

Node:webify, Next:[14555]webmaster, Previous:[14556]web toaster, Up:[14557]= W =

webify n.

To put a piece of (possibly already existing) material on the WWW. Frequently used for papers ("Why don't you webify all your publications?") or for demos ("They webified their 6.866 final project"). This term seems to have been (rather logically) independently invented multiple times in the early 1990s.

Node:webmaster, Next:[14558]web ring, Previous:[14559]webify, Up:[14560]= W =

webmaster n.

[WWW: from [14561]postmaster] The person at a site providing World Wide Web information who is responsible for maintaining the public pages and keeping the Web server running and properly configured.

Node:web ring, Next:[14562]wedged, Previous:[14563]webmaster, Up:[14564]= W =

web ring n.

Two or more web sites connected by prominent links between sites sharing a common interest or theme. Usually such cliques have the topology of a ring, in order to make it easy for visitors to navigate through all of them.

Node:wedged, Next:[14565]wedgie, Previous:[14566]web ring, Up:[14567]= W =

wedged adj.

1. To be stuck, incapable of proceeding without help. This is different from having crashed. If the system has crashed, it has become totally non-functioning. If the system is wedged, it is trying to do something but cannot make progress; it may be capable of doing a few things, but not be fully operational. For example, a process may become wedged if it [14568]deadlocks with another (but not all instances of wedging are deadlocks). See also [14569]gronk, [14570]locked up, [14571]hosed, [14572]hung (wedged is more severe than [14573]hung). 2. Often refers to humans suffering misconceptions. "He's totally wedged -- he's convinced that he can levitate through meditation." 3. [Unix] Specifically used to describe the state of a TTY left in a losing state by abort of a screen-oriented program or one that has messed with the line discipline in some obscure way.

There is some dispute over the origin of this term. It is usually thought to derive from a common description of recto-cranial inversion; however, it may actually have originated with older 'hot-press' printing technology in which physical type elements were locked into type frames with wedges driven in by mallets. Once this

had been done, no changes in the typesetting for that page could be made.

Node:wedgie, Next:[14574]wedgitude, Previous:[14575]wedged,
Up:[14576]= W =

wedgie n.

[Fairchild] A bug. Prob. related to [14577]wedged.

Node:wedgitude, Next:[14578]weeble, Previous:[14579]wedgie,
Up:[14580]= W =

wedgitude /wedj'i-t[y]ood/ n.

The quality or state of being [14581]wedged.

Node:weeble, Next:[14582]weeds, Previous:[14583]wedgitude, Up:[14584]=
W =

weeble /weeb'l/ interj.

[Cambridge] Used to denote frustration, usually at amazing stupidity.
"I stuck the disk in upside down." "Weeble...." Compare [14585]gurfle.

Node:weeds, Next:[14586]weenie, Previous:[14587]weeble, Up:[14588]= W
=

weeds n.

1. Refers to development projects or algorithms that have no possible relevance or practical application. Comes from 'off in the weeds'. Used in phrases like "lexical analysis for microcode is serious weeds...." 2. At CDC/ETA before its demise, the phrase 'go off in the weeds' was equivalent to IBM's [14589]branch to Fishkill and mainstream hackerdom's [14590]jump off into never-never land.

Node:weenie, Next:[14591]Weenix, Previous:[14592]weeds, Up:[14593]= W
=

weenie n.

1. [on BBSes] Any of a species of luser resembling a less amusing version of [14594]B1FF that infests many [14595]BBS systems. The typical weenie is a teenage boy with poor social skills travelling under a grandiose [14596]handle derived from fantasy or heavy-metal rock lyrics. Among sysops, 'the weenie problem' refers to the marginally literate and profanity-laden [14597]flamage weenies tend to

spew all over a newly-discovered BBS. Compare [14598]spod, [14599]computer geek, [14600]terminal junkie, [14601]warez d00dz. 2. [Among hackers] When used with a qualifier (for example, as in [14602]Unix weenie, VMS weenie, IBM weenie) this can be either an insult or a term of praise, depending on context, tone of voice, and whether or not it is applied by a person who considers him or herself to be the same sort of weenie. Implies that the weenie has put a major investment of time, effort, and concentration into the area indicated; whether this is good or bad depends on the hearer's judgment of how the speaker feels about that area. See also [14603]bigot. 3. The semicolon character, ; (ASCII 0111011).

Node:Weenix, Next:[14604]well-behaved, Previous:[14605]weenie, Up:[14606]= W =

Weenix /wee'niks/ n.

1. [ITS] A derogatory term for [14607]Unix, derived from [14608]Unix weenie. According to one noted ex-ITSer, it is "the operating system preferred by Unix Weenies: typified by poor modularity, poor reliability, hard file deletion, no file version numbers, case sensitivity everywhere, and users who believe that these are all advantages". (Some ITS fans behave as though they believe Unix stole a future that rightfully belonged to them. See [14609]ITS, sense 2.) 2. [Brown University] A Unix-like OS developed for tutorial purposes at Brown University. See [14610]<http://www.cs.brown.edu/courses/cs167/weenix.html>. Named independently of the ITS usage.

Node:well-behaved, Next:[14611]well-connected, Previous:[14612]Weenix, Up:[14613]= W =

well-behaved adj.

1. [primarily [14614]MS-DOS] Said of software conforming to system interface guidelines and standards. Well-behaved software uses the operating system to do chores such as keyboard input, allocating memory and drawing graphics. Oppose [14615]ill-behaved. 2. Software that does its job quietly and without counterintuitive effects. Esp. said of software having an interface spec sufficiently simple and well-defined that it can be used as a [14616]tool by other software. See [14617]cat. 3. Said of an algorithm that doesn't [14618]crash or [14619]blow up, even when given [14620]pathological input. Implies that the stability of the algorithm is intrinsic, which makes this somewhat different from [14621]bulletproof.

Node:well-connected, Next:[14622]wetware, Previous:[14623]well-behaved, Up:[14624]= W =

well-connected adj.

Said of a computer installation, asserts that it has reliable email links with the network and/or that it relays a large fraction of available [14625]Usenet newsgroups. 'Well-known' can be almost synonymous, but also implies that the site's name is familiar to many (due perhaps to an archive service or active Usenet users).

Node:wetware, Next:[14626]whack, Previous:[14627]well-connected, Up:[14628]= W =

wetware /wet'weir/ n.

[prob. from the novels of Rudy Rucker] 1. The human nervous system, as opposed to computer hardware or software. "Wetware has 7 plus or minus 2 temporary registers." 2. Human beings (programmers, operators, administrators) attached to a computer system, as opposed to the system's hardware or software. See [14629]liveware, [14630]meatware.

Node:whack, Next:[14631]whack-a-mole, Previous:[14632]wetware, Up:[14633]= W =

whack v.

According to arch-hacker James Gosling (designer of [14634]NeWS, [14635]GOSMACS and Java), to "...modify a program with no idea whatsoever how it works." (See [14636]whacker.) It is actually possible to do this in nontrivial circumstances if the change is small and well-defined and you are very good at [14637]glarking things from context. As a trivial example, it is relatively easy to change all stderr writes to stdout writes in a piece of C filter code which remains otherwise mysterious.

Node:whack-a-mole, Next:[14638]whacker, Previous:[14639]whack, Up:[14640]= W =

whack-a-mole n.

[from the carnival game which involves quickly and repeatedly hitting the heads of mechanical moles with a mallet as they pop up from their holes.] 1. The practice of repeatedly causing spammers' [14641]throwaway accounts and drop boxes to be terminated. 2. After sense 1 became established in the mid-1990s the term passed into more generalized use, and now is commonly found in such combinations as 'whack-a-mole windows'; the obnoxious pop-up advertisement windows spawned in flocks when you surf to sites like Geocities or Tripod.

Node:whacker, Next:[14642]whales, Previous:[14643]whack-a-mole, Up:[14644]= W =

whacker n.

[University of Maryland: from [14645]hacker] 1. A person, similar to a [14646]hacker, who enjoys exploring the details of programmable systems and how to stretch their capabilities. Whereas a hacker tends to produce great hacks, a whacker only ends up whacking the system or program in question. Whackers are often quite egotistical and eager to claim [14647]wizard status, regardless of the views of their peers. 2. A person who is good at programming quickly, though rather poorly and ineptly.

Node:whales, Next:[14648]whalesong, Previous:[14649]whacker,
Up:[14650]= W =

whales n.

See [14651]like kicking dead whales down the beach.

Node:whalesong, Next:[14652]What's a spline?, Previous:[14653]whales,
Up:[14654]= W =

whalesong n.

The peculiar clicking and whooshing sounds made by a PEP modem such as the Telebit Trailblazer as it tries to synchronize with another PEP modem for their special high-speed mode. This sound isn't anything like the normal two-tone handshake between conventional V-series modems and is instantly recognizable to anyone who has heard it more than once. It sounds, in fact, very much like whale songs. This noise is also called "the moose call" or "moose tones".

Node:What's a spline?, Next:[14655]wheel, Previous:[14656]whalesong,
Up:[14657]= W =

What's a spline?

[XEROX PARC] This phrase expands to: "You have just used a term that I've heard for a year and a half, and I feel I should know, but don't. My curiosity has finally overcome my guilt." The PARC lexicon adds "Moral: don't hesitate to ask questions, even if they seem obvious."

Node:wheel, Next:[14658]wheel bit, Previous:[14659]What's a spline?,
Up:[14660]= W =

wheel n.

[from slang 'big wheel' for a powerful person] A person who has an active [14661]wheel bit. "We need to find a wheel to unwedge the hung tape drives." (See [14662]wedged, sense 1.) The traditional name of

security group zero in [14663]BSD (to which the major system-internal users like [14664]root belong) is 'wheel'. Some vendors have expanded on this usage, modifying Unix so that only members of group 'wheel' can [14665]go root.

Node:wheel bit, Next:[14666]wheel of reincarnation,
Previous:[14667]wheel, Up:[14668]= W =

wheel bit n.

A privilege bit that allows the possessor to perform some restricted operation on a timesharing system, such as read or write any file on the system regardless of protections, change or look at any address in the running monitor, crash or reload the system, and kill or create jobs and user accounts. The term was invented on the TENEX operating system, and carried over to TOPS-20, XEROX-IFS, and others. The state of being in a privileged logon is sometimes called 'wheel mode'. This term entered the Unix culture from TWENEX in the mid-1980s and has been gaining popularity there (esp. at university sites). See also [14669]root.

Node:wheel of reincarnation, Next:[14670]wheel wars,
Previous:[14671]wheel bit, Up:[14672]= W =

wheel of reincarnation

[coined in a paper by T. H. Myer and I.E. Sutherland "On the Design of Display Processors", Comm. ACM, Vol. 11, no. 6, June 1968)] Term used to refer to a well-known effect whereby function in a computing system family is migrated out to special-purpose peripheral hardware for speed, then the peripheral evolves toward more computing power as it does its job, then somebody notices that it is inefficient to support two asymmetrical processors in the architecture and folds the function back into the main CPU, at which point the cycle begins again.

Several iterations of this cycle have been observed in graphics-processor design, and at least one or two in communications and floating-point processors. Also known as 'the Wheel of Life', 'the Wheel of Samsara', and other variations of the basic Hindu/Buddhist theological idea. See also [14673]blitter, [14674]bit bang.

Node:wheel wars, Next:[14675]White Book, Previous:[14676]wheel of reincarnation, Up:[14677]= W =

wheel wars n.

[Stanford University] A period in [14678]larval stage during which student hackers hassle each other by attempting to log each other out of the system, delete each other's files, and otherwise wreak havoc, usually at the expense of the lesser users.

Node:White Book, Next:[14679]whitelist, Previous:[14680]wheel wars,
Up:[14681]= W =

White Book n.

1. Syn. [14682]K&R. 2. Adobe's fourth book in the PostScript series, describing the previously-secret format of Type 1 fonts; "Adobe Type 1 Font Format, version 1.1", (Addison-Wesley, 1990, ISBN 0-201-57044-0). See also [14683]Red Book, [14684]Green Book, [14685]Blue Book.

Node:whitelist, Next:[14686]whizzy, Previous:[14687]White Book,
Up:[14688]= W =

whitelist n.

The opposite of a blacklist. That is, instead of being an explicit list of people who are banned, it's an explicit list of people who are to be admitted. Hackers use this especially of lists of email addresses that are explicitly enabled to get past strict anti-spam filters.

Node:whizzy, Next:[14689]wibble, Previous:[14690]whitelist,
Up:[14691]= W =

whizzy adj.

(alt. 'wizzy') [Sun] Describes a [14692]cuspy program; one that is feature-rich and well presented.

Node:wibble, Next:[14693]WIBNI, Previous:[14694]whizzy, Up:[14695]= W =

wibble

[UK, perh. originally from the first "Roger Irrelevant" strip in "VIZ" comics, spread via "Your Sinclair magazine in the 1980s and early 1990s"] 1. n.,v. Commonly used to describe chatter, content-free remarks or other essentially meaningless contributions to threads in newsgroups. "Oh, rspence is wobbling again". 2. [UK IRC] An explicit on-line no-op equivalent to [14696]humma. 3. One of the preferred [14697]metasyntactic variables in the UK, forming a series with wobble, wubble, and flob (attributed to the hilarious historical comedy "Blackadder"). 4. A pronunciation of the letters "www", as seen in URLs; i.e., www.[14698]foo.com may be pronounced "wibble dot foo dot com" (compare [14699]dub dub dub).

The ancestral sense of this word is reported to have been "My brain is packing it in now. I give up. Tilt! Tilt! Tilt!"

Node:WIBNI, Next:[14700]widget, Previous:[14701]wibble, Up:[14702]= W
=

WIBNI // n.

[Bell Labs: Wouldn't It Be Nice If] What most requirements documents and specifications consist entirely of. Compare [14703]WIBNI.

Node:widget, Next:[14704]wiggles, Previous:[14705]WIBNI, Up:[14706]= W
=

widget n.

1. A meta-thing. Used to stand for a real object in didactic examples (especially database tutorials). Legend has it that the original widgets were holders for buggy whips. "But suppose the parts list for a widget has 52 entries..." 2. [poss. evoking 'window gadget'] A user interface object in [14707]X graphical user interfaces.

Node:wiggles, Next:[14708]WIMP environment, Previous:[14709]widget, Up:[14710]= W =

wiggles n.

[scientific computation] In solving partial differential equations by finite difference and similar methods, wiggles are sawtooth (up-down-up-down) oscillations at the shortest wavelength representable on the grid. If an algorithm is unstable, this is often the most unstable waveform, so it grows to dominate the solution. Alternatively, stable (though inaccurate) wiggles can be generated near a discontinuity by a Gibbs phenomenon.

Node:WIMP environment, Next:[14711]win, Previous:[14712]wiggles, Up:[14713]= W =

WIMP environment n.

[acronym: 'Window, Icon, Menu, Pointing device (or Pull-down menu)'] A graphical-user-interface environment such as [14714]X or the Macintosh interface, esp. as described by a hacker who prefers command-line interfaces for their superior flexibility and extensibility. However, it is also used without negative connotations; one must pay attention to voice tone and other signals to interpret correctly. See [14715]menuitis, [14716]user-obsequious.

Node:win, Next:[14717]win big, Previous:[14718]WIMP environment, Up:[14719]= W =

win

[MIT; now common everywhere] 1. vi. To succeed. A program wins if no unexpected conditions arise, or (especially) if it sufficiently [14720]robust to take exceptions in stride. 2. n. Success, or a specific instance thereof. A pleasing outcome. "So it turned out I could use a [14721]lexer generator instead of hand-coding my own pattern recognizer. What a win!" Emphatic forms: 'moby win', 'super win', 'hyper-win' (often used interjectively as a reply). For some reason 'suitable win' is also common at MIT, usually in reference to a satisfactory solution to a problem. Oppose [14722]lose; see also [14723]big win, which isn't quite just an intensification of 'win'.

Node:win big, Next:[14724]win win, Previous:[14725]win, Up:[14726]= W =

win big vi.

To experience serendipity. "I went shopping and won big; there was a 2-for-1 sale." See [14727]big win.

Node:win win, Next:[14728]Winchester, Previous:[14729]win big, Up:[14730]= W =

win win excl.

Expresses pleasure at a [14731]win.

Node:Winchester, Next:[14732]windoid, Previous:[14733]win win, Up:[14734]= W =

Winchester n.

Informal generic term for sealed-enclosure magnetic-disk drives in which the read-write head planes over the disk surface on an air cushion. There is a legend that the name arose because the original 1973 engineering prototype for what later became the IBM 3340 featured two 30-megabyte volumes; 30-30 became 'Winchester' when somebody noticed the similarity to the common term for a famous Winchester rifle (in the latter, the first 30 referred to caliber and the second to the grain weight of the charge). (It is sometimes incorrectly claimed that Winchester was the laboratory in which the technology was developed.)

Node:windoid, Next:[14735]window shopping, Previous:[14736]Winchester, Up:[14737]= W =

windoid n.

In the Macintosh world, a style of window with much less adornment (smaller or missing title bar, zoom box, etc, etc) than a standard window.

Node:window shopping, Next:[14738]Windoze, Previous:[14739]windoid, Up:[14740]= W =

window shopping n.

[US Geological Survey] Among users of [14741]WIMP environments like [14742]X or the Macintosh, extended experimentation with new window colors, fonts, and icon shapes. This activity can take up hours of what might otherwise have been productive working time. "I spent the afternoon window shopping until I found the coolest shade of green for my active window borders -- now they perfectly match my medium slate blue background." Serious window shoppers will spend their days with bitmap editors, creating new and different icons and background patterns for all to see. Also: 'window dressing', the act of applying new fonts, colors, etc. See [14743]fritterware, compare [14744]macdink.

Node:Windoze, Next:[14745]winged comments, Previous:[14746]window shopping, Up:[14747]= W =

Windoze /win'dohz/ n.

See [14748]Microsloth Windows.

Node:winged comments, Next:[14749]winkey, Previous:[14750]Windoze, Up:[14751]= W =

winged comments n.

Comments set on the same line as code, as opposed to [14752]boxed comments. In C, for example:

```
d = sqrt(x*x + y*y); /* distance from origin */
```

Generally these refer only to the action(s) taken on that line.

Node:winkey, Next:[14753]winnage, Previous:[14754]winged comments, Up:[14755]= W =

winkey n.

(alt. 'winkey face') See [14756]emoticon.

Node:winnage, Next:[14757]winner, Previous:[14758]winkey, Up:[14759]=

W =

winnage /win*'j/ n.

The situation when a lossage is corrected, or when something is winning.

Node:winner, Next:[14760]winnitude, Previous:[14761]winnage,
Up:[14762]= W =

winner

1. n. An unexpectedly good situation, program, programmer, or person.
 2. 'real winner': Often sarcastic, but also used as high praise (see also the note under [14763]user). "He's a real winner -- never reports a bug till he can duplicate it and send in an example."
-

Node:winnitude, Next:[14764]Wintel, Previous:[14765]winner,
Up:[14766]= W =

winnitude /win*'-t[y]ood/ n.

The quality of winning (as opposed to [14767]winnage, which is the result of winning). "Guess what? They tweaked the microcode and now the LISP interpreter runs twice as fast as it used to." "That's really great! Boy, what winnitude!" "Yup. I'll probably get a half-hour's winnage on the next run of my program." Perhaps curiously, the obvious antonym 'lossitude' is rare.

Node:Wintel, Next:[14768]wired, Previous:[14769]winnitude, Up:[14770]=
W =

Wintel n.

Microsoft Windows plus Intel - the tacit alliance that dominated desktop computing in the 1990s. Now (1999) possibly on the verge of breaking up under pressure from [14771]Linux; see [14772]Lintel.

Node:wired, Next:[14773]wirehead, Previous:[14774]Wintel, Up:[14775]=
W =

wired n.

See [14776]hardwired.

Node:wirehead, Next:[14777]wirewater, Previous:[14778]wired,
Up:[14779]= W =

wirehead /wi:r'hed/ n.

[prob. from SF slang for an electrical-brain-stimulation addict] 1. A hardware hacker, especially one who concentrates on communications hardware. 2. An expert in local-area networks. A wirehead can be a network software wizard too, but will always have the ability to deal with network hardware, down to the smallest component. Wireheads are known for their ability to lash up an Ethernet terminator from spare resistors, for example.

Node:wirewater, Next:[14780]wish list, Previous:[14781]wirehead,
Up:[14782]= W =

wirewater n.

Syn. [14783]programming fluid. This melds the mainstream slang adjective 'wired' (stimulated, up, hyperactive) with 'firewater'; however, it refers to caffeinacious rather than alcoholic beverages.

Node:wish list, Next:[14784]within delta of,
Previous:[14785]wirewater, Up:[14786]= W =

wish list n.

A list of desired features or bug fixes that probably won't get done for a long time, usually because the person responsible for the code is too busy or can't think of a clean way to do it. "OK, I'll add automatic filename completion to the wish list for the new interface." Compare [14787]tick-list features.

Node:within delta of, Next:[14788]within epsilon of,
Previous:[14789]wish list, Up:[14790]= W =

within delta of adj.

See [14791]delta.

Node:within epsilon of, Next:[14792]wizard, Previous:[14793]within delta of, Up:[14794]= W =

within epsilon of adj.

See [14795]epsilon.

Node:wizard, Next:[14796]Wizard Book, Previous:[14797]within epsilon of, Up:[14798]= W =

wizard n.

1. Transitively, a person who knows how a complex piece of software or hardware works (that is, who [14799]groks it); esp. someone who can find and fix bugs quickly in an emergency. Someone is a [14800]hacker if he or she has general hacking ability, but is a wizard with respect to something only if he or she has specific detailed knowledge of that thing. A good hacker could become a wizard for something given the time to study it. 2. The term 'wizard' is also used intransitively of someone who has extremely high-level hacking or problem-solving ability. 3. A person who is permitted to do things forbidden to ordinary people; one who has [14801]wheel privileges on a system. 4. A Unix expert, esp. a Unix systems programmer. This usage is well enough established that 'Unix Wizard' is a recognized job title at some corporations and to most headhunters. See [14802]guru, [14803]lord high fixer. See also [14804]deep magic, [14805]heavy wizardry, [14806]incantation, [14807]magic, [14808]mutter, [14809]rain dance, [14810]voodoo programming, [14811]wave a dead chicken.

Node:Wizard Book, Next:[14812]wizard hat, Previous:[14813]wizard, Up:[14814]= W =

Wizard Book n.

"Structure and Interpretation of Computer Programs" (Hal Abelson, Jerry Sussman and Julie Sussman; MIT Press, 1984, 1996; ISBN 0-262-01153-0), an excellent computer science text used in introductory courses at MIT. So called because of the wizard on the jacket. One of the [14815]bibles of the LISP/Scheme world. Also, less commonly, known as the [14816]Purple Book.

Node:wizard hat, Next:[14817]wizard mode, Previous:[14818]Wizard Book, Up:[14819]= W =

wizard hat n.

[also, after Terry Pratchett, 'pointy hat'] Notional headgear worn by whoever is the [14820]wizard in a particular context. The implication is that it's a transferable role. "Talk to Alice, she's wearing the TCP/IP wizard hat while Bob is on vacation." This metaphor is sufficiently live that one may actually see hackers miming the act of putting on, taking off, or transferring a phantom hat. Compare [14821]patch pumpkin.

Node:wizard mode, Next:[14822]wizardly, Previous:[14823]wizard hat, Up:[14824]= W =

wizard mode n.

[from [14825]rogue] A special access mode of a program or system, usually passworded, that permits some users godlike privileges.

Generally not used for operating systems themselves ('root mode' or 'wheel mode' would be used instead). This term is often used with respect to games that have editable state.

Node:wizardly, Next:[14826]wok-on-the-wall, Previous:[14827]wizard mode, Up:[14828]= W =

wizardly adj.

Pertaining to wizards. A wizardly [14829]feature is one that only a wizard could understand or use properly.

Node:wok-on-the-wall, Next:[14830]womb box, Previous:[14831]wizardly, Up:[14832]= W =

wok-on-the-wall n.

A small microwave dish antenna used for cross-campus private network circuits, from the obvious resemblance between a microwave dish and the Chinese culinary utensil.

Node:womb box, Next:[14833]WOMBAT, Previous:[14834]wok-on-the-wall, Up:[14835]= W =

womb box n.

1. [TMRC] Storage space for equipment. 2. [proposed] A variety of hard-shell equipment case with heavy interior padding and/or shaped carrier cutouts in a foam-rubber matrix; mundanely called a 'flight case'. Used for delicate test equipment, electronics, and musical instruments.

Node:WOMBAT, Next:[14836]womble, Previous:[14837]womb box, Up:[14838]= W =

WOMBAT /wom'bat/ adj.

[acronym: Waste Of Money, Brains, And Time] Applied to problems which are both profoundly [14839]uninteresting in themselves and unlikely to benefit anyone interesting even if solved. Often used in fanciful constructions such as 'wrestling with a wombat'. See also [14840]crawling horror, [14841]SMOP. Also note the rather different usage as a metasyntactic variable in [14842]Commonwealth Hackish.

Users of the PDP-11 database program DATATRIEVE adopted the wombat as their notional mascot; the program's help file responded to "HELP WOMBAT" with factual information about Real World wombats.

Node:womble, Next:[14843]wonky, Previous:[14844]WOMBAT, Up:[14845]= W

=

womble n.

[Unisys UK: from British animated characters] A user who has great difficulty in communicating their requirements and/or in using the resulting software. Extreme case of [14846]luser. An especially senior or high-ranking womble is referred to as Great-Uncle Bulgaria.

Node:wonky, Next:[14847]woofer, Previous:[14848]womble, Up:[14849]= W

=

wonky /wong'kee/ adj.

[from Australian slang] Yet another approximate synonym for [14850]broken. Specifically connotes a malfunction that produces behavior seen as crazy, humorous, or amusingly perverse. "That was the day the printer's font logic went wonky and everybody's listings came out in Tengwar." Also in 'wonked out'. See [14851]funky, [14852]demented, [14853]bozotic.

Node:woofer, Next:[14854]workaround, Previous:[14855]wonky, Up:[14856]= W =

woofer n.

[University of Waterloo] Some varieties of wide paper for printers have a perforation 8.5 inches from the left margin that allows the excess on the right-hand side to be torn off when the print format is 80 columns or less wide. The right-hand excess may be called 'woofer'. This term (like [14857]tweeter) has been in use at Waterloo since 1972, but is elsewhere unknown. In audio jargon, the word refers to the bass speaker(s) on a hi-fi.

Node:workaround, Next:[14858]working as designed, Previous:[14859]woofer, Up:[14860]= W =

workaround n.

1. A temporary [14861]kluge used to bypass, mask, or otherwise avoid a [14862]bug or [14863]misfeature in some system. Theoretically, workarounds are always replaced by [14864]fixes; in practice, customers often find themselves living with workarounds for long periods of time. "The code died on NUL characters in the input, so I fixed it to interpret them as spaces." "That's not a fix, that's a workaround!" 2. A procedure to be employed by the user in order to do what some currently non-working feature should do. Hypothetical example: "Using META-F7 [14865]crashes the 4.43 build of Weemax, but as a workaround you can type CTRL-R, then SHIFT-F5, and delete the

remaining [14866]cruft by hand."

Node:working as designed, Next:[14867]worm,
Previous:[14868]workaround, Up:[14869]= W =

working as designed adj.

[IBM] 1. In conformance to a wrong or inappropriate specification; useful, but misdesigned. 2. Frequently used as a sardonic comment on a program's utility. 3. Unfortunately also used as a bogus reason for not accepting a criticism or suggestion. At [14870]IBM, this sense is used in official documents! See [14871]BAD.

Node:worm, Next:[14872]wormhole, Previous:[14873]working as designed,
Up:[14874]= W =

worm n.

[from 'tapeworm' in John Brunner's novel "The Shockwave Rider", via XEROX PARC] A program that propagates itself over a network, reproducing itself as it goes. Compare [14875]virus. Nowadays the term has negative connotations, as it is assumed that only [14876]crackers write worms. Perhaps the best-known example was Robert T. Morris's [14877]Great Worm of 1988, a 'benign' one that got out of control and hogged hundreds of Suns and VAXen across the U.S. See also [14878]cracker, [14879]RTM, [14880]Trojan horse, [14881]ice.

Node:wormhole, Next:[14882]wound around the axle,
Previous:[14883]worm, Up:[14884]= W =

wormhole /wɜrm'hohl/ n.

[from the 'wormhole' singularities hypothesized in some versions of General Relativity theory] 1. [n.,obs.] A location in a monitor which contains the address of a routine, with the specific intent of making it easy to substitute a different routine. This term is now obsolescent; modern operating systems use clusters of wormholes extensively (for modularization of I/O handling in particular, as in the Unix device-driver organization) but the preferred techspeak for these clusters is 'device tables', 'jump tables' or 'capability tables'. 2. [Amateur Packet Radio] A network path using a commercial satellite link to join two or more amateur VHF networks. So called because traffic routed through a wormhole leaves and re-enters the amateur network over great distances with usually little clue in the message routing header as to how it got from one relay to the other. Compare [14885]gopher hole (sense 2).

Node:wound around the axle, Next:[14886]wrap around,
Previous:[14887]wormhole, Up:[14888]= W =

wound around the axle adj.

In an infinite loop. Often used by older computer types.

Node:wrap around, Next:[14889]write-only code, Previous:[14890]wound around the axle, Up:[14891]= W =

wrap around vi.

(also n. 'wraparound' and v. shorthand 'wrap') 1. [techspeak] The action of a counter that starts over at zero or at 'minus infinity' (see [14892]infinity) after its maximum value has been reached, and continues incrementing, either because it is programmed to do so or because of an overflow (as when a car's odometer starts over at 0). 2. To change [14893]phase gradually and continuously by maintaining a steady wake-sleep cycle somewhat longer than 24 hours, e.g., living six long (28-hour) days in a week (or, equivalently, sleeping at the rate of 10 microhertz). This sense is also called [14894]phase-wrapping.

Node:write-only code, Next:[14895]write-only language, Previous:[14896]wrap around, Up:[14897]= W =

write-only code n.

[a play on 'read-only memory'] Code so arcane, complex, or ill-structured that it cannot be modified or even comprehended by anyone but its author, and possibly not even by him/her. A [14898]Bad Thing.

Node:write-only language, Next:[14899]write-only memory, Previous:[14900]write-only code, Up:[14901]= W =

write-only language n.

A language with syntax (or semantics) sufficiently dense and bizarre that any routine of significant size is automatically [14902]write-only code. A sobriquet applied occasionally to C and often to APL, though [14903]INTERCAL and [14904]TECO certainly deserve it more. See also [14905]Befunge.

Node:write-only memory, Next:[14906]Wrong Thing, Previous:[14907]write-only language, Up:[14908]= W =

write-only memory n.

The obvious antonym to 'read-only memory'. Out of frustration with the long and seemingly useless chain of approvals required of component

specifications, during which no actual checking seemed to occur, an engineer at Signetics once created a specification for a write-only memory and included it with a bunch of other specifications to be approved. This inclusion came to the attention of Signetics [14909]management only when regular customers started calling and asking for pricing information. Signetics published a corrected edition of the data book and requested the return of the 'erroneous' ones. Later, in 1972, Signetics bought a double-page spread in "Electronics" magazine's April issue and used the spec as an April Fools' Day joke. Instead of the more conventional characteristic curves, the 25120 "fully encoded, 9046 x N, Random Access, write-only-memory" data sheet included diagrams of "bit capacity vs. Temp.", "Iff vs. Vff", "Number of pins remaining vs. number of socket insertions", and "AQL vs. selling price". The 25120 required a 6.3 VAC VFF supply, a +10V VCC, and VDD of 0V, +/- 2%.

Node:Wrong Thing, Next:[14910]wugga wugga, Previous:[14911]write-only memory, Up:[14912]= W =

Wrong Thing n.

A design, action, or decision that is clearly incorrect or inappropriate. Often capitalized; always emphasized in speech as if capitalized. The opposite of the [14913]Right Thing; more generally, anything that is not the Right Thing. In cases where 'the good is the enemy of the best', the merely good -- although good -- is nevertheless the Wrong Thing. "In C, the default is for module-level declarations to be visible everywhere, rather than just within the module. This is clearly the Wrong Thing."

Node:wugga wugga, Next:[14914]wumpus, Previous:[14915]Wrong Thing, Up:[14916]= W =

wugga wugga /wuh'g* wuh'g*/ n.

Imaginary sound that a computer program makes as it labors with a tedious or difficult task.[14917]grind (sense 4).

Node:wumpus, Next:[14918]WYSIAYG, Previous:[14919]wugga wugga, Up:[14920]= W =

wumpus /wuhm'p*s/ n.

The central monster (and, in many versions, the name) of a famous family of very early computer games called "Hunt The Wumpus". The original was invented in 1970 (several years before [14921]ADVENT) by Gregory Yob. The wumpus lived somewhere in a cave with the topology of an dodecahedron's edge/vertex graph (later versions supported other topologies, including an icosahedron and Möbius strip). The player started somewhere at random in the cave with five 'crooked arrows';

these could be shot through up to three connected rooms, and would kill the wumpus on a hit (later versions introduced the wounded wumpus, which got very angry). Unfortunately for players, the movement necessary to map the maze was made hazardous not merely by the wumpus (which would eat you if you stepped on him) but also by bottomless pits and colonies of super bats that would pick you up and drop you at a random location (later versions added 'anaerobic termites' that ate arrows, bat migrations, and earthquakes that randomly changed pit locations).

This game appears to have been the first to use a non-random graph-structured map (as opposed to a rectangular grid like the even older Star Trek games). In this respect, as in the dungeon-like setting and its terse, amusing messages, it prefigured [14922]ADVENT and [14923]Zork and was directly ancestral to the latter (Zork acknowledged this heritage by including a super-bat colony). A C emulation of the original Basic game is available at the Retrocomputing Museum, [14924]<http://www.ccil.org/retro>.

Node:WYSIAYG, Next:[14925]WYSIWYG, Previous:[14926]wumpus, Up:[14927]= W =

WYSIAYG /wiz'ee-ayg/ adj.

Describes a user interface under which "What You See Is All You Get"; an unhappy variant of [14928]WYSIWYG. Visual, 'point-and-shoot'-style interfaces tend to have easy initial learning curves, but also to lack depth; they often frustrate advanced users who would be better served by a command-style interface. When this happens, the frustrated user has a WYSIAYG problem. This term is most often used of editors, word processors, and document formatting programs. WYSIWYG 'desktop publishing' programs, for example, are a clear win for creating small documents with lots of fonts and graphics in them, especially things like newsletters and presentation slides. When typesetting book-length manuscripts, on the other hand, scale changes the nature of the task; one quickly runs into WYSIAYG limitations, and the increased power and flexibility of a command-driven formatter like [14929]TeX or Unix's [14930]troff becomes not just desirable but a necessity. Compare [14931]YAFIYGI.

Node:WYSIWYG, Next:[14932]X, Previous:[14933]WYSIAYG, Up:[14934]= W =

WYSIWYG /wiz'ee-wig/ adj.

[Traced to Flip Wilson's "Geraldine" character c.1970] Describes a user interface under which "What You See Is What You Get", as opposed to one that uses more-or-less obscure commands that do not result in immediate visual feedback. True WYSIWYG in environments supporting multiple fonts or graphics is a rarely-attained ideal; there are variants of this term to express real-world manifestations including WYSIAWYG (What You See Is Almost What You Get) and WYSIMOLWYG (What

You See Is More or Less What You Get). All these can be mildly derogatory, as they are often used to refer to dumbed-down [14935]user-friendly interfaces targeted at non-programmers; a hacker has no fear of obscure commands (compare [14936]WYSIAYG). On the other hand, [14937]EMACS was one of the very first WYSIWYG editors, replacing (actually, at first overlaying) the extremely obscure, command-based [14938]TECO. See also [14939]WIMP environment. [Oddly enough, WYSIWYG has already made it into the OED, in lower case yet. --ESR]

Node:= X =, Next:[14940]= Y =, Previous:[14941]= W =, Up:[14942]The Jargon Lexicon

= X =

- * [14943]X:
 - * [14944]XEROX PARC:
 - * [14945]XOFF:
 - * [14946]XON:
 - * [14947]xor:
 - * [14948]xref:
 - * [14949]XXX:
 - * [14950]xyzzzy:
-

Node:X, Next:[14951]XEROX PARC, Previous:[14952]WYSIWYG, Up:[14953]= X =

X /X/ n.

1. Used in various speech and writing contexts (also in lowercase) in roughly its algebraic sense of 'unknown within a set defined by context' (compare [14954]N). Thus, the abbreviation 680x0 stands for 68000, 68010, 68020, 68030, or 68040, and 80x86 stands for 80186, 80286, 80386, 80486, 80586 or 80686 (note that a Unix hacker might write these as 680[0-6]0 and 80[1-6]86 or 680?0 and 80?86 respectively; see [14955]glob). 2. [after the name of an earlier window system called 'W'] An over-sized, over-featured, over-engineered and incredibly over-complicated window system developed at MIT and widely used on Unix systems.

Node:XEROX PARC, Next:[14956]XOFF, Previous:[14957]X, Up:[14958]= X =

XEROX PARC /zee'roks park'/ n.

The famed Palo Alto Research Center. For more than a decade, from the early 1970s into the mid-1980s, PARC yielded an astonishing volume of groundbreaking hardware and software innovations. The modern mice, windows, and icons style of software interface was invented there. So was the laser printer and the local-area network; and PARC's series of D machines anticipated the powerful personal computers of the 1980s by

a decade. Sadly, the prophets at PARC were without honor in their own company, so much so that it became a standard joke to describe PARC as a place that specialized in developing brilliant ideas for everyone else.

The stunning shortsightedness and obtuseness of XEROX's top-level [14959] suits has been well anatomized in "Fumbling The Future: How XEROX Invented, Then Ignored, the First Personal Computer" by Douglas K. Smith and Robert C. Alexander (William Morrow & Co., 1988, ISBN 0-688-09511-9).

Node:XOFF, Next:[14960]XON, Previous:[14961]XEROX PARC, Up:[14962]= X =

XOFF /X-of/ n.

Syn. [14963]control-S.

Node:XON, Next:[14964]xor, Previous:[14965]XOFF, Up:[14966]= X =

XON /X-on/ n.

Syn. [14967]control-Q.

Node:xor, Next:[14968]xref, Previous:[14969]XON, Up:[14970]= X =

xor /X'or/, /kzor/ conj.

Exclusive or. 'A xor B' means 'A or B, but not both'. "I want to get cherry pie xor a banana split." This derives from the technical use of the term as a function on truth-values that is true if exactly one of its two arguments is true.

Node:xref, Next:[14971]XXX, Previous:[14972]xor, Up:[14973]= X =

xref /X'ref/ v.,n.

Hackish standard abbreviation for 'cross-reference'.

Node:XXX, Next:[14974]xyzy, Previous:[14975]xref, Up:[14976]= X =

XXX /X-X-X/ n.

A marker that attention is needed. Commonly used in program comments to indicate areas that are kluged up or need to be. Some hackers liken 'XXX' to the notional heavy-porn movie rating. Compare [14977]FIXME.

Node:xyzy, Next:[14978]YA-, Previous:[14979]XXX, Up:[14980]= X =

xyzy /X-Y-Z-Z-Y/, /X-Y-ziz'ee/, /ziz'ee/, or /ik-ziz'ee/ adj.

[from the ADVENT game] The [14981]canonical 'magic word'. This comes from [14982]ADVENT, in which the idea is to explore an underground cave with many rooms and to collect the treasures you find there. If you type 'xyzy' at the appropriate time, you can move instantly between two otherwise distant points. If, therefore, you encounter some bit of [14983]magic, you might remark on this quite succinctly by saying simply "Xyzy!" "Ordinarily you can't look at someone else's screen if he has protected it, but if you type quadruple-bucky-clear the system will let you do it anyway." "Xyzy!" It's traditional for xyzy to be an [14984]Easter egg in games with text interfaces.

Xyzy has actually been implemented as an undocumented no-op command on several OSes; in Data General's AOS/V5, for example, it would typically respond "Nothing happens", just as [14985]ADVENT did if the magic was invoked at the wrong spot or before a player had performed the action that enabled the word. In more recent 32-bit versions, by the way, AOS/V5 responds "Twice as much happens".

Early versions of the popular 'minesweeper' game under Microsoft Windows had a cheat mode triggered by the command 'xyzy<enter><right-shift>' that turns the top-left pixel of the screen different colors depending on whether or not the cursor is over a bomb. This feature temporarily disappeared in Windows 98, but reappeared in Windows 2000.

The following passage from "The Wonderful Wizard of Oz" by L. Frank Baum, suggesting a possible pre-ADVENT origin, has recently come to light:

"Ziz-zy, zuz-zy, zik!" said Dorothy, who was now standing on both feet. This ended the saying of the charm, and they heard a great chattering and flapping of wings, as the band of Winged Monkeys flew up to them.

The text can be viewed at
[14986]<ftp://metalab.unc.edu/pub/docs/books/gutenberg/etext93/wizoz10.txt>.

Another possible pre-ADVENT porigin is discussed at
[14987]http://people.delphi.com/rickadams/adventure/c_xyzy.html.

Node:= Y =, Next:[14988]= Z =, Previous:[14989]= X =, Up:[14990]The Jargon Lexicon

= Y =

* [14991]YA-:

* [14992]YABA:

- * [14993]YAFIYGI:
 - * [14994]YAUN:
 - * [14995]Yellow Book:
 - * [14996]yellow card:
 - * [14997]yellow wire:
 - * [14998]Yet Another:
 - * [14999]YHBT:
 - * [15000]YKYBHTLW:
 - * [15001]YMMV:
 - * [15002]You are not expected to understand this:
 - * [15003]You know you've been hacking too long when:
 - * [15004]Your mileage may vary:
 - * [15005]Yow!:
 - * [15006]yo-yo mode:
 - * [15007]Yu-Shiang Whole Fish:
-

Node:YA-, Next:[15008]YABA, Previous:[15009]xyzzy, Up:[15010]= Y =

YA- abbrev.

[Yet Another] In hackish acronyms this almost invariably expands to [15011]Yet Another, following the precedent set by Unix yacc(1) (Yet Another Compiler-Compiler). See [15012]YABA.

Node:YABA, Next:[15013]YAFIYGI, Previous:[15014]YA-, Up:[15015]= Y =

YABA /ya'b*/ n.

[Cambridge] Yet Another Bloody Acronym. Whenever some program is being named, someone invariably suggests that it be given a name that is acronymic. The response from those with a trace of originality is to remark ironically that the proposed name would then be 'YABA-compatible'. Also used in response to questions like "What is WYSIWYG?" See also [15016]TLA.

Node:YAFIYGI, Next:[15017]YAUN, Previous:[15018]YABA, Up:[15019]= Y =

YAFIYGI /yaf'ee-y*-gee/ adj.

[coined in response to WYSIWYG] Describes the command-oriented ed/vi/nroff/TeX style of word processing or other user interface, the opposite of [15020]WYSIWYG. Stands for "You asked for it, you got it", because what you actually asked for is often not apparent until long after it is too late to do anything about it. Used to denote perversity ("Real Programmers use YAFIYGI tools...and like it!") or, less often, a necessary tradeoff ("Only a YAFIYGI tool can have full programmable flexibility in its interface.").

This precise sense of "You asked for it, you got it" seems to have first appeared in Ed Post's classic parody "Real Programmers don't use

Pascal" (see [15021]Real Programmers); the acronym is a more recent invention.

Node:YAUN, Next:[15022]Yellow Book, Previous:[15023]YAFIYGI,
Up:[15024]= Y =

YAUN /yawn/ n.

[Acronym for 'Yet Another Unix Nerd'] Reported from the San Diego Computer Society (predominantly a microcomputer users' group) as a good-natured punning insult aimed at Unix zealots.

Node:Yellow Book, Next:[15025]yellow card, Previous:[15026]YAUN,
Up:[15027]= Y =

Yellow Book n.

The print version of this Jargon File; "The New Hacker's Dictionary" from MIT Press; The book includes essentially all the material the File, plus a Foreword by Guy L. Steele Jr. and a Preface by Eric S. Raymond. Most importantly, the book version is nicely typeset and includes almost all of the infamous Crunchly cartoons by the Great Quux, each attached to an appropriate entry. The first edition (1991, ISBN 0-262-68069-6) corresponded to the Jargon File version 2.9.6. The second edition (1993, ISBN 0-262-68079-3) corresponded to the Jargon File 3.0.0. The third (1996, ISBN 0-262-68092-0) corresponded to 4.0.0.

Node:yellow card, Next:[15028]yellow wire, Previous:[15029]Yellow Book, Up:[15030]= Y =

yellow card n.

See [15031]green card.

Node:yellow wire, Next:[15032]Yet Another, Previous:[15033]yellow card, Up:[15034]= Y =

yellow wire n.

[IBM] Repair wires used when connectors (especially ribbon connectors) got broken due to some schlemiel pinching them, or to reconnect cut traces after the FE mistakenly cut one. Compare [15035]blue wire, [15036]purple wire, [15037]red wire.

Node:Yet Another, Next:[15038]YHBT, Previous:[15039]yellow wire,
Up:[15040]= Y =

Yet Another adj.

[From Unix's yacc(1), 'Yet Another Compiler-Compiler', a LALR parser generator] 1. Of your own work: A humorous allusion often used in titles to acknowledge that the topic is not original, though the content is. As in 'Yet Another AI Group' or 'Yet Another Simulated Annealing Algorithm'. 2. Of others' work: Describes something of which there are already far too many. See also [15041]YA-, [15042]YABA, [15043]YAUN.

Node:YHBT, Next:[15044]YKYBHTLW, Previous:[15045]Yet Another, Up:[15046]= Y =

YHBT //

[Usenet: very common] Abbreviation: You Have Been Trolled (see [15047]troll, sense 1). Especially used in "YHBT. YHL. HAND.", which is widely understood to expand to "You Have Been Trolled. You Have Lost. Have A Nice Day". You are quite likely to see this if you respond incautiously to a flame-provoking post that was obviously floated as sucker bait.

Node:YKYBHTLW, Next:[15048]YMMV, Previous:[15049]YHBT, Up:[15050]= Y =

YKYBHTLW // abbrev.

Abbreviation of 'You know you've been hacking too long when...', which became established on the Usenet group alt.folklore.computers during extended discussion of the indicated entry in the Jargon File.

Node:YMMV, Next:[15051]You are not expected to understand this, Previous:[15052]YKYBHTLW, Up:[15053]= Y =

YMMV // cav.

Abbreviation for [15054]Your mileage may vary common on Usenet.

Node:You are not expected to understand this, Next:[15055]You know you've been hacking too long when, Previous:[15056]YMMV, Up:[15057]= Y =

You are not expected to understand this [Unix] cav.

The canonical comment describing something [15058]magic or too complicated to bother explaining properly. From an infamous comment in the context-switching code of the V6 Unix kernel. Dennis Ritchie has [15059]explained this in detail.

Node:You know you've been hacking too long when, Next:[15060]Your mileage may vary, Previous:[15061]You are not expected to understand this, Up:[15062]= Y =

You know you've been hacking too long when

The set-up line for a genre of one-liners told by hackers about themselves. These include the following:

- * not only do you check your email more often than your paper mail, but you remember your [15063]network address faster than your postal one.
- * your [15064]SO kisses you on the neck and the first thing you think is "Uh, oh, [15065]priority interrupt."
- * you go to balance your checkbook and discover that you're doing it in octal.
- * your computers have a higher street value than your car.
- * in your universe, 'round numbers' are powers of 2, not 10.
- * more than once, you have woken up recalling a dream in some programming language.
- * you realize you have never seen half of your best friends.

A [15066]list list of these can be found by searching for this phrase on the web.

[An early version of this entry said "All but one of these have been reliably reported as hacker traits (some of them quite often). Even hackers may have trouble spotting the ringer." The ringer was balancing one's checkbook in octal, which I made up out of whole cloth. Although more respondents picked that one out as fiction than any of the others, I also received multiple independent reports of its actually happening, most famously to Grace Hopper while she was working with BINAC in 1949. --ESR]

Node:Your mileage may vary, Next:[15067]Yow!, Previous:[15068]You know you've been hacking too long when, Up:[15069]= Y =

Your mileage may vary cav.

[from the standard disclaimer attached to EPA mileage ratings by American car manufacturers] 1. A ritual warning often found in Unix freeware distributions. Translates roughly as "Hey, I tried to write this portably, but who knows what'll happen on your system?" 2. More generally, a qualifier attached to advice. "I find that sending flowers works well, but your mileage may vary."

Node:Yow!, Next:[15070]yoyo mode, Previous:[15071]Your mileage may vary, Up:[15072]= Y =

Yow! /yow/ interj.

[from "Zippy the Pinhead" comix] A favored hacker expression of humorous surprise or emphasis. "Yow! Check out what happens when you twiddle the foo option on this display hack!" Compare [15073]gurgle.

Node:yoyo mode, Next:[15074]Yu-Shiang Whole Fish,
Previous:[15075]Yow!, Up:[15076]= Y =

yoyo mode n.

The state in which the system is said to be when it rapidly alternates several times between being up and being down. Interestingly (and perhaps not by coincidence), many hardware vendors give out free yoyos at Usenix exhibits.

Sun Microsystems gave out logoized yoyos at SIGPLAN '88. Tourists staying at one of Atlanta's most respectable hotels were subsequently treated to the sight of 200 of the country's top computer scientists testing yo-yo algorithms in the lobby.

Node:Yu-Shiang Whole Fish, Next:[15077]zap, Previous:[15078]yoyo mode,
Up:[15079]= Y =

Yu-Shiang Whole Fish /yoo-shyang hohl fish/ n. obs.

The character gamma (extended SAIL ASCII 0001001), which with a loop in its tail looks like a little fish swimming down the page. The term is actually the name of a Chinese dish in which a fish is cooked whole (not [15080]parsed) and covered with Yu-Shiang (or Yu-Hsiang) sauce. Usage: primarily by people on the MIT LISP Machine, which could display this character on the screen. Tends to elicit incredulity from people who hear about it second-hand.

Node:= Z =, Previous:[15081]= Y =, Up:[15082]The Jargon Lexicon

= Z =

- * [15083]zap:
- * [15084]zapped:
- * [15085]Zawinski's Law:
- * [15086]zbeba:
- * [15087]zen:
- * [15088]zero:
- * [15089]zero-content:
- * [15090]Zero-One-Infinity Rule:
- * [15091]zeroth:
- * [15092]zigamorph:
- * [15093]zip:
- * [15094]zipperhead:
- * [15095]zombie:
- * [15096]zorch:

* [15097]Zork:
* [15098]zorkmid:

Node:zap, Next:[15099]zapped, Previous:[15100]Yu-Shiang Whole Fish,
Up:[15101]= Z =

zap

1. n. Spiciness. 2. vt. To make food spicy. 3. vt. To make someone 'suffer' by making his food spicy. (Most hackers love spicy food. Hot-and-sour soup is considered wimpy unless it makes you wipe your nose for the rest of the meal.) See [15102]zapped. 4. vt. To modify, usually to correct; esp. used when the action is performed with a debugger or binary patching tool. Also implies surgical precision. "Zap the debug level to 6 and run it again." In the IBM mainframe world, binary patches are applied to programs or to the OS with a program called 'superzap', whose file name is 'IMASPZAP' (possibly contrived from I M A SuPerZAP). 5. vt. To erase or reset. 6. To [15103]fry a chip with static electricity. "Uh oh -- I think that lightning strike may have zapped the disk controller."

Node:zapped, Next:[15104]Zawinski's Law, Previous:[15105]zap,
Up:[15106]= Z =

zapped adj.

Spicy. This term is used to distinguish between food that is hot (in temperature) and food that is spicy-hot. For example, the Chinese appetizer Bon Bon Chicken is a kind of chicken salad that is cold but zapped; by contrast, [15107]vanilla wonton soup is hot but not zapped. See also [15108]oriental food, [15109]laser chicken. See [15110]zap, senses 1 and 2.

Node:Zawinski's Law, Next:[15111]zbeba, Previous:[15112]zapped,
Up:[15113]= Z =

Zawinski's Law

"Every program attempts to expand until it can read mail. Those programs which cannot so expand are replaced by ones which can." Coined by Jamie Zawinski (who called it the "Law of Software Envelopment") to express his belief that all truly useful programs experience pressure to evolve into toolkits and application platforms (the mailer thing, he says, is just a side effect of that). It is commonly cited, though with widely varying degrees of accuracy.

Node:zbeba, Next:[15114]zen, Previous:[15115]Zawinski's Law,
Up:[15116]= Z =

zbeba n.

[USENET] The word 'moron' in [15117]rot13. Used to describe newbies who are behaving with especial cluelessness.

Node:zen, Next:[15118]zero, Previous:[15119]zbeba, Up:[15120]= Z =

zen vt.

To figure out something by meditation or by a sudden flash of enlightenment. Originally applied to bugs, but occasionally applied to problems of life in general. "How'd you figure out the buffer allocation problem?" "Oh, I zenned it." Contrast [15121]grok, which connotes a time-extended version of zenning a system. Compare [15122]hack mode. See also [15123]guru.

Node:zero, Next:[15124]zero-content, Previous:[15125]zen, Up:[15126]= Z =

zero vt.

1. To set to 0. Usually said of small pieces of data, such as bits or words (esp. in the construction 'zero out'). 2. To erase; to discard all data from. Said of disks and directories, where 'zeroing' need not involve actually writing zeroes throughout the area being zeroed. One may speak of something being 'logically zeroed' rather than being 'physically zeroed'. See [15127]scribble.

Node:zero-content, Next:[15128]Zero-One-Infinity Rule, Previous:[15129]zero, Up:[15130]= Z =

zero-content adj.

Syn. [15131]content-free.

Node:Zero-One-Infinity Rule, Next:[15132]zeroth, Previous:[15133]zero-content, Up:[15134]= Z =

Zero-One-Infinity Rule prov.

"Allow none of [15135]foo, one of [15136]foo, or any number of [15137]foo." A rule of thumb for software design, which instructs one to not place [15138]random limits on the number of instances of a given entity (such as: windows in a window system, letters in an OS's filenames, etc.). Specifically, one should either disallow the entity entirely, allow exactly one instance (an "exception"), or allow as many as the user wants - address space and memory permitting.

The logic behind this rule is that there are often situations where it

makes clear sense to allow one of something instead of none. However, if one decides to go further and allow N (for $N > 1$), then why not $N+1$? And if $N+1$, then why not $N+2$, and so on? Once above 1, there's no excuse not to allow any N; hence, [15139]infinity.

Many hackers recall in this connection Isaac Asimov's SF novel "The Gods Themselves" in which a character announces that the number 2 is impossible - if you're going to believe in more than one universe, you might as well believe in an infinite number of them.

Node:zeroth, Next:[15140]zigamorph, Previous:[15141]Zero-One-Infinity Rule, Up:[15142]= Z =

zeroth /zee'rohth/ adj.

First. Among software designers, comes from C's and LISP's 0-based indexing of arrays. Hardware people also tend to start counting at 0 instead of 1; this is natural since, e.g., the 256 states of 8 bits correspond to the binary numbers 0, 1, ..., 255 and the digital devices known as 'counters' count in this way.

Hackers and computer scientists often like to call the first chapter of a publication 'Chapter 0', especially if it is of an introductory nature (one of the classic instances was in the First Edition of [15143]K&R). In recent years this trait has also been observed among many pure mathematicians (who have an independent tradition of numbering from 0). Zero-based numbering tends to reduce [15144]fencepost errors, though it cannot eliminate them entirely.

Node:zigamorph, Next:[15145]zip, Previous:[15146]zeroth, Up:[15147]= Z =

zigamorph /zig*-morf/ n.

1. Hex FF (11111111) when used as a delimiter or [15148]fence character. Usage: primarily at IBM shops. 2. [proposed] n. The Unicode non-character U+FFFF (1111111111111111), a character code which is not assigned to any character, and so is usable as end-of-string. (Unicode is a 16-bit character code intended to cover all of the world's writing systems, including Latin, Greek, Cyrillic, Chinese, hiragana, katakana, Devanagari, Thai, Laotian and many other scripts - support for [15149]elvish is planned for a future release).

Node:zip, Next:[15150]zipperhead, Previous:[15151]zigamorph, Up:[15152]= Z =

zip vt.

[primarily MS-DOS] To create a compressed archive from a group of files using PKWare's PKZIP or a compatible archiver. Its use is

spreading now that portable implementations of the algorithm have been written. Commonly used as follows: "I'll zip it up and send it to you." See [15153]tar and feather.

Node:zipperhead, Next:[15154]zombie, Previous:[15155]zip, Up:[15156]=
Z =

zipperhead n.

[IBM] A person with a closed mind.

Node:zombie, Next:[15157]zorch, Previous:[15158]zipperhead,
Up:[15159]= Z =

zombie n.

[Unix] A process that has died but has not yet relinquished its process table slot (because the parent process hasn't executed a wait(2) for it yet). These can be seen in ps(1) listings occasionally. Compare [15160]orphan.

Node:zorch, Next:[15161]Zork, Previous:[15162]zombie, Up:[15163]= Z =

zorch /zorch/

1. [TMRC] v. To attack with an inverse heat sink. 2. [TMRC] v. To travel, with v approaching c [that is, with velocity approaching lightspeed --ESR]. 3. [MIT] v. To propel something very quickly. "The new comm software is very fast; it really zorches files through the network." 4. [MIT] n. Influence. Brownie points. Good karma. The intangible and fuzzy currency in which favors are measured. "I'd rather not ask him for that just yet; I think I've used up my quota of zorch with him for the week." 5. [MIT] n. Energy, drive, or ability. "I think I'll [15164]punt that change for now; I've been up for 30 hours and I've run out of zorch." 6. [MIT] v. To flunk an exam or course.

Node:Zork, Next:[15165]zorkmid, Previous:[15166]zorch, Up:[15167]= Z =

Zork /zork/ n.

The second of the great early experiments in computer fantasy gaming; see [15168]ADVENT. Originally written on MIT-DM during 1977-1979, later distributed with BSD Unix (as a patched, sourceless RT-11 FORTRAN binary; see [15169]retrocomputing) and commercialized as 'The Zork Trilogy' by [15170]Infocom. The FORTRAN source was later rewritten for portability and released to Usenet under the name "Dungeon". Both FORTRAN "Dungeon" and translated C versions are available at many FTP sites. See also [15171]grue.

Node:zorkmid, Previous:[15172]Zork, Up:[15173]= Z =

zorkmid /zork'mid/ n.

The canonical unit of currency in hacker-written games. This originated in [15174]Zork but has spread to [15175]nethack and is referred to in several other games.

(Lexicon Entries End Here)

Node:Appendix A, Next:[15176]Appendix B, Previous:[15177]The Jargon Lexicon, Up:[15178]Top

Hacker Folklore

This appendix contains several legends and fables that illuminate the meaning of various entries in the lexicon.

- * [15179]The Meaning of Hack: ...and three famous ones
 - * [15180]TV Typewriters: A Tale of Hackish Ingenuity
 - * [15181]A Story About Magic: By Guy Steele
 - * [15182]Some AI Koans: Wit and Wisdom of the Masters
 - * [15183]OS and JEDGAR: Intrigue and mayhem under ITS
 - * [15184]The Story of Mel: One of hackerdom's great myths
-

Node:The Meaning of Hack, Next:[15185]TV Typewriters, Previous:[15186]Appendix A, Up:[15187]Appendix A

The Meaning of 'Hack'

"The word [15188]hack doesn't really have 69 different meanings", according to MIT hacker Phil Agre. "In fact, [15189]hack has only one meaning, an extremely subtle and profound one which defies articulation. Which connotation is implied by a given use of the word depends in similarly profound ways on the context. Similar remarks apply to a couple of other hacker words, most notably [15190]random."

Hacking might be characterized as 'an appropriate application of ingenuity'. Whether the result is a quick-and-dirty patchwork job or a carefully crafted work of art, you have to admire the cleverness that went into it.

An important secondary meaning of [15191]hack is 'a creative practical joke'. This kind of hack is easier to explain to non-hackers than the programming kind. Of course, some hacks have both natures; see the lexicon entries for [15192]pseudo and [15193]kgbvax. But here are some examples of pure practical jokes that illustrate the hacking spirit:

In 1961, students from Caltech (California Institute of Technology, in Pasadena) hacked the Rose Bowl football game. One student posed

as a reporter and 'interviewed' the director of the University of Washington card stunts (such stunts involve people in the stands who hold up colored cards to make pictures). The reporter learned exactly how the stunts were operated, and also that the director would be out to dinner later.

While the director was eating, the students (who called themselves the 'Fiendish Fourteen') picked a lock and stole a blank direction sheet for the card stunts. They then had a printer run off 2300 copies of the blank. The next day they picked the lock again and stole the master plans for the stunts -- large sheets of graph paper colored in with the stunt pictures. Using these as a guide, they made new instructions for three of the stunts on the duplicated blanks. Finally, they broke in once more, replacing the stolen master plans and substituting the stack of diddled instruction sheets for the original set.

The result was that three of the pictures were totally different. Instead of 'WASHINGTON', the word "CALTECH" was flashed. Another stunt showed the word 'HUSKIES', the Washington nickname, but spelled it backwards. And what was supposed to have been a picture of a husky instead showed a beaver. (Both Caltech and MIT use the beaver -- nature's engineer -- as a mascot.)

After the game, the Washington faculty athletic representative said: "Some thought it ingenious; others were indignant." The Washington student body president remarked: "No hard feelings, but at the time it was unbelievable. We were amazed."

This is now considered a classic hack, particularly because revising the direction sheets constituted a form of programming.

Here is another classic hack:

On November 20, 1982, MIT hacked the Harvard-Yale football game. Just after Harvard's second touchdown against Yale, in the first quarter, a small black ball popped up out of the ground at the 40-yard line, and grew bigger, and bigger, and bigger. The letters 'MIT' appeared all over the ball. As the players and officials stood around gawking, the ball grew to six feet in diameter and then burst with a bang and a cloud of white smoke.

The "Boston Globe" later reported: "If you want to know the truth, MIT won The Game."

The prank had taken weeks of careful planning by members of MIT's Delta Kappa Epsilon fraternity. The device consisted of a weather balloon, a hydraulic ram powered by Freon gas to lift it out of the ground, and a vacuum-cleaner motor to inflate it. They made eight separate expeditions to Harvard Stadium between 1 and 5 A.M., locating an unused 110-volt circuit in the stadium and running buried wires from the stadium circuit to the 40-yard line, where they buried the balloon device. When the time came to activate the

device, two fraternity members had merely to flip a circuit breaker and push a plug into an outlet.

This stunt had all the earmarks of a perfect hack: surprise, publicity, the ingenious use of technology, safety, and harmlessness. The use of manual control allowed the prank to be timed so as not to disrupt the game (it was set off between plays, so the outcome of the game would not be unduly affected). The perpetrators had even thoughtfully attached a note to the balloon explaining that the device was not dangerous and contained no explosives.

Harvard president Derek Bok commented: "They have an awful lot of clever people down there at MIT, and they did it again." President Paul E. Gray of MIT said: "There is absolutely no truth to the rumor that I had anything to do with it, but I wish there were."

The hacks above are verifiable history; they can be proved to have happened. Many other classic-hack stories from MIT and elsewhere, though retold as history, have the characteristics of what Jan Brunvand has called 'urban folklore' (see [15194]FOAF). Perhaps the best known of these is the legend of the infamous trolley-car hack, an alleged incident in which engineering students are said to have welded a trolley car to its tracks with thermite. Numerous versions of this have been recorded from the 1940s to the present, most set at MIT but at least one very detailed version set at CMU.

Brian Leibowitz has researched MIT hacks both real and mythical extensively; the interested reader is referred to his delightful pictorial compendium "The Journal of the Institute for Hacks, Tomfoolery, and Pranks" (MIT Museum, 1990; ISBN 0-917027-03-5). The Institute has a World Wide Web page at [15195]<http://hacks.mit.edu/Hacks/Gallery.html>. There is rumored to be a sequel entitled "Is This The Way To Baker Street?". The Caltech Alumni Association has published two similar books titled "Legends of Caltech" and "More Legends of Caltech".

Finally, here is a story about one of the classic computer hacks.

Back in the mid-1970s, several of the system support staff at Motorola discovered a relatively simple way to crack system security on the Xerox CP-V timesharing system. Through a simple programming strategy, it was possible for a user program to trick the system into running a portion of the program in 'master mode' (supervisor state), in which memory protection does not apply. The program could then poke a large value into its 'privilege level' byte (normally write-protected) and could then proceed to bypass all levels of security within the file-management system, patch the system monitor, and do numerous other interesting things. In short, the barn door was wide open.

Motorola quite properly reported this problem to Xerox via an official 'level 1 SIDR' (a bug report with an intended urgency of

'needs to be fixed yesterday'). Because the text of each SIDR was entered into a database that could be viewed by quite a number of people, Motorola followed the approved procedure: they simply reported the problem as 'Security SIDR', and attached all of the necessary documentation, ways-to-reproduce, etc.

The CP-V people at Xerox sat on their thumbs; they either didn't realize the severity of the problem, or didn't assign the necessary operating-system-staff resources to develop and distribute an official patch.

Months passed. The Motorola guys pestered their Xerox field-support rep, to no avail. Finally they decided to take direct action, to demonstrate to Xerox management just how easily the system could be cracked and just how thoroughly the security safeguards could be subverted.

They dug around in the operating-system listings and devised a thoroughly devilish set of patches. These patches were then incorporated into a pair of programs called 'Robin Hood' and 'Friar Tuck'. Robin Hood and Friar Tuck were designed to run as 'ghost jobs' (daemons, in Unix terminology); they would use the existing loophole to subvert system security, install the necessary patches, and then keep an eye on one another's statuses in order to keep the system operator (in effect, the superuser) from aborting them.

One fine day, the system operator on the main CP-V software development system in El Segundo was surprised by a number of unusual phenomena. These included the following:

- * Tape drives would rewind and dismount their tapes in the middle of a job.
- * Disk drives would seek back and forth so rapidly that they would attempt to walk across the floor (see [15196]walking drives).
- * The card-punch output device would occasionally start up of itself and punch a [15197]lace card. These would usually jam in the punch.
- * The console would print snide and insulting messages from Robin Hood to Friar Tuck, or vice versa.
- * The Xerox card reader had two output stackers; it could be instructed to stack into A, stack into B, or stack into A (unless a card was unreadable, in which case the bad card was placed into stacker B). One of the patches installed by the ghosts added some code to the card-reader driver... after reading a card, it would flip over to the opposite stacker. As a result, card decks would divide themselves in half when they were read, leaving the operator to recollate them manually.

Naturally, the operator called in the operating-system developers. They found the bandit ghost jobs running, and [15198]gunned them... and were once again surprised. When Robin Hood was gunned, the following sequence of events took place:

id1: Friar Tuck... I am under attack! Pray save me!

id1: Off (aborted)

id2: Fear not, friend Robin! I shall rout the Sheriff
of Nottingham's men!

id1: Thank you, my good fellow!

Each ghost-job would detect the fact that the other had been killed, and would start a new copy of the recently slain program within a few milliseconds. The only way to kill both ghosts was to kill them simultaneously (very difficult) or to deliberately crash the system.

Finally, the system programmers did the latter -- only to find that the bandits appeared once again when the system rebooted! It turned out that these two programs had patched the boot-time OS image (the kernel file, in Unix terms) and had added themselves to the list of programs that were to be started at boot time (this is similar to the way MS-DOS viruses propagate).

The Robin Hood and Friar Tuck ghosts were finally eradicated when the system staff rebooted the system from a clean boot-tape and reinstalled the monitor. Not long thereafter, Xerox released a patch for this problem.

It is alleged that Xerox filed a complaint with Motorola's management about the merry-prankster actions of the two employees in question. It is not recorded that any serious disciplinary action was taken against either of them.

Node:TV Typewriters, Next:[15199]A Story About Magic,
Previous:[15200]The Meaning of Hack, Up:[15201]Appendix A

TV Typewriters A Tale of Hackish Ingenuity

Here is a true story about a glass tty: One day an MIT hacker was in a motorcycle accident and broke his leg. He had to stay in the hospital quite a while, and got restless because he couldn't [15202]hack. Two of his friends therefore took a terminal and a modem for it to the hospital, so that he could use the computer by telephone from his hospital bed.

Now this happened some years before the spread of home computers, and computer terminals were not a familiar sight to the average person. When the two friends got to the hospital, a guard stopped them and asked what they were carrying. They explained that they wanted to take a computer terminal to their friend who was a patient.

The guard got out his list of things that patients were permitted to have in their rooms: TV, radio, electric razor, typewriter, tape player, ... no computer terminals. Computer terminals weren't on the

list, so the guard wouldn't let it in. Rules are rules, you know.
(This guard was clearly a [15203]droid.)

Fair enough, said the two friends, and they left again. They were frustrated, of course, because they knew that the terminal was as harmless as a TV or anything else on the list... which gave them an idea.

The next day they returned, and the same thing happened: a guard stopped them and asked what they were carrying. They said: "This is a TV typewriter!" The guard was skeptical, so they plugged it in and demonstrated it. "See? You just type on the keyboard and what you type shows up on the TV screen." Now the guard didn't stop to think about how utterly useless a typewriter would be that didn't produce any paper copies of what you typed; but this was clearly a TV typewriter, no doubt about it. So he checked his list: "A TV is all right, a typewriter is all right ... okay, take it on in!"

[Historical note: Many years ago, "Popular Electronics" published solder-it-yourself plans for a TV typewriter. Despite the essential uselessness of the device, it was an enormously popular project. Steve Ciarcia, the man behind "Byte" magazine's "Circuit Cellar" feature, resurrected this ghost in one of his books of the early 1980s. He ascribed its popularity (no doubt correctly) to the feeling of power the builder could achieve by being able to decide himself what would be shown on the TV. --ESR]

[Antihistorical note: On September 23rd, 1992, the L.A. Times ran the following bit in Steve Harvey's 'Only in L.A.' column:

It must have been borrowed from a museum: Solomon Waters of Altadena, a 6-year-old first-grader, came home from his first day of school and excitedly told his mother how he had written on "a machine that looks like a computer-but without the TV screen."

She asked him if it could have been a "typewriter."

"Yeah! Yeah!" he said. "That's what it was called."

I have since investigated this matter and determined that many of today's teenagers have never seen a slide rule, either.... - ESR]

Node:A Story About Magic, Next:[15204]Some AI Koans,
Previous:[15205]TV Typewriters, Up:[15206]Appendix A

A Story About 'Magic'

Some years ago, I (GLS) was snooping around in the cabinets that housed the MIT AI Lab's PDP-10, and noticed a little switch glued to the frame of one cabinet. It was obviously a homebrew job, added by one of the lab's hardware hackers (no one knows who).

You don't touch an unknown switch on a computer without knowing what it does, because you might crash the computer. The switch was labeled in a most unhelpful way. It had two positions, and scrawled in pencil on the metal switch body were the words 'magic' and 'more magic'. The switch was in the 'more magic' position.

I called another hacker over to look at it. He had never seen the switch before either. Closer examination revealed that the switch had only one wire running to it! The other end of the wire did disappear into the maze of wires inside the computer, but it's a basic fact of electricity that a switch can't do anything unless there are two wires connected to it. This switch had a wire connected on one side and no wire on its other side.

It was clear that this switch was someone's idea of a silly joke. Convinced by our reasoning that the switch was inoperative, we flipped it. The computer instantly crashed.

Imagine our utter astonishment. We wrote it off as coincidence, but nevertheless restored the switch to the 'more magic' position before reviving the computer.

A year later, I told this story to yet another hacker, David Moon as I recall. He clearly doubted my sanity, or suspected me of a supernatural belief in the power of this switch, or perhaps thought I was fooling him with a bogus saga. To prove it to him, I showed him the very switch, still glued to the cabinet frame with only one wire connected to it, still in the 'more magic' position. We scrutinized the switch and its lone connection, and found that the other end of the wire, though connected to the computer wiring, was connected to a ground pin. That clearly made the switch doubly useless: not only was it electrically nonoperative, but it was connected to a place that couldn't affect anything anyway. So we flipped the switch.

The computer promptly crashed.

This time we ran for Richard Greenblatt, a long-time MIT hacker, who was close at hand. He had never noticed the switch before, either. He inspected it, concluded it was useless, got some diagonal cutters and [15207]diked it out. We then revived the computer and it has run fine ever since.

We still don't know how the switch crashed the machine. There is a theory that some circuit near the ground pin was marginal, and flipping the switch changed the electrical capacitance enough to upset the circuit as millionth-of-a-second pulses went through it. But we'll never know for sure; all we can really say is that the switch was [15208]magic.

I still have that switch in my basement. Maybe I'm silly, but I usually keep it set on 'more magic'.

1994: Another explanation of this story has since been offered. Note

that the switch body was metal. Suppose that the non-connected side of the switch was connected to the switch body (usually the body is connected to a separate earth lug, but there are exceptions). The body is connected to the computer case, which is, presumably, grounded. Now the circuit ground within the machine isn't necessarily at the same potential as the case ground, so flipping the switch connected the circuit ground to the case ground, causing a voltage drop/jump which reset the machine. This was probably discovered by someone who found out the hard way that there was a potential difference between the two, and who then wired in the switch as a joke.

Node:Some AI Koans, Next:[15209]OS and JEDGAR, Previous:[15210]A Story About Magic, Up:[15211]Appendix A

Some AI Koans

These are some of the funniest examples of a genre of jokes told at the MIT AI Lab about various noted hackers. The original koans were composed by Danny Hillis, who would later found Connection Machines, Inc. In reading these, it is at least useful to know that Minsky, Sussman, and Drescher are AI researchers of note, that Tom Knight was one of the Lisp machine's principal designers, and that David Moon wrote much of Lisp Machine Lisp.

* * *

A novice was trying to fix a broken Lisp machine by turning the power off and on.

Knight, seeing what the student was doing, spoke sternly: "You cannot fix a machine by just power-cycling it with no understanding of what is going wrong."

Knight turned the machine off and on.

The machine worked.

* * *

One day a student came to Moon and said: "I understand how to make a better garbage collector. We must keep a reference count of the pointers to each cons."

Moon patiently told the student the following story:

"One day a student came to Moon and said: 'I understand how to make a better garbage collector...

[Ed. note: Pure reference-count garbage collectors have problems with circular structures that point to themselves.]

* * *

In the days when Sussman was a novice, Minsky once came to him as he sat hacking at the PDP-6.

"What are you doing?", asked Minsky.

"I am training a randomly wired neural net to play Tic-Tac-Toe" Sussman replied.

"Why is the net wired randomly?", asked Minsky.

"I do not want it to have any preconceptions of how to play", Sussman said.

Minsky then shut his eyes.

"Why do you close your eyes?", Sussman asked his teacher.

"So that the room will be empty."

At that moment, Sussman was enlightened.

* * *

A disciple of another sect once came to Drescher as he was eating his morning meal.

"I would like to give you this personality test", said the outsider, "because I want you to be happy."

Drescher took the paper that was offered him and put it into the toaster, saying: "I wish the toaster to be happy, too."

Node:OS and JEDGAR, Next:[15212]The Story of Mel, Previous:[15213]Some AI Koans, Up:[15214]Appendix A

OS and JEDGAR

This story says a lot about the ITS ethos.

On the ITS system there was a program that allowed you to see what was being printed on someone else's terminal. It spied on the other guy's output by examining the insides of the monitor system. The output spy program was called OS. Throughout the rest of the computer science world (and at IBM too) OS means 'operating system', but among old-time ITS hackers it almost always meant 'output spy'.

OS could work because ITS purposely had very little in the way of 'protection' that prevented one user from trespassing on another's areas. Fair is fair, however. There was another program that would automatically notify you if anyone started to spy on your output. It worked in exactly the same way, by looking at the insides of the

operating system to see if anyone else was looking at the insides that had to do with your output. This 'counterspy' program was called JEDGAR (a six-letterism pronounced as two syllables: /jed'gr/), in honor of the former head of the FBI.

But there's more. JEDGAR would ask the user for 'license to kill'. If the user said yes, then JEDGAR would actually [15215]gun the job of the [15216]user who was spying. Unfortunately, people found that this made life too violent, especially when tourists learned about it. One of the systems hackers solved the problem by replacing JEDGAR with another program that only pretended to do its job. It took a long time to do this, because every copy of JEDGAR had to be patched. To this day no one knows how many people never figured out that JEDGAR had been defanged.

Interestingly, there is still a security module named JEDGAR alive as of late 1994 -- in the Unisys MCP for large systems. It is unknown to us whether the name is tribute or independent invention.

Node:The Story of Mel, Previous:[15217]OS and JEDGAR,
Up:[15218]Appendix A

The Story of Mel

This was posted to Usenet by its author, Ed Nather ([15219]utastro!nather), on May 21, 1983.

A recent article devoted to the macho side of programming made the bald and unvarnished statement:

Real Programmers write in FORTRAN.

Maybe they do now,
in this decadent era of
Lite beer, hand calculators, and "user-friendly" software
but back in the Good Old Days,
when the term "software" sounded funny
and Real Computers were made out of drums and vacuum tubes,
Real Programmers wrote in machine code.
Not FORTRAN. Not RATFOR. Not, even, assembly language.
Machine Code.
Raw, unadorned, inscrutable hexadecimal numbers.
Directly.

Lest a whole new generation of programmers
grow up in ignorance of this glorious past,
I feel duty-bound to describe,
as best I can through the generation gap,
how a Real Programmer wrote code.
I'll call him Mel,
because that was his name.

I first met Mel when I went to work for Royal McBee Computer Corp.,

a now-defunct subsidiary of the typewriter company.
The firm manufactured the LGP-30,
a small, cheap (by the standards of the day)
drum-memory computer,
and had just started to manufacture
the RPC-4000, a much-improved,
bigger, better, faster --- drum-memory computer.
Cores cost too much,
and weren't here to stay, anyway.
(That's why you haven't heard of the company,
or the computer.)

I had been hired to write a FORTRAN compiler
for this new marvel and Mel was my guide to its wonders.
Mel didn't approve of compilers.

"If a program can't rewrite its own code",
he asked, "what good is it?"

Mel had written,
in hexadecimal,
the most popular computer program the company owned.
It ran on the LGP-30
and played blackjack with potential customers
at computer shows.
Its effect was always dramatic.
The LGP-30 booth was packed at every show,
and the IBM salesmen stood around
talking to each other.
Whether or not this actually sold computers
was a question we never discussed.

Mel's job was to re-write
the blackjack program for the RPC-4000.
(Port? What does that mean?)
The new computer had a one-plus-one
addressing scheme,
in which each machine instruction,
in addition to the operation code
and the address of the needed operand,
had a second address that indicated where, on the revolving drum,
the next instruction was located.

In modern parlance,
every single instruction was followed by a GO TO!
Put that in Pascal's pipe and smoke it.

Mel loved the RPC-4000
because he could optimize his code:
that is, locate instructions on the drum
so that just as one finished its job,
the next would be just arriving at the "read head"
and available for immediate execution.

There was a program to do that job,
an “optimizing assembler”,
but Mel refused to use it.

“You never know where it’s going to put things”,
he explained, “so you’d have to use separate constants”.

It was a long time before I understood that remark.
Since Mel knew the numerical value
of every operation code,
and assigned his own drum addresses,
every instruction he wrote could also be considered
a numerical constant.
He could pick up an earlier “add” instruction, say,
and multiply by it,
if it had the right numeric value.
His code was not easy for someone else to modify.

I compared Mel’s hand-optimized programs
with the same code massaged by the optimizing assembler program,
and Mel’s always ran faster.
That was because the “top-down” method of program design
hadn’t been invented yet,
and Mel wouldn’t have used it anyway.
He wrote the innermost parts of his program loops first,
so they would get first choice
of the optimum address locations on the drum.
The optimizing assembler wasn’t smart enough to do it that way.

Mel never wrote time-delay loops, either,
even when the balky Flexowriter
required a delay between output characters to work right.
He just located instructions on the drum
so each successive one was just past the read head
when it was needed;
the drum had to execute another complete revolution
to find the next instruction.
He coined an unforgettable term for this procedure.
Although “optimum” is an absolute term,
like “unique”, it became common verbal practice
to make it relative:
“not quite optimum” or “less optimum”
or “not very optimum”.
Mel called the maximum time-delay locations
the “most pessimum”.

After he finished the blackjack program
and got it to run
 (“Even the initializer is optimized”,
he said proudly),
he got a Change Request from the sales department.
The program used an elegant (optimized)
random number generator

to shuffle the "cards" and deal from the "deck",
and some of the salesmen felt it was too fair,
since sometimes the customers lost.
They wanted Mel to modify the program
so, at the setting of a sense switch on the console,
they could change the odds and let the customer win.

Mel balked.
He felt this was patently dishonest,
which it was,
and that it impinged on his personal integrity as a programmer,
which it did,
so he refused to do it.

The Head Salesman talked to Mel,
as did the Big Boss and, at the boss's urging,
a few Fellow Programmers.

Mel finally gave in and wrote the code,
but he got the test backwards,
and, when the sense switch was turned on,
the program would cheat, winning every time.
Mel was delighted with this,
claiming his subconscious was uncontrollably ethical,
and adamantly refused to fix it.

After Mel had left the company for greener pa\$ture\$,
the Big Boss asked me to look at the code
and see if I could find the test and reverse it.
Somewhat reluctantly, I agreed to look.
Tracking Mel's code was a real adventure.

I have often felt that programming is an art form,
whose real value can only be appreciated
by another versed in the same arcane art;
there are lovely gems and brilliant coups
hidden from human view and admiration, sometimes forever,
by the very nature of the process.
You can learn a lot about an individual
just by reading through his code,
even in hexadecimal.
Mel was, I think, an unsung genius.

Perhaps my greatest shock came
when I found an innocent loop that had no test in it.
No test. None.
Common sense said it had to be a closed loop,
where the program would circle, forever, endlessly.
Program control passed right through it, however,
and safely out the other side.
It took me two weeks to figure it out.

The RPC-4000 computer had a really modern facility
called an index register.
It allowed the programmer to write a program loop

that used an indexed instruction inside;
each time through,
the number in the index register
was added to the address of that instruction,
so it would refer
to the next datum in a series.
He had only to increment the index register
each time through.
Mel never used it.

Instead, he would pull the instruction into a machine register,
add one to its address,
and store it back.
He would then execute the modified instruction
right from the register.
The loop was written so this additional execution time
was taken into account ---
just as this instruction finished,
the next one was right under the drum's read head,
ready to go.
But the loop had no test in it.

The vital clue came when I noticed
the index register bit,
the bit that lay between the address
and the operation code in the instruction word,
was turned on ---
yet Mel never used the index register,
leaving it zero all the time.
When the light went on it nearly blinded me.

He had located the data he was working on
near the top of memory ---
the largest locations the instructions could address ---
so, after the last datum was handled,
incrementing the instruction address
would make it overflow.
The carry would add one to the
operation code, changing it to the next one in the instruction set:
a jump instruction.
Sure enough, the next program instruction was
in address location zero,
and the program went happily on its way.

I haven't kept in touch with Mel,
so I don't know if he ever gave in to the flood of
change that has washed over programming techniques
since those long-gone days.
I like to think he didn't.
In any event,
I was impressed enough that I quit looking for the
offending test,
telling the Big Boss I couldn't find it.

He didn't seem surprised.

When I left the company,
the blackjack program would still cheat
if you turned on the right sense switch,
and I think that's how it should be.
I didn't feel comfortable
hacking up the code of a Real Programmer.

This is one of hackerdom's great heroic epics, free verse or no. In a few spare images it captures more about the esthetics and psychology of hacking than all the scholarly volumes on the subject put together. For an opposing point of view, see the entry for [15220]Real Programmer.

[1992 postscript -- the author writes: "The original submission to the net was not in free verse, nor any approximation to it -- it was straight prose style, in non-justified paragraphs. In bouncing around the net it apparently got modified into the 'free verse' form now popular. In other words, it got hacked on the net. That seems appropriate, somehow." The author adds that he likes the 'free-verse' version better...]

[1999 update: Mel's last name is now known. The manual for the LGP-30 refers to "Mel Kaye of Royal McBee who did the bulk of the programming [...] of the ACT 1 system".]

Node:Appendix B, Next:[15221]Appendix C, Previous:[15222]Appendix A, Up:[15223]Top

A Portrait of J. Random Hacker

This profile reflects detailed comments on an earlier 'trial balloon' version from about a hundred Usenet respondents. Where comparatives are used, the implicit 'other' is a randomly selected segment of the non-hacker population of the same size as hackerdom.

An important point: Except in some relatively minor respects such as slang vocabulary, hackers don't get to be the way they are by imitating each other. Rather, it seems to be the case that the combination of personality traits that makes a hacker so conditions one's outlook on life that one tends to end up being like other hackers whether one wants to or not (much as bizarrely detailed similarities in behavior and preferences are found in genetic twins raised separately).

* [15224]General Appearance:

* [15225]Dress:

* [15226]Reading Habits:

* [15227]Other Interests:

* [15228]Physical Activity and Sports:

* [15229]Education:

* [15230]Things Hackers Detest and Avoid:

- * [15231]Food:
 - * [15232]Politics:
 - * [15233]Gender and Ethnicity:
 - * [15234]Religion:
 - * [15235]Ceremonial Chemicals:
 - * [15236]Communication Style:
 - * [15237]Geographical Distribution:
 - * [15238]Sexual Habits:
 - * [15239]Personality Characteristics:
 - * [15240]Weaknesses of the Hacker Personality:
 - * [15241]Miscellaneous:
-

Node:General Appearance, Next:[15242]Dress, Up:[15243]Appendix B

General Appearance

Intelligent. Scruffy. Intense. Abstracted. Surprisingly for a sedentary profession, more hackers run to skinny than fat; both extremes are more common than elsewhere. Tans are rare.

Node:Dress, Next:[15244]Reading Habits, Previous:[15245]General Appearance, Up:[15246]Appendix B

Dress

Casual, vaguely post-hippie; T-shirts, jeans, running shoes, Birkenstocks (or bare feet). Long hair, beards, and moustaches are common. High incidence of tie-dye and intellectual or humorous 'slogan' T-shirts (only rarely computer related; that would be too obvious).

A substantial minority prefers 'outdoorsy' clothing -- hiking boots ("in case a mountain should suddenly spring up in the machine room", as one famous parody put it), khakis, lumberjack or chamois shirts, and the like.

Very few actually fit the "National Lampoon" Nerd stereotype, though it lingers on at MIT and may have been more common before 1975. At least since the late Seventies backpacks have been more common than briefcases, and the hacker 'look' has been more whole-earth than whole-polyester.

Hackers dress for comfort, function, and minimal maintenance hassles rather than for appearance (some, perhaps unfortunately, take this to extremes and neglect personal hygiene). They have a very low tolerance of suits and other 'business' attire; in fact, it is not uncommon for hackers to quit a job rather than conform to a dress code.

Female hackers almost never wear visible makeup, and many use none at all.

Node:Reading Habits, Next:[15247]Other Interests,
Previous:[15248]Dress, Up:[15249]Appendix B

Reading Habits

Omnivorous, but usually includes lots of science and science fiction. The typical hacker household might subscribe to "Analog", "Scientific American", "Whole-Earth Review", and "Smithsonian" (most hackers ignore "Wired" and other self-consciously 'cyberpunk' magazines, considering them [15250]wannabee fodder). Hackers often have a reading range that astonishes liberal arts people but tend not to talk about it as much. Many hackers spend as much of their spare time reading as the average American burns up watching TV, and often keep shelves and shelves of well-thumbed books in their homes.

Node:Other Interests, Next:[15251]Physical Activity and Sports,
Previous:[15252]Reading Habits, Up:[15253]Appendix B

Other Interests

Some hobbies are widely shared and recognized as going with the culture: science fiction, music, medievalism (in the active form practiced by the Society for Creative Anachronism and similar organizations), chess, go, backgammon, wargames, and intellectual games of all kinds. (Role-playing games such as Dungeons and Dragons used to be extremely popular among hackers but they lost a bit of their luster as they moved into the mainstream and became heavily commercialized. More recently, "Magic: The Gathering" has been widely popular among hackers.) Logic puzzles. Ham radio. Other interests that seem to correlate less strongly but positively with hackerdom include linguistics and theater teching.

Node:Physical Activity and Sports, Next:[15254]Education,
Previous:[15255]Other Interests, Up:[15256]Appendix B

Physical Activity and Sports

Many (perhaps even most) hackers don't follow or do sports at all and are determinedly anti-physical. Among those who do, interest in spectator sports is low to non-existent; sports are something one does, not something one watches on TV.

Further, hackers avoid most team sports like the plague. Volleyball was long a notable exception, perhaps because it's non-contact and relatively friendly; Ultimate Frisbee has become quite popular for similar reasons. Hacker sports are almost always primarily self-competitive ones involving concentration, stamina, and micromotor skills: martial arts, bicycling, auto racing, kite flying, hiking, rock climbing, aviation, target-shooting, sailing, caving, juggling, skiing, skating, skydiving, scuba diving. Hackers' delight in

techno-toys also tends to draw them towards hobbies with nifty complicated equipment that they can tinker with.

The popularity of martial arts in the hacker culture deserves special mention. Many observers have noted it, and the connection has grown noticeably stronger over time. In the 1970s, many hackers admired martial arts disciplines from a distance, sensing a compatible ideal in their exaltation of skill through rigorous self-discipline and concentration. As martial arts became increasingly mainstreamed in the U.S. and other western countries, hackers moved from admiring to doing in large numbers. In 1997, for example, your humble editor recalls sitting down with five strangers at the first Perl conference and discovering that four of us were in active training in some sort of martial art - and, what is more interesting, nobody at the table found this particularly odd.

Today (2000), martial arts seems to have become established as the hacker exercise form of choice, and the martial-arts culture combining skill-centered elitism with a willingness to let anybody join seems a stronger parallel to hacker behavior than ever. Common usages in hacker slang un-ironically analogize programming to kung fu (thus, one hears talk of "code-fu" or in reference to specific skills like "HTML-fu"). Albeit with slightly more irony, today's hackers readily analogize assimilation into the hacker culture with the plot of a Jet Li movie: the aspiring newbie studies with masters of the tradition, develops his art through deep meditation, ventures forth to perform heroic feats of hacking, and eventually becomes a master who trains the next generation of newbies.

Node:Education, Next:[15257]Things Hackers Detest and Avoid, Previous:[15258]Physical Activity and Sports, Up:[15259]Appendix B

Education

Nearly all hackers past their teens are either college-degreed or self-educated to an equivalent level. The self-taught hacker is often considered (at least by other hackers) to be better-motivated, and may be more respected, than his school-shaped counterpart. Academic areas from which people often gravitate into hackerdom include (besides the obvious computer science and electrical engineering) physics, mathematics, linguistics, and philosophy.

Node:Things Hackers Detest and Avoid, Next:[15260]Food, Previous:[15261]Education, Up:[15262]Appendix B

Things Hackers Detest and Avoid

IBM mainframes. All the works of Microsoft. Smurfs, Ewoks, and other forms of offensive cuteness. Bureaucracies. Stupid people. Easy listening music. Television (with occasional exceptions for cartoons, movies, and good SF like "Star Trek" classic or Babylon 5). Business

suits. Dishonesty. Incompetence. Boredom. COBOL. BASIC.
Character-based menu interfaces.

Node:Food, Next:[15263]Politics, Previous:[15264]Things Hackers Detest
and Avoid, Up:[15265]Appendix B

Food

Ethnic. Spicy. Oriental, esp. Chinese and most esp. Szechuan, Hunan, and Mandarin (hackers consider Cantonese vaguely \emptyset). Hackers prefer the exotic; for example, the Japanese-food fans among them will eat with gusto such delicacies as fugu (poisonous pufferfish) and whale. Thai food has experienced flurries of popularity. Where available, high-quality Jewish delicatessen food is much esteemed. A visible minority of Southwestern and Pacific Coast hackers prefers Mexican.

For those all-night hacks, pizza and microwaved burritos are big. Interestingly, though the mainstream culture has tended to think of hackers as incorrigible junk-food junkies, many have at least mildly health-foodist attitudes and are fairly discriminating about what they eat. This may be generational; anecdotal evidence suggests that the stereotype was more on the mark before the early 1980s.

Node:Politics, Next:[15266]Gender and Ethnicity, Previous:[15267]Food,
Up:[15268]Appendix B

Politics

Vaguely liberal-moderate, except for the strong libertarian contingent which rejects conventional left-right politics entirely. The only safe generalization is that hackers tend to be rather anti-authoritarian; thus, both conventional conservatism and 'hard' leftism are rare. Hackers are far more likely than most non-hackers to either (a) be aggressively apolitical or (b) entertain peculiar or idiosyncratic political ideas and actually try to live by them day-to-day.

Node:Gender and Ethnicity, Next:[15269]Religion,
Previous:[15270]Politics, Up:[15271]Appendix B

Gender and Ethnicity

Hackerdom is still predominantly male. However, the percentage of women is clearly higher than the low-single-digit range typical for technical professions, and female hackers are generally respected and dealt with as equals.

In the U.S., hackerdom is predominantly Caucasian with strong minorities of Jews (East Coast) and Orientals (West Coast). The Jewish contingent has exerted a particularly pervasive cultural influence

(see [15272]Food, above, and note that several common jargon terms are obviously mutated Yiddish).

The ethnic distribution of hackers is understood by them to be a function of which ethnic groups tend to seek and value education. Racial and ethnic prejudice is notably uncommon and tends to be met with freezing contempt.

When asked, hackers often ascribe their culture's gender- and color-blindness to a positive effect of text-only network channels, and this is doubtless a powerful influence. Also, the ties many hackers have to AI research and SF literature may have helped them to develop an idea of personhood that is inclusive rather than exclusive -- after all, if one's imagination readily grants full human rights to future AI programs, robots, dolphins, and extraterrestrial aliens, mere color and gender can't seem very important any more.

Node:Religion, Next:[15273]Ceremonial Chemicals,
Previous:[15274]Gender and Ethnicity, Up:[15275]Appendix B

Religion

Agnostic. Atheist. Non-observant Jewish. Neo-pagan. Very commonly, three or more of these are combined in the same person. Conventional faith-holding Christianity is rare though not unknown.

Even hackers who identify with a religious affiliation tend to be relaxed about it, hostile to organized religion in general and all forms of religious bigotry in particular. Many enjoy 'parody' religions such as Discordianism and the Church of the SubGenius.

Also, many hackers are influenced to varying degrees by Zen Buddhism or (less commonly) Taoism, and blend them easily with their 'native' religions.

There is a definite strain of mystical, almost Gnostic sensibility that shows up even among those hackers not actively involved with neo-paganism, Discordianism, or Zen. Hacker folklore that pays homage to 'wizards' and speaks of incantations and demons has too much psychological truthfulness about it to be entirely a joke.

Node:Ceremonial Chemicals, Next:[15276]Communication Style,
Previous:[15277]Religion, Up:[15278]Appendix B

Ceremonial Chemicals

Most hackers don't smoke tobacco, and use alcohol in moderation if at all. However, there has been something of a trend towards exotic beers since about 1995, especially among younger Linux hackers apparently influenced by Linus Torvalds's fondness for Guinness.

Limited use of non-addictive psychedelic drugs, such as cannabis, LSD, psilocybin, nitrous oxide, etc., used to be relatively common and is still regarded with more tolerance than in the mainstream culture. Use of 'downers' and opiates, on the other hand, appears to be particularly rare; hackers seem in general to dislike drugs that make them stupid. But [15279]on the gripping hand, many hackers regularly wire up on caffeine and/or sugar for all-night hacking runs.

Node:Communication Style, Next:[15280]Geographical Distribution, Previous:[15281]Ceremonial Chemicals, Up:[15282]Appendix B

Communication Style

See the discussions of speech and writing styles near the beginning of this File. Though hackers often have poor person-to-person communication skills, they are as a rule quite sensitive to nuances of language and very precise in their use of it. They are often better at writing than at speaking.

Node:Geographical Distribution, Next:[15283]Sexual Habits, Previous:[15284]Communication Style, Up:[15285]Appendix B

Geographical Distribution

In the United States, hackerdom revolves on a Bay Area-to-Boston axis; about half of the hard core seems to live within a hundred miles of Cambridge (Massachusetts) or Berkeley (California), although there are significant contingents in Los Angeles, in the Pacific Northwest, and around Washington DC. Hackers tend to cluster around large cities, especially 'university towns' such as the Raleigh-Durham area in North Carolina or Princeton, New Jersey (this may simply reflect the fact that many are students or ex-students living near their alma maters).

Node:Sexual Habits, Next:[15286]Personality Characteristics, Previous:[15287]Geographical Distribution, Up:[15288]Appendix B

Sexual Habits

Hackerdom easily tolerates a much wider range of sexual and lifestyle variation than the mainstream culture. It includes a relatively large gay and bisexual contingent. Hackers are somewhat more likely to live in polygynous or polyandrous relationships, practice open marriage, or live in communes or group houses. In this, as in general appearance, hackerdom semi-consciously maintains 'counterculture' values.

Node:Personality Characteristics, Next:[15289]Weaknesses of the Hacker Personality, Previous:[15290]Sexual Habits, Up:[15291]Appendix B

Personality Characteristics

The most obvious common 'personality' characteristics of hackers are high intelligence, consuming curiosity, and facility with intellectual abstractions. Also, most hackers are 'neophiles', stimulated by and appreciative of novelty (especially intellectual novelty). Most are also relatively individualistic and anti-conformist.

Although high general intelligence is common among hackers, it is not the sine qua non one might expect. Another trait is probably even more important: the ability to mentally absorb, retain, and reference large amounts of 'meaningless' detail, trusting to later experience to give it context and meaning. A person of merely average analytical intelligence who has this trait can become an effective hacker, but a creative genius who lacks it will swiftly find himself outdistanced by people who routinely upload the contents of thick reference manuals into their brains. [During the production of the first book version of this document, for example, I learned most of the rather complex typesetting language TeX over about four working days, mainly by inhaling Knuth's 477-page manual. My editor's flabbergasted reaction to this genuinely surprised me, because years of associating with hackers have conditioned me to consider such performances routine and to be expected. --ESR]

Contrary to stereotype, hackers are not usually intellectually narrow; they tend to be interested in any subject that can provide mental stimulation, and can often discourse knowledgeably and even interestingly on any number of obscure subjects -- if you can get them to talk at all, as opposed to, say, going back to their hacking.

It is noticeable (and contrary to many outsiders' expectations) that the better a hacker is at hacking, the more likely he or she is to have outside interests at which he or she is more than merely competent.

Hackers are 'control freaks' in a way that has nothing to do with the usual coercive or authoritarian connotations of the term. In the same way that children delight in making model trains go forward and back by moving a switch, hackers love making complicated things like computers do nifty stuff for them. But it has to be their nifty stuff. They don't like tedium, nondeterminism, or most of the fussy, boring, ill-defined little tasks that go with maintaining a normal existence. Accordingly, they tend to be careful and orderly in their intellectual lives and chaotic elsewhere. Their code will be beautiful, even if their desks are buried in 3 feet of crap.

Hackers are generally only very weakly motivated by conventional rewards such as social approval or money. They tend to be attracted by challenges and excited by interesting toys, and to judge the interest of work or other activities in terms of the challenges offered and the toys they get to play with.

In terms of Myers-Briggs and equivalent psychometric systems, hackerdom appears to concentrate the relatively rare INTJ and INTP

types; that is, introverted, intuitive, and thinker types (as opposed to the extroverted-sensate personalities that predominate in the mainstream culture). ENT[JP] types are also concentrated among hackers but are in a minority.

Node:Weaknesses of the Hacker Personality, Next:[15292]Miscellaneous, Previous:[15293]Personality Characteristics, Up:[15294]Appendix B

Weaknesses of the Hacker Personality

Hackers have relatively little ability to identify emotionally with other people. This may be because hackers generally aren't much like 'other people'. Unsurprisingly, hackers also tend towards self-absorption, intellectual arrogance, and impatience with people and tasks perceived to be wasting their time.

As cynical as hackers sometimes wax about the amount of idiocy in the world, they tend by reflex to assume that everyone is as rational, 'cool', and imaginative as they consider themselves. This bias often contributes to weakness in communication skills. Hackers tend to be especially poor at confrontation and negotiation.

Because of their passionate embrace of (what they consider to be) the [15295]Right Thing, hackers can be unfortunately intolerant and bigoted on technical issues, in marked contrast to their general spirit of camaraderie and tolerance of alternative viewpoints otherwise. Old-time [15296]ITS partisans look down on the ever-growing hordes of [15297]Unix hackers; Unix aficionados despise [15298]VMS and [15299]MS-DOS; and hackers who are used to conventional command-line user interfaces loudly loathe mouse-and-menu based systems such as the Macintosh. Hackers who don't indulge in [15300]Usenet consider it a huge waste of time and [15301]bandwidth; fans of old adventure games such as [15302]ADVENT and [15303]Zork consider [15304]MUDs to be glorified chat systems devoid of atmosphere or interesting puzzles; hackers who are willing to devote endless hours to Usenet or MUDs consider [15305]IRC to be a real waste of time; IRCies think MUDs might be okay if there weren't all those silly puzzles in the way. And, of course, there are the perennial [15306]holy wars -- [15307]EMACS vs. [15308]vi, [15309]big-endian vs. [15310]little-endian, RISC vs. CISC, etc., etc., etc. As in society at large, the intensity and duration of these debates is usually inversely proportional to the number of objective, factual arguments available to buttress any position.

As a result of all the above traits, many hackers have difficulty maintaining stable relationships. At worst, they can produce the classic [15311]computer geek: withdrawn, relationally incompetent, sexually frustrated, and desperately unhappy when not submerged in his or her craft. Fortunately, this extreme is far less common than mainstream folklore paints it -- but almost all hackers will recognize something of themselves in the unflattering paragraphs above.

Hackers are often monumentally disorganized and sloppy about dealing with the physical world. Bills don't get paid on time, clutter piles up to incredible heights in homes and offices, and minor maintenance tasks get deferred indefinitely.

1994-95's fad behavioral disease was a syndrome called Attention Deficit Disorder (ADD), supposedly characterized by (among other things) a combination of short attention span with an ability to 'hyperfocus' imaginatively on interesting tasks. In 1998-1999 another syndrome that is said to overlap with many hacker traits entered popular awareness: Asperger's syndrome (AS). This disorder is also sometimes called 'high-function autism', though researchers are divided on whether AS is in fact a mild form of autism or a distinct syndrome with a different etiology. AS patients exhibit mild to severe deficits in interpreting facial and body-language cues and in modeling or empathizing with others' emotions. Though some AS patients exhibit mild retardation, others compensate for their deficits with high intelligence and analytical ability, and frequently seek out technical fields where problem-solving abilities are at a premium and people skills are relatively unimportant. Both syndromes are thought to relate to abnormalities in neurotransmitter chemistry, especially the brain's processing of serotonin.

Many hackers have noticed that mainstream culture has shown a tendency to pathologize and medicalize normal variations in personality, especially those variations that make life more complicated for authority figures and conformists. Thus, hackers aware of the issue tend to be among those questioning whether ADD and AS actually exist; and if so whether they are really 'diseases' rather than extremes of a normal genetic variation like having freckles or being able to taste DPT. In either case, they have a sneaking tendency to wonder if these syndromes are over-diagnosed and over-treated. After all, people in authority will always be inconvenienced by schoolchildren or workers or citizens who are prickly, intelligent individualists - thus, any social system that depends on authority relationships will tend to helpfully ostracize and therapize and drug such 'abnormal' people until they are properly docile and stupid and 'well-socialized'.

So hackers tend to believe they have good reason for skepticism about clinical explanations of the hacker personality. That being said, most would also concede that some hacker traits coincide with indicators for ADD and AS - the status of caffeine as a hacker beverage of choice may be connected to the fact that it bonds to the same neural receptors as Ritalin, the drug most commonly prescribed for ADD. It is probably true that boosters of both would find a rather higher rate of clinical ADD among hackers than the supposedly mainstream-normal 3-5% (AS is rarer and there are not yet good estimates of incidence as of 2000).

Miscellaneous

Hackers are more likely to have cats than dogs (in fact, it is widely grokked that cats have the hacker nature). Many drive incredibly decrepit heaps and forget to wash them; richer ones drive spiffy Porsches and RX-7s and then forget to have them washed. Almost all hackers have terribly bad handwriting, and often fall into the habit of block-printing everything like junior draftsmen.

Node:Appendix C, Next:[15314]Bibliography, Previous:[15315]Appendix B, Up:[15316]Top

Helping Hacker Culture Grow

If you enjoyed the Jargon File, please help the culture that created it grow and flourish. Here are several ways you can help:

- o If you are a writer or journalist, don't say or write [15317]hacker when you mean [15318]cracker. If you work with writers or journalists, educate them on this issue and push them to do the right thing. If you catch a newspaper or magazine abusing the work 'hacker', write them and straighten them out (this appendix includes a model letter).

- o If you're a techie or computer hobbyist, get involved with one of the free Unixes. Toss out that lame Microsoft OS, or confine it to one disk partition and put Linux or FreeBSD or NetBSD on the other one. And the next time your friend or boss is thinking about some proprietary software 'solution' that costs more than it's worth, be ready to blow the competition away with open-source software running over a Unix.

- o Contribute to organizations like the Free Software Foundation that promote the production of high-quality free and open-source software. You can reach the Free Software Foundation at gnu@gnu.org, by phone at +1-617-542-5942, or by snail-mail at 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA.

- o Support the League for Programming Freedom, which opposes over-broad software patents that constantly threaten to blow up in hackers' faces, preventing them from developing innovative software for tomorrow's needs. You can reach the League for Programming Freedom at lpf@uunet.uu.net, by phone at +1 617 621 7084, or by snail-mail at 1 Kendall Square #143, P.O.Box 9171, Cambridge, Massachusetts 02139 USA.

- o Join the continuing fight against Internet censorship, visit the Center for Democracy and Technology Home Page at [15319]<http://www.cdt.org>.

- o If you do nothing else, please help fight government attempts to seize political control of Internet content and restrict strong cryptography. The so-called 'Communications Decency Act' was declared unconstitutional by the Supreme Court, but U.S. cryptography policy

still infringes our First Amendment rights. Surf to the Center for Democracy and technology's home page at [15320]<http://www.cdt.org> to see what you can do to help fight censorship of the net.

Here's the text of a letter RMS wrote to the Wall Street Journal to complain about their policy of using "hacker" only in a pejorative sense. We hear that most major newspapers have the same policy. If you'd like to help change this situation, send your favorite newspaper the same letter - or, better yet, write your own letter.

Dear Editor:

This letter is not meant for publication, although you can publish it if you wish. It is meant specifically for you, the editor, not the public.

I am a hacker. That is to say, I enjoy playing with computers -- working with, learning about, and writing clever computer programs. I am not a cracker; I don't make a practice of breaking computer security.

There's nothing shameful about the hacking I do. But when I tell people I am a hacker, people think I'm admitting something naughty -- because newspapers such as yours misuse the word "hacker", giving the impression that it means "security breaker" and nothing else. You are giving hackers a bad name.

The saddest thing is that this problem is perpetuated deliberately. Your reporters know the difference between "hacker" and "security breaker". They know how to make the distinction, but you don't let them! You insist on using "hacker" pejoratively. When reporters try to use another word, you change it. When reporters try to explain the other meanings, you cut it.

Of course, you have a reason. You say that readers have become used to your insulting usage of "hacker", so that you cannot change it now. Well, you can't undo past mistakes today; but that is no excuse to repeat them tomorrow.

If I were what you call a "hacker", at this point I would threaten to crack your computer and crash it. But I am a hacker, not a cracker. I don't do that kind of thing! I have enough computers to play with at home and at work; I don't need yours. Besides, it's not my way to respond to insults with violence. My response is this letter.

You owe hackers an apology; but more than that, you owe us ordinary respect.

Sincerely, etc.

Bibliography

Here are some other books you can read to help you understand the hacker mindset.

Escher, Bach: An Eternal Golden Braid
Gödel, Escher, Bach: An Eternal Golden Braid
Douglas Hofstadter
Basic Books, 1979
ISBN 0-394-74502-7

This book reads like an intellectual Grand Tour of hacker preoccupations. Music, mathematical logic, programming, speculations on the nature of intelligence, biology, and Zen are woven into a brilliant tapestry themed on the concept of encoded self-reference. The perfect left-brain companion to "Illuminatus".

Illuminatus!
I. "The Eye in the Pyramid"
II. "The Golden Apple"
III. "Leviathan".
Robert Shea and Robert Anton Wilson
Dell, 1988
ISBN 0-440-53981-1

This work of alleged fiction is an incredible berserko-surrealist rollercoaster of world-girdling conspiracies, intelligent dolphins, the fall of Atlantis, who really killed JFK, sex, drugs, rock'n'roll, and the Cosmic Gigggle Factor. First published in three volumes, but there is now a one-volume trade paperback, carried by most chain bookstores under SF. The perfect right-brain companion to Hofstadter's "Gödel, Escher, Bach". See [15323]Eris, [15324]Discordianism, [15325]random numbers, [15326]Church of the SubGenius.

The Hitchhiker's Guide to the Galaxy
Douglas Adams
Pocket Books, 1981
ISBN 0-671-46149-4

This 'Monty Python in Space' spoof of SF genre traditions has been popular among hackers ever since the original British radio show. Read it if only to learn about Vogons (see [15327]bogon) and the significance of the number 42 (see [15328]random numbers) -- and why the winningest chess program of 1990 was called 'Deep Thought'.

The Tao of Programming
James Geoffrey
Infobooks, 1987
ISBN 0-931137-07-1

This gentle, funny spoof of the "Tao Te Ching" contains much that is illuminating about the hacker way of thought. "When you have learned

to snatch the error code from the trap frame, it will be time for you to leave."

Hackers

Steven Levy

Anchor/Doubleday 1984

ISBN 0-385-19195-2

Levy's book is at its best in describing the early MIT hackers at the Model Railroad Club and the early days of the microcomputer revolution. He never understood Unix or the networks, though, and his enshrinement of Richard Stallman as "the last true hacker" turns out (thankfully) to have been quite misleading. Despite being a bit dated and containing some minor errors (many fixed in the paperback edition), this remains a useful and stimulating book that captures the feel of several important hacker subcultures.

The Computer Contradictionary

Stan Kelly-Bootle

MIT Press, 1995

ISBN 0-262-61112-0

This pastiche of Ambrose Bierce's famous work is similar in format to the Jargon File (and quotes several entries from TNHD-2) but somewhat different in tone and intent. It is more satirical and less anthropological, and is largely a product of the author's literate and quirky imagination. For example, it defines 'computer science' as "a study akin to numerology and astrology, but lacking the precision of the former and the success of the latter" and 'implementation' as "The fruitless struggle by the talented and underpaid to fulfill promises made by the rich and ignorant"; 'flowchart' becomes "to obfuscate a problem with esoteric cartoons". Revised and expanded from "The Devil's DP Dictionary", McGraw-Hill 1981, ISBN 0-07-034022-6; that work had some stylistic influence on TNHD-1.

The Devouring Fungus: Tales from the Computer Age

Karla Jennings

Norton, 1990

ISBN 0-393-30732-8

The author of this pioneering compendium knits together a great deal of computer- and hacker-related folklore with good writing and a few well-chosen cartoons. She has a keen eye for the human aspects of the lore and is very good at illuminating the psychology and evolution of hackerdom. Unfortunately, a number of small errors and awkwardnesses suggest that she didn't have the final manuscript checked over by a native speaker; the glossary in the back is particularly embarrassing, and at least one classic tale (the Magic Switch story, retold here under [15329]A Story About Magic in Appendix A is given in incomplete and badly mangled form. Nevertheless, this book is a win overall and can be enjoyed by hacker and non-hacker alike.

The Soul of a New Machine

Tracy Kidder
Little, Brown, 1981
(paperback: Avon, 1982
ISBN 0-380-59931-7)

This book (a 1982 Pulitzer Prize winner) documents the adventure of the design of a new Data General computer, the MV-8000 Eagle. It is an amazingly well-done portrait of the hacker mindset -- although largely the hardware hacker -- done by a complete outsider. It is a bit thin in spots, but with enough technical information to be entertaining to the serious hacker while providing non-technical people a view of what day-to-day life can be like -- the fun, the excitement, the disasters. During one period, when the microcode and logic were glitching at the nanosecond level, one of the overworked engineers departed the company, leaving behind a note on his terminal as his letter of resignation: "I am going to a commune in Vermont and will deal with no unit of time shorter than a season."

Life with UNIX: a Guide for Everyone
Don Libes and Sandy Ressler
Prentice-Hall, 1989
ISBN 0-13-536657-7

The authors of this book set out to tell you all the things about Unix that tutorials and technical books won't. The result is gossipy, funny, opinionated, downright weird in spots, and invaluable. Along the way they expose you to enough of Unix's history, folklore and humor to qualify as a first-class source for these things. Because so much of today's hackerdom is involved with Unix, this in turn illuminates many of its in-jokes and preoccupations.

True Names ... and Other Dangers
Vernor Vinge
Baen Books, 1987
ISBN 0-671-65363-6

Hacker demigod Richard Stallman used to say that the title story of this book "expresses the spirit of hacking best". Until the subject of the next entry came out, it was hard to even nominate another contender. The other stories in this collection are also fine work by an author who has since won multiple Hugos and is one of today's very best practitioners of hard SF.

Snow Crash
Neal Stephenson
Bantam, 1992
ISBN 0-553-56261-4

Stephenson's epic, comic cyberpunk novel is deeply knowing about the hacker psychology and its foibles in a way no other author of fiction has ever even approached. His imagination, his grasp of the relevant technical details, and his ability to communicate the excitement of hacking and its results are astonishing, delightful, and (so far)

unsurpassed.

Cyberpunk: Outlaws and Hackers on the Computer Frontier
Katie Hafner & John Markoff
Simon & Schuster 1991
ISBN 0-671-68322-5

This book gathers narratives about the careers of three notorious crackers into a clear-eyed but sympathetic portrait of hackerdom's dark side. The principals are Kevin Mitnick, "Pengo" and "Hagbard" of the Chaos Computer Club, and Robert T. Morris (see [15330]RTM, sense 2) . Markoff and Hafner focus as much on their psychologies and motivations as on the details of their exploits, but don't slight the latter. The result is a balanced and fascinating account, particularly useful when read immediately before or after Cliff Stoll's [15331]The Cuckoo's Egg. It is especially instructive to compare RTM, a true hacker who blundered, with the sociopathic phone-freak Mitnick and the alienated, drug-addled crackers who made the Chaos Club notorious. The gulf between [15332]wizard and [15333]wannabee has seldom been made more obvious.

Technobabble
John Barry
MIT Press 1991
ISBN 0-262-02333-4

Barry's book takes a critical and humorous look at the 'technobabble' of acronyms, neologisms, hyperbole, and metaphor spawned by the computer industry. Though he discusses some of the same mechanisms of jargon formation that occur in hackish, most of what he chronicles is actually suit-speak -- the obfuscatory language of press releases, marketroids, and Silicon Valley CEOs rather than the playful jargon of hackers (most of whom wouldn't be caught dead uttering the kind of pompous, passive-voiced word salad he deplores).

The Cuckoo's Egg
Clifford Stoll
Doubleday 1989
ISBN 0-385-24946-2

Clifford Stoll's absorbing tale of how he tracked Markus Hess and the Chaos Club cracking ring nicely illustrates the difference between 'hacker' and 'cracker'. Stoll's portrait of himself, his lady Martha, and his friends at Berkeley and on the Internet paints a marvelously vivid picture of how hackers and the people around them like to live and how they think.

THE JARGON FILE ENDS HERE

References

1. <http://www.tuxedo.org/jargon>
2. [jarg422h.htm#Introduction](#)
3. [jarg422h.htm#\(dir\)](#)

4. [jarg422h.htm#\(dir\)](#)
5. <mailto:esr@snark.thyrsus.com>
6. [jarg422h.htm#Introduction](#)
7. [jarg422h.htm#A%20Few%20Terms](#)
8. [jarg422h.htm#Revision%20History](#)
9. [jarg422h.htm#Jargon%20Construction](#)
10. [jarg422h.htm#Hacker%20Writing%20Style](#)
11. [jarg422h.htm#Email%20Quotes](#)
12. [jarg422h.htm#Hacker%20Speech%20Style](#)
13. [jarg422h.htm#International%20Style](#)
14. [jarg422h.htm#Lamer-speak](#)
15. [jarg422h.htm#Pronunciation%20Guide](#)
16. [jarg422h.htm#Other%20Lexicon%20Conventions](#)
17. [jarg422h.htm#Format%20for%20New%20Entries](#)
18. [jarg422h.htm#The%20Jargon%20Lexicon](#)
19. [jarg422h.htm#Appendix%20A](#)
20. [jarg422h.htm#Appendix%20B](#)
21. [jarg422h.htm#Appendix%20C](#)
22. [jarg422h.htm#Bibliography](#)
23. [jarg422h.htm#A%20Few%20Terms](#)
24. [jarg422h.htm#Top](#)
25. [jarg422h.htm#Top](#)
26. [jarg422h.htm#suit](#)
27. [jarg422h.htm#kluge](#)
28. [jarg422h.htm#elegant](#)
29. [jarg422h.htm#Appendix%20A](#)
30. [jarg422h.htm#Appendix%20B](#)
31. [jarg422h.htm#Bibliography](#)
32. [jarg422h.htm#Revision%20History](#)
33. [jarg422h.htm#Introduction](#)
34. [jarg422h.htm#Top](#)
35. [jarg422h.htm#Jargon%20Construction](#)
36. [jarg422h.htm#kluge](#)
37. [jarg422h.htm#cruft](#)
38. [jarg422h.htm#foo](#)
39. [jarg422h.htm#Jargon%20Construction](#)
40. [jarg422h.htm#A%20Few%20Terms](#)
41. [jarg422h.htm#Top](#)
42. [jarg422h.htm#frob](#)
43. [jarg422h.htm#moby](#)
44. [jarg422h.htm#FTP](#)
45. [jarg422h.htm#TWENEX](#)
46. [jarg422h.htm#ITS](#)
47. [jarg422h.htm#TWENEX](#)
48. [jarg422h.htm#Some%20AI%20Koans](#)
49. [jarg422h.htm#Usenet](#)
50. <mailto:<esr@snark.thyrsus.com>>
51. <mailto:<gls@think.com>>
52. <mailto:jargon@thyrsus.com>
53. <mailto:<jn11+@andrew.cmu.edu>>
54. <mailto:<cosell@bbn.com>>
55. <mailto:<boebert@SCTC.com>>
56. <mailto:<jcmorris@mwunix.mitre.org>>

57. [mailto:<stampe@hawaii.edu>](mailto:stampe@hawaii.edu)
58. [mailto:<hoequist@bnr.ca>](mailto:hoequist@bnr.ca)
59. [mailto:<jgk@osc.osc.com>](mailto:jgk@osc.osc.com)
60. [mailto:<bal@zurich.ai.mit.edu>](mailto:bal@zurich.ai.mit.edu)
61. [mailto:<libes@cme.nist.gov>](mailto:libes@cme.nist.gov)
62. [mailto:<per@front.se>](mailto:per@front.se)
63. [mailto:<Marc_Weiser.PARC@xerox.com>](mailto:Marc_Weiser.PARC@xerox.com)
64. [mailto:<msb@sq.com>](mailto:msb@sq.com)
65. [mailto:<scs@eskimo.com>](mailto:scs@eskimo.com)
66. [mailto:<georgere@microsoft.com>](mailto:georgere@microsoft.com)
67. [mailto:<est@thyrus.com>](mailto:est@thyrus.com)
68. [jarg422h.htm#Hacker%20Writing%20Style](#)
69. [jarg422h.htm#Revision%20History](#)
70. [jarg422h.htm#Top](#)
71. [jarg422h.htm#Verb%20Doubling](#)
72. [jarg422h.htm#Soundalike%20Slang](#)
73. [jarg422h.htm#The%20-P%20convention](#)
74. [jarg422h.htm#Overgeneralization](#)
75. [jarg422h.htm#Spoken%20Inarticulations](#)
76. [jarg422h.htm#Anthropomorphization](#)
77. [jarg422h.htm#Comparatives](#)
78. [jarg422h.htm#Soundalike%20Slang](#)
79. [jarg422h.htm#Jargon%20Construction](#)
80. [jarg422h.htm#win](#)
81. [jarg422h.htm#lose](#)
82. [jarg422h.htm#hack](#)
83. [jarg422h.htm#flame](#)
84. [jarg422h.htm#barf](#)
85. [jarg422h.htm#chomp](#)
86. [jarg422h.htm#Usenet](#)
87. [jarg422h.htm#The%20-P%20convention](#)
88. [jarg422h.htm#Verb%20Doubling](#)
89. [jarg422h.htm#Jargon%20Construction](#)
90. [jarg422h.htm#flavorful](#)
91. [jarg422h.htm#Overgeneralization](#)
92. [jarg422h.htm#Soundalike%20Slang](#)
93. [jarg422h.htm#Jargon%20Construction](#)
94. [jarg422h.htm#T](#)
95. [jarg422h.htm#NIL](#)
96. [jarg422h.htm#Gosperism](#)
97. [jarg422h.htm#Spoken%20Inarticulations](#)
98. [jarg422h.htm#The%20-P%20convention](#)
99. [jarg422h.htm#Jargon%20Construction](#)
100. [jarg422h.htm#grep](#)
101. [jarg422h.htm#meeces](#)
102. [jarg422h.htm#VAXen](#)
103. [jarg422h.htm#boxen](#)
104. [jarg422h.htm#frobritz](#)
105. [jarg422h.htm#Unix](#)
106. [jarg422h.htm#TWENEX](#)
107. [jarg422h.htm#Anthropomorphization](#)
108. [jarg422h.htm#Overgeneralization](#)
109. [jarg422h.htm#Jargon%20Construction](#)

110. jarg422h.htm#Comparatives
111. jarg422h.htm#Spoken%20Inarticulations
112. jarg422h.htm#Jargon%20Construction
113. jarg422h.htm#Anthropomorphization
114. jarg422h.htm#Jargon%20Construction
115. jarg422h.htm#lossage
116. jarg422h.htm#Email%20Quotes
117. jarg422h.htm#Jargon%20Construction
118. jarg422h.htm#Top
119. jarg422h.htm#vi
120. jarg422h.htm#email
121. jarg422h.htm#lossage
122. jarg422h.htm#talk%20mode
123. jarg422h.htm#BNF
124. jarg422h.htm#random
125. jarg422h.htm#BNF
126. jarg422h.htm#MUD
127. jarg422h.htm#flame
128. jarg422h.htm#random
129. jarg422h.htm#Hacker%20Speech%20Style
130. jarg422h.htm#Hacker%20Writing%20Style
131. jarg422h.htm#Top
132. jarg422h.htm#holy%20wars
133. jarg422h.htm#International%20Style
134. jarg422h.htm#Email%20Quotes
135. jarg422h.htm#Top
136. jarg422h.htm#mu
137. jarg422h.htm#Lamer-speak
138. jarg422h.htm#Hacker%20Speech%20Style
139. jarg422h.htm#Top
140. jarg422h.htm#Commonwealth%20Hackish
141. jarg422h.htm#Pronunciation%20Guide
142. jarg422h.htm#International%20Style
143. jarg422h.htm#Top
144. jarg422h.htm#cracker
145. jarg422h.htm#warez%20d00dz
146. jarg422h.htm#warez%20d00dz
147. jarg422h.htm#B1FF
148. jarg422h.htm#BBS
149. jarg422h.htm#Jeff%20K.
150. jarg422h.htm#lamer
151. jarg422h.htm#elite
152. jarg422h.htm#leech
153. jarg422h.htm#poser
154. jarg422h.htm#cracker
155. jarg422h.htm#warez%20d00dz
156. jarg422h.htm#banner%20site
157. jarg422h.htm#ratio%20site
158. jarg422h.htm#leech%20mode
159. jarg422h.htm#Other%20Lexicon%20Conventions
160. jarg422h.htm#Lamer-speak
161. jarg422h.htm#Top
162. jarg422h.htm#Format%20for%20New%20Entries

163. [jarg422h.htm#Pronunciation%20Guide](#)
164. [jarg422h.htm#Top](#)
165. [jarg422h.htm#FidoNet](#)
166. [jarg422h.htm#Usenet](#)
167. [jarg422h.htm#Unix](#)
168. [jarg422h.htm#PDP-10](#)
169. [jarg422h.htm#The%20Jargon%20Lexicon](#)
170. [jarg422h.htm#Other%20Lexicon%20Conventions](#)
171. [jarg422h.htm#Top](#)
172. <mailto:jargon@snark.thyrsus.com>
173. [jarg422h.htm#Appendix%20A](#)
174. [jarg422h.htm#Format%20for%20New%20Entries](#)
175. [jarg422h.htm#Top](#)
176. [jarg422h.htm#%3d%200%20%3d](#)
177. [jarg422h.htm#%3d%20A%20%3d](#)
178. [jarg422h.htm#%3d%20B%20%3d](#)
179. [jarg422h.htm#%3d%20C%20%3d](#)
180. [jarg422h.htm#%3d%20D%20%3d](#)
181. [jarg422h.htm#%3d%20E%20%3d](#)
182. [jarg422h.htm#%3d%20F%20%3d](#)
183. [jarg422h.htm#%3d%20G%20%3d](#)
184. [jarg422h.htm#%3d%20H%20%3d](#)
185. [jarg422h.htm#%3d%20I%20%3d](#)
186. [jarg422h.htm#%3d%20J%20%3d](#)
187. [jarg422h.htm#%3d%20K%20%3d](#)
188. [jarg422h.htm#%3d%20L%20%3d](#)
189. [jarg422h.htm#%3d%20M%20%3d](#)
190. [jarg422h.htm#%3d%20N%20%3d](#)
191. [jarg422h.htm#%3d%20O%20%3d](#)
192. [jarg422h.htm#%3d%20P%20%3d](#)
193. [jarg422h.htm#%3d%20Q%20%3d](#)
194. [jarg422h.htm#%3d%20R%20%3d](#)
195. [jarg422h.htm#%3d%20S%20%3d](#)
196. [jarg422h.htm#%3d%20T%20%3d](#)
197. [jarg422h.htm#%3d%20U%20%3d](#)
198. [jarg422h.htm#%3d%20V%20%3d](#)
199. [jarg422h.htm#%3d%20W%20%3d](#)
200. [jarg422h.htm#%3d%20X%20%3d](#)
201. [jarg422h.htm#%3d%20Y%20%3d](#)
202. [jarg422h.htm#%3d%20Z%20%3d](#)
203. [jarg422h.htm#%3d%20A%20%3d](#)
204. [jarg422h.htm#The%20Jargon%20Lexicon](#)
205. [jarg422h.htm#0](#)
206. [jarg422h.htm#1TBS](#)
207. [jarg422h.htm#120%20reset](#)
208. [jarg422h.htm#2](#)
209. [jarg422h.htm#404](#)
210. [jarg422h.htm#404%20compliant](#)
211. [jarg422h.htm#4.2](#)
212. [jarg422h.htm#%40-party](#)
213. [jarg422h.htm#1TBS](#)
214. [jarg422h.htm#%3d%200%20%3d](#)
215. [jarg422h.htm#120%20reset](#)

216. jarg422h.htm#0
217. jarg422h.htm#%3d%200%20%3d
218. jarg422h.htm#indent%20style
219. jarg422h.htm#2
220. jarg422h.htm#1TBS
221. jarg422h.htm#%3d%200%20%3d
222. jarg422h.htm#Big%20Red%20Switch
223. jarg422h.htm#power%20cycle
224. jarg422h.htm#404
225. jarg422h.htm#120%20reset
226. jarg422h.htm#%3d%200%20%3d
227. jarg422h.htm#404%20compliant
228. jarg422h.htm#2
229. jarg422h.htm#%3d%200%20%3d
230. jarg422h.htm#4.2
231. jarg422h.htm#404
232. jarg422h.htm#%3d%200%20%3d
233. jarg422h.htm#spam
234. jarg422h.htm#spamvertize
235. jarg422h.htm#%40-party
236. jarg422h.htm#404%20compliant
237. jarg422h.htm#%3d%200%20%3d
238. jarg422h.htm#BSD
239. jarg422h.htm#abbrev
240. jarg422h.htm#4.2
241. jarg422h.htm#%3d%200%20%3d
242. jarg422h.htm#network%20address
243. jarg422h.htm#boink
244. jarg422h.htm#%3d%20B%20%3d
245. jarg422h.htm#%3d%200%20%3d
246. jarg422h.htm#The%20Jargon%20Lexicon
247. jarg422h.htm#abbrev
248. jarg422h.htm#ABEND
249. jarg422h.htm#accumulator
250. jarg422h.htm#ACK
251. jarg422h.htm#Acme
252. jarg422h.htm#acolyte
253. jarg422h.htm#ad-hockery
254. jarg422h.htm#Ada
255. jarg422h.htm#address%20harvester
256. jarg422h.htm#adger
257. jarg422h.htm#admin
258. jarg422h.htm#ADVENT
259. jarg422h.htm#AFAIK
260. jarg422h.htm#AFJ
261. jarg422h.htm#AFK
262. jarg422h.htm#AI
263. jarg422h.htm#AI-complete
264. jarg422h.htm#AI%20koans
265. jarg422h.htm#AIDS
266. jarg422h.htm#AIDX
267. jarg422h.htm#airplane%20rule
268. jarg422h.htm#Alderson%20loop

269. jarg422h.htm#aliasing%20bug
270. jarg422h.htm#Alice%20and%20Bob
271. jarg422h.htm#all-elbows
272. jarg422h.htm#alpha%20geek
273. jarg422h.htm#alpha%20particles
274. jarg422h.htm#alt
275. jarg422h.htm#alt%20bit
276. jarg422h.htm#Aluminum%20Book
277. jarg422h.htm#ambimouseterous
278. jarg422h.htm#Amiga
279. jarg422h.htm#Amiga%20Persecution%20Complex
280. jarg422h.htm#amoeba
281. jarg422h.htm#amp%20off
282. jarg422h.htm#amper
283. jarg422h.htm#Angband
284. jarg422h.htm#angle%20brackets
285. jarg422h.htm#angry%20fruit%20salad
286. jarg422h.htm#annoybot
287. jarg422h.htm#annoyware
288. jarg422h.htm#ANSI
289. jarg422h.htm#ANSI%20standard
290. jarg422h.htm#ANSI%20standard%20pizza
291. jarg422h.htm#AOL!
292. jarg422h.htm#app
293. jarg422h.htm#arena
294. jarg422h.htm#arg
295. jarg422h.htm#ARMM
296. jarg422h.htm#armor-plated
297. jarg422h.htm#asbestos
298. jarg422h.htm#asbestos%20cork%20award
299. jarg422h.htm#asbestos%20longjohns
300. jarg422h.htm#ASCII
301. jarg422h.htm#ASCII%20art
302. jarg422h.htm#ASCIIbetical%20order
303. jarg422h.htm#astroturfing
304. jarg422h.htm#atomic
305. jarg422h.htm#attoparsec
306. jarg422h.htm#AUP
307. jarg422h.htm#autobogotiphobia
308. jarg422h.htm#automagically
309. jarg422h.htm#avatar
310. jarg422h.htm#awk
311. jarg422h.htm#ABEND
312. jarg422h.htm#%40-party
313. jarg422h.htm#%3d%20A%20%3d
314. jarg422h.htm#accumulator
315. jarg422h.htm#abbrev
316. jarg422h.htm#%3d%20A%20%3d
317. jarg422h.htm#crash
318. jarg422h.htm#lossage
319. jarg422h.htm#code%20grinder
320. jarg422h.htm#ACK
321. jarg422h.htm#ABEND

322. jarg422h.htm#%3d%20A%20%3d
323. jarg422h.htm#stack
324. jarg422h.htm#Acme
325. jarg422h.htm#accumulator
326. jarg422h.htm#%3d%20A%20%3d
327. jarg422h.htm#ping
328. jarg422h.htm#ENQ
329. jarg422h.htm#NAK
330. jarg422h.htm#talk%20mode
331. jarg422h.htm#NAK
332. jarg422h.htm#acolyte
333. jarg422h.htm#ACK
334. jarg422h.htm#%3d%20A%20%3d
335. jarg422h.htm#insanely%20great
336. jarg422h.htm#insanely%20great
337. jarg422h.htm#pistol
338. jarg422h.htm#ad-hockery
339. jarg422h.htm#Acme
340. jarg422h.htm#%3d%20A%20%3d
341. jarg422h.htm#OSU
342. jarg422h.htm#priesthood
343. jarg422h.htm#Ada
344. jarg422h.htm#acolyte
345. jarg422h.htm#%3d%20A%20%3d
346. jarg422h.htm#choke
347. jarg422h.htm#ELIZA%20effect
348. jarg422h.htm#address%20harvester
349. jarg422h.htm#ad-hockery
350. jarg422h.htm#%3d%20A%20%3d
351. jarg422h.htm#Pascal
352. jarg422h.htm#elephantine
353. jarg422h.htm#adger
354. jarg422h.htm#Ada
355. jarg422h.htm#%3d%20A%20%3d
356. jarg422h.htm#spam
357. jarg422h.htm#teergrube
358. jarg422h.htm#admin
359. jarg422h.htm#address%20harvester
360. jarg422h.htm#%3d%20A%20%3d
361. jarg422h.htm#nadger
362. jarg422h.htm#tenured%20graduate%20student
363. jarg422h.htm#dumbass%20attack
364. jarg422h.htm#ADVENT
365. jarg422h.htm#adger
366. jarg422h.htm#%3d%20A%20%3d
367. jarg422h.htm#postmaster
368. jarg422h.htm#sysop
369. jarg422h.htm#system%20mangler
370. jarg422h.htm#AFAIK
371. jarg422h.htm#admin
372. jarg422h.htm#%3d%20A%20%3d
373. jarg422h.htm#PDP-10
374. jarg422h.htm#INTERCAL

375. jarg422h.htm#TOPS-10
376. jarg422h.htm#vadding
377. jarg422h.htm#Zork
378. jarg422h.htm#Infocom
379. jarg422h.htm#xyzyz
380. jarg422h.htm#plugh
381. ftp://ftp.wustl.edu/doc/misc/if-archive/games/source/advent.tar.Z
382. ColossalCaveAdventurepage
383. jarg422h.htm#AFJ
384. jarg422h.htm#ADVENT
385. jarg422h.htm#%3d%20A%20%3d
386. jarg422h.htm#AFK
387. jarg422h.htm#AFAIK
388. jarg422h.htm#%3d%20A%20%3d
389. jarg422h.htm#kremvax
390. jarg422h.htm#AI
391. jarg422h.htm#AFJ
392. jarg422h.htm#%3d%20A%20%3d
393. jarg422h.htm#AI-complete
394. jarg422h.htm#AFK
395. jarg422h.htm#%3d%20A%20%3d
396. jarg422h.htm#AI%20koans
397. jarg422h.htm#AI
398. jarg422h.htm#%3d%20A%20%3d
399. jarg422h.htm#NP-
400. jarg422h.htm#gedanken
401. jarg422h.htm#AIDS
402. jarg422h.htm#AI-complete
403. jarg422h.htm#%3d%20A%20%3d
404. jarg422h.htm#Some%20AI%20Koans
405. jarg422h.htm#ha%20ha%20only%20serious
406. jarg422h.htm#mu
407. jarg422h.htm#hacker%20humor
408. jarg422h.htm#AIDX
409. jarg422h.htm#AI%20koans
410. jarg422h.htm#%3d%20A%20%3d
411. jarg422h.htm#glob
412. jarg422h.htm#SEX
413. jarg422h.htm#virus
414. jarg422h.htm#worm
415. jarg422h.htm#Trojan%20horse
416. jarg422h.htm#virgin
417. jarg422h.htm#airplane%20rule
418. jarg422h.htm#AIDS
419. jarg422h.htm#%3d%20A%20%3d
420. jarg422h.htm#BSD
421. jarg422h.htm#USG%20Unix
422. jarg422h.htm#monstrosity
423. jarg422h.htm#HP-SUX
424. jarg422h.htm#Macintrash
425. jarg422h.htm#Nominal%20Semidestructor
426. jarg422h.htm#ScumOS
427. jarg422h.htm#sun-stools

428. jarg422h.htm#Alderson%20loop
429. jarg422h.htm#AIDX
430. jarg422h.htm#%3d%20A%20%3d
431. jarg422h.htm#KISS%20Principle
432. jarg422h.htm#elegant
433. jarg422h.htm#aliasing%20bug
434. jarg422h.htm#airplane%20rule
435. jarg422h.htm#%3d%20A%20%3d
436. jarg422h.htm#infinite%20loop
437. jarg422h.htm#Alice%20and%20Bob
438. jarg422h.htm#Alderson%20loop
439. jarg422h.htm#%3d%20A%20%3d
440. jarg422h.htm#arena
441. jarg422h.htm#LISP
442. jarg422h.htm#GC
443. jarg422h.htm#stale%20pointer%20bug
444. jarg422h.htm#precedence%20lossage
445. jarg422h.htm#smash%20the%20stack
446. jarg422h.htm#fandango%20on%20core
447. jarg422h.htm#memory%20leak
448. jarg422h.htm#memory%20smash
449. jarg422h.htm#overrun%20screw
450. jarg422h.htm#spam
451. jarg422h.htm#all-elbows
452. jarg422h.htm#aliasing%20bug
453. jarg422h.htm#%3d%20A%20%3d
454. <http://www.conceptlabs.co.uk/alicebob.html>
455. jarg422h.htm#alpha%20geek
456. jarg422h.htm#Alice%20and%20Bob
457. jarg422h.htm#%3d%20A%20%3d
458. jarg422h.htm#BBS
459. jarg422h.htm#rude
460. jarg422h.htm#mess-dos
461. jarg422h.htm#alpha%20particles
462. jarg422h.htm#all-elbows
463. jarg422h.htm#%3d%20A%20%3d
464. jarg422h.htm#alt
465. jarg422h.htm#alpha%20geek
466. jarg422h.htm#%3d%20A%20%3d
467. jarg422h.htm#bit%20rot
468. jarg422h.htm#alt%20bit
469. jarg422h.htm#alpha%20particles
470. jarg422h.htm#%3d%20A%20%3d
471. jarg422h.htm#clone
472. jarg422h.htm#bucky%20bits
473. jarg422h.htm#feature%20key
474. jarg422h.htm#TECO
475. jarg422h.htm#Aluminum%20Book
476. jarg422h.htm#alt
477. jarg422h.htm#%3d%20A%20%3d
478. jarg422h.htm#meta%20bit
479. jarg422h.htm#ambimouseterous
480. jarg422h.htm#alt%20bit

481. jarg422h.htm#%3d%20A%20%3d
482. jarg422h.htm#book%20titles
483. jarg422h.htm#Amiga
484. jarg422h.htm#Aluminum%20Book
485. jarg422h.htm#%3d%20A%20%3d
486. jarg422h.htm#Amiga%20Persecution%20Complex
487. jarg422h.htm#ambimouseterous
488. jarg422h.htm#%3d%20A%20%3d
489. jarg422h.htm#Amiga%20Persecution%20Complex
490. http://www-ccsl.cs.umass.edu/~barrett/bm/Viewer_Sections/Main.HTML
491. jarg422h.htm#video%20toaster
492. jarg422h.htm#amoeba
493. jarg422h.htm#Amiga
494. jarg422h.htm#%3d%20A%20%3d
495. jarg422h.htm#bigot
496. jarg422h.htm#flame%20war
497. jarg422h.htm#NeWS
498. jarg422h.htm#OS%2f2
499. jarg422h.htm#LISP
500. jarg422h.htm#GNU
501. jarg422h.htm#Linux
502. jarg422h.htm#newbie
503. jarg422h.htm#troll
504. jarg422h.htm#holy%20wars
505. jarg422h.htm#weenie
506. jarg422h.htm#Get%20a%20life!
507. jarg422h.htm#amp%20off
508. jarg422h.htm#Amiga%20Persecution%20Complex
509. jarg422h.htm#%3d%20A%20%3d
510. jarg422h.htm#amper
511. jarg422h.htm#amoeba
512. jarg422h.htm#%3d%20A%20%3d
513. jarg422h.htm#background
514. jarg422h.htm#Angband
515. jarg422h.htm#amp%20off
516. jarg422h.htm#%3d%20A%20%3d
517. jarg422h.htm#ASCII
518. jarg422h.htm#angle%20brackets
519. jarg422h.htm#amper
520. jarg422h.htm#%3d%20A%20%3d
521. jarg422h.htm#nethack
522. jarg422h.htm#moria
523. jarg422h.htm#rogue
524. jarg422h.htm#elder%20days
525. jarg422h.htm#elvish
526. <http://www.phial.com/angband>
527. <http://thangorodrim.angband.org/>
528. jarg422h.htm#Random%20Number%20God
529. jarg422h.htm#angry%20fruit%20salad
530. jarg422h.htm#Angband
531. jarg422h.htm#%3d%20A%20%3d
532. jarg422h.htm#Real%20World
533. jarg422h.htm#broket

534. jarg422h.htm#ASCII
535. jarg422h.htm#annoybot
536. jarg422h.htm#angle%20brackets
537. jarg422h.htm#%3d%20A%20%3d
538. jarg422h.htm#X
539. jarg422h.htm#annoyware
540. jarg422h.htm#angry%20fruit%20salad
541. jarg422h.htm#%3d%20A%20%3d
542. jarg422h.htm#bot
543. jarg422h.htm#ANSI
544. jarg422h.htm#annoybot
545. jarg422h.htm#%3d%20A%20%3d
546. jarg422h.htm#shareware
547. jarg422h.htm#careware
548. jarg422h.htm#charityware
549. jarg422h.htm#crippleware
550. jarg422h.htm#freeware
551. jarg422h.htm#FRS
552. jarg422h.htm#guiltware
553. jarg422h.htm#postcardware
554. jarg422h.htm#-ware
555. jarg422h.htm#payware
556. jarg422h.htm#ANSI%20standard
557. jarg422h.htm#annoyware
558. jarg422h.htm#%3d%20A%20%3d
559. jarg422h.htm#K&R
560. jarg422h.htm#Classic%20C
561. jarg422h.htm#ANSI%20standard%20pizza
562. jarg422h.htm#ANSI
563. jarg422h.htm#%3d%20A%20%3d
564. jarg422h.htm#AOL!
565. jarg422h.htm#ANSI%20standard
566. jarg422h.htm#%3d%20A%20%3d
567. jarg422h.htm#rotary%20debugger
568. jarg422h.htm#ISO%20standard%20cup%20of%20tea
569. jarg422h.htm#app
570. jarg422h.htm#ANSI%20standard%20pizza
571. jarg422h.htm#%3d%20A%20%3d
572. jarg422h.htm#September%20that%20never%20ended
573. jarg422h.htm#arena
574. jarg422h.htm#AOL!
575. jarg422h.htm#%3d%20A%20%3d
576. jarg422h.htm#killer%20app
577. jarg422h.htm#tool
578. jarg422h.htm#operating%20system
579. jarg422h.htm#arg
580. jarg422h.htm#app
581. jarg422h.htm#%3d%20A%20%3d
582. jarg422h.htm#overrun%20screw
583. jarg422h.htm#aliasing%20bug
584. jarg422h.htm#memory%20leak
585. jarg422h.htm#memory%20smash
586. jarg422h.htm#smash%20the%20stack

587. jarg422h.htm#ARMM
588. jarg422h.htm#arena
589. jarg422h.htm#%3d%20A%20%3d
590. jarg422h.htm#param
591. jarg422h.htm#parm
592. jarg422h.htm#var
593. jarg422h.htm#armor-plated
594. jarg422h.htm#arg
595. jarg422h.htm#%3d%20A%20%3d
596. jarg422h.htm#cancelbot
597. jarg422h.htm#spam
598. jarg422h.htm#cascade
599. jarg422h.htm#despew
600. jarg422h.htm#Great%20Worm
601. jarg422h.htm#sorcerer's%20apprentice%20mode
602. jarg422h.htm#software%20laser
603. jarg422h.htm#network%20meltdown
604. jarg422h.htm#asbestos
605. jarg422h.htm#ARMM
606. jarg422h.htm#%3d%20A%20%3d
607. jarg422h.htm#bulletproof
608. jarg422h.htm#asbestos%20cork%20award
609. jarg422h.htm#armor-plated
610. jarg422h.htm#%3d%20A%20%3d
611. jarg422h.htm#flame
612. jarg422h.htm#flame
613. jarg422h.htm#asbestos%20longjohns
614. jarg422h.htm#asbestos%20cork%20award
615. jarg422h.htm#asbestos%20longjohns
616. jarg422h.htm#asbestos
617. jarg422h.htm#%3d%20A%20%3d
618. jarg422h.htm#flamer
619. jarg422h.htm#flame
620. jarg422h.htm#ASCII
621. jarg422h.htm#asbestos%20cork%20award
622. jarg422h.htm#%3d%20A%20%3d
623. jarg422h.htm#Usenet
624. jarg422h.htm#flamage
625. jarg422h.htm#asbestos
626. jarg422h.htm#ASCII%20art
627. jarg422h.htm#asbestos%20longjohns
628. jarg422h.htm#%3d%20A%20%3d
629. jarg422h.htm#win
630. jarg422h.htm#EBCDIC
631. <http://www.wps.com/texts/codes/index.html>
632. jarg422h.htm#bang
633. jarg422h.htm#excl
634. jarg422h.htm#open
635. jarg422h.htm#ques
636. jarg422h.htm#semi
637. jarg422h.htm#shriek
638. jarg422h.htm#splat
639. jarg422h.htm#twiddle

640. jarg422h.htm#Yu-Shiang%20Whole%20Fish
641. jarg422h.htm#INTERCAL
642. jarg422h.htm#bang
643. jarg422h.htm#crunch
644. jarg422h.htm#splat
645. jarg422h.htm#splat
646. jarg422h.htm#glob
647. jarg422h.htm#Nathan%20Hale
648. jarg422h.htm#ques
649. jarg422h.htm#twiddle
650. jarg422h.htm#Commonwealth%20Hackish
651. jarg422h.htm#ha%20ha%20only%20serious
652. jarg422h.htm#angle%20brackets
653. jarg422h.htm#splat
654. jarg422h.htm#misfeature
655. jarg422h.htm#software%20rot
656. jarg422h.htm#ASCIIbetical%20order
657. jarg422h.htm#ASCII
658. jarg422h.htm#%3d%20A%20%3d
659. jarg422h.htm#boxology
660. jarg422h.htm#warlording
661. jarg422h.htm#astroturfing
662. jarg422h.htm#ASCII%20art
663. jarg422h.htm#%3d%20A%20%3d
664. jarg422h.htm#atomic
665. jarg422h.htm#ASCIIbetical%20order
666. jarg422h.htm#%3d%20A%20%3d
667. jarg422h.htm#attoparsec
668. jarg422h.htm#astroturfing
669. jarg422h.htm#%3d%20A%20%3d
670. jarg422h.htm#AUP
671. jarg422h.htm#atomic
672. jarg422h.htm#%3d%20A%20%3d
673. jarg422h.htm#microfortnight
674. jarg422h.htm#micro-
675. jarg422h.htm#autobogotiphobia
676. jarg422h.htm#attoparsec
677. jarg422h.htm#%3d%20A%20%3d
678. jarg422h.htm#automagically
679. jarg422h.htm#AUP
680. jarg422h.htm#%3d%20A%20%3d
681. jarg422h.htm#bogotify
682. jarg422h.htm#avatar
683. jarg422h.htm#autobogotiphobia
684. jarg422h.htm#%3d%20A%20%3d
685. jarg422h.htm#magic
686. jarg422h.htm#awk
687. jarg422h.htm#automagically
688. jarg422h.htm#%3d%20A%20%3d
689. jarg422h.htm#cyberspace
690. jarg422h.htm#MUD
691. jarg422h.htm#root
692. jarg422h.htm#superuser

693. jarg422h.htm#B5
694. jarg422h.htm#avatar
695. jarg422h.htm#%3d%20A%20%3d
696. jarg422h.htm#Perl
697. jarg422h.htm#regexp
698. jarg422h.htm#newline
699. jarg422h.htm#%3d%20C%20%3d
700. jarg422h.htm#%3d%20A%20%3d
701. jarg422h.htm#The%20Jargon%20Lexicon
702. jarg422h.htm#B5
703. jarg422h.htm#back%20door
704. jarg422h.htm#backbone%20cabal
705. jarg422h.htm#backbone%20site
706. jarg422h.htm#backgammon
707. jarg422h.htm#background
708. jarg422h.htm#backreference
709. jarg422h.htm#backronym
710. jarg422h.htm#backspace%20and%20overstrike
711. jarg422h.htm#backward%20combatability
712. jarg422h.htm#BAD
713. jarg422h.htm#Bad%20and%20Wrong
714. jarg422h.htm#Bad%20Thing
715. jarg422h.htm#bag%20on%20the%20side
716. jarg422h.htm#bagbiter
717. jarg422h.htm#bagbiting
718. jarg422h.htm#baggy%20pantsing
719. jarg422h.htm#balloonian%20variable
720. jarg422h.htm#bamf
721. jarg422h.htm#banana%20label
722. jarg422h.htm#banana%20problem
723. jarg422h.htm#banner%20ad
724. jarg422h.htm#banner%20site
725. jarg422h.htm#barn
726. jarg422h.htm#batbelt
727. jarg422h.htm#Befunge
728. jarg422h.htm#BI
729. jarg422h.htm#binary%20four
730. jarg422h.htm#bandwidth
731. jarg422h.htm#bang
732. jarg422h.htm#bang%20on
733. jarg422h.htm#bang%20path
734. jarg422h.htm#banner
735. jarg422h.htm#bar
736. jarg422h.htm#bare%20metal
737. jarg422h.htm#barf
738. jarg422h.htm#barfmail
739. jarg422h.htm#barfulatation
740. jarg422h.htm#barfulous
741. jarg422h.htm#barney
742. jarg422h.htm#baroque
743. jarg422h.htm#BASIC
744. jarg422h.htm#batch
745. jarg422h.htm#bathtub%20curve

746. jarg422h.htm#baud
747. jarg422h.htm#baud%20barf
748. jarg422h.htm#baz
749. jarg422h.htm#bazaar
750. jarg422h.htm#bboard
751. jarg422h.htm#BBS
752. jarg422h.htm#BCPL
753. jarg422h.htm#beam
754. jarg422h.htm#beanie%20key
755. jarg422h.htm#beep
756. jarg422h.htm#beige%20toaster
757. jarg422h.htm#bells%20and%20whistles
758. jarg422h.htm#bells%20whistles%20and%20gongs
759. jarg422h.htm#benchmark
760. jarg422h.htm#Berkeley%20Quality%20Software
761. jarg422h.htm#berklix
762. jarg422h.htm#Berzerkeley
763. jarg422h.htm#beta
764. jarg422h.htm#BFI
765. jarg422h.htm#bible
766. jarg422h.htm#BiCapitalization
767. jarg422h.htm#B1FF
768. jarg422h.htm#biff
769. jarg422h.htm#Big%20Gray%20Wall
770. jarg422h.htm#big%20iron
771. jarg422h.htm#Big%20Red%20Switch
772. jarg422h.htm#Big%20Room
773. jarg422h.htm#big%20win
774. jarg422h.htm#big-endian
775. jarg422h.htm#bignum
776. jarg422h.htm#bigot
777. jarg422h.htm#bit
778. jarg422h.htm#bit%20bang
779. jarg422h.htm#bit%20bashing
780. jarg422h.htm#bit%20bucket
781. jarg422h.htm#bit%20decay
782. jarg422h.htm#bit%20rot
783. jarg422h.htm#bit%20tiddling
784. jarg422h.htm#bit-paired%20keyboard
785. jarg422h.htm#bitblt
786. jarg422h.htm#BITNET
787. jarg422h.htm#bits
788. jarg422h.htm#bitty%20box
789. jarg422h.htm#bixen
790. jarg422h.htm#bixie
791. jarg422h.htm#black%20art
792. jarg422h.htm#black%20hole
793. jarg422h.htm#black%20magic
794. jarg422h.htm#Black%20Screen%20of%20Death
795. jarg422h.htm#Black%20Thursday
796. jarg422h.htm#blammo
797. jarg422h.htm#blargh
798. jarg422h.htm#blast

799. jarg422h.htm#blat
800. jarg422h.htm#bletch
801. jarg422h.htm#bletcherous
802. jarg422h.htm#blink
803. jarg422h.htm#blinkenlights
804. jarg422h.htm#blit
805. jarg422h.htm#blitter
806. jarg422h.htm#blivet
807. jarg422h.htm#bloatware
808. jarg422h.htm#BLOB
809. jarg422h.htm#block
810. jarg422h.htm#block%20transfer%20computations
811. jarg422h.htm#Bloggs%20Family
812. jarg422h.htm#blow%20an%20EPROM
813. jarg422h.htm#blow%20away
814. jarg422h.htm#blow%20out
815. jarg422h.htm#blow%20past
816. jarg422h.htm#blow%20up
817. jarg422h.htm#BLT
818. jarg422h.htm#Blue%20Book
819. jarg422h.htm#blue%20box
820. jarg422h.htm#Blue%20Glue
821. jarg422h.htm#blue%20goo
822. jarg422h.htm#Blue%20Screen%20of%20Death
823. jarg422h.htm#blue%20wire
824. jarg422h.htm#blurgle
825. jarg422h.htm#BNF
826. jarg422h.htm#boa
827. jarg422h.htm#board
828. jarg422h.htm#boat%20anchor
829. jarg422h.htm#bob
830. jarg422h.htm#bodysurf%20code
831. jarg422h.htm#BOF
832. jarg422h.htm#BOFH
833. jarg422h.htm#bogo-sort
834. jarg422h.htm#bogometer
835. jarg422h.htm#BogoMIPS
836. jarg422h.htm#bogon
837. jarg422h.htm#bogon%20filter
838. jarg422h.htm#bogon%20flux
839. jarg422h.htm#bogosity
840. jarg422h.htm#bogotify
841. jarg422h.htm#bogue%20out
842. jarg422h.htm#bogus
843. jarg422h.htm#Bohr%20bug
844. jarg422h.htm#boink
845. jarg422h.htm#bomb
846. jarg422h.htm#bondage-and-discipline%20language
847. jarg422h.htm#bonk%20foif
848. jarg422h.htm#book%20titles
849. jarg422h.htm#boot
850. jarg422h.htm#Borg
851. jarg422h.htm#borken

852. jarg422h.htm#bot
853. jarg422h.htm#bot%20spot
854. jarg422h.htm#bottom%20feeder
855. jarg422h.htm#bottom-up%20implementation
856. jarg422h.htm#bounce
857. jarg422h.htm#bounce%20message
858. jarg422h.htm#boustrophedon
859. jarg422h.htm#box
860. jarg422h.htm#boxed%20comments
861. jarg422h.htm#boxen
862. jarg422h.htm#boxology
863. jarg422h.htm#bozotic
864. jarg422h.htm#BQS
865. jarg422h.htm#brain%20dump
866. jarg422h.htm#brain%20fart
867. jarg422h.htm#brain-damaged
868. jarg422h.htm#brain-dead
869. jarg422h.htm#braino
870. jarg422h.htm#branch%20to%20Fishkill
871. jarg422h.htm#bread%20crumbs
872. jarg422h.htm#break
873. jarg422h.htm#break-even%20point
874. jarg422h.htm#breath-of-life%20packet
875. jarg422h.htm#breedle
876. jarg422h.htm#Breibart%20Index
877. jarg422h.htm#bring%20X%20to%20its%20knees
878. jarg422h.htm#brittle
879. jarg422h.htm#broadcast%20storm
880. jarg422h.htm#brochureware
881. jarg422h.htm#broken
882. jarg422h.htm#broken%20arrow
883. jarg422h.htm#BrokenWindows
884. jarg422h.htm#broket
885. jarg422h.htm#Brooks's%20Law
886. jarg422h.htm#brown-paper-bag%20bug
887. jarg422h.htm#browser
888. jarg422h.htm#BRS
889. jarg422h.htm#brute%20force
890. jarg422h.htm#brute%20force%20and%20ignorance
891. jarg422h.htm#BSD
892. jarg422h.htm#BSOD
893. jarg422h.htm#BUAF
894. jarg422h.htm#BUAG
895. jarg422h.htm#bubble%20sort
896. jarg422h.htm#bucky%20bits
897. jarg422h.htm#buffer%20chuck
898. jarg422h.htm#buffer%20overflow
899. jarg422h.htm#bug
900. jarg422h.htm#bug-compatible
901. jarg422h.htm#bug-for-bug%20compatible
902. jarg422h.htm#bug-of-the-month%20club
903. jarg422h.htm#buglix
904. jarg422h.htm#bulletproof

905. jarg422h.htm#bullschildt
906. jarg422h.htm#bum
907. jarg422h.htm#bump
908. jarg422h.htm#burble
909. jarg422h.htm#buried%20treasure
910. jarg422h.htm#burn-in%20period
911. jarg422h.htm#burst%20page
912. jarg422h.htm#busy-wait
913. jarg422h.htm#buzz
914. jarg422h.htm#BWQ
915. jarg422h.htm#by%20hand
916. jarg422h.htm#byte
917. jarg422h.htm#byte%20sex
918. jarg422h.htm#bytesexual
919. jarg422h.htm#Bzzzt!%20Wrong.
920. jarg422h.htm#back%20door
921. jarg422h.htm#awk
922. jarg422h.htm#%3d%20B%20%3d
923. jarg422h.htm#backbone%20cabal
924. jarg422h.htm#B5
925. jarg422h.htm#%3d%20B%20%3d
926. jarg422h.htm#trap%20door
927. jarg422h.htm#iron%20box
928. jarg422h.htm#cracker
929. jarg422h.htm#worm
930. jarg422h.htm#logic%20bomb
931. <http://www.acm.org/classics>
932. jarg422h.htm#backbone%20site
933. jarg422h.htm#back%20door
934. jarg422h.htm#%3d%20B%20%3d
935. jarg422h.htm#Great%20Renaming
936. jarg422h.htm#Usenet
937. jarg422h.htm#mailing%20list
938. jarg422h.htm#Eric%20Conspiracy
939. jarg422h.htm#NANA
940. jarg422h.htm#backgammon
941. jarg422h.htm#backbone%20cabal
942. jarg422h.htm#%3d%20B%20%3d
943. jarg422h.htm#DEC
944. jarg422h.htm#rib%20site
945. jarg422h.htm#leaf%20site
946. jarg422h.htm#background
947. jarg422h.htm#backbone%20site
948. jarg422h.htm#%3d%20B%20%3d
949. jarg422h.htm#bignum
950. jarg422h.htm#moby
951. jarg422h.htm#pseudoprime
952. jarg422h.htm#backreference
953. jarg422h.htm#backgammon
954. jarg422h.htm#%3d%20B%20%3d
955. jarg422h.htm#foreground
956. jarg422h.htm#amp%20off
957. jarg422h.htm#slopsucker

958. jarg422h.htm#foreground
959. jarg422h.htm#Unix
960. jarg422h.htm#backronym
961. jarg422h.htm#background
962. jarg422h.htm#%3d%20B%20%3d
963. jarg422h.htm#backspace%20and%20overstrike
964. jarg422h.htm#backreference
965. jarg422h.htm#%3d%20B%20%3d
966. jarg422h.htm#BASIC
967. jarg422h.htm#recursive%20acronym
968. jarg422h.htm#Acme
969. jarg422h.htm#mung
970. jarg422h.htm#retcon
971. jarg422h.htm#backward%20combatability
972. jarg422h.htm#backronym
973. jarg422h.htm#%3d%20B%20%3d
974. jarg422h.htm#BAD
975. jarg422h.htm#backspace%20and%20overstrike
976. jarg422h.htm#%3d%20B%20%3d
977. jarg422h.htm#software%20bloat
978. jarg422h.htm#flag%20day
979. jarg422h.htm#Bad%20and%20Wrong
980. jarg422h.htm#backward%20combatability
981. jarg422h.htm#%3d%20B%20%3d
982. jarg422h.htm#bogus
983. jarg422h.htm#working%20as%20designed
984. jarg422h.htm#Bad%20Thing
985. jarg422h.htm#BAD
986. jarg422h.htm#%3d%20B%20%3d
987. jarg422h.htm#evil%20and%20rude
988. jarg422h.htm#Good%20Thing
989. jarg422h.htm#Bad%20Thing
990. jarg422h.htm#bag%20on%20the%20side
991. jarg422h.htm#Bad%20and%20Wrong
992. jarg422h.htm#%3d%20B%20%3d
993. jarg422h.htm#Good%20Thing
994. jarg422h.htm#Bad%20Thing
995. jarg422h.htm#Good%20Thing
996. jarg422h.htm#Right%20Thing
997. jarg422h.htm#Wrong%20Thing
998. jarg422h.htm#Bad%20and%20Wrong
999. jarg422h.htm#bagbiter
1000. jarg422h.htm#Bad%20Thing
1001. jarg422h.htm#%3d%20B%20%3d
1002. jarg422h.htm#bagbiting
1003. jarg422h.htm#bag%20on%20the%20side
1004. jarg422h.htm#%3d%20B%20%3d
1005. jarg422h.htm#loser
1006. jarg422h.htm#cretin
1007. jarg422h.htm#chomper
1008. jarg422h.htm#lexiphage
1009. jarg422h.htm#baggy%20pantsing
1010. jarg422h.htm#bagbiter

1011. jarg422h.htm#%3d%20B%20%3d
1012. jarg422h.htm#bagbiter
1013. jarg422h.htm#losing
1014. jarg422h.htm#cretinous
1015. jarg422h.htm#bletcherous
1016. jarg422h.htm#barfulous
1017. jarg422h.htm#chomp
1018. jarg422h.htm#balloonian%20variable
1019. jarg422h.htm#bagbiting
1020. jarg422h.htm#%3d%20B%20%3d
1021. jarg422h.htm#bamf
1022. jarg422h.htm#baggy%20pantsing
1023. jarg422h.htm#%3d%20B%20%3d
1024. jarg422h.htm#live
1025. jarg422h.htm#banana%20label
1026. jarg422h.htm#balloonian%20variable
1027. jarg422h.htm#%3d%20B%20%3d
1028. jarg422h.htm#virtual%20reality
1029. jarg422h.htm#MUD
1030. jarg422h.htm#fora
1031. jarg422h.htm#fora
1032. <http://www.tuxedo.org/jargon/>
1033. jarg422h.htm#banana%20problem
1034. jarg422h.htm#bamf
1035. jarg422h.htm#%3d%20B%20%3d
1036. jarg422h.htm#macrotape
1037. jarg422h.htm#binary%20four
1038. jarg422h.htm#banana%20label
1039. jarg422h.htm#%3d%20B%20%3d
1040. jarg422h.htm#fencepost%20error
1041. jarg422h.htm#creeping%20elegance
1042. jarg422h.htm#creeping%20feauritis
1043. jarg422h.htm#HAKMEM
1044. jarg422h.htm#Dissociated%20Press
1045. jarg422h.htm#one-banana%20problem
1046. jarg422h.htm#bandwidth
1047. jarg422h.htm#banana%20problem
1048. jarg422h.htm#%3d%20B%20%3d
1049. jarg422h.htm#finger
1050. jarg422h.htm#bang
1051. jarg422h.htm#binary%20four
1052. jarg422h.htm#%3d%20B%20%3d
1053. jarg422h.htm#low-bandwidth
1054. jarg422h.htm#Usenet
1055. jarg422h.htm#bang%20on
1056. jarg422h.htm#bandwidth
1057. jarg422h.htm#%3d%20B%20%3d
1058. jarg422h.htm#bang%20path
1059. jarg422h.htm#elder%20days
1060. jarg422h.htm#excl
1061. jarg422h.htm#shriek
1062. jarg422h.htm#bang%20path
1063. jarg422h.htm#shriek

1064. jarg422h.htm#ASCII
1065. jarg422h.htm#thinko
1066. jarg422h.htm#bang%20path
1067. jarg422h.htm#bang
1068. jarg422h.htm#%3d%20B%20%3d
1069. jarg422h.htm#pound%20on
1070. jarg422h.htm#banner
1071. jarg422h.htm#bang%20on
1072. jarg422h.htm#%3d%20B%20%3d
1073. jarg422h.htm#hop
1074. jarg422h.htm#bang
1075. jarg422h.htm#glob
1076. jarg422h.htm#Internet%20address
1077. jarg422h.htm#the%20network
1078. jarg422h.htm#sitename
1079. jarg422h.htm#banner%20ad
1080. jarg422h.htm#bang%20path
1081. jarg422h.htm#%3d%20B%20%3d
1082. jarg422h.htm#spool
1083. jarg422h.htm#banner%20site
1084. jarg422h.htm#banner
1085. jarg422h.htm#%3d%20B%20%3d
1086. jarg422h.htm#bar
1087. jarg422h.htm#banner%20ad
1088. jarg422h.htm#%3d%20B%20%3d
1089. jarg422h.htm#ratio%20site
1090. jarg422h.htm#leech%20mode
1091. jarg422h.htm#bare%20metal
1092. jarg422h.htm#banner%20site
1093. jarg422h.htm#%3d%20B%20%3d
1094. jarg422h.htm#metasyntactic%20variable
1095. jarg422h.htm#foo
1096. jarg422h.htm#baz
1097. jarg422h.htm#foo
1098. jarg422h.htm#foobar
1099. jarg422h.htm#barf
1100. jarg422h.htm#bar
1101. jarg422h.htm#%3d%20B%20%3d
1102. jarg422h.htm#operating%20system
1103. jarg422h.htm#HLL
1104. jarg422h.htm#bit%20bashing
1105. jarg422h.htm#hand-hacking
1106. jarg422h.htm#The%20Story%20of%20Mel
1107. jarg422h.htm#Real%20Programmer
1108. jarg422h.htm#Good%20Thing
1109. jarg422h.htm#ill-behaved
1110. jarg422h.htm#barfmail
1111. jarg422h.htm#bare%20metal
1112. jarg422h.htm#%3d%20B%20%3d
1113. jarg422h.htm#bletch
1114. jarg422h.htm#choke
1115. jarg422h.htm#gag
1116. jarg422h.htm#barf

1117. jarg422h.htm#metasyntactic%20variable
1118. jarg422h.htm#foo
1119. jarg422h.htm#bar
1120. jarg422h.htm#barfulution
1121. jarg422h.htm#barf
1122. jarg422h.htm#%3d%20B%20%3d
1123. jarg422h.htm#bounce%20message
1124. jarg422h.htm#barfulous
1125. jarg422h.htm#barfmail
1126. jarg422h.htm#%3d%20B%20%3d
1127. jarg422h.htm#barf
1128. jarg422h.htm#barn
1129. jarg422h.htm#barfulution
1130. jarg422h.htm#%3d%20B%20%3d
1131. jarg422h.htm#barney
1132. jarg422h.htm#barfulous
1133. jarg422h.htm#%3d%20B%20%3d
1134. jarg422h.htm#baroque
1135. jarg422h.htm#barn
1136. jarg422h.htm#%3d%20B%20%3d
1137. jarg422h.htm#fred
1138. jarg422h.htm#bar
1139. jarg422h.htm#foo
1140. jarg422h.htm#BASIC
1141. jarg422h.htm#barney
1142. jarg422h.htm#%3d%20B%20%3d
1143. jarg422h.htm#elephantine
1144. jarg422h.htm#monstrosity
1145. jarg422h.htm#rococo
1146. jarg422h.htm#batbelt
1147. jarg422h.htm#baroque
1148. jarg422h.htm#%3d%20B%20%3d
1149. jarg422h.htm#Pascal
1150. jarg422h.htm#lossage
1151. jarg422h.htm#backronym
1152. jarg422h.htm#batch
1153. jarg422h.htm#BASIC
1154. jarg422h.htm#%3d%20B%20%3d
1155. jarg422h.htm#bathtub%20curve
1156. jarg422h.htm#batbelt
1157. jarg422h.htm#%3d%20B%20%3d
1158. jarg422h.htm#baud
1159. jarg422h.htm#batch
1160. jarg422h.htm#%3d%20B%20%3d
1161. jarg422h.htm#burn-in%20period
1162. jarg422h.htm#infant%20mortality
1163. jarg422h.htm#baud%20barf
1164. jarg422h.htm#bathtub%20curve
1165. jarg422h.htm#%3d%20B%20%3d
1166. jarg422h.htm#baz
1167. jarg422h.htm#baud
1168. jarg422h.htm#%3d%20B%20%3d
1169. jarg422h.htm#random

1170. jarg422h.htm#bazaar
1171. jarg422h.htm#baud%20barf
1172. jarg422h.htm#%3d%20B%20%3d
1173. jarg422h.htm#metasyntactic%20variable
1174. jarg422h.htm#fum
1175. jarg422h.htm#foo
1176. jarg422h.htm#bar
1177. jarg422h.htm#TMRC
1178. jarg422h.htm#bboard
1179. jarg422h.htm#baz
1180. jarg422h.htm#%3d%20B%20%3d
1181. jarg422h.htm#Linux
1182. <http://www.tuxedo.org/~esr/writings/cathedral-bazaar/>
1183. jarg422h.htm#Brooks's%20Law
1184. jarg422h.htm#cathedral
1185. jarg422h.htm#BBS
1186. jarg422h.htm#bazaar
1187. jarg422h.htm#%3d%20B%20%3d
1188. jarg422h.htm#BBS
1189. jarg422h.htm#newsgroup
1190. jarg422h.htm#newbie
1191. jarg422h.htm#BCPL
1192. jarg422h.htm#bboard
1193. jarg422h.htm#%3d%20B%20%3d
1194. jarg422h.htm#topic%20group
1195. jarg422h.htm#bboard
1196. jarg422h.htm#beam
1197. jarg422h.htm#BBS
1198. jarg422h.htm#%3d%20B%20%3d
1199. jarg422h.htm#hello%20world
1200. jarg422h.htm#beanie%20key
1201. jarg422h.htm#BCPL
1202. jarg422h.htm#%3d%20B%20%3d
1203. jarg422h.htm#softcopy
1204. jarg422h.htm#blast
1205. jarg422h.htm#snarf
1206. jarg422h.htm#BLT
1207. jarg422h.htm#beep
1208. jarg422h.htm#beam
1209. jarg422h.htm#%3d%20B%20%3d
1210. jarg422h.htm#command%20key
1211. jarg422h.htm#Befunge
1212. jarg422h.htm#beanie%20key
1213. jarg422h.htm#%3d%20B%20%3d
1214. jarg422h.htm#feep
1215. jarg422h.htm#beige%20toaster
1216. jarg422h.htm#beep
1217. jarg422h.htm#%3d%20B%20%3d
1218. jarg422h.htm#INTERCAL
1219. jarg422h.htm#hello%20world
1220. <http://www.catseye.mb.ca/esoteric/befunge.html>
1221. jarg422h.htm#bells%20and%20whistles
1222. jarg422h.htm#Befunge

1223. jarg422h.htm#%3d%20B%20%3d
1224. jarg422h.htm#toaster
1225. jarg422h.htm#Macintrash
1226. jarg422h.htm#maggotbox
1227. jarg422h.htm#bells%20whistles%20and%20gongs
1228. jarg422h.htm#beige%20toaster
1229. jarg422h.htm#%3d%20B%20%3d
1230. jarg422h.htm#flavorful
1231. jarg422h.htm#chrome
1232. jarg422h.htm#benchmark
1233. jarg422h.htm#bells%20and%20whistles
1234. jarg422h.htm#%3d%20B%20%3d
1235. jarg422h.htm#bells%20and%20whistles
1236. jarg422h.htm#Berkeley%20Quality%20Software
1237. jarg422h.htm#bells%20whistles%20and%20gongs
1238. jarg422h.htm#%3d%20B%20%3d
1239. jarg422h.htm#h
1240. jarg422h.htm#gabriel
1241. jarg422h.htm#machoflops
1242. jarg422h.htm#MIPS
1243. jarg422h.htm#smoke%20and%20mirrors
1244. jarg422h.htm#berklix
1245. jarg422h.htm#benchmark
1246. jarg422h.htm#%3d%20B%20%3d
1247. jarg422h.htm#Berzerkeley
1248. jarg422h.htm#Berzerkeley
1249. jarg422h.htm#Berkeley%20Quality%20Software
1250. jarg422h.htm#%3d%20B%20%3d
1251. jarg422h.htm#BSD
1252. jarg422h.htm#suit
1253. jarg422h.htm#beta
1254. jarg422h.htm#berklix
1255. jarg422h.htm#%3d%20B%20%3d
1256. jarg422h.htm#BSD
1257. jarg422h.htm#software%20bloat
1258. jarg422h.htm#Missed'em-five
1259. jarg422h.htm#Berkeley%20Quality%20Software
1260. jarg422h.htm#BFI
1261. jarg422h.htm#Berzerkeley
1262. jarg422h.htm#%3d%20B%20%3d
1263. jarg422h.htm#Real%20World
1264. jarg422h.htm#bible
1265. jarg422h.htm#beta
1266. jarg422h.htm#%3d%20B%20%3d
1267. jarg422h.htm#brute%20force%20and%20ignorance
1268. jarg422h.htm#BiCapitalization
1269. jarg422h.htm#BFI
1270. jarg422h.htm#%3d%20B%20%3d
1271. jarg422h.htm#Knuth
1272. jarg422h.htm#K&R
1273. jarg422h.htm#Camel%20Book
1274. jarg422h.htm#B1FF
1275. jarg422h.htm#bible

1276. jarg422h.htm#%3d%20B%20%3d
1277. jarg422h.htm#PostScript
1278. jarg422h.htm#NeWS
1279. jarg422h.htm#marketroid
1280. jarg422h.htm#studlycaps
1281. jarg422h.htm#BI
1282. jarg422h.htm#BiCapitalization
1283. jarg422h.htm#%3d%20B%20%3d
1284. jarg422h.htm#pseudo
1285. jarg422h.htm#newbie
1286. jarg422h.htm#talk%20mode
1287. jarg422h.htm#sig%20block
1288. jarg422h.htm#doubled%20sig
1289. jarg422h.htm#BITNET
1290. jarg422h.htm#Jeff%20K.
1291. jarg422h.htm#biff
1292. jarg422h.htm#B1FF
1293. jarg422h.htm#%3d%20B%20%3d
1294. jarg422h.htm#Breibart%20Index
1295. jarg422h.htm#Big%20Gray%20Wall
1296. jarg422h.htm#BI
1297. jarg422h.htm#%3d%20B%20%3d
1298. jarg422h.htm#B1FF
1299. jarg422h.htm#big%20iron
1300. jarg422h.htm#biff
1301. jarg422h.htm#%3d%20B%20%3d
1302. jarg422h.htm#VMS
1303. jarg422h.htm#VMS
1304. jarg422h.htm#Big%20Red%20Switch
1305. jarg422h.htm#Big%20Gray%20Wall
1306. jarg422h.htm#%3d%20B%20%3d
1307. jarg422h.htm#number-crunching
1308. jarg422h.htm#heavy%20metal
1309. jarg422h.htm#dinosaur
1310. jarg422h.htm#Big%20Room
1311. jarg422h.htm#big%20iron
1312. jarg422h.htm#%3d%20B%20%3d
1313. jarg422h.htm#mainframe
1314. jarg422h.htm#bitty%20box
1315. jarg422h.htm#TLA
1316. jarg422h.htm#clone
1317. jarg422h.htm#molly-guard
1318. jarg422h.htm#power%20cycle
1319. jarg422h.htm#three-finger%20salute
1320. jarg422h.htm#120%20reset
1321. jarg422h.htm#scram%20switch
1322. jarg422h.htm#big%20win
1323. jarg422h.htm#Big%20Red%20Switch
1324. jarg422h.htm#%3d%20B%20%3d
1325. jarg422h.htm#big-endian
1326. jarg422h.htm#Big%20Room
1327. jarg422h.htm#%3d%20B%20%3d
1328. jarg422h.htm#win%20big

1329. jarg422h.htm#bignum
1330. jarg422h.htm#big%20win
1331. jarg422h.htm#%3d%20B%20%3d
1332. jarg422h.htm#PDP-10
1333. jarg422h.htm#little-endian
1334. jarg422h.htm#middle-endian
1335. jarg422h.htm#NUXI%20problem
1336. jarg422h.htm#swab
1337. jarg422h.htm#Internet%20address
1338. jarg422h.htm#ad-hockery
1339. jarg422h.htm#bigot
1340. jarg422h.htm#big-endian
1341. jarg422h.htm#%3d%20B%20%3d
1342. jarg422h.htm#moby
1343. jarg422h.htm#El%20Camino%20Bignum
1344. jarg422h.htm#bitty%20box
1345. jarg422h.htm#bit
1346. jarg422h.htm#bignum
1347. jarg422h.htm#%3d%20B%20%3d
1348. jarg422h.htm#religious%20issues
1349. jarg422h.htm#weenie
1350. jarg422h.htm#Amiga%20Persecution%20Complex
1351. jarg422h.htm#bit%20bang
1352. jarg422h.htm#bigot
1353. jarg422h.htm#%3d%20B%20%3d
1354. jarg422h.htm#toggle
1355. jarg422h.htm#flag
1356. jarg422h.htm#trit
1357. jarg422h.htm#mode%20bit
1358. jarg422h.htm#bit%20bashing
1359. jarg422h.htm#bit
1360. jarg422h.htm#%3d%20B%20%3d
1361. jarg422h.htm#wannabee
1362. jarg422h.htm#cycle%20of%20reincarnation
1363. jarg422h.htm#cycle%20of%20reincarnation
1364. jarg422h.htm#bit%20bucket
1365. jarg422h.htm#bit%20bang
1366. jarg422h.htm#%3d%20B%20%3d
1367. jarg422h.htm#bit%20twiddling
1368. jarg422h.htm#bit
1369. jarg422h.htm#flag
1370. jarg422h.htm#nybble
1371. jarg422h.htm#bitblt
1372. jarg422h.htm#bit%20bang
1373. jarg422h.htm#mode%20bit
1374. jarg422h.htm#bit%20decay
1375. jarg422h.htm#bit%20bashing
1376. jarg422h.htm#%3d%20B%20%3d
1377. jarg422h.htm#Unix
1378. jarg422h.htm#%2fdev%2fnull
1379. jarg422h.htm#Finagle's%20Law
1380. jarg422h.htm#black%20hole
1381. jarg422h.htm#chad%20box

1382. jarg422h.htm#bit%20rot
1383. jarg422h.htm#bit%20bucket
1384. jarg422h.htm#%3d%20B%20%3d
1385. jarg422h.htm#bit%20rot
1386. jarg422h.htm#computron
1387. jarg422h.htm#quantum%20bogodynamics
1388. jarg422h.htm#bit%20twiddling
1389. jarg422h.htm#bit%20decay
1390. jarg422h.htm#%3d%20B%20%3d
1391. jarg422h.htm#bit%20decay
1392. jarg422h.htm#cosmic%20rays
1393. jarg422h.htm#software%20rot
1394. jarg422h.htm#bit-paired%20keyboard
1395. jarg422h.htm#bit%20rot
1396. jarg422h.htm#%3d%20B%20%3d
1397. jarg422h.htm#tune
1398. jarg422h.htm#bit%20bashing
1399. jarg422h.htm#bitblt
1400. jarg422h.htm#bit%20twiddling
1401. jarg422h.htm#%3d%20B%20%3d
1402. jarg422h.htm#EOU
1403. jarg422h.htm#QWERTY
1404. jarg422h.htm#BITNET
1405. jarg422h.htm#bit-paired%20keyboard
1406. jarg422h.htm#%3d%20B%20%3d
1407. jarg422h.htm#BLT
1408. jarg422h.htm#Right%20Thing
1409. jarg422h.htm#blit
1410. jarg422h.htm#BLT
1411. jarg422h.htm#bits
1412. jarg422h.htm#bitblt
1413. jarg422h.htm#%3d%20B%20%3d
1414. jarg422h.htm#the%20network
1415. jarg422h.htm#EBCDIC
1416. jarg422h.htm#eighty-column%20mind
1417. jarg422h.htm#RFC
1418. jarg422h.htm#B1FF
1419. jarg422h.htm#bitty%20box
1420. jarg422h.htm#BITNET
1421. jarg422h.htm#%3d%20B%20%3d
1422. jarg422h.htm#core%20dump
1423. jarg422h.htm#softcopy
1424. jarg422h.htm#source%20of%20all%20good%20bits
1425. jarg422h.htm#bit
1426. jarg422h.htm#bixen
1427. jarg422h.htm#bits
1428. jarg422h.htm#%3d%20B%20%3d
1429. jarg422h.htm#Get%20a%20real%20computer!
1430. jarg422h.htm#mess-dos
1431. jarg422h.htm#toaster
1432. jarg422h.htm#toy
1433. jarg422h.htm#bixie
1434. jarg422h.htm#bitty%20box

1435. jarg422h.htm#%3d%20B%20%3d
1436. jarg422h.htm#VAXen
1437. jarg422h.htm#black%20art
1438. jarg422h.htm#bixen
1439. jarg422h.htm#%3d%20B%20%3d
1440. jarg422h.htm#emoticon
1441. jarg422h.htm#smiley
1442. jarg422h.htm#black%20hole
1443. jarg422h.htm#bixie
1444. jarg422h.htm#%3d%20B%20%3d
1445. jarg422h.htm#black%20magic
1446. jarg422h.htm#deep%20magic
1447. jarg422h.htm#heavy%20wizardry
1448. jarg422h.htm#voodoo%20programming
1449. jarg422h.htm#black%20magic
1450. jarg422h.htm#black%20art
1451. jarg422h.htm#%3d%20B%20%3d
1452. jarg422h.htm#bounce%20message
1453. jarg422h.htm#drop%20on%20the%20floor
1454. jarg422h.htm#bit%20bucket
1455. jarg422h.htm#RBL
1456. jarg422h.htm#Black%20Screen%20of%20Death
1457. jarg422h.htm#black%20hole
1458. jarg422h.htm#%3d%20B%20%3d
1459. jarg422h.htm#voodoo%20programming
1460. jarg422h.htm#black%20art
1461. jarg422h.htm#deep%20magic
1462. jarg422h.htm#magic%20number
1463. jarg422h.htm#Black%20Thursday
1464. jarg422h.htm#black%20magic
1465. jarg422h.htm#%3d%20B%20%3d
1466. jarg422h.htm#Microsloth%20Windows
1467. jarg422h.htm#boot
1468. jarg422h.htm#Blue%20Screen%20of%20Death
1469. jarg422h.htm#blammo
1470. jarg422h.htm#Black%20Screen%20of%20Death
1471. jarg422h.htm#%3d%20B%20%3d
1472. jarg422h.htm#CDA
1473. jarg422h.htm#blargh
1474. jarg422h.htm#Black%20Thursday
1475. jarg422h.htm#%3d%20B%20%3d
1476. jarg422h.htm#gun
1477. jarg422h.htm#blast
1478. jarg422h.htm#blammo
1479. jarg422h.htm#%3d%20B%20%3d
1480. jarg422h.htm#ping
1481. jarg422h.htm#ping
1482. jarg422h.htm#blat
1483. jarg422h.htm#blargh
1484. jarg422h.htm#%3d%20B%20%3d
1485. jarg422h.htm#BLT
1486. jarg422h.htm#snarf
1487. jarg422h.htm#nuke

1488. jarg422h.htm#bletch
1489. jarg422h.htm#blast
1490. jarg422h.htm#%3d%20B%20%3d
1491. jarg422h.htm#blast
1492. jarg422h.htm#thud
1493. jarg422h.htm#bletcherous
1494. jarg422h.htm#blat
1495. jarg422h.htm#%3d%20B%20%3d
1496. jarg422h.htm#barf
1497. jarg422h.htm#blink
1498. jarg422h.htm#bletch
1499. jarg422h.htm#%3d%20B%20%3d
1500. jarg422h.htm#losing
1501. jarg422h.htm#cretinous
1502. jarg422h.htm#bagbiting
1503. jarg422h.htm#bogus
1504. jarg422h.htm#random
1505. jarg422h.htm#bletcherous
1506. jarg422h.htm#cretinous
1507. jarg422h.htm#bogus
1508. jarg422h.htm#random
1509. jarg422h.htm#blinkenlights
1510. jarg422h.htm#bletcherous
1511. jarg422h.htm#%3d%20B%20%3d
1512. jarg422h.htm#blit
1513. jarg422h.htm#blink
1514. jarg422h.htm#%3d%20B%20%3d
1515. jarg422h.htm#dinosaur
1516. jarg422h.htm#geef
1517. jarg422h.htm#blitter
1518. jarg422h.htm#blinkenlights
1519. jarg422h.htm#%3d%20B%20%3d
1520. jarg422h.htm#bitblt
1521. jarg422h.htm#BLT
1522. jarg422h.htm#dd
1523. jarg422h.htm#cat
1524. jarg422h.htm#blast
1525. jarg422h.htm#snarf
1526. jarg422h.htm#blivet
1527. jarg422h.htm#blit
1528. jarg422h.htm#%3d%20B%20%3d
1529. jarg422h.htm#blit
1530. jarg422h.htm#cycle%20of%20reincarnation
1531. jarg422h.htm#raster%20blaster
1532. jarg422h.htm#bloatware
1533. jarg422h.htm#blitter
1534. jarg422h.htm#%3d%20B%20%3d
1535. jarg422h.htm#frob
1536. jarg422h.htm#BLOB
1537. jarg422h.htm#blivet
1538. jarg422h.htm#%3d%20B%20%3d
1539. jarg422h.htm#block
1540. jarg422h.htm#bloatware

1541. jarg422h.htm#%3d%20B%20%3d
1542. jarg422h.htm#mailbomb
1543. jarg422h.htm#block%20transfer%20computations
1544. jarg422h.htm#BLOB
1545. jarg422h.htm#%3d%20B%20%3d
1546. jarg422h.htm#busy-wait
1547. jarg422h.htm#Bloggs%20Family
1548. jarg422h.htm#block
1549. jarg422h.htm#%3d%20B%20%3d
1550. jarg422h.htm#blow%20an%20EPROM
1551. jarg422h.htm#block%20transfer%20computations
1552. jarg422h.htm#%3d%20B%20%3d
1553. jarg422h.htm#DEC
1554. jarg422h.htm#Dr.%20Fred%20Mbogo
1555. jarg422h.htm#J.%20Random%20Hacker
1556. jarg422h.htm#Fred%20Foobar
1557. jarg422h.htm#blow%20away
1558. jarg422h.htm#Bloggs%20Family
1559. jarg422h.htm#%3d%20B%20%3d
1560. jarg422h.htm#blow%20out
1561. jarg422h.htm#blow%20an%20EPROM
1562. jarg422h.htm#%3d%20B%20%3d
1563. jarg422h.htm#nuke
1564. jarg422h.htm#blow%20past
1565. jarg422h.htm#blow%20away
1566. jarg422h.htm#%3d%20B%20%3d
1567. jarg422h.htm#crash%20and%20burn
1568. jarg422h.htm#blow%20past
1569. jarg422h.htm#blow%20up
1570. jarg422h.htm#die%20horribly
1571. jarg422h.htm#blow%20up
1572. jarg422h.htm#blow%20out
1573. jarg422h.htm#%3d%20B%20%3d
1574. jarg422h.htm#blow%20out
1575. jarg422h.htm#BLT
1576. jarg422h.htm#blow%20past
1577. jarg422h.htm#%3d%20B%20%3d
1578. jarg422h.htm#nonlinear
1579. jarg422h.htm#blow%20out
1580. jarg422h.htm#Blue%20Book
1581. jarg422h.htm#blow%20up
1582. jarg422h.htm#%3d%20B%20%3d
1583. jarg422h.htm#blit
1584. jarg422h.htm#blit
1585. jarg422h.htm#bitblt
1586. jarg422h.htm#PDP-10
1587. jarg422h.htm#BLT
1588. jarg422h.htm#BLT
1589. jarg422h.htm#blue%20box
1590. jarg422h.htm#BLT
1591. jarg422h.htm#%3d%20B%20%3d
1592. jarg422h.htm#PostScript
1593. jarg422h.htm#Green%20Book

1594. jarg422h.htm#Red%20Book
1595. jarg422h.htm#White%20Book
1596. jarg422h.htm#book%20titles
1597. jarg422h.htm#Blue%20Glue
1598. jarg422h.htm#Blue%20Book
1599. jarg422h.htm#%3d%20B%20%3d
1600. jarg422h.htm#phreaker
1601. jarg422h.htm#IBM
1602. jarg422h.htm#blue%20goo
1603. jarg422h.htm#blue%20box
1604. jarg422h.htm#%3d%20B%20%3d
1605. jarg422h.htm#losing
1606. jarg422h.htm#bletcherous
1607. jarg422h.htm#fear%20and%20loathing
1608. jarg422h.htm#dinosaur%20pen
1609. jarg422h.htm#Blue%20Screen%20of%20Death
1610. jarg422h.htm#Blue%20Glue
1611. jarg422h.htm#%3d%20B%20%3d
1612. jarg422h.htm#nanobot
1613. jarg422h.htm#gray%20goo
1614. jarg422h.htm#nanotechnology
1615. jarg422h.htm#blue%20wire
1616. jarg422h.htm#blue%20goo
1617. jarg422h.htm#%3d%20B%20%3d
1618. jarg422h.htm#Black%20Screen%20of%20Death
1619. jarg422h.htm#BSOD
1620. <http://www.salonmagazine.com/21st/chal/1998/02/10chal2.html>
1621. jarg422h.htm#blurgle
1622. jarg422h.htm#Blue%20Screen%20of%20Death
1623. jarg422h.htm#%3d%20B%20%3d
1624. jarg422h.htm#purple%20wire
1625. jarg422h.htm#red%20wire
1626. jarg422h.htm#yellow%20wire
1627. jarg422h.htm#pink%20wire
1628. jarg422h.htm#BNF
1629. jarg422h.htm#blue%20wire
1630. jarg422h.htm#%3d%20B%20%3d
1631. jarg422h.htm#metasyntactic%20variable
1632. jarg422h.htm#mumble
1633. jarg422h.htm#boa
1634. jarg422h.htm#blurgle
1635. jarg422h.htm#%3d%20B%20%3d
1636. jarg422h.htm#parse
1637. jarg422h.htm#regexp
1638. jarg422h.htm#science-fiction%20fandom
1639. jarg422h.htm#board
1640. jarg422h.htm#BNF
1641. jarg422h.htm#%3d%20B%20%3d
1642. jarg422h.htm#dinosaur%20pen
1643. jarg422h.htm#boat%20anchor
1644. jarg422h.htm#boa
1645. jarg422h.htm#%3d%20B%20%3d
1646. jarg422h.htm#bboard

1647. jarg422h.htm#bboard
1648. jarg422h.htm#bob
1649. jarg422h.htm#board
1650. jarg422h.htm#%3d%20B%20%3d
1651. jarg422h.htm#doorstop
1652. jarg422h.htm#bodysurf%20code
1653. jarg422h.htm#boat%20anchor
1654. jarg422h.htm#%3d%20B%20%3d
1655. <http://www.demon.net/>
1656. jarg422h.htm#Church%20of%20the%20SubGenius
1657. jarg422h.htm#BOFH
1658. jarg422h.htm#luser
1659. <http://bob.bob.bofh.org/~giolla/bobcode.html>
1660. jarg422h.htm#BOF
1661. jarg422h.htm#bob
1662. jarg422h.htm#%3d%20B%20%3d
1663. jarg422h.htm#BOFH
1664. jarg422h.htm#bodysurf%20code
1665. jarg422h.htm#%3d%20B%20%3d
1666. jarg422h.htm#bogo-sort
1667. jarg422h.htm#BOF
1668. jarg422h.htm#%3d%20B%20%3d
1669. jarg422h.htm#luser
1670. <http://bofh.ntk.net/Bastard.html>
1671. jarg422h.htm#scary%20devil%20monastery
1672. jarg422h.htm#LART
1673. jarg422h.htm#bogometer
1674. jarg422h.htm#BOFH
1675. jarg422h.htm#%3d%20B%20%3d
1676. jarg422h.htm#bubble%20sort
1677. jarg422h.htm#bogus
1678. jarg422h.htm#brute%20force
1679. jarg422h.htm#lasherism
1680. jarg422h.htm#BogoMIPS
1681. jarg422h.htm#bogo-sort
1682. jarg422h.htm#%3d%20B%20%3d
1683. jarg422h.htm#bogosity
1684. jarg422h.htm#Troll-O-Meter
1685. jarg422h.htm#wank
1686. jarg422h.htm#bogus
1687. jarg422h.htm#bogon
1688. jarg422h.htm#bogometer
1689. jarg422h.htm#%3d%20B%20%3d
1690. jarg422h.htm#Linux
1691. <http://www.hobby.nl/~clifton>
1692. jarg422h.htm#MIPS
1693. jarg422h.htm#bogon%20filter
1694. jarg422h.htm#BogoMIPS
1695. jarg422h.htm#%3d%20B%20%3d
1696. jarg422h.htm#Bibliography
1697. jarg422h.htm#quantum%20bogodynamics
1698. jarg422h.htm#bogosity
1699. jarg422h.htm#bogus

1700. jarg422h.htm#psyton
1701. jarg422h.htm#fat%20electrons
1702. jarg422h.htm#magic%20smoke
1703. jarg422h.htm#randomness
1704. jarg422h.htm#magic%20smoke
1705. jarg422h.htm#bogon%20flux
1706. jarg422h.htm#bogon
1707. jarg422h.htm#%3d%20B%20%3d
1708. jarg422h.htm#bogosity
1709. jarg422h.htm#bogus
1710. jarg422h.htm#bogosity
1711. jarg422h.htm#bogon%20filter
1712. jarg422h.htm#%3d%20B%20%3d
1713. jarg422h.htm#bogosity
1714. jarg422h.htm#bogometer
1715. jarg422h.htm#quantum%20bogodynamics
1716. jarg422h.htm#bogotify
1717. jarg422h.htm#bogon%20flux
1718. jarg422h.htm#%3d%20B%20%3d
1719. jarg422h.htm#bogus
1720. jarg422h.htm#bogometer
1721. jarg422h.htm#microLenat
1722. jarg422h.htm#bogon%20flux
1723. jarg422h.htm#quantum%20bogodynamics
1724. jarg422h.htm#bogon%20flux
1725. jarg422h.htm#bogon%20filter
1726. jarg422h.htm#bogus
1727. jarg422h.htm#bogue%20out
1728. jarg422h.htm#bogosity
1729. jarg422h.htm#%3d%20B%20%3d
1730. jarg422h.htm#bogosity
1731. jarg422h.htm#bogus
1732. jarg422h.htm#bogus
1733. jarg422h.htm#bogotify
1734. jarg422h.htm#%3d%20B%20%3d
1735. jarg422h.htm#flame
1736. jarg422h.htm#bogosity
1737. jarg422h.htm#bogus
1738. jarg422h.htm#Bohr%20bug
1739. jarg422h.htm#bogue%20out
1740. jarg422h.htm#%3d%20B%20%3d
1741. jarg422h.htm#random
1742. jarg422h.htm#bogometer
1743. jarg422h.htm#bogon
1744. jarg422h.htm#bogotify
1745. jarg422h.htm#quantum%20bogodynamics
1746. jarg422h.htm#Dr.%20Fred%20Mbogo
1747. jarg422h.htm#boink
1748. jarg422h.htm#bogus
1749. jarg422h.htm#%3d%20B%20%3d
1750. jarg422h.htm#bug
1751. jarg422h.htm#heisenbug
1752. jarg422h.htm#mandelbug

1753. jarg422h.htm#schroedinbug
1754. jarg422h.htm#bomb
1755. jarg422h.htm#Bohr%20bug
1756. jarg422h.htm#%3d%20B%20%3d
1757. jarg422h.htm#bounce
1758. jarg422h.htm#Usenet
1759. jarg422h.htm#%40-party
1760. jarg422h.htm#bonk%2foif
1761. jarg422h.htm#bondage-and-discipline%20language
1762. jarg422h.htm#boink
1763. jarg422h.htm#%3d%20B%20%3d
1764. jarg422h.htm#crash
1765. jarg422h.htm#guru%20meditation
1766. jarg422h.htm#guru%20meditation
1767. jarg422h.htm#MS-DOS
1768. jarg422h.htm#locked%20up
1769. jarg422h.htm#bonk%2foif
1770. jarg422h.htm#bomb
1771. jarg422h.htm#%3d%20B%20%3d
1772. jarg422h.htm#Pascal
1773. jarg422h.htm#Ada
1774. jarg422h.htm#Pascal
1775. jarg422h.htm#languages%20of%20choice
1776. jarg422h.htm#book%20titles
1777. jarg422h.htm#bondage-and-discipline%20language
1778. jarg422h.htm#%3d%20B%20%3d
1779. jarg422h.htm#MUD
1780. jarg422h.htm#boink
1781. jarg422h.htm#talk%20mode
1782. jarg422h.htm#boot
1783. jarg422h.htm#bonk%2foif
1784. jarg422h.htm#%3d%20B%20%3d
1785. jarg422h.htm#Aluminum%20Book
1786. jarg422h.htm#Blue%20Book
1787. jarg422h.htm#Camel%20Book
1788. jarg422h.htm#Cinderella%20Book
1789. jarg422h.htm#Devil%20Book
1790. jarg422h.htm#Dragon%20Book
1791. jarg422h.htm#Green%20Book
1792. jarg422h.htm#Orange%20Book
1793. jarg422h.htm#Purple%20Book
1794. jarg422h.htm#Red%20Book
1795. jarg422h.htm#Silver%20Book
1796. jarg422h.htm#White%20Book
1797. jarg422h.htm#Wizard%20Book
1798. jarg422h.htm#Yellow%20Book
1799. jarg422h.htm#bible
1800. jarg422h.htm#rainbow%20series
1801. jarg422h.htm#Borg
1802. jarg422h.htm#book%20titles
1803. jarg422h.htm#%3d%20B%20%3d
1804. jarg422h.htm#bounce
1805. jarg422h.htm#wedgitude

1806. jarg422h.htm#mess-dos
1807. jarg422h.htm#power%20cycle
1808. jarg422h.htm#borken
1809. jarg422h.htm#boot
1810. jarg422h.htm#%3d%20B%20%3d
1811. jarg422h.htm#Microsoft
1812. jarg422h.htm#Halloween%20Documents
1813. jarg422h.htm#Evil%20Empire
1814. jarg422h.htm#Internet%20Exploiter
1815. jarg422h.htm#bot
1816. jarg422h.htm#Borg
1817. jarg422h.htm#%3d%20B%20%3d
1818. jarg422h.htm#bot%20spot
1819. jarg422h.htm#borken
1820. jarg422h.htm#%3d%20B%20%3d
1821. jarg422h.htm#IRC
1822. jarg422h.htm#MUD
1823. jarg422h.htm#nick
1824. <http://www.telefragged.com/thefatal/>
1825. jarg422h.htm#spider
1826. jarg422h.htm#bottom%20feeder
1827. jarg422h.htm#bot
1828. jarg422h.htm#%3d%20B%20%3d
1829. jarg422h.htm#bot
1830. jarg422h.htm#bottom-up%20implementation
1831. jarg422h.htm#bot%20spot
1832. jarg422h.htm#%3d%20B%20%3d
1833. jarg422h.htm#netiquette
1834. jarg422h.htm#slopsucker
1835. jarg422h.htm#bounce
1836. jarg422h.htm#bottom%20feeder
1837. jarg422h.htm#%3d%20B%20%3d
1838. jarg422h.htm#bounce%20message
1839. jarg422h.htm#bottom-up%20implementation
1840. jarg422h.htm#%3d%20B%20%3d
1841. jarg422h.htm#bounce%20message
1842. jarg422h.htm#D.%20C.%20Power%20Lab
1843. jarg422h.htm#boink
1844. jarg422h.htm#VMS
1845. jarg422h.htm#Unix
1846. jarg422h.htm#power%20cycle
1847. jarg422h.htm#boustrophedon
1848. jarg422h.htm#bounce
1849. jarg422h.htm#%3d%20B%20%3d
1850. jarg422h.htm#email
1851. jarg422h.htm#Internet%20address
1852. jarg422h.htm#bang%20path
1853. jarg422h.htm#bounce
1854. jarg422h.htm#down
1855. jarg422h.htm#sorcerer's%20apprentice%20mode
1856. jarg422h.htm#software%20laser
1857. jarg422h.htm#box
1858. jarg422h.htm#bounce%20message

1859. jarg422h.htm#%3d%20B%20%3d
1860. jarg422h.htm#boxed%20comments
1861. jarg422h.htm#boustrophedon
1862. jarg422h.htm#%3d%20B%20%3d
1863. jarg422h.htm#mainframe
1864. jarg422h.htm#dinosaur%20pen
1865. jarg422h.htm#box
1866. jarg422h.htm#fall%20over
1867. jarg422h.htm#IBM
1868. jarg422h.htm#fear%20and%20loathing
1869. jarg422h.htm#Blue%20Glue
1870. jarg422h.htm#boxen
1871. jarg422h.htm#box
1872. jarg422h.htm#%3d%20B%20%3d
1873. jarg422h.htm#winged%20comments
1874. jarg422h.htm#boxology
1875. jarg422h.htm#boxed%20comments
1876. jarg422h.htm#%3d%20B%20%3d
1877. jarg422h.htm#VAXen
1878. jarg422h.htm#box
1879. jarg422h.htm#Unix
1880. jarg422h.htm#bozotic
1881. jarg422h.htm#boxen
1882. jarg422h.htm#%3d%20B%20%3d
1883. jarg422h.htm#ASCII%20art
1884. jarg422h.htm#macrology
1885. jarg422h.htm#BQS
1886. jarg422h.htm#boxology
1887. jarg422h.htm#%3d%20B%20%3d
1888. jarg422h.htm#wonky
1889. jarg422h.htm#demented
1890. jarg422h.htm#brain%20dump
1891. jarg422h.htm#bozotic
1892. jarg422h.htm#%3d%20B%20%3d
1893. jarg422h.htm#Berkeley%20Quality%20Software
1894. jarg422h.htm#brain%20fart
1895. jarg422h.htm#BQS
1896. jarg422h.htm#%3d%20B%20%3d
1897. jarg422h.htm#core%20dump
1898. jarg422h.htm#state
1899. jarg422h.htm#core%20dump
1900. jarg422h.htm#brain-damaged
1901. jarg422h.htm#brain%20dump
1902. jarg422h.htm#%3d%20B%20%3d
1903. jarg422h.htm#braino
1904. jarg422h.htm#brain-dead
1905. jarg422h.htm#brain%20fart
1906. jarg422h.htm#%3d%20B%20%3d
1907. jarg422h.htm#Multics
1908. jarg422h.htm#cretinous
1909. jarg422h.htm#demented
1910. jarg422h.htm#crippleware
1911. jarg422h.htm#braino

1912. jarg422h.htm#brain-damaged
1913. jarg422h.htm#%3d%20B%20%3d
1914. jarg422h.htm#branch%20to%20Fishkill
1915. jarg422h.htm#brain-dead
1916. jarg422h.htm#%3d%20B%20%3d
1917. jarg422h.htm#thinko
1918. jarg422h.htm#brain%20fart
1919. jarg422h.htm#bread%20crumbs
1920. jarg422h.htm#braino
1921. jarg422h.htm#%3d%20B%20%3d
1922. jarg422h.htm#jump%20off%20into%20never-never%20land
1923. jarg422h.htm#hyperspace
1924. jarg422h.htm#break
1925. jarg422h.htm#branch%20to%20Fishkill
1926. jarg422h.htm#%3d%20B%20%3d
1927. jarg422h.htm#state
1928. jarg422h.htm#break-even%20point
1929. jarg422h.htm#bread%20crumbs
1930. jarg422h.htm#%3d%20B%20%3d
1931. jarg422h.htm#broken
1932. jarg422h.htm#control-C
1933. jarg422h.htm#breath-of-life%20packet
1934. jarg422h.htm#break
1935. jarg422h.htm#%3d%20B%20%3d
1936. jarg422h.htm#MFTL
1937. jarg422h.htm#VAXen
1938. <http://www.ccil.org/retro>
1939. jarg422h.htm#breedle
1940. jarg422h.htm#break-even%20point
1941. jarg422h.htm#%3d%20B%20%3d
1942. jarg422h.htm#boot
1943. jarg422h.htm#dickless%20workstation
1944. jarg422h.htm#Breibart%20Index
1945. jarg422h.htm#breath-of-life%20packet
1946. jarg422h.htm#%3d%20B%20%3d
1947. jarg422h.htm#feep
1948. jarg422h.htm#bring%20X%20to%20its%20knees
1949. jarg422h.htm#breedle
1950. jarg422h.htm#%3d%20B%20%3d
1951. jarg422h.htm#EMP
1952. jarg422h.htm#ECP
1953. jarg422h.htm#brittle
1954. jarg422h.htm#Breibart%20Index
1955. jarg422h.htm#%3d%20B%20%3d
1956. jarg422h.htm#pathological
1957. jarg422h.htm#vi
1958. jarg422h.htm#EMACS
1959. jarg422h.htm#hog
1960. jarg422h.htm#broadcast%20storm
1961. jarg422h.htm#bring%20X%20to%20its%20knees
1962. jarg422h.htm#%3d%20B%20%3d
1963. jarg422h.htm#robust
1964. jarg422h.htm#brochureware

1965. jarg422h.htm#brittle
1966. jarg422h.htm#%3d%20B%20%3d
1967. jarg422h.htm#network%20meltdown
1968. jarg422h.htm#mail%20storm
1969. jarg422h.htm#broken
1970. jarg422h.htm#broadcast%20storm
1971. jarg422h.htm#%3d%20B%20%3d
1972. jarg422h.htm#vaporware
1973. jarg422h.htm#broken%20arrow
1974. jarg422h.htm#brochureware
1975. jarg422h.htm#%3d%20B%20%3d
1976. jarg422h.htm#BrokenWindows
1977. jarg422h.htm#broken
1978. jarg422h.htm#%3d%20B%20%3d
1979. jarg422h.htm#down
1980. jarg422h.htm#broket
1981. jarg422h.htm#broken%20arrow
1982. jarg422h.htm#%3d%20B%20%3d
1983. jarg422h.htm#crufty
1984. jarg422h.htm#elephantine
1985. jarg422h.htm#X
1986. jarg422h.htm#Brooks's%20Law
1987. jarg422h.htm#BrokenWindows
1988. jarg422h.htm#%3d%20B%20%3d
1989. jarg422h.htm#Real%20World
1990. jarg422h.htm#angle%20brackets
1991. jarg422h.htm#brown-paper-bag%20bug
1992. jarg422h.htm#broket
1993. jarg422h.htm#%3d%20B%20%3d
1994. jarg422h.htm#bazaar
1995. jarg422h.htm#management
1996. jarg422h.htm#creationism
1997. jarg422h.htm#second-system%20effect
1998. jarg422h.htm#optimism
1999. jarg422h.htm#browser
2000. jarg422h.htm#Brooks's%20Law
2001. jarg422h.htm#%3d%20B%20%3d
2002. jarg422h.htm#BRS
2003. jarg422h.htm#brown-paper-bag%20bug
2004. jarg422h.htm#%3d%20B%20%3d
2005. jarg422h.htm#brute%20force
2006. jarg422h.htm#browser
2007. jarg422h.htm#%3d%20B%20%3d
2008. jarg422h.htm#Big%20Red%20Switch
2009. jarg422h.htm#brute%20force%20and%20ignorance
2010. jarg422h.htm#BRS
2011. jarg422h.htm#%3d%20B%20%3d
2012. jarg422h.htm#brute%20force%20and%20ignorance
2013. jarg422h.htm#canonical
2014. jarg422h.htm#NP-
2015. jarg422h.htm#bignum
2016. jarg422h.htm#NP-
2017. jarg422h.htm#ha%20ha%20only%20serious

2018. jarg422h.htm#brittle
2019. jarg422h.htm#BSD
2020. jarg422h.htm#brute%20force
2021. jarg422h.htm#%3d%20B%20%3d
2022. jarg422h.htm#brute%20force
2023. jarg422h.htm#larval%20stage
2024. jarg422h.htm#bubble%20sort
2025. jarg422h.htm#bogosity
2026. jarg422h.htm#BSOD
2027. jarg422h.htm#brute%20force%20and%20ignorance
2028. jarg422h.htm#%3d%20B%20%3d
2029. jarg422h.htm#Unix
2030. jarg422h.htm#DEC
2031. jarg422h.htm#VAX
2032. jarg422h.htm#Berzerkeley
2033. jarg422h.htm#4.2
2034. jarg422h.htm#Unix
2035. jarg422h.htm#USG%20Unix
2036. jarg422h.htm#BUAF
2037. jarg422h.htm#BSD
2038. jarg422h.htm#%3d%20B%20%3d
2039. jarg422h.htm#Blue%20Screen%20of%20Death
2040. jarg422h.htm#BUAG
2041. jarg422h.htm#BSOD
2042. jarg422h.htm#%3d%20B%20%3d
2043. jarg422h.htm#ASCII%20art
2044. jarg422h.htm#banner
2045. jarg422h.htm#sig%20block
2046. jarg422h.htm#warlording
2047. jarg422h.htm#bubble%20sort
2048. jarg422h.htm#BUAF
2049. jarg422h.htm#%3d%20B%20%3d
2050. jarg422h.htm#ASCII%20art
2051. jarg422h.htm#sig%20block
2052. jarg422h.htm#sig%20block
2053. jarg422h.htm#warlording
2054. jarg422h.htm#bucky%20bits
2055. jarg422h.htm#BUAG
2056. jarg422h.htm#%3d%20B%20%3d
2057. jarg422h.htm#naive
2058. jarg422h.htm#canonical
2059. jarg422h.htm#bogo-sort
2060. jarg422h.htm#buffer%20chuck
2061. jarg422h.htm#bubble%20sort
2062. jarg422h.htm#%3d%20B%20%3d
2063. jarg422h.htm#space-cadet%20keyboard
2064. jarg422h.htm#double%20bucky
2065. jarg422h.htm#quadruple%20bucky
2066. jarg422h.htm#buffer%20overflow
2067. jarg422h.htm#bucky%20bits
2068. jarg422h.htm#%3d%20B%20%3d
2069. jarg422h.htm#buffer%20overflow
2070. jarg422h.htm#bug

2071. jarg422h.htm#buffer%20chuck
2072. jarg422h.htm#%3d%20B%20%3d
2073. jarg422h.htm#cracker
2074. jarg422h.htm#overrun
2075. jarg422h.htm#firehose%20syndrome
2076. jarg422h.htm#crunch
2077. jarg422h.htm#lossage
2078. jarg422h.htm#spam
2079. jarg422h.htm#overrun%20screw
2080. jarg422h.htm#bug-compatible
2081. jarg422h.htm#buffer%20overflow
2082. jarg422h.htm#%3d%20B%20%3d
2083. jarg422h.htm#feature
2084. jarg422h.htm#COBOL
2085. jarg422h.htm#glitch
2086. jarg422h.htm#bug
2087. jarg422h.htm#bug-for-bug%20compatible
2088. jarg422h.htm#bug
2089. jarg422h.htm#%3d%20B%20%3d
2090. jarg422h.htm#fossil
2091. jarg422h.htm#misfeature
2092. jarg422h.htm#bug-of-the-month%20club
2093. jarg422h.htm#bug-compatible
2094. jarg422h.htm#%3d%20B%20%3d
2095. jarg422h.htm#bug-compatible
2096. jarg422h.htm#buglix
2097. jarg422h.htm#bug-for-bug%20compatible
2098. jarg422h.htm#%3d%20B%20%3d
2099. jarg422h.htm#cracker
2100. jarg422h.htm#kernel-of-the-week%20club
2101. jarg422h.htm#bulletproof
2102. jarg422h.htm#bug-of-the-month%20club
2103. jarg422h.htm#%3d%20B%20%3d
2104. jarg422h.htm#DEC
2105. jarg422h.htm#AIDX
2106. jarg422h.htm#HP-SUX
2107. jarg422h.htm#Nominal%20Semidestructor
2108. jarg422h.htm#Telerat
2109. jarg422h.htm#sun-stools
2110. jarg422h.htm#bullschildt
2111. jarg422h.htm#buglix
2112. jarg422h.htm#%3d%20B%20%3d
2113. jarg422h.htm#robust
2114. jarg422h.htm#code
2115. jarg422h.htm#armor-plated
2116. jarg422h.htm#bum
2117. jarg422h.htm#bulletproof
2118. jarg422h.htm#%3d%20B%20%3d
2119. jarg422h.htm#C
2120. jarg422h.htm#bump
2121. jarg422h.htm#bullschildt
2122. jarg422h.htm#%3d%20B%20%3d
2123. jarg422h.htm#elder%20days

2124. jarg422h.htm#LISP
2125. jarg422h.htm#featurectomy
2126. jarg422h.htm#tune
2127. jarg422h.htm#tweak
2128. jarg422h.htm#hack
2129. jarg422h.htm#burble
2130. jarg422h.htm#bum
2131. jarg422h.htm#%3d%20B%20%3d
2132. jarg422h.htm#buried%20treasure
2133. jarg422h.htm#bump
2134. jarg422h.htm#%3d%20B%20%3d
2135. jarg422h.htm#flame
2136. jarg422h.htm#burn-in%20period
2137. jarg422h.htm#burble
2138. jarg422h.htm#%3d%20B%20%3d
2139. jarg422h.htm#crufty
2140. jarg422h.htm#bletcherous
2141. jarg422h.htm#bubble%20sort
2142. jarg422h.htm#burst%20page
2143. jarg422h.htm#buried%20treasure
2144. jarg422h.htm#%3d%20B%20%3d
2145. jarg422h.htm#marginal
2146. jarg422h.htm#bathtub%20curve
2147. jarg422h.htm#infant%20mortality
2148. jarg422h.htm#hack%20mode
2149. jarg422h.htm#larval%20stage
2150. jarg422h.htm#busy-wait
2151. jarg422h.htm#burn-in%20period
2152. jarg422h.htm#%3d%20B%20%3d
2153. jarg422h.htm#banner
2154. jarg422h.htm#buzz
2155. jarg422h.htm#burst%20page
2156. jarg422h.htm#%3d%20B%20%3d
2157. jarg422h.htm#spin
2158. jarg422h.htm#hog
2159. jarg422h.htm#BWQ
2160. jarg422h.htm#busy-wait
2161. jarg422h.htm#%3d%20B%20%3d
2162. jarg422h.htm#catatonic
2163. jarg422h.htm#spin
2164. jarg422h.htm#grovel
2165. jarg422h.htm#by%20hand
2166. jarg422h.htm#buzz
2167. jarg422h.htm#%3d%20B%20%3d
2168. jarg422h.htm#bogosity
2169. jarg422h.htm#TLA
2170. jarg422h.htm#byte
2171. jarg422h.htm#BWQ
2172. jarg422h.htm#%3d%20B%20%3d
2173. jarg422h.htm#eyeball%20search
2174. jarg422h.htm#byte%20sex
2175. jarg422h.htm#by%20hand
2176. jarg422h.htm#%3d%20B%20%3d

2177. jarg422h.htm#bit
2178. jarg422h.htm#nybble
2179. jarg422h.htm#bytesexual
2180. jarg422h.htm#byte
2181. jarg422h.htm#%3d%20B%20%3d
2182. jarg422h.htm#big-endian
2183. jarg422h.htm#little-endian
2184. jarg422h.htm#Bzzzt!%20Wrong.
2185. jarg422h.htm#byte%20sex
2186. jarg422h.htm#%3d%20B%20%3d
2187. jarg422h.htm#big-endian
2188. jarg422h.htm#little-endian
2189. jarg422h.htm#mode%20bit
2190. jarg422h.htm#NIXI%20problem
2191. jarg422h.htm#C
2192. jarg422h.htm#bytesexual
2193. jarg422h.htm#%3d%20B%20%3d
2194. jarg422h.htm#%3d%20D%20%3d
2195. jarg422h.htm#%3d%20B%20%3d
2196. jarg422h.htm#The%20Jargon%20Lexicon
2197. jarg422h.htm#C
2198. jarg422h.htm#C%20Programmer's%20Disease
2199. jarg422h.htm#C&C
2200. jarg422h.htm#C++
2201. jarg422h.htm#calculator
2202. jarg422h.htm#Camel%20Book
2203. jarg422h.htm#can
2204. jarg422h.htm#can't%20happen
2205. jarg422h.htm#cancelbot
2206. jarg422h.htm#Cancelmoose%5btm%5d
2207. jarg422h.htm#candygrammar
2208. jarg422h.htm#canonical
2209. jarg422h.htm#card%20wallpaper
2210. jarg422h.htm#careware
2211. jarg422h.htm#cargo%20cult%20programming
2212. jarg422h.htm#cascade
2213. jarg422h.htm#case%20and%20paste
2214. jarg422h.htm#casters-up%20mode
2215. jarg422h.htm#casting%20the%20runes
2216. jarg422h.htm#cat
2217. jarg422h.htm#catatonic
2218. jarg422h.htm#cathedral
2219. jarg422h.htm#cd%20tilde
2220. jarg422h.htm#CDA
2221. jarg422h.htm#cdr
2222. jarg422h.htm#chad
2223. jarg422h.htm#chad%20box
2224. jarg422h.htm#chain
2225. jarg422h.htm#channel
2226. jarg422h.htm#channel%20hopping
2227. jarg422h.htm#channel%20op
2228. jarg422h.htm#chanop
2229. jarg422h.htm#char

2230. jarg422h.htm#charityware
2231. jarg422h.htm#chase%20pointers
2232. jarg422h.htm#chawmp
2233. jarg422h.htm#check
2234. jarg422h.htm#cheerfully
2235. jarg422h.htm#chemist
2236. jarg422h.htm#Chernobyl%20chicken
2237. jarg422h.htm#Chernobyl%20packet
2238. jarg422h.htm#chicken%20head
2239. jarg422h.htm#chiclet%20keyboard
2240. jarg422h.htm#Chinese%20Army%20technique
2241. jarg422h.htm#choad
2242. jarg422h.htm#choke
2243. jarg422h.htm#chomp
2244. jarg422h.htm#chomper
2245. jarg422h.htm#CHOP
2246. jarg422h.htm#Christmas%20tree
2247. jarg422h.htm#Christmas%20tree%20packet
2248. jarg422h.htm#chrome
2249. jarg422h.htm#chug
2250. jarg422h.htm#Church%20of%20the%20SubGenius
2251. jarg422h.htm#Cinderella%20Book
2252. jarg422h.htm#CI\$
2253. jarg422h.htm#Classic%20C
2254. jarg422h.htm#clean
2255. jarg422h.htm#CLM
2256. jarg422h.htm#clobber
2257. jarg422h.htm#clock
2258. jarg422h.htm#clocks
2259. jarg422h.htm#clone
2260. jarg422h.htm#clone-and-hack%20coding
2261. jarg422h.htm#clover%20key
2262. jarg422h.htm#clue-by-four
2263. jarg422h.htm#clustergeeking
2264. jarg422h.htm#co-lo
2265. jarg422h.htm#code
2266. jarg422h.htm#coaster
2267. jarg422h.htm#COBOL
2268. jarg422h.htm#COBOL%20fingers
2269. jarg422h.htm#cobweb%20site
2270. jarg422h.htm#code%20grinder
2271. jarg422h.htm#code%20monkey
2272. jarg422h.htm#Code%20of%20the%20Geeks
2273. jarg422h.htm#code%20police
2274. jarg422h.htm#codes
2275. jarg422h.htm#codewalker
2276. jarg422h.htm#coefficient%20of%20X
2277. jarg422h.htm#cokebottle
2278. jarg422h.htm#cold%20boot
2279. jarg422h.htm#COME%20FROM
2280. jarg422h.htm#comm%20mode
2281. jarg422h.htm#command%20key
2282. jarg422h.htm#comment%20out

2283. jarg422h.htm#Commonwealth%20Hackish
2284. jarg422h.htm#compact
2285. jarg422h.htm#compiler%20jock
2286. jarg422h.htm#compo
2287. jarg422h.htm#compress
2288. jarg422h.htm#Compu\$erve
2289. jarg422h.htm#computer%20confetti
2290. jarg422h.htm#computer%20geek
2291. jarg422h.htm#computron
2292. jarg422h.htm#con
2293. jarg422h.htm#condition%20out
2294. jarg422h.htm#condom
2295. jarg422h.htm#confuser
2296. jarg422h.htm#connector%20conspiracy
2297. jarg422h.htm#cons
2298. jarg422h.htm#considered%20harmful
2299. jarg422h.htm#console
2300. jarg422h.htm#console%20jockey
2301. jarg422h.htm#content-free
2302. jarg422h.htm#control-C
2303. jarg422h.htm#control-O
2304. jarg422h.htm#control-Q
2305. jarg422h.htm#control-S
2306. jarg422h.htm#Conway's%20Law
2307. jarg422h.htm#cookbook
2308. jarg422h.htm#cooked%20mode
2309. jarg422h.htm#cookie
2310. jarg422h.htm#cookie%20bear
2311. jarg422h.htm#cookie%20file
2312. jarg422h.htm#cookie%20jar
2313. jarg422h.htm#cookie%20monster
2314. jarg422h.htm#copious%20free%20time
2315. jarg422h.htm#copper
2316. jarg422h.htm#copy%20protection
2317. jarg422h.htm#copybroke
2318. jarg422h.htm#copycenter
2319. jarg422h.htm#copyleft
2320. jarg422h.htm#copyparty
2321. jarg422h.htm#copywronged
2322. jarg422h.htm#core
2323. jarg422h.htm#core%20cancer
2324. jarg422h.htm#core%20dump
2325. jarg422h.htm#core%20leak
2326. jarg422h.htm#Core%20Wars
2327. jarg422h.htm#corge
2328. jarg422h.htm#cosmic%20rays
2329. jarg422h.htm#cough%20and%20die
2330. jarg422h.htm#courier
2331. jarg422h.htm#cow%20orker
2332. jarg422h.htm#cowboy
2333. jarg422h.htm#CP%2fM
2334. jarg422h.htm#CPU%20Wars
2335. jarg422h.htm#crack

2336. jarg422h.htm#crack%20root
2337. jarg422h.htm#cracker
2338. jarg422h.htm#cracking
2339. jarg422h.htm#crank
2340. jarg422h.htm#crapplet
2341. jarg422h.htm#CrApTeX
2342. jarg422h.htm#crash
2343. jarg422h.htm#crash%20and%20burn
2344. jarg422h.htm#crawling%20horror
2345. jarg422h.htm#cray
2346. jarg422h.htm#cray%20instability
2347. jarg422h.htm#crayola
2348. jarg422h.htm#crayola%20books
2349. jarg422h.htm#crayon
2350. jarg422h.htm#creationism
2351. jarg422h.htm#creep
2352. jarg422h.htm#creeping%20elegance
2353. jarg422h.htm#creeping%20featurism
2354. jarg422h.htm#creeping%20featuritis
2355. jarg422h.htm#cretin
2356. jarg422h.htm#cretinous
2357. jarg422h.htm#crippleware
2358. jarg422h.htm#critical%20mass
2359. jarg422h.htm#crlf
2360. jarg422h.htm#crock
2361. jarg422h.htm#cross-post
2362. jarg422h.htm#crossload
2363. jarg422h.htm#crudware
2364. jarg422h.htm#cruft
2365. jarg422h.htm#cruft%20together
2366. jarg422h.htm#cruftsmanship
2367. jarg422h.htm#crufty
2368. jarg422h.htm#crumb
2369. jarg422h.htm#crunch
2370. jarg422h.htm#cryppie
2371. jarg422h.htm#CTSS
2372. jarg422h.htm#cube
2373. jarg422h.htm#cubing
2374. jarg422h.htm#cup%20holder
2375. jarg422h.htm#cursor%20dipped%20in%20X
2376. jarg422h.htm#cuspy
2377. jarg422h.htm#cut%20a%20tape
2378. jarg422h.htm#cybercrud
2379. jarg422h.htm#cyberpunk
2380. jarg422h.htm#cyberspace
2381. jarg422h.htm#cycle
2382. jarg422h.htm#cycle%20crunch
2383. jarg422h.htm#cycle%20drought
2384. jarg422h.htm#cycle%20of%20reincarnation
2385. jarg422h.htm#cycle%20server
2386. jarg422h.htm#cypherpunk
2387. jarg422h.htm#C%7cN%3eK
2388. jarg422h.htm#C%20Programmer's%20Disease

2389. [jarg422h.htm#Bzzzt!%20Wrong.](#)
2390. [jarg422h.htm#%3d%20C%20%3d](#)
2391. [jarg422h.htm#Unix](#)
2392. [jarg422h.htm#C++](#)
2393. [jarg422h.htm#languages%20of%20choice](#)
2394. [jarg422h.htm#indent%20style](#)
2395. [jarg422h.htm#C&C](#)
2396. [jarg422h.htm#C](#)
2397. [jarg422h.htm#%3d%20C%20%3d](#)
2398. [jarg422h.htm#fandango%20on%20core](#)
2399. [jarg422h.htm#C++](#)
2400. [jarg422h.htm#C%20Programmer's%20Disease](#)
2401. [jarg422h.htm#%3d%20C%20%3d](#)
2402. [jarg422h.htm#snarf](#)
2403. [jarg422h.htm#calculator](#)
2404. [jarg422h.htm#C&C](#)
2405. [jarg422h.htm#%3d%20C%20%3d](#)
2406. [jarg422h.htm#C](#)
2407. [jarg422h.htm#languages%20of%20choice](#)
2408. [jarg422h.htm#Ada](#)
2409. [jarg422h.htm#second-system%20effect](#)
2410. [jarg422h.htm#language%20lawyer](#)
2411. [jarg422h.htm#cruft](#)
2412. [jarg422h.htm#Java](#)
2413. [jarg422h.htm#Camel%20Book](#)
2414. [jarg422h.htm#C++](#)
2415. [jarg422h.htm#%3d%20C%20%3d](#)
2416. [jarg422h.htm#bitty%20box](#)
2417. [jarg422h.htm#can](#)
2418. [jarg422h.htm#calculator](#)
2419. [jarg422h.htm#%3d%20C%20%3d](#)
2420. [jarg422h.htm#Perl](#)
2421. [jarg422h.htm#can't%20happen](#)
2422. [jarg422h.htm#Camel%20Book](#)
2423. [jarg422h.htm#%3d%20C%20%3d](#)
2424. [jarg422h.htm#console](#)
2425. [jarg422h.htm#gun](#)
2426. [jarg422h.htm#cancelbot](#)
2427. [jarg422h.htm#can](#)
2428. [jarg422h.htm#%3d%20C%20%3d](#)
2429. [jarg422h.htm#firewall%20code](#)
2430. [jarg422h.htm#Cancelmoose%5btm%5d](#)
2431. [jarg422h.htm#can't%20happen](#)
2432. [jarg422h.htm#%3d%20C%20%3d](#)
2433. [jarg422h.htm#robocanceller](#)
2434. [jarg422h.htm#candygrammar](#)
2435. [jarg422h.htm#cancelbot](#)
2436. [jarg422h.htm#%3d%20C%20%3d](#)
2437. [jarg422h.htm#spam](#)
2438. <mailto:moose@cm.org>
2439. <http://www.cm.org/>
2440. [jarg422h.htm#canonical](#)
2441. [jarg422h.htm#Cancelmoose%5btm%5d](#)

2442. jarg422h.htm#%3d%20C%20%3d
2443. jarg422h.htm#syntactic%20sugar
2444. jarg422h.htm#COBOL
2445. jarg422h.htm#card%20walloper
2446. jarg422h.htm#candygrammar
2447. jarg422h.htm#%3d%20C%20%3d
2448. jarg422h.htm#Knights%20of%20the%20Lambda%20Calculus
2449. jarg422h.htm#vanilla
2450. jarg422h.htm#careware
2451. jarg422h.htm#canonical
2452. jarg422h.htm#%3d%20C%20%3d
2453. jarg422h.htm#code%20grinder
2454. jarg422h.htm#punched%20card
2455. jarg422h.htm#eighty-column%20mind
2456. jarg422h.htm#cargo%20cult%20programming
2457. jarg422h.htm#card%20walloper
2458. jarg422h.htm#%3d%20C%20%3d
2459. jarg422h.htm#shareware
2460. jarg422h.htm#charityware
2461. jarg422h.htm#crippleware
2462. jarg422h.htm#cascade
2463. jarg422h.htm#careware
2464. jarg422h.htm#%3d%20C%20%3d
2465. jarg422h.htm#shotgun%20debugging
2466. jarg422h.htm#voodoo%20programming
2467. jarg422h.htm#case%20and%20paste
2468. jarg422h.htm#cargo%20cult%20programming
2469. jarg422h.htm#%3d%20C%20%3d
2470. jarg422h.htm#include%20war
2471. jarg422h.htm#casters-up%20mode
2472. jarg422h.htm#cascade
2473. jarg422h.htm#%3d%20C%20%3d
2474. jarg422h.htm#feature
2475. jarg422h.htm#software%20bloat
2476. jarg422h.htm#DEC
2477. jarg422h.htm#casting%20the%20runes
2478. jarg422h.htm#case%20and%20paste
2479. jarg422h.htm#%3d%20C%20%3d
2480. jarg422h.htm#cat
2481. jarg422h.htm#casters-up%20mode
2482. jarg422h.htm#%3d%20C%20%3d
2483. jarg422h.htm#guru
2484. jarg422h.htm#incantation
2485. jarg422h.htm#runes
2486. jarg422h.htm#examining%20the%20entrails
2487. jarg422h.htm#Some%20AI%20Koans
2488. jarg422h.htm#field%20circus
2489. jarg422h.htm#catatonic
2490. jarg422h.htm#casting%20the%20runes
2491. jarg422h.htm#%3d%20C%20%3d
2492. jarg422h.htm#Unix
2493. jarg422h.htm#blast
2494. jarg422h.htm#dd

2495. jarg422h.htm#BLT
2496. jarg422h.htm#canonical
2497. jarg422h.htm#blast
2498. jarg422h.htm#cdr
2499. jarg422h.htm#holy%20wars
2500. jarg422h.htm#cathedral
2501. jarg422h.htm#cat
2502. jarg422h.htm#%3d%20C%20%3d
2503. jarg422h.htm#wedged
2504. jarg422h.htm#hung
2505. jarg422h.htm#nethack
2506. jarg422h.htm#buzz
2507. jarg422h.htm#cd%20tilde
2508. jarg422h.htm#catatonic
2509. jarg422h.htm#%3d%20C%20%3d
2510. jarg422h.htm#bazaar
2511. jarg422h.htm#Brooks's%20Law
2512. jarg422h.htm#CDA
2513. jarg422h.htm#cathedral
2514. jarg422h.htm#%3d%20C%20%3d
2515. jarg422h.htm#cdr
2516. jarg422h.htm#cd%20tilde
2517. jarg422h.htm#%3d%20C%20%3d
2518. jarg422h.htm#Black%20Thursday
2519. jarg422h.htm#home%20page
2520. jarg422h.htm#Exon
2521. jarg422h.htm#chad
2522. jarg422h.htm#CDA
2523. jarg422h.htm#%3d%20C%20%3d
2524. jarg422h.htm#loop%20through
2525. jarg422h.htm#chad%20box
2526. jarg422h.htm#cdr
2527. jarg422h.htm#%3d%20C%20%3d
2528. jarg422h.htm#selvage
2529. jarg422h.htm#perf
2530. jarg422h.htm#ripoff
2531. jarg422h.htm#backronym
2532. jarg422h.htm#chain
2533. jarg422h.htm#chad
2534. jarg422h.htm#%3d%20C%20%3d
2535. jarg422h.htm#chad
2536. jarg422h.htm#Iron%20Age
2537. jarg422h.htm#bit%20bucket
2538. jarg422h.htm#channel
2539. jarg422h.htm#chad%20box
2540. jarg422h.htm#%3d%20C%20%3d
2541. jarg422h.htm#OS
2542. jarg422h.htm#exec
2543. jarg422h.htm#channel%20hopping
2544. jarg422h.htm#chain
2545. jarg422h.htm#%3d%20C%20%3d
2546. jarg422h.htm#IRC
2547. jarg422h.htm#channel%20op

2548. jarg422h.htm#channel
2549. jarg422h.htm#%3d%20C%20%3d
2550. jarg422h.htm#IRC
2551. jarg422h.htm#chanop
2552. jarg422h.htm#channel%20hopping
2553. jarg422h.htm#%3d%20C%20%3d
2554. jarg422h.htm#IRC
2555. jarg422h.htm#kick
2556. jarg422h.htm#char
2557. jarg422h.htm#channel%20op
2558. jarg422h.htm#%3d%20C%20%3d
2559. jarg422h.htm#channel%20op
2560. jarg422h.htm#charityware
2561. jarg422h.htm#chanop
2562. jarg422h.htm#%3d%20C%20%3d
2563. jarg422h.htm#chase%20pointers
2564. jarg422h.htm#char
2565. jarg422h.htm#%3d%20C%20%3d
2566. jarg422h.htm#careware
2567. jarg422h.htm#chawmp
2568. jarg422h.htm#charityware
2569. jarg422h.htm#%3d%20C%20%3d
2570. jarg422h.htm#dangling%20pointer
2571. jarg422h.htm#snap
2572. jarg422h.htm#core%20dump
2573. jarg422h.htm#runes
2574. jarg422h.htm#check
2575. jarg422h.htm#chase%20pointers
2576. jarg422h.htm#%3d%20C%20%3d
2577. jarg422h.htm#nybble
2578. jarg422h.htm#cheerfully
2579. jarg422h.htm#chawmp
2580. jarg422h.htm#%3d%20C%20%3d
2581. jarg422h.htm#molly-guard
2582. jarg422h.htm#chemist
2583. jarg422h.htm#check
2584. jarg422h.htm#%3d%20C%20%3d
2585. jarg422h.htm#happily
2586. jarg422h.htm#Chernobyl%20chicken
2587. jarg422h.htm#cheerfully
2588. jarg422h.htm#%3d%20C%20%3d
2589. jarg422h.htm#number-crunching
2590. jarg422h.htm#life
2591. jarg422h.htm#Chernobyl%20packet
2592. jarg422h.htm#chemist
2593. jarg422h.htm#%3d%20C%20%3d
2594. jarg422h.htm#laser%20chicken
2595. jarg422h.htm#chicken%20head
2596. jarg422h.htm#Chernobyl%20chicken
2597. jarg422h.htm#%3d%20C%20%3d
2598. jarg422h.htm#broadcast%20storm
2599. jarg422h.htm#network%20meltdown
2600. jarg422h.htm#Christmas%20tree%20packet

2601. jarg422h.htm#chiclet%20keyboard
2602. jarg422h.htm#Chernobyl%20packet
2603. jarg422h.htm#%3d%20C%20%3d
2604. jarg422h.htm#amoeba
2605. jarg422h.htm#bitty%20box
2606. jarg422h.htm#PETSCII
2607. jarg422h.htm#Chinese%20Army%20technique
2608. jarg422h.htm#chicken%20head
2609. jarg422h.htm#%3d%20C%20%3d
2610. jarg422h.htm#choad
2611. jarg422h.htm#chiclet%20keyboard
2612. jarg422h.htm#%3d%20C%20%3d
2613. jarg422h.htm#Mongolian%20Hordes%20technique
2614. jarg422h.htm#choke
2615. jarg422h.htm#Chinese%20Army%20technique
2616. jarg422h.htm#%3d%20C%20%3d
2617. jarg422h.htm#chomp
2618. jarg422h.htm#choad
2619. jarg422h.htm#%3d%20C%20%3d
2620. jarg422h.htm#EMACS
2621. jarg422h.htm#X
2622. jarg422h.htm#barf
2623. jarg422h.htm#gag
2624. jarg422h.htm#vi
2625. jarg422h.htm#chomper
2626. jarg422h.htm#choke
2627. jarg422h.htm#%3d%20C%20%3d
2628. jarg422h.htm#lose
2629. jarg422h.htm#bagbiter
2630. jarg422h.htm#Verb%20Doubling
2631. jarg422h.htm#Jargon%20Construction
2632. jarg422h.htm#CHOP
2633. jarg422h.htm#chomp
2634. jarg422h.htm#%3d%20C%20%3d
2635. jarg422h.htm#loser
2636. jarg422h.htm#bagbiter
2637. jarg422h.htm#chomp
2638. jarg422h.htm#Christmas%20tree
2639. jarg422h.htm#chomper
2640. jarg422h.htm#%3d%20C%20%3d
2641. jarg422h.htm#channel%20op
2642. jarg422h.htm#Christmas%20tree%20packet
2643. jarg422h.htm#CHOP
2644. jarg422h.htm#%3d%20C%20%3d
2645. jarg422h.htm#chrome
2646. jarg422h.htm#Christmas%20tree
2647. jarg422h.htm#%3d%20C%20%3d
2648. jarg422h.htm#kamikaze%20packet
2649. jarg422h.htm#Chernobyl%20packet
2650. jarg422h.htm#Godzillagram
2651. jarg422h.htm#chug
2652. jarg422h.htm#Christmas%20tree%20packet
2653. jarg422h.htm#%3d%20C%20%3d

2654. jarg422h.htm#bells%20and%20whistles
2655. jarg422h.htm#Church%20of%20the%20SubGenius
2656. jarg422h.htm#chrome
2657. jarg422h.htm#%3d%20C%20%3d
2658. jarg422h.htm#grind
2659. jarg422h.htm#grovel
2660. jarg422h.htm#Cinderella%20Book
2661. jarg422h.htm#chug
2662. jarg422h.htm#%3d%20C%20%3d
2663. jarg422h.htm#Discordianism
2664. jarg422h.htm#slack
2665. <http://www.subgenius.com/>
2666. jarg422h.htm#CI\$
2667. jarg422h.htm#Church%20of%20the%20SubGenius
2668. jarg422h.htm#%3d%20C%20%3d
2669. jarg422h.htm#book%20titles
2670. jarg422h.htm#Classic%20C
2671. jarg422h.htm#Cinderella%20Book
2672. jarg422h.htm#%3d%20C%20%3d
2673. jarg422h.htm#sig%20block
2674. jarg422h.htm#Compu\$erve
2675. jarg422h.htm#clean
2676. jarg422h.htm#CI\$
2677. jarg422h.htm#%3d%20C%20%3d
2678. jarg422h.htm#K&R
2679. jarg422h.htm#CLM
2680. jarg422h.htm#Classic%20C
2681. jarg422h.htm#%3d%20C%20%3d
2682. jarg422h.htm#crufty
2683. jarg422h.htm#clobber
2684. jarg422h.htm#clean
2685. jarg422h.htm#%3d%20C%20%3d
2686. jarg422h.htm#clock
2687. jarg422h.htm#CLM
2688. jarg422h.htm#%3d%20C%20%3d
2689. jarg422h.htm#mung
2690. jarg422h.htm#scribble
2691. jarg422h.htm#trash
2692. jarg422h.htm#smash%20the%20stack
2693. jarg422h.htm#clocks
2694. jarg422h.htm#clobber
2695. jarg422h.htm#%3d%20C%20%3d
2696. jarg422h.htm#overclock
2697. jarg422h.htm#clone
2698. jarg422h.htm#clock
2699. jarg422h.htm#%3d%20C%20%3d
2700. jarg422h.htm#cycle
2701. jarg422h.htm#jiffy
2702. jarg422h.htm#clone-and-hack%20coding
2703. jarg422h.htm#clocks
2704. jarg422h.htm#%3d%20C%20%3d
2705. jarg422h.htm#mung
2706. jarg422h.htm#clover%20key

2707. jarg422h.htm#clone
2708. jarg422h.htm#%3d%20C%20%3d
2709. jarg422h.htm#case%20and%20paste
2710. jarg422h.htm#clue-by-four
2711. jarg422h.htm#clone-and-hack%20coding
2712. jarg422h.htm#%3d%20C%20%3d
2713. jarg422h.htm#feature%20key
2714. jarg422h.htm#clustergeeking
2715. jarg422h.htm#clover%20key
2716. jarg422h.htm#%3d%20C%20%3d
2717. jarg422h.htm#LART
2718. jarg422h.htm#co-lo
2719. jarg422h.htm#clue-by-four
2720. jarg422h.htm#%3d%20C%20%3d
2721. jarg422h.htm#coaster
2722. jarg422h.htm#clustergeeking
2723. jarg422h.htm#%3d%20C%20%3d
2724. jarg422h.htm#COBOL
2725. jarg422h.htm#co-lo
2726. jarg422h.htm#%3d%20C%20%3d
2727. jarg422h.htm#COBOL%20fingers
2728. jarg422h.htm#coaster
2729. jarg422h.htm#%3d%20C%20%3d
2730. jarg422h.htm#evil
2731. jarg422h.htm#card%20walloper
2732. jarg422h.htm#dinosaur
2733. jarg422h.htm#suit
2734. jarg422h.htm#code%20grinder
2735. jarg422h.htm#fear%20and%20loathing
2736. jarg422h.htm#software%20rot
2737. jarg422h.htm#cobweb%20site
2738. jarg422h.htm#COBOL
2739. jarg422h.htm#%3d%20C%20%3d
2740. jarg422h.htm#candygrammar
2741. jarg422h.htm#code
2742. jarg422h.htm#COBOL%20fingers
2743. jarg422h.htm#%3d%20C%20%3d
2744. jarg422h.htm#code%20grinder
2745. jarg422h.htm#cobweb%20site
2746. jarg422h.htm#%3d%20C%20%3d
2747. jarg422h.htm#bubble%20sort
2748. jarg422h.htm#newbie
2749. jarg422h.htm#suit
2750. jarg422h.htm#code%20monkey
2751. jarg422h.htm#code
2752. jarg422h.htm#%3d%20C%20%3d
2753. jarg422h.htm#suit
2754. jarg422h.htm#code%20grinder
2755. jarg422h.htm#Real%20World
2756. jarg422h.htm#suit
2757. jarg422h.htm#brute%20force
2758. jarg422h.htm#card%20walloper
2759. jarg422h.htm#hacker

2760. jarg422h.htm#Real%20Programmer
2761. jarg422h.htm#Code%20of%20the%20Geeks
2762. jarg422h.htm#code%20grinder
2763. jarg422h.htm#%3d%20C%20%3d
2764. jarg422h.htm#management
2765. jarg422h.htm#code%20police
2766. jarg422h.htm#code%20monkey
2767. jarg422h.htm#%3d%20C%20%3d
2768. jarg422h.htm#geek%20code
2769. jarg422h.htm#codes
2770. jarg422h.htm#Code%20of%20the%20Geeks
2771. jarg422h.htm#%3d%20C%20%3d
2772. jarg422h.htm#weenie
2773. jarg422h.htm#codewalker
2774. jarg422h.htm#code%20police
2775. jarg422h.htm#%3d%20C%20%3d
2776. jarg422h.htm#number-crunching
2777. jarg422h.htm#coefficient%20of%20X
2778. jarg422h.htm#codes
2779. jarg422h.htm#%3d%20C%20%3d
2780. jarg422h.htm#cokebottle
2781. jarg422h.htm#codewalker
2782. jarg422h.htm#%3d%20C%20%3d
2783. jarg422h.htm#fudge%20factor
2784. jarg422h.htm#cold%20boot
2785. jarg422h.htm#coefficient%20of%20X
2786. jarg422h.htm#%3d%20C%20%3d
2787. jarg422h.htm#space-cadet%20keyboard
2788. jarg422h.htm#bang
2789. jarg422h.htm#quadruple%20bucky
2790. jarg422h.htm#COME%20FROM
2791. jarg422h.htm#cokebottle
2792. jarg422h.htm#%3d%20C%20%3d
2793. jarg422h.htm#boot
2794. jarg422h.htm#comm%20mode
2795. jarg422h.htm#cold%20boot
2796. jarg422h.htm#%3d%20C%20%3d
2797. jarg422h.htm#automagically
2798. jarg422h.htm#Datamation
2799. jarg422h.htm#holy%20wars
2800. jarg422h.htm#considered%20harmful
2801. jarg422h.htm#COBOL
2802. jarg422h.htm#INTERCAL
2803. jarg422h.htm#retrocomputing
2804. jarg422h.htm#command%20key
2805. jarg422h.htm#COME%20FROM
2806. jarg422h.htm#%3d%20C%20%3d
2807. jarg422h.htm#talk%20mode
2808. jarg422h.htm#comment%20out
2809. jarg422h.htm#comm%20mode
2810. jarg422h.htm#%3d%20C%20%3d
2811. jarg422h.htm#feature%20key
2812. jarg422h.htm#Commonwealth%20Hackish

2813. jarg422h.htm#command%20key
2814. jarg422h.htm#%3d%20C%20%3d
2815. jarg422h.htm#condition%20out
2816. jarg422h.htm#C
2817. jarg422h.htm#compact
2818. jarg422h.htm#comment%20out
2819. jarg422h.htm#%3d%20C%20%3d
2820. jarg422h.htm#newsgroup
2821. jarg422h.htm#metasyntactic%20variable
2822. jarg422h.htm#blurgle
2823. jarg422h.htm#wibble
2824. jarg422h.htm#fish
2825. jarg422h.htm#womble
2826. jarg422h.htm#foo
2827. jarg422h.htm#attoparsec
2828. jarg422h.htm#calculator
2829. jarg422h.htm#chemist
2830. jarg422h.htm#console%20jockey
2831. jarg422h.htm#fish
2832. jarg422h.htm#go-faster%20stripes
2833. jarg422h.htm#grunge
2834. jarg422h.htm#hakspek
2835. jarg422h.htm#heavy%20metal
2836. jarg422h.htm#leaky%20heap
2837. jarg422h.htm#lord%20high%20fixer
2838. jarg422h.htm#loose%20bytes
2839. jarg422h.htm#muddie
2840. jarg422h.htm#nadger
2841. jarg422h.htm#noddy
2842. jarg422h.htm#psychedelicware
2843. jarg422h.htm#plingnet
2844. jarg422h.htm#raster%20blaster
2845. jarg422h.htm#RTBM
2846. jarg422h.htm#seggie
2847. jarg422h.htm#spod
2848. jarg422h.htm#sun%20lounge
2849. jarg422h.htm#terminal%20junkie
2850. jarg422h.htm#tick-list%20features
2851. jarg422h.htm#weeble
2852. jarg422h.htm#weasel
2853. jarg422h.htm#YABA
2854. jarg422h.htm#Bad%20Thing
2855. jarg422h.htm#barf
2856. jarg422h.htm#bogus
2857. jarg422h.htm#bum
2858. jarg422h.htm#chase%20pointers
2859. jarg422h.htm#cosmic%20rays
2860. jarg422h.htm#crippleware
2861. jarg422h.htm#crunch
2862. jarg422h.htm#dodgy
2863. jarg422h.htm#gonk
2864. jarg422h.htm#hamster
2865. jarg422h.htm#hardwarily

2866. jarg422h.htm#mess-dos
2867. jarg422h.htm#nybble
2868. jarg422h.htm#proglet
2869. jarg422h.htm#root
2870. jarg422h.htm#SEX
2871. jarg422h.htm#tweak
2872. jarg422h.htm#womble
2873. jarg422h.htm#xyzyzy
2874. jarg422h.htm#compiler%20jock
2875. jarg422h.htm#Commonwealth%20Hackish
2876. jarg422h.htm#%3d%20C%20%3d
2877. jarg422h.htm#feature
2878. jarg422h.htm#cruft
2879. jarg422h.htm#Classic%20C
2880. jarg422h.htm#compo
2881. jarg422h.htm#compact
2882. jarg422h.htm#%3d%20C%20%3d
2883. jarg422h.htm#jock
2884. jarg422h.htm#compress
2885. jarg422h.htm#compiler%20jock
2886. jarg422h.htm#%3d%20C%20%3d
2887. jarg422h.htm#demoscene
2888. jarg422h.htm#demoparty
2889. jarg422h.htm#intro
2890. jarg422h.htm#demo
2891. jarg422h.htm#Compu\$erve
2892. jarg422h.htm#compo
2893. jarg422h.htm#%3d%20C%20%3d
2894. jarg422h.htm#crunch
2895. jarg422h.htm#Usenet
2896. jarg422h.htm#crunch
2897. jarg422h.htm#computer%20confetti
2898. jarg422h.htm#compress
2899. jarg422h.htm#%3d%20C%20%3d
2900. jarg422h.htm#CI\$
2901. jarg422h.htm#computer%20geek
2902. jarg422h.htm#Compu\$erve
2903. jarg422h.htm#%3d%20C%20%3d
2904. jarg422h.htm#chad
2905. jarg422h.htm#computron
2906. jarg422h.htm#computer%20confetti
2907. jarg422h.htm#%3d%20C%20%3d
2908. jarg422h.htm#larval%20stage
2909. jarg422h.htm#propeller%20head
2910. jarg422h.htm#clustergeeking
2911. jarg422h.htm#geek%20out
2912. jarg422h.htm#wannabee
2913. jarg422h.htm#terminal%20junkie
2914. jarg422h.htm#spod
2915. jarg422h.htm#weenie
2916. <http://www.darkwater.com/omni/geek.html>
2917. jarg422h.htm#geek%20code
2918. jarg422h.htm#con

2919. jarg422h.htm#computer%20geek
2920. jarg422h.htm#%3d%20C%20%3d
2921. jarg422h.htm#bitty%20box
2922. jarg422h.htm#Get%20a%20real%20computer!
2923. jarg422h.htm#toy
2924. jarg422h.htm#crank
2925. jarg422h.htm#bogon
2926. jarg422h.htm#condition%20out
2927. jarg422h.htm#computron
2928. jarg422h.htm#%3d%20C%20%3d
2929. jarg422h.htm#fan
2930. jarg422h.htm#condom
2931. jarg422h.htm#con
2932. jarg422h.htm#%3d%20C%20%3d
2933. jarg422h.htm#canonical
2934. jarg422h.htm#bletcherous
2935. jarg422h.htm#comment%20out
2936. jarg422h.htm#confuser
2937. jarg422h.htm#condition%20out
2938. jarg422h.htm#%3d%20C%20%3d
2939. jarg422h.htm#SEX
2940. jarg422h.htm#light%20pipe
2941. jarg422h.htm#programming%20fluid
2942. jarg422h.htm#Great%20Worm
2943. jarg422h.htm#connector%20conspiracy
2944. jarg422h.htm#condom
2945. jarg422h.htm#%3d%20C%20%3d
2946. jarg422h.htm#cons
2947. jarg422h.htm#confuser
2948. jarg422h.htm#%3d%20C%20%3d
2949. jarg422h.htm#PDP-10
2950. jarg422h.htm#DEC
2951. jarg422h.htm#backward%20combatability
2952. jarg422h.htm#considered%20harmful
2953. jarg422h.htm#connector%20conspiracy
2954. jarg422h.htm#%3d%20C%20%3d
2955. jarg422h.htm#console
2956. jarg422h.htm#cons
2957. jarg422h.htm#%3d%20C%20%3d
2958. <http://www.acm.org/classics>
2959. jarg422h.htm#console%20jockey
2960. jarg422h.htm#considered%20harmful
2961. jarg422h.htm#%3d%20C%20%3d
2962. jarg422h.htm#mainframe
2963. jarg422h.htm#tty
2964. jarg422h.htm#X
2965. jarg422h.htm#content-free
2966. jarg422h.htm#console
2967. jarg422h.htm#%3d%20C%20%3d
2968. jarg422h.htm#terminal%20junkie
2969. jarg422h.htm#control-C
2970. jarg422h.htm#console%20jockey
2971. jarg422h.htm#%3d%20C%20%3d

2972. jarg422h.htm#flamage
2973. jarg422h.htm#four-color%20glossies
2974. jarg422h.htm#control-O
2975. jarg422h.htm#content-free
2976. jarg422h.htm#%3d%20C%20%3d
2977. jarg422h.htm#control-Q
2978. jarg422h.htm#control-C
2979. jarg422h.htm#%3d%20C%20%3d
2980. jarg422h.htm#control-S
2981. jarg422h.htm#control-S
2982. jarg422h.htm#control-O
2983. jarg422h.htm#%3d%20C%20%3d
2984. jarg422h.htm#XON
2985. jarg422h.htm#control-S
2986. jarg422h.htm#Conway's%20Law
2987. jarg422h.htm#control-Q
2988. jarg422h.htm#%3d%20C%20%3d
2989. jarg422h.htm#control-O
2990. jarg422h.htm#cookbook
2991. jarg422h.htm#control-S
2992. jarg422h.htm#%3d%20C%20%3d
2993. jarg422h.htm#Datamation
2994. jarg422h.htm#SNAFU%20principle
2995. jarg422h.htm#cooked%20mode
2996. jarg422h.htm#Conway's%20Law
2997. jarg422h.htm#%3d%20C%20%3d
2998. jarg422h.htm#magic
2999. jarg422h.htm#PostScript
3000. jarg422h.htm#Blue%20Book
3001. jarg422h.htm#voodoo%20programming
3002. jarg422h.htm#monkey%20up
3003. jarg422h.htm#cookie
3004. jarg422h.htm#cookbook
3005. jarg422h.htm#%3d%20C%20%3d
3006. jarg422h.htm#raw%20mode
3007. jarg422h.htm#raw%20mode
3008. jarg422h.htm#rare%20mode
3009. jarg422h.htm#cookie%20bear
3010. jarg422h.htm#cooked%20mode
3011. jarg422h.htm#%3d%20C%20%3d
3012. jarg422h.htm#magic%20cookie
3013. jarg422h.htm#fortune%20cookie
3014. jarg422h.htm#cookie%20file
3015. jarg422h.htm#cookie
3016. jarg422h.htm#%3d%20C%20%3d
3017. jarg422h.htm#cookie%20monster
3018. jarg422h.htm#cookie%20jar
3019. jarg422h.htm#cookie%20bear
3020. jarg422h.htm#%3d%20C%20%3d
3021. jarg422h.htm#fortune%20cookie
3022. jarg422h.htm#cookie%20monster
3023. jarg422h.htm#cookie%20file
3024. jarg422h.htm#%3d%20C%20%3d

3025. jarg422h.htm#cookie
3026. jarg422h.htm#magic%20number
3027. jarg422h.htm#copious%20free%20time
3028. jarg422h.htm#cookie%20jar
3029. jarg422h.htm#%3d%20C%20%3d
3030. jarg422h.htm#TOPS-10
3031. jarg422h.htm#ITS
3032. jarg422h.htm#Multics
3033. jarg422h.htm#console
3034. jarg422h.htm#mainframe
3035. jarg422h.htm#FOAF
3036. jarg422h.htm#wabbit
3037. jarg422h.htm#retcon
3038. jarg422h.htm#cookie%20bear
3039. jarg422h.htm#copper
3040. jarg422h.htm#cookie%20monster
3041. jarg422h.htm#%3d%20C%20%3d
3042. jarg422h.htm#chrome
3043. jarg422h.htm#suit
3044. jarg422h.htm#copy%20protection
3045. jarg422h.htm#copious%20free%20time
3046. jarg422h.htm#%3d%20C%20%3d
3047. jarg422h.htm#light%20pipe
3048. jarg422h.htm#copybroke
3049. jarg422h.htm#copper
3050. jarg422h.htm#%3d%20C%20%3d
3051. jarg422h.htm#copycenter
3052. jarg422h.htm#copy%20protection
3053. jarg422h.htm#%3d%20C%20%3d
3054. jarg422h.htm#copywronged
3055. jarg422h.htm#copy%20protection
3056. jarg422h.htm#copyleft
3057. jarg422h.htm#copybroke
3058. jarg422h.htm#%3d%20C%20%3d
3059. jarg422h.htm#copyparty
3060. jarg422h.htm#copycenter
3061. jarg422h.htm#%3d%20C%20%3d
3062. jarg422h.htm#GNU
3063. jarg422h.htm#EMACS
3064. jarg422h.htm#General%20Public%20Virus
3065. jarg422h.htm#copywronged
3066. jarg422h.htm#copyleft
3067. jarg422h.htm#%3d%20C%20%3d
3068. jarg422h.htm#demoscene
3069. jarg422h.htm#demoparty
3070. jarg422h.htm#core
3071. jarg422h.htm#copyparty
3072. jarg422h.htm#%3d%20C%20%3d
3073. jarg422h.htm#copybroke
3074. jarg422h.htm#core%20cancer
3075. jarg422h.htm#copywronged
3076. jarg422h.htm#%3d%20C%20%3d
3077. jarg422h.htm#core%20dump

3078. jarg422h.htm#store
3079. jarg422h.htm#core%20dump
3080. jarg422h.htm#core
3081. jarg422h.htm#%3d%20C%20%3d
3082. jarg422h.htm#leak
3083. jarg422h.htm#core%20leak
3084. jarg422h.htm#core%20cancer
3085. jarg422h.htm#%3d%20C%20%3d
3086. jarg422h.htm#Iron%20Age
3087. jarg422h.htm#core
3088. jarg422h.htm#bits
3089. jarg422h.htm#brain%20dump
3090. jarg422h.htm#core
3091. jarg422h.htm#Core%20Wars
3092. jarg422h.htm#core%20dump
3093. jarg422h.htm#%3d%20C%20%3d
3094. jarg422h.htm#memory%20leak
3095. jarg422h.htm#corge
3096. jarg422h.htm#core%20leak
3097. jarg422h.htm#%3d%20C%20%3d
3098. jarg422h.htm#core
3099. <http://www.koth.org/>
3100. jarg422h.htm#cosmic%20rays
3101. jarg422h.htm#Core%20Wars
3102. jarg422h.htm#%3d%20C%20%3d
3103. jarg422h.htm#metasyntactic%20variable
3104. jarg422h.htm#GOSMACS
3105. jarg422h.htm#grault
3106. jarg422h.htm#cough%20and%20die
3107. jarg422h.htm#corge
3108. jarg422h.htm#%3d%20C%20%3d
3109. jarg422h.htm#bit%20rot
3110. jarg422h.htm#handwave
3111. jarg422h.htm#randomness
3112. jarg422h.htm#tube
3113. jarg422h.htm#sunspots
3114. jarg422h.htm#phase%20of%20the%20moon
3115. jarg422h.htm#courier
3116. jarg422h.htm#cosmic%20rays
3117. jarg422h.htm#%3d%20C%20%3d
3118. jarg422h.htm#barf
3119. jarg422h.htm#die
3120. jarg422h.htm#die%20horribly
3121. jarg422h.htm#scream%20and%20die
3122. jarg422h.htm#cow%20orker
3123. jarg422h.htm#cough%20and%20die
3124. jarg422h.htm#%3d%20C%20%3d
3125. jarg422h.htm#warez
3126. jarg422h.htm#server
3127. jarg422h.htm#leech
3128. jarg422h.htm#warez%20d00dz
3129. jarg422h.htm#cracker
3130. jarg422h.htm#elite

3131. jarg422h.htm#cowboy
3132. jarg422h.htm#courier
3133. jarg422h.htm#%3d%20C%20%3d
3134. jarg422h.htm#Dilbert
3135. jarg422h.htm#scary%20devil%20monastery
3136. jarg422h.htm#hing
3137. jarg422h.htm#grilf
3138. jarg422h.htm#filk
3139. jarg422h.htm#newsfroup
3140. jarg422h.htm#CP%2fM
3141. jarg422h.htm#cow%20orker
3142. jarg422h.htm#%3d%20C%20%3d
3143. jarg422h.htm#cyberpunk
3144. jarg422h.htm#hacker
3145. jarg422h.htm#CPU%20Wars
3146. jarg422h.htm#cowboy
3147. jarg422h.htm#%3d%20C%20%3d
3148. jarg422h.htm#retcon
3149. jarg422h.htm#OS
3150. jarg422h.htm#DEC
3151. jarg422h.htm#TOPS-10
3152. jarg422h.htm#MS-DOS
3153. jarg422h.htm#operating%20system
3154. jarg422h.htm#crack
3155. jarg422h.htm#CP%2fM
3156. jarg422h.htm#%3d%20C%20%3d
3157. jarg422h.htm#ADVENT
3158. <http://www.e-pix.com/CPUWARS/cpuwars.html>
3159. jarg422h.htm#eat%20flaming%20death
3160. jarg422h.htm#crack%20root
3161. jarg422h.htm#CPU%20Wars
3162. jarg422h.htm#%3d%20C%20%3d
3163. jarg422h.htm#cracker
3164. jarg422h.htm#exploit
3165. jarg422h.htm#cracker
3166. jarg422h.htm#crack
3167. jarg422h.htm#%3d%20C%20%3d
3168. jarg422h.htm#root
3169. jarg422h.htm#cracking
3170. jarg422h.htm#cracking
3171. jarg422h.htm#crack%20root
3172. jarg422h.htm#%3d%20C%20%3d
3173. jarg422h.htm#hacker
3174. jarg422h.htm#larval%20stage
3175. jarg422h.htm#mundane
3176. jarg422h.htm#losing
3177. jarg422h.htm#cracking
3178. jarg422h.htm#phreaking
3179. jarg422h.htm#samurai
3180. jarg422h.htm#dark-side%20hacker
3181. jarg422h.htm#hacker%20ethic
3182. jarg422h.htm#warez%20d00dz
3183. jarg422h.htm#crank

3184. jarg422h.htm#cracker
3185. jarg422h.htm#%3d%20C%20%3d
3186. jarg422h.htm#cracker
3187. jarg422h.htm#crapplet
3188. jarg422h.htm#cracking
3189. jarg422h.htm#%3d%20C%20%3d
3190. jarg422h.htm#CrApTeX
3191. jarg422h.htm#crank
3192. jarg422h.htm#%3d%20C%20%3d
3193. jarg422h.htm#crash
3194. jarg422h.htm#crapplet
3195. jarg422h.htm#%3d%20C%20%3d
3196. jarg422h.htm#troff
3197. jarg422h.htm#religious%20issues
3198. jarg422h.htm#TeX
3199. jarg422h.htm#crash%20and%20burn
3200. jarg422h.htm#CrApTeX
3201. jarg422h.htm#%3d%20C%20%3d
3202. jarg422h.htm#system
3203. jarg422h.htm#luser
3204. jarg422h.htm#down
3205. jarg422h.htm#SPACEWAR
3206. jarg422h.htm#hacking%20run
3207. jarg422h.htm#gronk%20out
3208. jarg422h.htm#crawling%20horror
3209. jarg422h.htm#crash
3210. jarg422h.htm#%3d%20C%20%3d
3211. jarg422h.htm#die%20horribly
3212. jarg422h.htm#beta
3213. jarg422h.htm#cray
3214. jarg422h.htm#crash%20and%20burn
3215. jarg422h.htm#%3d%20C%20%3d
3216. jarg422h.htm#dusty%20deck
3217. jarg422h.htm#gonkulator
3218. jarg422h.htm#WOMBAT
3219. jarg422h.htm#cray%20instability
3220. jarg422h.htm#crawling%20horror
3221. jarg422h.htm#%3d%20C%20%3d
3222. jarg422h.htm#canonical
3223. jarg422h.htm#number-crunching
3224. jarg422h.htm#crayola
3225. jarg422h.htm#cray
3226. jarg422h.htm#%3d%20C%20%3d
3227. jarg422h.htm#cray
3228. jarg422h.htm#crayola%20books
3229. jarg422h.htm#cray%20instability
3230. jarg422h.htm#%3d%20C%20%3d
3231. jarg422h.htm#killer%20micro
3232. jarg422h.htm#crayon
3233. jarg422h.htm#crayola
3234. jarg422h.htm#%3d%20C%20%3d
3235. jarg422h.htm#rainbow%20series
3236. jarg422h.htm#Orange%20Book

3237. jarg422h.htm#creationism
3238. jarg422h.htm#crayola%20books
3239. jarg422h.htm#%3d%20C%20%3d
3240. jarg422h.htm#computron
3241. jarg422h.htm#number-crunching
3242. jarg422h.htm#creep
3243. jarg422h.htm#crayon
3244. jarg422h.htm#%3d%20C%20%3d
3245. jarg422h.htm#management
3246. jarg422h.htm#creeping%20elegance
3247. jarg422h.htm#creationism
3248. jarg422h.htm#%3d%20C%20%3d
3249. jarg422h.htm#creeping%20featurism
3250. jarg422h.htm#creep
3251. jarg422h.htm#%3d%20C%20%3d
3252. jarg422h.htm#elegant
3253. jarg422h.htm#Real%20World
3254. jarg422h.htm#creeping%20featurism
3255. jarg422h.htm#second-system%20effect
3256. jarg422h.htm#tense
3257. jarg422h.htm#creeping%20featuritis
3258. jarg422h.htm#creeping%20elegance
3259. jarg422h.htm#%3d%20C%20%3d
3260. jarg422h.htm#chrome
3261. jarg422h.htm#feature
3262. jarg422h.htm#feeping%20creaturism
3263. jarg422h.htm#BSD
3264. jarg422h.htm#feature
3265. jarg422h.htm#second-system%20effect
3266. jarg422h.htm#creeping%20elegance
3267. jarg422h.htm#cretin
3268. jarg422h.htm#creeping%20featurism
3269. jarg422h.htm#%3d%20C%20%3d
3270. jarg422h.htm#creeping%20featurism
3271. jarg422h.htm#cretinous
3272. jarg422h.htm#creeping%20featuritis
3273. jarg422h.htm#%3d%20C%20%3d
3274. jarg422h.htm#loser
3275. jarg422h.htm#crippleware
3276. jarg422h.htm#cretin
3277. jarg422h.htm#%3d%20C%20%3d
3278. jarg422h.htm#dread%20high-bit%20disease
3279. jarg422h.htm#bletcherous
3280. jarg422h.htm#bagbiting
3281. jarg422h.htm#losing
3282. jarg422h.htm#brain-damaged
3283. jarg422h.htm#critical%20mass
3284. jarg422h.htm#cretinous
3285. jarg422h.htm#%3d%20C%20%3d
3286. jarg422h.htm#guiltware
3287. jarg422h.htm#careware
3288. jarg422h.htm#nagware
3289. jarg422h.htm#crif

3290. jarg422h.htm#crippleware
3291. jarg422h.htm#%3d%20C%20%3d
3292. jarg422h.htm#epsilon
3293. jarg422h.htm#creeping%20featurism
3294. jarg422h.htm#crook
3295. jarg422h.htm#critical%20mass
3296. jarg422h.htm#%3d%20C%20%3d
3297. jarg422h.htm#newline
3298. jarg422h.htm#terpri
3299. jarg422h.htm#Unix
3300. jarg422h.htm#cross-post
3301. jarg422h.htm#crlf
3302. jarg422h.htm#%3d%20C%20%3d
3303. jarg422h.htm#sefault
3304. jarg422h.htm#The%20Story%20of%20Mel
3305. jarg422h.htm#kluge
3306. jarg422h.htm#brittle
3307. jarg422h.htm#crossload
3308. jarg422h.htm#crook
3309. jarg422h.htm#%3d%20C%20%3d
3310. jarg422h.htm#followup
3311. jarg422h.htm#crudware
3312. jarg422h.htm#cross-post
3313. jarg422h.htm#%3d%20C%20%3d
3314. jarg422h.htm#upload
3315. jarg422h.htm#download
3316. jarg422h.htm#cruft
3317. jarg422h.htm#crossload
3318. jarg422h.htm#%3d%20C%20%3d
3319. jarg422h.htm#freeware
3320. jarg422h.htm#MS-DOS
3321. jarg422h.htm#cruft%20together
3322. jarg422h.htm#crudware
3323. jarg422h.htm#%3d%20C%20%3d
3324. jarg422h.htm#crufty
3325. jarg422h.htm#hand-hacking
3326. jarg422h.htm#cruftsmanship
3327. jarg422h.htm#cruft
3328. jarg422h.htm#%3d%20C%20%3d
3329. jarg422h.htm#kluge%20up
3330. jarg422h.htm#hack%20together
3331. jarg422h.htm#hack%20up
3332. jarg422h.htm#kluge%20up
3333. jarg422h.htm#crufty
3334. jarg422h.htm#crufty
3335. jarg422h.htm#cruft%20together
3336. jarg422h.htm#%3d%20C%20%3d
3337. jarg422h.htm#cruft
3338. jarg422h.htm#crumb
3339. jarg422h.htm#cruftsmanship
3340. jarg422h.htm#%3d%20C%20%3d
3341. jarg422h.htm#canonical
3342. jarg422h.htm#DEC

3343. jarg422h.htm#frob
3344. jarg422h.htm#random
3345. jarg422h.htm#crunch
3346. jarg422h.htm#crufty
3347. jarg422h.htm#%3d%20C%20%3d
3348. jarg422h.htm#quad
3349. jarg422h.htm#bit
3350. jarg422h.htm#nybble
3351. jarg422h.htm#tayste
3352. jarg422h.htm#nybble
3353. jarg422h.htm#cryppie
3354. jarg422h.htm#crumb
3355. jarg422h.htm#%3d%20C%20%3d
3356. jarg422h.htm#number-crunching
3357. jarg422h.htm#number-crunching
3358. jarg422h.htm#compress
3359. jarg422h.htm#ASCII
3360. jarg422h.htm#Obfuscated%20C%20Contest
3361. jarg422h.htm#CTSS
3362. jarg422h.htm#crunch
3363. jarg422h.htm#%3d%20C%20%3d
3364. jarg422h.htm#cube
3365. jarg422h.htm#cryppie
3366. jarg422h.htm#%3d%20C%20%3d
3367. jarg422h.htm#Multics
3368. jarg422h.htm#Unix
3369. jarg422h.htm#ITS
3370. jarg422h.htm#ITS
3371. jarg422h.htm#cubing
3372. jarg422h.htm#CTSS
3373. jarg422h.htm#%3d%20C%20%3d
3374. jarg422h.htm#cup%20holder
3375. jarg422h.htm#cube
3376. jarg422h.htm#%3d%20C%20%3d
3377. jarg422h.htm#cursor%20dipped%20in%20X
3378. jarg422h.htm#cubing
3379. jarg422h.htm#%3d%20C%20%3d
3380. jarg422h.htm#cuspy
3381. jarg422h.htm#cup%20holder
3382. jarg422h.htm#%3d%20C%20%3d
3383. jarg422h.htm#nastygram
3384. jarg422h.htm#cut%20a%20tape
3385. jarg422h.htm#cursor%20dipped%20in%20X
3386. jarg422h.htm#%3d%20C%20%3d
3387. jarg422h.htm#DEC
3388. jarg422h.htm#rude
3389. jarg422h.htm#cybercrud
3390. jarg422h.htm#cuspy
3391. jarg422h.htm#%3d%20C%20%3d
3392. jarg422h.htm#cyberpunk
3393. jarg422h.htm#cut%20a%20tape
3394. jarg422h.htm#%3d%20C%20%3d
3395. jarg422h.htm#MEGO

3396. jarg422h.htm#cyberspace
3397. jarg422h.htm#cybercrud
3398. jarg422h.htm#%3d%20C%20%3d
3399. jarg422h.htm#Bibliography
3400. jarg422h.htm#cyberspace
3401. jarg422h.htm#ice
3402. jarg422h.htm#jack%20in
3403. jarg422h.htm#go%20flatline
3404. jarg422h.htm#cycle
3405. jarg422h.htm#cyberpunk
3406. jarg422h.htm#%3d%20C%20%3d
3407. jarg422h.htm#cyberpunk
3408. jarg422h.htm#virtual%20reality
3409. jarg422h.htm#the%20network
3410. jarg422h.htm#Matrix
3411. jarg422h.htm#wannabee
3412. jarg422h.htm#meatspace
3413. jarg422h.htm#hack%20mode
3414. jarg422h.htm#cycle%20crunch
3415. jarg422h.htm#cyberspace
3416. jarg422h.htm#%3d%20C%20%3d
3417. jarg422h.htm#cycle
3418. jarg422h.htm#bounce
3419. jarg422h.htm#120%20reset
3420. jarg422h.htm#cycle%20drought
3421. jarg422h.htm#cycle
3422. jarg422h.htm#%3d%20C%20%3d
3423. jarg422h.htm#thrash
3424. jarg422h.htm#cycle%20of%20reincarnation
3425. jarg422h.htm#cycle%20crunch
3426. jarg422h.htm#%3d%20C%20%3d
3427. jarg422h.htm#cycle%20crunch
3428. jarg422h.htm#high%20moby
3429. jarg422h.htm#down
3430. jarg422h.htm#cycle%20server
3431. jarg422h.htm#cycle%20drought
3432. jarg422h.htm#%3d%20C%20%3d
3433. jarg422h.htm#wheel%20of%20reincarnation
3434. jarg422h.htm#cypherpunk
3435. jarg422h.htm#cycle%20of%20reincarnation
3436. jarg422h.htm#%3d%20C%20%3d
3437. jarg422h.htm#C%7cN%3eK
3438. jarg422h.htm#cycle%20server
3439. jarg422h.htm#%3d%20C%20%3d
3440. jarg422h.htm#cyberpunk
3441. <mailto:cypherpunks-request@toad.com>
3442. jarg422h.htm#tentacle
3443. jarg422h.htm#D.%20C.%20Power%20Lab
3444. jarg422h.htm#cypherpunk
3445. jarg422h.htm#%3d%20C%20%3d
3446. jarg422h.htm#snarf
3447. jarg422h.htm#scary%20devil%20monastery
3448. <http://www.lspace.org/faqs/acronym-faq.g.html>

3449. jarg422h.htm#%3d%20E%20%3d
3450. jarg422h.htm#%3d%20C%20%3d
3451. jarg422h.htm#The%20Jargon%20Lexicon
3452. jarg422h.htm#D.%20C.%20Power%20Lab
3453. jarg422h.htm#daemon
3454. jarg422h.htm#daemon%20book
3455. jarg422h.htm#dahmum
3456. jarg422h.htm#dancing%20frog
3457. jarg422h.htm#dangling%20pointer
3458. jarg422h.htm#dark-side%20hacker
3459. jarg422h.htm#Datamation
3460. jarg422h.htm#DAU
3461. jarg422h.htm#Dave%20the%20Resurrector
3462. jarg422h.htm#day%20mode
3463. jarg422h.htm#dd
3464. jarg422h.htm#DDT
3465. jarg422h.htm#de-rezz
3466. jarg422h.htm#dead
3467. jarg422h.htm#dead%20beef%20attack
3468. jarg422h.htm#dead%20code
3469. jarg422h.htm#dead%20link
3470. jarg422h.htm#DEADBEEF
3471. jarg422h.htm#deadlock
3472. jarg422h.htm#deadly%20embrace
3473. jarg422h.htm#death%20code
3474. jarg422h.htm#Death%20Square
3475. jarg422h.htm#Death%20Star
3476. jarg422h.htm#DEC
3477. jarg422h.htm#DEC
3478. jarg422h.htm#DEC%20Wars
3479. jarg422h.htm#decay
3480. jarg422h.htm#deckle
3481. jarg422h.htm#DED
3482. jarg422h.htm#deep%20hack%20mode
3483. jarg422h.htm#deep%20magic
3484. jarg422h.htm#deep%20space
3485. jarg422h.htm#defenestration
3486. jarg422h.htm#defined%20as
3487. jarg422h.htm#dehose
3488. jarg422h.htm#deletia
3489. jarg422h.htm#deliminator
3490. jarg422h.htm#delint
3491. jarg422h.htm#delta
3492. jarg422h.htm#demented
3493. jarg422h.htm#demigod
3494. jarg422h.htm#demo
3495. jarg422h.htm#demo%20mode
3496. jarg422h.htm#demoeffect
3497. jarg422h.htm#demogroup
3498. jarg422h.htm#demon
3499. jarg422h.htm#demon%20dialer
3500. jarg422h.htm#demoparty
3501. jarg422h.htm#demoscene

3502. jarg422h.htm#dentro
3503. jarg422h.htm#depeditate
3504. jarg422h.htm#deprecated
3505. jarg422h.htm#derf
3506. jarg422h.htm#deserves%20to%20lose
3507. jarg422h.htm#desk%20check
3508. jarg422h.htm#despew
3509. jarg422h.htm#Devil%20Book
3510. jarg422h.htm#%2fdev%2fnull
3511. jarg422h.htm#dickless%20workstation
3512. jarg422h.htm#dictionary%20flame
3513. jarg422h.htm#diddle
3514. jarg422h.htm#die
3515. jarg422h.htm#die%20horribly
3516. jarg422h.htm#diff
3517. jarg422h.htm#digit
3518. jarg422h.htm#dike
3519. jarg422h.htm#Dilbert
3520. jarg422h.htm#ding
3521. jarg422h.htm#dink
3522. jarg422h.htm#dinosaur
3523. jarg422h.htm#dinosaur%20pen
3524. jarg422h.htm#dinosaurs%20mating
3525. jarg422h.htm#dirtball
3526. jarg422h.htm#dirty%20power
3527. jarg422h.htm#disclaimer
3528. jarg422h.htm#Discordianism
3529. jarg422h.htm#disk%20farm
3530. jarg422h.htm#display%20hack
3531. jarg422h.htm#dispress
3532. jarg422h.htm#Dissociated%20Press
3533. jarg422h.htm#distribution
3534. jarg422h.htm#distro
3535. jarg422h.htm#disusered
3536. jarg422h.htm#do%20protocol
3537. jarg422h.htm#doc
3538. jarg422h.htm#documentation
3539. jarg422h.htm#dodgy
3540. jarg422h.htm#dogcow
3541. jarg422h.htm#dogfood
3542. jarg422h.htm#dogpile
3543. jarg422h.htm#dogwash
3544. jarg422h.htm#domainist
3545. jarg422h.htm#Don't%20do%20that%20then!
3546. jarg422h.htm#dongle
3547. jarg422h.htm#dongle-disk
3548. jarg422h.htm#donuts
3549. jarg422h.htm#doorstop
3550. jarg422h.htm#DoS%20attack
3551. jarg422h.htm#dot%20file
3552. jarg422h.htm#double%20bucky
3553. jarg422h.htm#doubled%20sig
3554. jarg422h.htm#down

3555. jarg422h.htm#download
3556. jarg422h.htm#DP
3557. jarg422h.htm#DPB
3558. jarg422h.htm#DPer
3559. jarg422h.htm#Dr.%20Fred%20Mbogo
3560. jarg422h.htm#dragon
3561. jarg422h.htm#Dragon%20Book
3562. jarg422h.htm#drain
3563. jarg422h.htm#dread%20high-bit%20disease
3564. jarg422h.htm#Dread%20Questionmark%20Disease
3565. jarg422h.htm#DRECNET
3566. jarg422h.htm#driver
3567. jarg422h.htm#droid
3568. jarg422h.htm#drone
3569. jarg422h.htm#drool-proof%20paper
3570. jarg422h.htm#drop%20on%20the%20floor
3571. jarg422h.htm#drop-ins
3572. jarg422h.htm#drop-outs
3573. jarg422h.htm#drugged
3574. jarg422h.htm#drum
3575. jarg422h.htm#drunk%20mouse%20syndrome
3576. jarg422h.htm#dub%20dub%20dub
3577. jarg422h.htm#Duff's%20device
3578. jarg422h.htm#dumb%20terminal
3579. jarg422h.htm#dumbass%20attack
3580. jarg422h.htm#dumbed%20down
3581. jarg422h.htm#dump
3582. jarg422h.htm#dumpster%20diving
3583. jarg422h.htm#dup%20killer
3584. jarg422h.htm#dup%20loop
3585. jarg422h.htm#dusty%20deck
3586. jarg422h.htm#DWIM
3587. jarg422h.htm#dynner
3588. jarg422h.htm#daemon
3589. jarg422h.htm#C%7cN%3eK
3590. jarg422h.htm#%3d%20D%20%3d
3591. jarg422h.htm#SAIL
3592. jarg422h.htm#Marginal%20Hacks
3593. jarg422h.htm#daemon%20book
3594. jarg422h.htm#D.%20C.%20Power%20Lab
3595. jarg422h.htm#%3d%20D%20%3d
3596. jarg422h.htm#ITS
3597. jarg422h.htm#LPT
3598. jarg422h.htm#LPT
3599. jarg422h.htm#demon
3600. jarg422h.htm#CTSS
3601. jarg422h.htm#dragon
3602. jarg422h.htm#dahmum
3603. jarg422h.htm#daemon
3604. jarg422h.htm#%3d%20D%20%3d
3605. jarg422h.htm#BSD
3606. jarg422h.htm#daemon
3607. jarg422h.htm#Devil%20Book

3608. jarg422h.htm#dancing%20frog
3609. jarg422h.htm#daemon%20book
3610. jarg422h.htm#%3d%20D%20%3d
3611. jarg422h.htm#flame%20war
3612. jarg422h.htm#spam
3613. jarg422h.htm#OS%2f2
3614. jarg422h.htm#Linux
3615. jarg422h.htm#Dissociated%20Press
3616. jarg422h.htm#dangling%20pointer
3617. jarg422h.htm#dahmum
3618. jarg422h.htm#%3d%20D%20%3d
3619. jarg422h.htm#dark-side%20hacker
3620. jarg422h.htm#dancing%20frog
3621. jarg422h.htm#%3d%20D%20%3d
3622. jarg422h.htm#dead%20link
3623. jarg422h.htm#Datamation
3624. jarg422h.htm#dangling%20pointer
3625. jarg422h.htm#%3d%20D%20%3d
3626. jarg422h.htm#cracker
3627. jarg422h.htm#samurai
3628. jarg422h.htm#DAU
3629. jarg422h.htm#dark-side%20hacker
3630. jarg422h.htm#%3d%20D%20%3d
3631. jarg422h.htm#suit
3632. jarg422h.htm#COME%20FROM
3633. jarg422h.htm#suit
3634. <http://www.datamation.com/>
3635. jarg422h.htm#BOFH
3636. jarg422h.htm#Dave%20the%20Resurrector
3637. jarg422h.htm#Datamation
3638. jarg422h.htm#%3d%20D%20%3d
3639. jarg422h.htm#cretin
3640. jarg422h.htm#fool
3641. jarg422h.htm#loser
3642. jarg422h.htm#weasel
3643. jarg422h.htm#day%20mode
3644. jarg422h.htm#DAU
3645. jarg422h.htm#%3d%20D%20%3d
3646. jarg422h.htm#cancelbot
3647. jarg422h.htm#spam
3648. jarg422h.htm#dd
3649. jarg422h.htm#Dave%20the%20Resurrector
3650. jarg422h.htm#%3d%20D%20%3d
3651. jarg422h.htm#phase
3652. jarg422h.htm#DDT
3653. jarg422h.htm#day%20mode
3654. jarg422h.htm#%3d%20D%20%3d
3655. jarg422h.htm#JCL
3656. jarg422h.htm#cat
3657. jarg422h.htm#BLT
3658. jarg422h.htm#deprecated
3659. jarg422h.htm#BLT
3660. jarg422h.htm#de-rezz

3661. jarg422h.htm#dd
3662. jarg422h.htm#%3d%20D%20%3d
3663. jarg422h.htm#ITS
3664. jarg422h.htm#shell
3665. jarg422h.htm#DEC
3666. jarg422h.htm#suit
3667. jarg422h.htm#DEC
3668. jarg422h.htm#TMRC
3669. jarg422h.htm#dead
3670. jarg422h.htm#DDT
3671. jarg422h.htm#%3d%20D%20%3d
3672. jarg422h.htm#dead%20beef%20attack
3673. jarg422h.htm#de-rezz
3674. jarg422h.htm#%3d%20D%20%3d
3675. jarg422h.htm#down
3676. jarg422h.htm#crash
3677. jarg422h.htm#dead%20code
3678. jarg422h.htm#dead%20code
3679. jarg422h.htm#dead
3680. jarg422h.htm#%3d%20D%20%3d
3681. jarg422h.htm#DEADBEEF
3682. jarg422h.htm#dead%20link
3683. jarg422h.htm#dead%20beef%20attack
3684. jarg422h.htm#%3d%20D%20%3d
3685. jarg422h.htm#software%20rot
3686. jarg422h.htm#can't%20happen
3687. jarg422h.htm#grunge
3688. jarg422h.htm#dead
3689. jarg422h.htm#The%20Story%20of%20Mel
3690. jarg422h.htm#DEADBEEF
3691. jarg422h.htm#dead%20code
3692. jarg422h.htm#%3d%20D%20%3d
3693. jarg422h.htm#dangling%20pointer
3694. jarg422h.htm#link%20rot
3695. jarg422h.htm#deadlock
3696. jarg422h.htm#dead%20link
3697. jarg422h.htm#%3d%20D%20%3d
3698. jarg422h.htm#heisenbug
3699. jarg422h.htm#Bohr%20bug
3700. jarg422h.htm#fool
3701. jarg422h.htm#dead%20beef%20attack
3702. jarg422h.htm#deadly%20embrace
3703. jarg422h.htm#DEADBEEF
3704. jarg422h.htm#%3d%20D%20%3d
3705. jarg422h.htm#deadly%20embrace
3706. jarg422h.htm#death%20code
3707. jarg422h.htm#deadlock
3708. jarg422h.htm#%3d%20D%20%3d
3709. jarg422h.htm#deadlock
3710. jarg422h.htm#deadlock
3711. jarg422h.htm#Death%20Square
3712. jarg422h.htm#deadly%20embrace
3713. jarg422h.htm#%3d%20D%20%3d

3714. jarg422h.htm#Death%20Star
3715. jarg422h.htm#death%20code
3716. jarg422h.htm#%3d%20D%20%3d
3717. jarg422h.htm#Death%20Star
3718. jarg422h.htm#DEC
3719. jarg422h.htm#Death%20Square
3720. jarg422h.htm#%3d%20D%20%3d
3721. jarg422h.htm#BSD
3722. jarg422h.htm#DEC%20Wars
3723. jarg422h.htm#Death%20Star
3724. jarg422h.htm#%3d%20D%20%3d
3725. jarg422h.htm#inc
3726. jarg422h.htm#killer%20micro
3727. jarg422h.htm#TMRC
3728. jarg422h.htm#PDP-10
3729. jarg422h.htm#PDP-20
3730. jarg422h.htm#VAX
3731. jarg422h.htm#silicon
3732. jarg422h.htm#killer%20micro
3733. jarg422h.htm#decay
3734. jarg422h.htm#DEC
3735. jarg422h.htm#%3d%20D%20%3d
3736. jarg422h.htm#Usenet
3737. <http://www.tuxedo.org/~esr/writings/unixwars.html>
3738. jarg422h.htm#deckle
3739. jarg422h.htm#DEC%20Wars
3740. jarg422h.htm#%3d%20D%20%3d
3741. jarg422h.htm#C
3742. jarg422h.htm#DED
3743. jarg422h.htm#decay
3744. jarg422h.htm#%3d%20D%20%3d
3745. jarg422h.htm#nybble
3746. jarg422h.htm#nickle
3747. jarg422h.htm#nybble
3748. jarg422h.htm#deep%20hack%20mode
3749. jarg422h.htm#deckle
3750. jarg422h.htm#%3d%20D%20%3d
3751. jarg422h.htm#SED
3752. jarg422h.htm#LER
3753. jarg422h.htm#write-only%20memory
3754. jarg422h.htm#AFJ
3755. jarg422h.htm#deep%20magic
3756. jarg422h.htm#DED
3757. jarg422h.htm#%3d%20D%20%3d
3758. jarg422h.htm#hack%20mode
3759. jarg422h.htm#deep%20space
3760. jarg422h.htm#deep%20hack%20mode
3761. jarg422h.htm#%3d%20D%20%3d
3762. jarg422h.htm#black%20art
3763. jarg422h.htm#wizard
3764. jarg422h.htm#OS
3765. jarg422h.htm#deep%20magic
3766. jarg422h.htm#heavy%20wizardry

3767. jarg422h.htm#voodoo%20programming
3768. jarg422h.htm#defenestration
3769. jarg422h.htm#deep%20magic
3770. jarg422h.htm#%3d%20D%20%3d
3771. jarg422h.htm#off%20the%20trolley
3772. jarg422h.htm#buzz
3773. jarg422h.htm#catatonic
3774. jarg422h.htm#hyperspace
3775. jarg422h.htm#bogosity
3776. jarg422h.htm#page%20out
3777. jarg422h.htm#defined%20as
3778. jarg422h.htm#deep%20space
3779. jarg422h.htm#%3d%20D%20%3d
3780. jarg422h.htm#dehose
3781. jarg422h.htm#defenestration
3782. jarg422h.htm#%3d%20D%20%3d
3783. jarg422h.htm#logical
3784. jarg422h.htm#deletia
3785. jarg422h.htm#defined%20as
3786. jarg422h.htm#%3d%20D%20%3d
3787. jarg422h.htm#hosed
3788. jarg422h.htm#deliminator
3789. jarg422h.htm#dehose
3790. jarg422h.htm#%3d%20D%20%3d
3791. jarg422h.htm#delint
3792. jarg422h.htm#deletia
3793. jarg422h.htm#%3d%20D%20%3d
3794. jarg422h.htm#delta
3795. jarg422h.htm#deliminator
3796. jarg422h.htm#%3d%20D%20%3d
3797. jarg422h.htm#lint
3798. jarg422h.htm#demented
3799. jarg422h.htm#delint
3800. jarg422h.htm#%3d%20D%20%3d
3801. jarg422h.htm#diff
3802. jarg422h.htm#diff
3803. jarg422h.htm#epsilon
3804. jarg422h.htm#delta
3805. jarg422h.htm#epsilon
3806. jarg422h.htm#delta
3807. jarg422h.htm#epsilon
3808. jarg422h.htm#epsilon
3809. jarg422h.htm#demigod
3810. jarg422h.htm#delta
3811. jarg422h.htm#%3d%20D%20%3d
3812. jarg422h.htm#wonky
3813. jarg422h.htm#brain-damaged
3814. jarg422h.htm#bozotic
3815. jarg422h.htm#demo
3816. jarg422h.htm#demented
3817. jarg422h.htm#%3d%20D%20%3d
3818. jarg422h.htm#Unix
3819. jarg422h.htm#C

3820. jarg422h.htm#EMACS
3821. jarg422h.htm#Perl
3822. jarg422h.htm#Linux
3823. jarg422h.htm#NeWS
3824. jarg422h.htm#GOSMACS
3825. jarg422h.htm#Python
3826. jarg422h.htm#net.god
3827. jarg422h.htm#true-hacker
3828. jarg422h.htm#demo%20mode
3829. jarg422h.htm#demigod
3830. jarg422h.htm#%3d%20D%20%3d
3831. jarg422h.htm#test
3832. jarg422h.htm#demoscene
3833. jarg422h.htm#demoeffect
3834. jarg422h.htm#compo
3835. jarg422h.htm#demoscene
3836. jarg422h.htm#intro
3837. jarg422h.htm#dentro
3838. jarg422h.htm#demoeffect
3839. jarg422h.htm#demo
3840. jarg422h.htm#%3d%20D%20%3d
3841. jarg422h.htm#heads%20down
3842. jarg422h.htm#demo
3843. jarg422h.htm#app
3844. jarg422h.htm#Microslot%20Windows
3845. jarg422h.htm#demogroup
3846. jarg422h.htm#demo%20mode
3847. jarg422h.htm#%3d%20D%20%3d
3848. jarg422h.htm#demoscene
3849. jarg422h.htm#display%20hack
3850. jarg422h.htm#Good%20Thing
3851. jarg422h.htm#demon
3852. jarg422h.htm#demoeffect
3853. jarg422h.htm#%3d%20D%20%3d
3854. jarg422h.htm#demoscene
3855. jarg422h.htm#demo
3856. jarg422h.htm#sysop
3857. jarg422h.htm#demon%20dialer
3858. jarg422h.htm#demogroup
3859. jarg422h.htm#%3d%20D%20%3d
3860. jarg422h.htm#daemon
3861. jarg422h.htm#daemon
3862. jarg422h.htm#Unix
3863. jarg422h.htm#demoparty
3864. jarg422h.htm#demon
3865. jarg422h.htm#%3d%20D%20%3d
3866. jarg422h.htm#BBS
3867. jarg422h.htm#blue%20box
3868. jarg422h.htm#phreaker
3869. jarg422h.htm#war%20dialer
3870. jarg422h.htm#demoscene
3871. jarg422h.htm#demon%20dialer
3872. jarg422h.htm#%3d%20D%20%3d

3873. jarg422h.htm#demoscene
3874. jarg422h.htm#copyparty
3875. jarg422h.htm#compo
3876. jarg422h.htm#dentro
3877. jarg422h.htm#demoparty
3878. jarg422h.htm#%3d%20D%20%3d
3879. jarg422h.htm#warez%20d00dz
3880. jarg422h.htm#display%20hack
3881. jarg422h.htm#demo
3882. jarg422h.htm#demogroup
3883. jarg422h.htm#compo
3884. jarg422h.htm#copyparty
3885. jarg422h.htm#demoparty
3886. jarg422h.htm#warez%20d00dz
3887. <http://www.oldskool.org/demos/explained/>
3888. <http://www.scene.org/>
3889. jarg422h.htm#depeditate
3890. jarg422h.htm#demoscene
3891. jarg422h.htm#%3d%20D%20%3d
3892. jarg422h.htm#demoscene
3893. jarg422h.htm#demo
3894. jarg422h.htm#intro
3895. jarg422h.htm#demo
3896. jarg422h.htm#intro
3897. jarg422h.htm#deprecated
3898. jarg422h.htm#dentro
3899. jarg422h.htm#%3d%20D%20%3d
3900. jarg422h.htm#derf
3901. jarg422h.htm#depeditate
3902. jarg422h.htm#%3d%20D%20%3d
3903. jarg422h.htm#dusty%20deck
3904. jarg422h.htm#deserves%20to%20lose
3905. jarg422h.htm#deprecated
3906. jarg422h.htm#%3d%20D%20%3d
3907. jarg422h.htm#desk%20check
3908. jarg422h.htm#derf
3909. jarg422h.htm#%3d%20D%20%3d
3910. jarg422h.htm#Wrong%20Thing
3911. jarg422h.htm#marginal
3912. jarg422h.htm#losing
3913. jarg422h.htm#mess-dos
3914. jarg422h.htm#lose
3915. jarg422h.htm#ITS
3916. jarg422h.htm#Unix
3917. jarg422h.htm#screw
3918. jarg422h.htm#chomp
3919. jarg422h.htm#bagbiter
3920. jarg422h.htm#despew
3921. jarg422h.htm#deserves%20to%20lose
3922. jarg422h.htm#%3d%20D%20%3d
3923. jarg422h.htm#grovel
3924. jarg422h.htm#eyeball%20search
3925. jarg422h.htm#vdiff

3926. jarg422h.htm#vgrep
3927. jarg422h.htm#Devil%20Book
3928. jarg422h.htm#desk%20check
3929. jarg422h.htm#%3d%20D%20%3d
3930. jarg422h.htm#ARMM
3931. jarg422h.htm#%2fdev%2fnull
3932. jarg422h.htm#despew
3933. jarg422h.htm#%3d%20D%20%3d
3934. jarg422h.htm#daemon%20book
3935. jarg422h.htm#dickless%20workstation
3936. jarg422h.htm#Devil%20Book
3937. jarg422h.htm#%3d%20D%20%3d
3938. jarg422h.htm#bit%20bucket
3939. jarg422h.htm#dictionary%20flame
3940. jarg422h.htm#%2fdev%2fnull
3941. jarg422h.htm#%3d%20D%20%3d
3942. jarg422h.htm#boot
3943. jarg422h.htm#breath-of-life%20packet
3944. jarg422h.htm#diddle
3945. jarg422h.htm#dickless%20workstation
3946. jarg422h.htm#%3d%20D%20%3d
3947. jarg422h.htm#spelling%20flame
3948. jarg422h.htm#die
3949. jarg422h.htm#dictionary%20flame
3950. jarg422h.htm#%3d%20D%20%3d
3951. jarg422h.htm#ADVENT
3952. jarg422h.htm#tweak
3953. jarg422h.htm#twiddle
3954. jarg422h.htm#tweak
3955. jarg422h.htm#twiddle
3956. jarg422h.htm#frob
3957. jarg422h.htm#die%20horribly
3958. jarg422h.htm#diddle
3959. jarg422h.htm#%3d%20D%20%3d
3960. jarg422h.htm#crash
3961. jarg422h.htm#crash
3962. jarg422h.htm#go%20flatline
3963. jarg422h.htm#casters-up%20mode
3964. jarg422h.htm#diff
3965. jarg422h.htm#die
3966. jarg422h.htm#%3d%20D%20%3d
3967. jarg422h.htm#crash%20and%20burn
3968. jarg422h.htm#die
3969. jarg422h.htm#digit
3970. jarg422h.htm#die%20horribly
3971. jarg422h.htm#%3d%20D%20%3d
3972. jarg422h.htm#vdiff
3973. jarg422h.htm#patch
3974. jarg422h.htm#vdiff
3975. jarg422h.htm#mod
3976. jarg422h.htm#dike
3977. jarg422h.htm#diff
3978. jarg422h.htm#%3d%20D%20%3d

3979. jarg422h.htm#VAX
3980. jarg422h.htm#VMS
3981. jarg422h.htm#PDP-10
3982. jarg422h.htm#TOPS-10
3983. jarg422h.htm#field%20circus
3984. jarg422h.htm#Dilbert
3985. jarg422h.htm#digit
3986. jarg422h.htm#%3d%20D%20%3d
3987. jarg422h.htm#ding
3988. jarg422h.htm#dike
3989. jarg422h.htm#%3d%20D%20%3d
3990. jarg422h.htm#management
3991. jarg422h.htm#cube
3992. jarg422h.htm#DEC
3993. jarg422h.htm#pointy-haired
3994. jarg422h.htm#rat%20dance
3995. jarg422h.htm#dink
3996. jarg422h.htm#Dilbert
3997. jarg422h.htm#%3d%20D%20%3d
3998. jarg422h.htm#feep
3999. jarg422h.htm#Real%20World
4000. jarg422h.htm#dinosaur
4001. jarg422h.htm#ding
4002. jarg422h.htm#%3d%20D%20%3d
4003. jarg422h.htm#bitty%20box
4004. jarg422h.htm#macdink
4005. jarg422h.htm#dinosaur%20pen
4006. jarg422h.htm#dink
4007. jarg422h.htm#%3d%20D%20%3d
4008. jarg422h.htm#big%20iron
4009. jarg422h.htm#mainframe
4010. jarg422h.htm#zipperhead
4011. jarg422h.htm#dinosaurs%20mating
4012. jarg422h.htm#dinosaur
4013. jarg422h.htm#%3d%20D%20%3d
4014. jarg422h.htm#mainframe
4015. jarg422h.htm#boa
4016. jarg422h.htm#dirtball
4017. jarg422h.htm#dinosaur%20pen
4018. jarg422h.htm#%3d%20D%20%3d
4019. jarg422h.htm#big%20iron
4020. jarg422h.htm#mainframe
4021. jarg422h.htm#dirty%20power
4022. jarg422h.htm#dinosaurs%20mating
4023. jarg422h.htm#%3d%20D%20%3d
4024. jarg422h.htm#disclaimer
4025. jarg422h.htm#dirtball
4026. jarg422h.htm#%3d%20D%20%3d
4027. jarg422h.htm#drop-outs
4028. jarg422h.htm#power%20hit
4029. jarg422h.htm#Discordianism
4030. jarg422h.htm#dirty%20power
4031. jarg422h.htm#%3d%20D%20%3d

4032. jarg422h.htm#disk%20farm
4033. jarg422h.htm#disclaimer
4034. jarg422h.htm#%3d%20D%20%3d
4035. jarg422h.htm#Eris
4036. jarg422h.htm#Religion
4037. jarg422h.htm#Church%20of%20the%20SubGenius
4038. jarg422h.htm#ha%20ha%20only%20serious
4039. jarg422h.htm#display%20hack
4040. jarg422h.htm#Discordianism
4041. jarg422h.htm#%3d%20D%20%3d
4042. jarg422h.htm#laundromat
4043. jarg422h.htm#washing%20machine
4044. jarg422h.htm#dispress
4045. jarg422h.htm#disk%20farm
4046. jarg422h.htm#%3d%20D%20%3d
4047. jarg422h.htm#munching%20squares
4048. jarg422h.htm#smoking%20clover
4049. jarg422h.htm#X
4050. jarg422h.htm#hack%20value
4051. jarg422h.htm#psychedelicware
4052. jarg422h.htm#Dissociated%20Press
4053. jarg422h.htm#display%20hack
4054. jarg422h.htm#%3d%20D%20%3d
4055. jarg422h.htm#Dissociated%20Press
4056. jarg422h.htm#distribution
4057. jarg422h.htm#dispress
4058. jarg422h.htm#%3d%20D%20%3d
4059. jarg422h.htm#marketroid
4060. jarg422h.htm#EMACS
4061. jarg422h.htm#feature
4062. jarg422h.htm#vgrep
4063. jarg422h.htm#pseudo
4064. jarg422h.htm#distro
4065. jarg422h.htm#Dissociated%20Press
4066. jarg422h.htm#%3d%20D%20%3d
4067. jarg422h.htm#kit
4068. jarg422h.htm#Linux
4069. jarg422h.htm#distro
4070. jarg422h.htm#BBS
4071. jarg422h.htm#fora
4072. jarg422h.htm#disusered
4073. jarg422h.htm#distribution
4074. jarg422h.htm#%3d%20D%20%3d
4075. jarg422h.htm#distribution
4076. jarg422h.htm#do%20protocol
4077. jarg422h.htm#distro
4078. jarg422h.htm#%3d%20D%20%3d
4079. jarg422h.htm#star%20out
4080. jarg422h.htm#doc
4081. jarg422h.htm#disusered
4082. jarg422h.htm#%3d%20D%20%3d
4083. jarg422h.htm#protocol
4084. jarg422h.htm#documentation

4085. jarg422h.htm#do%20protocol
4086. jarg422h.htm#%3d%20D%20%3d
4087. jarg422h.htm#dodgy
4088. jarg422h.htm#doc
4089. jarg422h.htm#%3d%20D%20%3d
4090. jarg422h.htm#tree-killer
4091. jarg422h.htm#grep
4092. jarg422h.htm#drool-proof%20paper
4093. jarg422h.htm#verbiage
4094. jarg422h.htm#treeware
4095. jarg422h.htm#dogcow
4096. jarg422h.htm#documentation
4097. jarg422h.htm#%3d%20D%20%3d
4098. jarg422h.htm#flaky
4099. jarg422h.htm#dogfood
4100. jarg422h.htm#dodgy
4101. jarg422h.htm#%3d%20D%20%3d
4102. jarg422h.htm#Moof
4103. jarg422h.htm#rot13
4104. jarg422h.htm#dogpile
4105. jarg422h.htm#dogcow
4106. jarg422h.htm#%3d%20D%20%3d
4107. jarg422h.htm#beta
4108. jarg422h.htm#dogwash
4109. jarg422h.htm#dogfood
4110. jarg422h.htm#%3d%20D%20%3d
4111. jarg422h.htm#domainist
4112. jarg422h.htm#dogpile
4113. jarg422h.htm#%3d%20D%20%3d
4114. jarg422h.htm#freeware
4115. jarg422h.htm#Don't%20do%20that%20then!
4116. jarg422h.htm#dogwash
4117. jarg422h.htm#%3d%20D%20%3d
4118. jarg422h.htm#Internet%20address
4119. jarg422h.htm#bang%20path
4120. mailto:esr@snark.thyrsus.com
4121. jarg422h.htm#big-endian
4122. jarg422h.htm#bang%20path
4123. jarg422h.htm#dongle
4124. jarg422h.htm#domainist
4125. jarg422h.htm#%3d%20D%20%3d
4126. jarg422h.htm#RTFM
4127. jarg422h.htm#dongle-disk
4128. jarg422h.htm#Don't%20do%20that%20then!
4129. jarg422h.htm#%3d%20D%20%3d
4130. jarg422h.htm#copy%20protection
4131. jarg422h.htm#magic
4132. jarg422h.htm#dongle-disk
4133. jarg422h.htm#donuts
4134. jarg422h.htm#dongle
4135. jarg422h.htm#%3d%20D%20%3d
4136. jarg422h.htm#root%20mode
4137. jarg422h.htm#dongle

4138. jarg422h.htm#doorstop
4139. jarg422h.htm#dongle-disk
4140. jarg422h.htm#%3d%20D%20%3d
4141. jarg422h.htm#core
4142. jarg422h.htm#DoS%20attack
4143. jarg422h.htm#donuts
4144. jarg422h.htm#%3d%20D%20%3d
4145. jarg422h.htm#boat%20anchor
4146. jarg422h.htm#dot%20file
4147. jarg422h.htm#doorstop
4148. jarg422h.htm#%3d%20D%20%3d
4149. jarg422h.htm#spam
4150. jarg422h.htm#slashdot%20effect
4151. jarg422h.htm#double%20bucky
4152. jarg422h.htm#DoS%20attack
4153. jarg422h.htm#%3d%20D%20%3d
4154. jarg422h.htm#creep
4155. jarg422h.htm#profile
4156. jarg422h.htm#rc%20file
4157. jarg422h.htm#doubled%20sig
4158. jarg422h.htm#dot%20file
4159. jarg422h.htm#%3d%20D%20%3d
4160. jarg422h.htm#space-cadet%20keyboard
4161. jarg422h.htm#bucky%20bits
4162. jarg422h.htm#filk
4163. jarg422h.htm#meta%20bit
4164. jarg422h.htm#cokebottle
4165. jarg422h.htm#quadruple%20bucky
4166. jarg422h.htm#down
4167. jarg422h.htm#double%20bucky
4168. jarg422h.htm#%3d%20D%20%3d
4169. jarg422h.htm#sig%20block
4170. jarg422h.htm#Usenet
4171. jarg422h.htm#B1FF
4172. jarg422h.htm#pseudo
4173. jarg422h.htm#download
4174. jarg422h.htm#doubled%20sig
4175. jarg422h.htm#%3d%20D%20%3d
4176. jarg422h.htm#system
4177. jarg422h.htm#console
4178. jarg422h.htm#PM
4179. jarg422h.htm#crash
4180. jarg422h.htm#up
4181. jarg422h.htm#DP
4182. jarg422h.htm#down
4183. jarg422h.htm#%3d%20D%20%3d
4184. jarg422h.htm#upload
4185. jarg422h.htm#DPB
4186. jarg422h.htm#download
4187. jarg422h.htm#%3d%20D%20%3d
4188. jarg422h.htm#suit
4189. jarg422h.htm#DPer
4190. jarg422h.htm#Dissociated%20Press

4191. jarg422h.htm#DPer
4192. jarg422h.htm#DP
4193. jarg422h.htm#%3d%20D%20%3d
4194. jarg422h.htm#Dr.%20Fred%20Mbogo
4195. jarg422h.htm#DPB
4196. jarg422h.htm#%3d%20D%20%3d
4197. jarg422h.htm#suit
4198. jarg422h.htm#DP
4199. jarg422h.htm#dragon
4200. jarg422h.htm#DPer
4201. jarg422h.htm#%3d%20D%20%3d
4202. jarg422h.htm#bogus
4203. jarg422h.htm#bogon
4204. jarg422h.htm#Bloggs%20Family
4205. jarg422h.htm#J.%20Random%20Hacker
4206. jarg422h.htm#Fred%20Foobar
4207. jarg422h.htm#fred
4208. jarg422h.htm#Dragon%20Book
4209. jarg422h.htm#Dr.%20Fred%20Mbogo
4210. jarg422h.htm#%3d%20D%20%3d
4211. jarg422h.htm#daemon
4212. jarg422h.htm#daemon
4213. jarg422h.htm#drain
4214. jarg422h.htm#dragon
4215. jarg422h.htm#%3d%20D%20%3d
4216. jarg422h.htm#book%20titles
4217. jarg422h.htm#dread%20high-bit%20disease
4218. jarg422h.htm#Dragon%20Book
4219. jarg422h.htm#%3d%20D%20%3d
4220. jarg422h.htm#flush
4221. jarg422h.htm#Dread%20Questionmark%20Disease
4222. jarg422h.htm#drain
4223. jarg422h.htm#%3d%20D%20%3d
4224. jarg422h.htm#cretinous
4225. jarg422h.htm#meta%20bit
4226. jarg422h.htm#DRECNET
4227. jarg422h.htm#dread%20high-bit%20disease
4228. jarg422h.htm#%3d%20D%20%3d
4229. <http://www.fourmilab.ch/webtools/demoroniser/>
4230. jarg422h.htm#driver
4231. jarg422h.htm#Dread%20Questionmark%20Disease
4232. jarg422h.htm#%3d%20D%20%3d
4233. jarg422h.htm#VMS
4234. jarg422h.htm#DEC
4235. jarg422h.htm#connector%20conspiracy
4236. jarg422h.htm#droid
4237. jarg422h.htm#DRECNET
4238. jarg422h.htm#%3d%20D%20%3d
4239. jarg422h.htm#main%20loop
4240. jarg422h.htm#drone
4241. jarg422h.htm#driver
4242. jarg422h.htm#%3d%20D%20%3d
4243. jarg422h.htm#suit

4244. jarg422h.htm#marketroid
4245. jarg422h.htm#-oid
4246. jarg422h.htm#drool-proof%20paper
4247. jarg422h.htm#droid
4248. jarg422h.htm#%3d%20D%20%3d
4249. jarg422h.htm#drop%20on%20the%20floor
4250. jarg422h.htm#drone
4251. jarg422h.htm#%3d%20D%20%3d
4252. jarg422h.htm#dumbed%20down
4253. jarg422h.htm#cretin
4254. jarg422h.htm#drop-ins
4255. jarg422h.htm#drool-proof%20paper
4256. jarg422h.htm#%3d%20D%20%3d
4257. jarg422h.htm#black%20hole
4258. jarg422h.htm#bit%20bucket
4259. jarg422h.htm#drop-outs
4260. jarg422h.htm#drop%20on%20the%20floor
4261. jarg422h.htm#%3d%20D%20%3d
4262. jarg422h.htm#drop-outs
4263. jarg422h.htm#drop-outs
4264. jarg422h.htm#drugged
4265. jarg422h.htm#drop-ins
4266. jarg422h.htm#%3d%20D%20%3d
4267. jarg422h.htm#glitch
4268. jarg422h.htm#screaming%20tty
4269. jarg422h.htm#glitch
4270. jarg422h.htm#fried
4271. jarg422h.htm#drum
4272. jarg422h.htm#drop-outs
4273. jarg422h.htm#%3d%20D%20%3d
4274. jarg422h.htm#brain-damaged
4275. jarg422h.htm#drunk%20mouse%20syndrome
4276. jarg422h.htm#drugged
4277. jarg422h.htm#%3d%20D%20%3d
4278. jarg422h.htm#newbie
4279. jarg422h.htm#The%20Story%20of%20Mel
4280. jarg422h.htm#dub%20dub%20dub
4281. jarg422h.htm#drum
4282. jarg422h.htm#%3d%20D%20%3d
4283. jarg422h.htm#cruft
4284. jarg422h.htm#Duff's%20device
4285. jarg422h.htm#drunk%20mouse%20syndrome
4286. jarg422h.htm#%3d%20D%20%3d
4287. jarg422h.htm#dumb%20terminal
4288. jarg422h.htm#dub%20dub%20dub
4289. jarg422h.htm#%3d%20D%20%3d
4290. jarg422h.htm#fall%20through
4291. jarg422h.htm#bum
4292. jarg422h.htm#fall%20through
4293. <http://www.lysator.liu.se/c/duffs-device.html>
4294. jarg422h.htm#dumbass%20attack
4295. jarg422h.htm#Duff's%20device
4296. jarg422h.htm#%3d%20D%20%3d

4297. jarg422h.htm#glass%20tty
4298. jarg422h.htm#smart%20terminal
4299. jarg422h.htm#dumbed%20down
4300. jarg422h.htm#dumb%20terminal
4301. jarg422h.htm#%3d%20D%20%3d
4302. jarg422h.htm#root
4303. jarg422h.htm#adger
4304. jarg422h.htm#dump
4305. jarg422h.htm#dumbass%20attack
4306. jarg422h.htm#%3d%20D%20%3d
4307. jarg422h.htm#marketroid
4308. jarg422h.htm#user-friendly
4309. jarg422h.htm#dumpster%20diving
4310. jarg422h.htm#dumbed%20down
4311. jarg422h.htm#%3d%20D%20%3d
4312. jarg422h.htm#core%20dump
4313. jarg422h.htm#runes
4314. jarg422h.htm#elder%20days
4315. jarg422h.htm#grovel
4316. jarg422h.htm#dup%20killer
4317. jarg422h.htm#dump
4318. jarg422h.htm#%3d%20D%20%3d
4319. jarg422h.htm#phreaking
4320. jarg422h.htm#cruft
4321. jarg422h.htm#dup%20loop
4322. jarg422h.htm#dumpster%20diving
4323. jarg422h.htm#%3d%20D%20%3d
4324. jarg422h.htm#dusty%20deck
4325. jarg422h.htm#dup%20killer
4326. jarg422h.htm#%3d%20D%20%3d
4327. jarg422h.htm#echo
4328. jarg422h.htm#dup%20killer
4329. jarg422h.htm#dup%20loop
4330. jarg422h.htm#DWIM
4331. jarg422h.htm#dup%20loop
4332. jarg422h.htm#%3d%20D%20%3d
4333. jarg422h.htm#DP
4334. jarg422h.htm#number-crunching
4335. jarg422h.htm#fossil
4336. jarg422h.htm#crawling%20horror
4337. jarg422h.htm#dynner
4338. jarg422h.htm#dusty%20deck
4339. jarg422h.htm#%3d%20D%20%3d
4340. jarg422h.htm#hairy
4341. jarg422h.htm#legalese
4342. jarg422h.htm#Vulcan%20nerve%20pinch
4343. jarg422h.htm#Right%20Thing
4344. jarg422h.htm#earthquake
4345. jarg422h.htm#DWIM
4346. jarg422h.htm#%3d%20D%20%3d
4347. jarg422h.htm#nybble
4348. jarg422h.htm#byte
4349. jarg422h.htm#playte

4350. jarg422h.htm#tayste
4351. jarg422h.htm#crumb
4352. jarg422h.htm#nybble
4353. jarg422h.htm#%3d%20F%20%3d
4354. jarg422h.htm#%3d%20D%20%3d
4355. jarg422h.htm#The%20Jargon%20Lexicon
4356. jarg422h.htm#earthquake
4357. jarg422h.htm#Easter%20egg
4358. jarg422h.htm#Easter%20egging
4359. jarg422h.htm#eat%20flaming%20death
4360. jarg422h.htm#EBCDIC
4361. jarg422h.htm#echo
4362. jarg422h.htm#ECP
4363. jarg422h.htm#ed
4364. jarg422h.htm#egosurf
4365. jarg422h.htm#eighty-column%20mind
4366. jarg422h.htm#El%20Camino%20Bignum
4367. jarg422h.htm#elder%20days
4368. jarg422h.htm#elegant
4369. jarg422h.htm#elephantine
4370. jarg422h.htm#elevator%20controller
4371. jarg422h.htm#elite
4372. jarg422h.htm#ELIZA%20effect
4373. jarg422h.htm#elvish
4374. jarg422h.htm#EMACS
4375. jarg422h.htm#email
4376. jarg422h.htm#emoticon
4377. jarg422h.htm#EMP
4378. jarg422h.htm#empire
4379. jarg422h.htm#engine
4380. jarg422h.htm#English
4381. jarg422h.htm#enhancement
4382. jarg422h.htm#ENQ
4383. jarg422h.htm#EOF
4384. jarg422h.htm#EOL
4385. jarg422h.htm#EOU
4386. jarg422h.htm#epoch
4387. jarg422h.htm#epsilon
4388. jarg422h.htm#epsilon%20squared
4389. jarg422h.htm#era%20the
4390. jarg422h.htm#Eric%20Conspiracy
4391. jarg422h.htm#Eris
4392. jarg422h.htm#erotics
4393. jarg422h.htm#error%2033
4394. jarg422h.htm#eurodemo
4395. jarg422h.htm#evil
4396. jarg422h.htm#evil%20and%20rude
4397. jarg422h.htm#Evil%20Empire
4398. jarg422h.htm#exa-
4399. jarg422h.htm#examining%20the%20entrails
4400. jarg422h.htm#EXCH
4401. jarg422h.htm#excl
4402. jarg422h.htm#EXE

4403. jarg422h.htm#exec
4404. jarg422h.htm#exercise%20left%20as%20an
4405. jarg422h.htm#Exon
4406. jarg422h.htm#Exploder
4407. jarg422h.htm#exploit
4408. jarg422h.htm#external%20memory
4409. jarg422h.htm#eye%20candy
4410. jarg422h.htm#eyeball%20search
4411. jarg422h.htm#Easter%20egg
4412. jarg422h.htm#dynner
4413. jarg422h.htm#%3d%20E%20%3d
4414. jarg422h.htm#Easter%20egging
4415. jarg422h.htm#earthquake
4416. jarg422h.htm#%3d%20E%20%3d
4417. jarg422h.htm#eat%20flaming%20death
4418. jarg422h.htm#Easter%20egg
4419. jarg422h.htm#%3d%20E%20%3d
4420. jarg422h.htm#field%20circus
4421. jarg422h.htm#field%20circus
4422. jarg422h.htm#shotgun%20debugging
4423. jarg422h.htm#EBCDIC
4424. jarg422h.htm#Easter%20egging
4425. jarg422h.htm#%3d%20E%20%3d
4426. jarg422h.htm#CPU%20Wars
4427. jarg422h.htm#EBCDIC
4428. jarg422h.htm#echo
4429. jarg422h.htm#eat%20flaming%20death
4430. jarg422h.htm#%3d%20E%20%3d
4431. jarg422h.htm#dinosaur
4432. jarg422h.htm#punched%20card
4433. jarg422h.htm#connector%20conspiracy
4434. jarg422h.htm#evil
4435. jarg422h.htm#fear%20and%20loathing
4436. jarg422h.htm#ECP
4437. jarg422h.htm#EBCDIC
4438. jarg422h.htm#%3d%20E%20%3d
4439. jarg422h.htm#topic%20group
4440. jarg422h.htm#FidoNet
4441. jarg422h.htm#newsgroup
4442. jarg422h.htm#ed
4443. jarg422h.htm#echo
4444. jarg422h.htm#%3d%20E%20%3d
4445. jarg422h.htm#spam
4446. jarg422h.htm#velveeta
4447. jarg422h.htm#egosurf
4448. jarg422h.htm#ECP
4449. jarg422h.htm#%3d%20E%20%3d
4450. jarg422h.htm#Unix
4451. jarg422h.htm#Real%20Programmer
4452. jarg422h.htm#Usenet
4453. jarg422h.htm#footprint
4454. jarg422h.htm#eighty-column%20mind
4455. jarg422h.htm#ed

4456. jarg422h.htm#%3d%20E%20%3d
4457. jarg422h.htm#El%20Camino%20Bignum
4458. jarg422h.htm#egosurf
4459. jarg422h.htm#%3d%20E%20%3d
4460. jarg422h.htm#punched%20card
4461. jarg422h.htm#killer%20micro
4462. jarg422h.htm#IBM
4463. jarg422h.htm#fear%20and%20loathing
4464. jarg422h.htm#card%20walloper
4465. <http://www.gnu.org/fun/jokes/last.bug.html>
4466. jarg422h.htm#elder%20days
4467. jarg422h.htm#eighty-column%20mind
4468. jarg422h.htm#%3d%20E%20%3d
4469. jarg422h.htm#logical
4470. jarg422h.htm#bignum
4471. jarg422h.htm#elegant
4472. jarg422h.htm#El%20Camino%20Bignum
4473. jarg422h.htm#%3d%20E%20%3d
4474. jarg422h.htm#PDP-10
4475. jarg422h.htm#TECO
4476. jarg422h.htm#ITS
4477. jarg422h.htm#Iron%20Age
4478. jarg422h.htm#elvish
4479. jarg422h.htm#Great%20Worm
4480. jarg422h.htm#elephantine
4481. jarg422h.htm#elder%20days
4482. jarg422h.htm#%3d%20E%20%3d
4483. jarg422h.htm#cuspy
4484. jarg422h.htm#elevator%20controller
4485. jarg422h.htm#elegant
4486. jarg422h.htm#%3d%20E%20%3d
4487. jarg422h.htm#hog
4488. jarg422h.htm#brute%20force%20and%20ignorance
4489. jarg422h.htm#hairy
4490. jarg422h.htm#monstrosity
4491. jarg422h.htm#second-system%20effect
4492. jarg422h.htm#baroque
4493. jarg422h.htm#elite
4494. jarg422h.htm#elephantine
4495. jarg422h.htm#%3d%20E%20%3d
4496. jarg422h.htm#toaster
4497. jarg422h.htm#holy%20wars
4498. jarg422h.htm#ELIZA%20effect
4499. jarg422h.htm#elevator%20controller
4500. jarg422h.htm#%3d%20E%20%3d
4501. jarg422h.htm#warez%20d00dz
4502. jarg422h.htm#lamer
4503. jarg422h.htm#elvish
4504. jarg422h.htm#elite
4505. jarg422h.htm#%3d%20E%20%3d
4506. jarg422h.htm#Good%20Thing
4507. jarg422h.htm#ad-hockery
4508. jarg422h.htm#AI-complete

4509. ftp://ftp.cc.utexas.edu/pub/AI_ATTIC/Programs/Classic/Eliza/Eliza.c
4510. [jarg422h.htm#EMACS](#)
4511. [jarg422h.htm#ELIZA%20effect](#)
4512. [jarg422h.htm#%3d%20E%20%3d](#)
4513. [jarg422h.htm#elegant](#)
4514. [jarg422h.htm#elder%20days](#)
4515. [jarg422h.htm#email](#)
4516. [jarg422h.htm#elvish](#)
4517. [jarg422h.htm#%3d%20E%20%3d](#)
4518. [jarg422h.htm#TECO](#)
4519. [jarg422h.htm#ITS](#)
4520. [jarg422h.htm#GNU](#)
4521. [jarg422h.htm#GNUMACS](#)
4522. [jarg422h.htm#tube%20time](#)
4523. [jarg422h.htm#GOSMACS](#)
4524. [jarg422h.htm#heavyweight](#)
4525. [jarg422h.htm#baroque](#)
4526. [jarg422h.htm#bucky%20bits](#)
4527. [jarg422h.htm#core](#)
4528. [jarg422h.htm#recursive%20acronym](#)
4529. [jarg422h.htm#vi](#)
4530. [jarg422h.htm#emoticon](#)
4531. [jarg422h.htm#EMACS](#)
4532. [jarg422h.htm#%3d%20E%20%3d](#)
4533. [jarg422h.htm#snail-mail](#)
4534. [jarg422h.htm#paper-net](#)
4535. [jarg422h.htm#voice-net](#)
4536. [jarg422h.htm#network%20address](#)
4537. [jarg422h.htm#EMP](#)
4538. [jarg422h.htm#email](#)
4539. [jarg422h.htm#%3d%20E%20%3d](#)
4540. [jarg422h.htm#newbie](#)
4541. [jarg422h.htm#flame%20war](#)
4542. [jarg422h.htm#ha%20ha%20only%20serious](#)
4543. [jarg422h.htm#bixie](#)
4544. [jarg422h.htm#Usenet](#)
4545. [jarg422h.htm#emoticon](#)
4546. [jarg422h.htm#bboard](#)
4547. [jarg422h.htm#newbie](#)
4548. [jarg422h.htm#empire](#)
4549. [jarg422h.htm#emoticon](#)
4550. [jarg422h.htm#%3d%20E%20%3d](#)
4551. [jarg422h.htm#spam](#)
4552. [jarg422h.htm#engine](#)
4553. [jarg422h.htm#EMP](#)
4554. [jarg422h.htm#%3d%20E%20%3d](#)
4555. <http://www.empire.cx/infopages/History.html>
4556. <http://www.empire.cx/>
4557. [jarg422h.htm#English](#)
4558. [jarg422h.htm#empire](#)
4559. [jarg422h.htm#%3d%20E%20%3d](#)
4560. [jarg422h.htm#front%20end](#)
4561. [jarg422h.htm#enhancement](#)

4562. jarg422h.htm#engine
4563. jarg422h.htm#%3d%20E%20%3d
4564. jarg422h.htm#source
4565. jarg422h.htm#marketroid
4566. jarg422h.htm#suit
4567. jarg422h.htm#ENQ
4568. jarg422h.htm#English
4569. jarg422h.htm#%3d%20E%20%3d
4570. jarg422h.htm#marketroid
4571. jarg422h.htm#fix
4572. jarg422h.htm#feature
4573. jarg422h.htm#EOF
4574. jarg422h.htm#enhancement
4575. jarg422h.htm#%3d%20E%20%3d
4576. jarg422h.htm#talk%20mode
4577. jarg422h.htm#ACK
4578. jarg422h.htm#NAK
4579. jarg422h.htm#ping
4580. jarg422h.htm#finger
4581. jarg422h.htm#talk%20mode
4582. jarg422h.htm#EOL
4583. jarg422h.htm#ENQ
4584. jarg422h.htm#%3d%20E%20%3d
4585. jarg422h.htm#out-of-band
4586. jarg422h.htm#JCL
4587. jarg422h.htm#EOL
4588. jarg422h.htm#EOU
4589. jarg422h.htm#EOF
4590. jarg422h.htm#%3d%20E%20%3d
4591. jarg422h.htm#newline
4592. jarg422h.htm#BNF
4593. jarg422h.htm#EOF
4594. jarg422h.htm#epoch
4595. jarg422h.htm#EOL
4596. jarg422h.htm#%3d%20E%20%3d
4597. jarg422h.htm#tube
4598. jarg422h.htm#epsilon
4599. jarg422h.htm#EOU
4600. jarg422h.htm#%3d%20E%20%3d
4601. jarg422h.htm#tick
4602. jarg422h.htm#wrap%20around
4603. jarg422h.htm#wall%20time
4604. jarg422h.htm#epsilon%20squared
4605. jarg422h.htm#epoch
4606. jarg422h.htm#%3d%20E%20%3d
4607. jarg422h.htm#delta
4608. jarg422h.htm#marginal
4609. jarg422h.htm#era%20the
4610. jarg422h.htm#epsilon
4611. jarg422h.htm#%3d%20E%20%3d
4612. jarg422h.htm#epsilon
4613. jarg422h.htm#epsilon
4614. jarg422h.htm#lost%20in%20the%20underflow

4615. jarg422h.htm#lost%20in%20the%20noise
4616. jarg422h.htm#Eric%20Conspiracy
4617. jarg422h.htm#epsilon%20squared
4618. jarg422h.htm#%3d%20E%20%3d
4619. jarg422h.htm#epoch
4620. jarg422h.htm#epoch
4621. jarg422h.htm#epoch
4622. jarg422h.htm#Eris
4623. jarg422h.htm#era%20the
4624. jarg422h.htm#%3d%20E%20%3d
4625. jarg422h.htm#indent%20style
4626. <http://www.ccil.org/~esr/ecsl/>
4627. jarg422h.htm#erotics
4628. jarg422h.htm#Eric%20Conspiracy
4629. jarg422h.htm#%3d%20E%20%3d
4630. jarg422h.htm#Discordianism
4631. jarg422h.htm#Discordianism
4632. jarg422h.htm#Church%20of%20the%20SubGenius
4633. jarg422h.htm#error%2033
4634. jarg422h.htm#Eris
4635. jarg422h.htm#%3d%20E%20%3d
4636. jarg422h.htm#eurodemo
4637. jarg422h.htm#erotics
4638. jarg422h.htm#%3d%20E%20%3d
4639. jarg422h.htm#evil
4640. jarg422h.htm#error%2033
4641. jarg422h.htm#%3d%20E%20%3d
4642. jarg422h.htm#demo
4643. jarg422h.htm#evil%20and%20rude
4644. jarg422h.htm#eurodemo
4645. jarg422h.htm#%3d%20E%20%3d
4646. jarg422h.htm#cretinous
4647. jarg422h.htm#losing
4648. jarg422h.htm#brain-damaged
4649. jarg422h.htm#Blue%20Glue
4650. jarg422h.htm#TECO
4651. jarg422h.htm#evil%20and%20rude
4652. jarg422h.htm#Evil%20Empire
4653. jarg422h.htm#evil
4654. jarg422h.htm#%3d%20E%20%3d
4655. jarg422h.htm#evil
4656. jarg422h.htm#rude
4657. jarg422h.htm#exa-
4658. jarg422h.htm#evil%20and%20rude
4659. jarg422h.htm#%3d%20E%20%3d
4660. jarg422h.htm#IBM
4661. jarg422h.htm#Microsoft
4662. jarg422h.htm#Borg
4663. <http://pages.prodigy.net/rkusnery/amsind.html>
4664. jarg422h.htm#examining%20the%20entrails
4665. jarg422h.htm#Evil%20Empire
4666. jarg422h.htm#%3d%20E%20%3d
4667. jarg422h.htm#quantifiers

4668. jarg422h.htm#EXCH
4669. jarg422h.htm#exa-
4670. jarg422h.htm#%3d%20E%20%3d
4671. jarg422h.htm#grovel
4672. jarg422h.htm#core%20dump
4673. jarg422h.htm#runes
4674. jarg422h.htm#incantation
4675. jarg422h.htm#black%20art
4676. jarg422h.htm#desk%20check
4677. jarg422h.htm#excl
4678. jarg422h.htm#examining%20the%20entrails
4679. jarg422h.htm#%3d%20E%20%3d
4680. jarg422h.htm#PostScript
4681. jarg422h.htm#EXE
4682. jarg422h.htm#EXCH
4683. jarg422h.htm#%3d%20E%20%3d
4684. jarg422h.htm#bang
4685. jarg422h.htm#shriek
4686. jarg422h.htm#ASCII
4687. jarg422h.htm#exec
4688. jarg422h.htm#excl
4689. jarg422h.htm#%3d%20E%20%3d
4690. jarg422h.htm#exercise%20left%20as%20an
4691. jarg422h.htm#EXE
4692. jarg422h.htm#%3d%20E%20%3d
4693. jarg422h.htm#chain
4694. jarg422h.htm#OS
4695. jarg422h.htm#shell
4696. jarg422h.htm#Exon
4697. jarg422h.htm#exec
4698. jarg422h.htm#%3d%20E%20%3d
4699. jarg422h.htm#handwave
4700. jarg422h.htm#Exploder
4701. jarg422h.htm#exercise%20left%20as%20an
4702. jarg422h.htm#%3d%20E%20%3d
4703. jarg422h.htm#Black%20Thursday
4704. jarg422h.htm#CDA
4705. jarg422h.htm#exploit
4706. jarg422h.htm#Exon
4707. jarg422h.htm#%3d%20E%20%3d
4708. jarg422h.htm#WIMP%20environment
4709. jarg422h.htm#external%20memory
4710. jarg422h.htm#Exploder
4711. jarg422h.htm#%3d%20E%20%3d
4712. jarg422h.htm#Ping%20O'%20Death
4713. jarg422h.htm#eye%20candy
4714. jarg422h.htm#exploit
4715. jarg422h.htm#%3d%20E%20%3d
4716. jarg422h.htm#eyeball%20search
4717. jarg422h.htm#external%20memory
4718. jarg422h.htm#%3d%20E%20%3d
4719. jarg422h.htm#luser
4720. jarg422h.htm#slurp

4721. jarg422h.htm#BLOB
4722. jarg422h.htm#face%20time
4723. jarg422h.htm#eye%20candy
4724. jarg422h.htm#%3d%20E%20%3d
4725. jarg422h.htm#grep
4726. jarg422h.htm#vgrep
4727. jarg422h.htm#vdiff
4728. jarg422h.htm#desk%20check
4729. jarg422h.htm#%3d%20G%20%3d
4730. jarg422h.htm#%3d%20E%20%3d
4731. jarg422h.htm#The%20Jargon%20Lexicon
4732. jarg422h.htm#face%20time
4733. jarg422h.htm#factor
4734. jarg422h.htm#fairings
4735. jarg422h.htm#fall%20over
4736. jarg422h.htm#fall%20through
4737. jarg422h.htm#fan
4738. jarg422h.htm#fandango%20on%20core
4739. jarg422h.htm#FAQ
4740. jarg422h.htm#FAQ%20list
4741. jarg422h.htm#FAQL
4742. jarg422h.htm#faradize
4743. jarg422h.htm#farkled
4744. jarg422h.htm#farming
4745. jarg422h.htm#fascist
4746. jarg422h.htm#fat%20electrons
4747. jarg422h.htm#fat-finger
4748. jarg422h.htm#faulty
4749. jarg422h.htm#fd%20leak
4750. jarg422h.htm#fear%20and%20loathing
4751. jarg422h.htm#feature
4752. jarg422h.htm#feature%20creature
4753. jarg422h.htm#feature%20creep
4754. jarg422h.htm#feature%20key
4755. jarg422h.htm#feature%20shock
4756. jarg422h.htm#featurectomy
4757. jarg422h.htm#feep
4758. jarg422h.htm#feeper
4759. jarg422h.htm#feeping%20creature
4760. jarg422h.htm#feeping%20creaturism
4761. jarg422h.htm#feetch%20feetch
4762. jarg422h.htm#fence
4763. jarg422h.htm#fencepost%20error
4764. jarg422h.htm#fiber-seeking%20backhoe
4765. jarg422h.htm#FidoNet
4766. jarg422h.htm#field%20circus
4767. jarg422h.htm#field%20servoid
4768. jarg422h.htm#Fight-o-net
4769. jarg422h.htm#File%20Attach
4770. jarg422h.htm#File%20Request
4771. jarg422h.htm#file%20signature
4772. jarg422h.htm#filk
4773. jarg422h.htm#film%20at%2011

4774. jarg422h.htm#filter
4775. jarg422h.htm#Finagle's%20Law
4776. jarg422h.htm#fine
4777. jarg422h.htm#finger
4778. jarg422h.htm#finger%20trouble
4779. jarg422h.htm#finger-pointing%20syndrome
4780. jarg422h.htm#finn
4781. jarg422h.htm#firebottle
4782. jarg422h.htm#firefighting
4783. jarg422h.htm#firehose%20syndrome
4784. jarg422h.htm#firewall%20code
4785. jarg422h.htm#firewall%20machine
4786. jarg422h.htm#fireworks%20mode
4787. jarg422h.htm#firmware
4788. jarg422h.htm#firmy
4789. jarg422h.htm#fish
4790. jarg422h.htm#FISH%20queue
4791. jarg422h.htm#FITNR
4792. jarg422h.htm#fix
4793. jarg422h.htm#FIXME
4794. jarg422h.htm#flag
4795. jarg422h.htm#flag%20day
4796. jarg422h.htm#flaky
4797. jarg422h.htm#flamage
4798. jarg422h.htm#flame
4799. jarg422h.htm#flame%20bait
4800. jarg422h.htm#flame%20on
4801. jarg422h.htm#flame%20war
4802. jarg422h.htm#flamer
4803. jarg422h.htm#flap
4804. jarg422h.htm#flarp
4805. jarg422h.htm#flash%20crowd
4806. jarg422h.htm#flat
4807. jarg422h.htm#flat-ASCII
4808. jarg422h.htm#flat-file
4809. jarg422h.htm#flatten
4810. jarg422h.htm#flavor
4811. jarg422h.htm#flavorful
4812. jarg422h.htm#flippy
4813. jarg422h.htm#flood
4814. jarg422h.htm#flowchart
4815. jarg422h.htm#flower%20key
4816. jarg422h.htm#flush
4817. jarg422h.htm#flypage
4818. jarg422h.htm#Flyspeck%203
4819. jarg422h.htm#flytrap
4820. jarg422h.htm#FM
4821. jarg422h.htm#fnord
4822. jarg422h.htm#FOAF
4823. jarg422h.htm#FOD
4824. jarg422h.htm#fold%20case
4825. jarg422h.htm#followup
4826. jarg422h.htm#fontology

4827. jarg422h.htm#foo
4828. jarg422h.htm#foobar
4829. jarg422h.htm#fool
4830. jarg422h.htm#fool%20file
4831. jarg422h.htm#Foonly
4832. jarg422h.htm#footprint
4833. jarg422h.htm#for%20free
4834. jarg422h.htm#for%20the%20rest%20of%20us
4835. jarg422h.htm#for%20values%20of
4836. jarg422h.htm#fora
4837. jarg422h.htm#foreground
4838. jarg422h.htm#fork
4839. jarg422h.htm#fork%20bomb
4840. jarg422h.htm#forked
4841. jarg422h.htm#Fortrash
4842. jarg422h.htm#fortune%20cookie
4843. jarg422h.htm#forum
4844. jarg422h.htm#fossil
4845. jarg422h.htm#four-color%20glossies
4846. jarg422h.htm#frag
4847. jarg422h.htm#fragile
4848. jarg422h.htm#fred
4849. jarg422h.htm#Fred%20Foobar
4850. jarg422h.htm#frednet
4851. jarg422h.htm#free%20software
4852. jarg422h.htm#freeware
4853. jarg422h.htm#freeze
4854. jarg422h.htm#fried
4855. jarg422h.htm#frink
4856. jarg422h.htm#friode
4857. jarg422h.htm#fritterware
4858. jarg422h.htm#frob
4859. jarg422h.htm#frobnicate
4860. jarg422h.htm#frobnitz
4861. jarg422h.htm#frog
4862. jarg422h.htm#frogging
4863. jarg422h.htm#front%20end
4864. jarg422h.htm#frotz
4865. jarg422h.htm#frotzed
4866. jarg422h.htm#frowney
4867. jarg422h.htm#FRS
4868. jarg422h.htm#fry
4869. jarg422h.htm#fscking
4870. jarg422h.htm#FSF
4871. jarg422h.htm#FTP
4872. jarg422h.htm#-fu
4873. jarg422h.htm#FUBAR
4874. jarg422h.htm#fuck%20me%20harder
4875. jarg422h.htm#FUD
4876. jarg422h.htm#FUD%20wars
4877. jarg422h.htm#fudge
4878. jarg422h.htm#fudge%20factor
4879. jarg422h.htm#fuel%20up

4880. jarg422h.htm#Full%20Monty
4881. jarg422h.htm#fum
4882. jarg422h.htm#functino
4883. jarg422h.htm#funky
4884. jarg422h.htm#funny%20money
4885. jarg422h.htm#furrfu
4886. jarg422h.htm#fuzzball
4887. jarg422h.htm#factor
4888. jarg422h.htm#eyeball%20search
4889. jarg422h.htm#%3d%20F%20%3d
4890. jarg422h.htm#fairings
4891. jarg422h.htm#face%20time
4892. jarg422h.htm#%3d%20F%20%3d
4893. jarg422h.htm#coefficient%20of%20X
4894. jarg422h.htm#fall%20over
4895. jarg422h.htm#factor
4896. jarg422h.htm#%3d%20F%20%3d
4897. jarg422h.htm#fall%20through
4898. jarg422h.htm#fairings
4899. jarg422h.htm#%3d%20F%20%3d
4900. jarg422h.htm#crash
4901. jarg422h.htm#lose
4902. jarg422h.htm#crash%20and%20burn
4903. jarg422h.htm#fan
4904. jarg422h.htm#fall%20over
4905. jarg422h.htm#%3d%20F%20%3d
4906. jarg422h.htm#considered%20harmful
4907. jarg422h.htm#Duff's%20device
4908. jarg422h.htm#fandango%20on%20core
4909. jarg422h.htm#fall%20through
4910. jarg422h.htm#%3d%20F%20%3d
4911. jarg422h.htm#con
4912. jarg422h.htm#FAQ
4913. jarg422h.htm#fan
4914. jarg422h.htm#%3d%20F%20%3d
4915. jarg422h.htm#core%20dump
4916. jarg422h.htm#arena
4917. jarg422h.htm#aliasing%20bug
4918. jarg422h.htm#precedence%20lossage
4919. jarg422h.htm#smash%20the%20stack
4920. jarg422h.htm#memory%20leak
4921. jarg422h.htm#memory%20smash
4922. jarg422h.htm#overrun%20screw
4923. jarg422h.htm#core
4924. jarg422h.htm#FAQ%20list
4925. jarg422h.htm#fandango%20on%20core
4926. jarg422h.htm#%3d%20F%20%3d
4927. jarg422h.htm#FAQL
4928. jarg422h.htm#FAQ
4929. jarg422h.htm#%3d%20F%20%3d
4930. jarg422h.htm#FAQ
4931. jarg422h.htm#faradize
4932. jarg422h.htm#FAQ%20list

4933. jarg422h.htm#%3d%20F%20%3d
4934. jarg422h.htm#FAQ%20list
4935. jarg422h.htm#farkled
4936. jarg422h.htm#FAQL
4937. jarg422h.htm#%3d%20F%20%3d
4938. jarg422h.htm#farming
4939. jarg422h.htm#faradize
4940. jarg422h.htm#%3d%20F%20%3d
4941. jarg422h.htm#hosed
4942. jarg422h.htm#fascist
4943. jarg422h.htm#farkled
4944. jarg422h.htm#%3d%20F%20%3d
4945. jarg422h.htm#crash
4946. jarg422h.htm#farming
4947. jarg422h.htm#fat%20electrons
4948. jarg422h.htm#farming
4949. jarg422h.htm#%3d%20F%20%3d
4950. jarg422h.htm#tourist
4951. jarg422h.htm#bondage-and-discipline%20language
4952. jarg422h.htm#fat-finger
4953. jarg422h.htm#fascist
4954. jarg422h.htm#%3d%20F%20%3d
4955. jarg422h.htm#bogon
4956. jarg422h.htm#bogon
4957. jarg422h.htm#magic%20smoke
4958. jarg422h.htm#faulty
4959. jarg422h.htm#fat%20electrons
4960. jarg422h.htm#%3d%20F%20%3d
4961. jarg422h.htm#fd%20leak
4962. jarg422h.htm#fat-finger
4963. jarg422h.htm#%3d%20F%20%3d
4964. jarg422h.htm#bletcherous
4965. jarg422h.htm#losing
4966. jarg422h.htm#fear%20and%20loathing
4967. jarg422h.htm#faulty
4968. jarg422h.htm#%3d%20F%20%3d
4969. jarg422h.htm#core%20leak
4970. jarg422h.htm#leak
4971. jarg422h.htm#feature
4972. jarg422h.htm#fd%20leak
4973. jarg422h.htm#%3d%20F%20%3d
4974. jarg422h.htm#brain-damaged
4975. jarg422h.htm#COBOL
4976. jarg422h.htm#EBCDIC
4977. jarg422h.htm#IBM
4978. jarg422h.htm#feature%20creature
4979. jarg422h.htm#fear%20and%20loathing
4980. jarg422h.htm#%3d%20F%20%3d
4981. jarg422h.htm#misfeature
4982. jarg422h.htm#feature
4983. jarg422h.htm#bug
4984. jarg422h.htm#miswart
4985. jarg422h.htm#bells%20whistles%20and%20gongs

4986. jarg422h.htm#feature
4987. jarg422h.htm#feetch%20feetch
4988. jarg422h.htm#creeping%20featurism
4989. jarg422h.htm#wart
4990. jarg422h.htm#green%20lightning
4991. jarg422h.htm#bug
4992. jarg422h.htm#computer%20geek
4993. jarg422h.htm#feature%20creep
4994. jarg422h.htm#feature
4995. jarg422h.htm#%3d%20F%20%3d
4996. jarg422h.htm#taste
4997. jarg422h.htm#feeping%20creaturism
4998. jarg422h.htm#creeping%20featurism
4999. jarg422h.htm#feature%20key
5000. jarg422h.htm#feature%20creature
5001. jarg422h.htm#%3d%20F%20%3d
5002. jarg422h.htm#creeping%20featurism
5003. jarg422h.htm#feature%20shock
5004. jarg422h.htm#feature%20creep
5005. jarg422h.htm#%3d%20F%20%3d
5006. jarg422h.htm#splat
5007. jarg422h.htm#featurectomy
5008. jarg422h.htm#feature%20key
5009. jarg422h.htm#%3d%20F%20%3d
5010. jarg422h.htm#feep
5011. jarg422h.htm#feature%20shock
5012. jarg422h.htm#%3d%20F%20%3d
5013. jarg422h.htm#misfeature
5014. jarg422h.htm#feeper
5015. jarg422h.htm#featurectomy
5016. jarg422h.htm#%3d%20F%20%3d
5017. jarg422h.htm#beep
5018. jarg422h.htm#beep
5019. jarg422h.htm#ding
5020. jarg422h.htm#feeping%20creature
5021. jarg422h.htm#feep
5022. jarg422h.htm#%3d%20F%20%3d
5023. jarg422h.htm#feep
5024. jarg422h.htm#feeping%20creaturism
5025. jarg422h.htm#feeper
5026. jarg422h.htm#%3d%20F%20%3d
5027. jarg422h.htm#feeping%20creaturism
5028. jarg422h.htm#chrome
5029. jarg422h.htm#feetch%20feetch
5030. jarg422h.htm#feeping%20creature
5031. jarg422h.htm#%3d%20F%20%3d
5032. jarg422h.htm#creeping%20featurism
5033. jarg422h.htm#fence
5034. jarg422h.htm#feeping%20creaturism
5035. jarg422h.htm#%3d%20F%20%3d
5036. jarg422h.htm#fencepost%20error
5037. jarg422h.htm#feetch%20feetch
5038. jarg422h.htm#%3d%20F%20%3d

5039. jarg422h.htm#out-of-band
5040. jarg422h.htm#zigamorph
5041. jarg422h.htm#fiber-seeking%20backhoe
5042. jarg422h.htm#fence
5043. jarg422h.htm#%3d%20F%20%3d
5044. jarg422h.htm#zeroth
5045. jarg422h.htm#off-by-one%20error
5046. jarg422h.htm#FidoNet
5047. jarg422h.htm#fencepost%20error
5048. jarg422h.htm#%3d%20F%20%3d
5049. jarg422h.htm#packet%20over%20air
5050. jarg422h.htm#field%20circus
5051. jarg422h.htm#fiber-seeking%20backhoe
5052. jarg422h.htm#%3d%20F%20%3d
5053. jarg422h.htm#field%20servoid
5054. jarg422h.htm#FidoNet
5055. jarg422h.htm#%3d%20F%20%3d
5056. jarg422h.htm#DEC
5057. jarg422h.htm#Easter%20egging
5058. jarg422h.htm#plan%20file
5059. jarg422h.htm#Fight-o-net
5060. jarg422h.htm#field%20circus
5061. jarg422h.htm#%3d%20F%20%3d
5062. jarg422h.htm#field%20circus
5063. jarg422h.htm#droid
5064. jarg422h.htm#File%20Attach
5065. jarg422h.htm#field%20servoid
5066. jarg422h.htm#%3d%20F%20%3d
5067. jarg422h.htm#FidoNet
5068. jarg422h.htm#flamage
5069. jarg422h.htm#echo
5070. jarg422h.htm#'Snooze
5071. jarg422h.htm#File%20Request
5072. jarg422h.htm#Fight-o-net
5073. jarg422h.htm#%3d%20F%20%3d
5074. jarg422h.htm#file%20signature
5075. jarg422h.htm#File%20Attach
5076. jarg422h.htm#%3d%20F%20%3d
5077. jarg422h.htm#FidoNet
5078. jarg422h.htm#FTP
5079. jarg422h.htm#snarf
5080. jarg422h.htm#filk
5081. jarg422h.htm#File%20Request
5082. jarg422h.htm#%3d%20F%20%3d
5083. jarg422h.htm#magic%20number
5084. jarg422h.htm#film%20at%2011
5085. jarg422h.htm#file%20signature
5086. jarg422h.htm#%3d%20F%20%3d
5087. jarg422h.htm#double%20bucky
5088. jarg422h.htm#grilf
5089. jarg422h.htm#hing
5090. jarg422h.htm#pr0n
5091. jarg422h.htm#newsfroup

5092. jarg422h.htm#filter
5093. jarg422h.htm#filk
5094. jarg422h.htm#%3d%20F%20%3d
5095. jarg422h.htm#ITS
5096. jarg422h.htm#Finagle's%20Law
5097. jarg422h.htm#film%20at%2011
5098. jarg422h.htm#%3d%20F%20%3d
5099. jarg422h.htm#Unix
5100. jarg422h.htm#MS-DOS
5101. jarg422h.htm#plumbing
5102. jarg422h.htm#sponge
5103. jarg422h.htm#fine
5104. jarg422h.htm#filter
5105. jarg422h.htm#%3d%20F%20%3d
5106. jarg422h.htm#Murphy's%20Law
5107. jarg422h.htm#Hanlon's%20Razor
5108. jarg422h.htm#finger
5109. jarg422h.htm#Finagle's%20Law
5110. jarg422h.htm#%3d%20F%20%3d
5111. jarg422h.htm#cuspy
5112. jarg422h.htm#cuspy
5113. jarg422h.htm#finger%20trouble
5114. jarg422h.htm#fine
5115. jarg422h.htm#%3d%20F%20%3d
5116. jarg422h.htm#plan%20file
5117. jarg422h.htm#Hacking%20X%20for%20Y
5118. jarg422h.htm#flamer
5119. jarg422h.htm#finger-pointing%20syndrome
5120. jarg422h.htm#finger
5121. jarg422h.htm#%3d%20F%20%3d
5122. jarg422h.htm#finn
5123. jarg422h.htm#finger%20trouble
5124. jarg422h.htm#%3d%20F%20%3d
5125. jarg422h.htm#firebottle
5126. jarg422h.htm#finger-pointing%20syndrome
5127. jarg422h.htm#%3d%20F%20%3d
5128. jarg422h.htm#IRC
5129. jarg422h.htm#firefighting
5130. jarg422h.htm#finn
5131. jarg422h.htm#%3d%20F%20%3d
5132. jarg422h.htm#glassfet
5133. jarg422h.htm#firehose%20syndrome
5134. jarg422h.htm#firebottle
5135. jarg422h.htm#%3d%20F%20%3d
5136. jarg422h.htm#gang%20bang
5137. jarg422h.htm#Mongolian%20Hordes%20technique
5138. jarg422h.htm#firewall%20code
5139. jarg422h.htm#firefighting
5140. jarg422h.htm#%3d%20F%20%3d
5141. jarg422h.htm#overrun
5142. jarg422h.htm#buffer%20overflow
5143. jarg422h.htm#firewall%20machine
5144. jarg422h.htm#firehose%20syndrome

5145. jarg422h.htm#%3d%20F%20%3d
5146. jarg422h.htm#can't%20happen
5147. jarg422h.htm#fireworks%20mode
5148. jarg422h.htm#firewall%20code
5149. jarg422h.htm#%3d%20F%20%3d
5150. jarg422h.htm#cracker
5151. jarg422h.htm#iron%20box
5152. jarg422h.htm#flytrap
5153. jarg422h.htm#Venus%20flytrap
5154. jarg422h.htm#firmware
5155. jarg422h.htm#firewall%20machine
5156. jarg422h.htm#%3d%20F%20%3d
5157. jarg422h.htm#crash%20and%20burn
5158. jarg422h.htm#firmy
5159. jarg422h.htm#fireworks%20mode
5160. jarg422h.htm#%3d%20F%20%3d
5161. jarg422h.htm#fish
5162. jarg422h.htm#firmware
5163. jarg422h.htm#%3d%20F%20%3d
5164. jarg422h.htm#stiffy
5165. jarg422h.htm#FISH%20queue
5166. jarg422h.htm#firmy
5167. jarg422h.htm#%3d%20F%20%3d
5168. jarg422h.htm#metasyntactic%20variable
5169. jarg422h.htm#foo
5170. jarg422h.htm#FITNR
5171. jarg422h.htm#fish
5172. jarg422h.htm#%3d%20F%20%3d
5173. jarg422h.htm#fix
5174. jarg422h.htm#FISH%20queue
5175. jarg422h.htm#%3d%20F%20%3d
5176. jarg422h.htm#FIXME
5177. jarg422h.htm#FITNR
5178. jarg422h.htm#%3d%20F%20%3d
5179. jarg422h.htm#flag
5180. jarg422h.htm#fix
5181. jarg422h.htm#%3d%20F%20%3d
5182. jarg422h.htm#GNU
5183. jarg422h.htm#XXX
5184. jarg422h.htm#flag%20day
5185. jarg422h.htm#FIXME
5186. jarg422h.htm#%3d%20F%20%3d
5187. jarg422h.htm#bit
5188. jarg422h.htm#hidden%20flag
5189. jarg422h.htm#mode%20bit
5190. jarg422h.htm#flaky
5191. jarg422h.htm#flag
5192. jarg422h.htm#%3d%20F%20%3d
5193. jarg422h.htm#flag
5194. jarg422h.htm#Multics
5195. jarg422h.htm#backward%20combatability
5196. jarg422h.htm#flamage
5197. jarg422h.htm#flag%20day

5198. jarg422h.htm#%3d%20F%20%3d
5199. jarg422h.htm#lossage
5200. jarg422h.htm#dodgy
5201. jarg422h.htm#wonky
5202. jarg422h.htm#flame
5203. jarg422h.htm#flaky
5204. jarg422h.htm#%3d%20F%20%3d
5205. jarg422h.htm#Usenet
5206. jarg422h.htm#fora
5207. jarg422h.htm#flame
5208. jarg422h.htm#dahmum
5209. jarg422h.htm#flame%20bait
5210. jarg422h.htm#flamage
5211. jarg422h.htm#%3d%20F%20%3d
5212. jarg422h.htm#flame%20on
5213. jarg422h.htm#flame
5214. jarg422h.htm#%3d%20F%20%3d
5215. jarg422h.htm#flame%20war
5216. jarg422h.htm#troll
5217. jarg422h.htm#flame%20war
5218. jarg422h.htm#flame%20bait
5219. jarg422h.htm#%3d%20F%20%3d
5220. jarg422h.htm#flame
5221. jarg422h.htm#rave
5222. jarg422h.htm#burble
5223. jarg422h.htm#flamer
5224. jarg422h.htm#flame%20on
5225. jarg422h.htm#%3d%20F%20%3d
5226. jarg422h.htm#Usenet
5227. jarg422h.htm#flap
5228. jarg422h.htm#flame%20war
5229. jarg422h.htm#%3d%20F%20%3d
5230. jarg422h.htm#flame
5231. jarg422h.htm#Usenet
5232. jarg422h.htm#flarp
5233. jarg422h.htm#flamer
5234. jarg422h.htm#%3d%20F%20%3d
5235. jarg422h.htm#macrotape
5236. jarg422h.htm#flash%20crowd
5237. jarg422h.htm#flap
5238. jarg422h.htm#%3d%20F%20%3d
5239. jarg422h.htm#metasyntactic%20variable
5240. jarg422h.htm#foo
5241. jarg422h.htm#flat
5242. jarg422h.htm#flarp
5243. jarg422h.htm#%3d%20F%20%3d
5244. jarg422h.htm#slashdot%20effect
5245. jarg422h.htm#flat-ASCII
5246. jarg422h.htm#flash%20crowd
5247. jarg422h.htm#%3d%20F%20%3d
5248. jarg422h.htm#bitty%20box
5249. jarg422h.htm#flatten
5250. jarg422h.htm#cretinous

5251. jarg422h.htm#Good%20Thing
5252. jarg422h.htm#flat-file
5253. jarg422h.htm#flat
5254. jarg422h.htm#%3d%20F%20%3d
5255. jarg422h.htm#meta
5256. jarg422h.htm#plain-ASCII
5257. jarg422h.htm#flat-file
5258. jarg422h.htm#flatten
5259. jarg422h.htm#flat-ASCII
5260. jarg422h.htm#%3d%20F%20%3d
5261. jarg422h.htm#flatten
5262. jarg422h.htm#flat-ASCII
5263. jarg422h.htm#sharchive
5264. jarg422h.htm#flavor
5265. jarg422h.htm#flat-file
5266. jarg422h.htm#%3d%20F%20%3d
5267. jarg422h.htm#flat-ASCII
5268. jarg422h.htm#canonical
5269. jarg422h.htm#flavorful
5270. jarg422h.htm#flatten
5271. jarg422h.htm#%3d%20F%20%3d
5272. jarg422h.htm#vanilla
5273. jarg422h.htm#flavorful
5274. jarg422h.htm#vanilla
5275. jarg422h.htm#flippy
5276. jarg422h.htm#flavor
5277. jarg422h.htm#%3d%20F%20%3d
5278. jarg422h.htm#flavor
5279. jarg422h.htm#random
5280. jarg422h.htm#losing
5281. jarg422h.htm#taste
5282. jarg422h.htm#elegant
5283. jarg422h.htm#flood
5284. jarg422h.htm#flavorful
5285. jarg422h.htm#%3d%20F%20%3d
5286. jarg422h.htm#flowchart
5287. jarg422h.htm#flippy
5288. jarg422h.htm#%3d%20F%20%3d
5289. jarg422h.htm#IRC
5290. jarg422h.htm#flower%20key
5291. jarg422h.htm#flood
5292. jarg422h.htm#%3d%20F%20%3d
5293. jarg422h.htm#COBOL
5294. jarg422h.htm#card%20walloper
5295. jarg422h.htm#PDL
5296. jarg422h.htm#flush
5297. jarg422h.htm#flowchart
5298. jarg422h.htm#%3d%20F%20%3d
5299. jarg422h.htm#feature%20key
5300. jarg422h.htm#flypage
5301. jarg422h.htm#flower%20key
5302. jarg422h.htm#%3d%20F%20%3d
5303. jarg422h.htm#DEC

5304. jarg422h.htm#Flyspeck%203
5305. jarg422h.htm#flush
5306. jarg422h.htm#%3d%20F%20%3d
5307. jarg422h.htm#banner
5308. jarg422h.htm#flytrap
5309. jarg422h.htm#flypage
5310. jarg422h.htm#%3d%20F%20%3d
5311. jarg422h.htm#FM
5312. jarg422h.htm#Flyspeck%203
5313. jarg422h.htm#%3d%20F%20%3d
5314. jarg422h.htm#firewall%20machine
5315. jarg422h.htm#fnord
5316. jarg422h.htm#flytrap
5317. jarg422h.htm#%3d%20F%20%3d
5318. jarg422h.htm#RTFM
5319. jarg422h.htm#RTFM
5320. jarg422h.htm#black%20magic
5321. jarg422h.htm#FOAF
5322. jarg422h.htm#FM
5323. jarg422h.htm#%3d%20F%20%3d
5324. jarg422h.htm#Discordianism
5325. jarg422h.htm#metasyntactic%20variable
5326. jarg422h.htm#Discordianism
5327. jarg422h.htm#Church%20of%20the%20SubGenius
5328. jarg422h.htm#FOD
5329. jarg422h.htm#fnord
5330. jarg422h.htm#%3d%20F%20%3d
5331. jarg422h.htm#fold%20case
5332. jarg422h.htm#FOAF
5333. jarg422h.htm#%3d%20F%20%3d
5334. jarg422h.htm#MUD
5335. jarg422h.htm#gun
5336. jarg422h.htm#followup
5337. jarg422h.htm#FOD
5338. jarg422h.htm#%3d%20F%20%3d
5339. jarg422h.htm#smash%20case
5340. jarg422h.htm#fontology
5341. jarg422h.htm#fold%20case
5342. jarg422h.htm#%3d%20F%20%3d
5343. jarg422h.htm#posting
5344. jarg422h.htm#reply
5345. jarg422h.htm#parent%20message
5346. jarg422h.htm#thread
5347. jarg422h.htm#foo
5348. jarg422h.htm#followup
5349. jarg422h.htm#%3d%20F%20%3d
5350. jarg422h.htm#foobar
5351. jarg422h.htm#fontology
5352. jarg422h.htm#%3d%20F%20%3d
5353. jarg422h.htm#metasyntactic%20variable
5354. jarg422h.htm#bar
5355. jarg422h.htm#baz
5356. jarg422h.htm#qux

5357. jarg422h.htm#quux
5358. jarg422h.htm#corge
5359. jarg422h.htm#grault
5360. jarg422h.htm#garply
5361. jarg422h.htm#waldo
5362. jarg422h.htm#fred
5363. jarg422h.htm#plugh
5364. jarg422h.htm#xyzyzy
5365. jarg422h.htm#thud
5366. jarg422h.htm#FUBAR
5367. jarg422h.htm#foobar
5368. <http://www.spumco.com/magazine/eowbcc/>
5369. jarg422h.htm#kluge
5370. jarg422h.htm#kludge
5371. jarg422h.htm#backronym
5372. jarg422h.htm#TMRC
5373. jarg422h.htm#TMRC
5374. jarg422h.htm#ha%20ha%20only%20serious
5375. jarg422h.htm#fool
5376. jarg422h.htm#foo
5377. jarg422h.htm#%3d%20F%20%3d
5378. jarg422h.htm#metasyntactic%20variable
5379. jarg422h.htm#foo
5380. jarg422h.htm#DEC
5381. jarg422h.htm#FUBAR
5382. jarg422h.htm#Fred%20Foobar
5383. jarg422h.htm#backronym
5384. jarg422h.htm#fool%20file
5385. jarg422h.htm#foobar
5386. jarg422h.htm#%3d%20F%20%3d
5387. jarg422h.htm#cretin
5388. jarg422h.htm#loser
5389. jarg422h.htm#fool%20file
5390. jarg422h.htm#DEADBEEF
5391. jarg422h.htm#Foonly
5392. jarg422h.htm#fool
5393. jarg422h.htm#%3d%20F%20%3d
5394. jarg422h.htm#sig%20block
5395. jarg422h.htm#footprint
5396. jarg422h.htm#fool%20file
5397. jarg422h.htm#%3d%20F%20%3d
5398. jarg422h.htm#PDP-10
5399. jarg422h.htm#DEC
5400. jarg422h.htm#TOPS-20
5401. jarg422h.htm#Mars
5402. jarg422h.htm#Mars
5403. jarg422h.htm#for%20free
5404. jarg422h.htm#Foonly
5405. jarg422h.htm#%3d%20F%20%3d
5406. jarg422h.htm#toeprint
5407. jarg422h.htm#for%20the%20rest%20of%20us
5408. jarg422h.htm#footprint
5409. jarg422h.htm#%3d%20F%20%3d

5410. jarg422h.htm#big%20win
5411. jarg422h.htm#for%20values%20of
5412. jarg422h.htm#for%20free
5413. jarg422h.htm#%3d%20F%20%3d
5414. jarg422h.htm#spiffy
5415. jarg422h.htm#spiffy
5416. jarg422h.htm#WIMP%20environment
5417. jarg422h.htm#Macintrash
5418. jarg422h.htm#point-and-drool%20interface
5419. jarg422h.htm#user-friendly
5420. jarg422h.htm#fora
5421. jarg422h.htm#for%20the%20rest%20of%20us
5422. jarg422h.htm#%3d%20F%20%3d
5423. jarg422h.htm#random%20numbers
5424. jarg422h.htm#foreground
5425. jarg422h.htm#for%20values%20of
5426. jarg422h.htm#%3d%20F%20%3d
5427. jarg422h.htm#forum
5428. jarg422h.htm#fork
5429. jarg422h.htm#fora
5430. jarg422h.htm#%3d%20F%20%3d
5431. jarg422h.htm#stack
5432. jarg422h.htm#background
5433. jarg422h.htm#Unix
5434. jarg422h.htm#lose
5435. jarg422h.htm#fork%20bomb
5436. jarg422h.htm#foreground
5437. jarg422h.htm#%3d%20F%20%3d
5438. Emacs/XEmacsfork
5439. jarg422h.htm#forked
5440. jarg422h.htm#fork
5441. jarg422h.htm#%3d%20F%20%3d
5442. jarg422h.htm#wabbit
5443. jarg422h.htm#logic%20bomb
5444. jarg422h.htm#Fortrash
5445. jarg422h.htm#fork%20bomb
5446. jarg422h.htm#%3d%20F%20%3d
5447. jarg422h.htm#Bad%20Thing
5448. jarg422h.htm#fork%20bomb
5449. jarg422h.htm#fortune%20cookie
5450. jarg422h.htm#forked
5451. jarg422h.htm#%3d%20F%20%3d
5452. jarg422h.htm#forum
5453. jarg422h.htm#Fortrash
5454. jarg422h.htm#%3d%20F%20%3d
5455. jarg422h.htm#cookie%20file
5456. jarg422h.htm#fossil
5457. jarg422h.htm#fortune%20cookie
5458. jarg422h.htm#%3d%20F%20%3d
5459. jarg422h.htm#BBS
5460. jarg422h.htm#mailing%20list
5461. jarg422h.htm#newsgroup
5462. jarg422h.htm#the%20network

5463. jarg422h.htm#posting
5464. jarg422h.htm#talk%20mode
5465. jarg422h.htm#email
5466. jarg422h.htm#four-color%20glossies
5467. jarg422h.htm#forum
5468. jarg422h.htm#%3d%20F%20%3d
5469. jarg422h.htm#C
5470. jarg422h.htm#dusty%20deck
5471. jarg422h.htm#BSD
5472. jarg422h.htm#USG%20Unix
5473. jarg422h.htm#brain-dead
5474. jarg422h.htm#BBS
5475. jarg422h.htm#bare%20metal
5476. jarg422h.htm#hook
5477. jarg422h.htm#frag
5478. jarg422h.htm#fossil
5479. jarg422h.htm#%3d%20F%20%3d
5480. jarg422h.htm#marketroid
5481. jarg422h.htm#content-free
5482. jarg422h.htm#fragile
5483. jarg422h.htm#four-color%20glossies
5484. jarg422h.htm#%3d%20F%20%3d
5485. jarg422h.htm#avatar
5486. jarg422h.htm#gib
5487. jarg422h.htm#fred
5488. jarg422h.htm#frag
5489. jarg422h.htm#%3d%20F%20%3d
5490. jarg422h.htm#brittle
5491. jarg422h.htm#Fred%20Foobar
5492. jarg422h.htm#fragile
5493. jarg422h.htm#%3d%20F%20%3d
5494. jarg422h.htm#metasyntactic%20variable
5495. jarg422h.htm#foo
5496. jarg422h.htm#J.%20Random%20Hacker
5497. jarg422h.htm#Dr.%20Fred%20Mbogo
5498. jarg422h.htm#barney
5499. jarg422h.htm#frednet
5500. jarg422h.htm#fred
5501. jarg422h.htm#%3d%20F%20%3d
5502. jarg422h.htm#J.%20Random%20Hacker
5503. jarg422h.htm#backreference
5504. jarg422h.htm#Bloggs%20Family
5505. jarg422h.htm#Dr.%20Fred%20Mbogo
5506. jarg422h.htm#free%20software
5507. jarg422h.htm#Fred%20Foobar
5508. jarg422h.htm#%3d%20F%20%3d
5509. jarg422h.htm#random
5510. jarg422h.htm#freeware
5511. jarg422h.htm#frednet
5512. jarg422h.htm#%3d%20F%20%3d
5513. jarg422h.htm#open%20source
5514. jarg422h.htm#freeze
5515. jarg422h.htm#free%20software

5516. jarg422h.htm#%3d%20F%20%3d
5517. jarg422h.htm#Usenet
5518. jarg422h.htm#shareware
5519. jarg422h.htm#FRS
5520. jarg422h.htm#fried
5521. jarg422h.htm#freeware
5522. jarg422h.htm#%3d%20F%20%3d
5523. jarg422h.htm#frink
5524. jarg422h.htm#freeze
5525. jarg422h.htm#%3d%20F%20%3d
5526. jarg422h.htm#glitch
5527. jarg422h.htm#drop-outs
5528. jarg422h.htm#friode
5529. jarg422h.htm#SED
5530. jarg422h.htm#LER
5531. jarg422h.htm#frotzed
5532. jarg422h.htm#friode
5533. jarg422h.htm#fried
5534. jarg422h.htm#%3d%20F%20%3d
5535. jarg422h.htm#gorets
5536. jarg422h.htm#fritterware
5537. jarg422h.htm#frink
5538. jarg422h.htm#%3d%20F%20%3d
5539. jarg422h.htm#fried
5540. jarg422h.htm#SED
5541. jarg422h.htm#LER
5542. jarg422h.htm#frob
5543. jarg422h.htm#friode
5544. jarg422h.htm#%3d%20F%20%3d
5545. jarg422h.htm#macdink
5546. jarg422h.htm#window%20shopping
5547. jarg422h.htm#frobnicate
5548. jarg422h.htm#fritterware
5549. jarg422h.htm#%3d%20F%20%3d
5550. jarg422h.htm#TMRC
5551. jarg422h.htm#frobnitz
5552. jarg422h.htm#frobnicate
5553. jarg422h.htm#MUD
5554. jarg422h.htm#wizard
5555. jarg422h.htm#frobnitz
5556. jarg422h.htm#frob
5557. jarg422h.htm#%3d%20F%20%3d
5558. jarg422h.htm#frobnitz
5559. jarg422h.htm#frob
5560. jarg422h.htm#tweak
5561. jarg422h.htm#twiddle
5562. jarg422h.htm#frog
5563. jarg422h.htm#frobnicate
5564. jarg422h.htm#%3d%20F%20%3d
5565. jarg422h.htm#frob
5566. jarg422h.htm#Zork
5567. jarg422h.htm#TMRC
5568. jarg422h.htm#frogging

5569. jarg422h.htm#frobnitz
5570. jarg422h.htm#%3d%20F%20%3d
5571. jarg422h.htm#foo
5572. jarg422h.htm#bagbiting
5573. jarg422h.htm#front%20end
5574. jarg422h.htm#frog
5575. jarg422h.htm#%3d%20F%20%3d
5576. jarg422h.htm#terminak
5577. jarg422h.htm#dread%20high-bit%20disease
5578. jarg422h.htm#frotz
5579. jarg422h.htm#frogging
5580. jarg422h.htm#%3d%20F%20%3d
5581. jarg422h.htm#frotzed
5582. jarg422h.htm#front%20end
5583. jarg422h.htm#%3d%20F%20%3d
5584. jarg422h.htm#frobnitz
5585. jarg422h.htm#frowney
5586. jarg422h.htm#frotz
5587. jarg422h.htm#%3d%20F%20%3d
5588. jarg422h.htm#down
5589. jarg422h.htm#fried
5590. jarg422h.htm#FRS
5591. jarg422h.htm#frotzed
5592. jarg422h.htm#%3d%20F%20%3d
5593. jarg422h.htm#emoticon
5594. jarg422h.htm#fry
5595. jarg422h.htm#frowney
5596. jarg422h.htm#%3d%20F%20%3d
5597. jarg422h.htm#freeware
5598. jarg422h.htm#shareware
5599. jarg422h.htm#open%20source
5600. jarg422h.htm#fscking
5601. jarg422h.htm#FRS
5602. jarg422h.htm#%3d%20F%20%3d
5603. jarg422h.htm#fried
5604. jarg422h.htm#magic%20smoke
5605. jarg422h.htm#roach
5606. jarg422h.htm#toast
5607. jarg422h.htm#hose
5608. jarg422h.htm#fried
5609. jarg422h.htm#FSF
5610. jarg422h.htm#fry
5611. jarg422h.htm#%3d%20F%20%3d
5612. jarg422h.htm#scary%20devil%20monastery
5613. jarg422h.htm#CDA
5614. jarg422h.htm#FTP
5615. jarg422h.htm#fscking
5616. jarg422h.htm#%3d%20F%20%3d
5617. jarg422h.htm#GNU
5618. jarg422h.htm#-fu
5619. jarg422h.htm#FSF
5620. jarg422h.htm#%3d%20F%20%3d
5621. jarg422h.htm#beam

5622. jarg422h.htm#FTP
5623. jarg422h.htm#FUBAR
5624. jarg422h.htm#FTP
5625. jarg422h.htm#%3d%20F%20%3d
5626. jarg422h.htm#fuck%20me%20harder
5627. jarg422h.htm#-fu
5628. jarg422h.htm#%3d%20F%20%3d
5629. jarg422h.htm#suit
5630. jarg422h.htm#foobar
5631. jarg422h.htm#foo
5632. jarg422h.htm#FUD
5633. jarg422h.htm#FUBAR
5634. jarg422h.htm#%3d%20F%20%3d
5635. jarg422h.htm#FUD%20wars
5636. jarg422h.htm#fuck%20me%20harder
5637. jarg422h.htm#%3d%20F%20%3d
5638. jarg422h.htm#IBM
5639. jarg422h.htm#Microsoft
5640. jarg422h.htm#fudge
5641. jarg422h.htm#FUD
5642. jarg422h.htm#%3d%20F%20%3d
5643. jarg422h.htm#FUD
5644. jarg422h.htm#fudge%20factor
5645. jarg422h.htm#FUD%20wars
5646. jarg422h.htm#%3d%20F%20%3d
5647. jarg422h.htm#fuel%20up
5648. jarg422h.htm#fudge
5649. jarg422h.htm#%3d%20F%20%3d
5650. jarg422h.htm#slop
5651. jarg422h.htm#coefficient%20of%20X
5652. jarg422h.htm#Full%20Monty
5653. jarg422h.htm#fudge%20factor
5654. jarg422h.htm#%3d%20F%20%3d
5655. jarg422h.htm#great-wall
5656. jarg422h.htm#oriental%20food
5657. jarg422h.htm#fum
5658. jarg422h.htm#fuel%20up
5659. jarg422h.htm#%3d%20F%20%3d
5660. jarg422h.htm#monty
5661. jarg422h.htm#funcitino
5662. jarg422h.htm#Full%20Monty
5663. jarg422h.htm#%3d%20F%20%3d
5664. jarg422h.htm#metasyntactic%20variable
5665. jarg422h.htm#foo
5666. jarg422h.htm#bar
5667. jarg422h.htm#baz
5668. jarg422h.htm#funky
5669. jarg422h.htm#fum
5670. jarg422h.htm#%3d%20F%20%3d
5671. jarg422h.htm#funny%20money
5672. jarg422h.htm#funcitino
5673. jarg422h.htm#%3d%20F%20%3d
5674. jarg422h.htm#TECO

5675. jarg422h.htm#furrfu
5676. jarg422h.htm#funky
5677. jarg422h.htm#%3d%20F%20%3d
5678. jarg422h.htm#fuzzball
5679. jarg422h.htm#funny%20money
5680. jarg422h.htm#%3d%20F%20%3d
5681. jarg422h.htm#rot13
5682. jarg422h.htm#newbie
5683. jarg422h.htm#FOAF
5684. jarg422h.htm#G
5685. jarg422h.htm#furrfu
5686. jarg422h.htm#%3d%20F%20%3d
5687. jarg422h.htm#%3d%20H%20%3d
5688. jarg422h.htm#%3d%20F%20%3d
5689. jarg422h.htm#The%20Jargon%20Lexicon
5690. jarg422h.htm#G
5691. jarg422h.htm#g-file
5692. jarg422h.htm#gabriel
5693. jarg422h.htm#gag
5694. jarg422h.htm#gang%20bang
5695. jarg422h.htm#garbage%20collect
5696. jarg422h.htm#garply
5697. jarg422h.htm#gas
5698. jarg422h.htm#gaseous
5699. jarg422h.htm#Gates's%20Law
5700. jarg422h.htm#gawble
5701. jarg422h.htm#GC
5702. jarg422h.htm#GCOS
5703. jarg422h.htm#GECOS
5704. jarg422h.htm#gedanken
5705. jarg422h.htm#geef
5706. jarg422h.htm#geek%20code
5707. jarg422h.htm#geek%20out
5708. jarg422h.htm#gen
5709. jarg422h.htm#gender%20mender
5710. jarg422h.htm#General%20Public%20Virus
5711. jarg422h.htm#generate
5712. jarg422h.htm#Genius%20From%20Mars%20Technique
5713. jarg422h.htm#gensym
5714. jarg422h.htm#Get%20a%20life!
5715. jarg422h.htm#Get%20a%20real%20computer!
5716. jarg422h.htm#GFR
5717. jarg422h.htm#gib
5718. jarg422h.htm#GIFs%20at%2011
5719. jarg422h.htm#gig
5720. jarg422h.htm#giga-
5721. jarg422h.htm#GIGO
5722. jarg422h.htm#gilley
5723. jarg422h.htm#gillion
5724. jarg422h.htm#ginger
5725. jarg422h.htm#GIPS
5726. jarg422h.htm#glark
5727. jarg422h.htm#glass

5728. jarg422h.htm#glass%20tty
5729. jarg422h.htm#glassfet
5730. jarg422h.htm#glitch
5731. jarg422h.htm#glob
5732. jarg422h.htm#glork
5733. jarg422h.htm#glue
5734. jarg422h.htm#gnarly
5735. jarg422h.htm#GNU
5736. jarg422h.htm#g nubie
5737. jarg422h.htm#GNUMACS
5738. jarg422h.htm#go%20flatline
5739. jarg422h.htm#go%20root
5740. jarg422h.htm#go-faster%20stripes
5741. jarg422h.htm#GoAT
5742. jarg422h.htm#gobble
5743. jarg422h.htm#Godwin's%20Law
5744. jarg422h.htm#Godzillagram
5745. jarg422h.htm#golden
5746. jarg422h.htm#golf-ball%20printer
5747. jarg422h.htm#gonk
5748. jarg422h.htm#gonkulator
5749. jarg422h.htm#gonzo
5750. jarg422h.htm#Good%20Thing
5751. jarg422h.htm#gopher
5752. jarg422h.htm#gopher%20hole
5753. jarg422h.htm#gorets
5754. jarg422h.htm#gorilla%20arm
5755. jarg422h.htm#gorp
5756. jarg422h.htm#GOSMACS
5757. jarg422h.htm#Gosperism
5758. jarg422h.htm#gotcha
5759. jarg422h.htm#GPL
5760. jarg422h.htm#GPV
5761. jarg422h.htm#grault
5762. jarg422h.htm#gray%20goo
5763. jarg422h.htm#Great%20Renaming
5764. jarg422h.htm#Great%20Runes
5765. jarg422h.htm#Great%20Worm
5766. jarg422h.htm#great-wall
5767. jarg422h.htm#Green%20Book
5768. jarg422h.htm#green%20bytes
5769. jarg422h.htm#green%20card
5770. jarg422h.htm#green%20lightning
5771. jarg422h.htm#green%20machine
5772. jarg422h.htm#Green's%20Theorem
5773. jarg422h.htm#greenbar
5774. jarg422h.htm#grep
5775. jarg422h.htm#gribble
5776. jarg422h.htm#grilf
5777. jarg422h.htm#grind
5778. jarg422h.htm#grind%20crank
5779. jarg422h.htm#gripenet
5780. jarg422h.htm#gritch

5781. jarg422h.htm#grok
5782. jarg422h.htm#gronk
5783. jarg422h.htm#gronk%20out
5784. jarg422h.htm#gronked
5785. jarg422h.htm#grovel
5786. jarg422h.htm#grue
5787. jarg422h.htm#grunge
5788. jarg422h.htm#gubbish
5789. jarg422h.htm#Guido
5790. jarg422h.htm#guiltware
5791. jarg422h.htm#gumby
5792. jarg422h.htm#gun
5793. jarg422h.htm#gunch
5794. jarg422h.htm#gunpowder%20chicken
5795. jarg422h.htm#gurfle
5796. jarg422h.htm#guru
5797. jarg422h.htm#guru%20meditation
5798. jarg422h.htm#gweep
5799. jarg422h.htm#g-file
5800. jarg422h.htm#fuzzball
5801. jarg422h.htm#%3d%20G%20%3d
5802. jarg422h.htm#quantifiers
5803. jarg422h.htm#gabriel
5804. jarg422h.htm#G
5805. jarg422h.htm#%3d%20G%20%3d
5806. jarg422h.htm#gag
5807. jarg422h.htm#g-file
5808. jarg422h.htm#%3d%20G%20%3d
5809. jarg422h.htm#gang%20bang
5810. jarg422h.htm#gabriel
5811. jarg422h.htm#%3d%20G%20%3d
5812. jarg422h.htm#choke
5813. jarg422h.htm#barf
5814. jarg422h.htm#garbage%20collect
5815. jarg422h.htm#gag
5816. jarg422h.htm#%3d%20G%20%3d
5817. jarg422h.htm#orthogonal
5818. jarg422h.htm#firefighting
5819. jarg422h.htm#Mongolian%20Hordes%20technique
5820. jarg422h.htm#Conway's%20Law
5821. jarg422h.htm#garply
5822. jarg422h.htm#gang%20bang
5823. jarg422h.htm#%3d%20G%20%3d
5824. jarg422h.htm#GC
5825. jarg422h.htm#gas
5826. jarg422h.htm#garbage%20collect
5827. jarg422h.htm#%3d%20G%20%3d
5828. jarg422h.htm#foo
5829. jarg422h.htm#gaseous
5830. jarg422h.htm#garply
5831. jarg422h.htm#%3d%20G%20%3d
5832. jarg422h.htm#wedged
5833. jarg422h.htm#flush

5834. jarg422h.htm#Gates's%20Law
5835. jarg422h.htm#gas
5836. jarg422h.htm#%3d%20G%20%3d
5837. jarg422h.htm#gas
5838. jarg422h.htm#gawble
5839. jarg422h.htm#gaseous
5840. jarg422h.htm#%3d%20G%20%3d
5841. jarg422h.htm#Moore's%20Law
5842. jarg422h.htm#GC
5843. jarg422h.htm#Gates's%20Law
5844. jarg422h.htm#%3d%20G%20%3d
5845. jarg422h.htm#chawmp
5846. jarg422h.htm#GCOS
5847. jarg422h.htm#gawble
5848. jarg422h.htm#%3d%20G%20%3d
5849. jarg422h.htm#GFR
5850. jarg422h.htm#abbrev
5851. jarg422h.htm#GECOS
5852. jarg422h.htm#GC
5853. jarg422h.htm#%3d%20G%20%3d
5854. jarg422h.htm#quick-and-dirty
5855. jarg422h.htm#clone
5856. jarg422h.htm#Multics
5857. jarg422h.htm#big%20iron
5858. jarg422h.htm#gedanken
5859. jarg422h.htm#GCOS
5860. jarg422h.htm#%3d%20G%20%3d
5861. jarg422h.htm#GCOS
5862. jarg422h.htm#geef
5863. jarg422h.htm#GECOS
5864. jarg422h.htm#%3d%20G%20%3d
5865. jarg422h.htm#AI-complete
5866. jarg422h.htm#DWIM
5867. jarg422h.htm#geek%20code
5868. jarg422h.htm#gedanken
5869. jarg422h.htm#%3d%20G%20%3d
5870. jarg422h.htm#mung
5871. jarg422h.htm#blinkenlights
5872. jarg422h.htm#geek%20out
5873. jarg422h.htm#geef
5874. jarg422h.htm#%3d%20G%20%3d
5875. jarg422h.htm#sig%20block
5876. <http://www.geekcode.com/>
5877. jarg422h.htm#newsgroup
5878. jarg422h.htm#computer%20geek
5879. jarg422h.htm#gen
5880. jarg422h.htm#geek%20code
5881. jarg422h.htm#%3d%20G%20%3d
5882. jarg422h.htm#computer%20geek
5883. jarg422h.htm#propeller%20head
5884. jarg422h.htm#gender%20mender
5885. jarg422h.htm#geek%20out
5886. jarg422h.htm#%3d%20G%20%3d

5887. jarg422h.htm#generate
5888. jarg422h.htm#General%20Public%20Virus
5889. jarg422h.htm#gen
5890. jarg422h.htm#%3d%20G%20%3d
5891. jarg422h.htm#loser
5892. jarg422h.htm#generate
5893. jarg422h.htm#gender%20mender
5894. jarg422h.htm#%3d%20G%20%3d
5895. jarg422h.htm#GNU
5896. jarg422h.htm#copyleft
5897. jarg422h.htm#app
5898. jarg422h.htm#copyleft
5899. jarg422h.htm#Genius%20From%20Mars%20Technique
5900. jarg422h.htm#General%20Public%20Virus
5901. jarg422h.htm#%3d%20G%20%3d
5902. jarg422h.htm#parse
5903. jarg422h.htm#infinite
5904. jarg422h.htm#gensym
5905. jarg422h.htm#generate
5906. jarg422h.htm#%3d%20G%20%3d
5907. jarg422h.htm#grok
5908. jarg422h.htm#zen
5909. jarg422h.htm#Get%20a%20life!
5910. jarg422h.htm#Genius%20From%20Mars%20Technique
5911. jarg422h.htm#%3d%20G%20%3d
5912. jarg422h.htm#cruft
5913. jarg422h.htm#Get%20a%20real%20computer!
5914. jarg422h.htm#gensym
5915. jarg422h.htm#%3d%20G%20%3d
5916. jarg422h.htm#computer%20geek
5917. jarg422h.htm#Usenet
5918. jarg422h.htm#theology
5919. jarg422h.htm#GFR
5920. jarg422h.htm#Get%20a%20life!
5921. jarg422h.htm#%3d%20G%20%3d
5922. jarg422h.htm#bitty%20box
5923. jarg422h.htm#toy
5924. jarg422h.htm#gib
5925. jarg422h.htm#Get%20a%20real%20computer!
5926. jarg422h.htm#%3d%20G%20%3d
5927. jarg422h.htm#GFR
5928. jarg422h.htm#proowler
5929. jarg422h.htm#reaper
5930. jarg422h.htm#GC
5931. jarg422h.htm#GIFs%20at%2011
5932. jarg422h.htm#GFR
5933. jarg422h.htm#%3d%20G%20%3d
5934. jarg422h.htm#frag
5935. jarg422h.htm#gig
5936. jarg422h.htm#gib
5937. jarg422h.htm#%3d%20G%20%3d
5938. jarg422h.htm#film%20at%2011
5939. jarg422h.htm#giga-

5940. jarg422h.htm#GIFs%20at%2011
5941. jarg422h.htm#%3d%20G%20%3d
5942. jarg422h.htm#quantifiers
5943. jarg422h.htm#GIGO
5944. jarg422h.htm#gig
5945. jarg422h.htm#%3d%20G%20%3d
5946. jarg422h.htm#quantifiers
5947. jarg422h.htm#gilley
5948. jarg422h.htm#giga-
5949. jarg422h.htm#%3d%20G%20%3d
5950. jarg422h.htm#luser
5951. jarg422h.htm#gillion
5952. jarg422h.htm#GIGO
5953. jarg422h.htm#%3d%20G%20%3d
5954. jarg422h.htm#bogosity
5955. jarg422h.htm#ginger
5956. jarg422h.htm#gilley
5957. jarg422h.htm#%3d%20G%20%3d
5958. jarg422h.htm#giga-
5959. jarg422h.htm#giga-
5960. jarg422h.htm#GIPS
5961. jarg422h.htm#gillion
5962. jarg422h.htm#%3d%20G%20%3d
5963. jarg422h.htm#saga
5964. jarg422h.htm#glark
5965. jarg422h.htm#ginger
5966. jarg422h.htm#%3d%20G%20%3d
5967. jarg422h.htm#MIPS
5968. jarg422h.htm#gillion
5969. jarg422h.htm#KIPS
5970. jarg422h.htm#glass
5971. jarg422h.htm#GIPS
5972. jarg422h.htm#%3d%20G%20%3d
5973. jarg422h.htm#glork
5974. jarg422h.htm#grok
5975. jarg422h.htm#zen
5976. jarg422h.htm#glass%20tty
5977. jarg422h.htm#glark
5978. jarg422h.htm#%3d%20G%20%3d
5979. jarg422h.htm#silicon
5980. jarg422h.htm#glassfet
5981. jarg422h.htm#glass
5982. jarg422h.htm#%3d%20G%20%3d
5983. jarg422h.htm#tube
5984. jarg422h.htm#tty
5985. jarg422h.htm#dumb%20terminal
5986. jarg422h.htm#smart%20terminal
5987. jarg422h.htm#TV%20Typewriters
5988. jarg422h.htm#glitch
5989. jarg422h.htm#glass%20tty
5990. jarg422h.htm#%3d%20G%20%3d
5991. jarg422h.htm#firebottle
5992. jarg422h.htm#glob

5993. jarg422h.htm#glassfet
5994. jarg422h.htm#%3d%20G%20%3d
5995. jarg422h.htm#power%20hit
5996. jarg422h.htm#gritch
5997. jarg422h.htm#WAITS
5998. jarg422h.htm#magic%20cookie
5999. jarg422h.htm#random
6000. jarg422h.htm#heisenbug
6001. jarg422h.htm#glork
6002. jarg422h.htm#glitch
6003. jarg422h.htm#%3d%20G%20%3d
6004. jarg422h.htm#UN*X
6005. jarg422h.htm#Usenet
6006. jarg422h.htm#X
6007. jarg422h.htm#regexp
6008. jarg422h.htm#glue
6009. jarg422h.htm#glob
6010. jarg422h.htm#%3d%20G%20%3d
6011. jarg422h.htm#foo
6012. jarg422h.htm#glitch
6013. jarg422h.htm#glark
6014. jarg422h.htm#gnarly
6015. jarg422h.htm#glork
6016. jarg422h.htm#%3d%20G%20%3d
6017. jarg422h.htm#Blue%20Glue
6018. jarg422h.htm#GNU
6019. jarg422h.htm#glue
6020. jarg422h.htm#%3d%20G%20%3d
6021. jarg422h.htm#obscure
6022. jarg422h.htm#hairly
6023. jarg422h.htm#Yow!
6024. jarg422h.htm#gnumbie
6025. jarg422h.htm#gnarly
6026. jarg422h.htm#%3d%20G%20%3d
6027. jarg422h.htm#recursive%20acronym
6028. mailto:<rms@gnu.org>
6029. http://www.gnu.org/
6030. jarg422h.htm#EMACS
6031. jarg422h.htm#copyleft
6032. jarg422h.htm#General%20Public%20Virus
6033. jarg422h.htm#Linux
6034. mailto:<gnu@toad.com>
6035. jarg422h.htm#GNUMACS
6036. jarg422h.htm#GNU
6037. jarg422h.htm#%3d%20G%20%3d
6038. jarg422h.htm#newbie
6039. jarg422h.htm#go%20flatline
6040. jarg422h.htm#gnumbie
6041. jarg422h.htm#%3d%20G%20%3d
6042. jarg422h.htm#GNU
6043. jarg422h.htm#EMACS
6044. jarg422h.htm#go%20root
6045. jarg422h.htm#GNUMACS

6046. jarg422h.htm#%3d%20G%20%3d
6047. jarg422h.htm#die
6048. jarg422h.htm#go-faster%20stripes
6049. jarg422h.htm#go%20flatline
6050. jarg422h.htm#%3d%20G%20%3d
6051. jarg422h.htm#root%20mode
6052. jarg422h.htm#GoAT
6053. jarg422h.htm#go%20root
6054. jarg422h.htm#%3d%20G%20%3d
6055. jarg422h.htm#chrome
6056. jarg422h.htm#gobble
6057. jarg422h.htm#go-faster%20stripes
6058. jarg422h.htm#%3d%20G%20%3d
6059. jarg422h.htm#troll
6060. jarg422h.htm#Godwin's%20Law
6061. jarg422h.htm#GoAT
6062. jarg422h.htm#%3d%20G%20%3d
6063. jarg422h.htm#tty
6064. jarg422h.htm#snarf
6065. jarg422h.htm#Godzillagram
6066. jarg422h.htm#gobble
6067. jarg422h.htm#%3d%20G%20%3d
6068. jarg422h.htm#golden
6069. jarg422h.htm#Godwin's%20Law
6070. jarg422h.htm#%3d%20G%20%3d
6071. jarg422h.htm#super%20source%20quench
6072. jarg422h.htm#Christmas%20tree%20packet
6073. jarg422h.htm#martian
6074. jarg422h.htm#golf-ball%20printer
6075. jarg422h.htm#Godzillagram
6076. jarg422h.htm#%3d%20G%20%3d
6077. jarg422h.htm#platinum-iridium
6078. jarg422h.htm#gonk
6079. jarg422h.htm#golden
6080. jarg422h.htm#%3d%20G%20%3d
6081. jarg422h.htm#gonkulator
6082. jarg422h.htm#golf-ball%20printer
6083. jarg422h.htm#%3d%20G%20%3d
6084. jarg422h.htm#gonkulator
6085. jarg422h.htm#gronk%20out
6086. jarg422h.htm#gonzo
6087. jarg422h.htm#gonk
6088. jarg422h.htm#%3d%20G%20%3d
6089. jarg422h.htm#gonk
6090. jarg422h.htm#Good%20Thing
6091. jarg422h.htm#gonkulator
6092. jarg422h.htm#%3d%20G%20%3d
6093. jarg422h.htm#moby
6094. jarg422h.htm#hairy
6095. jarg422h.htm#gopher
6096. jarg422h.htm#gonzo
6097. jarg422h.htm#%3d%20G%20%3d
6098. jarg422h.htm#Bad%20Thing

6099. jarg422h.htm#gopher%20hole
6100. jarg422h.htm#Good%20Thing
6101. jarg422h.htm#%3d%20G%20%3d
6102. jarg422h.htm#gorets
6103. jarg422h.htm#gopher
6104. jarg422h.htm#%3d%20G%20%3d
6105. jarg422h.htm#gopher
6106. jarg422h.htm#wormhole
6107. jarg422h.htm#gorilla%20arm
6108. jarg422h.htm#gopher%20hole
6109. jarg422h.htm#%3d%20G%20%3d
6110. jarg422h.htm#frink
6111. jarg422h.htm#gorp
6112. jarg422h.htm#gorets
6113. jarg422h.htm#%3d%20G%20%3d
6114. jarg422h.htm#spiffy
6115. jarg422h.htm#GOSMACS
6116. jarg422h.htm#gorilla%20arm
6117. jarg422h.htm#%3d%20G%20%3d
6118. jarg422h.htm#metasyntactic%20variable
6119. jarg422h.htm#foo
6120. jarg422h.htm#bar
6121. jarg422h.htm#Gosperism
6122. jarg422h.htm#gorp
6123. jarg422h.htm#%3d%20G%20%3d
6124. jarg422h.htm#EMACS
6125. jarg422h.htm#GNUMACS
6126. jarg422h.htm#NeWS
6127. jarg422h.htm#demigod
6128. jarg422h.htm#gotcha
6129. jarg422h.htm#GOSMACS
6130. jarg422h.htm#%3d%20G%20%3d
6131. jarg422h.htm#elder%20days
6132. jarg422h.htm#HAKMEM
6133. jarg422h.htm#life
6134. jarg422h.htm#GPL
6135. jarg422h.htm#Gosperism
6136. jarg422h.htm#%3d%20G%20%3d
6137. jarg422h.htm#misfeature
6138. jarg422h.htm#C
6139. jarg422h.htm#GPV
6140. jarg422h.htm#gotcha
6141. jarg422h.htm#%3d%20G%20%3d
6142. jarg422h.htm#copyleft
6143. jarg422h.htm#General%20Public%20Virus
6144. jarg422h.htm#grault
6145. jarg422h.htm#GPL
6146. jarg422h.htm#%3d%20G%20%3d
6147. jarg422h.htm#General%20Public%20Virus
6148. jarg422h.htm#gray%20goo
6149. jarg422h.htm#GPV
6150. jarg422h.htm#%3d%20G%20%3d
6151. jarg422h.htm#metasyntactic%20variable

6152. jarg422h.htm#GOSMACS
6153. jarg422h.htm#corge
6154. jarg422h.htm#Great%20Renaming
6155. jarg422h.htm#grault
6156. jarg422h.htm#%3d%20G%20%3d
6157. jarg422h.htm#sagan
6158. jarg422h.htm#nanotechnology
6159. jarg422h.htm#blue%20goo
6160. jarg422h.htm#Great%20Runes
6161. jarg422h.htm#gray%20goo
6162. jarg422h.htm#%3d%20G%20%3d
6163. jarg422h.htm#flag%20day
6164. jarg422h.htm#Usenet
6165. <http://www.vrx.net/usenet/history/rename.html>
6166. jarg422h.htm#Great%20Worm
6167. jarg422h.htm#Great%20Renaming
6168. jarg422h.htm#%3d%20G%20%3d
6169. jarg422h.htm#runes
6170. jarg422h.htm#smash%20case
6171. jarg422h.htm#fold%20case
6172. jarg422h.htm#great-wall
6173. jarg422h.htm#Great%20Runes
6174. jarg422h.htm#%3d%20G%20%3d
6175. jarg422h.htm#worm
6176. jarg422h.htm#RTM
6177. jarg422h.htm#elvish
6178. jarg422h.htm#elder%20days
6179. jarg422h.htm#Green%20Book
6180. jarg422h.htm#Great%20Worm
6181. jarg422h.htm#%3d%20G%20%3d
6182. jarg422h.htm#N
6183. jarg422h.htm#oriental%20food
6184. jarg422h.htm#ravs
6185. jarg422h.htm#stir-fried%20random
6186. jarg422h.htm#green%20bytes
6187. jarg422h.htm#great-wall
6188. jarg422h.htm#%3d%20G%20%3d
6189. jarg422h.htm#PostScript
6190. jarg422h.htm#Red%20Book
6191. jarg422h.htm#Blue%20Book
6192. jarg422h.htm#White%20Book
6193. jarg422h.htm#Unix
6194. jarg422h.htm#Purple%20Book
6195. jarg422h.htm#book%20titles
6196. jarg422h.htm#green%20card
6197. jarg422h.htm#Green%20Book
6198. jarg422h.htm#%3d%20G%20%3d
6199. jarg422h.htm#out-of-band
6200. jarg422h.htm#zigamorph
6201. jarg422h.htm#fence
6202. jarg422h.htm#green%20lightning
6203. jarg422h.htm#green%20bytes
6204. jarg422h.htm#%3d%20G%20%3d

6205. jarg422h.htm#luser
6206. jarg422h.htm#green%20machine
6207. jarg422h.htm#green%20card
6208. jarg422h.htm#%3d%20G%20%3d
6209. jarg422h.htm#feature
6210. jarg422h.htm#Green's%20Theorem
6211. jarg422h.htm#green%20lightning
6212. jarg422h.htm#%3d%20G%20%3d
6213. jarg422h.htm#greenbar
6214. jarg422h.htm#green%20machine
6215. jarg422h.htm#%3d%20G%20%3d
6216. jarg422h.htm#grep
6217. jarg422h.htm#Green's%20Theorem
6218. jarg422h.htm#%3d%20G%20%3d
6219. jarg422h.htm#gribble
6220. jarg422h.htm#greenbar
6221. jarg422h.htm#%3d%20G%20%3d
6222. jarg422h.htm#Unix
6223. jarg422h.htm#vgrep
6224. jarg422h.htm#grilf
6225. jarg422h.htm#grep
6226. jarg422h.htm#%3d%20G%20%3d
6227. jarg422h.htm#baud%20barf
6228. jarg422h.htm#grind
6229. jarg422h.htm#gribble
6230. jarg422h.htm#%3d%20G%20%3d
6231. jarg422h.htm#newsfroup
6232. jarg422h.htm#filk
6233. jarg422h.htm#Usenet
6234. jarg422h.htm#grind%20crank
6235. jarg422h.htm#grilf
6236. jarg422h.htm#%3d%20G%20%3d
6237. jarg422h.htm#nroff
6238. jarg422h.htm#troff
6239. jarg422h.htm#TeX
6240. jarg422h.htm#crunch
6241. jarg422h.htm#grovel
6242. jarg422h.htm#hog
6243. jarg422h.htm#gripenet
6244. jarg422h.htm#grind
6245. jarg422h.htm#%3d%20G%20%3d
6246. jarg422h.htm#grind
6247. jarg422h.htm#gritch
6248. jarg422h.htm#grind%20crank
6249. jarg422h.htm#%3d%20G%20%3d
6250. jarg422h.htm#grok
6251. jarg422h.htm#gripenet
6252. jarg422h.htm#%3d%20G%20%3d
6253. jarg422h.htm#glitch
6254. jarg422h.htm#glitch
6255. jarg422h.htm#glitch
6256. jarg422h.htm#gronk
6257. jarg422h.htm#gritch

6258. jarg422h.htm#%3d%20G%20%3d
6259. jarg422h.htm#zen
6260. jarg422h.htm#glark
6261. jarg422h.htm#gronk%20out
6262. jarg422h.htm#grok
6263. jarg422h.htm#%3d%20G%20%3d
6264. jarg422h.htm#frob
6265. jarg422h.htm#gronked
6266. jarg422h.htm#gronk
6267. jarg422h.htm#%3d%20G%20%3d
6268. jarg422h.htm#grovel
6269. jarg422h.htm#gronk%20out
6270. jarg422h.htm#%3d%20G%20%3d
6271. jarg422h.htm#broken
6272. jarg422h.htm#gronk
6273. jarg422h.htm#grue
6274. jarg422h.htm#gronked
6275. jarg422h.htm#%3d%20G%20%3d
6276. jarg422h.htm#grind
6277. jarg422h.htm#crunch
6278. jarg422h.htm#grunge
6279. jarg422h.htm#grovel
6280. jarg422h.htm#%3d%20G%20%3d
6281. jarg422h.htm#Zork
6282. jarg422h.htm#Infocom
6283. jarg422h.htm#gubbish
6284. jarg422h.htm#grue
6285. jarg422h.htm#%3d%20G%20%3d
6286. jarg422h.htm#dead%20code
6287. jarg422h.htm#Guido
6288. jarg422h.htm#grunge
6289. jarg422h.htm#%3d%20G%20%3d
6290. jarg422h.htm#guiltware
6291. jarg422h.htm#gubbish
6292. jarg422h.htm#%3d%20G%20%3d
6293. jarg422h.htm#Python
6294. jarg422h.htm#gumby
6295. jarg422h.htm#Guido
6296. jarg422h.htm#%3d%20G%20%3d
6297. jarg422h.htm#freeware
6298. jarg422h.htm#shareware
6299. jarg422h.htm#gun
6300. jarg422h.htm#guiltware
6301. jarg422h.htm#%3d%20G%20%3d
6302. jarg422h.htm#gunch
6303. jarg422h.htm#gumby
6304. jarg422h.htm#%3d%20G%20%3d
6305. jarg422h.htm#can
6306. jarg422h.htm#blammo
6307. jarg422h.htm#gunpowder%20chicken
6308. jarg422h.htm#gun
6309. jarg422h.htm#%3d%20G%20%3d
6310. jarg422h.htm#mung

6311. jarg422h.htm#gurfle
6312. jarg422h.htm#gunch
6313. jarg422h.htm#%3d%20G%20%3d
6314. jarg422h.htm#laser%20chicken
6315. jarg422h.htm#guru
6316. jarg422h.htm#gunpowder%20chicken
6317. jarg422h.htm#%3d%20G%20%3d
6318. jarg422h.htm#weeble
6319. jarg422h.htm#guru%20meditation
6320. jarg422h.htm#gurfle
6321. jarg422h.htm#%3d%20G%20%3d
6322. jarg422h.htm#wizard
6323. jarg422h.htm#source%20of%20all%20good%20bits
6324. jarg422h.htm#gweep
6325. jarg422h.htm#guru
6326. jarg422h.htm#%3d%20G%20%3d
6327. jarg422h.htm#guru
6328. jarg422h.htm#Vulcan%20nerve%20pinch
6329. jarg422h.htm#h
6330. jarg422h.htm#guru%20meditation
6331. jarg422h.htm#%3d%20G%20%3d
6332. jarg422h.htm#hack
6333. jarg422h.htm#PDP-10
6334. jarg422h.htm#hacker
6335. jarg422h.htm#%3d%20I%20%3d
6336. jarg422h.htm#%3d%20G%20%3d
6337. jarg422h.htm#The%20Jargon%20Lexicon
6338. jarg422h.htm#h
6339. jarg422h.htm#ha%20ha%20only%20serious
6340. jarg422h.htm#hack
6341. jarg422h.htm#hack%20attack
6342. jarg422h.htm#hack%20mode
6343. jarg422h.htm#hack%20on
6344. jarg422h.htm#hack%20together
6345. jarg422h.htm#hack%20up
6346. jarg422h.htm#hack%20value
6347. jarg422h.htm#hacked%20off
6348. jarg422h.htm#hacked%20up
6349. jarg422h.htm#hacker
6350. jarg422h.htm#hacker%20ethic
6351. jarg422h.htm#hacker%20humor
6352. jarg422h.htm#Hackers%20(the%20movie)
6353. jarg422h.htm#hacking%20run
6354. jarg422h.htm#Hacking%20X%20for%20Y
6355. jarg422h.htm#Hackintosh
6356. jarg422h.htm#hackish
6357. jarg422h.htm#hackishness
6358. jarg422h.htm#hackitude
6359. jarg422h.htm#hair
6360. jarg422h.htm#hairball
6361. jarg422h.htm#hairly
6362. jarg422h.htm#HAKMEM
6363. jarg422h.htm#hakspek

6364. jarg422h.htm#Halloween%20Documents
6365. jarg422h.htm#hammer
6366. jarg422h.htm#hamster
6367. jarg422h.htm#HAND
6368. jarg422h.htm#hand%20cruft
6369. jarg422h.htm#hand-hacking
6370. jarg422h.htm#handle
6371. jarg422h.htm#handle
6372. jarg422h.htm#hand-roll
6373. jarg422h.htm#handshaking
6374. jarg422h.htm#handwave
6375. jarg422h.htm#hang
6376. jarg422h.htm#Hanlon's%20Razor
6377. jarg422h.htm#happily
6378. jarg422h.htm#haque
6379. jarg422h.htm#hard%20boot
6380. jarg422h.htm#hardcoded
6381. jarg422h.htm#hardwarily
6382. jarg422h.htm#hardwired
6383. jarg422h.htm#has%20the%20X%20nature
6384. jarg422h.htm#hash%20bucket
6385. jarg422h.htm#hash%20collision
6386. jarg422h.htm#hat
6387. jarg422h.htm#HCF
6388. jarg422h.htm#heads%20down
6389. jarg422h.htm#heartbeat
6390. jarg422h.htm#heatseeker
6391. jarg422h.htm#heavy%20metal
6392. jarg422h.htm#heavy%20wizardry
6393. jarg422h.htm#heavyweight
6394. jarg422h.htm#heisenbug
6395. jarg422h.htm#Helen%20Keller%20mode
6396. jarg422h.htm#hello%20sailor!
6397. jarg422h.htm#hello%20wall!
6398. jarg422h.htm#hello%20world
6399. jarg422h.htm#hex
6400. jarg422h.htm#hexadecimal
6401. jarg422h.htm#hexit
6402. jarg422h.htm#HHOK
6403. jarg422h.htm#HHOS
6404. jarg422h.htm#hidden%20flag
6405. jarg422h.htm#high%20bit
6406. jarg422h.htm#high%20moby
6407. jarg422h.htm#highly
6408. jarg422h.htm#hing
6409. jarg422h.htm#hired%20gun
6410. jarg422h.htm#hirsute
6411. jarg422h.htm#HLL
6412. jarg422h.htm#hoarding
6413. jarg422h.htm#hobbit
6414. jarg422h.htm#hog
6415. jarg422h.htm#hole
6416. jarg422h.htm#hollised

6417. jarg422h.htm#holy%20wars
6418. jarg422h.htm#home%20box
6419. jarg422h.htm#home%20machine
6420. jarg422h.htm#home%20page
6421. jarg422h.htm#honey%20pot
6422. jarg422h.htm#hook
6423. jarg422h.htm#hop
6424. jarg422h.htm#hose
6425. jarg422h.htm#hosed
6426. jarg422h.htm#hot%20chat
6427. jarg422h.htm#hot%20spot
6428. jarg422h.htm#hotlink
6429. jarg422h.htm#house%20wizard
6430. jarg422h.htm#HP-SUX
6431. jarg422h.htm#HTH
6432. jarg422h.htm#huff
6433. jarg422h.htm#humma
6434. jarg422h.htm#hung
6435. jarg422h.htm#hungry%20puppy
6436. jarg422h.htm#hungus
6437. jarg422h.htm#hyperspace
6438. jarg422h.htm#hysterical%20reasons
6439. jarg422h.htm#ha%20ha%20only%20serious
6440. jarg422h.htm#gweep
6441. jarg422h.htm#%3d%20H%20%3d
6442. jarg422h.htm#hack
6443. jarg422h.htm#h
6444. jarg422h.htm#%3d%20H%20%3d
6445. jarg422h.htm#wannabee
6446. jarg422h.htm#larval%20stage
6447. jarg422h.htm#hacker%20humor
6448. jarg422h.htm#AI%20koans
6449. jarg422h.htm#hack%20attack
6450. jarg422h.htm#ha%20ha%20only%20serious
6451. jarg422h.htm#%3d%20H%20%3d
6452. jarg422h.htm#Hacking%20X%20for%20Y
6453. jarg422h.htm#hacker
6454. jarg422h.htm#hacker
6455. jarg422h.htm#nethack
6456. jarg422h.htm#Zork
6457. jarg422h.htm#vadding
6458. jarg422h.htm#The%20Meaning%20of%20Hack
6459. jarg422h.htm#neat%20hack
6460. jarg422h.htm#real%20hack
6461. jarg422h.htm#hack%20mode
6462. jarg422h.htm#hack
6463. jarg422h.htm#%3d%20H%20%3d
6464. jarg422h.htm#hacking%20run
6465. jarg422h.htm#hack%20on
6466. jarg422h.htm#hack%20attack
6467. jarg422h.htm#%3d%20H%20%3d
6468. jarg422h.htm#larval%20stage
6469. jarg422h.htm#priority%20interrupt

6470. jarg422h.htm#cyberspace
6471. jarg422h.htm#hack%20mode
6472. jarg422h.htm#state
6473. jarg422h.htm#swap
6474. jarg422h.htm#juggling%20eggs
6475. jarg422h.htm#hack%20together
6476. jarg422h.htm#hack%20mode
6477. jarg422h.htm#%3d%20H%20%3d
6478. jarg422h.htm#hack
6479. jarg422h.htm#hack%20up
6480. jarg422h.htm#hack%20up
6481. jarg422h.htm#hack%20on
6482. jarg422h.htm#%3d%20H%20%3d
6483. jarg422h.htm#cruft%20together
6484. jarg422h.htm#hack%20value
6485. jarg422h.htm#hack%20together
6486. jarg422h.htm#%3d%20H%20%3d
6487. jarg422h.htm#hack
6488. jarg422h.htm#hack%20on
6489. jarg422h.htm#quick-and-dirty
6490. jarg422h.htm#hacked%20up
6491. jarg422h.htm#kluge%20up
6492. jarg422h.htm#monkey%20up
6493. jarg422h.htm#cruft%20together
6494. jarg422h.htm#hacked%20off
6495. jarg422h.htm#hack%20up
6496. jarg422h.htm#%3d%20H%20%3d
6497. jarg422h.htm#display%20hack
6498. jarg422h.htm#hacked%20up
6499. jarg422h.htm#hack%20value
6500. jarg422h.htm#%3d%20H%20%3d
6501. jarg422h.htm#hacker
6502. jarg422h.htm#hacked%20off
6503. jarg422h.htm#%3d%20H%20%3d
6504. jarg422h.htm#critical%20mass
6505. jarg422h.htm#hack%20up
6506. jarg422h.htm#hacker%20ethic
6507. jarg422h.htm#hacked%20up
6508. jarg422h.htm#%3d%20H%20%3d
6509. jarg422h.htm#hack%20value
6510. jarg422h.htm#cracker
6511. jarg422h.htm#the%20network
6512. jarg422h.htm#Internet%20address
6513. <http://www.tuxedo.org/~esr/faqs/hacker-howto.html>
6514. jarg422h.htm#hacker%20ethic
6515. jarg422h.htm#bogus
6516. jarg422h.htm#wannabee
6517. jarg422h.htm#hacker%20humor
6518. jarg422h.htm#hacker
6519. jarg422h.htm#%3d%20H%20%3d
6520. jarg422h.htm#GNU
6521. jarg422h.htm#samurai
6522. jarg422h.htm#superuser

6523. jarg422h.htm#tiger%20team
6524. jarg422h.htm#Usenet
6525. jarg422h.htm#FidoNet
6526. jarg422h.htm#Internet%20address
6527. jarg422h.htm#Hackers%20(the%20movie)
6528. jarg422h.htm#hacker%20ethic
6529. jarg422h.htm#%3d%20H%20%3d
6530. jarg422h.htm#meta
6531. jarg422h.htm#write-only%20memory
6532. jarg422h.htm#INTERCAL
6533. jarg422h.htm#quantum%20bogodynamics
6534. jarg422h.htm#computron
6535. jarg422h.htm#has%20the%20X%20nature
6536. jarg422h.htm#Discordianism
6537. jarg422h.htm#zen
6538. jarg422h.htm#ha%20ha%20only%20serious
6539. jarg422h.htm#koan
6540. jarg422h.htm#AI%20koans
6541. jarg422h.htm#filk
6542. jarg422h.htm#retrocomputing
6543. jarg422h.htm#Appendix%20B
6544. jarg422h.htm#science-fiction%20fandom
6545. jarg422h.htm#hacking%20run
6546. jarg422h.htm#hacker%20humor
6547. jarg422h.htm#%3d%20H%20%3d
6548. jarg422h.htm#Hacking%20X%20for%20Y
6549. jarg422h.htm#Hackers%20(the%20movie)
6550. jarg422h.htm#%3d%20H%20%3d
6551. jarg422h.htm#phase
6552. jarg422h.htm#Hackintosh
6553. jarg422h.htm#hacking%20run
6554. jarg422h.htm#%3d%20H%20%3d
6555. jarg422h.htm#plan%20file
6556. jarg422h.htm#hackish
6557. jarg422h.htm#Hacking%20X%20for%20Y
6558. jarg422h.htm#%3d%20H%20%3d
6559. jarg422h.htm#hackishness
6560. jarg422h.htm#Hackintosh
6561. jarg422h.htm#%3d%20H%20%3d
6562. jarg422h.htm#hackishness
6563. jarg422h.htm#true-hacker
6564. jarg422h.htm#hackitude
6565. jarg422h.htm#hackish
6566. jarg422h.htm#%3d%20H%20%3d
6567. jarg422h.htm#hackitude
6568. jarg422h.htm#hair
6569. jarg422h.htm#hackishness
6570. jarg422h.htm#%3d%20H%20%3d
6571. jarg422h.htm#hackishness
6572. jarg422h.htm#hairball
6573. jarg422h.htm#hackitude
6574. jarg422h.htm#%3d%20H%20%3d
6575. jarg422h.htm#hair

6576. jarg422h.htm#TECO
6577. jarg422h.htm#haury
6578. jarg422h.htm#hair
6579. jarg422h.htm#%3d%20H%20%3d
6580. jarg422h.htm#HAKMEM
6581. jarg422h.htm#hairball
6582. jarg422h.htm#%3d%20H%20%3d
6583. jarg422h.htm#DWIM
6584. jarg422h.htm#DWIM
6585. jarg422h.htm#hirsute
6586. jarg422h.htm#hakspek
6587. jarg422h.htm#haury
6588. jarg422h.htm#%3d%20H%20%3d
6589. jarg422h.htm#PDP-10
6590. jarg422h.htm#Dissociated%20Press
6591. jarg422h.htm#banana%20problem
6592. <http://www.inwap.com/pdp10/hbaker/hakmem/hakmem.html>
6593. jarg422h.htm#Halloween%20Documents
6594. jarg422h.htm#HAKMEM
6595. jarg422h.htm#%3d%20H%20%3d
6596. jarg422h.htm#talker%20system
6597. jarg422h.htm#talk%20mode
6598. jarg422h.htm#hammer
6599. jarg422h.htm#hakspek
6600. jarg422h.htm#%3d%20H%20%3d
6601. jarg422h.htm#Evil%20Empire
6602. <http://www.opensource.org/halloween/>
6603. jarg422h.htm#Linux
6604. jarg422h.htm#hamster
6605. jarg422h.htm#Halloween%20Documents
6606. jarg422h.htm#%3d%20H%20%3d
6607. jarg422h.htm#bang%20on
6608. jarg422h.htm#HAND
6609. jarg422h.htm#hammer
6610. jarg422h.htm#%3d%20H%20%3d
6611. jarg422h.htm#happily
6612. jarg422h.htm#hand%20cruft
6613. jarg422h.htm#hamster
6614. jarg422h.htm#%3d%20H%20%3d
6615. jarg422h.htm#Usenet
6616. jarg422h.htm#HTH
6617. jarg422h.htm#hand-hacking
6618. jarg422h.htm#HAND
6619. jarg422h.htm#%3d%20H%20%3d
6620. jarg422h.htm#cruft
6621. jarg422h.htm#hand-roll
6622. jarg422h.htm#hand%20cruft
6623. jarg422h.htm#%3d%20H%20%3d
6624. jarg422h.htm#hot%20spot
6625. jarg422h.htm#HLL
6626. jarg422h.htm#tune
6627. jarg422h.htm#bum
6628. jarg422h.htm#by%20hand

6629. jarg422h.htm#cruft
6630. jarg422h.htm#handle
6631. jarg422h.htm#hand-hacking
6632. jarg422h.htm#%3d%20H%20%3d
6633. jarg422h.htm#by%20hand
6634. jarg422h.htm#handshaking
6635. jarg422h.htm#hand-roll
6636. jarg422h.htm#%3d%20H%20%3d
6637. jarg422h.htm#warez%20d00dz
6638. jarg422h.htm#cracker
6639. jarg422h.htm#weenie
6640. jarg422h.htm#spod
6641. jarg422h.htm#nick
6642. jarg422h.htm#screen%20name
6643. jarg422h.htm#magic%20cookie
6644. jarg422h.htm#snap
6645. jarg422h.htm#aliasing%20bug
6646. jarg422h.htm#dangling%20pointer
6647. jarg422h.htm#handwave
6648. jarg422h.htm#handle
6649. jarg422h.htm#%3d%20H%20%3d
6650. jarg422h.htm#do%20protocol
6651. jarg422h.htm#protocol
6652. jarg422h.htm#hang
6653. jarg422h.htm#handshaking
6654. jarg422h.htm#%3d%20H%20%3d
6655. jarg422h.htm#bogus
6656. jarg422h.htm#Hanlon's%20Razor
6657. jarg422h.htm#handwave
6658. jarg422h.htm#%3d%20H%20%3d
6659. jarg422h.htm#wedged
6660. jarg422h.htm#hung
6661. jarg422h.htm#block
6662. jarg422h.htm#happily
6663. jarg422h.htm#hang
6664. jarg422h.htm#%3d%20H%20%3d
6665. jarg422h.htm#Finagle's%20Law
6666. jarg422h.htm#sig%20block
6667. jarg422h.htm#fortune%20cookie
6668. jarg422h.htm#Sturgeon's%20Law
6669. jarg422h.htm#Ninety-Ninety%20Rule
6670. jarg422h.htm#haque
6671. jarg422h.htm#Hanlon's%20Razor
6672. jarg422h.htm#%3d%20H%20%3d
6673. jarg422h.htm#hard%20boot
6674. jarg422h.htm#happily
6675. jarg422h.htm#%3d%20H%20%3d
6676. jarg422h.htm#hack
6677. jarg422h.htm#elegant
6678. jarg422h.htm#hack
6679. jarg422h.htm#hardcoded
6680. jarg422h.htm#haque
6681. jarg422h.htm#%3d%20H%20%3d

6682. jarg422h.htm#boot
6683. jarg422h.htm#hardwarily
6684. jarg422h.htm#hard%20boot
6685. jarg422h.htm#%3d%20H%20%3d
6686. jarg422h.htm#profile
6687. jarg422h.htm#de-rezz
6688. jarg422h.htm#user
6689. jarg422h.htm#magic%20number
6690. jarg422h.htm#hardwired
6691. jarg422h.htm#hardcoded
6692. jarg422h.htm#%3d%20H%20%3d
6693. jarg422h.htm#softwarily
6694. jarg422h.htm#has%20the%20X%20nature
6695. jarg422h.htm#hardwarily
6696. jarg422h.htm#%3d%20H%20%3d
6697. jarg422h.htm#hardcoded
6698. jarg422h.htm#hash%20bucket
6699. jarg422h.htm#hardwired
6700. jarg422h.htm#%3d%20H%20%3d
6701. jarg422h.htm#loser
6702. jarg422h.htm#the%20X%20that%20can%20be%20Y%20is%20not%20the%20true%20X
6703. jarg422h.htm#mu
6704. jarg422h.htm#hash%20collision
6705. jarg422h.htm#has%20the%20X%20nature
6706. jarg422h.htm#%3d%20H%20%3d
6707. jarg422h.htm#hash%20collision
6708. jarg422h.htm#hat
6709. jarg422h.htm#hash%20bucket
6710. jarg422h.htm#%3d%20H%20%3d
6711. jarg422h.htm#thinko
6712. jarg422h.htm#hash%20bucket
6713. jarg422h.htm#HCF
6714. jarg422h.htm#hash%20collision
6715. jarg422h.htm#%3d%20H%20%3d
6716. jarg422h.htm#ASCII
6717. jarg422h.htm#heads%20down
6718. jarg422h.htm#hat
6719. jarg422h.htm#%3d%20H%20%3d
6720. jarg422h.htm#toggle
6721. jarg422h.htm#killer%20poke
6722. jarg422h.htm#heartbeat
6723. jarg422h.htm#HCF
6724. jarg422h.htm#%3d%20H%20%3d
6725. jarg422h.htm#hack%20mode
6726. jarg422h.htm#larval%20stage
6727. jarg422h.htm#heatseeker
6728. jarg422h.htm#heads%20down
6729. jarg422h.htm#%3d%20H%20%3d
6730. jarg422h.htm#breath-of-life%20packet
6731. jarg422h.htm#heavy%20metal
6732. jarg422h.htm#heartbeat
6733. jarg422h.htm#%3d%20H%20%3d
6734. jarg422h.htm#lunatic%20fringe

6735. jarg422h.htm#heavy%20wizardry
6736. jarg422h.htm#heatseeker
6737. jarg422h.htm#%3d%20H%20%3d
6738. jarg422h.htm#big%20iron
6739. jarg422h.htm#heavyweight
6740. jarg422h.htm#heavy%20metal
6741. jarg422h.htm#%3d%20H%20%3d
6742. jarg422h.htm#deep%20magic
6743. jarg422h.htm#X
6744. jarg422h.htm#voodoo%20programming
6745. jarg422h.htm#heisenbug
6746. jarg422h.htm#heavy%20wizardry
6747. jarg422h.htm#%3d%20H%20%3d
6748. jarg422h.htm#baroque
6749. jarg422h.htm#EMACS
6750. jarg422h.htm#X
6751. jarg422h.htm#elephantine
6752. jarg422h.htm#monstrosity
6753. jarg422h.htm#Helen%20Keller%20mode
6754. jarg422h.htm#heavyweight
6755. jarg422h.htm#%3d%20H%20%3d
6756. jarg422h.htm#Bohr%20bug
6757. jarg422h.htm#mandelbug
6758. jarg422h.htm#schroedinbug
6759. jarg422h.htm#fandango%20on%20core
6760. jarg422h.htm#arena
6761. jarg422h.htm#smash%20the%20stack
6762. jarg422h.htm#hello%20sailor!
6763. jarg422h.htm#heisenbug
6764. jarg422h.htm#%3d%20H%20%3d
6765. jarg422h.htm#deep%20space
6766. jarg422h.htm#go%20flatline
6767. jarg422h.htm#catatonic
6768. jarg422h.htm#ill-behaved
6769. jarg422h.htm#hello%20wall!
6770. jarg422h.htm#Helen%20Keller%20mode
6771. jarg422h.htm#%3d%20H%20%3d
6772. jarg422h.htm#hello%20world
6773. jarg422h.htm#Zork
6774. jarg422h.htm#hello%20world
6775. jarg422h.htm#hello%20sailor!
6776. jarg422h.htm#%3d%20H%20%3d
6777. jarg422h.htm#wall
6778. jarg422h.htm#hex
6779. jarg422h.htm#hello%20wall!
6780. jarg422h.htm#%3d%20H%20%3d
6781. jarg422h.htm#K&R
6782. jarg422h.htm#hairly
6783. jarg422h.htm#lose
6784. jarg422h.htm#X
6785. jarg422h.htm#hexadecimal
6786. jarg422h.htm#hello%20world
6787. jarg422h.htm#%3d%20H%20%3d

6788. jarg422h.htm#hexadecimal
6789. jarg422h.htm#quad
6790. jarg422h.htm#magic
6791. jarg422h.htm#black%20art
6792. jarg422h.htm#hexit
6793. jarg422h.htm#hex
6794. jarg422h.htm#%3d%20H%20%3d
6795. jarg422h.htm#HHOK
6796. jarg422h.htm#hexadecimal
6797. jarg422h.htm#%3d%20H%20%3d
6798. jarg422h.htm#space-cadet%20keyboard
6799. jarg422h.htm#HHOS
6800. jarg422h.htm#hexit
6801. jarg422h.htm#%3d%20H%20%3d
6802. jarg422h.htm#ha%20ha%20only%20serious
6803. jarg422h.htm#hidden%20flag
6804. jarg422h.htm#HHOK
6805. jarg422h.htm#%3d%20H%20%3d
6806. jarg422h.htm#ha%20ha%20only%20serious
6807. jarg422h.htm#high%20bit
6808. jarg422h.htm#HHOS
6809. jarg422h.htm#%3d%20H%20%3d
6810. jarg422h.htm#high%20moby
6811. jarg422h.htm#hidden%20flag
6812. jarg422h.htm#%3d%20H%20%3d
6813. jarg422h.htm#saga
6814. jarg422h.htm#meta%20bit
6815. jarg422h.htm#hobbit
6816. jarg422h.htm#dread%20high-bit%20disease
6817. jarg422h.htm#highly
6818. jarg422h.htm#high%20bit
6819. jarg422h.htm#%3d%20H%20%3d
6820. jarg422h.htm#PDP-10
6821. jarg422h.htm#PDP-10
6822. jarg422h.htm#ITS
6823. jarg422h.htm#grok
6824. jarg422h.htm#moby
6825. jarg422h.htm#hing
6826. jarg422h.htm#high%20moby
6827. jarg422h.htm#%3d%20H%20%3d
6828. jarg422h.htm#luser
6829. jarg422h.htm#drool-proof%20paper
6830. jarg422h.htm#in%20the%20extreme
6831. jarg422h.htm#hired%20gun
6832. jarg422h.htm#highly
6833. jarg422h.htm#%3d%20H%20%3d
6834. jarg422h.htm#initgame
6835. jarg422h.htm#newsfroup
6836. jarg422h.htm#filk
6837. jarg422h.htm#hirsute
6838. jarg422h.htm#hing
6839. jarg422h.htm#%3d%20H%20%3d
6840. jarg422h.htm#HLL

6841. jarg422h.htm#hired%20gun
6842. jarg422h.htm#%3d%20H%20%3d
6843. jarg422h.htm#hairsty
6844. jarg422h.htm#hoarding
6845. jarg422h.htm#hirsute
6846. jarg422h.htm#%3d%20H%20%3d
6847. jarg422h.htm#bondage-and-discipline%20language
6848. jarg422h.htm#C
6849. jarg422h.htm#languages%20of%20choice
6850. jarg422h.htm#hobbit
6851. jarg422h.htm#HLL
6852. jarg422h.htm#%3d%20H%20%3d
6853. jarg422h.htm#software%20hoarding
6854. jarg422h.htm#hog
6855. jarg422h.htm#hoarding
6856. jarg422h.htm#%3d%20H%20%3d
6857. jarg422h.htm#meta%20bit
6858. jarg422h.htm#high%20bit
6859. mailto:vad@ai.mit.edu
6860. jarg422h.htm#hole
6861. jarg422h.htm#hobbit
6862. jarg422h.htm#%3d%20H%20%3d
6863. jarg422h.htm#hollised
6864. jarg422h.htm#hog
6865. jarg422h.htm#%3d%20H%20%3d
6866. jarg422h.htm#flat
6867. jarg422h.htm#holy%20wars
6868. jarg422h.htm#hole
6869. jarg422h.htm#%3d%20H%20%3d
6870. jarg422h.htm#home%20box
6871. jarg422h.htm#hollised
6872. jarg422h.htm#%3d%20H%20%3d
6873. jarg422h.htm#Usenet
6874. jarg422h.htm#flame%20war
6875. jarg422h.htm#religious%20issues
6876. jarg422h.htm#big-endian
6877. jarg422h.htm#little-endian
6878. jarg422h.htm#ITS
6879. jarg422h.htm#Unix
6880. jarg422h.htm#Unix
6881. jarg422h.htm#VMS
6882. jarg422h.htm#BSD
6883. jarg422h.htm#USG%20Unix
6884. jarg422h.htm#C
6885. jarg422h.htm#Pascal
6886. jarg422h.htm#C
6887. jarg422h.htm#EMACS
6888. jarg422h.htm#vi
6889. jarg422h.htm#theology
6890. jarg422h.htm#home%20machine
6891. jarg422h.htm#holy%20wars
6892. jarg422h.htm#%3d%20H%20%3d
6893. jarg422h.htm#home%20page

6894. jarg422h.htm#home%20box
6895. jarg422h.htm#%3d%20H%20%3d
6896. jarg422h.htm#home%20box
6897. jarg422h.htm#honey%20pot
6898. jarg422h.htm#home%20machine
6899. jarg422h.htm#%3d%20H%20%3d
6900. jarg422h.htm#RL
6901. jarg422h.htm#home%20box
6902. jarg422h.htm#hook
6903. jarg422h.htm#home%20page
6904. jarg422h.htm#%3d%20H%20%3d
6905. jarg422h.htm#cracker
6906. jarg422h.htm#iron%20box
6907. jarg422h.htm#hop
6908. jarg422h.htm#honey%20pot
6909. jarg422h.htm#%3d%20H%20%3d
6910. jarg422h.htm#hair
6911. jarg422h.htm#EMACS
6912. jarg422h.htm#hose
6913. jarg422h.htm#hook
6914. jarg422h.htm#%3d%20H%20%3d
6915. jarg422h.htm#UUCPNET
6916. jarg422h.htm#FidoNet
6917. jarg422h.htm#bang%20path
6918. jarg422h.htm#hosed
6919. jarg422h.htm#hop
6920. jarg422h.htm#%3d%20H%20%3d
6921. jarg422h.htm#hosed
6922. jarg422h.htm#washing%20machine
6923. jarg422h.htm#hot%20chat
6924. jarg422h.htm#hose
6925. jarg422h.htm#%3d%20H%20%3d
6926. jarg422h.htm#down
6927. jarg422h.htm#hose
6928. jarg422h.htm#dehose
6929. jarg422h.htm#hot%20spot
6930. jarg422h.htm#hosed
6931. jarg422h.htm#%3d%20H%20%3d
6932. jarg422h.htm#teledildonics
6933. jarg422h.htm#hotlink
6934. jarg422h.htm#hot%20chat
6935. jarg422h.htm#%3d%20H%20%3d
6936. jarg422h.htm#hand-hacking
6937. jarg422h.htm#tune
6938. jarg422h.htm#bum
6939. jarg422h.htm#hand-hacking
6940. jarg422h.htm#canonical
6941. jarg422h.htm#hotlink
6942. jarg422h.htm#busy-wait
6943. jarg422h.htm#house%20wizard
6944. jarg422h.htm#hot%20spot
6945. jarg422h.htm#%3d%20H%20%3d
6946. jarg422h.htm#hot%20spot

6947. jarg422h.htm#web%20pointer
6948. jarg422h.htm#HP-SUX
6949. jarg422h.htm#hotlink
6950. jarg422h.htm#%3d%20H%20%3d
6951. jarg422h.htm#HTH
6952. jarg422h.htm#house%20wizard
6953. jarg422h.htm#%3d%20H%20%3d
6954. jarg422h.htm#AIDX
6955. jarg422h.htm#buglix
6956. jarg422h.htm#Nominal%20Semidestructor
6957. jarg422h.htm#Telerat
6958. jarg422h.htm#ScumOS
6959. jarg422h.htm#sun-stools
6960. jarg422h.htm#Slowlaris
6961. jarg422h.htm#huff
6962. jarg422h.htm#HP-SUX
6963. jarg422h.htm#%3d%20H%20%3d
6964. jarg422h.htm#HAND
6965. jarg422h.htm#YHBT
6966. jarg422h.htm#humma
6967. jarg422h.htm#HTH
6968. jarg422h.htm#%3d%20H%20%3d
6969. jarg422h.htm#puff
6970. jarg422h.htm#crunch
6971. jarg422h.htm#compress
6972. jarg422h.htm#hung
6973. jarg422h.htm#huff
6974. jarg422h.htm#%3d%20H%20%3d
6975. jarg422h.htm#wibble
6976. jarg422h.htm#hungry%20puppy
6977. jarg422h.htm#humma
6978. jarg422h.htm#%3d%20H%20%3d
6979. jarg422h.htm#wedged
6980. jarg422h.htm#locked%20up
6981. jarg422h.htm#wedged
6982. jarg422h.htm#hosed
6983. jarg422h.htm#hang
6984. jarg422h.htm#crash
6985. jarg422h.htm#down
6986. jarg422h.htm#wedged
6987. jarg422h.htm#hungus
6988. jarg422h.htm#hung
6989. jarg422h.htm#%3d%20H%20%3d
6990. jarg422h.htm#slopsucker
6991. jarg422h.htm#hyperspace
6992. jarg422h.htm#hungry%20puppy
6993. jarg422h.htm#%3d%20H%20%3d
6994. jarg422h.htm#Infocom
6995. jarg422h.htm#hysterical%20reasons
6996. jarg422h.htm#hungus
6997. jarg422h.htm#%3d%20H%20%3d
6998. jarg422h.htm#jump%20off%20into%20never-never%20land
6999. jarg422h.htm#I%20didn't%20change%20anything!

7000. jarg422h.htm#hyperspace
7001. jarg422h.htm#%3d%20H%20%3d
7002. jarg422h.htm#bug-for-bug%20compatible
7003. jarg422h.htm#%3d%20J%20%3d
7004. jarg422h.htm#%3d%20H%20%3d
7005. jarg422h.htm#The%20Jargon%20Lexicon
7006. jarg422h.htm#!%20didn't%20change%20anything!
7007. jarg422h.htm#!%20see%20no%20X%20here.
7008. jarg422h.htm#IANAL
7009. jarg422h.htm#IBM
7010. jarg422h.htm#IBM%20discount
7011. jarg422h.htm#ICBM%20address
7012. jarg422h.htm#ice
7013. jarg422h.htm#ID10T%20error
7014. jarg422h.htm#idempotent
7015. jarg422h.htm#IDP
7016. jarg422h.htm#!f%20you%20want%20X%20you%20know%20where%20to%20find%20it.
7017. jarg422h.htm#ifdef%20out
7018. jarg422h.htm#IIRC
7019. jarg422h.htm#ill-behaved
7020. jarg422h.htm#IMHO
7021. jarg422h.htm#Imminent%20Death%20Of%20The%20Net%20Predicted!
7022. jarg422h.htm#in%20the%20extreme
7023. jarg422h.htm#inc
7024. jarg422h.htm#incantation
7025. jarg422h.htm#include
7026. jarg422h.htm#include%20war
7027. jarg422h.htm#indent%20style
7028. jarg422h.htm#index%20of%20X
7029. jarg422h.htm#infant%20mortality
7030. jarg422h.htm#infinite
7031. jarg422h.htm#infinite%20loop
7032. jarg422h.htm#Infinite-Monkey%20Theorem
7033. jarg422h.htm#infinity
7034. jarg422h.htm#inflate
7035. jarg422h.htm#Infocom
7036. jarg422h.htm#initgame
7037. jarg422h.htm#insanely%20great
7038. jarg422h.htm#installfest
7039. jarg422h.htm#INTERCAL
7040. jarg422h.htm#interesting
7041. jarg422h.htm#Internet
7042. jarg422h.htm#Internet%20address
7043. jarg422h.htm#Internet%20Death%20Penalty
7044. jarg422h.htm#Internet%20Exploder
7045. jarg422h.htm#Internet%20Exploiter
7046. jarg422h.htm#interrupt
7047. jarg422h.htm#interrupt%20list
7048. jarg422h.htm#interrupts%20locked%20out
7049. jarg422h.htm#intro
7050. jarg422h.htm#IRC
7051. jarg422h.htm#iron
7052. jarg422h.htm#Iron%20Age

7053. jarg422h.htm#iron%20box
7054. jarg422h.htm#ironmonger
7055. jarg422h.htm#ISO%20standard%20cup%20of%20tea
7056. jarg422h.htm#ISP
7057. jarg422h.htm#ITS
7058. jarg422h.htm#IWBNI
7059. jarg422h.htm#IYFEG
7060. jarg422h.htm#!%20see%20no%20X%20here.
7061. jarg422h.htm#hysterical%20reasons
7062. jarg422h.htm#%3d%20I%20%3d
7063. jarg422h.htm#canonical
7064. jarg422h.htm#one-line%20fix
7065. jarg422h.htm#hosed
7066. jarg422h.htm#IANAL
7067. jarg422h.htm#!%20didn't%20change%20anything!
7068. jarg422h.htm#%3d%20I%20%3d
7069. jarg422h.htm#ADVENT
7070. jarg422h.htm#IBM
7071. jarg422h.htm#!%20see%20no%20X%20here.
7072. jarg422h.htm#%3d%20I%20%3d
7073. jarg422h.htm#IBM%20discount
7074. jarg422h.htm#IANAL
7075. jarg422h.htm#%3d%20I%20%3d
7076. jarg422h.htm#infinite
7077. jarg422h.htm#TLA
7078. jarg422h.htm#fear%20and%20loathing
7079. jarg422h.htm#crufty
7080. jarg422h.htm#elephantine
7081. jarg422h.htm#Linux
7082. jarg422h.htm#ICBM%20address
7083. jarg422h.htm#IBM
7084. jarg422h.htm#%3d%20I%20%3d
7085. jarg422h.htm#clone
7086. jarg422h.htm#ice
7087. jarg422h.htm#IBM%20discount
7088. jarg422h.htm#%3d%20I%20%3d
7089. jarg422h.htm#sig%20block
7090. jarg422h.htm#ID10T%20error
7091. jarg422h.htm#ICBM%20address
7092. jarg422h.htm#%3d%20I%20%3d
7093. jarg422h.htm#idempotent
7094. jarg422h.htm#ice
7095. jarg422h.htm#%3d%20I%20%3d
7096. jarg422h.htm#PEBKAC
7097. jarg422h.htm#IDP
7098. jarg422h.htm#ID10T%20error
7099. jarg422h.htm#%3d%20I%20%3d
7100. jarg422h.htm#C
7101. jarg422h.htm#If%20you%20want%20X%20you%20know%20where%20to%20find%20it.
7102. jarg422h.htm#idempotent
7103. jarg422h.htm#%3d%20I%20%3d
7104. jarg422h.htm#Internet%20Death%20Penalty
7105. jarg422h.htm#UDP

7106. jarg422h.htm#ifndef%20out
7107. jarg422h.htm#IDP
7108. jarg422h.htm#%3d%20l%20%3d
7109. jarg422h.htm#C
7110. jarg422h.htm#baroque
7111. jarg422h.htm#Pascal
7112. jarg422h.htm#X
7113. jarg422h.htm#IIRC
7114. jarg422h.htm#If%20you%20want%20X%20you%20know%20where%20to%20find%20it.
7115. jarg422h.htm#%3d%20l%20%3d
7116. jarg422h.htm#condition%20out
7117. jarg422h.htm#C
7118. jarg422h.htm#ill-behaved
7119. jarg422h.htm#ifndef%20out
7120. jarg422h.htm#%3d%20l%20%3d
7121. jarg422h.htm#IMHO
7122. jarg422h.htm#IIRC
7123. jarg422h.htm#%3d%20l%20%3d
7124. jarg422h.htm#OS
7125. jarg422h.htm#bare%20metal
7126. jarg422h.htm#well-behaved
7127. jarg422h.htm#PC-ism
7128. jarg422h.htm#mess-dos
7129. jarg422h.htm#Imminent%20Death%20Of%20The%20Net%20Predicted!
7130. jarg422h.htm#ill-behaved
7131. jarg422h.htm#%3d%20l%20%3d
7132. jarg422h.htm#in%20the%20extreme
7133. jarg422h.htm#IMHO
7134. jarg422h.htm#%3d%20l%20%3d
7135. jarg422h.htm#Usenet
7136. jarg422h.htm#signal-to-noise%20ratio
7137. jarg422h.htm#S%2fN%20ratio
7138. jarg422h.htm#inc
7139. jarg422h.htm#Imminent%20Death%20Of%20The%20Net%20Predicted!
7140. jarg422h.htm#%3d%20l%20%3d
7141. jarg422h.htm#obscure
7142. jarg422h.htm#highly
7143. jarg422h.htm#incantation
7144. jarg422h.htm#in%20the%20extreme
7145. jarg422h.htm#%3d%20l%20%3d
7146. jarg422h.htm#DEC
7147. jarg422h.htm#include
7148. jarg422h.htm#inc
7149. jarg422h.htm#%3d%20l%20%3d
7150. jarg422h.htm#wizard
7151. jarg422h.htm#mutter
7152. jarg422h.htm#include%20war
7153. jarg422h.htm#incantation
7154. jarg422h.htm#%3d%20l%20%3d
7155. jarg422h.htm#C
7156. jarg422h.htm#sig%20block
7157. jarg422h.htm#disclaimer
7158. jarg422h.htm#indent%20style

7159. jarg422h.htm#include
7160. jarg422h.htm#%3d%20l%20%3d
7161. jarg422h.htm#thread
7162. jarg422h.htm#flame
7163. jarg422h.htm#kill%20file
7164. jarg422h.htm#index%20of%20X
7165. jarg422h.htm#include%20war
7166. jarg422h.htm#%3d%20l%20%3d
7167. jarg422h.htm#K&R
7168. jarg422h.htm#Bad%20Thing
7169. jarg422h.htm#holy%20wars
7170. jarg422h.htm#infant%20mortality
7171. jarg422h.htm#indent%20style
7172. jarg422h.htm#%3d%20l%20%3d
7173. jarg422h.htm#coefficient%20of%20X
7174. jarg422h.htm#infinite
7175. jarg422h.htm#index%20of%20X
7176. jarg422h.htm#%3d%20l%20%3d
7177. jarg422h.htm#bathtub%20curve
7178. jarg422h.htm#burn-in%20period
7179. jarg422h.htm#infinite%20loop
7180. jarg422h.htm#infant%20mortality
7181. jarg422h.htm#%3d%20l%20%3d
7182. jarg422h.htm#hair
7183. jarg422h.htm#semi
7184. jarg422h.htm#Infinite-Monkey%20Theorem
7185. jarg422h.htm#infinite
7186. jarg422h.htm#%3d%20l%20%3d
7187. jarg422h.htm#spin
7188. jarg422h.htm#buzz
7189. jarg422h.htm#catatonic
7190. jarg422h.htm#infinity
7191. jarg422h.htm#infinite%20loop
7192. jarg422h.htm#%3d%20l%20%3d
7193. jarg422h.htm#infinite
7194. jarg422h.htm#random
7195. jarg422h.htm#brute%20force
7196. jarg422h.htm#one-banana%20problem
7197. jarg422h.htm#Linux
7198. jarg422h.htm#bazaar
7199. RFC2795
7200. jarg422h.htm#inflate
7201. jarg422h.htm#Infinite-Monkey%20Theorem
7202. jarg422h.htm#%3d%20l%20%3d
7203. jarg422h.htm#Infocom
7204. jarg422h.htm#infinity
7205. jarg422h.htm#%3d%20l%20%3d
7206. jarg422h.htm#puff
7207. jarg422h.htm#initgame
7208. jarg422h.htm#inflate
7209. jarg422h.htm#%3d%20l%20%3d
7210. jarg422h.htm#Zork
7211. ftp://wuarhive.wustl.edu/doc/misc/if-archive/infocom

7212. jarg422h.htm#insanely%20great
7213. jarg422h.htm#Infocom
7214. jarg422h.htm#%3d%20l%20%3d
7215. jarg422h.htm#IRC
7216. jarg422h.htm#nick
7217. jarg422h.htm#hing
7218. jarg422h.htm#installfest
7219. jarg422h.htm#initgame
7220. jarg422h.htm#%3d%20l%20%3d
7221. jarg422h.htm#elegant
7222. jarg422h.htm#hacker
7223. jarg422h.htm#INTERCAL
7224. jarg422h.htm#insanely%20great
7225. jarg422h.htm#%3d%20l%20%3d
7226. jarg422h.htm#interesting
7227. jarg422h.htm#installfest
7228. jarg422h.htm#%3d%20l%20%3d
7229. <http://www.tuxedo.org/~esr/intercal/>
7230. jarg422h.htm#Perl
7231. <http://dd-sh.assurdo.com/INTERCAL>
7232. jarg422h.htm#Befunge
7233. jarg422h.htm#Internet
7234. jarg422h.htm#INTERCAL
7235. jarg422h.htm#%3d%20l%20%3d
7236. jarg422h.htm#trivial
7237. jarg422h.htm#uninteresting
7238. jarg422h.htm#Internet%20address
7239. jarg422h.htm#interesting
7240. jarg422h.htm#%3d%20l%20%3d
7241. jarg422h.htm#DEC
7242. jarg422h.htm#PDP-10
7243. jarg422h.htm#PDP-20
7244. jarg422h.htm#TOPS-10
7245. jarg422h.htm#TOPS-20
7246. jarg422h.htm#Unix
7247. jarg422h.htm#TCP%2fIP
7248. jarg422h.htm#killer%20app
7249. jarg422h.htm#the%20network
7250. jarg422h.htm#Internet%20address
7251. jarg422h.htm#Internet%20Death%20Penalty
7252. jarg422h.htm#Internet
7253. jarg422h.htm#%3d%20l%20%3d
7254. jarg422h.htm#sitename
7255. jarg422h.htm#bang%20path
7256. jarg422h.htm#the%20network
7257. jarg422h.htm#network%20address
7258. jarg422h.htm#PD
7259. jarg422h.htm#bang%20path
7260. jarg422h.htm#domainist
7261. jarg422h.htm#bang%20path
7262. jarg422h.htm#kremvax
7263. jarg422h.htm#Internet%20Exploder
7264. jarg422h.htm#Internet%20address

7265. jarg422h.htm#%3d%20%20%3d
7266. jarg422h.htm#spam
7267. jarg422h.htm#Usenet%20Death%20Penalty
7268. jarg422h.htm#Internet%20Exploiter
7269. jarg422h.htm#Internet%20Death%20Penalty
7270. jarg422h.htm#%3d%20%20%3d
7271. jarg422h.htm#HP-SUX
7272. jarg422h.htm#AIDX
7273. jarg422h.htm#buglix
7274. jarg422h.htm#Macintrash
7275. jarg422h.htm#Telerat
7276. jarg422h.htm#ScumOS
7277. jarg422h.htm#sun-stools
7278. jarg422h.htm#Slowlaris
7279. jarg422h.htm#interrupt
7280. jarg422h.htm#Internet%20Exploder
7281. jarg422h.htm#%3d%20%20%3d
7282. jarg422h.htm#Internet%20Exploder
7283. jarg422h.htm#Exploder
7284. jarg422h.htm#Netscape
7285. jarg422h.htm#interrupt%20list
7286. jarg422h.htm#Internet%20Exploiter
7287. jarg422h.htm#%3d%20%20%3d
7288. jarg422h.htm#trap
7289. jarg422h.htm#priority%20interrupt
7290. jarg422h.htm#interrupt%20list
7291. jarg422h.htm#interrupts%20locked%20out
7292. jarg422h.htm#interrupt
7293. jarg422h.htm#%3d%20%20%3d
7294. mailto:<ralf@cs.cmu.edu>
7295. jarg422h.htm#intro
7296. jarg422h.htm#interrupt%20list
7297. jarg422h.htm#%3d%20%20%3d
7298. jarg422h.htm#spl
7299. jarg422h.htm#IRC
7300. jarg422h.htm#interrupts%20locked%20out
7301. jarg422h.htm#%3d%20%20%3d
7302. jarg422h.htm#demoscene
7303. jarg422h.htm#screen
7304. jarg422h.htm#demo
7305. jarg422h.htm#screen
7306. jarg422h.htm#demo
7307. jarg422h.htm#compo
7308. jarg422h.htm#dentro
7309. jarg422h.htm#demo
7310. jarg422h.htm#iron
7311. jarg422h.htm#intro
7312. jarg422h.htm#%3d%20%20%3d
7313. jarg422h.htm#Usenet
7314. jarg422h.htm#MUD
7315. jarg422h.htm#emoticon
7316. jarg422h.htm#talk%20mode
7317. jarg422h.htm#Iron%20Age

7318. jarg422h.htm#IRC
7319. jarg422h.htm#%3d%20I%20%3d
7320. jarg422h.htm#mainframe
7321. jarg422h.htm#big%20iron
7322. jarg422h.htm#silicon
7323. jarg422h.htm#dinosaur
7324. jarg422h.htm#iron%20box
7325. jarg422h.htm#iron
7326. jarg422h.htm#%3d%20I%20%3d
7327. jarg422h.htm#mainframe
7328. jarg422h.htm#dinosaur
7329. jarg422h.htm#Stone%20Age
7330. jarg422h.htm#elder%20days
7331. jarg422h.htm#ironmonger
7332. jarg422h.htm#Iron%20Age
7333. jarg422h.htm#%3d%20I%20%3d
7334. jarg422h.htm#cracker
7335. jarg422h.htm#shell
7336. jarg422h.htm#back%20door
7337. jarg422h.htm#firewall%20machine
7338. jarg422h.htm#Venus%20flytrap
7339. jarg422h.htm#The%20Cuckoo's%20Egg
7340. jarg422h.htm#Bibliography
7341. jarg422h.htm#padded%20cell
7342. jarg422h.htm#honey%20pot
7343. jarg422h.htm#ISO%20standard%20cup%20of%20tea
7344. jarg422h.htm#iron%20box
7345. jarg422h.htm#%3d%20I%20%3d
7346. jarg422h.htm#sandbender
7347. jarg422h.htm#polygon%20pusher
7348. jarg422h.htm#ISP
7349. jarg422h.htm#ironmonger
7350. jarg422h.htm#%3d%20I%20%3d
7351. jarg422h.htm#ITS
7352. jarg422h.htm#ISO%20standard%20cup%20of%20tea
7353. jarg422h.htm#%3d%20I%20%3d
7354. jarg422h.htm#NSP
7355. jarg422h.htm#IWBNI
7356. jarg422h.htm#ISP
7357. jarg422h.htm#%3d%20I%20%3d
7358. jarg422h.htm#high%20moby
7359. jarg422h.htm#troglodyte
7360. jarg422h.htm#Unix
7361. jarg422h.htm#holy%20wars
7362. jarg422h.htm#Weenix
7363. jarg422h.htm#IYFEG
7364. jarg422h.htm#ITS
7365. jarg422h.htm#%3d%20I%20%3d
7366. jarg422h.htm#WIBNI
7367. jarg422h.htm#J.%20Random
7368. jarg422h.htm#IWBNI
7369. jarg422h.htm#%3d%20I%20%3d
7370. jarg422h.htm#JEDR

7371. jarg422h.htm#%3d%20K%20%3d
7372. jarg422h.htm#%3d%20I%20%3d
7373. jarg422h.htm#The%20Jargon%20Lexicon
7374. jarg422h.htm#J.%20Random
7375. jarg422h.htm#J.%20Random%20Hacker
7376. jarg422h.htm#jack%20in
7377. jarg422h.htm#jaggies
7378. jarg422h.htm#Java
7379. jarg422h.htm#JCL
7380. jarg422h.htm#JEDR
7381. jarg422h.htm#Jeff%20K.
7382. jarg422h.htm#jello
7383. jarg422h.htm#jiffy
7384. jarg422h.htm#job%20security
7385. jarg422h.htm#jock
7386. jarg422h.htm#joe%20code
7387. jarg422h.htm#jolix
7388. jarg422h.htm#juggling%20eggs
7389. jarg422h.htm#jump%20off%20into%20never-never%20land
7390. jarg422h.htm#jupiter
7391. jarg422h.htm#J.%20Random%20Hacker
7392. jarg422h.htm#IYFEG
7393. jarg422h.htm#%3d%20J%20%3d
7394. jarg422h.htm#J.%20Random%20Hacker
7395. jarg422h.htm#gun
7396. jarg422h.htm#random
7397. jarg422h.htm#jack%20in
7398. jarg422h.htm#J.%20Random
7399. jarg422h.htm#%3d%20J%20%3d
7400. jarg422h.htm#random
7401. jarg422h.htm#Suzie%20COBOL
7402. jarg422h.htm#TMRC
7403. jarg422h.htm#Fred%20Foobar
7404. jarg422h.htm#jaggies
7405. jarg422h.htm#J.%20Random%20Hacker
7406. jarg422h.htm#%3d%20J%20%3d
7407. jarg422h.htm#BBS
7408. jarg422h.htm#virtual%20reality
7409. jarg422h.htm#MUD
7410. jarg422h.htm#IRC
7411. jarg422h.htm#cyberpunk
7412. jarg422h.htm#Java
7413. jarg422h.htm#jack%20in
7414. jarg422h.htm#%3d%20J%20%3d
7415. jarg422h.htm#JCL
7416. jarg422h.htm#jaggies
7417. jarg422h.htm#%3d%20J%20%3d
7418. jarg422h.htm#C++
7419. jarg422h.htm#Microsoft
7420. jarg422h.htm#win
7421. jarg422h.htm#Pascal
7422. jarg422h.htm#JEDR
7423. jarg422h.htm#Java

7424. jarg422h.htm#%3d%20J%20%3d
7425. jarg422h.htm#rude
7426. jarg422h.htm#fascist
7427. jarg422h.htm#barf
7428. jarg422h.htm#rude
7429. jarg422h.htm#COBOL
7430. jarg422h.htm#IBM
7431. jarg422h.htm#fear%20and%20loathing
7432. <http://www.ccil.org/retro>
7433. jarg422h.htm#Jeff%20K.
7434. jarg422h.htm#JCL
7435. jarg422h.htm#%3d%20J%20%3d
7436. jarg422h.htm#IYFEG
7437. jarg422h.htm#IYFEG
7438. jarg422h.htm#retcon
7439. jarg422h.htm#jello
7440. jarg422h.htm#JEDR
7441. jarg422h.htm#%3d%20J%20%3d
7442. jarg422h.htm#B1FF
7443. jarg422h.htm#script%20kiddies
7444. <http://www.somethingawful.com/jeffk>
7445. jarg422h.htm#studlycaps
7446. jarg422h.htm#warez%20d00dz
7447. jarg422h.htm#luser
7448. jarg422h.htm#fora
7449. jarg422h.htm#jiffy
7450. jarg422h.htm#Jeff%20K.
7451. jarg422h.htm#%3d%20J%20%3d
7452. jarg422h.htm#spam
7453. jarg422h.htm#spam
7454. jarg422h.htm#velveeta
7455. jarg422h.htm#job%20security
7456. jarg422h.htm#jello
7457. jarg422h.htm#%3d%20J%20%3d
7458. jarg422h.htm#tick
7459. jarg422h.htm#wall%20time
7460. jarg422h.htm#nano
7461. jarg422h.htm#Real%20Soon%20Now
7462. jarg422h.htm#jock
7463. jarg422h.htm#jiffy
7464. jarg422h.htm#%3d%20J%20%3d
7465. jarg422h.htm#obscure
7466. jarg422h.htm#joe%20code
7467. jarg422h.htm#job%20security
7468. jarg422h.htm#%3d%20J%20%3d
7469. jarg422h.htm#brute%20force
7470. jarg422h.htm#jolix
7471. jarg422h.htm#jock
7472. jarg422h.htm#%3d%20J%20%3d
7473. jarg422h.htm#tense
7474. jarg422h.htm#Perl
7475. jarg422h.htm#juggling%20eggs
7476. jarg422h.htm#joe%20code

7477. jarg422h.htm#%3d%20J%20%3d
7478. jarg422h.htm#BSD
7479. jarg422h.htm#jump%20off%20into%20never-never%20land
7480. jarg422h.htm#jolix
7481. jarg422h.htm#%3d%20J%20%3d
7482. jarg422h.htm#state
7483. jarg422h.htm#hack%20mode
7484. jarg422h.htm#on%20the%20gripping%20hand
7485. jarg422h.htm#jupiter
7486. jarg422h.htm#juggling%20eggs
7487. jarg422h.htm#%3d%20J%20%3d
7488. jarg422h.htm#branch%20to%20Fishkill
7489. jarg422h.htm#hyperspace
7490. jarg422h.htm#K
7491. jarg422h.htm#jump%20off%20into%20never-never%20land
7492. jarg422h.htm#%3d%20J%20%3d
7493. jarg422h.htm#IRC
7494. jarg422h.htm#bot
7495. jarg422h.htm#nick
7496. jarg422h.htm#%3d%20L%20%3d
7497. jarg422h.htm#%3d%20J%20%3d
7498. jarg422h.htm#The%20Jargon%20Lexicon
7499. jarg422h.htm#K
7500. jarg422h.htm#K&R
7501. jarg422h.htm#k-
7502. jarg422h.htm#kahuna
7503. jarg422h.htm#kamikaze%20packet
7504. jarg422h.htm#kangaroo%20code
7505. jarg422h.htm#ken
7506. jarg422h.htm#kernel-of-the-week%20club
7507. jarg422h.htm#kgbvax
7508. jarg422h.htm#KIBO
7509. jarg422h.htm#kiboze
7510. jarg422h.htm#kibozo
7511. jarg422h.htm#kick
7512. jarg422h.htm#kill%20file
7513. jarg422h.htm#killer%20app
7514. jarg422h.htm#killer%20micro
7515. jarg422h.htm#killer%20poke
7516. jarg422h.htm#kilo-
7517. jarg422h.htm#KIPS
7518. jarg422h.htm#KISS%20Principle
7519. jarg422h.htm#kit
7520. jarg422h.htm#klone
7521. jarg422h.htm#kludge
7522. jarg422h.htm#kluge
7523. jarg422h.htm#kluge%20around
7524. jarg422h.htm#kluge%20up
7525. jarg422h.htm#Knights%20of%20the%20Lambda%20Calculus
7526. jarg422h.htm#knobs
7527. jarg422h.htm#Knuth
7528. jarg422h.htm#koan
7529. jarg422h.htm#kremvax

7530. jarg422h.htm#kyrka
7531. jarg422h.htm#K&R
7532. jarg422h.htm#jupiter
7533. jarg422h.htm#%3d%20K%20%3d
7534. jarg422h.htm#kilo-
7535. jarg422h.htm#meg
7536. jarg422h.htm#gig
7537. jarg422h.htm#quantifiers
7538. jarg422h.htm#k-
7539. jarg422h.htm#K
7540. jarg422h.htm#%3d%20K%20%3d
7541. jarg422h.htm#White%20Book
7542. jarg422h.htm#Old%20Testament
7543. jarg422h.htm#New%20Testament
7544. jarg422h.htm#kahuna
7545. jarg422h.htm#K&R
7546. jarg422h.htm#%3d%20K%20%3d
7547. jarg422h.htm#warez%20d00dz
7548. jarg422h.htm#lamer
7549. jarg422h.htm#kamikaze%20packet
7550. jarg422h.htm#k-
7551. jarg422h.htm#%3d%20K%20%3d
7552. jarg422h.htm#wizard
7553. jarg422h.htm#guru
7554. jarg422h.htm#kangaroo%20code
7555. jarg422h.htm#kahuna
7556. jarg422h.htm#%3d%20K%20%3d
7557. jarg422h.htm#Christmas%20tree%20packet
7558. jarg422h.htm#RFC
7559. jarg422h.htm#Chernobyl%20packet
7560. jarg422h.htm#ken
7561. jarg422h.htm#kamikaze%20packet
7562. jarg422h.htm#%3d%20K%20%3d
7563. jarg422h.htm#spaghetti%20code
7564. jarg422h.htm#kernel-of-the-week%20club
7565. jarg422h.htm#kangaroo%20code
7566. jarg422h.htm#%3d%20K%20%3d
7567. jarg422h.htm#demigod
7568. jarg422h.htm#Unix
7569. jarg422h.htm#kgbvax
7570. jarg422h.htm#ken
7571. jarg422h.htm#%3d%20K%20%3d
7572. jarg422h.htm#BSD
7573. jarg422h.htm#bigot
7574. jarg422h.htm#bazaar
7575. jarg422h.htm#bug-of-the-month%20club
7576. jarg422h.htm#KIBO
7577. jarg422h.htm#kernel-of-the-week%20club
7578. jarg422h.htm#%3d%20K%20%3d
7579. jarg422h.htm#kremvax
7580. jarg422h.htm#kiboze
7581. jarg422h.htm#kgbvax
7582. jarg422h.htm#%3d%20K%20%3d

7583. jarg422h.htm#GIGO
7584. jarg422h.htm#SNAFU%20principle
7585. http://www.kibo.com/
7586. jarg422h.htm#kibozo
7587. jarg422h.htm#KIBO
7588. jarg422h.htm#%3d%20K%20%3d
7589. jarg422h.htm#grep
7590. jarg422h.htm#KIBO
7591. jarg422h.htm#kick
7592. jarg422h.htm#kiboze
7593. jarg422h.htm#%3d%20K%20%3d
7594. jarg422h.htm#kiboze
7595. jarg422h.htm#KIBO
7596. jarg422h.htm#kill%20file
7597. jarg422h.htm#kibozo
7598. jarg422h.htm#%3d%20K%20%3d
7599. jarg422h.htm#IRC
7600. jarg422h.htm#flamage
7601. jarg422h.htm#flood
7602. jarg422h.htm#CHOP
7603. jarg422h.htm#gun
7604. jarg422h.htm#killer%20app
7605. jarg422h.htm#kick
7606. jarg422h.htm#%3d%20K%20%3d
7607. jarg422h.htm#Usenet
7608. jarg422h.htm#plonk
7609. jarg422h.htm#killer%20micro
7610. jarg422h.htm#kill%20file
7611. jarg422h.htm#%3d%20K%20%3d
7612. jarg422h.htm#killer%20poke
7613. jarg422h.htm#killer%20app
7614. jarg422h.htm#%3d%20K%20%3d
7615. jarg422h.htm#canonical
7616. jarg422h.htm#flavor
7617. jarg422h.htm#mainframe
7618. jarg422h.htm#kilo-
7619. jarg422h.htm#killer%20micro
7620. jarg422h.htm#%3d%20K%20%3d
7621. jarg422h.htm#poke
7622. jarg422h.htm#bitty%20box
7623. jarg422h.htm#HCF
7624. jarg422h.htm#KIPS
7625. jarg422h.htm#killer%20poke
7626. jarg422h.htm#%3d%20K%20%3d
7627. jarg422h.htm#quantifiers
7628. jarg422h.htm#KISS%20Principle
7629. jarg422h.htm#kilo-
7630. jarg422h.htm#%3d%20K%20%3d
7631. jarg422h.htm#MIPS
7632. jarg422h.htm#K
7633. jarg422h.htm#kit
7634. jarg422h.htm#KIPS
7635. jarg422h.htm#%3d%20K%20%3d

7636. jarg422h.htm#creeping%20featurism
7637. jarg422h.htm#marketroid
7638. jarg422h.htm#klone
7639. jarg422h.htm#KISS%20Principle
7640. jarg422h.htm#%3d%20K%20%3d
7641. jarg422h.htm#DEC
7642. jarg422h.htm#README%20file
7643. jarg422h.htm#distribution
7644. jarg422h.htm#kludge
7645. jarg422h.htm#kit
7646. jarg422h.htm#%3d%20K%20%3d
7647. jarg422h.htm#clone
7648. jarg422h.htm#kluge
7649. jarg422h.htm#klone
7650. jarg422h.htm#%3d%20K%20%3d
7651. jarg422h.htm#kluge
7652. jarg422h.htm#crock
7653. jarg422h.htm#kluge
7654. jarg422h.htm#kluge
7655. jarg422h.htm#kluge%20around
7656. jarg422h.htm#kludge
7657. jarg422h.htm#%3d%20K%20%3d
7658. jarg422h.htm#ad-hockery
7659. jarg422h.htm#crock
7660. jarg422h.htm#rude
7661. jarg422h.htm#old%20fart
7662. jarg422h.htm#TMRC
7663. jarg422h.htm#foobar
7664. jarg422h.htm#TMRC
7665. jarg422h.htm#Datamation
7666. jarg422h.htm#kludge
7667. jarg422h.htm#kludge
7668. jarg422h.htm#kluge
7669. jarg422h.htm#kluge%20up
7670. jarg422h.htm#kluge
7671. jarg422h.htm#%3d%20K%20%3d
7672. jarg422h.htm#kluge
7673. jarg422h.htm#workaround
7674. jarg422h.htm#Knights%20of%20the%20Lambda%20Calculus
7675. jarg422h.htm#kluge%20around
7676. jarg422h.htm#%3d%20K%20%3d
7677. jarg422h.htm#cruft%20together
7678. jarg422h.htm#hack%20up
7679. jarg422h.htm#hack%20on
7680. jarg422h.htm#knobs
7681. jarg422h.htm#kluge%20up
7682. jarg422h.htm#%3d%20K%20%3d
7683. jarg422h.htm#Knuth
7684. jarg422h.htm#Knights%20of%20the%20Lambda%20Calculus
7685. jarg422h.htm#%3d%20K%20%3d
7686. jarg422h.htm#twiddle
7687. jarg422h.htm#koan
7688. jarg422h.htm#knobs

7689. jarg422h.htm#%3d%20K%20%3d
7690. jarg422h.htm#the%20literature
7691. jarg422h.htm#bible
7692. http://www-cs-faculty.Stanford.EDU/~knuth
7693. jarg422h.htm#kremvax
7694. jarg422h.htm#Knuth
7695. jarg422h.htm#%3d%20K%20%3d
7696. jarg422h.htm#Some%20AI%20Koans
7697. jarg422h.htm#has%20the%20X%20nature
7698. jarg422h.htm#hacker%20humor
7699. jarg422h.htm#kyrka
7700. jarg422h.htm#koan
7701. jarg422h.htm#%3d%20K%20%3d
7702. jarg422h.htm#Usenet
7703. jarg422h.htm#VAXen
7704. jarg422h.htm#kgbvax
7705. jarg422h.htm#lace%20card
7706. jarg422h.htm#kremvax
7707. jarg422h.htm#%3d%20K%20%3d
7708. jarg422h.htm#feature%20key
7709. jarg422h.htm#%3d%20M%20%3d
7710. jarg422h.htm#%3d%20K%20%3d
7711. jarg422h.htm#The%20Jargon%20Lexicon
7712. jarg422h.htm#lace%20card
7713. jarg422h.htm#lag
7714. jarg422h.htm#lamer
7715. jarg422h.htm#language%20lawyer
7716. jarg422h.htm#languages%20of%20choice
7717. jarg422h.htm#LART
7718. jarg422h.htm#larval%20stage
7719. jarg422h.htm#lase
7720. jarg422h.htm#laser%20chicken
7721. jarg422h.htm#lasherism
7722. jarg422h.htm#laundromat
7723. jarg422h.htm#LDB
7724. jarg422h.htm#leaf%20site
7725. jarg422h.htm#leak
7726. jarg422h.htm#leaky%20heap
7727. jarg422h.htm#leapfrog%20attack
7728. jarg422h.htm#leech
7729. jarg422h.htm#leech%20mode
7730. jarg422h.htm#legal
7731. jarg422h.htm#legalese
7732. jarg422h.htm#LER
7733. jarg422h.htm#LERP
7734. jarg422h.htm#let%20the%20smoke%20out
7735. jarg422h.htm#letterbomb
7736. jarg422h.htm#lexer
7737. jarg422h.htm#lexiphage
7738. jarg422h.htm#life
7739. jarg422h.htm#Life%20is%20hard
7740. jarg422h.htm#light%20pipe
7741. jarg422h.htm#lightweight

7742. jarg422h.htm#like%20kicking%20dead%20whales%20down%20the%20beach
7743. jarg422h.htm#like%20nailing%20jelly%20to%20a%20tree
7744. jarg422h.htm#line%20666
7745. jarg422h.htm#line%20eater%20the
7746. jarg422h.htm#line%20noise
7747. jarg422h.htm#line%20starve
7748. jarg422h.htm#linearithmic
7749. jarg422h.htm#link%20farm
7750. jarg422h.htm#link%20rot
7751. jarg422h.htm#link-dead
7752. jarg422h.htm#lint
7753. jarg422h.htm#Lintel
7754. jarg422h.htm#Linus
7755. jarg422h.htm#Linux
7756. jarg422h.htm#lion%20food
7757. jarg422h.htm#Lions%20Book
7758. jarg422h.htm#LISP
7759. jarg422h.htm#list-bomb
7760. jarg422h.htm#lithium%20lick
7761. jarg422h.htm#little-endian
7762. jarg422h.htm#live
7763. jarg422h.htm#live%20data
7764. jarg422h.htm#Live%20Free%20Or%20Die!
7765. jarg422h.htm#livelock
7766. jarg422h.htm#liveware
7767. jarg422h.htm#lobotomy
7768. jarg422h.htm#locals%20the
7769. jarg422h.htm#locked%20and%20loaded
7770. jarg422h.htm#locked%20up
7771. jarg422h.htm#logic%20bomb
7772. jarg422h.htm#logical
7773. jarg422h.htm#loop%20through
7774. jarg422h.htm#loose%20bytes
7775. jarg422h.htm#lord%20high%20fixer
7776. jarg422h.htm#lose
7777. jarg422h.htm#lose%20lose
7778. jarg422h.htm#loser
7779. jarg422h.htm#losing
7780. jarg422h.htm#loss
7781. jarg422h.htm#lossage
7782. jarg422h.htm#lost%20in%20the%20noise
7783. jarg422h.htm#lost%20in%20the%20underflow
7784. jarg422h.htm#lots%20of%20MIPS%20but%20no%20I%2fO
7785. jarg422h.htm#low-bandwidth
7786. jarg422h.htm#LPT
7787. jarg422h.htm#Lubarsky's%20Law%20of%20Cybernetic%20Entomology
7788. jarg422h.htm#Lumber%20Cartel
7789. jarg422h.htm#lunatic%20fringe
7790. jarg422h.htm#lurker
7791. jarg422h.htm#luser
7792. jarg422h.htm#lag
7793. jarg422h.htm#kyrka
7794. jarg422h.htm#%3d%20L%20%3d

7795. jarg422h.htm#punched%20card
7796. jarg422h.htm#lamer
7797. jarg422h.htm#lace%20card
7798. jarg422h.htm#%3d%20L%20%3d
7799. jarg422h.htm#netlag
7800. jarg422h.htm#language%20lawyer
7801. jarg422h.htm#lag
7802. jarg422h.htm#%3d%20L%20%3d
7803. jarg422h.htm#luser
7804. jarg422h.htm#warez%20d00dz
7805. jarg422h.htm#phreaker
7806. jarg422h.htm#elite
7807. jarg422h.htm#luser
7808. jarg422h.htm#wannabee
7809. jarg422h.htm#warez%20d00dz
7810. jarg422h.htm#languages%20of%20choice
7811. jarg422h.htm#lamer
7812. jarg422h.htm#%3d%20L%20%3d
7813. jarg422h.htm#wizard
7814. jarg422h.htm#legal
7815. jarg422h.htm#legalese
7816. jarg422h.htm#LART
7817. jarg422h.htm#language%20lawyer
7818. jarg422h.htm#%3d%20L%20%3d
7819. jarg422h.htm#C
7820. jarg422h.htm#C++
7821. jarg422h.htm#LISP
7822. jarg422h.htm#Perl
7823. jarg422h.htm#Java
7824. jarg422h.htm#Python
7825. jarg422h.htm#Real%20Programmer
7826. jarg422h.htm#The%20Story%20of%20Mel
7827. jarg422h.htm#HLL
7828. jarg422h.htm#glue
7829. jarg422h.htm#Pascal
7830. jarg422h.htm#Ada
7831. jarg422h.htm#bondage-and-discipline%20language
7832. jarg422h.htm#COBOL
7833. jarg422h.htm#card%20wallpaper
7834. jarg422h.htm#loss
7835. jarg422h.htm#larval%20stage
7836. jarg422h.htm#languages%20of%20choice
7837. jarg422h.htm#%3d%20L%20%3d
7838. jarg422h.htm#scary%20devil%20monastery
7839. jarg422h.htm#BOFH
7840. jarg422h.htm#clue-by-four
7841. jarg422h.htm#flame
7842. jarg422h.htm#lase
7843. jarg422h.htm#LART
7844. jarg422h.htm#%3d%20L%20%3d
7845. jarg422h.htm#hacking%20run
7846. jarg422h.htm#wannabee
7847. jarg422h.htm#OS

7848. jarg422h.htm#laser%20chicken
7849. jarg422h.htm#larval%20stage
7850. jarg422h.htm#%3d%20L%20%3d
7851. jarg422h.htm#lasherism
7852. jarg422h.htm#lase
7853. jarg422h.htm#%3d%20L%20%3d
7854. jarg422h.htm#zap
7855. jarg422h.htm#laundromat
7856. jarg422h.htm#laser%20chicken
7857. jarg422h.htm#%3d%20L%20%3d
7858. jarg422h.htm#life
7859. jarg422h.htm#crock
7860. jarg422h.htm#kluge
7861. jarg422h.htm#Obfuscated%20C%20Contest
7862. jarg422h.htm#retrocomputing
7863. jarg422h.htm#LDB
7864. jarg422h.htm#lasherism
7865. jarg422h.htm#%3d%20L%20%3d
7866. jarg422h.htm#disk%20farm
7867. jarg422h.htm#washing%20machine
7868. jarg422h.htm#leaf%20site
7869. jarg422h.htm#laundromat
7870. jarg422h.htm#%3d%20L%20%3d
7871. jarg422h.htm#DPB
7872. jarg422h.htm#leak
7873. jarg422h.htm#LDB
7874. jarg422h.htm#%3d%20L%20%3d
7875. jarg422h.htm#backbone%20site
7876. jarg422h.htm#rib%20site
7877. jarg422h.htm#leaky%20heap
7878. jarg422h.htm#leaf%20site
7879. jarg422h.htm#%3d%20L%20%3d
7880. jarg422h.htm#memory%20leak
7881. jarg422h.htm#fd%20leak
7882. jarg422h.htm#leapfrog%20attack
7883. jarg422h.htm#leak
7884. jarg422h.htm#%3d%20L%20%3d
7885. jarg422h.htm#arena
7886. jarg422h.htm#memory%20leak
7887. jarg422h.htm#leech
7888. jarg422h.htm#leaky%20heap
7889. jarg422h.htm#%3d%20L%20%3d
7890. jarg422h.htm#leech%20mode
7891. jarg422h.htm#leapfrog%20attack
7892. jarg422h.htm#%3d%20L%20%3d
7893. jarg422h.htm#warez%20d00dz
7894. jarg422h.htm#lamer
7895. jarg422h.htm#legal
7896. jarg422h.htm#leech
7897. jarg422h.htm#%3d%20L%20%3d
7898. jarg422h.htm#ratio%20site
7899. jarg422h.htm#banner%20site
7900. jarg422h.htm#legalese

7901. jarg422h.htm#leech%20mode
7902. jarg422h.htm#%3d%20L%20%3d
7903. jarg422h.htm#language%20lawyer
7904. jarg422h.htm#legalese
7905. jarg422h.htm#LER
7906. jarg422h.htm#legal
7907. jarg422h.htm#%3d%20L%20%3d
7908. jarg422h.htm#language%20lawyer
7909. jarg422h.htm#parse
7910. jarg422h.htm#suit
7911. jarg422h.htm#LERP
7912. jarg422h.htm#legalese
7913. jarg422h.htm#%3d%20L%20%3d
7914. jarg422h.htm#SED
7915. jarg422h.htm#let%20the%20smoke%20out
7916. jarg422h.htm#LER
7917. jarg422h.htm#%3d%20L%20%3d
7918. jarg422h.htm#letterbomb
7919. jarg422h.htm#LERP
7920. jarg422h.htm#%3d%20L%20%3d
7921. jarg422h.htm#fried
7922. jarg422h.htm#magic%20smoke
7923. jarg422h.htm#lexer
7924. jarg422h.htm#let%20the%20smoke%20out
7925. jarg422h.htm#%3d%20L%20%3d
7926. jarg422h.htm#email
7927. jarg422h.htm#live%20data
7928. jarg422h.htm#cycle
7929. jarg422h.htm#Trojan%20horse
7930. jarg422h.htm#nastygram
7931. jarg422h.htm#mailbomb
7932. jarg422h.htm#lexiphage
7933. jarg422h.htm#letterbomb
7934. jarg422h.htm#%3d%20L%20%3d
7935. jarg422h.htm#life
7936. jarg422h.htm#lexer
7937. jarg422h.htm#%3d%20L%20%3d
7938. jarg422h.htm#chomper
7939. jarg422h.htm#bagbiter
7940. jarg422h.htm#Life%20is%20hard
7941. jarg422h.htm#lexiphage
7942. jarg422h.htm#%3d%20L%20%3d
7943. jarg422h.htm#TECO
7944. jarg422h.htm#Gosperism
7945. jarg422h.htm#Usenet
7946. jarg422h.htm#Get%20a%20life!
7947. jarg422h.htm#light%20pipe
7948. jarg422h.htm#life
7949. jarg422h.htm#%3d%20L%20%3d
7950. jarg422h.htm#lightweight
7951. jarg422h.htm#Life%20is%20hard
7952. jarg422h.htm#%3d%20L%20%3d
7953. jarg422h.htm#copper

7954. jarg422h.htm#like%20kicking%20dead%20whales%20down%20the%20beach
7955. jarg422h.htm#light%20pipe
7956. jarg422h.htm#%3d%20L%20%3d
7957. jarg422h.htm#heavyweight
7958. jarg422h.htm#like%20nailing%20jelly%20to%20a%20tree
7959. jarg422h.htm#lightweight
7960. jarg422h.htm#%3d%20L%20%3d
7961. jarg422h.htm#fear%20and%20loathing
7962. jarg422h.htm#line%20666
7963. jarg422h.htm#like%20kicking%20dead%20whales%20down%20the%20beach
7964. jarg422h.htm#%3d%20L%20%3d
7965. jarg422h.htm#line%20eater%20the
7966. jarg422h.htm#like%20nailing%20jelly%20to%20a%20tree
7967. jarg422h.htm#%3d%20L%20%3d
7968. jarg422h.htm#line%20noise
7969. jarg422h.htm#line%20666
7970. jarg422h.htm#%3d%20L%20%3d
7971. jarg422h.htm#nailed%20to%20the%20wall
7972. jarg422h.htm#NSA%20line%20eater
7973. jarg422h.htm#line%20starve
7974. jarg422h.htm#line%20eater%20the
7975. jarg422h.htm#%3d%20L%20%3d
7976. jarg422h.htm#cosmic%20rays
7977. jarg422h.htm#TECO
7978. jarg422h.htm#WYSIWYG
7979. jarg422h.htm#INTERCAL
7980. jarg422h.htm#linearithmic
7981. jarg422h.htm#line%20noise
7982. jarg422h.htm#%3d%20L%20%3d
7983. jarg422h.htm#ASCII
7984. jarg422h.htm#nroff
7985. jarg422h.htm#troff
7986. jarg422h.htm#newline
7987. jarg422h.htm#link%20farm
7988. jarg422h.htm#line%20starve
7989. jarg422h.htm#%3d%20L%20%3d
7990. jarg422h.htm#link%20rot
7991. jarg422h.htm#linearithmic
7992. jarg422h.htm#%3d%20L%20%3d
7993. jarg422h.htm#spaghetti%20code
7994. jarg422h.htm#link-dead
7995. jarg422h.htm#link%20farm
7996. jarg422h.htm#%3d%20L%20%3d
7997. jarg422h.htm#bit%20rot
7998. jarg422h.htm#lint
7999. jarg422h.htm#link%20rot
8000. jarg422h.htm#%3d%20L%20%3d
8001. jarg422h.htm#MUD
8002. jarg422h.htm#IRC
8003. jarg422h.htm#netdead
8004. jarg422h.htm#Lintel
8005. jarg422h.htm#link-dead
8006. jarg422h.htm#%3d%20L%20%3d

8007. jarg422h.htm#desk%20check
8008. jarg422h.htm#delint
8009. jarg422h.htm#Linus
8010. jarg422h.htm#lint
8011. jarg422h.htm#%3d%20L%20%3d
8012. jarg422h.htm#Linux
8013. jarg422h.htm#Wintel
8014. jarg422h.htm#Linux
8015. jarg422h.htm#Lintel
8016. jarg422h.htm#%3d%20L%20%3d
8017. jarg422h.htm#Linux
8018. jarg422h.htm#lion%20food
8019. jarg422h.htm#Linus
8020. jarg422h.htm#%3d%20L%20%3d
8021. jarg422h.htm#GNU
8022. jarg422h.htm#bazaar
8023. jarg422h.htm#FSF
8024. jarg422h.htm#Lions%20Book
8025. jarg422h.htm#Linux
8026. jarg422h.htm#%3d%20L%20%3d
8027. jarg422h.htm#LISP
8028. jarg422h.htm#lion%20food
8029. jarg422h.htm#%3d%20L%20%3d
8030. jarg422h.htm#samizdat
8031. jarg422h.htm#list-bomb
8032. jarg422h.htm#Lions%20Book
8033. jarg422h.htm#%3d%20L%20%3d
8034. jarg422h.htm#HLL
8035. jarg422h.htm#C
8036. jarg422h.htm#languages%20of%20choice
8037. jarg422h.htm#COBOL
8038. jarg422h.htm#Ada
8039. jarg422h.htm#crock
8040. jarg422h.htm#Right%20Thing
8041. jarg422h.htm#bogosity
8042. jarg422h.htm#lithium%20lick
8043. jarg422h.htm#LISP
8044. jarg422h.htm#%3d%20L%20%3d
8045. jarg422h.htm#mailbomb
8046. jarg422h.htm#little-endian
8047. jarg422h.htm#list-bomb
8048. jarg422h.htm#%3d%20L%20%3d
8049. jarg422h.htm#live
8050. jarg422h.htm#lithium%20lick
8051. jarg422h.htm#%3d%20L%20%3d
8052. jarg422h.htm#big-endian
8053. jarg422h.htm#middle-endian
8054. jarg422h.htm#NUXI%20problem
8055. jarg422h.htm#live%20data
8056. jarg422h.htm#little-endian
8057. jarg422h.htm#%3d%20L%20%3d
8058. jarg422h.htm#Live%20Free%20Or%20Die!
8059. jarg422h.htm#live

8060. jarg422h.htm#%3d%20L%20%3d
8061. jarg422h.htm#virus
8062. jarg422h.htm#vi
8063. jarg422h.htm#hook
8064. jarg422h.htm#trampoline
8065. jarg422h.htm#livelock
8066. jarg422h.htm#live%20data
8067. jarg422h.htm#%3d%20L%20%3d
8068. jarg422h.htm#fascist
8069. jarg422h.htm#DEC
8070. jarg422h.htm#liveware
8071. jarg422h.htm#Live%20Free%20Or%20Die!
8072. jarg422h.htm#%3d%20L%20%3d
8073. jarg422h.htm#deadlock
8074. jarg422h.htm#lobotomy
8075. jarg422h.htm#livelock
8076. jarg422h.htm#%3d%20L%20%3d
8077. jarg422h.htm#wetware
8078. jarg422h.htm#locals%20the
8079. jarg422h.htm#liveware
8080. jarg422h.htm#%3d%20L%20%3d
8081. jarg422h.htm#clone
8082. jarg422h.htm#locked%20and%20loaded
8083. jarg422h.htm#lobotomy
8084. jarg422h.htm#%3d%20L%20%3d
8085. jarg422h.htm#locked%20up
8086. jarg422h.htm#locals%20the
8087. jarg422h.htm#%3d%20L%20%3d
8088. jarg422h.htm#Winchester
8089. jarg422h.htm#logic%20bomb
8090. jarg422h.htm#locked%20and%20loaded
8091. jarg422h.htm#%3d%20L%20%3d
8092. jarg422h.htm#hung
8093. jarg422h.htm#wedged
8094. jarg422h.htm#logical
8095. jarg422h.htm#locked%20up
8096. jarg422h.htm#%3d%20L%20%3d
8097. jarg422h.htm#back%20door
8098. jarg422h.htm#loop%20through
8099. jarg422h.htm#logic%20bomb
8100. jarg422h.htm#%3d%20L%20%3d
8101. jarg422h.htm#virtual
8102. jarg422h.htm#El%20Camino%20Bignum
8103. jarg422h.htm#loose%20bytes
8104. jarg422h.htm#logical
8105. jarg422h.htm#%3d%20L%20%3d
8106. jarg422h.htm#cdr
8107. jarg422h.htm#lord%20high%20fixer
8108. jarg422h.htm#loop%20through
8109. jarg422h.htm#%3d%20L%20%3d
8110. jarg422h.htm#shim
8111. jarg422h.htm#lose
8112. jarg422h.htm#loose%20bytes

8113. jarg422h.htm#%3d%20L%20%3d
8114. jarg422h.htm#wizard
8115. jarg422h.htm#lose%20lose
8116. jarg422h.htm#lord%20high%20fixer
8117. jarg422h.htm#%3d%20L%20%3d
8118. jarg422h.htm#deserves%20to%20lose
8119. jarg422h.htm#losing
8120. jarg422h.htm#loser
8121. jarg422h.htm#lose
8122. jarg422h.htm#%3d%20L%20%3d
8123. jarg422h.htm#losing
8124. jarg422h.htm#lose%20lose
8125. jarg422h.htm#%3d%20L%20%3d
8126. jarg422h.htm#luser
8127. jarg422h.htm#loss
8128. jarg422h.htm#loser
8129. jarg422h.htm#%3d%20L%20%3d
8130. jarg422h.htm#lose
8131. jarg422h.htm#lossage
8132. jarg422h.htm#lossage
8133. jarg422h.htm#losing
8134. jarg422h.htm#%3d%20L%20%3d
8135. jarg422h.htm#lossage
8136. jarg422h.htm#lost%20in%20the%20noise
8137. jarg422h.htm#loss
8138. jarg422h.htm#%3d%20L%20%3d
8139. jarg422h.htm#lose
8140. jarg422h.htm#lost%20in%20the%20underflow
8141. jarg422h.htm#lossage
8142. jarg422h.htm#%3d%20L%20%3d
8143. jarg422h.htm#lost%20in%20the%20underflow
8144. jarg422h.htm#lots%20of%20MIPS%20but%20no%20I%2fO
8145. jarg422h.htm#lost%20in%20the%20noise
8146. jarg422h.htm#%3d%20L%20%3d
8147. jarg422h.htm#epsilon
8148. jarg422h.htm#epsilon%20squared
8149. jarg422h.htm#overflow%20bit
8150. jarg422h.htm#low-bandwidth
8151. jarg422h.htm#lost%20in%20the%20underflow
8152. jarg422h.htm#%3d%20L%20%3d
8153. jarg422h.htm#LPT
8154. jarg422h.htm#lots%20of%20MIPS%20but%20no%20I%2fO
8155. jarg422h.htm#%3d%20L%20%3d
8156. jarg422h.htm#content-free
8157. jarg422h.htm#suit
8158. jarg422h.htm#zero-content
8159. jarg422h.htm#bandwidth
8160. jarg422h.htm#math-out
8161. jarg422h.htm#Lubarsky's%20Law%20of%20Cybernetic%20Entomology
8162. jarg422h.htm#low-bandwidth
8163. jarg422h.htm#%3d%20L%20%3d
8164. jarg422h.htm#DEC
8165. jarg422h.htm#backronym

8166. jarg422h.htm#Lumber%20Cartel
8167. jarg422h.htm#LPT
8168. jarg422h.htm#%3d%20L%20%3d
8169. jarg422h.htm#lunatic%20fringe
8170. jarg422h.htm#Lubarsky's%20Law%20of%20Cybernetic%20Entomology
8171. jarg422h.htm#%3d%20L%20%3d
8172. jarg422h.htm#spam
8173. http://come.to/the.lumber.cartel
8174. jarg422h.htm#TINC
8175. jarg422h.htm#backbone%20cabal
8176. jarg422h.htm#NANA
8177. jarg422h.htm#lurker
8178. jarg422h.htm#Lumber%20Cartel
8179. jarg422h.htm#%3d%20L%20%3d
8180. jarg422h.htm#heatseeker
8181. jarg422h.htm#luser
8182. jarg422h.htm#lunatic%20fringe
8183. jarg422h.htm#%3d%20L%20%3d
8184. jarg422h.htm#flamage
8185. jarg422h.htm#M
8186. jarg422h.htm#lurker
8187. jarg422h.htm#%3d%20L%20%3d
8188. jarg422h.htm#user
8189. jarg422h.htm#loser
8190. jarg422h.htm#luser
8191. jarg422h.htm#loser
8192. jarg422h.htm#mundane
8193. jarg422h.htm#muggle
8194. jarg422h.htm#%3d%20N%20%3d
8195. jarg422h.htm#%3d%20L%20%3d
8196. jarg422h.htm#The%20Jargon%20Lexicon
8197. jarg422h.htm#M
8198. jarg422h.htm#M\$
8199. jarg422h.htm#macdink
8200. jarg422h.htm#machinable
8201. jarg422h.htm#machoflops
8202. jarg422h.htm#Macintoy
8203. jarg422h.htm#Macintrash
8204. jarg422h.htm#macro
8205. jarg422h.htm#macro-
8206. jarg422h.htm#macrology
8207. jarg422h.htm#macrotape
8208. jarg422h.htm#maggotbox
8209. jarg422h.htm#magic
8210. jarg422h.htm#magic%20cookie
8211. jarg422h.htm#magic%20number
8212. jarg422h.htm#magic%20smoke
8213. jarg422h.htm#mail%20storm
8214. jarg422h.htm#mailbomb
8215. jarg422h.htm#mailing%20list
8216. jarg422h.htm#main%20loop
8217. jarg422h.htm#mainframe
8218. jarg422h.htm#management

8219. jarg422h.htm#mandelbug
8220. jarg422h.htm#manged
8221. jarg422h.htm#mangle
8222. jarg422h.htm#mangled%20name
8223. jarg422h.htm#mangler
8224. jarg422h.htm#manularity
8225. jarg422h.htm#marbles
8226. jarg422h.htm#marginal
8227. jarg422h.htm#Marginal%20Hacks
8228. jarg422h.htm#marginally
8229. jarg422h.htm#marketroid
8230. jarg422h.htm#Mars
8231. jarg422h.htm#martian
8232. jarg422h.htm#massage
8233. jarg422h.htm#math-out
8234. jarg422h.htm#Matrix
8235. jarg422h.htm#maximum%20Maytag%20mode
8236. jarg422h.htm#meatspace
8237. jarg422h.htm#meatware
8238. jarg422h.htm#meeces
8239. jarg422h.htm#meg
8240. jarg422h.htm#mega-
8241. jarg422h.htm#megapenny
8242. jarg422h.htm#MEGO
8243. jarg422h.htm#meltdown%20network
8244. jarg422h.htm#meme
8245. jarg422h.htm#meme%20plague
8246. jarg422h.htm#memetics
8247. jarg422h.htm#memory%20farts
8248. jarg422h.htm#memory%20leak
8249. jarg422h.htm#memory%20smash
8250. jarg422h.htm#menuitis
8251. jarg422h.htm#mess-dos
8252. jarg422h.htm#meta
8253. jarg422h.htm#meta%20bit
8254. jarg422h.htm#metasyntactic%20variable
8255. jarg422h.htm#MFTL
8256. jarg422h.htm#mickey
8257. jarg422h.htm#mickey%20mouse%20program
8258. jarg422h.htm#micro-
8259. jarg422h.htm#MicroDroid
8260. jarg422h.htm#microfloppies
8261. jarg422h.htm#microfortnight
8262. jarg422h.htm#microLenat
8263. jarg422h.htm#microReid
8264. jarg422h.htm#microserf
8265. jarg422h.htm#Microsloth%20Windows
8266. jarg422h.htm#Microsoft
8267. jarg422h.htm#micros%7e1
8268. jarg422h.htm#middle-endian
8269. jarg422h.htm#middle-out%20implementation
8270. jarg422h.htm#milliLampson
8271. jarg422h.htm#minifloppies

8272. jarg422h.htm#MIPS
8273. jarg422h.htm#misbug
8274. jarg422h.htm#misfeature
8275. jarg422h.htm#Missed'em-five
8276. jarg422h.htm#missile%20address
8277. jarg422h.htm#miswart
8278. jarg422h.htm#MMF
8279. jarg422h.htm#mobo
8280. jarg422h.htm#moby
8281. jarg422h.htm#mockingbird
8282. jarg422h.htm#mod
8283. jarg422h.htm#mode
8284. jarg422h.htm#mode%20bit
8285. jarg422h.htm#modulo
8286. jarg422h.htm#molly-guard
8287. jarg422h.htm#Mongolian%20Hordes%20technique
8288. jarg422h.htm#monkey%20up
8289. jarg422h.htm#monkey%20scratch
8290. jarg422h.htm#monstrosity
8291. jarg422h.htm#monty
8292. jarg422h.htm#Moof
8293. jarg422h.htm#Moore's%20Law
8294. jarg422h.htm#moose%20call
8295. jarg422h.htm#moria
8296. jarg422h.htm#MOTAS
8297. jarg422h.htm#MOTOS
8298. jarg422h.htm#MOTSS
8299. jarg422h.htm#mouse%20ahead
8300. jarg422h.htm#mouse%20around
8301. jarg422h.htm#mouse%20belt
8302. jarg422h.htm#mouse%20droppings
8303. jarg422h.htm#mouse%20elbow
8304. jarg422h.htm#mouso
8305. jarg422h.htm#MS-DOS
8306. jarg422h.htm#mu
8307. jarg422h.htm#MUD
8308. jarg422h.htm#muddie
8309. jarg422h.htm#mudhead
8310. jarg422h.htm#muggle
8311. jarg422h.htm#multician
8312. jarg422h.htm#Multics
8313. jarg422h.htm#multitask
8314. jarg422h.htm#mumblage
8315. jarg422h.htm#mumble
8316. jarg422h.htm#munch
8317. jarg422h.htm#munching
8318. jarg422h.htm#munching%20squares
8319. jarg422h.htm#munchkin
8320. jarg422h.htm#mundane
8321. jarg422h.htm#mung
8322. jarg422h.htm#munge
8323. jarg422h.htm#Murphy's%20Law
8324. jarg422h.htm#music

8325. jarg422h.htm#mutter
8326. jarg422h.htm#M\$
8327. jarg422h.htm#luser
8328. jarg422h.htm#%3d%20M%20%3d
8329. jarg422h.htm#quantifiers
8330. jarg422h.htm#macdink
8331. jarg422h.htm#M
8332. jarg422h.htm#%3d%20M%20%3d
8333. jarg422h.htm#machinable
8334. jarg422h.htm#M\$
8335. jarg422h.htm#%3d%20M%20%3d
8336. jarg422h.htm#fritterware
8337. jarg422h.htm#window%20shopping
8338. jarg422h.htm#machoflops
8339. jarg422h.htm#macdink
8340. jarg422h.htm#%3d%20M%20%3d
8341. jarg422h.htm#softcopy
8342. jarg422h.htm#Macintoy
8343. jarg422h.htm#machinable
8344. jarg422h.htm#%3d%20M%20%3d
8345. jarg422h.htm#Your%20mileage%20may%20vary
8346. jarg422h.htm#benchmark
8347. jarg422h.htm#Macintrash
8348. jarg422h.htm#machoflops
8349. jarg422h.htm#%3d%20M%20%3d
8350. jarg422h.htm#toy
8351. jarg422h.htm#Macintrash
8352. jarg422h.htm#macro
8353. jarg422h.htm#Macintoy
8354. jarg422h.htm#%3d%20M%20%3d
8355. jarg422h.htm#maggotbox
8356. jarg422h.htm#Macintoy
8357. jarg422h.htm#beige%20toaster
8358. jarg422h.htm#WIMP%20environment
8359. jarg422h.htm#point-and-drool%20interface
8360. jarg422h.htm#drool-proof%20paper
8361. jarg422h.htm#user-friendly
8362. jarg422h.htm#macro-
8363. jarg422h.htm#Macintrash
8364. jarg422h.htm#%3d%20M%20%3d
8365. jarg422h.htm#arg
8366. jarg422h.htm#HLL
8367. jarg422h.htm#languages%20of%20choice
8368. jarg422h.htm#macrology
8369. jarg422h.htm#macro
8370. jarg422h.htm#%3d%20M%20%3d
8371. jarg422h.htm#micro-
8372. jarg422h.htm#mega-
8373. jarg422h.htm#macrotape
8374. jarg422h.htm#macro-
8375. jarg422h.htm#%3d%20M%20%3d
8376. jarg422h.htm#LISP
8377. jarg422h.htm#TECO

8378. jarg422h.htm#theology
8379. jarg422h.htm#boxology
8380. jarg422h.htm#maggotbox
8381. jarg422h.htm#macrology
8382. jarg422h.htm#%3d%20M%20%3d
8383. jarg422h.htm#round%20tape
8384. jarg422h.htm#magic
8385. jarg422h.htm#macrotape
8386. jarg422h.htm#%3d%20M%20%3d
8387. jarg422h.htm#Macintrash
8388. jarg422h.htm#magic%20cookie
8389. jarg422h.htm#maggotbox
8390. jarg422h.htm#%3d%20M%20%3d
8391. jarg422h.htm#automagically
8392. jarg422h.htm#black%20magic
8393. jarg422h.htm#Appendix%20A
8394. jarg422h.htm#black%20magic
8395. jarg422h.htm#wizardly
8396. jarg422h.htm#deep%20magic
8397. jarg422h.htm#heavy%20wizardry
8398. jarg422h.htm#magic%20number
8399. jarg422h.htm#magic
8400. jarg422h.htm#%3d%20M%20%3d
8401. jarg422h.htm#cookie
8402. jarg422h.htm#glitch
8403. jarg422h.htm#mouse%20droppings
8404. jarg422h.htm#cookie
8405. jarg422h.htm#magic%20smoke
8406. jarg422h.htm#magic%20cookie
8407. jarg422h.htm#%3d%20M%20%3d
8408. jarg422h.htm#hardcoded
8409. jarg422h.htm#wizard
8410. jarg422h.htm#mail%20storm
8411. jarg422h.htm#magic%20number
8412. jarg422h.htm#%3d%20M%20%3d
8413. jarg422h.htm#smoke%20test
8414. jarg422h.htm#let%20the%20smoke%20out
8415. jarg422h.htm#Murphy's%20Law
8416. jarg422h.htm#mailbomb
8417. jarg422h.htm#magic%20smoke
8418. jarg422h.htm#%3d%20M%20%3d
8419. jarg422h.htm#broadcast%20storm
8420. jarg422h.htm#hairball
8421. jarg422h.htm#mailing%20list
8422. jarg422h.htm#mail%20storm
8423. jarg422h.htm#%3d%20M%20%3d
8424. jarg422h.htm#email
8425. jarg422h.htm#spam
8426. jarg422h.htm#letterbomb
8427. jarg422h.htm#nastygram
8428. jarg422h.htm#BLOB
8429. jarg422h.htm#list-bomb
8430. jarg422h.htm#main%20loop

8431. jarg422h.htm#mailbomb
8432. jarg422h.htm#%3d%20M%20%3d
8433. jarg422h.htm#email
8434. jarg422h.htm#macro
8435. jarg422h.htm#Usenet
8436. jarg422h.htm#mainframe
8437. jarg422h.htm#mailing%20list
8438. jarg422h.htm#%3d%20M%20%3d
8439. jarg422h.htm#driver
8440. jarg422h.htm#management
8441. jarg422h.htm#main%20loop
8442. jarg422h.htm#%3d%20M%20%3d
8443. jarg422h.htm#Stone%20Age
8444. jarg422h.htm#big%20iron
8445. jarg422h.htm#dinosaur
8446. jarg422h.htm#Stone%20Age
8447. jarg422h.htm#number-crunching
8448. jarg422h.htm#cray
8449. jarg422h.htm#dinosaurs%20mating
8450. jarg422h.htm#killer%20micro
8451. jarg422h.htm#mandelbug
8452. jarg422h.htm#mainframe
8453. jarg422h.htm#%3d%20M%20%3d
8454. jarg422h.htm#suit
8455. jarg422h.htm#Bibliography
8456. jarg422h.htm#manged
8457. jarg422h.htm#management
8458. jarg422h.htm#%3d%20M%20%3d
8459. jarg422h.htm#Bohr%20bug
8460. jarg422h.htm#heisenbug
8461. jarg422h.htm#schroedinbug
8462. jarg422h.htm#mangle
8463. jarg422h.htm#mandelbug
8464. jarg422h.htm#%3d%20M%20%3d
8465. jarg422h.htm#mung
8466. jarg422h.htm#mangled%20name
8467. jarg422h.htm#manged
8468. jarg422h.htm#%3d%20M%20%3d
8469. jarg422h.htm#mung
8470. jarg422h.htm#scribble
8471. jarg422h.htm#mangled%20name
8472. jarg422h.htm#mangler
8473. jarg422h.htm#mangle
8474. jarg422h.htm#%3d%20M%20%3d
8475. jarg422h.htm#manularity
8476. jarg422h.htm#mangled%20name
8477. jarg422h.htm#%3d%20M%20%3d
8478. jarg422h.htm#management
8479. jarg422h.htm#system%20mangler
8480. jarg422h.htm#marbles
8481. jarg422h.htm#mangler
8482. jarg422h.htm#%3d%20M%20%3d
8483. jarg422h.htm#by%20hand

8484. jarg422h.htm#toolsmith
8485. jarg422h.htm#marginal
8486. jarg422h.htm#manularity
8487. jarg422h.htm#%3d%20M%20%3d
8488. jarg422h.htm#hello%20world
8489. jarg422h.htm#Marginal%20Hacks
8490. jarg422h.htm#marbles
8491. jarg422h.htm#%3d%20M%20%3d
8492. jarg422h.htm#core
8493. jarg422h.htm#GC
8494. jarg422h.htm#win
8495. jarg422h.htm#marginally
8496. jarg422h.htm#marginal
8497. jarg422h.htm#%3d%20M%20%3d
8498. jarg422h.htm#D.%20C.%20Power%20Lab
8499. jarg422h.htm#marketroid
8500. jarg422h.htm#Marginal%20Hacks
8501. jarg422h.htm#%3d%20M%20%3d
8502. jarg422h.htm#epsilon
8503. jarg422h.htm#Mars
8504. jarg422h.htm#marginally
8505. jarg422h.htm#%3d%20M%20%3d
8506. jarg422h.htm#droid
8507. jarg422h.htm#martian
8508. jarg422h.htm#marketroid
8509. jarg422h.htm#%3d%20M%20%3d
8510. jarg422h.htm#Foonly
8511. jarg422h.htm#DEC
8512. jarg422h.htm#Foonly
8513. jarg422h.htm#Real%20World
8514. jarg422h.htm#massage
8515. jarg422h.htm#Mars
8516. jarg422h.htm#%3d%20M%20%3d
8517. jarg422h.htm#Christmas%20tree%20packet
8518. jarg422h.htm#Godzillagram
8519. jarg422h.htm#math-out
8520. jarg422h.htm#martian
8521. jarg422h.htm#%3d%20M%20%3d
8522. jarg422h.htm#munch
8523. jarg422h.htm#crunch
8524. jarg422h.htm#slurp
8525. jarg422h.htm#Matrix
8526. jarg422h.htm#massage
8527. jarg422h.htm#%3d%20M%20%3d
8528. jarg422h.htm#content-free
8529. jarg422h.htm#numbers
8530. jarg422h.htm#social%20science%20number
8531. jarg422h.htm#maximum%20Maytag%20mode
8532. jarg422h.htm#math-out
8533. jarg422h.htm#%3d%20M%20%3d
8534. jarg422h.htm#FidoNet
8535. jarg422h.htm#cyberspace
8536. jarg422h.htm#the%20network

8537. jarg422h.htm#cypherpunk
8538. jarg422h.htm#meatspace
8539. jarg422h.htm#Matrix
8540. jarg422h.htm#%3d%20M%20%3d
8541. jarg422h.htm#washing%20machine
8542. jarg422h.htm#walking%20drives
8543. jarg422h.htm#meatware
8544. jarg422h.htm#maximum%20Maytag%20mode
8545. jarg422h.htm#%3d%20M%20%3d
8546. jarg422h.htm#cyberspace
8547. jarg422h.htm#RL
8548. jarg422h.htm#meeces
8549. jarg422h.htm#meatspace
8550. jarg422h.htm#%3d%20M%20%3d
8551. jarg422h.htm#wetware
8552. jarg422h.htm#meg
8553. jarg422h.htm#meatware
8554. jarg422h.htm#%3d%20M%20%3d
8555. jarg422h.htm#urchin
8556. jarg422h.htm#mega-
8557. jarg422h.htm#meeces
8558. jarg422h.htm#%3d%20M%20%3d
8559. jarg422h.htm#quantifiers
8560. jarg422h.htm#megapenny
8561. jarg422h.htm#meg
8562. jarg422h.htm#%3d%20M%20%3d
8563. jarg422h.htm#quantifiers
8564. jarg422h.htm#MEGO
8565. jarg422h.htm#mega-
8566. jarg422h.htm#%3d%20M%20%3d
8567. jarg422h.htm#meltdown%20network
8568. jarg422h.htm#megapenny
8569. jarg422h.htm#%3d%20M%20%3d
8570. jarg422h.htm#handwave
8571. jarg422h.htm#TLA
8572. jarg422h.htm#meme
8573. jarg422h.htm#MEGO
8574. jarg422h.htm#%3d%20M%20%3d
8575. jarg422h.htm#network%20meltdown
8576. jarg422h.htm#meme%20plague
8577. jarg422h.htm#meltdown%20network
8578. jarg422h.htm#%3d%20M%20%3d
8579. jarg422h.htm#replicator
8580. jarg422h.htm#memetics
8581. jarg422h.htm#meme
8582. jarg422h.htm#%3d%20M%20%3d
8583. jarg422h.htm#meme
8584. jarg422h.htm#memory%20farts
8585. jarg422h.htm#meme%20plague
8586. jarg422h.htm#%3d%20M%20%3d
8587. jarg422h.htm#meme
8588. jarg422h.htm#memory%20leak
8589. jarg422h.htm#memetics

8590. jarg422h.htm#%3d%20M%20%3d
8591. jarg422h.htm#memory%20smash
8592. jarg422h.htm#memory%20farts
8593. jarg422h.htm#%3d%20M%20%3d
8594. jarg422h.htm#core%20leak
8595. jarg422h.htm#aliasing%20bug
8596. jarg422h.htm#fandango%20on%20core
8597. jarg422h.htm#smash%20the%20stack
8598. jarg422h.htm#precedence%20lossage
8599. jarg422h.htm#overrun%20screw
8600. jarg422h.htm#leaky%20heap
8601. jarg422h.htm#leak
8602. jarg422h.htm#menueitis
8603. jarg422h.htm#memory%20leak
8604. jarg422h.htm#%3d%20M%20%3d
8605. jarg422h.htm#memory%20leak
8606. jarg422h.htm#fandango%20on%20core
8607. jarg422h.htm#mess-dos
8608. jarg422h.htm#memory%20smash
8609. jarg422h.htm#%3d%20M%20%3d
8610. jarg422h.htm#user-obsequious
8611. jarg422h.htm#drool-proof%20paper
8612. jarg422h.htm#WIMP%20environment
8613. jarg422h.htm#for%20the%20rest%20of%20us
8614. jarg422h.htm#meta
8615. jarg422h.htm#menueitis
8616. jarg422h.htm#%3d%20M%20%3d
8617. jarg422h.htm#MS-DOS
8618. jarg422h.htm#fear%20and%20loathing
8619. jarg422h.htm#meta%20bit
8620. jarg422h.htm#mess-dos
8621. jarg422h.htm#%3d%20M%20%3d
8622. jarg422h.htm#hacker%20humor
8623. jarg422h.htm#metasyntactic%20variable
8624. jarg422h.htm#meta
8625. jarg422h.htm#%3d%20M%20%3d
8626. jarg422h.htm#high%20bit
8627. jarg422h.htm#alt%20bit
8628. jarg422h.htm#hobbit
8629. jarg422h.htm#space-cadet%20keyboard
8630. jarg422h.htm#bucky%20bits
8631. jarg422h.htm#space-cadet%20keyboard
8632. jarg422h.htm#MFTL
8633. jarg422h.htm#meta%20bit
8634. jarg422h.htm#%3d%20M%20%3d
8635. jarg422h.htm#foo
8636. jarg422h.htm#canonical
8637. jarg422h.htm#scratch
8638. jarg422h.htm#foo
8639. jarg422h.htm#bar
8640. jarg422h.htm#baz
8641. jarg422h.htm#quux
8642. jarg422h.htm#baz

8643. jarg422h.htm#qux
8644. jarg422h.htm#quux
8645. jarg422h.htm#foo
8646. jarg422h.htm#bar
8647. jarg422h.htm#gorp
8648. jarg422h.htm#foo
8649. jarg422h.htm#bar
8650. jarg422h.htm#fred
8651. jarg422h.htm#barney
8652. jarg422h.htm#fred
8653. jarg422h.htm#corge
8654. jarg422h.htm#grault
8655. jarg422h.htm#flarp
8656. jarg422h.htm#GOSMACS
8657. jarg422h.htm#Python
8658. jarg422h.htm#foo
8659. jarg422h.htm#bar
8660. jarg422h.htm#baz
8661. jarg422h.htm#foobar
8662. jarg422h.htm#barf
8663. jarg422h.htm#mumble
8664. jarg422h.htm#Commonwealth%20Hackish
8665. jarg422h.htm#mickey
8666. jarg422h.htm#metasyntactic%20variable
8667. jarg422h.htm#%3d%20M%20%3d
8668. jarg422h.htm#content-free
8669. jarg422h.htm#Perl
8670. jarg422h.htm#Python
8671. jarg422h.htm#break-even%20point
8672. jarg422h.htm#toolsmith
8673. jarg422h.htm#Unix
8674. jarg422h.htm#mickey%20mouse%20program
8675. jarg422h.htm#MFTL
8676. jarg422h.htm#%3d%20M%20%3d
8677. jarg422h.htm#micro-
8678. jarg422h.htm#mickey
8679. jarg422h.htm#%3d%20M%20%3d
8680. jarg422h.htm#noddy
8681. jarg422h.htm#MicroDroid
8682. jarg422h.htm#mickey%20mouse%20program
8683. jarg422h.htm#%3d%20M%20%3d
8684. jarg422h.htm#quantifiers
8685. jarg422h.htm#attoparsec
8686. jarg422h.htm#nanoacre
8687. jarg422h.htm#microfortnight
8688. jarg422h.htm#macro-
8689. jarg422h.htm#microfloppies
8690. jarg422h.htm#micro-
8691. jarg422h.htm#%3d%20M%20%3d
8692. jarg422h.htm#astroturfing
8693. jarg422h.htm#microserf
8694. jarg422h.htm#microfortnight
8695. jarg422h.htm#MicroDroid

8696. jarg422h.htm#%3d%20M%20%3d
8697. jarg422h.htm#vanilla
8698. jarg422h.htm#stiffy
8699. jarg422h.htm#minifloppies
8700. jarg422h.htm#microLenat
8701. jarg422h.htm#microfloppies
8702. jarg422h.htm#%3d%20M%20%3d
8703. jarg422h.htm#nanofortnight
8704. jarg422h.htm#microReid
8705. jarg422h.htm#microfortnight
8706. jarg422h.htm#%3d%20M%20%3d
8707. jarg422h.htm#bogosity
8708. jarg422h.htm#tenured%20graduate%20student
8709. jarg422h.htm#microserf
8710. jarg422h.htm#microLenat
8711. jarg422h.htm#%3d%20M%20%3d
8712. jarg422h.htm#microLenat
8713. jarg422h.htm#Microsloth%20Windows
8714. jarg422h.htm#microReid
8715. jarg422h.htm#%3d%20M%20%3d
8716. jarg422h.htm#Microsoft
8717. jarg422h.htm#MicroDroid
8718. jarg422h.htm#Microsoft
8719. jarg422h.htm#microserf
8720. jarg422h.htm#%3d%20M%20%3d
8721. jarg422h.htm#Black%20Screen%20of%20Death
8722. jarg422h.htm#Blue%20Screen%20of%20Death
8723. jarg422h.htm#X
8724. jarg422h.htm#sun-stools
8725. jarg422h.htm#micro%7e1
8726. jarg422h.htm#Microsloth%20Windows
8727. jarg422h.htm#%3d%20M%20%3d
8728. jarg422h.htm#Evil%20Empire
8729. jarg422h.htm#IBM
8730. jarg422h.htm#source
8731. jarg422h.htm#Halloween%20Documents
8732. jarg422h.htm#middle-endian
8733. jarg422h.htm#Microsoft
8734. jarg422h.htm#%3d%20M%20%3d
8735. jarg422h.htm#Microsoft
8736. jarg422h.htm#bogus
8737. jarg422h.htm#middle-out%20implementation
8738. jarg422h.htm#micro%7e1
8739. jarg422h.htm#%3d%20M%20%3d
8740. jarg422h.htm#big-endian
8741. jarg422h.htm#little-endian
8742. jarg422h.htm#NUXI%20problem
8743. jarg422h.htm#milliLampson
8744. jarg422h.htm#middle-endian
8745. jarg422h.htm#%3d%20M%20%3d
8746. jarg422h.htm#bottom-up%20implementation
8747. jarg422h.htm#minifloppies
8748. jarg422h.htm#middle-out%20implementation

8749. jarg422h.htm#%3d%20M%20%3d
8750. jarg422h.htm#MIPS
8751. jarg422h.htm#milliLampson
8752. jarg422h.htm#%3d%20M%20%3d
8753. jarg422h.htm#microfloppies
8754. jarg422h.htm#stiffy
8755. jarg422h.htm#misbug
8756. jarg422h.htm#minifloppies
8757. jarg422h.htm#%3d%20M%20%3d
8758. jarg422h.htm#benchmark
8759. jarg422h.htm#marketroid
8760. jarg422h.htm#BogoMIPS
8761. jarg422h.htm#KIPS
8762. jarg422h.htm#GIPS
8763. jarg422h.htm#computron
8764. jarg422h.htm#DEC
8765. jarg422h.htm#misfeature
8766. jarg422h.htm#MIPS
8767. jarg422h.htm#%3d%20M%20%3d
8768. jarg422h.htm#bug
8769. jarg422h.htm#feature
8770. jarg422h.htm#green%20lightning
8771. jarg422h.htm#miswart
8772. jarg422h.htm#Missed'em-five
8773. jarg422h.htm#misbug
8774. jarg422h.htm#%3d%20M%20%3d
8775. jarg422h.htm#missile%20address
8776. jarg422h.htm#misfeature
8777. jarg422h.htm#%3d%20M%20%3d
8778. jarg422h.htm#BSD
8779. jarg422h.htm#software%20bloat
8780. jarg422h.htm#Berzerkeley
8781. jarg422h.htm#miswart
8782. jarg422h.htm#Missed'em-five
8783. jarg422h.htm#%3d%20M%20%3d
8784. jarg422h.htm#ICBM%20address
8785. jarg422h.htm#MMF
8786. jarg422h.htm#missile%20address
8787. jarg422h.htm#%3d%20M%20%3d
8788. jarg422h.htm#wart
8789. jarg422h.htm#misbug
8790. jarg422h.htm#feature
8791. jarg422h.htm#wart
8792. jarg422h.htm#Right%20Thing
8793. jarg422h.htm#EMACS
8794. jarg422h.htm#mobo
8795. jarg422h.htm#miswart
8796. jarg422h.htm#%3d%20M%20%3d
8797. <http://www.stopspam.org/usenet/mmf/>
8798. jarg422h.htm#moby
8799. jarg422h.htm#MMF
8800. jarg422h.htm#%3d%20M%20%3d
8801. jarg422h.htm#mockingbird

8802. jarg422h.htm#mobo
8803. jarg422h.htm#%3d%20M%20%3d
8804. jarg422h.htm#Appendix%20A
8805. jarg422h.htm#bignum
8806. jarg422h.htm#core
8807. jarg422h.htm#brain-damaged
8808. jarg422h.htm#mod
8809. jarg422h.htm#moby
8810. jarg422h.htm#%3d%20M%20%3d
8811. jarg422h.htm#Trojan%20horse
8812. jarg422h.htm#mode
8813. jarg422h.htm#mockingbird
8814. jarg422h.htm#%3d%20M%20%3d
8815. jarg422h.htm#patch
8816. jarg422h.htm#diff
8817. jarg422h.htm#modulo
8818. jarg422h.htm#mode%20bit
8819. jarg422h.htm#mod
8820. jarg422h.htm#%3d%20M%20%3d
8821. jarg422h.htm#hack%20mode
8822. jarg422h.htm#day%20mode
8823. jarg422h.htm#night%20mode
8824. jarg422h.htm#demo%20mode
8825. jarg422h.htm#fireworks%20mode
8826. jarg422h.htm#yoyo%20mode
8827. jarg422h.htm#talk%20mode
8828. jarg422h.htm#losing
8829. jarg422h.htm#modulo
8830. jarg422h.htm#mode
8831. jarg422h.htm#%3d%20M%20%3d
8832. jarg422h.htm#flag
8833. jarg422h.htm#flag
8834. jarg422h.htm#molly-guard
8835. jarg422h.htm#mode%20bit
8836. jarg422h.htm#%3d%20M%20%3d
8837. jarg422h.htm#GC
8838. jarg422h.htm#Mongolian%20Hordes%20technique
8839. jarg422h.htm#modulo
8840. jarg422h.htm#%3d%20M%20%3d
8841. jarg422h.htm#Big%20Red%20Switch
8842. jarg422h.htm#monkey%20up
8843. jarg422h.htm#molly-guard
8844. jarg422h.htm#%3d%20M%20%3d
8845. jarg422h.htm#gang%20bang
8846. jarg422h.htm#bazaar
8847. jarg422h.htm#Brooks's%20Law
8848. jarg422h.htm#monkey%20scratch
8849. jarg422h.htm#Mongolian%20Hordes%20technique
8850. jarg422h.htm#%3d%20M%20%3d
8851. jarg422h.htm#crufty
8852. jarg422h.htm#hack%20up
8853. jarg422h.htm#kluge%20up
8854. jarg422h.htm#cruft%20together

8855. jarg422h.htm#monstrosity
8856. jarg422h.htm#monkey%20up
8857. jarg422h.htm#%3d%20M%20%3d
8858. jarg422h.htm#scratch%20monkey
8859. jarg422h.htm#monty
8860. jarg422h.htm#monkey%20scratch
8861. jarg422h.htm#%3d%20M%20%3d
8862. jarg422h.htm#elephantine
8863. jarg422h.htm#baroque
8864. jarg422h.htm#Moof
8865. jarg422h.htm#monstrosity
8866. jarg422h.htm#%3d%20M%20%3d
8867. jarg422h.htm#FTP
8868. <http://clever.net/quinion/words/articles/monty.htm>
8869. jarg422h.htm#moby
8870. jarg422h.htm#Moore's%20Law
8871. jarg422h.htm#monty
8872. jarg422h.htm#%3d%20M%20%3d
8873. jarg422h.htm#dogcow
8874. jarg422h.htm#moose%20call
8875. jarg422h.htm#Moof
8876. jarg422h.htm#%3d%20M%20%3d
8877. jarg422h.htm#Parkinson's%20Law%20of%20Data
8878. jarg422h.htm#Gates's%20Law
8879. jarg422h.htm#moria
8880. jarg422h.htm#Moore's%20Law
8881. jarg422h.htm#%3d%20M%20%3d
8882. jarg422h.htm#whalesong
8883. jarg422h.htm#MOTAS
8884. jarg422h.htm#moose%20call
8885. jarg422h.htm#%3d%20M%20%3d
8886. jarg422h.htm#nethack
8887. jarg422h.htm#rogue
8888. jarg422h.htm#elder%20days
8889. jarg422h.htm#elvish
8890. jarg422h.htm#nethack
8891. jarg422h.htm#rogue
8892. jarg422h.htm#Angband
8893. jarg422h.htm#MOTOS
8894. jarg422h.htm#moria
8895. jarg422h.htm#%3d%20M%20%3d
8896. jarg422h.htm#MOTOS
8897. jarg422h.htm#MOTSS
8898. jarg422h.htm#SO
8899. jarg422h.htm#MOTSS
8900. jarg422h.htm#MOTAS
8901. jarg422h.htm#%3d%20M%20%3d
8902. jarg422h.htm#MOTAS
8903. jarg422h.htm#MOTSS
8904. jarg422h.htm#SO
8905. jarg422h.htm#MOTAS
8906. jarg422h.htm#mouse%20ahead
8907. jarg422h.htm#MOTOS

8908. jarg422h.htm#%3d%20M%20%3d
8909. jarg422h.htm#MOTOS
8910. jarg422h.htm#MOTAS
8911. jarg422h.htm#SO
8912. jarg422h.htm#mouse%20around
8913. jarg422h.htm#MOTSS
8914. jarg422h.htm#%3d%20M%20%3d
8915. jarg422h.htm#WIMP%20environment
8916. jarg422h.htm#mouse%20belt
8917. jarg422h.htm#mouse%20ahead
8918. jarg422h.htm#%3d%20M%20%3d
8919. jarg422h.htm#FTP
8920. jarg422h.htm#TELNET
8921. jarg422h.htm#snarf
8922. jarg422h.htm#mouse%20droppings
8923. jarg422h.htm#mouse%20around
8924. jarg422h.htm#%3d%20M%20%3d
8925. jarg422h.htm#rat%20belt
8926. jarg422h.htm#mouse%20elbow
8927. jarg422h.htm#mouse%20belt
8928. jarg422h.htm#%3d%20M%20%3d
8929. jarg422h.htm#mouso
8930. jarg422h.htm#mouse%20droppings
8931. jarg422h.htm#%3d%20M%20%3d
8932. jarg422h.htm#WIMP%20environment
8933. jarg422h.htm#MS-DOS
8934. jarg422h.htm#mouse%20elbow
8935. jarg422h.htm#%3d%20M%20%3d
8936. jarg422h.htm#thinko
8937. jarg422h.htm#braino
8938. jarg422h.htm#mu
8939. jarg422h.htm#mouso
8940. jarg422h.htm#%3d%20M%20%3d
8941. jarg422h.htm#clone
8942. jarg422h.htm#CP%2fM
8943. jarg422h.htm#operating%20system
8944. jarg422h.htm#mess-dos
8945. jarg422h.htm#ill-behaved
8946. jarg422h.htm#MUD
8947. jarg422h.htm#MS-DOS
8948. jarg422h.htm#%3d%20M%20%3d
8949. jarg422h.htm#koan
8950. jarg422h.htm#has%20the%20X%20nature
8951. jarg422h.htm#Some%20AI%20Koans
8952. jarg422h.htm#Bibliography
8953. jarg422h.htm#muddie
8954. jarg422h.htm#mu
8955. jarg422h.htm#%3d%20M%20%3d
8956. jarg422h.htm#virtual%20reality
8957. jarg422h.htm#MUD
8958. jarg422h.htm#bonk%2foif
8959. jarg422h.htm#FOD
8960. jarg422h.htm#link-dead

8961. jarg422h.htm#mudhead
8962. jarg422h.htm#talk%20mode
8963. jarg422h.htm#mudhead
8964. jarg422h.htm#MUD
8965. jarg422h.htm#%3d%20M%20%3d
8966. jarg422h.htm#mudhead
8967. jarg422h.htm#muggle
8968. jarg422h.htm#muddie
8969. jarg422h.htm#%3d%20M%20%3d
8970. jarg422h.htm#MUD
8971. jarg422h.htm#wannabee
8972. jarg422h.htm#multician
8973. jarg422h.htm#mudhead
8974. jarg422h.htm#%3d%20M%20%3d
8975. jarg422h.htm#wizard
8976. jarg422h.htm#luser
8977. jarg422h.htm#luser
8978. jarg422h.htm#mundane
8979. jarg422h.htm#Multics
8980. jarg422h.htm#muggle
8981. jarg422h.htm#%3d%20M%20%3d
8982. jarg422h.htm#Multics
8983. jarg422h.htm#multitask
8984. jarg422h.htm#multician
8985. jarg422h.htm#%3d%20M%20%3d
8986. jarg422h.htm#operating%20system
8987. jarg422h.htm#CTSS
8988. jarg422h.htm#Orange%20Book
8989. jarg422h.htm#second-system%20effect
8990. jarg422h.htm#Unix
8991. jarg422h.htm#brain-damaged
8992. jarg422h.htm#GCOS
8993. <http://www.stratus.com/pub/vos/multics/tvv/multics.html>
8994. jarg422h.htm#mumblage
8995. jarg422h.htm#Multics
8996. jarg422h.htm#%3d%20M%20%3d
8997. jarg422h.htm#thrash
8998. jarg422h.htm#mumble
8999. jarg422h.htm#multitask
9000. jarg422h.htm#%3d%20M%20%3d
9001. jarg422h.htm#mumble
9002. jarg422h.htm#munch
9003. jarg422h.htm#mumblage
9004. jarg422h.htm#%3d%20M%20%3d
9005. jarg422h.htm#VAX
9006. jarg422h.htm#frotz
9007. jarg422h.htm#metasyntactic%20variable
9008. jarg422h.htm#foo
9009. jarg422h.htm#glark
9010. jarg422h.htm#blurgle
9011. jarg422h.htm#munching
9012. jarg422h.htm#mumble
9013. jarg422h.htm#%3d%20M%20%3d

9014. jarg422h.htm#mung
9015. jarg422h.htm#crunch
9016. jarg422h.htm#grovel
9017. jarg422h.htm#munching%20squares
9018. jarg422h.htm#munch
9019. jarg422h.htm#%3d%20M%20%3d
9020. jarg422h.htm#cracker
9021. jarg422h.htm#hacked%20off
9022. jarg422h.htm#munchkin
9023. jarg422h.htm#munching
9024. jarg422h.htm#%3d%20M%20%3d
9025. jarg422h.htm#display%20hack
9026. jarg422h.htm#HAKMEM
9027. jarg422h.htm#foo
9028. jarg422h.htm#metasyntactic%20variable
9029. jarg422h.htm#mundane
9030. jarg422h.htm#munching%20squares
9031. jarg422h.htm#%3d%20M%20%3d
9032. jarg422h.htm#larval%20stage
9033. jarg422h.htm#urchin
9034. jarg422h.htm#wannabee
9035. jarg422h.htm#bitty%20box
9036. jarg422h.htm#mung
9037. jarg422h.htm#munchkin
9038. jarg422h.htm#%3d%20M%20%3d
9039. jarg422h.htm#Real%20World
9040. jarg422h.htm#muggle
9041. jarg422h.htm#munge
9042. jarg422h.htm#mundane
9043. jarg422h.htm#%3d%20M%20%3d
9044. jarg422h.htm#recursive%20acronym
9045. jarg422h.htm#munge
9046. jarg422h.htm#BLT
9047. jarg422h.htm#Finagle's%20Law
9048. jarg422h.htm#scribble
9049. jarg422h.htm#mangle
9050. jarg422h.htm#trash
9051. jarg422h.htm#nuke
9052. jarg422h.htm#Usenet
9053. jarg422h.htm#kluge
9054. jarg422h.htm#TMRC
9055. jarg422h.htm#munge
9056. jarg422h.htm#Murphy's%20Law
9057. jarg422h.htm#mung
9058. jarg422h.htm#%3d%20M%20%3d
9059. jarg422h.htm#mumble
9060. jarg422h.htm#spamblock
9061. jarg422h.htm#mung
9062. jarg422h.htm#kluge
9063. jarg422h.htm#kludge
9064. jarg422h.htm#music
9065. jarg422h.htm#munge
9066. jarg422h.htm#%3d%20M%20%3d

9067. jarg422h.htm#luser
9068. jarg422h.htm#magic%20smoke
9069. jarg422h.htm#Finagle's%20Law
9070. jarg422h.htm#mutter
9071. jarg422h.htm#Murphy's%20Law
9072. jarg422h.htm#%3d%20M%20%3d
9073. jarg422h.htm#science-fiction%20fandom
9074. jarg422h.htm#oriental%20food
9075. jarg422h.htm#filk
9076. jarg422h.htm#mundane
9077. jarg422h.htm#N
9078. jarg422h.htm#music
9079. jarg422h.htm#%3d%20M%20%3d
9080. jarg422h.htm#incantation
9081. jarg422h.htm#wizard
9082. jarg422h.htm#%3d%20O%20%3d
9083. jarg422h.htm#%3d%20M%20%3d
9084. jarg422h.htm#The%20Jargon%20Lexicon
9085. jarg422h.htm#N
9086. jarg422h.htm#nadger
9087. jarg422h.htm#nagware
9088. jarg422h.htm#nailed%20to%20the%20wall
9089. jarg422h.htm#nailing%20jelly
9090. jarg422h.htm#naive
9091. jarg422h.htm#naive%20user
9092. jarg422h.htm#NAK
9093. jarg422h.htm#NANA
9094. jarg422h.htm#nano
9095. jarg422h.htm#nano-
9096. jarg422h.htm#nanoacre
9097. jarg422h.htm#nanobot
9098. jarg422h.htm#nanocomputer
9099. jarg422h.htm#nanofortnight
9100. jarg422h.htm#nanotechnology
9101. jarg422h.htm#nasal%20demons
9102. jarg422h.htm#nastygram
9103. jarg422h.htm#Nathan%20Hale
9104. jarg422h.htm#nature
9105. jarg422h.htm#neat%20hack
9106. jarg422h.htm#neats%20vs.%20scruffies
9107. jarg422h.htm#neep-neep
9108. jarg422h.htm#neophilia
9109. jarg422h.htm#nerd
9110. jarg422h.htm#nerd%20knob
9111. jarg422h.htm#net.-
9112. jarg422h.htm#net.god
9113. jarg422h.htm#net.personality
9114. jarg422h.htm#net.police
9115. jarg422h.htm#NetBOLLIX
9116. jarg422h.htm#netburp
9117. jarg422h.htm#netdead
9118. jarg422h.htm#nethack
9119. jarg422h.htm#netiquette

9120. jarg422h.htm#netlag
9121. jarg422h.htm#netnews
9122. jarg422h.htm#netrock
9123. jarg422h.htm#Netscrape
9124. jarg422h.htm#netsplit
9125. jarg422h.htm#netter
9126. jarg422h.htm#network%20address
9127. jarg422h.htm#network%20meltdown
9128. jarg422h.htm#New%20Jersey
9129. jarg422h.htm#New%20Testament
9130. jarg422h.htm#newbie
9131. jarg422h.htm#newgroup%20wars
9132. jarg422h.htm#newline
9133. jarg422h.htm#NeWS
9134. jarg422h.htm#newsfroup
9135. jarg422h.htm#newsgroup
9136. jarg422h.htm#nick
9137. jarg422h.htm#nickle
9138. jarg422h.htm#night%20mode
9139. jarg422h.htm#Nightmare%20File%20System
9140. jarg422h.htm#NIL
9141. jarg422h.htm#Ninety-Ninety%20Rule
9142. jarg422h.htm#nipple%20mouse
9143. jarg422h.htm#NMI
9144. jarg422h.htm#no-op
9145. jarg422h.htm#noddy
9146. jarg422h.htm#node
9147. jarg422h.htm#Nominal%20Semidestructor
9148. jarg422h.htm#non-optimal%20solution
9149. jarg422h.htm#nonlinear
9150. jarg422h.htm#nontrivial
9151. jarg422h.htm#not%20ready%20for%20prime%20time
9152. jarg422h.htm#notwork
9153. jarg422h.htm#NP-
9154. jarg422h.htm#nroff
9155. jarg422h.htm#NSA%20line%20eater
9156. jarg422h.htm#NSP
9157. jarg422h.htm#nude
9158. jarg422h.htm#nugry
9159. jarg422h.htm#nuke
9160. jarg422h.htm#number-crunching
9161. jarg422h.htm#numbers
9162. jarg422h.htm#NUXI%20problem
9163. jarg422h.htm#nybble
9164. jarg422h.htm#nyetwork
9165. jarg422h.htm#nadger
9166. jarg422h.htm#mutter
9167. jarg422h.htm#%3d%20N%20%3d
9168. jarg422h.htm#Lubarsky's%20Law%20of%20Cybernetic%20Entomology
9169. jarg422h.htm#great-wall
9170. jarg422h.htm#tenured%20graduate%20student
9171. jarg422h.htm#random%20numbers
9172. jarg422h.htm#two-to-the-N

9173. jarg422h.htm#nagware
9174. jarg422h.htm#N
9175. jarg422h.htm#%3d%20N%20%3d
9176. jarg422h.htm#adger
9177. jarg422h.htm#nailed%20to%20the%20wall
9178. jarg422h.htm#nadger
9179. jarg422h.htm#%3d%20N%20%3d
9180. jarg422h.htm#shareware
9181. jarg422h.htm#annoyware
9182. jarg422h.htm#crippleware
9183. jarg422h.htm#nailing%20jelly
9184. jarg422h.htm#nagware
9185. jarg422h.htm#%3d%20N%20%3d
9186. jarg422h.htm#naive
9187. jarg422h.htm#nailed%20to%20the%20wall
9188. jarg422h.htm#%3d%20N%20%3d
9189. jarg422h.htm#like%20nailing%20jelly%20to%20a%20tree
9190. jarg422h.htm#naive%20user
9191. jarg422h.htm#nailing%20jelly
9192. jarg422h.htm#%3d%20N%20%3d
9193. jarg422h.htm#bubble%20sort
9194. jarg422h.htm#NAK
9195. jarg422h.htm#naive
9196. jarg422h.htm#%3d%20N%20%3d
9197. jarg422h.htm#luser
9198. jarg422h.htm#NANA
9199. jarg422h.htm#naive%20user
9200. jarg422h.htm#%3d%20N%20%3d
9201. jarg422h.htm#ACK
9202. jarg422h.htm#ACK
9203. jarg422h.htm#nano
9204. jarg422h.htm#NAK
9205. jarg422h.htm#%3d%20N%20%3d
9206. jarg422h.htm#spam
9207. jarg422h.htm#backbone%20cabal
9208. jarg422h.htm#nano-
9209. jarg422h.htm#NANA
9210. jarg422h.htm#%3d%20N%20%3d
9211. jarg422h.htm#jiffy
9212. jarg422h.htm#nanoacre
9213. jarg422h.htm#nano
9214. jarg422h.htm#%3d%20N%20%3d
9215. jarg422h.htm#micro-
9216. jarg422h.htm#micro-
9217. jarg422h.htm#nanotechnology
9218. jarg422h.htm#quantifiers
9219. jarg422h.htm#pico-
9220. jarg422h.htm#nanoacre
9221. jarg422h.htm#nanobot
9222. jarg422h.htm#nanocomputer
9223. jarg422h.htm#nanofortnight
9224. jarg422h.htm#nanobot
9225. jarg422h.htm#nano-

9226. jarg422h.htm#%3d%20N%20%3d
9227. jarg422h.htm#nanocomputer
9228. jarg422h.htm#nanoacre
9229. jarg422h.htm#%3d%20N%20%3d
9230. jarg422h.htm#nanotechnology
9231. jarg422h.htm#nanofortnight
9232. jarg422h.htm#nanobot
9233. jarg422h.htm#%3d%20N%20%3d
9234. jarg422h.htm#nanobot
9235. jarg422h.htm#nanotechnology
9236. jarg422h.htm#nanocomputer
9237. jarg422h.htm#%3d%20N%20%3d
9238. jarg422h.htm#microfortnight
9239. jarg422h.htm#attoparsec
9240. jarg422h.htm#micro-
9241. jarg422h.htm#nasal%20demons
9242. jarg422h.htm#nanofortnight
9243. jarg422h.htm#%3d%20N%20%3d
9244. <http://www.foresight.org/EOC/index.html>.
9245. jarg422h.htm#blue%20goo
9246. jarg422h.htm#gray%20goo
9247. jarg422h.htm#nanobot
9248. jarg422h.htm#nastygram
9249. jarg422h.htm#nanotechnology
9250. jarg422h.htm#%3d%20N%20%3d
9251. jarg422h.htm#Nathan%20Hale
9252. jarg422h.htm#nasal%20demons
9253. jarg422h.htm#%3d%20N%20%3d
9254. jarg422h.htm#letterbomb
9255. jarg422h.htm#net.god
9256. jarg422h.htm#netiquette
9257. jarg422h.htm#shitogram
9258. jarg422h.htm#mailbomb
9259. jarg422h.htm#daemon
9260. jarg422h.htm#bounce%20message
9261. jarg422h.htm#nature
9262. jarg422h.htm#nastygram
9263. jarg422h.htm#%3d%20N%20%3d
9264. jarg422h.htm#splat
9265. jarg422h.htm#ASCII
9266. jarg422h.htm#neat%20hack
9267. jarg422h.htm#Nathan%20Hale
9268. jarg422h.htm#%3d%20N%20%3d
9269. jarg422h.htm#has%20the%20X%20nature
9270. jarg422h.htm#neats%20vs.%20scruffies
9271. jarg422h.htm#nature
9272. jarg422h.htm#%3d%20N%20%3d
9273. jarg422h.htm#Appendix%20A
9274. jarg422h.htm#hack
9275. jarg422h.htm#neep-neep
9276. jarg422h.htm#neat%20hack
9277. jarg422h.htm#%3d%20N%20%3d
9278. jarg422h.htm#holy%20wars

9279. jarg422h.htm#neophilia
9280. jarg422h.htm#neats%20vs.%20scruffies
9281. jarg422h.htm#%3d%20N%20%3d
9282. jarg422h.htm#hacker
9283. jarg422h.htm#nerd
9284. jarg422h.htm#neep-neep
9285. jarg422h.htm#%3d%20N%20%3d
9286. jarg422h.htm#music
9287. jarg422h.htm#oriental%20food
9288. jarg422h.htm#nerd%20knob
9289. jarg422h.htm#neophilia
9290. jarg422h.htm#%3d%20N%20%3d
9291. jarg422h.htm#computer%20geek
9292. jarg422h.htm#net.-
9293. jarg422h.htm#nerd
9294. jarg422h.htm#%3d%20N%20%3d
9295. jarg422h.htm#net.god
9296. jarg422h.htm#nerd%20knob
9297. jarg422h.htm#%3d%20N%20%3d
9298. jarg422h.htm#Great%20Renaming
9299. jarg422h.htm#net.god
9300. jarg422h.htm#lurker
9301. jarg422h.htm#boink
9302. jarg422h.htm#net.police
9303. jarg422h.htm#net.personality
9304. jarg422h.htm#net.-
9305. jarg422h.htm#%3d%20N%20%3d
9306. jarg422h.htm#demigod
9307. jarg422h.htm#net.police
9308. jarg422h.htm#net.god
9309. jarg422h.htm#%3d%20N%20%3d
9310. jarg422h.htm#Usenet
9311. jarg422h.htm#net.god
9312. jarg422h.htm#NetBOLLIX
9313. jarg422h.htm#net.personality
9314. jarg422h.htm#%3d%20N%20%3d
9315. jarg422h.htm#flame
9316. jarg422h.htm#netiquette
9317. jarg422h.htm#net.-
9318. jarg422h.htm#code%20police
9319. jarg422h.htm#netburp
9320. jarg422h.htm#net.police
9321. jarg422h.htm#%3d%20N%20%3d
9322. jarg422h.htm#IBM
9323. jarg422h.htm#brain-damaged
9324. jarg422h.htm#Blue%20Glue
9325. jarg422h.htm#netdead
9326. jarg422h.htm#NetBOLLIX
9327. jarg422h.htm#%3d%20N%20%3d
9328. jarg422h.htm#netlag
9329. jarg422h.htm#IRC
9330. jarg422h.htm#netsplit
9331. jarg422h.htm#nethack

9332. jarg422h.htm#netburp
9333. jarg422h.htm#%3d%20N%20%3d
9334. jarg422h.htm#IRC
9335. jarg422h.htm#netburp
9336. jarg422h.htm#link-dead
9337. jarg422h.htm#netiquette
9338. jarg422h.htm#netdead
9339. jarg422h.htm#%3d%20N%20%3d
9340. jarg422h.htm#rogue
9341. jarg422h.htm#Usenet
9342. http://www.nethack.org/
9343. jarg422h.htm#moria
9344. jarg422h.htm#rogue
9345. jarg422h.htm#Angband
9346. jarg422h.htm#netlag
9347. jarg422h.htm#nethack
9348. jarg422h.htm#%3d%20N%20%3d
9349. jarg422h.htm#Usenet
9350. jarg422h.htm#netnews
9351. jarg422h.htm#netiquette
9352. jarg422h.htm#%3d%20N%20%3d
9353. jarg422h.htm#IRC
9354. jarg422h.htm#MUD
9355. jarg422h.htm#netrock
9356. jarg422h.htm#netlag
9357. jarg422h.htm#%3d%20N%20%3d
9358. jarg422h.htm#Usenet
9359. jarg422h.htm#Netscape
9360. jarg422h.htm#netnews
9361. jarg422h.htm#%3d%20N%20%3d
9362. jarg422h.htm#flame
9363. jarg422h.htm#netsplit
9364. jarg422h.htm#netrock
9365. jarg422h.htm#%3d%20N%20%3d
9366. jarg422h.htm#Internet%20Exploiter
9367. jarg422h.htm#netter
9368. jarg422h.htm#Netscape
9369. jarg422h.htm#%3d%20N%20%3d
9370. jarg422h.htm#netburp
9371. jarg422h.htm#network%20address
9372. jarg422h.htm#netsplit
9373. jarg422h.htm#%3d%20N%20%3d
9374. jarg422h.htm#network%20address
9375. jarg422h.htm#Usenet
9376. jarg422h.htm#network%20meltdown
9377. jarg422h.htm#netter
9378. jarg422h.htm#%3d%20N%20%3d
9379. jarg422h.htm#the%20network
9380. jarg422h.htm#bang%20path
9381. jarg422h.htm#Internet%20address
9382. jarg422h.htm#New%20Jersey
9383. jarg422h.htm#network%20address
9384. jarg422h.htm#%3d%20N%20%3d

9385. jarg422h.htm#thrash
9386. jarg422h.htm#Chernobyl%20packet
9387. jarg422h.htm#broadcast%20storm
9388. jarg422h.htm#kamikaze%20packet
9389. jarg422h.htm#New%20Testament
9390. jarg422h.htm#network%20meltdown
9391. jarg422h.htm#%3d%20N%20%3d
9392. jarg422h.htm#Berkeley%20Quality%20Software
9393. jarg422h.htm#Unix%20conspiracy
9394. jarg422h.htm#newbie
9395. jarg422h.htm#New%20Jersey
9396. jarg422h.htm#%3d%20N%20%3d
9397. jarg422h.htm#K&R
9398. jarg422h.htm#newgroup%20wars
9399. jarg422h.htm#New%20Testament
9400. jarg422h.htm#%3d%20N%20%3d
9401. jarg422h.htm#newsgroup
9402. jarg422h.htm#B1FF
9403. jarg422h.htm#gnubie
9404. jarg422h.htm#newline
9405. jarg422h.htm#newbie
9406. jarg422h.htm#%3d%20N%20%3d
9407. jarg422h.htm#newsgroup
9408. jarg422h.htm#flamer
9409. jarg422h.htm#NeWS
9410. jarg422h.htm#newgroup%20wars
9411. jarg422h.htm#%3d%20N%20%3d
9412. jarg422h.htm#Unix
9413. jarg422h.htm#crlf
9414. jarg422h.htm#terpri
9415. jarg422h.htm#newsfroup
9416. jarg422h.htm#newline
9417. jarg422h.htm#%3d%20N%20%3d
9418. jarg422h.htm#PostScript
9419. jarg422h.htm#X
9420. jarg422h.htm#proprietary
9421. jarg422h.htm#netnews
9422. jarg422h.htm#newsgroup
9423. jarg422h.htm#NeWS
9424. jarg422h.htm#%3d%20N%20%3d
9425. jarg422h.htm#newsgroup
9426. jarg422h.htm#hing
9427. jarg422h.htm#grilf
9428. jarg422h.htm#prOn
9429. jarg422h.htm#filk
9430. jarg422h.htm#nick
9431. jarg422h.htm#newsfroup
9432. jarg422h.htm#%3d%20N%20%3d
9433. jarg422h.htm#Usenet
9434. jarg422h.htm#fora
9435. jarg422h.htm#mailing%20list
9436. jarg422h.htm#flamage
9437. jarg422h.htm#nickle

9438. jarg422h.htm#newsgroup
9439. jarg422h.htm#%3d%20N%20%3d
9440. jarg422h.htm#IRC
9441. jarg422h.htm#handle
9442. jarg422h.htm#screen%20name
9443. jarg422h.htm#night%20mode
9444. jarg422h.htm#nick
9445. jarg422h.htm#%3d%20N%20%3d
9446. jarg422h.htm#nybble
9447. jarg422h.htm#deckle
9448. jarg422h.htm#nybble
9449. jarg422h.htm#Nightmare%20File%20System
9450. jarg422h.htm#nickle
9451. jarg422h.htm#%3d%20N%20%3d
9452. jarg422h.htm#phase
9453. jarg422h.htm#NIL
9454. jarg422h.htm#night%20mode
9455. jarg422h.htm#%3d%20N%20%3d
9456. jarg422h.htm#spl
9457. jarg422h.htm#misfeature
9458. jarg422h.htm#broadcast%20storm
9459. jarg422h.htm#Ninety-Ninety%20Rule
9460. jarg422h.htm#Nightmare%20File%20System
9461. jarg422h.htm#%3d%20N%20%3d
9462. jarg422h.htm#T
9463. jarg422h.htm#nipple%20mouse
9464. jarg422h.htm#NIL
9465. jarg422h.htm#%3d%20N%20%3d
9466. jarg422h.htm#NMI
9467. jarg422h.htm#Ninety-Ninety%20Rule
9468. jarg422h.htm#%3d%20N%20%3d
9469. jarg422h.htm#no-op
9470. jarg422h.htm#nipple%20mouse
9471. jarg422h.htm#%3d%20N%20%3d
9472. jarg422h.htm#priority%20interrupt
9473. jarg422h.htm#clone
9474. jarg422h.htm#noddy
9475. jarg422h.htm#NMI
9476. jarg422h.htm#%3d%20N%20%3d
9477. jarg422h.htm#great-wall
9478. jarg422h.htm#node
9479. jarg422h.htm#no-op
9480. jarg422h.htm#%3d%20N%20%3d
9481. jarg422h.htm#hello%20world
9482. jarg422h.htm#hack
9483. jarg422h.htm#awk
9484. jarg422h.htm#mickey%20mouse%20program
9485. jarg422h.htm#toy%20program
9486. jarg422h.htm#Nominal%20Semidestructor
9487. jarg422h.htm#noddy
9488. jarg422h.htm#%3d%20N%20%3d
9489. jarg422h.htm#sysop
9490. jarg422h.htm#non-optimal%20solution

9491. jarg422h.htm#node
9492. jarg422h.htm#%3d%20N%20%3d
9493. jarg422h.htm#HP-SUX
9494. jarg422h.htm#AIDX
9495. jarg422h.htm#buglix
9496. jarg422h.htm#Macintrash
9497. jarg422h.htm#Telerat
9498. jarg422h.htm#ScumOS
9499. jarg422h.htm#sun-stools
9500. jarg422h.htm#Slowlaris
9501. jarg422h.htm#Internet%20Exploder
9502. jarg422h.htm#nonlinear
9503. jarg422h.htm#Nominal%20Semidestructor
9504. jarg422h.htm#%3d%20N%20%3d
9505. jarg422h.htm#stunning
9506. jarg422h.htm#Bad%20Thing
9507. jarg422h.htm#nontrivial
9508. jarg422h.htm#non-optimal%20solution
9509. jarg422h.htm#%3d%20N%20%3d
9510. jarg422h.htm#flame
9511. jarg422h.htm#not%20ready%20for%20prime%20time
9512. jarg422h.htm#nonlinear
9513. jarg422h.htm#%3d%20N%20%3d
9514. jarg422h.htm#trivial
9515. jarg422h.htm#uninteresting
9516. jarg422h.htm#interesting
9517. jarg422h.htm#notwork
9518. jarg422h.htm#nontrivial
9519. jarg422h.htm#%3d%20N%20%3d
9520. jarg422h.htm#Real%20Soon%20Now
9521. jarg422h.htm#prime%20time
9522. jarg422h.htm#beta
9523. jarg422h.htm#NP-
9524. jarg422h.htm#not%20ready%20for%20prime%20time
9525. jarg422h.htm#%3d%20N%20%3d
9526. jarg422h.htm#flaky
9527. jarg422h.htm#down
9528. jarg422h.htm#nyetwork
9529. jarg422h.htm#nroff
9530. jarg422h.htm#notwork
9531. jarg422h.htm#%3d%20N%20%3d
9532. jarg422h.htm#NSA%20line%20eater
9533. jarg422h.htm#NP-
9534. jarg422h.htm#%3d%20N%20%3d
9535. jarg422h.htm#troff
9536. jarg422h.htm#troff
9537. jarg422h.htm#NSP
9538. jarg422h.htm#nroff
9539. jarg422h.htm#%3d%20N%20%3d
9540. jarg422h.htm#sig%20block
9541. jarg422h.htm#GNU
9542. jarg422h.htm#EMACS
9543. jarg422h.htm#nude

9544. jarg422h.htm#NSA%20line%20eater
9545. jarg422h.htm#%3d%20N%20%3d
9546. jarg422h.htm#ISP
9547. jarg422h.htm#nugry
9548. jarg422h.htm#NSP
9549. jarg422h.htm#%3d%20N%20%3d
9550. jarg422h.htm#bare%20metal
9551. jarg422h.htm#nuke
9552. jarg422h.htm#nude
9553. jarg422h.htm#%3d%20N%20%3d
9554. jarg422h.htm#newbie
9555. jarg422h.htm#FAQ
9556. jarg422h.htm#number-crunching
9557. jarg422h.htm#nugry
9558. jarg422h.htm#%3d%20N%20%3d
9559. jarg422h.htm#blow%20away
9560. jarg422h.htm#dike
9561. jarg422h.htm#wallpaper
9562. jarg422h.htm#fandango%20on%20core
9563. jarg422h.htm#numbers
9564. jarg422h.htm#nuke
9565. jarg422h.htm#%3d%20N%20%3d
9566. jarg422h.htm#Fortrash
9567. jarg422h.htm#brute%20force
9568. jarg422h.htm#evil
9569. jarg422h.htm#pretty%20pictures
9570. jarg422h.htm#wallpaper
9571. jarg422h.htm#crunch
9572. jarg422h.htm#NUXI%20problem
9573. jarg422h.htm#number-crunching
9574. jarg422h.htm#%3d%20N%20%3d
9575. jarg422h.htm#pretty%20pictures
9576. jarg422h.htm#math-out
9577. jarg422h.htm#social%20science%20number
9578. jarg422h.htm#nybble
9579. jarg422h.htm#numbers
9580. jarg422h.htm#%3d%20N%20%3d
9581. jarg422h.htm#little-endian
9582. jarg422h.htm#big-endian
9583. jarg422h.htm#middle-endian
9584. jarg422h.htm#swab
9585. jarg422h.htm#bytesexual
9586. jarg422h.htm#nyetwork
9587. jarg422h.htm#NUXI%20problem
9588. jarg422h.htm#%3d%20N%20%3d
9589. jarg422h.htm#hex
9590. jarg422h.htm#byte
9591. jarg422h.htm#bit
9592. jarg422h.htm#crumb
9593. jarg422h.htm#quad
9594. jarg422h.htm#quarter
9595. jarg422h.htm#nickle
9596. jarg422h.htm#deckle

9597. jarg422h.htm#chawmp
9598. jarg422h.htm#chawmp
9599. jarg422h.htm#gawble
9600. jarg422h.htm#gawble
9601. jarg422h.htm#Ob-
9602. jarg422h.htm#nybble
9603. jarg422h.htm#%3d%20N%20%3d
9604. jarg422h.htm#flaky
9605. jarg422h.htm#down
9606. jarg422h.htm#network
9607. jarg422h.htm#%3d%20P%20%3d
9608. jarg422h.htm#%3d%20N%20%3d
9609. jarg422h.htm#The%20Jargon%20Lexicon
9610. jarg422h.htm#Ob-
9611. jarg422h.htm#Obfuscated%20C%20Contest
9612. jarg422h.htm#obi-wan%20error
9613. jarg422h.htm#Objectionable-C
9614. jarg422h.htm#obscure
9615. jarg422h.htm#octal%20forty
9616. jarg422h.htm#off%20the%20trolley
9617. jarg422h.htm#off-by-one%20error
9618. jarg422h.htm#offline
9619. jarg422h.htm#ogg
9620. jarg422h.htm#-oid
9621. jarg422h.htm#old%20fart
9622. jarg422h.htm#Old%20Testament
9623. jarg422h.htm#on%20the%20gripping%20hand
9624. jarg422h.htm#one-banana%20problem
9625. jarg422h.htm#one-line%20fix
9626. jarg422h.htm#one-liner%20wars
9627. jarg422h.htm#ooblick
9628. jarg422h.htm#op
9629. jarg422h.htm#open
9630. jarg422h.htm#open%20source
9631. jarg422h.htm#open%20switch
9632. jarg422h.htm#operating%20system
9633. jarg422h.htm#optical%20diff
9634. jarg422h.htm#optical%20grep
9635. jarg422h.htm#optimism
9636. jarg422h.htm#Oracle%20the
9637. jarg422h.htm#Orange%20Book
9638. jarg422h.htm#oriental%20food
9639. jarg422h.htm#orphan
9640. jarg422h.htm#orphaned%20i-node
9641. jarg422h.htm#orthogonal
9642. jarg422h.htm#OS
9643. jarg422h.htm#OS%2f2
9644. jarg422h.htm#OSS
9645. jarg422h.htm#OSU
9646. jarg422h.htm#OTOH
9647. jarg422h.htm#out-of-band
9648. jarg422h.htm#overclock
9649. jarg422h.htm#overflow%20bit

9650. jarg422h.htm#overflow%20pdl
9651. jarg422h.htm#overrun
9652. jarg422h.htm#overrun%20screw
9653. jarg422h.htm#Obfuscated%20C%20Contest
9654. jarg422h.htm#nyetwork
9655. jarg422h.htm#%3d%20O%20%3d
9656. jarg422h.htm#netiquette
9657. jarg422h.htm#winnitude
9658. jarg422h.htm#obi-wan%20error
9659. jarg422h.htm#Ob-
9660. jarg422h.htm#%3d%20O%20%3d
9661. jarg422h.htm#hello%20world
9662. http://www.ioccc.org/
9663. jarg422h.htm#Objectionable-C
9664. jarg422h.htm#Obfuscated%20C%20Contest
9665. jarg422h.htm#%3d%20O%20%3d
9666. jarg422h.htm#off-by-one%20error
9667. jarg422h.htm#zeroth
9668. jarg422h.htm#obscure
9669. jarg422h.htm#obi-wan%20error
9670. jarg422h.htm#%3d%20O%20%3d
9671. jarg422h.htm#Right%20Thing
9672. jarg422h.htm#octal%20forty
9673. jarg422h.htm#Objectionable-C
9674. jarg422h.htm#%3d%20O%20%3d
9675. jarg422h.htm#off%20the%20trolley
9676. jarg422h.htm#obscure
9677. jarg422h.htm#%3d%20O%20%3d
9678. jarg422h.htm#ASCII
9679. jarg422h.htm#hex
9680. jarg422h.htm#EBCDIC
9681. jarg422h.htm#wall
9682. jarg422h.htm#off-by-one%20error
9683. jarg422h.htm#octal%20forty
9684. jarg422h.htm#%3d%20O%20%3d
9685. jarg422h.htm#crash
9686. jarg422h.htm#glitch
9687. jarg422h.htm#bug
9688. jarg422h.htm#deep%20space
9689. jarg422h.htm#wedged
9690. jarg422h.htm#offline
9691. jarg422h.htm#off%20the%20trolley
9692. jarg422h.htm#%3d%20O%20%3d
9693. jarg422h.htm#fencepost%20error
9694. jarg422h.htm#ogg
9695. jarg422h.htm#off-by-one%20error
9696. jarg422h.htm#%3d%20O%20%3d
9697. jarg422h.htm#Usenet
9698. jarg422h.htm#-oid
9699. jarg422h.htm#offline
9700. jarg422h.htm#%3d%20O%20%3d
9701. jarg422h.htm#old%20fart
9702. jarg422h.htm#ogg

9703. jarg422h.htm#%3d%20O%20%3d
9704. jarg422h.htm#bitty%20box
9705. jarg422h.htm#chiclet%20keyboard
9706. jarg422h.htm#droid
9707. jarg422h.htm#windoid
9708. jarg422h.htm#Old%20Testament
9709. jarg422h.htm#-oid
9710. jarg422h.htm#%3d%20O%20%3d
9711. jarg422h.htm#sig%20block
9712. jarg422h.htm#on%20the%20gripping%20hand
9713. jarg422h.htm#old%20fart
9714. jarg422h.htm#%3d%20O%20%3d
9715. jarg422h.htm#K&R
9716. jarg422h.htm#Classic%20C
9717. jarg422h.htm#one-banana%20problem
9718. jarg422h.htm#Old%20Testament
9719. jarg422h.htm#%3d%20O%20%3d
9720. jarg422h.htm#juggling%20eggs
9721. jarg422h.htm#TANSTAAFL
9722. jarg422h.htm#con
9723. jarg422h.htm#one-line%20fix
9724. jarg422h.htm#on%20the%20gripping%20hand
9725. jarg422h.htm#%3d%20O%20%3d
9726. jarg422h.htm#sysape
9727. jarg422h.htm#Infinite-Monkey%20Theorem
9728. jarg422h.htm#one-liner%20wars
9729. jarg422h.htm#one-banana%20problem
9730. jarg422h.htm#%3d%20O%20%3d
9731. jarg422h.htm#!%20didn't%20change%20anything!
9732. jarg422h.htm#ooblick
9733. jarg422h.htm#one-line%20fix
9734. jarg422h.htm#%3d%20O%20%3d
9735. jarg422h.htm#write-only%20language
9736. jarg422h.htm#line%20noise
9737. jarg422h.htm#hairly
9738. jarg422h.htm#TECO
9739. jarg422h.htm#Perl
9740. jarg422h.htm#Perl
9741. jarg422h.htm#op
9742. jarg422h.htm#one-liner%20wars
9743. jarg422h.htm#%3d%20O%20%3d
9744. jarg422h.htm#Ceremonial%20Chemicals
9745. jarg422h.htm#open
9746. jarg422h.htm#ooblick
9747. jarg422h.htm#%3d%20O%20%3d
9748. jarg422h.htm#sysop
9749. jarg422h.htm#IRC
9750. jarg422h.htm#CHOP
9751. jarg422h.htm#sysop
9752. jarg422h.htm#open%20source
9753. jarg422h.htm#op
9754. jarg422h.htm#%3d%20O%20%3d
9755. jarg422h.htm#open%20switch

9756. jarg422h.htm#open
9757. jarg422h.htm#%3d%20%20%3d
9758. jarg422h.htm#suit
9759. jarg422h.htm#free%20software
9760. http://www.opensource.org/
9761. jarg422h.htm#operating%20system
9762. jarg422h.htm#open%20source
9763. jarg422h.htm#%3d%20%20%3d
9764. jarg422h.htm#optical%20diff
9765. jarg422h.htm#open%20switch
9766. jarg422h.htm#%3d%20%20%3d
9767. jarg422h.htm#Unix
9768. jarg422h.htm#ITS
9769. jarg422h.htm#TOPS-10
9770. jarg422h.htm#TOPS-20
9771. jarg422h.htm#TWENEX
9772. jarg422h.htm#WAITS
9773. jarg422h.htm#CP%2fM
9774. jarg422h.htm#MS-DOS
9775. jarg422h.htm#Multics
9776. jarg422h.htm#optical%20grep
9777. jarg422h.htm#operating%20system
9778. jarg422h.htm#%3d%20%20%3d
9779. jarg422h.htm#vdiff
9780. jarg422h.htm#optimism
9781. jarg422h.htm#optical%20diff
9782. jarg422h.htm#%3d%20%20%3d
9783. jarg422h.htm#vgrep
9784. jarg422h.htm#Oracle%20the
9785. jarg422h.htm#optical%20grep
9786. jarg422h.htm#%3d%20%20%3d
9787. jarg422h.htm#Lubarsky's%20Law%20of%20Cybernetic%20Entomology
9788. jarg422h.htm#Orange%20Book
9789. jarg422h.htm#optimism
9790. jarg422h.htm#%3d%20%20%3d
9791. jarg422h.htm#oriental%20food
9792. jarg422h.htm#Oracle%20the
9793. jarg422h.htm#%3d%20%20%3d
9794. jarg422h.htm#crayola%20books
9795. jarg422h.htm#book%20titles
9796. jarg422h.htm#orphan
9797. jarg422h.htm#Orange%20Book
9798. jarg422h.htm#%3d%20%20%3d
9799. jarg422h.htm#ravs
9800. jarg422h.htm#great-wall
9801. jarg422h.htm#stir-fried%20random
9802. jarg422h.htm#laser%20chicken
9803. jarg422h.htm#Yu-Shiang%20Whole%20Fish
9804. jarg422h.htm#orphaned%20i-node
9805. jarg422h.htm#oriental%20food
9806. jarg422h.htm#%3d%20%20%3d
9807. jarg422h.htm#zombie
9808. jarg422h.htm#orthogonal

9809. jarg422h.htm#orphan
9810. jarg422h.htm#%3d%20%20%3d
9811. jarg422h.htm#lion%20food
9812. jarg422h.htm#OS
9813. jarg422h.htm#orphaned%20i-node
9814. jarg422h.htm#%3d%20%20%3d
9815. jarg422h.htm#OS%2f2
9816. jarg422h.htm#orthogonal
9817. jarg422h.htm#%3d%20%20%3d
9818. jarg422h.htm#OS%20and%20JEDGAR
9819. jarg422h.htm#OSS
9820. jarg422h.htm#OS
9821. jarg422h.htm#%3d%20%20%3d
9822. jarg422h.htm#baroque
9823. jarg422h.htm#app
9824. jarg422h.htm#monstrosity
9825. jarg422h.htm#cretinous
9826. jarg422h.htm#second-system%20effect
9827. jarg422h.htm#OSU
9828. jarg422h.htm#OS%2f2
9829. jarg422h.htm#%3d%20%20%3d
9830. jarg422h.htm#open%20source
9831. jarg422h.htm#TLA
9832. jarg422h.htm#OTOH
9833. jarg422h.htm#OSS
9834. jarg422h.htm#%3d%20%20%3d
9835. jarg422h.htm#out-of-band
9836. jarg422h.htm#OSU
9837. jarg422h.htm#%3d%20%20%3d
9838. jarg422h.htm#overclock
9839. jarg422h.htm#OTOH
9840. jarg422h.htm#%3d%20%20%3d
9841. jarg422h.htm#hidden%20flag
9842. jarg422h.htm#green%20bytes
9843. jarg422h.htm#fence
9844. jarg422h.htm#snail-mail
9845. jarg422h.htm#overflow%20bit
9846. jarg422h.htm#out-of-band
9847. jarg422h.htm#%3d%20%20%3d
9848. jarg422h.htm#slop
9849. jarg422h.htm#crash
9850. jarg422h.htm#clock
9851. jarg422h.htm#benchmark
9852. jarg422h.htm#overflow%20pdl
9853. jarg422h.htm#overclock
9854. jarg422h.htm#%3d%20%20%3d
9855. jarg422h.htm#flag
9856. jarg422h.htm#Ada
9857. jarg422h.htm#baroque
9858. jarg422h.htm#overrun
9859. jarg422h.htm#overflow%20bit
9860. jarg422h.htm#%3d%20%20%3d
9861. jarg422h.htm#PDL

9862. jarg422h.htm#PDL
9863. jarg422h.htm#stack
9864. jarg422h.htm#overrun%20screw
9865. jarg422h.htm#overflow%20pdl
9866. jarg422h.htm#%3d%20O%20%3d
9867. jarg422h.htm#silo
9868. jarg422h.htm#thrash
9869. jarg422h.htm#firehose%20syndrome
9870. jarg422h.htm#buffer%20overflow
9871. jarg422h.htm#overrun%20screw
9872. jarg422h.htm#P-mail
9873. jarg422h.htm#overrun
9874. jarg422h.htm#%3d%20O%20%3d
9875. jarg422h.htm#fandango%20on%20core
9876. jarg422h.htm#smash%20the%20stack
9877. jarg422h.htm#heisenbug
9878. jarg422h.htm#arena
9879. jarg422h.htm#spam
9880. jarg422h.htm#overrun
9881. jarg422h.htm#memory%20leak
9882. jarg422h.htm#memory%20smash
9883. jarg422h.htm#aliasing%20bug
9884. jarg422h.htm#precedence%20lossage
9885. jarg422h.htm#fandango%20on%20core
9886. jarg422h.htm#secondary%20damage
9887. jarg422h.htm#%3d%20Q%20%3d
9888. jarg422h.htm#%3d%20O%20%3d
9889. jarg422h.htm#The%20Jargon%20Lexicon
9890. jarg422h.htm#P-mail
9891. jarg422h.htm#P.O.D.
9892. jarg422h.htm#packet%20over%20air
9893. jarg422h.htm#padded%20cell
9894. jarg422h.htm#page%20in
9895. jarg422h.htm#page%20out
9896. jarg422h.htm#pain%20in%20the%20net
9897. jarg422h.htm#Pangloss%20parity
9898. jarg422h.htm#paper-net
9899. jarg422h.htm#param
9900. jarg422h.htm#PARC
9901. jarg422h.htm#parent%20message
9902. jarg422h.htm#parity%20errors
9903. jarg422h.htm#Parkinson's%20Law%20of%20Data
9904. jarg422h.htm#parm
9905. jarg422h.htm#parse
9906. jarg422h.htm#Pascal
9907. jarg422h.htm#pastie
9908. jarg422h.htm#patch
9909. jarg422h.htm#patch%20pumpkin
9910. jarg422h.htm#patch%20space
9911. jarg422h.htm#path
9912. jarg422h.htm#pathological
9913. jarg422h.htm#payware
9914. jarg422h.htm#PBD

9915. jarg422h.htm#PC-ism
9916. jarg422h.htm#PD
9917. jarg422h.htm#PDL
9918. jarg422h.htm#PDP-10
9919. jarg422h.htm#PDP-20
9920. jarg422h.htm#PEBKAC
9921. jarg422h.htm#peek
9922. jarg422h.htm#pencil%20and%20paper
9923. jarg422h.htm#Pentagram%20Pro
9924. jarg422h.htm#Pentium
9925. jarg422h.htm#peon
9926. jarg422h.htm#percent-S
9927. jarg422h.htm#perf
9928. jarg422h.htm#perfect%20programmer%20syndrome
9929. jarg422h.htm#Perl
9930. jarg422h.htm#person%20of%20no%20account
9931. jarg422h.htm#pessimal
9932. jarg422h.htm#pessimizing%20compiler
9933. jarg422h.htm#peta-
9934. jarg422h.htm#PETSCII
9935. jarg422h.htm#PFY
9936. jarg422h.htm#phage
9937. jarg422h.htm#phase
9938. jarg422h.htm#phase%20of%20the%20moon
9939. jarg422h.htm#phase-wrapping
9940. jarg422h.htm#PHB
9941. jarg422h.htm#phreaker
9942. jarg422h.htm#phreaking
9943. jarg422h.htm#pico-
9944. jarg422h.htm#pig-tail
9945. jarg422h.htm#pilot%20error
9946. jarg422h.htm#ping
9947. jarg422h.htm#Ping%20O'%20Death
9948. jarg422h.htm#ping%20storm
9949. jarg422h.htm#pink%20wire
9950. jarg422h.htm#pipe
9951. jarg422h.htm#pistol
9952. jarg422h.htm#pixel%20sort
9953. jarg422h.htm#pizza%20box
9954. jarg422h.htm#plaid%20screen
9955. jarg422h.htm#plain-ASCII
9956. jarg422h.htm#plan%20file
9957. jarg422h.htm#platinum-iridium
9958. jarg422h.htm#playpen
9959. jarg422h.htm#playte
9960. jarg422h.htm#plingnet
9961. jarg422h.htm#plokta
9962. jarg422h.htm#plonk
9963. jarg422h.htm#plug-and-pray
9964. jarg422h.htm#plugh
9965. jarg422h.htm#plumbing
9966. jarg422h.htm#PM
9967. jarg422h.htm#pnambic

9968. jarg422h.htm#pod
9969. jarg422h.htm#point-and-drool%20interface
9970. jarg422h.htm#pointy%20hat
9971. jarg422h.htm#pointy-haired
9972. jarg422h.htm#poke
9973. jarg422h.htm#poll
9974. jarg422h.htm#polygon%20pusher
9975. jarg422h.htm#POM
9976. jarg422h.htm#pop
9977. jarg422h.htm#POPJ
9978. jarg422h.htm#poser
9979. jarg422h.htm#post
9980. jarg422h.htm#postcardware
9981. jarg422h.htm#posting
9982. jarg422h.htm#postmaster
9983. jarg422h.htm#PostScript
9984. jarg422h.htm#pound%20on
9985. jarg422h.htm#power%20cycle
9986. jarg422h.htm#power%20hit
9987. jarg422h.htm#PPN
9988. jarg422h.htm#pr0n
9989. jarg422h.htm#precedence%20lossage
9990. jarg422h.htm#prepend
9991. jarg422h.htm#prestidigitization
9992. jarg422h.htm#pretty%20pictures
9993. jarg422h.htm#prettyprint
9994. jarg422h.htm#pretzel%20key
9995. jarg422h.htm#priesthood
9996. jarg422h.htm#prime%20time
9997. jarg422h.htm#print
9998. jarg422h.htm#printing%20discussion
9999. jarg422h.htm#priority%20interrupt
10000. jarg422h.htm#profile
10001. jarg422h.htm#progasm
10002. jarg422h.htm#proggy
10003. jarg422h.htm#proklet
10004. jarg422h.htm#program
10005. jarg422h.htm#Programmer's%20Cheer
10006. jarg422h.htm#programming
10007. jarg422h.htm#programming%20fluid
10008. jarg422h.htm#propeller%20head
10009. jarg422h.htm#propeller%20key
10010. jarg422h.htm#proprietary
10011. jarg422h.htm#protocol
10012. jarg422h.htm#provocative%20maintenance
10013. jarg422h.htm#prowler
10014. jarg422h.htm#pseudo
10015. jarg422h.htm#pseudoprime
10016. jarg422h.htm#pseudosuit
10017. jarg422h.htm#psychedelicware
10018. jarg422h.htm#psyton
10019. jarg422h.htm#pubic%20directory
10020. jarg422h.htm#puff

10021. jarg422h.htm#pumpkin%20holder
10022. jarg422h.htm#pumpking
10023. jarg422h.htm#punched%20card
10024. jarg422h.htm#punt
10025. jarg422h.htm#Purple%20Book
10026. jarg422h.htm#purple%20wire
10027. jarg422h.htm#push
10028. jarg422h.htm#Python
10029. jarg422h.htm#P.O.D.
10030. jarg422h.htm#overrun%20screw
10031. jarg422h.htm#%3d%20P%20%3d
10032. jarg422h.htm#email
10033. jarg422h.htm#snail-mail
10034. jarg422h.htm#packet%20over%20air
10035. jarg422h.htm#P-mail
10036. jarg422h.htm#%3d%20P%20%3d
10037. jarg422h.htm#pod
10038. jarg422h.htm#padded%20cell
10039. jarg422h.htm#P.O.D.
10040. jarg422h.htm#%3d%20P%20%3d
10041. jarg422h.htm#fiber-seeking%20backhoe
10042. jarg422h.htm#page%20in
10043. jarg422h.htm#packet%20over%20air
10044. jarg422h.htm#%3d%20P%20%3d
10045. jarg422h.htm#luser
10046. jarg422h.htm#iron%20box
10047. jarg422h.htm#naive
10048. jarg422h.htm#page%20out
10049. jarg422h.htm#padded%20cell
10050. jarg422h.htm#%3d%20P%20%3d
10051. jarg422h.htm#page%20out
10052. jarg422h.htm#film%20at%201
10053. jarg422h.htm#swap
10054. jarg422h.htm#pain%20in%20the%20net
10055. jarg422h.htm#page%20in
10056. jarg422h.htm#%3d%20P%20%3d
10057. jarg422h.htm#page%20in
10058. jarg422h.htm#glitch
10059. jarg422h.htm#thinko
10060. jarg422h.htm#swap
10061. jarg422h.htm#Pangloss%20parity
10062. jarg422h.htm#page%20out
10063. jarg422h.htm#%3d%20P%20%3d
10064. jarg422h.htm#flamer
10065. jarg422h.htm#paper-net
10066. jarg422h.htm#pain%20in%20the%20net
10067. jarg422h.htm#%3d%20P%20%3d
10068. jarg422h.htm#lossage
10069. jarg422h.htm#param
10070. jarg422h.htm#Pangloss%20parity
10071. jarg422h.htm#%3d%20P%20%3d
10072. jarg422h.htm#sig%20block
10073. jarg422h.htm#netiquette

10074. jarg422h.htm#voice-net
10075. jarg422h.htm#snail-mail
10076. jarg422h.htm#P-mail
10077. jarg422h.htm#PARC
10078. jarg422h.htm#paper-net
10079. jarg422h.htm#%3d%20P%20%3d
10080. jarg422h.htm#parm
10081. jarg422h.htm#arg
10082. jarg422h.htm#var
10083. jarg422h.htm#parent%20message
10084. jarg422h.htm#param
10085. jarg422h.htm#%3d%20P%20%3d
10086. jarg422h.htm#XEROX%20PARC
10087. jarg422h.htm#parity%20errors
10088. jarg422h.htm#PARC
10089. jarg422h.htm#%3d%20P%20%3d
10090. jarg422h.htm#followup
10091. jarg422h.htm#Parkinson's%20Law%20of%20Data
10092. jarg422h.htm#parent%20message
10093. jarg422h.htm#%3d%20P%20%3d
10094. jarg422h.htm#parm
10095. jarg422h.htm#parity%20errors
10096. jarg422h.htm#%3d%20P%20%3d
10097. jarg422h.htm#Moore's%20Law
10098. jarg422h.htm#parse
10099. jarg422h.htm#Parkinson's%20Law%20of%20Data
10100. jarg422h.htm#%3d%20P%20%3d
10101. jarg422h.htm#param
10102. jarg422h.htm#arg
10103. jarg422h.htm#arg
10104. jarg422h.htm#var
10105. jarg422h.htm#Pascal
10106. jarg422h.htm#parm
10107. jarg422h.htm#%3d%20P%20%3d
10108. jarg422h.htm#pastie
10109. jarg422h.htm#parse
10110. jarg422h.htm#%3d%20P%20%3d
10111. jarg422h.htm#Ada
10112. jarg422h.htm#bondage-and-discipline%20language
10113. jarg422h.htm#K&R
10114. jarg422h.htm#C
10115. jarg422h.htm#patch
10116. jarg422h.htm#Pascal
10117. jarg422h.htm#%3d%20P%20%3d
10118. jarg422h.htm#tits%20on%20a%20keyboard
10119. jarg422h.htm#patch%20pumpkin
10120. jarg422h.htm#pastie
10121. jarg422h.htm#%3d%20P%20%3d
10122. jarg422h.htm#quick-and-dirty
10123. jarg422h.htm#diff
10124. jarg422h.htm#mod
10125. jarg422h.htm#HLL
10126. jarg422h.htm#one-line%20fix

10127. jarg422h.htm#diff
10128. jarg422h.htm#patch%20space
10129. jarg422h.htm#tiger%20team
10130. jarg422h.htm#trap%20door
10131. jarg422h.htm#patch%20space
10132. jarg422h.htm#patch
10133. jarg422h.htm#%3d%20P%20%3d
10134. jarg422h.htm#path
10135. jarg422h.htm#patch%20pumpkin
10136. jarg422h.htm#%3d%20P%20%3d
10137. jarg422h.htm#patch
10138. jarg422h.htm#zap
10139. jarg422h.htm#hook
10140. jarg422h.htm#pathological
10141. jarg422h.htm#patch%20space
10142. jarg422h.htm#%3d%20P%20%3d
10143. jarg422h.htm#bang%20path
10144. jarg422h.htm#Internet%20address
10145. jarg422h.htm#shell
10146. jarg422h.htm#payware
10147. jarg422h.htm#path
10148. jarg422h.htm#%3d%20P%20%3d
10149. jarg422h.htm#PBD
10150. jarg422h.htm#pathological
10151. jarg422h.htm#%3d%20P%20%3d
10152. jarg422h.htm#shareware
10153. jarg422h.htm#freeware
10154. jarg422h.htm#PC-ism
10155. jarg422h.htm#payware
10156. jarg422h.htm#%3d%20P%20%3d
10157. jarg422h.htm#UBD
10158. jarg422h.htm#brain-damaged
10159. jarg422h.htm#PD
10160. jarg422h.htm#PBD
10161. jarg422h.htm#%3d%20P%20%3d
10162. jarg422h.htm#ill-behaved
10163. jarg422h.htm#vaxism
10164. jarg422h.htm#unixism
10165. jarg422h.htm#PDL
10166. jarg422h.htm#PC-ism
10167. jarg422h.htm#%3d%20P%20%3d
10168. jarg422h.htm#Usenet
10169. jarg422h.htm#snarf
10170. jarg422h.htm#copyleft
10171. jarg422h.htm#PDP-10
10172. jarg422h.htm#PD
10173. jarg422h.htm#%3d%20P%20%3d
10174. jarg422h.htm#management
10175. jarg422h.htm#flowchart
10176. jarg422h.htm#PostScript
10177. jarg422h.htm#stack
10178. jarg422h.htm#overflow%20pdl
10179. jarg422h.htm#Zork

10180. jarg422h.htm#network%20address
10181. jarg422h.htm#PDP-20
10182. jarg422h.htm#PDL
10183. jarg422h.htm#%3d%20P%20%3d
10184. jarg422h.htm#DEC
10185. jarg422h.htm#Foonly
10186. jarg422h.htm#Mars
10187. jarg422h.htm#ITS
10188. jarg422h.htm#TOPS-10
10189. jarg422h.htm#ITS
10190. jarg422h.htm#BLT
10191. jarg422h.htm#DDT
10192. jarg422h.htm#DPB
10193. jarg422h.htm#EXCH
10194. jarg422h.htm#HAKMEM
10195. jarg422h.htm#LDB
10196. jarg422h.htm#pop
10197. jarg422h.htm#push
10198. <http://www.inwap.com/pdp10/>
10199. jarg422h.htm#PEBKAC
10200. jarg422h.htm#PDP-10
10201. jarg422h.htm#%3d%20P%20%3d
10202. jarg422h.htm#PDP-10
10203. jarg422h.htm#TOPS-10
10204. jarg422h.htm#TOPS-20
10205. jarg422h.htm#peek
10206. jarg422h.htm#PDP-20
10207. jarg422h.htm#%3d%20P%20%3d
10208. jarg422h.htm#luser
10209. jarg422h.htm#pencil%20and%20paper
10210. jarg422h.htm#PEBKAC
10211. jarg422h.htm#%3d%20P%20%3d
10212. jarg422h.htm#poke
10213. jarg422h.htm#HLL
10214. jarg422h.htm#interrupt%20list
10215. jarg422h.htm#lossage
10216. jarg422h.htm#killer%20poke
10217. jarg422h.htm#real%20operating%20system
10218. jarg422h.htm#newbie
10219. jarg422h.htm#Pentagram%20Pro
10220. jarg422h.htm#peek
10221. jarg422h.htm#%3d%20P%20%3d
10222. jarg422h.htm#Pentium
10223. jarg422h.htm#pencil%20and%20paper
10224. jarg422h.htm#%3d%20P%20%3d
10225. jarg422h.htm#evil
10226. jarg422h.htm#Pentium
10227. jarg422h.htm#peon
10228. jarg422h.htm#Pentagram%20Pro
10229. jarg422h.htm#%3d%20P%20%3d
10230. jarg422h.htm#Pentagram%20Pro
10231. jarg422h.htm#percent-S
10232. jarg422h.htm#Pentium

10233. jarg422h.htm#%3d%20P%20%3d
10234. jarg422h.htm#root
10235. jarg422h.htm#wheel
10236. jarg422h.htm#perf
10237. jarg422h.htm#peon
10238. jarg422h.htm#%3d%20P%20%3d
10239. jarg422h.htm#random
10240. jarg422h.htm#perfect%20programmer%20syndrome
10241. jarg422h.htm#percent-S
10242. jarg422h.htm#%3d%20P%20%3d
10243. jarg422h.htm#chad
10244. jarg422h.htm#perf
10245. jarg422h.htm#Perl
10246. jarg422h.htm#perf
10247. jarg422h.htm#%3d%20P%20%3d
10248. jarg422h.htm#toy%20problem
10249. jarg422h.htm#root%20mode
10250. jarg422h.htm#person%20of%20no%20account
10251. jarg422h.htm#perfect%20programmer%20syndrome
10252. jarg422h.htm#%3d%20P%20%3d
10253. mailto:<larry@wall.org>
10254. jarg422h.htm#awk
10255. jarg422h.htm#languages%20of%20choice
10256. jarg422h.htm#elegant
10257. jarg422h.htm#Python
10258. jarg422h.htm#Camel%20Book
10259. jarg422h.htm#TMTOWTDI
10260. jarg422h.htm#pessimial
10261. jarg422h.htm#Perl
10262. jarg422h.htm#%3d%20P%20%3d
10263. jarg422h.htm#network%20address
10264. jarg422h.htm#return%20from%20the%20dead
10265. jarg422h.htm#pessimizing%20compiler
10266. jarg422h.htm#person%20of%20no%20account
10267. jarg422h.htm#%3d%20P%20%3d
10268. jarg422h.htm#peta-
10269. jarg422h.htm#pessimial
10270. jarg422h.htm#%3d%20P%20%3d
10271. jarg422h.htm#PETSCII
10272. jarg422h.htm#pessimizing%20compiler
10273. jarg422h.htm#%3d%20P%20%3d
10274. jarg422h.htm#quantifiers
10275. jarg422h.htm#PFY
10276. jarg422h.htm#peta-
10277. jarg422h.htm#%3d%20P%20%3d
10278. jarg422h.htm#ASCII
10279. jarg422h.htm#phage
10280. jarg422h.htm#PETSCII
10281. jarg422h.htm#%3d%20P%20%3d
10282. jarg422h.htm#BOFH
10283. jarg422h.htm#phase
10284. jarg422h.htm#PFY
10285. jarg422h.htm#%3d%20P%20%3d

10286. jarg422h.htm#virus
10287. jarg422h.htm#Trojan%20horse
10288. jarg422h.htm#worm
10289. jarg422h.htm#mockingbird
10290. jarg422h.htm#phase%20of%20the%20moon
10291. jarg422h.htm#phage
10292. jarg422h.htm#%3d%20P%20%3d
10293. jarg422h.htm#wrap%20around
10294. jarg422h.htm#wrap%20around
10295. jarg422h.htm#phase-wrapping
10296. jarg422h.htm#phase
10297. jarg422h.htm#%3d%20P%20%3d
10298. jarg422h.htm#heisenbug
10299. jarg422h.htm#barf
10300. jarg422h.htm#PHB
10301. jarg422h.htm#phase%20of%20the%20moon
10302. jarg422h.htm#%3d%20P%20%3d
10303. jarg422h.htm#wrap%20around
10304. jarg422h.htm#phreaker
10305. jarg422h.htm#phase-wrapping
10306. jarg422h.htm#%3d%20P%20%3d
10307. jarg422h.htm#Dilbert
10308. jarg422h.htm#management
10309. jarg422h.htm#pointy-haired
10310. jarg422h.htm#phreaking
10311. jarg422h.htm#PHB
10312. jarg422h.htm#%3d%20P%20%3d
10313. jarg422h.htm#phreaking
10314. jarg422h.htm#blue%20box
10315. jarg422h.htm#pico-
10316. jarg422h.htm#phreaker
10317. jarg422h.htm#%3d%20P%20%3d
10318. jarg422h.htm#cracking
10319. jarg422h.htm#cracking
10320. jarg422h.htm#pig-tail
10321. jarg422h.htm#phreaking
10322. jarg422h.htm#%3d%20P%20%3d
10323. jarg422h.htm#nano-
10324. jarg422h.htm#nano-
10325. jarg422h.htm#nano-
10326. jarg422h.htm#micro-
10327. jarg422h.htm#quantifiers
10328. jarg422h.htm#micro-
10329. jarg422h.htm#pilot%20error
10330. jarg422h.htm#pico-
10331. jarg422h.htm#%3d%20P%20%3d
10332. jarg422h.htm#ping
10333. jarg422h.htm#pig-tail
10334. jarg422h.htm#%3d%20P%20%3d
10335. jarg422h.htm#UBD
10336. jarg422h.htm#Ping%20O'%20Death
10337. jarg422h.htm#pilot%20error
10338. jarg422h.htm#%3d%20P%20%3d

10339. jarg422h.htm#ACK
10340. jarg422h.htm#ENQ
10341. jarg422h.htm#mailing%20list
10342. jarg422h.htm#ACK
10343. jarg422h.htm#blargh
10344. jarg422h.htm#ping%20storm
10345. jarg422h.htm#ping
10346. jarg422h.htm#%3d%20P%20%3d
10347. jarg422h.htm#exploit
10348. <http://www.insecure.org/sploits/ping-o-death.html>
10349. jarg422h.htm#pink%20wire
10350. jarg422h.htm#Ping%20O'%20Death
10351. jarg422h.htm#%3d%20P%20%3d
10352. jarg422h.htm#DoS%20attack
10353. jarg422h.htm#ping
10354. jarg422h.htm#mail%20storm
10355. jarg422h.htm#broadcast%20storm
10356. jarg422h.htm#pipe
10357. jarg422h.htm#ping%20storm
10358. jarg422h.htm#%3d%20P%20%3d
10359. jarg422h.htm#blue%20wire
10360. jarg422h.htm#pistol
10361. jarg422h.htm#pink%20wire
10362. jarg422h.htm#%3d%20P%20%3d
10363. jarg422h.htm#pixel%20sort
10364. jarg422h.htm#pipe
10365. jarg422h.htm#%3d%20P%20%3d
10366. jarg422h.htm#pizza%20box
10367. jarg422h.htm#pistol
10368. jarg422h.htm#%3d%20P%20%3d
10369. jarg422h.htm#crunch
10370. jarg422h.htm#bogo-sort
10371. jarg422h.htm#plaid%20screen
10372. jarg422h.htm#pixel%20sort
10373. jarg422h.htm#%3d%20P%20%3d
10374. jarg422h.htm#plain-ASCII
10375. jarg422h.htm#pizza%20box
10376. jarg422h.htm#%3d%20P%20%3d
10377. jarg422h.htm#memory%20smash
10378. jarg422h.htm#X
10379. jarg422h.htm#display%20hack
10380. jarg422h.htm#plan%20file
10381. jarg422h.htm#plaid%20screen
10382. jarg422h.htm#%3d%20P%20%3d
10383. jarg422h.htm#flat-ASCII
10384. jarg422h.htm#platinum-iridium
10385. jarg422h.htm#plain-ASCII
10386. jarg422h.htm#%3d%20P%20%3d
10387. jarg422h.htm#finger
10388. jarg422h.htm#sig%20block
10389. jarg422h.htm#Hacking%20X%20for%20Y
10390. jarg422h.htm#finger
10391. jarg422h.htm#letterbomb

10392. jarg422h.htm#twirling%20baton
10393. jarg422h.htm#playpen
10394. jarg422h.htm#plan%20file
10395. jarg422h.htm#%3d%20P%20%3d
10396. jarg422h.htm#golden
10397. jarg422h.htm#playte
10398. jarg422h.htm#platinum-iridium
10399. jarg422h.htm#%3d%20P%20%3d
10400. jarg422h.htm#salt%20mines
10401. jarg422h.htm#plingnet
10402. jarg422h.htm#playpen
10403. jarg422h.htm#%3d%20P%20%3d
10404. jarg422h.htm#nybble
10405. jarg422h.htm#byte
10406. jarg422h.htm#dynner
10407. jarg422h.htm#crumb
10408. jarg422h.htm#nybble
10409. jarg422h.htm#plokta
10410. jarg422h.htm#playte
10411. jarg422h.htm#%3d%20P%20%3d
10412. jarg422h.htm#UUCPNET
10413. jarg422h.htm#Commonwealth%20Hackish
10414. jarg422h.htm#bang
10415. jarg422h.htm#bang%20path
10416. jarg422h.htm#plonk
10417. jarg422h.htm#plingnet
10418. jarg422h.htm#%3d%20P%20%3d
10419. jarg422h.htm#plug-and-pray
10420. jarg422h.htm#plokta
10421. jarg422h.htm#%3d%20P%20%3d
10422. jarg422h.htm#newbie
10423. jarg422h.htm#kill%20file
10424. jarg422h.htm#newsgroup
10425. jarg422h.htm#plugh
10426. jarg422h.htm#plonk
10427. jarg422h.htm#%3d%20P%20%3d
10428. jarg422h.htm#plumbing
10429. jarg422h.htm#plug-and-pray
10430. jarg422h.htm#%3d%20P%20%3d
10431. jarg422h.htm#ADVENT
10432. jarg422h.htm#xyzyz
10433. jarg422h.htm#PM
10434. jarg422h.htm#plugh
10435. jarg422h.htm#%3d%20P%20%3d
10436. jarg422h.htm#shell
10437. jarg422h.htm#hairy
10438. jarg422h.htm#tee
10439. jarg422h.htm#pnambic
10440. jarg422h.htm#plumbing
10441. jarg422h.htm#%3d%20P%20%3d
10442. jarg422h.htm#provocative%20maintenance
10443. jarg422h.htm#scratch%20monkey
10444. jarg422h.htm#elephantine

10445. jarg422h.htm#pod
10446. jarg422h.htm#PM
10447. jarg422h.htm#%3d%20P%20%3d
10448. jarg422h.htm#prestidigitization
10449. jarg422h.htm#magic
10450. jarg422h.htm#point-and-drool%20interface
10451. jarg422h.htm#pnambic
10452. jarg422h.htm#%3d%20P%20%3d
10453. jarg422h.htm#P.O.D.
10454. jarg422h.htm#pointy%20hat
10455. jarg422h.htm#pod
10456. jarg422h.htm#%3d%20P%20%3d
10457. jarg422h.htm#for%20the%20rest%20of%20us
10458. jarg422h.htm#WIMP%20environment
10459. jarg422h.htm#Macintrash
10460. jarg422h.htm#drool-proof%20paper
10461. jarg422h.htm#pointy-haired
10462. jarg422h.htm#point-and-drool%20interface
10463. jarg422h.htm#%3d%20P%20%3d
10464. jarg422h.htm#wizard%20hat
10465. jarg422h.htm#poke
10466. jarg422h.htm#pointy%20hat
10467. jarg422h.htm#%3d%20P%20%3d
10468. jarg422h.htm#Dilbert
10469. jarg422h.htm#suit
10470. jarg422h.htm#marketroid
10471. jarg422h.htm#brain-dead
10472. jarg422h.htm#demented
10473. jarg422h.htm#PHB
10474. jarg422h.htm#poll
10475. jarg422h.htm#pointy-haired
10476. jarg422h.htm#%3d%20P%20%3d
10477. jarg422h.htm#peek
10478. jarg422h.htm#polygon%20pusher
10479. jarg422h.htm#poke
10480. jarg422h.htm#%3d%20P%20%3d
10481. jarg422h.htm#POM
10482. jarg422h.htm#poll
10483. jarg422h.htm#%3d%20P%20%3d
10484. jarg422h.htm#pop
10485. jarg422h.htm#polygon%20pusher
10486. jarg422h.htm#%3d%20P%20%3d
10487. jarg422h.htm#phase%20of%20the%20moon
10488. jarg422h.htm#flaky
10489. jarg422h.htm#POPJ
10490. jarg422h.htm#POM
10491. jarg422h.htm#%3d%20P%20%3d
10492. jarg422h.htm#stack
10493. jarg422h.htm#PDL
10494. jarg422h.htm#poser
10495. jarg422h.htm#pop
10496. jarg422h.htm#%3d%20P%20%3d
10497. jarg422h.htm#PDP-10

10498. jarg422h.htm#RTI
10499. jarg422h.htm#post
10500. jarg422h.htm#POPJ
10501. jarg422h.htm#%3d%20P%20%3d
10502. jarg422h.htm#wannabee
10503. jarg422h.htm#warez%20d00dz
10504. jarg422h.htm#lamer
10505. jarg422h.htm#leech
10506. jarg422h.htm#postcardware
10507. jarg422h.htm#poser
10508. jarg422h.htm#%3d%20P%20%3d
10509. jarg422h.htm#mailing%20list
10510. jarg422h.htm#newsgroup
10511. jarg422h.htm#posting
10512. jarg422h.htm#post
10513. jarg422h.htm#%3d%20P%20%3d
10514. jarg422h.htm#shareware
10515. jarg422h.htm#freeware
10516. jarg422h.htm#postmaster
10517. jarg422h.htm#postcardware
10518. jarg422h.htm#%3d%20P%20%3d
10519. jarg422h.htm#post
10520. jarg422h.htm#post
10521. jarg422h.htm#email
10522. jarg422h.htm#PostScript
10523. jarg422h.htm#posting
10524. jarg422h.htm#%3d%20P%20%3d
10525. jarg422h.htm#admin
10526. jarg422h.htm#RFC
10527. jarg422h.htm#pound%20on
10528. jarg422h.htm#postmaster
10529. jarg422h.htm#%3d%20P%20%3d
10530. jarg422h.htm#PDL
10531. jarg422h.htm#XEROX%20PARC
10532. jarg422h.htm#EMACS
10533. jarg422h.htm#power%20cycle
10534. jarg422h.htm#PostScript
10535. jarg422h.htm#%3d%20P%20%3d
10536. jarg422h.htm#bang%20on
10537. jarg422h.htm#power%20hit
10538. jarg422h.htm#pound%20on
10539. jarg422h.htm#%3d%20P%20%3d
10540. jarg422h.htm#hung
10541. jarg422h.htm#gronk
10542. jarg422h.htm#120%20reset
10543. jarg422h.htm#Big%20Red%20Switch
10544. jarg422h.htm#Vulcan%20nerve%20pinch
10545. jarg422h.htm#bounce
10546. jarg422h.htm#boot
10547. jarg422h.htm#Some%20AI%20Koans
10548. jarg422h.htm#PPN
10549. jarg422h.htm#power%20cycle
10550. jarg422h.htm#%3d%20P%20%3d

10551. jarg422h.htm#glitch
10552. jarg422h.htm#pr0n
10553. jarg422h.htm#power%20hit
10554. jarg422h.htm#%3d%20P%20%3d
10555. jarg422h.htm#TOPS-10
10556. jarg422h.htm#precedence%20lossage
10557. jarg422h.htm#PPN
10558. jarg422h.htm#%3d%20P%20%3d
10559. jarg422h.htm#warez%20kiddies
10560. jarg422h.htm#filk
10561. jarg422h.htm#grilf
10562. jarg422h.htm#hing
10563. jarg422h.htm#newsfroup
10564. jarg422h.htm#prepend
10565. jarg422h.htm#pr0n
10566. jarg422h.htm#%3d%20P%20%3d
10567. jarg422h.htm#baroque
10568. jarg422h.htm#LISP
10569. jarg422h.htm#aliasing%20bug
10570. jarg422h.htm#memory%20leak
10571. jarg422h.htm#memory%20smash
10572. jarg422h.htm#smash%20the%20stack
10573. jarg422h.htm#fandango%20on%20core
10574. jarg422h.htm#overrun%20screw
10575. jarg422h.htm#prestidigitization
10576. jarg422h.htm#precedence%20lossage
10577. jarg422h.htm#%3d%20P%20%3d
10578. jarg422h.htm#pretty%20pictures
10579. jarg422h.htm#prepend
10580. jarg422h.htm#%3d%20P%20%3d
10581. jarg422h.htm#prettyprint
10582. jarg422h.htm#prestidigitization
10583. jarg422h.htm#%3d%20P%20%3d
10584. jarg422h.htm#numbers
10585. jarg422h.htm#management
10586. jarg422h.htm#pretzel%20key
10587. jarg422h.htm#pretty%20pictures
10588. jarg422h.htm#%3d%20P%20%3d
10589. jarg422h.htm#hairy
10590. jarg422h.htm#grind
10591. jarg422h.htm#priesthood
10592. jarg422h.htm#prettyprint
10593. jarg422h.htm#%3d%20P%20%3d
10594. jarg422h.htm#feature%20key
10595. jarg422h.htm#prime%20time
10596. jarg422h.htm#pretzel%20key
10597. jarg422h.htm#%3d%20P%20%3d
10598. jarg422h.htm#acolyte
10599. jarg422h.htm#print
10600. jarg422h.htm#priesthood
10601. jarg422h.htm#%3d%20P%20%3d
10602. jarg422h.htm#night%20mode
10603. jarg422h.htm#hacking%20run

10604. jarg422h.htm#printing%20discussion
10605. jarg422h.htm#prime%20time
10606. jarg422h.htm#%3d%20P%20%3d
10607. jarg422h.htm#C
10608. jarg422h.htm#tty
10609. jarg422h.htm#priority%20interrupt
10610. jarg422h.htm#print
10611. jarg422h.htm#%3d%20P%20%3d
10612. jarg422h.htm#profile
10613. jarg422h.htm#printing%20discussion
10614. jarg422h.htm#%3d%20P%20%3d
10615. jarg422h.htm#hack%20mode
10616. jarg422h.htm#SO
10617. jarg422h.htm#NMI
10618. jarg422h.htm#progasm
10619. jarg422h.htm#priority%20interrupt
10620. jarg422h.htm#%3d%20P%20%3d
10621. jarg422h.htm#hardcoded
10622. jarg422h.htm#dot%20file
10623. jarg422h.htm#rc%20file
10624. jarg422h.htm#tune
10625. jarg422h.htm#hot%20spot
10626. jarg422h.htm#proggy
10627. jarg422h.htm#profile
10628. jarg422h.htm#%3d%20P%20%3d
10629. jarg422h.htm#proklet
10630. jarg422h.htm#progasm
10631. jarg422h.htm#%3d%20P%20%3d
10632. jarg422h.htm#proklet
10633. jarg422h.htm#tarball
10634. jarg422h.htm#program
10635. jarg422h.htm#proggy
10636. jarg422h.htm#%3d%20P%20%3d
10637. jarg422h.htm#toy%20program
10638. jarg422h.htm#noddy
10639. jarg422h.htm#one-liner%20wars
10640. jarg422h.htm#Programmer's%20Cheer
10641. jarg422h.htm#proklet
10642. jarg422h.htm#%3d%20P%20%3d
10643. jarg422h.htm#programming
10644. jarg422h.htm#program
10645. jarg422h.htm#%3d%20P%20%3d
10646. jarg422h.htm#programming%20fluid
10647. jarg422h.htm#Programmer's%20Cheer
10648. jarg422h.htm#%3d%20P%20%3d
10649. jarg422h.htm#propeller%20head
10650. jarg422h.htm#programming
10651. jarg422h.htm#%3d%20P%20%3d
10652. jarg422h.htm#wirewater
10653. jarg422h.htm#propeller%20key
10654. jarg422h.htm#programming%20fluid
10655. jarg422h.htm#%3d%20P%20%3d
10656. jarg422h.htm#computer%20geek

10657. jarg422h.htm#proprietary
10658. jarg422h.htm#propeller%20head
10659. jarg422h.htm#%3d%20P%20%3d
10660. jarg422h.htm#feature%20key
10661. jarg422h.htm#protocol
10662. jarg422h.htm#propeller%20key
10663. jarg422h.htm#%3d%20P%20%3d
10664. jarg422h.htm#marketroid
10665. jarg422h.htm#open%20source
10666. jarg422h.htm#provocative%20maintenance
10667. jarg422h.htm#proprietary
10668. jarg422h.htm#%3d%20P%20%3d
10669. jarg422h.htm#handshaking
10670. jarg422h.htm#do%20protocol
10671. jarg422h.htm#proowler
10672. jarg422h.htm#protocol
10673. jarg422h.htm#%3d%20P%20%3d
10674. jarg422h.htm#field%20servoid
10675. jarg422h.htm#scratch%20monkey
10676. jarg422h.htm#pseudo
10677. jarg422h.htm#provocative%20maintenance
10678. jarg422h.htm#%3d%20P%20%3d
10679. jarg422h.htm#daemon
10680. jarg422h.htm#core
10681. jarg422h.htm#cruft
10682. jarg422h.htm#GFR
10683. jarg422h.htm#reaper
10684. jarg422h.htm#skulker
10685. jarg422h.htm#pseudoprime
10686. jarg422h.htm#proowler
10687. jarg422h.htm#%3d%20P%20%3d
10688. jarg422h.htm#Usenet
10689. jarg422h.htm#B1FF
10690. jarg422h.htm#tentacle
10691. jarg422h.htm#flamage
10692. jarg422h.htm#Dissociated%20Press
10693. jarg422h.htm#pseudosuit
10694. jarg422h.htm#pseudo
10695. jarg422h.htm#%3d%20P%20%3d
10696. jarg422h.htm#psychedelicware
10697. jarg422h.htm#pseudoprime
10698. jarg422h.htm#%3d%20P%20%3d
10699. jarg422h.htm#suit
10700. jarg422h.htm#lobotomy
10701. jarg422h.htm#psyton
10702. jarg422h.htm#pseudosuit
10703. jarg422h.htm#%3d%20P%20%3d
10704. jarg422h.htm#display%20hack
10705. jarg422h.htm#smoking%20clover
10706. jarg422h.htm#pubic%20directory
10707. jarg422h.htm#psychedelicware
10708. jarg422h.htm#%3d%20P%20%3d
10709. jarg422h.htm#bogon

10710. jarg422h.htm#quantum%20bogodynamics
10711. jarg422h.htm#puff
10712. jarg422h.htm#psyton
10713. jarg422h.htm#%3d%20P%20%3d
10714. jarg422h.htm#FTP
10715. jarg422h.htm#SEX
10716. jarg422h.htm#pumpkin%20holder
10717. jarg422h.htm#pubic%20directory
10718. jarg422h.htm#%3d%20P%20%3d
10719. jarg422h.htm#huff
10720. jarg422h.htm#inflate
10721. jarg422h.htm#pumpking
10722. jarg422h.htm#puff
10723. jarg422h.htm#%3d%20P%20%3d
10724. jarg422h.htm#patch%20pumpkin
10725. jarg422h.htm#punched%20card
10726. jarg422h.htm#pumpkin%20holder
10727. jarg422h.htm#%3d%20P%20%3d
10728. jarg422h.htm#pumpkin%20holder
10729. jarg422h.htm#patch%20pumpkin
10730. jarg422h.htm#punt
10731. jarg422h.htm#pumpking
10732. jarg422h.htm#%3d%20P%20%3d
10733. jarg422h.htm#Stone%20Age
10734. jarg422h.htm#chad
10735. jarg422h.htm#chad%20box
10736. jarg422h.htm#eighty-column%20mind
10737. jarg422h.htm#green%20card
10738. jarg422h.htm#dusty%20deck
10739. jarg422h.htm#lace%20card
10740. jarg422h.htm#card%20walloper
10741. jarg422h.htm#Purple%20Book
10742. jarg422h.htm#punched%20card
10743. jarg422h.htm#%3d%20P%20%3d
10744. jarg422h.htm#Right%20Thing
10745. jarg422h.htm#purple%20wire
10746. jarg422h.htm#punt
10747. jarg422h.htm#%3d%20P%20%3d
10748. jarg422h.htm#Wizard%20Book
10749. jarg422h.htm#book%20titles
10750. jarg422h.htm#push
10751. jarg422h.htm#Purple%20Book
10752. jarg422h.htm#%3d%20P%20%3d
10753. jarg422h.htm#blue%20wire
10754. jarg422h.htm#yellow%20wire
10755. jarg422h.htm#red%20wire
10756. jarg422h.htm#Python
10757. jarg422h.htm#purple%20wire
10758. jarg422h.htm#%3d%20P%20%3d
10759. jarg422h.htm#stack
10760. jarg422h.htm#PDL
10761. jarg422h.htm#pop
10762. jarg422h.htm#stack

10763. jarg422h.htm#PDL
10764. jarg422h.htm#quad
10765. jarg422h.htm#push
10766. jarg422h.htm#%3d%20P%20%3d
10767. jarg422h.htm#Perl
10768. jarg422h.htm#BSD
10769. jarg422h.htm#Linux
10770. http://www.python.org/
10771. jarg422h.htm#Guido
10772. jarg422h.htm#%3d%20R%20%3d
10773. jarg422h.htm#%3d%20P%20%3d
10774. jarg422h.htm#The%20Jargon%20Lexicon
10775. jarg422h.htm#quad
10776. jarg422h.htm#quadruple%20bucky
10777. jarg422h.htm#quantifiers
10778. jarg422h.htm#quantum%20bogodynamics
10779. jarg422h.htm#quarter
10780. jarg422h.htm#ques
10781. jarg422h.htm#quick-and-dirty
10782. jarg422h.htm#quine
10783. jarg422h.htm#quote%20chapter%20and%20verse
10784. jarg422h.htm#quotient
10785. jarg422h.htm#quux
10786. jarg422h.htm#qux
10787. jarg422h.htm#QWERTY
10788. jarg422h.htm#quadruple%20bucky
10789. jarg422h.htm#Python
10790. jarg422h.htm#%3d%20Q%20%3d
10791. jarg422h.htm#quarter
10792. jarg422h.htm#crumb
10793. jarg422h.htm#tayste
10794. jarg422h.htm#hex
10795. jarg422h.htm#quantifiers
10796. jarg422h.htm#quad
10797. jarg422h.htm#%3d%20Q%20%3d
10798. jarg422h.htm#space-cadet%20keyboard
10799. jarg422h.htm#raw%20mode
10800. jarg422h.htm#double%20bucky
10801. jarg422h.htm#bucky%20bits
10802. jarg422h.htm#cokebottle
10803. jarg422h.htm#quantum%20bogodynamics
10804. jarg422h.htm#quadruple%20bucky
10805. jarg422h.htm#%3d%20Q%20%3d
10806. jarg422h.htm#micro-
10807. jarg422h.htm#nano-
10808. jarg422h.htm#pico-
10809. jarg422h.htm#micro-
10810. jarg422h.htm#pico-
10811. jarg422h.htm#nano-
10812. jarg422h.htm#attoparsec
10813. jarg422h.htm#marketroid
10814. jarg422h.htm#microfloppies
10815. jarg422h.htm#bogus

10816. <ftp://ftp.informatik.uni-erlangen.de/pub/doc/ISO/information-units>
10817. [jarg422h.htm#quarter](#)
10818. [jarg422h.htm#quantifiers](#)
10819. [jarg422h.htm#%3d%20Q%20%3d](#)
10820. [jarg422h.htm#suit](#)
10821. [jarg422h.htm#bogon](#)
10822. [jarg422h.htm#computron](#)
10823. [jarg422h.htm#suit](#)
10824. [jarg422h.htm#psyton](#)
10825. [jarg422h.htm#ques](#)
10826. [jarg422h.htm#quantum%20bogodynamics](#)
10827. [jarg422h.htm#%3d%20Q%20%3d](#)
10828. [jarg422h.htm#tayste](#)
10829. [jarg422h.htm#crumb](#)
10830. [jarg422h.htm#quad](#)
10831. [jarg422h.htm#nybble](#)
10832. [jarg422h.htm#quick-and-dirty](#)
10833. [jarg422h.htm#quarter](#)
10834. [jarg422h.htm#%3d%20Q%20%3d](#)
10835. [jarg422h.htm#wall](#)
10836. [jarg422h.htm#quine](#)
10837. [jarg422h.htm#ques](#)
10838. [jarg422h.htm#%3d%20Q%20%3d](#)
10839. [jarg422h.htm#crook](#)
10840. [jarg422h.htm#kluge](#)
10841. [jarg422h.htm#quote%20chapter%20and%20verse](#)
10842. [jarg422h.htm#quick-and-dirty](#)
10843. [jarg422h.htm#%3d%20Q%20%3d](#)
10844. [jarg422h.htm#Obfuscated%20C%20Contest](#)
10845. <http://www.nyx.org/~gthomps/quine.htm>
10846. [jarg422h.htm#quotient](#)
10847. [jarg422h.htm#quine](#)
10848. [jarg422h.htm#%3d%20Q%20%3d](#)
10849. [jarg422h.htm#bible](#)
10850. [jarg422h.htm#RFC](#)
10851. [jarg422h.htm#legalese](#)
10852. [jarg422h.htm#language%20lawyer](#)
10853. [jarg422h.htm#RTFS](#)
10854. [jarg422h.htm#quux](#)
10855. [jarg422h.htm#quote%20chapter%20and%20verse](#)
10856. [jarg422h.htm#%3d%20Q%20%3d](#)
10857. [jarg422h.htm#coefficient%20of%20X](#)
10858. [jarg422h.htm#qux](#)
10859. [jarg422h.htm#quotient](#)
10860. [jarg422h.htm#%3d%20Q%20%3d](#)
10861. [jarg422h.htm#metasyntactic%20variable](#)
10862. [jarg422h.htm#foo](#)
10863. [jarg422h.htm#foobar](#)
10864. [jarg422h.htm#foo](#)
10865. [jarg422h.htm#tip%20of%20the%20ice-cube](#)
10866. [jarg422h.htm#QWERTY](#)
10867. [jarg422h.htm#quux](#)
10868. [jarg422h.htm#%3d%20Q%20%3d](#)

10869. jarg422h.htm#metasyntactic%20variable
10870. jarg422h.htm#baz
10871. jarg422h.htm#foo
10872. jarg422h.htm#bar
10873. jarg422h.htm#baz
10874. jarg422h.htm#quux
10875. jarg422h.htm#quux
10876. jarg422h.htm#foo
10877. jarg422h.htm#bar
10878. jarg422h.htm#baz
10879. jarg422h.htm#quux
10880. jarg422h.htm#rabbit%20job
10881. jarg422h.htm#qux
10882. jarg422h.htm#%3d%20Q%20%3d
10883. jarg422h.htm#space-cadet%20keyboard
10884. jarg422h.htm#fossil
10885. jarg422h.htm#demo
10886. <http://www.reasonmag.com/9606/Fe.QWERTY.html>
10887. jarg422h.htm#%3d%20S%20%3d
10888. jarg422h.htm#%3d%20Q%20%3d
10889. jarg422h.htm#The%20Jargon%20Lexicon
10890. jarg422h.htm#rabbit%20job
10891. jarg422h.htm#rain%20dance
10892. jarg422h.htm#rainbow%20series
10893. jarg422h.htm#random
10894. jarg422h.htm#Random%20Number%20God
10895. jarg422h.htm#random%20numbers
10896. jarg422h.htm#randomness
10897. jarg422h.htm#rape
10898. jarg422h.htm#rare%20mode
10899. jarg422h.htm#raster%20blaster
10900. jarg422h.htm#raster%20burn
10901. jarg422h.htm#rasterbation
10902. jarg422h.htm#rat%20belt
10903. jarg422h.htm#rat%20dance
10904. jarg422h.htm#ratio%20site
10905. jarg422h.htm#rave
10906. jarg422h.htm#rave%20on!
10907. jarg422h.htm#ravs
10908. jarg422h.htm#raw%20mode
10909. jarg422h.htm#RBL
10910. jarg422h.htm#rc%20file
10911. jarg422h.htm#RE
10912. jarg422h.htm#read-only%20user
10913. jarg422h.htm#README%20file
10914. jarg422h.htm#real
10915. jarg422h.htm#real%20estate
10916. jarg422h.htm#real%20hack
10917. jarg422h.htm#real%20operating%20system
10918. jarg422h.htm#Real%20Programmer
10919. jarg422h.htm#Real%20Soon%20Now
10920. jarg422h.htm#real%20time
10921. jarg422h.htm#real%20user

10922. jarg422h.htm#Real%20World
10923. jarg422h.htm#reality%20check
10924. jarg422h.htm#reality-distortion%20field
10925. jarg422h.htm#reaper
10926. jarg422h.htm#recompile%20the%20world
10927. jarg422h.htm#rectangle%20slinger
10928. jarg422h.htm#recursion
10929. jarg422h.htm#recursive%20acronym
10930. jarg422h.htm#Red%20Book
10931. jarg422h.htm#red%20wire
10932. jarg422h.htm#regexp
10933. jarg422h.htm#register%20dancing
10934. jarg422h.htm#rehi
10935. jarg422h.htm#reincarnation%20cycle%20of
10936. jarg422h.htm#reinvent%20the%20wheel
10937. jarg422h.htm#relay%20rape
10938. jarg422h.htm#religion%20of%20CHI
10939. jarg422h.htm#religious%20issues
10940. jarg422h.htm#replicator
10941. jarg422h.htm#reply
10942. jarg422h.htm#restriction
10943. jarg422h.htm#retcon
10944. jarg422h.htm#RETI
10945. jarg422h.htm#retrocomputing
10946. jarg422h.htm#return%20from%20the%20dead
10947. jarg422h.htm#RFC
10948. jarg422h.htm#RFE
10949. jarg422h.htm#rib%20site
10950. jarg422h.htm#rice%20box
10951. jarg422h.htm#Right%20Thing
10952. jarg422h.htm#rip
10953. jarg422h.htm#ripcoff
10954. jarg422h.htm#RL
10955. jarg422h.htm#roach
10956. jarg422h.htm#robocanceller
10957. jarg422h.htm#robot
10958. jarg422h.htm#robust
10959. jarg422h.htm#rococo
10960. jarg422h.htm#rogue
10961. jarg422h.htm#room-temperature%20IQ
10962. jarg422h.htm#root
10963. jarg422h.htm#root%20mode
10964. jarg422h.htm#rot13
10965. jarg422h.htm#rotary%20debugger
10966. jarg422h.htm#round%20tape
10967. jarg422h.htm#RSN
10968. jarg422h.htm#RTBM
10969. jarg422h.htm#RTFAQ
10970. jarg422h.htm#RTFB
10971. jarg422h.htm#RTFM
10972. jarg422h.htm#RTFS
10973. jarg422h.htm#RTI
10974. jarg422h.htm#RTM

10975. jarg422h.htm#RTS
10976. jarg422h.htm#rude
10977. jarg422h.htm#runes
10978. jarg422h.htm#runic
10979. jarg422h.htm#rusty%20iron
10980. jarg422h.htm#rusty%20memory
10981. jarg422h.htm#rusty%20wire
10982. jarg422h.htm#rain%20dance
10983. jarg422h.htm#QWERTY
10984. jarg422h.htm#%3d%20R%20%3d
10985. jarg422h.htm#wabbit
10986. jarg422h.htm#fork%20bomb
10987. jarg422h.htm#rainbow%20series
10988. jarg422h.htm#rabbit%20job
10989. jarg422h.htm#%3d%20R%20%3d
10990. jarg422h.htm#incantation
10991. jarg422h.htm#magic
10992. jarg422h.htm#voodoo%20programming
10993. jarg422h.htm#black%20art
10994. jarg422h.htm#cargo%20cult%20programming
10995. jarg422h.htm#wave%20a%20dead%20chicken
10996. jarg422h.htm#casting%20the%20runes
10997. jarg422h.htm#random
10998. jarg422h.htm#rain%20dance
10999. jarg422h.htm#%3d%20R%20%3d
11000. jarg422h.htm#Orange%20Book
11001. jarg422h.htm#crayola%20books
11002. jarg422h.htm#Red%20Book
11003. jarg422h.htm#Green%20Book
11004. jarg422h.htm#Blue%20Book
11005. jarg422h.htm#White%20Book
11006. jarg422h.htm#Random%20Number%20God
11007. jarg422h.htm#rainbow%20series
11008. jarg422h.htm#%3d%20R%20%3d
11009. jarg422h.htm#randomness
11010. jarg422h.htm#J.%20Random
11011. jarg422h.htm#some%20random%20X
11012. jarg422h.htm#random%20numbers
11013. jarg422h.htm#random
11014. jarg422h.htm#%3d%20R%20%3d
11015. jarg422h.htm#Angband
11016. jarg422h.htm#Shub-Internet
11017. jarg422h.htm#randomness
11018. jarg422h.htm#Random%20Number%20God
11019. jarg422h.htm#%3d%20R%20%3d
11020. jarg422h.htm#N
11021. jarg422h.htm#The%20Hitchhiker's%20Guide%20to%20the%20Galaxy
11022. jarg422h.htm#Discordianism
11023. jarg422h.htm#for%20values%20of
11024. jarg422h.htm#rape
11025. jarg422h.htm#random%20numbers
11026. jarg422h.htm#%3d%20R%20%3d
11027. jarg422h.htm#hack

11028. jarg422h.htm#crock
11029. http://www.fourmilab.ch/hotbits/
11030. http://lavarand.sgi.com/
11031. jarg422h.htm#rare%20mode
11032. jarg422h.htm#randomness
11033. jarg422h.htm#%3d%20R%20%3d
11034. jarg422h.htm#screw
11035. jarg422h.htm#raster%20blaster
11036. jarg422h.htm#rape
11037. jarg422h.htm#%3d%20R%20%3d
11038. jarg422h.htm#raw%20mode
11039. jarg422h.htm#cooked%20mode
11040. jarg422h.htm#raster%20burn
11041. jarg422h.htm#rare%20mode
11042. jarg422h.htm#%3d%20R%20%3d
11043. jarg422h.htm#bitblt
11044. jarg422h.htm#blitter
11045. jarg422h.htm#rasterbation
11046. jarg422h.htm#raster%20blaster
11047. jarg422h.htm#%3d%20R%20%3d
11048. jarg422h.htm#terminal%20illness
11049. jarg422h.htm#rat%20belt
11050. jarg422h.htm#raster%20burn
11051. jarg422h.htm#%3d%20R%20%3d
11052. jarg422h.htm#rat%20dance
11053. jarg422h.htm#rasterbation
11054. jarg422h.htm#%3d%20R%20%3d
11055. jarg422h.htm#ratio%20site
11056. jarg422h.htm#rat%20belt
11057. jarg422h.htm#%3d%20R%20%3d
11058. jarg422h.htm#Dilbert
11059. jarg422h.htm#hacking%20run
11060. jarg422h.htm#random
11061. jarg422h.htm#Infinite-Monkey%20Theorem
11062. jarg422h.htm#rave
11063. jarg422h.htm#rat%20dance
11064. jarg422h.htm#%3d%20R%20%3d
11065. jarg422h.htm#banner%20site
11066. jarg422h.htm#leech%20mode
11067. jarg422h.htm#rave%20on!
11068. jarg422h.htm#ratio%20site
11069. jarg422h.htm#%3d%20R%20%3d
11070. jarg422h.htm#flame
11071. jarg422h.htm#flame
11072. jarg422h.htm#flame
11073. jarg422h.htm#ravs
11074. jarg422h.htm#rave
11075. jarg422h.htm#%3d%20R%20%3d
11076. jarg422h.htm#rave
11077. jarg422h.htm#raw%20mode
11078. jarg422h.htm#rave%20on!
11079. jarg422h.htm#%3d%20R%20%3d
11080. jarg422h.htm#oriental%20food

11081. jarg422h.htm#RBL
11082. jarg422h.htm#ravs
11083. jarg422h.htm#%3d%20R%20%3d
11084. jarg422h.htm#bogus
11085. jarg422h.htm#rare%20mode
11086. jarg422h.htm#cooked%20mode
11087. jarg422h.htm#rc%20file
11088. jarg422h.htm#raw%20mode
11089. jarg422h.htm#%3d%20R%20%3d
11090. jarg422h.htm#spam
11091. http://maps.vix.com/rbl/usage.html
11092. jarg422h.htm#RE
11093. jarg422h.htm#RBL
11094. jarg422h.htm#%3d%20R%20%3d
11095. jarg422h.htm#CTSS
11096. jarg422h.htm#dot%20file
11097. jarg422h.htm#profile
11098. jarg422h.htm#read-only%20user
11099. jarg422h.htm#rc%20file
11100. jarg422h.htm#%3d%20R%20%3d
11101. jarg422h.htm#regexp
11102. jarg422h.htm#README%20file
11103. jarg422h.htm#RE
11104. jarg422h.htm#%3d%20R%20%3d
11105. jarg422h.htm#luser
11106. jarg422h.htm#twink
11107. jarg422h.htm#terminal%20junkie
11108. jarg422h.htm#lurker
11109. jarg422h.htm#real
11110. jarg422h.htm#read-only%20user
11111. jarg422h.htm#%3d%20R%20%3d
11112. jarg422h.htm#real%20estate
11113. jarg422h.htm#README%20file
11114. jarg422h.htm#%3d%20R%20%3d
11115. jarg422h.htm#virtual
11116. jarg422h.htm#real%20hack
11117. jarg422h.htm#real
11118. jarg422h.htm#%3d%20R%20%3d
11119. jarg422h.htm#nanoacre
11120. jarg422h.htm#dinosaur%20pen
11121. jarg422h.htm#real%20operating%20system
11122. jarg422h.htm#real%20estate
11123. jarg422h.htm#%3d%20R%20%3d
11124. jarg422h.htm#crock
11125. jarg422h.htm#hack
11126. jarg422h.htm#Real%20Programmer
11127. jarg422h.htm#real%20hack
11128. jarg422h.htm#%3d%20R%20%3d
11129. jarg422h.htm#MS-DOS
11130. jarg422h.htm#holy%20wars
11131. jarg422h.htm#religious%20issues
11132. jarg422h.htm#proprietary
11133. jarg422h.htm#Get%20a%20real%20computer!

11134. jarg422h.htm#Real%20Soon%20Now
11135. jarg422h.htm#real%20operating%20system
11136. jarg422h.htm#%3d%20R%20%3d
11137. jarg422h.htm#bare%20metal
11138. jarg422h.htm#bum
11139. jarg422h.htm#tense
11140. jarg422h.htm#Good%20Thing
11141. jarg422h.htm#The%20Story%20of%20Mel
11142. http://www.datamation.com/
11143. jarg422h.htm#real%20time
11144. jarg422h.htm#Real%20Programmer
11145. jarg422h.htm#%3d%20R%20%3d
11146. jarg422h.htm#copious%20free%20time
11147. jarg422h.htm#real%20user
11148. jarg422h.htm#Real%20Soon%20Now
11149. jarg422h.htm#%3d%20R%20%3d
11150. jarg422h.htm#canonical
11151. jarg422h.htm#Real%20World
11152. jarg422h.htm#real%20time
11153. jarg422h.htm#%3d%20R%20%3d
11154. jarg422h.htm#user
11155. jarg422h.htm#luser
11156. jarg422h.htm#reality%20check
11157. jarg422h.htm#real%20user
11158. jarg422h.htm#%3d%20R%20%3d
11159. jarg422h.htm#COBOL
11160. jarg422h.htm#IBM
11161. jarg422h.htm#code%20grinder
11162. jarg422h.htm#fear%20and%20loathing
11163. jarg422h.htm#mundane
11164. jarg422h.htm#uninteresting
11165. jarg422h.htm#reality-distortion%20field
11166. jarg422h.htm#Real%20World
11167. jarg422h.htm#%3d%20R%20%3d
11168. jarg422h.htm#smoke%20test
11169. jarg422h.htm#real%20user
11170. jarg422h.htm#sanity%20check
11171. jarg422h.htm#reaper
11172. jarg422h.htm#reality%20check
11173. jarg422h.htm#%3d%20R%20%3d
11174. jarg422h.htm#recompile%20the%20world
11175. jarg422h.htm#reality-distortion%20field
11176. jarg422h.htm#%3d%20R%20%3d
11177. jarg422h.htm#prowler
11178. jarg422h.htm#GFR
11179. jarg422h.htm#rectangle%20slinger
11180. jarg422h.htm#reaper
11181. jarg422h.htm#%3d%20R%20%3d
11182. jarg422h.htm#recursion
11183. jarg422h.htm#recompile%20the%20world
11184. jarg422h.htm#%3d%20R%20%3d
11185. jarg422h.htm#polygon%20pusher
11186. jarg422h.htm#recursive%20acronym

11187. jarg422h.htm#rectangle%20slinger
11188. jarg422h.htm#%3d%20R%20%3d
11189. jarg422h.htm#recursion
11190. jarg422h.htm#tail%20recursion
11191. jarg422h.htm#Red%20Book
11192. jarg422h.htm#recursion
11193. jarg422h.htm#%3d%20R%20%3d
11194. jarg422h.htm#GNU
11195. jarg422h.htm#backronym
11196. jarg422h.htm#mung
11197. jarg422h.htm#EMACS
11198. jarg422h.htm#red%20wire
11199. jarg422h.htm#recursive%20acronym
11200. jarg422h.htm#%3d%20R%20%3d
11201. jarg422h.htm#PostScript
11202. jarg422h.htm#Green%20Book
11203. jarg422h.htm#Blue%20Book
11204. jarg422h.htm#White%20Book
11205. jarg422h.htm#Green%20Book
11206. jarg422h.htm#Orange%20Book
11207. jarg422h.htm#book%20titles
11208. jarg422h.htm#regex
11209. jarg422h.htm#Red%20Book
11210. jarg422h.htm#%3d%20R%20%3d
11211. jarg422h.htm#softy
11212. jarg422h.htm#blue%20wire
11213. jarg422h.htm#yellow%20wire
11214. jarg422h.htm#purple%20wire
11215. jarg422h.htm#register%20dancing
11216. jarg422h.htm#red%20wire
11217. jarg422h.htm#%3d%20R%20%3d
11218. jarg422h.htm#glob
11219. mailto:<henry@zoo.toronto.edu>
11220. jarg422h.htm#rehi
11221. jarg422h.htm#regex
11222. jarg422h.htm#%3d%20R%20%3d
11223. jarg422h.htm#reincarnation%20cycle%20of
11224. jarg422h.htm#register%20dancing
11225. jarg422h.htm#%3d%20R%20%3d
11226. jarg422h.htm#channel%20hopping
11227. jarg422h.htm#reinvent%20the%20wheel
11228. jarg422h.htm#rehi
11229. jarg422h.htm#%3d%20R%20%3d
11230. jarg422h.htm#cycle%20of%20reincarnation
11231. jarg422h.htm#relay%20rape
11232. jarg422h.htm#reincarnation%20cycle%20of
11233. jarg422h.htm#%3d%20R%20%3d
11234. jarg422h.htm#religion%20of%20CHI
11235. jarg422h.htm#reinvent%20the%20wheel
11236. jarg422h.htm#%3d%20R%20%3d
11237. jarg422h.htm#spam
11238. jarg422h.htm#religious%20issues
11239. jarg422h.htm#relay%20rape

11240. jarg422h.htm#%3d%20R%20%3d
11241. jarg422h.htm#Church%20of%20the%20SubGenius
11242. jarg422h.htm#Discordianism
11243. jarg422h.htm#considered%20harmful
11244. jarg422h.htm#replicator
11245. jarg422h.htm#religion%20of%20CHI
11246. jarg422h.htm#%3d%20R%20%3d
11247. jarg422h.htm#holy%20wars
11248. jarg422h.htm#holy%20wars
11249. jarg422h.htm#theology
11250. jarg422h.htm#bigot
11251. jarg422h.htm#ha%20ha%20only%20serious
11252. jarg422h.htm#Get%20a%20life!
11253. jarg422h.htm#reply
11254. jarg422h.htm#religious%20issues
11255. jarg422h.htm#%3d%20R%20%3d
11256. jarg422h.htm#meme
11257. jarg422h.htm#quine
11258. jarg422h.htm#worm
11259. jarg422h.htm#wabbit
11260. jarg422h.htm#fork%20bomb
11261. jarg422h.htm#virus
11262. jarg422h.htm#life
11263. jarg422h.htm#nanobot
11264. jarg422h.htm#Unix
11265. jarg422h.htm#C
11266. jarg422h.htm#Unix%20conspiracy
11267. jarg422h.htm#restriction
11268. jarg422h.htm#replicator
11269. jarg422h.htm#%3d%20R%20%3d
11270. jarg422h.htm#followup
11271. jarg422h.htm#retcon
11272. jarg422h.htm#reply
11273. jarg422h.htm#%3d%20R%20%3d
11274. jarg422h.htm#bug
11275. jarg422h.htm#feature
11276. jarg422h.htm#marketroid
11277. jarg422h.htm#flamage
11278. jarg422h.htm#RETI
11279. jarg422h.htm#restriction
11280. jarg422h.htm#%3d%20R%20%3d
11281. jarg422h.htm#retrocomputing
11282. jarg422h.htm#retcon
11283. jarg422h.htm#%3d%20R%20%3d
11284. jarg422h.htm#RTI
11285. jarg422h.htm#return%20from%20the%20dead
11286. jarg422h.htm#RETI
11287. jarg422h.htm#%3d%20R%20%3d
11288. jarg422h.htm#hack%20value
11289. jarg422h.htm#punched%20card
11290. jarg422h.htm#INTERCAL
11291. jarg422h.htm#JCL
11292. jarg422h.htm#Zork

11293. <http://www.ccil.org/retro>
11294. [jarg422h.htm#RFC](#)
11295. [jarg422h.htm#retrocomputing](#)
11296. [jarg422h.htm#%3d%20R%20%3d](#)
11297. [jarg422h.htm#person%20of%20no%20account](#)
11298. [jarg422h.htm#RFE](#)
11299. [jarg422h.htm#return%20from%20the%20dead](#)
11300. [jarg422h.htm#%3d%20R%20%3d](#)
11301. [jarg422h.htm#rib%20site](#)
11302. [jarg422h.htm#RFC](#)
11303. [jarg422h.htm#%3d%20R%20%3d](#)
11304. [jarg422h.htm#RFC](#)
11305. [jarg422h.htm#rice%20box](#)
11306. [jarg422h.htm#RFE](#)
11307. [jarg422h.htm#%3d%20R%20%3d](#)
11308. [jarg422h.htm#backbone%20site](#)
11309. [jarg422h.htm#backbone%20site](#)
11310. [jarg422h.htm#leaf%20site](#)
11311. [jarg422h.htm#backbone%20site](#)
11312. [jarg422h.htm#Right%20Thing](#)
11313. [jarg422h.htm#rib%20site](#)
11314. [jarg422h.htm#%3d%20R%20%3d](#)
11315. [jarg422h.htm#rip](#)
11316. [jarg422h.htm#rice%20box](#)
11317. [jarg422h.htm#%3d%20R%20%3d](#)
11318. [jarg422h.htm#Wrong%20Thing](#)
11319. [jarg422h.htm#ripoff](#)
11320. [jarg422h.htm#Right%20Thing](#)
11321. [jarg422h.htm#%3d%20R%20%3d](#)
11322. [jarg422h.htm#RL](#)
11323. [jarg422h.htm#rip](#)
11324. [jarg422h.htm#%3d%20R%20%3d](#)
11325. [jarg422h.htm#chad](#)
11326. [jarg422h.htm#roach](#)
11327. [jarg422h.htm#ripoff](#)
11328. [jarg422h.htm#%3d%20R%20%3d](#)
11329. [jarg422h.htm#meatspace](#)
11330. [jarg422h.htm#VR](#)
11331. [jarg422h.htm#robocanceller](#)
11332. [jarg422h.htm#RL](#)
11333. [jarg422h.htm#%3d%20R%20%3d](#)
11334. [jarg422h.htm#toast](#)
11335. [jarg422h.htm#fried](#)
11336. [jarg422h.htm#robot](#)
11337. [jarg422h.htm#roach](#)
11338. [jarg422h.htm#%3d%20R%20%3d](#)
11339. [jarg422h.htm#spam](#)
11340. [jarg422h.htm#Breibart%20Index](#)
11341. [jarg422h.htm#ARMM](#)
11342. [jarg422h.htm#Dave%20the%20Resurrector](#)
11343. [jarg422h.htm#robust](#)
11344. [jarg422h.htm#robocanceller](#)
11345. [jarg422h.htm#%3d%20R%20%3d](#)

11346. jarg422h.htm#bot
11347. jarg422h.htm#rococo
11348. jarg422h.htm#robot
11349. jarg422h.htm#%3d%20R%20%3d
11350. jarg422h.htm#bulletproof
11351. jarg422h.htm#smart
11352. jarg422h.htm#brittle
11353. jarg422h.htm#rogue
11354. jarg422h.htm#robust
11355. jarg422h.htm#%3d%20R%20%3d
11356. jarg422h.htm#baroque
11357. jarg422h.htm#critical%20mass
11358. jarg422h.htm#room-temperature%20IQ
11359. jarg422h.htm#rococo
11360. jarg422h.htm#%3d%20R%20%3d
11361. jarg422h.htm#nethack
11362. jarg422h.htm#ISP
11363. jarg422h.htm#spam
11364. jarg422h.htm#IDP
11365. jarg422h.htm#UDP
11366. jarg422h.htm#nethack
11367. jarg422h.htm#moria
11368. jarg422h.htm#Angband
11369. jarg422h.htm#root
11370. jarg422h.htm#rogue
11371. jarg422h.htm#%3d%20R%20%3d
11372. jarg422h.htm#luser
11373. jarg422h.htm#drool-proof%20paper
11374. jarg422h.htm#root%20mode
11375. jarg422h.htm#room-temperature%20IQ
11376. jarg422h.htm#%3d%20R%20%3d
11377. jarg422h.htm#superuser
11378. jarg422h.htm#avatar
11379. jarg422h.htm#root%20mode
11380. jarg422h.htm#go%20root
11381. jarg422h.htm#wheel
11382. jarg422h.htm#rot13
11383. jarg422h.htm#root
11384. jarg422h.htm#%3d%20R%20%3d
11385. jarg422h.htm#wizard%20mode
11386. jarg422h.htm#rotary%20debugger
11387. jarg422h.htm#root%20mode
11388. jarg422h.htm#%3d%20R%20%3d
11389. jarg422h.htm#spoiler
11390. jarg422h.htm#spoiler%20space
11391. jarg422h.htm#round%20tape
11392. jarg422h.htm#rot13
11393. jarg422h.htm#%3d%20R%20%3d
11394. jarg422h.htm#ANSI%20standard%20pizza
11395. jarg422h.htm#RSN
11396. jarg422h.htm#rotary%20debugger
11397. jarg422h.htm#%3d%20R%20%3d
11398. jarg422h.htm#macrotape

11399. jarg422h.htm#square%20tape
11400. jarg422h.htm#RTBM
11401. jarg422h.htm#round%20tape
11402. jarg422h.htm#%3d%20R%20%3d
11403. jarg422h.htm#Real%20Soon%20Now
11404. jarg422h.htm#RTFAQ
11405. jarg422h.htm#RSN
11406. jarg422h.htm#%3d%20R%20%3d
11407. jarg422h.htm#RTFM
11408. jarg422h.htm#newbie
11409. jarg422h.htm#RTFB
11410. jarg422h.htm#RTBM
11411. jarg422h.htm#%3d%20R%20%3d
11412. jarg422h.htm#RTFM
11413. jarg422h.htm#FAQ%20list
11414. jarg422h.htm#RTFM
11415. jarg422h.htm#RTFAQ
11416. jarg422h.htm#%3d%20R%20%3d
11417. jarg422h.htm#RTFS
11418. jarg422h.htm#RTFB
11419. jarg422h.htm#%3d%20R%20%3d
11420. jarg422h.htm#guru
11421. jarg422h.htm#Don't%20do%20that%20then!
11422. jarg422h.htm#randomness
11423. jarg422h.htm#FM
11424. jarg422h.htm#RTFAQ
11425. jarg422h.htm#RTFB
11426. jarg422h.htm#RTFS
11427. jarg422h.htm#STFW
11428. jarg422h.htm#RTM
11429. jarg422h.htm#UTSL
11430. jarg422h.htm#RTI
11431. jarg422h.htm#RTFM
11432. jarg422h.htm#%3d%20R%20%3d
11433. jarg422h.htm#RTFM
11434. jarg422h.htm#RTFB
11435. jarg422h.htm#legalese
11436. jarg422h.htm#Right%20Thing
11437. jarg422h.htm#Real%20World
11438. jarg422h.htm#RTM
11439. jarg422h.htm#RTFS
11440. jarg422h.htm#%3d%20R%20%3d
11441. jarg422h.htm#pop
11442. jarg422h.htm#POPJ
11443. jarg422h.htm#RTS
11444. jarg422h.htm#RTI
11445. jarg422h.htm#%3d%20R%20%3d
11446. jarg422h.htm#RTFM
11447. jarg422h.htm#Great%20Worm
11448. jarg422h.htm#RTFM
11449. jarg422h.htm#rude
11450. jarg422h.htm#RTM
11451. jarg422h.htm#%3d%20R%20%3d

11452. jarg422h.htm#suit
11453. jarg422h.htm#runes
11454. jarg422h.htm#RTS
11455. jarg422h.htm#%3d%20R%20%3d
11456. jarg422h.htm#cuspy
11457. jarg422h.htm#all-elbows
11458. jarg422h.htm#runic
11459. jarg422h.htm#rude
11460. jarg422h.htm#%3d%20R%20%3d
11461. jarg422h.htm#heavy%20wizardry
11462. jarg422h.htm#black%20art
11463. jarg422h.htm#parse
11464. jarg422h.htm#line%20noise
11465. jarg422h.htm#casting%20the%20runes
11466. jarg422h.htm#Great%20Runes
11467. jarg422h.htm#rusty%20iron
11468. jarg422h.htm#runes
11469. jarg422h.htm#%3d%20R%20%3d
11470. jarg422h.htm#obscure
11471. jarg422h.htm#rusty%20memory
11472. jarg422h.htm#runic
11473. jarg422h.htm#%3d%20R%20%3d
11474. jarg422h.htm#tired%20iron
11475. jarg422h.htm#water%20MIPS
11476. jarg422h.htm#rusty%20wire
11477. jarg422h.htm#rusty%20iron
11478. jarg422h.htm#%3d%20R%20%3d
11479. jarg422h.htm#washing%20machine
11480. jarg422h.htm#donuts
11481. jarg422h.htm#S%2fN%20ratio
11482. jarg422h.htm#rusty%20memory
11483. jarg422h.htm#%3d%20R%20%3d
11484. jarg422h.htm#%3d%20T%20%3d
11485. jarg422h.htm#%3d%20R%20%3d
11486. jarg422h.htm#The%20Jargon%20Lexicon
11487. jarg422h.htm#S%2fN%20ratio
11488. jarg422h.htm#sacred
11489. jarg422h.htm#saga
11490. jarg422h.htm#sagan
11491. jarg422h.htm#SAIL
11492. jarg422h.htm#salescritter
11493. jarg422h.htm#salt
11494. jarg422h.htm#salt%20mines
11495. jarg422h.htm#salt%20substrate
11496. jarg422h.htm#same-day%20service
11497. jarg422h.htm#samizdat
11498. jarg422h.htm#samurai
11499. jarg422h.htm#sandbender
11500. jarg422h.htm#sandbox
11501. jarg422h.htm#sanity%20check
11502. jarg422h.htm#Saturday-night%20special
11503. jarg422h.htm#say
11504. jarg422h.htm#scag

11505. jarg422h.htm#scanno
11506. jarg422h.htm#scary%20devil%20monastery
11507. jarg422h.htm#schroedinbug
11508. jarg422h.htm#science-fiction%20fandom
11509. jarg422h.htm#scram%20switch
11510. jarg422h.htm#scratch
11511. jarg422h.htm#scratch%20monkey
11512. jarg422h.htm#scream%20and%20die
11513. jarg422h.htm#screaming%20tty
11514. jarg422h.htm#screen
11515. jarg422h.htm#screen%20name
11516. jarg422h.htm#screw
11517. jarg422h.htm#screwage
11518. jarg422h.htm#scribble
11519. jarg422h.htm#script%20kiddies
11520. jarg422h.htm#scrog
11521. jarg422h.htm#scrool
11522. jarg422h.htm#scrozzle
11523. jarg422h.htm#scruffies
11524. jarg422h.htm#SCSI
11525. jarg422h.htm#ScumOS
11526. jarg422h.htm#search-and-destroy%20mode
11527. jarg422h.htm#second-system%20effect
11528. jarg422h.htm#secondary%20damage
11529. jarg422h.htm#security%20through%20obscurity
11530. jarg422h.htm#SED
11531. jarg422h.htm#segfault
11532. jarg422h.htm#seggie
11533. jarg422h.htm#segment
11534. jarg422h.htm#segmentation%20fault
11535. jarg422h.htm#segv
11536. jarg422h.htm#self-reference
11537. jarg422h.htm#selvage
11538. jarg422h.htm#semi
11539. jarg422h.htm#semi-automated
11540. jarg422h.htm#semi-infinite
11541. jarg422h.htm#senior%20bit
11542. jarg422h.htm#September%20that%20never%20ended
11543. jarg422h.htm#server
11544. jarg422h.htm#SEX
11545. jarg422h.htm#sex%20changer
11546. jarg422h.htm#shambolic%20link
11547. jarg422h.htm#shar%20file
11548. jarg422h.htm#sharchive
11549. jarg422h.htm#Share%20and%20enjoy!
11550. jarg422h.htm#shareware
11551. jarg422h.htm#sharing%20violation
11552. jarg422h.htm#shebang
11553. jarg422h.htm#shelfware
11554. jarg422h.htm#shell
11555. jarg422h.htm#shell%20out
11556. jarg422h.htm#shift%20left%20(or%20right)%20logical
11557. jarg422h.htm#shim

11558. jarg422h.htm#shitogram
11559. jarg422h.htm#short%20card
11560. jarg422h.htm#shotgun%20debugging
11561. jarg422h.htm#shovelware
11562. jarg422h.htm#showstopper
11563. jarg422h.htm#shriek
11564. jarg422h.htm#Shub-Internet
11565. jarg422h.htm#sidecar
11566. jarg422h.htm#SIG
11567. jarg422h.htm#sig%20block
11568. jarg422h.htm#sig%20quote
11569. jarg422h.htm#sig%20virus
11570. jarg422h.htm#signal-to-noise%20ratio
11571. jarg422h.htm#silicon
11572. jarg422h.htm#silly%20walk
11573. jarg422h.htm#silo
11574. jarg422h.htm#Silver%20Book
11575. jarg422h.htm#since%20time%20T%20equals%20minus%20infinity
11576. jarg422h.htm#sitename
11577. jarg422h.htm#skrog
11578. jarg422h.htm#skulker
11579. jarg422h.htm#slab
11580. jarg422h.htm#slack
11581. jarg422h.htm#slap%20on%20the%20side
11582. jarg422h.htm#slash
11583. jarg422h.htm#slashdot%20effect
11584. jarg422h.htm#sleep
11585. jarg422h.htm#slim
11586. jarg422h.htm#slop
11587. jarg422h.htm#slopsucker
11588. jarg422h.htm#Slowlaris
11589. jarg422h.htm#slurp
11590. jarg422h.htm#smart
11591. jarg422h.htm#smart%20terminal
11592. jarg422h.htm#smash%20case
11593. jarg422h.htm#smash%20the%20stack
11594. jarg422h.htm#smiley
11595. jarg422h.htm#smoke
11596. jarg422h.htm#smoke%20and%20mirrors
11597. jarg422h.htm#smoke%20test
11598. jarg422h.htm#smoking%20clover
11599. jarg422h.htm#smoot
11600. jarg422h.htm#SMOP
11601. jarg422h.htm#smurf
11602. jarg422h.htm#SNAFU%20principle
11603. jarg422h.htm#snail
11604. jarg422h.htm#snail-mail
11605. jarg422h.htm#snap
11606. jarg422h.htm#snarf
11607. jarg422h.htm#snarf%20&%20barf
11608. jarg422h.htm#snarf%20down
11609. jarg422h.htm#snark
11610. jarg422h.htm#sneaker

11611. jarg422h.htm#sneakernet
11612. jarg422h.htm#sniff
11613. jarg422h.htm#snivitz
11614. jarg422h.htm#Snooze
11615. jarg422h.htm#SO
11616. jarg422h.htm#social%20engineering
11617. jarg422h.htm#social%20science%20number
11618. jarg422h.htm#sock%20puppet
11619. jarg422h.htm#sodium%20substrate
11620. jarg422h.htm#soft%20boot
11621. jarg422h.htm#softcopy
11622. jarg422h.htm#software%20bloat
11623. jarg422h.htm#software%20hoarding
11624. jarg422h.htm#software%20laser
11625. jarg422h.htm#software%20rot
11626. jarg422h.htm#softwarily
11627. jarg422h.htm#softy
11628. jarg422h.htm#some%20random%20X
11629. jarg422h.htm#sorcerer's%20apprentice%20mode
11630. jarg422h.htm#SOS
11631. jarg422h.htm#source
11632. jarg422h.htm#source%20of%20all%20good%20bits
11633. jarg422h.htm#space-cadet%20keyboard
11634. jarg422h.htm#spaceship%20operator
11635. jarg422h.htm#SPACEWAR
11636. jarg422h.htm#spaghetti%20code
11637. jarg422h.htm#spaghetti%20inheritance
11638. jarg422h.htm#spam
11639. jarg422h.htm#spam%20bait
11640. jarg422h.htm#spamblock
11641. jarg422h.htm#spamhaus
11642. jarg422h.htm#spamvertize
11643. jarg422h.htm#spangle
11644. jarg422h.htm#spawn
11645. jarg422h.htm#special-case
11646. jarg422h.htm#speedometer
11647. jarg422h.htm#spell
11648. jarg422h.htm#spelling%20flame
11649. jarg422h.htm#spider
11650. jarg422h.htm#spider%20food
11651. jarg422h.htm#spiffy
11652. jarg422h.htm#spike
11653. jarg422h.htm#spin
11654. jarg422h.htm#spl
11655. jarg422h.htm#splash%20screen
11656. jarg422h.htm#splat
11657. jarg422h.htm#splat%20out
11658. jarg422h.htm#spod
11659. jarg422h.htm#spoiler
11660. jarg422h.htm#spoiler%20space
11661. jarg422h.htm#sponge
11662. jarg422h.htm#spooof
11663. jarg422h.htm#spool

11664. jarg422h.htm#spool%20file
11665. jarg422h.htm#spungle
11666. jarg422h.htm#square%20tape
11667. jarg422h.htm#squirrelcide
11668. jarg422h.htm#stack
11669. jarg422h.htm#stack%20puke
11670. jarg422h.htm#stale%20pointer%20bug
11671. jarg422h.htm#star%20out
11672. jarg422h.htm#state
11673. jarg422h.htm#stealth%20manager
11674. jarg422h.htm#steam-powered
11675. jarg422h.htm#STFW
11676. jarg422h.htm#stiffy
11677. jarg422h.htm#stir-fried%20random
11678. jarg422h.htm#stomp%20on
11679. jarg422h.htm#Stone%20Age
11680. jarg422h.htm#stone%20knives%20and%20bearskins
11681. jarg422h.htm#stoppage
11682. jarg422h.htm#store
11683. jarg422h.htm#strided
11684. jarg422h.htm#stroke
11685. jarg422h.htm#strudel
11686. jarg422h.htm#stubroutine
11687. jarg422h.htm#studly
11688. jarg422h.htm#studlycaps
11689. jarg422h.htm#stunning
11690. jarg422h.htm#stupid-sort
11691. jarg422h.htm#Stupids
11692. jarg422h.htm#Sturgeon's%20Law
11693. jarg422h.htm#sucking%20mud
11694. jarg422h.htm#sufficiently%20small
11695. jarg422h.htm#suit
11696. jarg422h.htm#suitable%20win
11697. jarg422h.htm#suitably%20small
11698. jarg422h.htm#Sun
11699. jarg422h.htm#sun%20lounge
11700. jarg422h.htm#sun-stools
11701. jarg422h.htm#sunspots
11702. jarg422h.htm#super%20source%20quench
11703. jarg422h.htm#superloser
11704. jarg422h.htm#superprogrammer
11705. jarg422h.htm#superuser
11706. jarg422h.htm#support
11707. jarg422h.htm#surf
11708. jarg422h.htm#Suzie%20COBOL
11709. jarg422h.htm#swab
11710. jarg422h.htm#swap
11711. jarg422h.htm#swap%20space
11712. jarg422h.htm#swapped%20in
11713. jarg422h.htm#swapped%20out
11714. jarg422h.htm#swizzle
11715. jarg422h.htm#sync
11716. jarg422h.htm#syntactic%20salt

11717. jarg422h.htm#syntactic%20sugar
11718. jarg422h.htm#sys-frog
11719. jarg422h.htm#sysadmin
11720. jarg422h.htm#sysape
11721. jarg422h.htm#sysop
11722. jarg422h.htm#system
11723. jarg422h.htm#systems%20jock
11724. jarg422h.htm#system%20mangler
11725. jarg422h.htm#SysVile
11726. jarg422h.htm#sacred
11727. jarg422h.htm#rusty%20wire
11728. jarg422h.htm#%3d%20S%20%3d
11729. jarg422h.htm#signal-to-noise%20ratio
11730. jarg422h.htm#saga
11731. jarg422h.htm#S%2fN%20ratio
11732. jarg422h.htm#%3d%20S%20%3d
11733. jarg422h.htm#sagan
11734. jarg422h.htm#sacred
11735. jarg422h.htm#%3d%20S%20%3d
11736. jarg422h.htm#gabriel
11737. jarg422h.htm#logical
11738. jarg422h.htm#El%20Camino%20Bignum
11739. jarg422h.htm#meme
11740. jarg422h.htm#SAIL
11741. jarg422h.htm#saga
11742. jarg422h.htm#%3d%20S%20%3d
11743. jarg422h.htm#salescritter
11744. jarg422h.htm#sagan
11745. jarg422h.htm#%3d%20S%20%3d
11746. jarg422h.htm#WAITS
11747. jarg422h.htm#salt
11748. jarg422h.htm#SAIL
11749. jarg422h.htm#%3d%20S%20%3d
11750. jarg422h.htm#marketroid
11751. jarg422h.htm#suit
11752. jarg422h.htm#droid
11753. jarg422h.htm#salt%20mines
11754. jarg422h.htm#salescritter
11755. jarg422h.htm#%3d%20S%20%3d
11756. jarg422h.htm#frob
11757. jarg422h.htm#salt%20substrate
11758. jarg422h.htm#salt
11759. jarg422h.htm#%3d%20S%20%3d
11760. jarg422h.htm#playpen
11761. jarg422h.htm#sandbox
11762. jarg422h.htm#same-day%20service
11763. jarg422h.htm#salt%20mines
11764. jarg422h.htm#%3d%20S%20%3d
11765. jarg422h.htm#samizdat
11766. jarg422h.htm#salt%20substrate
11767. jarg422h.htm#%3d%20S%20%3d
11768. jarg422h.htm#MS-DOS
11769. jarg422h.htm#well-behaved

11770. jarg422h.htm#PC-ism
11771. jarg422h.htm#samurai
11772. jarg422h.htm#same-day%20service
11773. jarg422h.htm#%3d%20S%20%3d
11774. jarg422h.htm#hacker%20ethic
11775. jarg422h.htm#Lions%20Book
11776. jarg422h.htm#sandbender
11777. jarg422h.htm#samizdat
11778. jarg422h.htm#%3d%20S%20%3d
11779. jarg422h.htm#cyberpunk
11780. jarg422h.htm#sneaker
11781. jarg422h.htm#Stupids
11782. jarg422h.htm#social%20engineering
11783. jarg422h.htm#cracker
11784. jarg422h.htm#hacker%20ethic
11785. jarg422h.htm#dark-side%20hacker
11786. jarg422h.htm#sandbox
11787. jarg422h.htm#samurai
11788. jarg422h.htm#%3d%20S%20%3d
11789. jarg422h.htm#ironmonger
11790. jarg422h.htm#polygon%20pusher
11791. jarg422h.htm#sanity%20check
11792. jarg422h.htm#sandbender
11793. jarg422h.htm#%3d%20S%20%3d
11794. jarg422h.htm#playpen
11795. jarg422h.htm#link%20farm
11796. jarg422h.htm#Saturday-night%20special
11797. jarg422h.htm#sandbox
11798. jarg422h.htm#%3d%20S%20%3d
11799. jarg422h.htm#reality%20check
11800. jarg422h.htm#say
11801. jarg422h.htm#sanity%20check
11802. jarg422h.htm#%3d%20S%20%3d
11803. jarg422h.htm#quick-and-dirty
11804. jarg422h.htm#salescritter
11805. jarg422h.htm#scag
11806. jarg422h.htm#Saturday-night%20special
11807. jarg422h.htm#%3d%20S%20%3d
11808. jarg422h.htm#newline
11809. jarg422h.htm#mundane
11810. jarg422h.htm#scanno
11811. jarg422h.htm#say
11812. jarg422h.htm#%3d%20S%20%3d
11813. jarg422h.htm#scrog
11814. jarg422h.htm#roach
11815. jarg422h.htm#scary%20devil%20monastery
11816. jarg422h.htm#scag
11817. jarg422h.htm#%3d%20S%20%3d
11818. jarg422h.htm#thinko
11819. jarg422h.htm#schroedinbug
11820. jarg422h.htm#scanno
11821. jarg422h.htm#%3d%20S%20%3d
11822. jarg422h.htm#science-fiction%20fandom

11823. jarg422h.htm#scary%20devil%20monastery
11824. jarg422h.htm#%3d%20S%20%3d
11825. jarg422h.htm#bit%20rot
11826. jarg422h.htm#heisenbug
11827. jarg422h.htm#Bohr%20bug
11828. jarg422h.htm#mandelbug
11829. jarg422h.htm#scram%20switch
11830. jarg422h.htm#schroedinbug
11831. jarg422h.htm#%3d%20S%20%3d
11832. jarg422h.htm#defenestration
11833. jarg422h.htm#great-wall
11834. jarg422h.htm#cyberpunk
11835. jarg422h.htm#h
11836. jarg422h.htm#ha%20ha%20only%20serious
11837. jarg422h.htm#IMHO
11838. jarg422h.htm#mundane
11839. jarg422h.htm#neep-neep
11840. jarg422h.htm#Real%20Soon%20Now
11841. jarg422h.htm#cowboy
11842. jarg422h.htm#cyberspace
11843. jarg422h.htm#de-rezz
11844. jarg422h.htm#go%20flatline
11845. jarg422h.htm#ice
11846. jarg422h.htm#phage
11847. jarg422h.htm#virus
11848. jarg422h.htm#wetware
11849. jarg422h.htm#wirehead
11850. jarg422h.htm#worm
11851. jarg422h.htm#scratch
11852. jarg422h.htm#science-fiction%20fandom
11853. jarg422h.htm#%3d%20S%20%3d
11854. jarg422h.htm#Big%20Red%20Switch
11855. jarg422h.htm#frob
11856. jarg422h.htm#dinosaur%20pen
11857. jarg422h.htm#field%20servoid
11858. jarg422h.htm#Easter%20egging
11859. jarg422h.htm#molly-guard
11860. jarg422h.htm#TMRC
11861. jarg422h.htm#backronym
11862. jarg422h.htm#core%20dump
11863. jarg422h.htm#scratch%20monkey
11864. jarg422h.htm#scram%20switch
11865. jarg422h.htm#%3d%20S%20%3d
11866. jarg422h.htm#scribble
11867. jarg422h.htm#scratch%20monkey
11868. jarg422h.htm#scream%20and%20die
11869. jarg422h.htm#scratch
11870. jarg422h.htm#%3d%20S%20%3d
11871. jarg422h.htm#scratch%20monkey
11872. jarg422h.htm#DEC
11873. jarg422h.htm#field%20circus
11874. jarg422h.htm#field%20circus
11875. jarg422h.htm#droid

11876. jarg422h.htm#PM
11877. jarg422h.htm#screaming%20tty
11878. jarg422h.htm#scratch%20monkey
11879. jarg422h.htm#%3d%20S%20%3d
11880. jarg422h.htm#cough%20and%20die
11881. jarg422h.htm#screen
11882. jarg422h.htm#scream%20and%20die
11883. jarg422h.htm#%3d%20S%20%3d
11884. jarg422h.htm#screen%20name
11885. jarg422h.htm#screaming%20tty
11886. jarg422h.htm#%3d%20S%20%3d
11887. jarg422h.htm#demoscene
11888. jarg422h.htm#demoeffect
11889. jarg422h.htm#screw
11890. jarg422h.htm#screen
11891. jarg422h.htm#%3d%20S%20%3d
11892. jarg422h.htm#handle
11893. jarg422h.htm#screwage
11894. jarg422h.htm#screen%20name
11895. jarg422h.htm#%3d%20S%20%3d
11896. jarg422h.htm#lose
11897. jarg422h.htm#scribble
11898. jarg422h.htm#screw
11899. jarg422h.htm#%3d%20S%20%3d
11900. jarg422h.htm#lossage
11901. jarg422h.htm#script%20kiddies
11902. jarg422h.htm#screwage
11903. jarg422h.htm#%3d%20S%20%3d
11904. jarg422h.htm#trash
11905. jarg422h.htm#mung
11906. jarg422h.htm#mangle
11907. jarg422h.htm#scrog
11908. jarg422h.htm#scribble
11909. jarg422h.htm#%3d%20S%20%3d
11910. jarg422h.htm#cracker
11911. jarg422h.htm#exploit
11912. jarg422h.htm#scrool
11913. jarg422h.htm#script%20kiddies
11914. jarg422h.htm#%3d%20S%20%3d
11915. jarg422h.htm#scag
11916. jarg422h.htm#scribble
11917. jarg422h.htm#mangle
11918. jarg422h.htm#scrozzle
11919. jarg422h.htm#scrog
11920. jarg422h.htm#%3d%20S%20%3d
11921. jarg422h.htm#scruffies
11922. jarg422h.htm#scrool
11923. jarg422h.htm#%3d%20S%20%3d
11924. jarg422h.htm#SCSI
11925. jarg422h.htm#scrozzle
11926. jarg422h.htm#%3d%20S%20%3d
11927. jarg422h.htm#neats%20vs.%20scruffies
11928. jarg422h.htm#ScumOS

11929. jarg422h.htm#scruffies
11930. jarg422h.htm#%3d%20S%20%3d
11931. jarg422h.htm#search-and-destroy%20mode
11932. jarg422h.htm#SCSI
11933. jarg422h.htm#%3d%20S%20%3d
11934. jarg422h.htm#sun-stools
11935. jarg422h.htm#AIDX
11936. jarg422h.htm#Macintrash
11937. jarg422h.htm#Nominal%20Semidestructor
11938. jarg422h.htm#HP-SUX
11939. jarg422h.htm#second-system%20effect
11940. jarg422h.htm#ScumOS
11941. jarg422h.htm#%3d%20S%20%3d
11942. jarg422h.htm#infinite
11943. jarg422h.htm#secondary%20damage
11944. jarg422h.htm#search-and-destroy%20mode
11945. jarg422h.htm#%3d%20S%20%3d
11946. jarg422h.htm#elephantine
11947. jarg422h.htm#Brooks's%20Law
11948. jarg422h.htm#creeping%20elegance
11949. jarg422h.htm#creeping%20featurism
11950. jarg422h.htm#Multics
11951. jarg422h.htm#OS%2f2
11952. jarg422h.htm#X
11953. jarg422h.htm#software%20bloat
11954. jarg422h.htm#security%20through%20obscurity
11955. jarg422h.htm#second-system%20effect
11956. jarg422h.htm#%3d%20S%20%3d
11957. jarg422h.htm#segfault
11958. jarg422h.htm#fandango%20on%20core
11959. jarg422h.htm#grovel
11960. jarg422h.htm#SED
11961. jarg422h.htm#secondary%20damage
11962. jarg422h.htm#%3d%20S%20%3d
11963. jarg422h.htm#RTM
11964. jarg422h.htm#Great%20Worm
11965. jarg422h.htm#clone
11966. jarg422h.htm#ITS
11967. jarg422h.htm#Multics
11968. jarg422h.htm#segfault
11969. jarg422h.htm#security%20through%20obscurity
11970. jarg422h.htm#%3d%20S%20%3d
11971. jarg422h.htm#friode
11972. jarg422h.htm#LER
11973. jarg422h.htm#seggie
11974. jarg422h.htm#SED
11975. jarg422h.htm#%3d%20S%20%3d
11976. jarg422h.htm#segment
11977. jarg422h.htm#segmentation%20fault
11978. jarg422h.htm#segment
11979. jarg422h.htm#segfault
11980. jarg422h.htm#%3d%20S%20%3d
11981. jarg422h.htm#segmentation%20fault

11982. jarg422h.htm#segmentation%20fault
11983. jarg422h.htm#seggie
11984. jarg422h.htm#%3d%20S%20%3d
11985. jarg422h.htm#segmentation%20fault
11986. jarg422h.htm#segv
11987. jarg422h.htm#segment
11988. jarg422h.htm#%3d%20S%20%3d
11989. jarg422h.htm#core%20dump
11990. jarg422h.htm#self-reference
11991. jarg422h.htm#segmentation%20fault
11992. jarg422h.htm#%3d%20S%20%3d
11993. jarg422h.htm#segmentation%20fault
11994. jarg422h.htm#selvage
11995. jarg422h.htm#segv
11996. jarg422h.htm#%3d%20S%20%3d
11997. jarg422h.htm#self-reference
11998. jarg422h.htm#semi
11999. jarg422h.htm#self-reference
12000. jarg422h.htm#%3d%20S%20%3d
12001. jarg422h.htm#chad
12002. jarg422h.htm#semi-automated
12003. jarg422h.htm#selvage
12004. jarg422h.htm#%3d%20S%20%3d
12005. jarg422h.htm#grind
12006. jarg422h.htm#infinite
12007. jarg422h.htm#semi-infinite
12008. jarg422h.htm#semi
12009. jarg422h.htm#%3d%20S%20%3d
12010. jarg422h.htm#senior%20bit
12011. jarg422h.htm#semi-automated
12012. jarg422h.htm#%3d%20S%20%3d
12013. jarg422h.htm#infinite
12014. jarg422h.htm#September%20that%20never%20ended
12015. jarg422h.htm#semi-infinite
12016. jarg422h.htm#%3d%20S%20%3d
12017. jarg422h.htm#meta%20bit
12018. jarg422h.htm#server
12019. jarg422h.htm#senior%20bit
12020. jarg422h.htm#%3d%20S%20%3d
12021. jarg422h.htm#netiquette
12022. jarg422h.htm#AOL!
12023. jarg422h.htm#SEX
12024. jarg422h.htm#September%20that%20never%20ended
12025. jarg422h.htm#%3d%20S%20%3d
12026. jarg422h.htm#daemon
12027. jarg422h.htm#sex%20changer
12028. jarg422h.htm#server
12029. jarg422h.htm#%3d%20S%20%3d
12030. jarg422h.htm#Good%20Thing
12031. jarg422h.htm#virus
12032. jarg422h.htm#pubic%20directory
12033. jarg422h.htm#DEC
12034. jarg422h.htm#shambolic%20link

12035. jarg422h.htm#SEX
12036. jarg422h.htm#%3d%20S%20%3d
12037. jarg422h.htm#gender%20mender
12038. jarg422h.htm#shar%20file
12039. jarg422h.htm#sex%20changer
12040. jarg422h.htm#%3d%20S%20%3d
12041. jarg422h.htm#sharchive
12042. jarg422h.htm#shambolic%20link
12043. jarg422h.htm#%3d%20S%20%3d
12044. jarg422h.htm#sharchive
12045. jarg422h.htm#Share%20and%20enjoy!
12046. jarg422h.htm#shar%20file
12047. jarg422h.htm#%3d%20S%20%3d
12048. jarg422h.htm#flatten
12049. jarg422h.htm#Trojan%20horse
12050. jarg422h.htm#shareware
12051. jarg422h.htm#sharchive
12052. jarg422h.htm#%3d%20S%20%3d
12053. jarg422h.htm#README%20file
12054. jarg422h.htm#hacker%20ethic
12055. jarg422h.htm#suit
12056. jarg422h.htm#sharing%20violation
12057. jarg422h.htm#Share%20and%20enjoy!
12058. jarg422h.htm#%3d%20S%20%3d
12059. jarg422h.htm#freeware
12060. jarg422h.htm#careware
12061. jarg422h.htm#charityware
12062. jarg422h.htm#crippleware
12063. jarg422h.htm#FRS
12064. jarg422h.htm#guiltware
12065. jarg422h.htm#postcardware
12066. jarg422h.htm#-ware
12067. jarg422h.htm#payware
12068. jarg422h.htm#shebang
12069. jarg422h.htm#shareware
12070. jarg422h.htm#%3d%20S%20%3d
12071. jarg422h.htm#OS
12072. jarg422h.htm#shelfware
12073. jarg422h.htm#sharing%20violation
12074. jarg422h.htm#%3d%20S%20%3d
12075. jarg422h.htm#shell
12076. jarg422h.htm#shebang
12077. jarg422h.htm#%3d%20S%20%3d
12078. jarg422h.htm#shell%20out
12079. jarg422h.htm#shelfware
12080. jarg422h.htm#%3d%20S%20%3d
12081. jarg422h.htm#Multics
12082. jarg422h.htm#server
12083. jarg422h.htm#incantation
12084. jarg422h.htm#driver
12085. jarg422h.htm#shift%20left%20(or%20right)%20logical
12086. jarg422h.htm#shell
12087. jarg422h.htm#%3d%20S%20%3d

12088. jarg422h.htm#spawn
12089. jarg422h.htm#shim
12090. jarg422h.htm#shell%20out
12091. jarg422h.htm#%3d%20S%20%3d
12092. jarg422h.htm#PDP-10
12093. jarg422h.htm#Programmer's%20Cheer
12094. jarg422h.htm#shitogram
12095. jarg422h.htm#shift%20left%20(or%20right)%20logical
12096. jarg422h.htm#%3d%20S%20%3d
12097. jarg422h.htm#loose%20bytes
12098. jarg422h.htm#short%20card
12099. jarg422h.htm#shim
12100. jarg422h.htm#%3d%20S%20%3d
12101. jarg422h.htm#nastygram
12102. jarg422h.htm#flame
12103. jarg422h.htm#shotgun%20debugging
12104. jarg422h.htm#shitogram
12105. jarg422h.htm#%3d%20S%20%3d
12106. jarg422h.htm#tall%20card
12107. jarg422h.htm#shovelware
12108. jarg422h.htm#short%20card
12109. jarg422h.htm#%3d%20S%20%3d
12110. jarg422h.htm#Easter%20egging
12111. jarg422h.htm#showstopper
12112. jarg422h.htm#shotgun%20debugging
12113. jarg422h.htm#%3d%20S%20%3d
12114. jarg422h.htm#shriek
12115. jarg422h.htm#shovelware
12116. jarg422h.htm#%3d%20S%20%3d
12117. jarg422h.htm#Shub-Internet
12118. jarg422h.htm#showstopper
12119. jarg422h.htm#%3d%20S%20%3d
12120. jarg422h.htm#excl
12121. jarg422h.htm#sidecar
12122. jarg422h.htm#shriek
12123. jarg422h.htm#%3d%20S%20%3d
12124. jarg422h.htm#FTP
12125. jarg422h.htm#TELNET
12126. jarg422h.htm#Random%20Number%20God
12127. jarg422h.htm#ping
12128. jarg422h.htm#kremvax
12129. jarg422h.htm#SIG
12130. jarg422h.htm#Shub-Internet
12131. jarg422h.htm#%3d%20S%20%3d
12132. jarg422h.htm#slap%20on%20the%20side
12133. jarg422h.htm#magic
12134. jarg422h.htm#sig%20block
12135. jarg422h.htm#sidecar
12136. jarg422h.htm#%3d%20S%20%3d
12137. jarg422h.htm#sig%20quote
12138. jarg422h.htm#SIG
12139. jarg422h.htm#%3d%20S%20%3d
12140. jarg422h.htm#automagically

12141. jarg422h.htm#sig%20quote
12142. jarg422h.htm#fool%20file
12143. jarg422h.htm#bandwidth
12144. jarg422h.htm#doubled%20sig
12145. jarg422h.htm#sig%20virus
12146. jarg422h.htm#sig%20block
12147. jarg422h.htm#%3d%20S%20%3d
12148. jarg422h.htm#sig%20block
12149. jarg422h.htm#signal-to-noise%20ratio
12150. jarg422h.htm#sig%20quote
12151. jarg422h.htm#%3d%20S%20%3d
12152. jarg422h.htm#meme
12153. jarg422h.htm#sig%20block
12154. jarg422h.htm#meme%20plague
12155. jarg422h.htm#silicon
12156. jarg422h.htm#sig%20virus
12157. jarg422h.htm#%3d%20S%20%3d
12158. jarg422h.htm#Usenet
12159. jarg422h.htm#flame%20war
12160. jarg422h.htm#bandwidth
12161. jarg422h.htm#coefficient%20of%20X
12162. jarg422h.htm#lost%20in%20the%20noise
12163. jarg422h.htm#silly%20walk
12164. jarg422h.htm#signal-to-noise%20ratio
12165. jarg422h.htm#%3d%20S%20%3d
12166. jarg422h.htm#iron
12167. jarg422h.htm#sandbender
12168. jarg422h.htm#silo
12169. jarg422h.htm#silicon
12170. jarg422h.htm#%3d%20S%20%3d
12171. jarg422h.htm#grovel
12172. jarg422h.htm#random
12173. jarg422h.htm#fandango%20on%20core
12174. jarg422h.htm#Silver%20Book
12175. jarg422h.htm#silly%20walk
12176. jarg422h.htm#%3d%20S%20%3d
12177. jarg422h.htm#DEC
12178. jarg422h.htm#since%20time%20T%20equals%20minus%20infinity
12179. jarg422h.htm#silo
12180. jarg422h.htm#%3d%20S%20%3d
12181. jarg422h.htm#book%20titles
12182. jarg422h.htm#Pascal
12183. jarg422h.htm#sitename
12184. jarg422h.htm#Silver%20Book
12185. jarg422h.htm#%3d%20S%20%3d
12186. jarg422h.htm#time%20T
12187. jarg422h.htm#epoch
12188. jarg422h.htm#skrog
12189. jarg422h.htm#since%20time%20T%20equals%20minus%20infinity
12190. jarg422h.htm#%3d%20S%20%3d
12191. jarg422h.htm#network%20address
12192. jarg422h.htm#skulker
12193. jarg422h.htm#sitename

12194. jarg422h.htm#%3d%20S%20%3d
12195. jarg422h.htm#scrog
12196. jarg422h.htm#slab
12197. jarg422h.htm#skrog
12198. jarg422h.htm#%3d%20S%20%3d
12199. jarg422h.htm#prowler
12200. jarg422h.htm#slack
12201. jarg422h.htm#skulker
12202. jarg422h.htm#%3d%20S%20%3d
12203. jarg422h.htm#slap%20on%20the%20side
12204. jarg422h.htm#slab
12205. jarg422h.htm#%3d%20S%20%3d
12206. jarg422h.htm#hole
12207. jarg422h.htm#Church%20of%20the%20SubGenius
12208. jarg422h.htm#ha%20ha%20only%20serious
12209. jarg422h.htm#slash
12210. jarg422h.htm#slack
12211. jarg422h.htm#%3d%20S%20%3d
12212. jarg422h.htm#sidecar
12213. jarg422h.htm#slashdot%20effect
12214. jarg422h.htm#slap%20on%20the%20side
12215. jarg422h.htm#%3d%20S%20%3d
12216. jarg422h.htm#ASCII
12217. jarg422h.htm#sleep
12218. jarg422h.htm#slash
12219. jarg422h.htm#%3d%20S%20%3d
12220. <http://slashdot.org/>
12221. jarg422h.htm#flash%20crowd
12222. jarg422h.htm#slim
12223. jarg422h.htm#slashdot%20effect
12224. jarg422h.htm#%3d%20S%20%3d
12225. jarg422h.htm#block
12226. jarg422h.htm#slop
12227. jarg422h.htm#sleep
12228. jarg422h.htm#%3d%20S%20%3d
12229. jarg422h.htm#slopsucker
12230. jarg422h.htm#slim
12231. jarg422h.htm#%3d%20S%20%3d
12232. jarg422h.htm#fudge%20factor
12233. jarg422h.htm#fencepost%20error
12234. jarg422h.htm#hand-hacking
12235. jarg422h.htm#Slowlaris
12236. jarg422h.htm#slop
12237. jarg422h.htm#%3d%20S%20%3d
12238. jarg422h.htm#background
12239. jarg422h.htm#slurp
12240. jarg422h.htm#slopsucker
12241. jarg422h.htm#%3d%20S%20%3d
12242. jarg422h.htm#LART
12243. jarg422h.htm#marketroid
12244. jarg422h.htm#Linux
12245. jarg422h.htm#AIDX
12246. jarg422h.htm#HP-SUX

12247. jarg422h.htm#Nominal%20Semidestructor
12248. jarg422h.htm#Telerat
12249. jarg422h.htm#sun-stools
12250. jarg422h.htm#smart
12251. jarg422h.htm#Slowlaris
12252. jarg422h.htm#%3d%20S%20%3d
12253. jarg422h.htm#core
12254. jarg422h.htm#sponge
12255. jarg422h.htm#smart%20terminal
12256. jarg422h.htm#slurp
12257. jarg422h.htm#%3d%20S%20%3d
12258. jarg422h.htm#Right%20Thing
12259. jarg422h.htm#AI-complete
12260. jarg422h.htm#robust
12261. jarg422h.htm#brittle
12262. jarg422h.htm#smash%20case
12263. jarg422h.htm#smart
12264. jarg422h.htm#%3d%20S%20%3d
12265. jarg422h.htm#server
12266. jarg422h.htm#glass%20tty
12267. jarg422h.htm#dumb%20terminal
12268. jarg422h.htm#blit
12269. jarg422h.htm#hook
12270. jarg422h.htm#smash%20the%20stack
12271. jarg422h.htm#smart%20terminal
12272. jarg422h.htm#%3d%20S%20%3d
12273. jarg422h.htm#fold%20case
12274. jarg422h.htm#smiley
12275. jarg422h.htm#smash%20case
12276. jarg422h.htm#%3d%20S%20%3d
12277. jarg422h.htm#scribble
12278. jarg422h.htm#mangle
12279. jarg422h.htm#mung
12280. jarg422h.htm#spam
12281. jarg422h.htm#aliasing%20bug
12282. jarg422h.htm#fandango%20on%20core
12283. jarg422h.htm#memory%20leak
12284. jarg422h.htm#memory%20smash
12285. jarg422h.htm#precedence%20lossage
12286. jarg422h.htm#overrun%20screw
12287. jarg422h.htm#smoke
12288. jarg422h.htm#smash%20the%20stack
12289. jarg422h.htm#%3d%20S%20%3d
12290. jarg422h.htm#emoticon
12291. jarg422h.htm#smoke%20and%20mirrors
12292. jarg422h.htm#smiley
12293. jarg422h.htm#%3d%20S%20%3d
12294. jarg422h.htm#crash
12295. jarg422h.htm#magic%20smoke
12296. jarg422h.htm#smoke%20test
12297. jarg422h.htm#smoke
12298. jarg422h.htm#%3d%20S%20%3d
12299. jarg422h.htm#benchmark

12300. jarg422h.htm#MIPS
12301. jarg422h.htm#machoflops
12302. jarg422h.htm#stealth%20manager
12303. jarg422h.htm#smoking%20clover
12304. jarg422h.htm#smoke%20and%20mirrors
12305. jarg422h.htm#%3d%20S%20%3d
12306. jarg422h.htm#magic%20smoke
12307. jarg422h.htm#reality%20check
12308. jarg422h.htm#smoot
12309. jarg422h.htm#smoke%20test
12310. jarg422h.htm#%3d%20S%20%3d
12311. jarg422h.htm#display%20hack
12312. jarg422h.htm#SMOP
12313. jarg422h.htm#smoking%20clover
12314. jarg422h.htm#%3d%20S%20%3d
12315. jarg422h.htm#epsilon
12316. jarg422h.htm#smurf
12317. jarg422h.htm#smoot
12318. jarg422h.htm#%3d%20S%20%3d
12319. jarg422h.htm#SNAFU%20principle
12320. jarg422h.htm#SMOP
12321. jarg422h.htm#%3d%20S%20%3d
12322. jarg422h.htm#old%20fart
12323. jarg422h.htm#snail
12324. jarg422h.htm#smurf
12325. jarg422h.htm#%3d%20S%20%3d
12326. jarg422h.htm#Discordianism
12327. jarg422h.htm#suit
12328. jarg422h.htm#Conway's%20Law
12329. jarg422h.htm#snail-mail
12330. jarg422h.htm#SNAFU%20principle
12331. jarg422h.htm#%3d%20S%20%3d
12332. jarg422h.htm#snail-mail
12333. jarg422h.htm#snap
12334. jarg422h.htm#snail
12335. jarg422h.htm#%3d%20S%20%3d
12336. jarg422h.htm#email
12337. jarg422h.htm#snarf
12338. jarg422h.htm#snail-mail
12339. jarg422h.htm#%3d%20S%20%3d
12340. jarg422h.htm#chase%20pointers
12341. jarg422h.htm#trampoline
12342. jarg422h.htm#snarf%20&%20barf
12343. jarg422h.htm#snap
12344. jarg422h.htm#%3d%20S%20%3d
12345. jarg422h.htm#BLT
12346. jarg422h.htm#blast
12347. jarg422h.htm#FTP
12348. jarg422h.htm#slurp
12349. jarg422h.htm#programming%20fluid
12350. jarg422h.htm#condom
12351. jarg422h.htm#snarf%20down
12352. jarg422h.htm#snarf

12353. jarg422h.htm#%3d%20S%20%3d
12354. jarg422h.htm#WIMP%20environment
12355. jarg422h.htm#snark
12356. jarg422h.htm#snarf%20&%20barf
12357. jarg422h.htm#%3d%20S%20%3d
12358. jarg422h.htm#snarf
12359. jarg422h.htm#nethack
12360. jarg422h.htm#sneaker
12361. jarg422h.htm#snarf%20down
12362. jarg422h.htm#%3d%20S%20%3d
12363. jarg422h.htm#snivitz
12364. jarg422h.htm#sneakernet
12365. jarg422h.htm#snark
12366. jarg422h.htm#%3d%20S%20%3d
12367. jarg422h.htm#tiger%20team
12368. jarg422h.htm#samurai
12369. jarg422h.htm#sniff
12370. jarg422h.htm#sneaker
12371. jarg422h.htm#%3d%20S%20%3d
12372. jarg422h.htm#snivitz
12373. jarg422h.htm#sneakernet
12374. jarg422h.htm#%3d%20S%20%3d
12375. jarg422h.htm#poll
12376. jarg422h.htm#'Snooze
12377. jarg422h.htm#sniff
12378. jarg422h.htm#%3d%20S%20%3d
12379. jarg422h.htm#snark
12380. jarg422h.htm#glitch
12381. jarg422h.htm#SO
12382. jarg422h.htm#snivitz
12383. jarg422h.htm#%3d%20S%20%3d
12384. jarg422h.htm#flamage
12385. jarg422h.htm#social%20engineering
12386. jarg422h.htm#'Snooze
12387. jarg422h.htm#%3d%20S%20%3d
12388. jarg422h.htm#MOTAS
12389. jarg422h.htm#MOTOS
12390. jarg422h.htm#MOTSS
12391. jarg422h.htm#social%20science%20number
12392. jarg422h.htm#SO
12393. jarg422h.htm#%3d%20S%20%3d
12394. jarg422h.htm#cracker
12395. jarg422h.htm#samurai
12396. jarg422h.htm#wetware
12397. jarg422h.htm#tiger%20team
12398. jarg422h.htm#patch
12399. jarg422h.htm#sock%20puppet
12400. jarg422h.htm#social%20engineering
12401. jarg422h.htm#%3d%20S%20%3d
12402. jarg422h.htm#content-free
12403. jarg422h.htm#management
12404. jarg422h.htm#numbers
12405. jarg422h.htm#math-out

12406. jarg422h.htm#pretty%20pictures
12407. jarg422h.htm#sodium%20substrate
12408. jarg422h.htm#social%20science%20number
12409. jarg422h.htm#%3d%20S%20%3d
12410. jarg422h.htm#pseudo
12411. jarg422h.htm#soft%20boot
12412. jarg422h.htm#sock%20puppet
12413. jarg422h.htm#%3d%20S%20%3d
12414. jarg422h.htm#salt%20substrate
12415. jarg422h.htm#softcopy
12416. jarg422h.htm#sodium%20substrate
12417. jarg422h.htm#%3d%20S%20%3d
12418. jarg422h.htm#boot
12419. jarg422h.htm#software%20bloat
12420. jarg422h.htm#soft%20boot
12421. jarg422h.htm#%3d%20S%20%3d
12422. jarg422h.htm#bits
12423. jarg422h.htm#machinable
12424. jarg422h.htm#software%20hoarding
12425. jarg422h.htm#softcopy
12426. jarg422h.htm#%3d%20S%20%3d
12427. jarg422h.htm#second-system%20effect
12428. jarg422h.htm#creeping%20feauritis
12429. jarg422h.htm#X
12430. jarg422h.htm#BSD
12431. jarg422h.htm#Missed'em-five
12432. jarg422h.htm#OS%2f2
12433. jarg422h.htm#software%20laser
12434. jarg422h.htm#software%20bloat
12435. jarg422h.htm#%3d%20S%20%3d
12436. jarg422h.htm#GNU
12437. jarg422h.htm#GNU
12438. jarg422h.htm#software%20rot
12439. jarg422h.htm#software%20hoarding
12440. jarg422h.htm#%3d%20S%20%3d
12441. jarg422h.htm#sorcerer's%20apprentice%20mode
12442. jarg422h.htm#bounce%20message
12443. jarg422h.htm#cascade
12444. jarg422h.htm#softwarily
12445. jarg422h.htm#software%20laser
12446. jarg422h.htm#%3d%20S%20%3d
12447. jarg422h.htm#lose
12448. jarg422h.htm#bit%20rot
12449. jarg422h.htm#robust
12450. jarg422h.htm#link%20rot
12451. jarg422h.htm#wrap%20around
12452. jarg422h.htm#grind%20crank
12453. jarg422h.htm#snarf
12454. jarg422h.htm#bit%20rot
12455. jarg422h.htm#softy
12456. jarg422h.htm#software%20rot
12457. jarg422h.htm#%3d%20S%20%3d
12458. jarg422h.htm#hardwarily

12459. jarg422h.htm#some%20random%20X
12460. jarg422h.htm#softwarily
12461. jarg422h.htm#%3d%20S%20%3d
12462. jarg422h.htm#sorcerer's%20apprentice%20mode
12463. jarg422h.htm#softy
12464. jarg422h.htm#%3d%20S%20%3d
12465. jarg422h.htm#J.%20Random
12466. jarg422h.htm#SOS
12467. jarg422h.htm#some%20random%20X
12468. jarg422h.htm#%3d%20S%20%3d
12469. jarg422h.htm#bounce%20message
12470. jarg422h.htm#email
12471. jarg422h.htm#broadcast%20storm
12472. jarg422h.htm#network%20meltdown
12473. jarg422h.htm#software%20laser
12474. jarg422h.htm#ARMM
12475. jarg422h.htm#source
12476. jarg422h.htm#sorcerer's%20apprentice%20mode
12477. jarg422h.htm#%3d%20S%20%3d
12478. jarg422h.htm#losing
12479. jarg422h.htm#quick-and-dirty
12480. jarg422h.htm#source%20of%20all%20good%20bits
12481. jarg422h.htm#SOS
12482. jarg422h.htm#%3d%20S%20%3d
12483. jarg422h.htm#space-cadet%20keyboard
12484. jarg422h.htm#source
12485. jarg422h.htm#%3d%20S%20%3d
12486. jarg422h.htm#guru
12487. jarg422h.htm#spaceship%20operator
12488. jarg422h.htm#source%20of%20all%20good%20bits
12489. jarg422h.htm#%3d%20S%20%3d
12490. jarg422h.htm#EMACS
12491. jarg422h.htm#bucky%20bits
12492. jarg422h.htm#bucky%20bits
12493. jarg422h.htm#cokebottle
12494. jarg422h.htm#double%20bucky
12495. jarg422h.htm#meta%20bit
12496. jarg422h.htm#quadruple%20bucky
12497. jarg422h.htm#bucky%20bits
12498. jarg422h.htm#SPACEWAR
12499. jarg422h.htm#space-cadet%20keyboard
12500. jarg422h.htm#%3d%20S%20%3d
12501. jarg422h.htm#Perl
12502. jarg422h.htm#spaghetti%20code
12503. jarg422h.htm#spaceship%20operator
12504. jarg422h.htm#%3d%20S%20%3d
12505. jarg422h.htm#Unix
12506. jarg422h.htm#feep
12507. jarg422h.htm#spaghetti%20inheritance
12508. jarg422h.htm#SPACEWAR
12509. jarg422h.htm#%3d%20S%20%3d
12510. jarg422h.htm#spam
12511. jarg422h.htm#spaghetti%20code

12512. jarg422h.htm#%3d%20S%20%3d
12513. jarg422h.htm#spaghetti%20code
12514. jarg422h.htm#spam%20bait
12515. jarg422h.htm#spaghetti%20inheritance
12516. jarg422h.htm#%3d%20S%20%3d
12517. jarg422h.htm#buffer%20overflow
12518. jarg422h.htm#overrun%20screw
12519. jarg422h.htm#smash%20the%20stack
12520. jarg422h.htm#cross-post
12521. jarg422h.htm#troll
12522. jarg422h.htm#velveeta
12523. jarg422h.htm#jello
12524. jarg422h.htm#UCE
12525. jarg422h.htm#UBE
12526. jarg422h.htm#luser
12527. jarg422h.htm#spamblock
12528. jarg422h.htm#spam
12529. jarg422h.htm#%3d%20S%20%3d
12530. jarg422h.htm#address%20harvester
12531. jarg422h.htm#teergrube
12532. jarg422h.htm#spamhaus
12533. jarg422h.htm#spam%20bait
12534. jarg422h.htm#%3d%20S%20%3d
12535. jarg422h.htm#munge
12536. jarg422h.htm#address%20harvester
12537. jarg422h.htm#spamvertize
12538. jarg422h.htm#spamblock
12539. jarg422h.htm#%3d%20S%20%3d
12540. jarg422h.htm#spam
12541. http://combat.uxn.com/spamhaus.html
12542. jarg422h.htm#relay%20rape
12543. jarg422h.htm#throwaway%20account
12544. jarg422h.htm#spangle
12545. jarg422h.htm#spamhaus
12546. jarg422h.htm#%3d%20S%20%3d
12547. jarg422h.htm#spam
12548. jarg422h.htm#spawn
12549. jarg422h.htm#spamvertize
12550. jarg422h.htm#%3d%20S%20%3d
12551. jarg422h.htm#bells%20and%20whistles
12552. jarg422h.htm#spungle
12553. jarg422h.htm#special-case
12554. jarg422h.htm#spangle
12555. jarg422h.htm#%3d%20S%20%3d
12556. jarg422h.htm#frag
12557. jarg422h.htm#speedometer
12558. jarg422h.htm#spawn
12559. jarg422h.htm#%3d%20S%20%3d
12560. jarg422h.htm#hidden%20flag
12561. jarg422h.htm#filter
12562. jarg422h.htm#spell
12563. jarg422h.htm#special-case
12564. jarg422h.htm#%3d%20S%20%3d

12565. jarg422h.htm#main%20loop
12566. jarg422h.htm#spelling%20flame
12567. jarg422h.htm#speedometer
12568. jarg422h.htm#%3d%20S%20%3d
12569. jarg422h.htm#incantation
12570. jarg422h.htm#spider
12571. jarg422h.htm#spell
12572. jarg422h.htm#%3d%20S%20%3d
12573. jarg422h.htm#dictionary%20flame
12574. jarg422h.htm#spider%20food
12575. jarg422h.htm#spelling%20flame
12576. jarg422h.htm#%3d%20S%20%3d
12577. jarg422h.htm#bot
12578. jarg422h.htm#spiffy
12579. jarg422h.htm#spider
12580. jarg422h.htm#%3d%20S%20%3d
12581. jarg422h.htm#spike
12582. jarg422h.htm#spider%20food
12583. jarg422h.htm#%3d%20S%20%3d
12584. jarg422h.htm#X
12585. jarg422h.htm#empire
12586. jarg422h.htm#spin
12587. jarg422h.htm#spiffy
12588. jarg422h.htm#%3d%20S%20%3d
12589. jarg422h.htm#hardwired
12590. jarg422h.htm#spl
12591. jarg422h.htm#spike
12592. jarg422h.htm#%3d%20S%20%3d
12593. jarg422h.htm#buzz
12594. jarg422h.htm#busy-wait
12595. jarg422h.htm#splash%20screen
12596. jarg422h.htm#spin
12597. jarg422h.htm#%3d%20S%20%3d
12598. jarg422h.htm#interrupts%20locked%20out
12599. jarg422h.htm#splat
12600. jarg422h.htm#spl
12601. jarg422h.htm#%3d%20S%20%3d
12602. jarg422h.htm#banner
12603. jarg422h.htm#splat%20out
12604. jarg422h.htm#splash%20screen
12605. jarg422h.htm#%3d%20S%20%3d
12606. jarg422h.htm#feature%20key
12607. jarg422h.htm#alt
12608. jarg422h.htm#ASCII
12609. jarg422h.htm#spod
12610. jarg422h.htm#splat
12611. jarg422h.htm#%3d%20S%20%3d
12612. jarg422h.htm#splat
12613. jarg422h.htm#Godwin's%20Law
12614. jarg422h.htm#UN*X
12615. jarg422h.htm#spoiler
12616. jarg422h.htm#splat%20out
12617. jarg422h.htm#%3d%20S%20%3d

12618. jarg422h.htm#talker%20system
12619. jarg422h.htm#MUD
12620. jarg422h.htm#RL
12621. jarg422h.htm#computer%20geek
12622. jarg422h.htm#newbie
12623. jarg422h.htm#tourist
12624. jarg422h.htm#weenie
12625. jarg422h.htm#twink
12626. jarg422h.htm#terminal%20junkie
12627. jarg422h.htm#warez%20d00dz
12628. jarg422h.htm#backronym
12629. jarg422h.htm#computer%20geek
12630. jarg422h.htm#random
12631. jarg422h.htm#spoiler%20space
12632. jarg422h.htm#spod
12633. jarg422h.htm#%3d%20S%20%3d
12634. jarg422h.htm#interesting
12635. jarg422h.htm#rot13
12636. jarg422h.htm#spoiler%20space
12637. jarg422h.htm#sponge
12638. jarg422h.htm#spoiler
12639. jarg422h.htm#%3d%20S%20%3d
12640. jarg422h.htm#spoiler
12641. jarg422h.htm#spooof
12642. jarg422h.htm#spoiler%20space
12643. jarg422h.htm#%3d%20S%20%3d
12644. jarg422h.htm#filter
12645. jarg422h.htm#slurp
12646. jarg422h.htm#spool
12647. jarg422h.htm#sponge
12648. jarg422h.htm#%3d%20S%20%3d
12649. jarg422h.htm#spool%20file
12650. jarg422h.htm#spooof
12651. jarg422h.htm#%3d%20S%20%3d
12652. jarg422h.htm#backronym
12653. jarg422h.htm#demon
12654. jarg422h.htm#spungle
12655. jarg422h.htm#spool
12656. jarg422h.htm#%3d%20S%20%3d
12657. jarg422h.htm#spool
12658. jarg422h.htm#demon
12659. jarg422h.htm#square%20tape
12660. jarg422h.htm#spool%20file
12661. jarg422h.htm#%3d%20S%20%3d
12662. jarg422h.htm#spangle
12663. jarg422h.htm#spangle
12664. jarg422h.htm#squirrelcide
12665. jarg422h.htm#spungle
12666. jarg422h.htm#%3d%20S%20%3d
12667. jarg422h.htm#round%20tape
12668. jarg422h.htm#stack
12669. jarg422h.htm#square%20tape
12670. jarg422h.htm#%3d%20S%20%3d

12671. jarg422h.htm#stack%20puke
12672. jarg422h.htm#squirrelcide
12673. jarg422h.htm#%3d%20S%20%3d
12674. jarg422h.htm#push
12675. jarg422h.htm#pop
12676. jarg422h.htm#PDL
12677. jarg422h.htm#stack
12678. jarg422h.htm#stack
12679. jarg422h.htm#Knuth
12680. jarg422h.htm#stale%20pointer%20bug
12681. jarg422h.htm#stack
12682. jarg422h.htm#%3d%20S%20%3d
12683. jarg422h.htm#star%20out
12684. jarg422h.htm#stack%20puke
12685. jarg422h.htm#%3d%20S%20%3d
12686. jarg422h.htm#aliasing%20bug
12687. jarg422h.htm#state
12688. jarg422h.htm#stale%20pointer%20bug
12689. jarg422h.htm#%3d%20S%20%3d
12690. jarg422h.htm#disusered
12691. jarg422h.htm#stealth%20manager
12692. jarg422h.htm#star%20out
12693. jarg422h.htm#%3d%20S%20%3d
12694. jarg422h.htm#wedged
12695. jarg422h.htm#steam-powered
12696. jarg422h.htm#state
12697. jarg422h.htm#%3d%20S%20%3d
12698. jarg422h.htm#smoke%20and%20mirrors
12699. jarg422h.htm#STFW
12700. jarg422h.htm#stealth%20manager
12701. jarg422h.htm#%3d%20S%20%3d
12702. jarg422h.htm#stiffy
12703. jarg422h.htm#steam-powered
12704. jarg422h.htm#%3d%20S%20%3d
12705. jarg422h.htm#RTFM
12706. jarg422h.htm#stir-fried%20random
12707. jarg422h.htm#STFW
12708. jarg422h.htm#%3d%20S%20%3d
12709. jarg422h.htm#microflopies
12710. jarg422h.htm#stomp%20on
12711. jarg422h.htm#stiffy
12712. jarg422h.htm#%3d%20S%20%3d
12713. jarg422h.htm#random
12714. jarg422h.htm#great-wall
12715. jarg422h.htm#ravs
12716. jarg422h.htm#laser%20chicken
12717. jarg422h.htm#oriental%20food
12718. jarg422h.htm#mumble
12719. jarg422h.htm#Stone%20Age
12720. jarg422h.htm#stir-fried%20random
12721. jarg422h.htm#%3d%20S%20%3d
12722. jarg422h.htm#scribble
12723. jarg422h.htm#mangle

12724. jarg422h.htm#trash
12725. jarg422h.htm#scrog
12726. jarg422h.htm#roach
12727. jarg422h.htm#stone%20knives%20and%20bearskins
12728. jarg422h.htm#stomp%20on
12729. jarg422h.htm#%3d%20S%20%3d
12730. jarg422h.htm#dinosaur
12731. jarg422h.htm#Iron%20Age
12732. jarg422h.htm#core
12733. jarg422h.htm#Iron%20Age
12734. jarg422h.htm#Stone%20Age
12735. jarg422h.htm#stoppage
12736. jarg422h.htm#Stone%20Age
12737. jarg422h.htm#%3d%20S%20%3d
12738. jarg422h.htm#steam-powered
12739. jarg422h.htm#store
12740. jarg422h.htm#stone%20knives%20and%20bearskins
12741. jarg422h.htm#%3d%20S%20%3d
12742. jarg422h.htm#lossage
12743. jarg422h.htm#fried
12744. jarg422h.htm#strided
12745. jarg422h.htm#stoppage
12746. jarg422h.htm#%3d%20S%20%3d
12747. jarg422h.htm#core
12748. jarg422h.htm#swap
12749. jarg422h.htm#stroke
12750. jarg422h.htm#store
12751. jarg422h.htm#%3d%20S%20%3d
12752. jarg422h.htm#strudel
12753. jarg422h.htm#strided
12754. jarg422h.htm#%3d%20S%20%3d
12755. jarg422h.htm#ASCII
12756. jarg422h.htm#stubroutine
12757. jarg422h.htm#stroke
12758. jarg422h.htm#%3d%20S%20%3d
12759. jarg422h.htm#ASCII
12760. jarg422h.htm#study
12761. jarg422h.htm#strudel
12762. jarg422h.htm#%3d%20S%20%3d
12763. jarg422h.htm#studlycaps
12764. jarg422h.htm#stubroutine
12765. jarg422h.htm#%3d%20S%20%3d
12766. jarg422h.htm#hairy
12767. jarg422h.htm#stunning
12768. jarg422h.htm#studly
12769. jarg422h.htm#%3d%20S%20%3d
12770. jarg422h.htm#BiCapitalization
12771. jarg422h.htm#stupid-sort
12772. jarg422h.htm#studlycaps
12773. jarg422h.htm#%3d%20S%20%3d
12774. jarg422h.htm#Stupids
12775. jarg422h.htm#stunning
12776. jarg422h.htm#%3d%20S%20%3d

12777. jarg422h.htm#bogo-sort
12778. jarg422h.htm#Sturgeon's%20Law
12779. jarg422h.htm#stupid-sort
12780. jarg422h.htm#%3d%20S%20%3d
12781. jarg422h.htm#samurai
12782. jarg422h.htm#suit
12783. jarg422h.htm#sucking%20mud
12784. jarg422h.htm#Stupids
12785. jarg422h.htm#%3d%20S%20%3d
12786. jarg422h.htm#Hanlon's%20Razor
12787. jarg422h.htm#Ninety-Ninety%20Rule
12788. jarg422h.htm#sufficiently%20small
12789. jarg422h.htm#Sturgeon's%20Law
12790. jarg422h.htm#%3d%20S%20%3d
12791. jarg422h.htm#wedged
12792. jarg422h.htm#suit
12793. jarg422h.htm#sucking%20mud
12794. jarg422h.htm#%3d%20S%20%3d
12795. jarg422h.htm#suitably%20small
12796. jarg422h.htm#suitable%20win
12797. jarg422h.htm#sufficiently%20small
12798. jarg422h.htm#%3d%20S%20%3d
12799. jarg422h.htm#droid
12800. jarg422h.htm#pointy-haired
12801. jarg422h.htm#burble
12802. jarg422h.htm#management
12803. jarg422h.htm#Stupids
12804. jarg422h.htm#SNAFU%20principle
12805. jarg422h.htm#PHB
12806. jarg422h.htm#brain-damaged
12807. jarg422h.htm#suitably%20small
12808. jarg422h.htm#suit
12809. jarg422h.htm#%3d%20S%20%3d
12810. jarg422h.htm#win
12811. jarg422h.htm#Sun
12812. jarg422h.htm#suitable%20win
12813. jarg422h.htm#%3d%20S%20%3d
12814. jarg422h.htm#random%20numbers
12815. jarg422h.htm#sun%20lounge
12816. jarg422h.htm#suitably%20small
12817. jarg422h.htm#%3d%20S%20%3d
12818. jarg422h.htm#BSD
12819. jarg422h.htm#DEC
12820. jarg422h.htm#sun-stools
12821. jarg422h.htm#Sun
12822. jarg422h.htm#%3d%20S%20%3d
12823. jarg422h.htm#sunspots
12824. jarg422h.htm#sun%20lounge
12825. jarg422h.htm#%3d%20S%20%3d
12826. jarg422h.htm#X
12827. jarg422h.htm#second-system%20effect
12828. jarg422h.htm#super%20source%20quench
12829. jarg422h.htm#sun-stools

12830. jarg422h.htm#%3d%20S%20%3d
12831. jarg422h.htm#bit%20rot
12832. jarg422h.htm#cosmic%20rays
12833. jarg422h.htm#phase%20of%20the%20moon
12834. jarg422h.htm#superloser
12835. jarg422h.htm#sunspots
12836. jarg422h.htm#%3d%20S%20%3d
12837. jarg422h.htm#Godzillagram
12838. jarg422h.htm#breath-of-life%20packet
12839. jarg422h.htm#superprogrammer
12840. jarg422h.htm#super%20source%20quench
12841. jarg422h.htm#%3d%20S%20%3d
12842. jarg422h.htm#management
12843. jarg422h.htm#superuser
12844. jarg422h.htm#superloser
12845. jarg422h.htm#%3d%20S%20%3d
12846. jarg422h.htm#Right%20Thing
12847. jarg422h.htm#hacker
12848. jarg422h.htm#wizard
12849. jarg422h.htm#support
12850. jarg422h.htm#superprogrammer
12851. jarg422h.htm#%3d%20S%20%3d
12852. jarg422h.htm#root
12853. jarg422h.htm#avatar
12854. jarg422h.htm#wheel
12855. jarg422h.htm#wheel
12856. jarg422h.htm#surf
12857. jarg422h.htm#superuser
12858. jarg422h.htm#%3d%20S%20%3d
12859. jarg422h.htm#Suzie%20COBOL
12860. jarg422h.htm#support
12861. jarg422h.htm#%3d%20S%20%3d
12862. jarg422h.htm#swab
12863. jarg422h.htm#surf
12864. jarg422h.htm#%3d%20S%20%3d
12865. jarg422h.htm#code%20grinder
12866. jarg422h.htm#J.%20Random%20Hacker
12867. jarg422h.htm#swap
12868. jarg422h.htm#Suzie%20COBOL
12869. jarg422h.htm#%3d%20S%20%3d
12870. jarg422h.htm#dd
12871. jarg422h.htm#NIXI%20problem
12872. jarg422h.htm#big-endian
12873. jarg422h.htm#little-endian
12874. jarg422h.htm#middle-endian
12875. jarg422h.htm#bytesexual
12876. jarg422h.htm#swap%20space
12877. jarg422h.htm#swab
12878. jarg422h.htm#%3d%20S%20%3d
12879. jarg422h.htm#core
12880. jarg422h.htm#page%20in
12881. jarg422h.htm#page%20out
12882. jarg422h.htm#swapped%20in

12883. jarg422h.htm#swap
12884. jarg422h.htm#%3d%20S%20%3d
12885. jarg422h.htm#swapped%20out
12886. jarg422h.htm#swap%20space
12887. jarg422h.htm#%3d%20S%20%3d
12888. jarg422h.htm#swap
12889. jarg422h.htm#page%20in
12890. jarg422h.htm#swizzle
12891. jarg422h.htm#swapped%20in
12892. jarg422h.htm#%3d%20S%20%3d
12893. jarg422h.htm#swap
12894. jarg422h.htm#page%20out
12895. jarg422h.htm#sync
12896. jarg422h.htm#swapped%20out
12897. jarg422h.htm#%3d%20S%20%3d
12898. jarg422h.htm#snap
12899. jarg422h.htm#syntactic%20salt
12900. jarg422h.htm#swizzle
12901. jarg422h.htm#%3d%20S%20%3d
12902. jarg422h.htm#flush
12903. jarg422h.htm#syntactic%20sugar
12904. jarg422h.htm#sync
12905. jarg422h.htm#%3d%20S%20%3d
12906. jarg422h.htm#syntactic%20sugar
12907. jarg422h.htm#candygrammar
12908. jarg422h.htm#sys-frog
12909. jarg422h.htm#syntactic%20salt
12910. jarg422h.htm#%3d%20S%20%3d
12911. jarg422h.htm#chrome
12912. jarg422h.htm#candygrammar
12913. jarg422h.htm#syntactic%20salt
12914. jarg422h.htm#sysadmin
12915. jarg422h.htm#syntactic%20sugar
12916. jarg422h.htm#%3d%20S%20%3d
12917. jarg422h.htm#sysape
12918. jarg422h.htm#sys-frog
12919. jarg422h.htm#%3d%20S%20%3d
12920. jarg422h.htm#admin
12921. jarg422h.htm#sysop
12922. jarg422h.htm#sysadmin
12923. jarg422h.htm#%3d%20S%20%3d
12924. jarg422h.htm#sysop
12925. jarg422h.htm#one-banana%20problem
12926. jarg422h.htm#system
12927. jarg422h.htm#sysape
12928. jarg422h.htm#%3d%20S%20%3d
12929. jarg422h.htm#FidoNet
12930. jarg422h.htm#echo
12931. jarg422h.htm#systems%20jock
12932. jarg422h.htm#sysop
12933. jarg422h.htm#%3d%20S%20%3d
12934. jarg422h.htm#system%20mangler
12935. jarg422h.htm#system

12936. jarg422h.htm#%3d%20S%20%3d
12937. jarg422h.htm#jock
12938. jarg422h.htm#SysVile
12939. jarg422h.htm#systems%20jock
12940. jarg422h.htm#%3d%20S%20%3d
12941. jarg422h.htm#root
12942. jarg422h.htm#admin
12943. jarg422h.htm#T
12944. jarg422h.htm#system%20mangler
12945. jarg422h.htm#%3d%20S%20%3d
12946. jarg422h.htm#Missed'em-five
12947. jarg422h.htm#%3d%20U%20%3d
12948. jarg422h.htm#%3d%20S%20%3d
12949. jarg422h.htm#The%20Jargon%20Lexicon
12950. jarg422h.htm#T
12951. jarg422h.htm#tail%20recursion
12952. jarg422h.htm#talk%20mode
12953. jarg422h.htm#talker%20system
12954. jarg422h.htm#tall%20card
12955. jarg422h.htm#tanked
12956. jarg422h.htm#TANSTAAFL
12957. jarg422h.htm#tape%20monkey
12958. jarg422h.htm#tar%20and%20feather
12959. jarg422h.htm#tarball
12960. jarg422h.htm#tardegy
12961. jarg422h.htm#taste
12962. jarg422h.htm#tayste
12963. jarg422h.htm#TCB
12964. jarg422h.htm#TCP%2fIP
12965. jarg422h.htm#TechRef
12966. jarg422h.htm#TECO
12967. jarg422h.htm#tee
12968. jarg422h.htm#teergrube
12969. jarg422h.htm#teledildonics
12970. jarg422h.htm#Telerat
12971. jarg422h.htm#TELNET
12972. jarg422h.htm#ten-finger%20interface
12973. jarg422h.htm#tense
12974. jarg422h.htm#tentacle
12975. jarg422h.htm#tenured%20graduate%20student
12976. jarg422h.htm#tera-
12977. jarg422h.htm#teraflop%20club
12978. jarg422h.htm#terminak
12979. jarg422h.htm#terminal%20brain%20death
12980. jarg422h.htm#terminal%20illness
12981. jarg422h.htm#terminal%20junkie
12982. jarg422h.htm#terpri
12983. jarg422h.htm#test
12984. jarg422h.htm#TeX
12985. jarg422h.htm#text
12986. jarg422h.htm#thanks%20in%20advance
12987. jarg422h.htm#That's%20not%20a%20bug%20that's%20a%20feature!
12988. jarg422h.htm#the%20literature

12989. jarg422h.htm#the%20network
12990. jarg422h.htm#the%20X%20that%20can%20be%20Y%20is%20not%20the%20true%20X
12991. jarg422h.htm#theology
12992. jarg422h.htm#theory
12993. jarg422h.htm#thinko
12994. jarg422h.htm#This%20can't%20happen
12995. jarg422h.htm#This%20time%20for%20sure!
12996. jarg422h.htm#thrash
12997. jarg422h.htm#thread
12998. jarg422h.htm#three-finger%20salute
12999. jarg422h.htm#throwaway%20account
13000. jarg422h.htm#thud
13001. jarg422h.htm#thumb
13002. jarg422h.htm#thundering%20herd%20problem
13003. jarg422h.htm#thunk
13004. jarg422h.htm#tick
13005. jarg422h.htm#tick-list%20features
13006. jarg422h.htm#tickle%20a%20bug
13007. jarg422h.htm#tiger%20team
13008. jarg422h.htm#time%20bomb
13009. jarg422h.htm#time%20sink
13010. jarg422h.htm#time%20T
13011. jarg422h.htm#times-or-divided-by
13012. jarg422h.htm#TINC
13013. jarg422h.htm#Tinkerbell%20program
13014. jarg422h.htm#TINLC
13015. jarg422h.htm#tip%20of%20the%20ice-cube
13016. jarg422h.htm#tired%20iron
13017. jarg422h.htm#tits%20on%20a%20keyboard
13018. jarg422h.htm#TLA
13019. jarg422h.htm#(TM)
13020. jarg422h.htm#TMRC
13021. jarg422h.htm#TMRCie
13022. jarg422h.htm#TMTOWTDI
13023. jarg422h.htm#to%20a%20first%20approximation
13024. jarg422h.htm#to%20a%20zeroth%20approximation
13025. jarg422h.htm#toad
13026. jarg422h.htm#toast
13027. jarg422h.htm#toaster
13028. jarg422h.htm#toeprint
13029. jarg422h.htm#toggle
13030. jarg422h.htm#tool
13031. jarg422h.htm#toolsmith
13032. jarg422h.htm#toor
13033. jarg422h.htm#topic%20drift
13034. jarg422h.htm#topic%20group
13035. jarg422h.htm#TOPS-10
13036. jarg422h.htm#TOPS-20
13037. jarg422h.htm#tourist
13038. jarg422h.htm#tourist%20information
13039. jarg422h.htm#touristic
13040. jarg422h.htm#toy
13041. jarg422h.htm#toy%20language

13042. jarg422h.htm#toy%20problem
13043. jarg422h.htm#toy%20program
13044. jarg422h.htm#trampoline
13045. jarg422h.htm#trap
13046. jarg422h.htm#trap%20door
13047. jarg422h.htm#trash
13048. jarg422h.htm#trawl
13049. jarg422h.htm#tree-killer
13050. jarg422h.htm#treeware
13051. jarg422h.htm#trit
13052. jarg422h.htm#trivial
13053. jarg422h.htm#troff
13054. jarg422h.htm#troglodyte
13055. jarg422h.htm#troglodyte%20mode
13056. jarg422h.htm#Trojan%20horse
13057. jarg422h.htm#troll
13058. jarg422h.htm#Troll-O-Meter
13059. jarg422h.htm#tron
13060. jarg422h.htm#true-hacker
13061. jarg422h.htm#tty
13062. jarg422h.htm#tube
13063. jarg422h.htm#tube%20time
13064. jarg422h.htm#tunafish
13065. jarg422h.htm#tune
13066. jarg422h.htm#turbo%20nerd
13067. jarg422h.htm#Turing%20tar-pit
13068. jarg422h.htm#turist
13069. jarg422h.htm#Tux
13070. jarg422h.htm#tweak
13071. jarg422h.htm#tweeter
13072. jarg422h.htm#TWENEX
13073. jarg422h.htm#twiddle
13074. jarg422h.htm#twiddle
13075. jarg422h.htm#twilight%20zone
13076. jarg422h.htm#twink
13077. jarg422h.htm#twirling%20baton
13078. jarg422h.htm#two%20pi
13079. jarg422h.htm#two-to-the-N
13080. jarg422h.htm#twonkie
13081. jarg422h.htm#tail%20recursion
13082. jarg422h.htm#SysVile
13083. jarg422h.htm#%3d%20T%20%3d
13084. jarg422h.htm#The%20-P%20convention
13085. jarg422h.htm#time%20T
13086. jarg422h.htm#since%20time%20T%20equals%20minus%20infinity
13087. jarg422h.htm#tee
13088. jarg422h.htm#LISP
13089. jarg422h.htm#VAX
13090. jarg422h.htm#talk%20mode
13091. jarg422h.htm#T
13092. jarg422h.htm#%3d%20T%20%3d
13093. jarg422h.htm#tail%20recursion
13094. jarg422h.htm#talker%20system

13095. jarg422h.htm#tail%20recursion
13096. jarg422h.htm#%3d%20T%20%3d
13097. jarg422h.htm#NIL
13098. jarg422h.htm#T
13099. jarg422h.htm#prepend
13100. jarg422h.htm#email
13101. jarg422h.htm#ha%20ha%20only%20serious
13102. jarg422h.htm#IMHO
13103. jarg422h.htm#initgame
13104. jarg422h.htm#NIL
13105. jarg422h.htm#T
13106. jarg422h.htm#MUD
13107. jarg422h.htm#bonk%2foif
13108. jarg422h.htm#B1FF
13109. jarg422h.htm#hakspek
13110. jarg422h.htm#emoticon
13111. jarg422h.htm#tall%20card
13112. jarg422h.htm#talk%20mode
13113. jarg422h.htm#%3d%20T%20%3d
13114. jarg422h.htm#talk%20mode
13115. jarg422h.htm#tanked
13116. jarg422h.htm#talker%20system
13117. jarg422h.htm#%3d%20T%20%3d
13118. jarg422h.htm#short%20card
13119. jarg422h.htm#connector%20conspiracy
13120. jarg422h.htm#TANSTAAFL
13121. jarg422h.htm#tall%20card
13122. jarg422h.htm#%3d%20T%20%3d
13123. jarg422h.htm#down
13124. jarg422h.htm#hosed
13125. jarg422h.htm#tape%20monkey
13126. jarg422h.htm#tanked
13127. jarg422h.htm#%3d%20T%20%3d
13128. jarg422h.htm#heavyweight
13129. jarg422h.htm#signal-to-noise%20ratio
13130. jarg422h.htm#Appendix%20B
13131. jarg422h.htm#tar%20and%20feather
13132. jarg422h.htm#TANSTAAFL
13133. jarg422h.htm#%3d%20T%20%3d
13134. jarg422h.htm#one-banana%20problem
13135. jarg422h.htm#tarball
13136. jarg422h.htm#tape%20monkey
13137. jarg422h.htm#%3d%20T%20%3d
13138. jarg422h.htm#compress
13139. jarg422h.htm#tarball
13140. jarg422h.htm#tardegy
13141. jarg422h.htm#tar%20and%20feather
13142. jarg422h.htm#%3d%20T%20%3d
13143. jarg422h.htm#taste
13144. jarg422h.htm#tarball
13145. jarg422h.htm#%3d%20T%20%3d
13146. jarg422h.htm#tayste
13147. jarg422h.htm#tardegy

13148. jarg422h.htm#%3d%20T%20%3d
13149. jarg422h.htm#flavor
13150. jarg422h.htm#flavor
13151. jarg422h.htm#flavor
13152. jarg422h.htm#flavor
13153. jarg422h.htm#elegant
13154. jarg422h.htm#tayste
13155. jarg422h.htm#TCB
13156. jarg422h.htm#taste
13157. jarg422h.htm#%3d%20T%20%3d
13158. jarg422h.htm#taste
13159. jarg422h.htm#crumb
13160. jarg422h.htm#quarter
13161. jarg422h.htm#nybble
13162. jarg422h.htm#TCP%2fIP
13163. jarg422h.htm#tayste
13164. jarg422h.htm#%3d%20T%20%3d
13165. jarg422h.htm#shotgun%20debugging
13166. jarg422h.htm#heisenbug
13167. jarg422h.htm#Orange%20Book
13168. jarg422h.htm#TechRef
13169. jarg422h.htm#TCB
13170. jarg422h.htm#%3d%20T%20%3d
13171. jarg422h.htm#creationism
13172. jarg422h.htm#TECO
13173. jarg422h.htm#TCP%2fIP
13174. jarg422h.htm#%3d%20T%20%3d
13175. jarg422h.htm#tee
13176. jarg422h.htm#TechRef
13177. jarg422h.htm#%3d%20T%20%3d
13178. jarg422h.htm#EMACS
13179. jarg422h.htm#alt
13180. jarg422h.htm#bug
13181. jarg422h.htm#Wrong%20Thing
13182. jarg422h.htm#EMACS
13183. jarg422h.htm#retrocomputing
13184. jarg422h.htm#write-only%20language
13185. jarg422h.htm#teergrube
13186. jarg422h.htm#TECO
13187. jarg422h.htm#%3d%20T%20%3d
13188. jarg422h.htm#bits
13189. jarg422h.htm#plumbing
13190. jarg422h.htm#teledildonics
13191. jarg422h.htm#tee
13192. jarg422h.htm#%3d%20T%20%3d
13193. jarg422h.htm#address%20harvester
13194. jarg422h.htm#Telerat
13195. jarg422h.htm#teergrube
13196. jarg422h.htm#%3d%20T%20%3d
13197. jarg422h.htm#VR
13198. jarg422h.htm#MUD
13199. jarg422h.htm#ha%20ha%20only%20serious
13200. jarg422h.htm#hot%20chat

13201. jarg422h.htm#TELNET
13202. jarg422h.htm#teledildonics
13203. jarg422h.htm#%3d%20T%20%3d
13204. jarg422h.htm#AIDX
13205. jarg422h.htm#Macintrash
13206. jarg422h.htm#Nominal%20Semidestructor
13207. jarg422h.htm#ScumOS
13208. jarg422h.htm#sun-stools
13209. jarg422h.htm#HP-SUX
13210. jarg422h.htm#Slowlaris
13211. jarg422h.htm#ten-finger%20interface
13212. jarg422h.htm#Telerat
13213. jarg422h.htm#%3d%20T%20%3d
13214. jarg422h.htm#RFC
13215. jarg422h.htm#tense
13216. jarg422h.htm#TELNET
13217. jarg422h.htm#%3d%20T%20%3d
13218. jarg422h.htm#tentacle
13219. jarg422h.htm#ten-finger%20interface
13220. jarg422h.htm#%3d%20T%20%3d
13221. jarg422h.htm#bum
13222. jarg422h.htm#tenured%20graduate%20student
13223. jarg422h.htm#tense
13224. jarg422h.htm#%3d%20T%20%3d
13225. jarg422h.htm#pseudo
13226. jarg422h.htm#cypherpunk
13227. jarg422h.htm#tera-
13228. jarg422h.htm#tentacle
13229. jarg422h.htm#%3d%20T%20%3d
13230. jarg422h.htm#teraflop%20club
13231. jarg422h.htm#tenured%20graduate%20student
13232. jarg422h.htm#%3d%20T%20%3d
13233. jarg422h.htm#quantifiers
13234. jarg422h.htm#terminak
13235. jarg422h.htm#tera-
13236. jarg422h.htm#%3d%20T%20%3d
13237. jarg422h.htm#Knights%20of%20the%20Lambda%20Calculus
13238. jarg422h.htm#terminal%20brain%20death
13239. jarg422h.htm#teraflop%20club
13240. jarg422h.htm#%3d%20T%20%3d
13241. jarg422h.htm#dread%20high-bit%20disease
13242. jarg422h.htm#frogging
13243. jarg422h.htm#AIDX
13244. jarg422h.htm#Nominal%20Semidestructor
13245. jarg422h.htm#ScumOS
13246. jarg422h.htm#sun-stools
13247. jarg422h.htm#Telerat
13248. jarg422h.htm#HP-SUX
13249. jarg422h.htm#Slowlaris
13250. jarg422h.htm#terminal%20illness
13251. jarg422h.htm#terminak
13252. jarg422h.htm#%3d%20T%20%3d
13253. jarg422h.htm#terminal%20illness

13254. jarg422h.htm#terminal%20junkie
13255. jarg422h.htm#terminal%20brain%20death
13256. jarg422h.htm#%3d%20T%20%3d
13257. jarg422h.htm#raster%20burn
13258. jarg422h.htm#terpri
13259. jarg422h.htm#terminal%20illness
13260. jarg422h.htm#%3d%20T%20%3d
13261. jarg422h.htm#wannabee
13262. jarg422h.htm#larval%20stage
13263. jarg422h.htm#noddy
13264. jarg422h.htm#console%20jockey
13265. jarg422h.htm#console
13266. jarg422h.htm#twink
13267. jarg422h.htm#read-only%20user
13268. jarg422h.htm#test
13269. jarg422h.htm#terminal%20junkie
13270. jarg422h.htm#%3d%20T%20%3d
13271. jarg422h.htm#newline
13272. jarg422h.htm#TeX
13273. jarg422h.htm#terpri
13274. jarg422h.htm#%3d%20T%20%3d
13275. jarg422h.htm#demo
13276. jarg422h.htm#text
13277. jarg422h.htm#test
13278. jarg422h.htm#%3d%20T%20%3d
13279. jarg422h.htm#macro
13280. jarg422h.htm#Knuth
13281. jarg422h.htm#troff
13282. jarg422h.htm#CrApTeX
13283. jarg422h.htm#Knuth
13284. jarg422h.htm#bible
13285. jarg422h.htm#toolsmith
13286. jarg422h.htm#thanks%20in%20advance
13287. jarg422h.htm#TeX
13288. jarg422h.htm#%3d%20T%20%3d
13289. jarg422h.htm#English
13290. jarg422h.htm#ASCII
13291. jarg422h.htm#EBCDIC
13292. jarg422h.htm#flat-ASCII
13293. jarg422h.htm#That's%20not%20a%20bug%20that's%20a%20feature!
13294. jarg422h.htm#text
13295. jarg422h.htm#%3d%20T%20%3d
13296. jarg422h.htm#net.-
13297. jarg422h.htm#netiquette
13298. jarg422h.htm#the%20literature
13299. jarg422h.htm#thanks%20in%20advance
13300. jarg422h.htm#%3d%20T%20%3d
13301. jarg422h.htm#canonical
13302. jarg422h.htm#misfeature
13303. jarg422h.htm#feature
13304. jarg422h.htm#the%20network
13305. jarg422h.htm#That's%20not%20a%20bug%20that's%20a%20feature!
13306. jarg422h.htm#%3d%20T%20%3d

13307. jarg422h.htm#trivial
13308. jarg422h.htm#Knuth
13309. jarg422h.htm#the%20X%20that%20can%20be%20Y%20is%20not%20the%20true%20X
13310. jarg422h.htm#the%20literature
13311. jarg422h.htm#%3d%20T%20%3d
13312. jarg422h.htm#BITNET
13313. jarg422h.htm#Usenet
13314. jarg422h.htm#Internet
13315. jarg422h.htm#bang%20path
13316. jarg422h.htm#Internet%20address
13317. jarg422h.htm#network%20address
13318. jarg422h.htm#ha%20ha%20only%20serious
13319. jarg422h.htm#theology
13320. jarg422h.htm#the%20network
13321. jarg422h.htm#%3d%20T%20%3d
13322. jarg422h.htm#trampoline
13323. jarg422h.htm#has%20the%20X%20nature
13324. jarg422h.htm#theory
13325. jarg422h.htm#the%20X%20that%20can%20be%20Y%20is%20not%20the%20true%20X
13326. jarg422h.htm#%3d%20T%20%3d
13327. jarg422h.htm#religious%20issues
13328. jarg422h.htm#marginal
13329. jarg422h.htm#thinko
13330. jarg422h.htm#theology
13331. jarg422h.htm#%3d%20T%20%3d
13332. jarg422h.htm#This%20can't%20happen
13333. jarg422h.htm#theory
13334. jarg422h.htm#%3d%20T%20%3d
13335. jarg422h.htm#braino
13336. jarg422h.htm#brain%20fart
13337. jarg422h.htm#mouso
13338. jarg422h.htm#This%20time%20for%20sure!
13339. jarg422h.htm#thinko
13340. jarg422h.htm#%3d%20T%20%3d
13341. jarg422h.htm#can't%20happen
13342. jarg422h.htm#thrash
13343. jarg422h.htm#This%20can't%20happen
13344. jarg422h.htm#%3d%20T%20%3d
13345. jarg422h.htm#canonical
13346. jarg422h.htm#hacker%20humor
13347. jarg422h.htm#thread
13348. jarg422h.htm#This%20time%20for%20sure!
13349. jarg422h.htm#%3d%20T%20%3d
13350. jarg422h.htm#multitask
13351. jarg422h.htm#three-finger%20salute
13352. jarg422h.htm#thrash
13353. jarg422h.htm#%3d%20T%20%3d
13354. jarg422h.htm#throwaway%20account
13355. jarg422h.htm#thread
13356. jarg422h.htm#%3d%20T%20%3d
13357. jarg422h.htm#Vulcan%20nerve%20pinch
13358. jarg422h.htm#thud
13359. jarg422h.htm#three-finger%20salute

13360. jarg422h.htm#%3d%20T%20%3d
13361. jarg422h.htm#ISP
13362. jarg422h.htm#spam
13363. jarg422h.htm#thumb
13364. jarg422h.htm#throwaway%20account
13365. jarg422h.htm#%3d%20T%20%3d
13366. jarg422h.htm#metasyntactic%20variable
13367. jarg422h.htm#foo
13368. jarg422h.htm#ASCII
13369. jarg422h.htm#thundering%20herd%20problem
13370. jarg422h.htm#thud
13371. jarg422h.htm#%3d%20T%20%3d
13372. jarg422h.htm#thunk
13373. jarg422h.htm#thumb
13374. jarg422h.htm#%3d%20T%20%3d
13375. jarg422h.htm#tick
13376. jarg422h.htm#thundering%20herd%20problem
13377. jarg422h.htm#%3d%20T%20%3d
13378. jarg422h.htm#stubroutine
13379. jarg422h.htm#trampoline
13380. jarg422h.htm#plan%20file
13381. jarg422h.htm#tick-list%20features
13382. jarg422h.htm#thunk
13383. jarg422h.htm#%3d%20T%20%3d
13384. jarg422h.htm#jiffy
13385. jarg422h.htm#handwave
13386. jarg422h.htm#tickle%20a%20bug
13387. jarg422h.htm#tick
13388. jarg422h.htm#%3d%20T%20%3d
13389. jarg422h.htm#tiger%20team
13390. jarg422h.htm#tick-list%20features
13391. jarg422h.htm#%3d%20T%20%3d
13392. jarg422h.htm#time%20bomb
13393. jarg422h.htm#tickle%20a%20bug
13394. jarg422h.htm#%3d%20T%20%3d
13395. jarg422h.htm#sneaker
13396. jarg422h.htm#patch
13397. jarg422h.htm#firefighting
13398. jarg422h.htm#cracker
13399. jarg422h.htm#time%20sink
13400. jarg422h.htm#tiger%20team
13401. jarg422h.htm#%3d%20T%20%3d
13402. jarg422h.htm#logic%20bomb
13403. jarg422h.htm#time%20T
13404. jarg422h.htm#time%20bomb
13405. jarg422h.htm#%3d%20T%20%3d
13406. jarg422h.htm#times-or-divided-by
13407. jarg422h.htm#time%20sink
13408. jarg422h.htm#%3d%20T%20%3d
13409. jarg422h.htm#since%20time%20T%20equals%20minus%20infinity
13410. jarg422h.htm#TINC
13411. jarg422h.htm#time%20T
13412. jarg422h.htm#%3d%20T%20%3d

13413. jarg422h.htm#Tinkerbell%20program
13414. jarg422h.htm#times-or-divided-by
13415. jarg422h.htm#%3d%20T%20%3d
13416. jarg422h.htm#backbone%20cabal
13417. jarg422h.htm#NANA
13418. jarg422h.htm#TINLC
13419. jarg422h.htm#TINC
13420. jarg422h.htm#%3d%20T%20%3d
13421. jarg422h.htm#tip%20of%20the%20ice-cube
13422. jarg422h.htm#Tinkerbell%20program
13423. jarg422h.htm#%3d%20T%20%3d
13424. jarg422h.htm#Lumber%20Cartel
13425. jarg422h.htm#TINC
13426. jarg422h.htm#tired%20iron
13427. jarg422h.htm#TINLC
13428. jarg422h.htm#%3d%20T%20%3d
13429. jarg422h.htm#tits%20on%20a%20keyboard
13430. jarg422h.htm#tip%20of%20the%20ice-cube
13431. jarg422h.htm#%3d%20T%20%3d
13432. jarg422h.htm#dinosaur
13433. jarg422h.htm#TLA
13434. jarg422h.htm#tired%20iron
13435. jarg422h.htm#%3d%20T%20%3d
13436. jarg422h.htm#QWERTY
13437. jarg422h.htm#(TM)
13438. jarg422h.htm#tits%20on%20a%20keyboard
13439. jarg422h.htm#%3d%20T%20%3d
13440. jarg422h.htm#YABA
13441. jarg422h.htm#TMRC
13442. jarg422h.htm#TLA
13443. jarg422h.htm#%3d%20T%20%3d
13444. jarg422h.htm#UN*X
13445. jarg422h.htm#TMRCie
13446. jarg422h.htm#(TM)
13447. jarg422h.htm#%3d%20T%20%3d
13448. jarg422h.htm#foo
13449. jarg422h.htm#mung
13450. jarg422h.htm#frob
13451. jarg422h.htm#scram%20switch
13452. jarg422h.htm#Bibliography
13453. <http://web.mit.edu/tmrc/www/>
13454. jarg422h.htm#TMTOWTDI
13455. jarg422h.htm#TMRC
13456. jarg422h.htm#%3d%20T%20%3d
13457. jarg422h.htm#TMRC
13458. jarg422h.htm#to%20a%20first%20approximation
13459. jarg422h.htm#TMRCie
13460. jarg422h.htm#%3d%20T%20%3d
13461. jarg422h.htm#Perl
13462. jarg422h.htm#to%20a%20zeroth%20approximation
13463. jarg422h.htm#TMTOWTDI
13464. jarg422h.htm#%3d%20T%20%3d
13465. jarg422h.htm#toad

13466. jarg422h.htm#to%20a%20first%20approximation
13467. jarg422h.htm#%3d%20T%20%3d
13468. jarg422h.htm#social%20science%20number
13469. jarg422h.htm#toast
13470. jarg422h.htm#to%20a%20zeroth%20approximation
13471. jarg422h.htm#%3d%20T%20%3d
13472. jarg422h.htm#MUD
13473. jarg422h.htm#wizard
13474. jarg422h.htm#frog
13475. jarg422h.htm#FOD
13476. jarg422h.htm#toaster
13477. jarg422h.htm#toad
13478. jarg422h.htm#%3d%20T%20%3d
13479. jarg422h.htm#firewall%20machine
13480. jarg422h.htm#fried
13481. jarg422h.htm#toeprint
13482. jarg422h.htm#toast
13483. jarg422h.htm#%3d%20T%20%3d
13484. jarg422h.htm#elevator%20controller
13485. jarg422h.htm#DWIM
13486. <http://www.phys.uu.nl/~beljaars/reddwarf/script/4/4.whi>
13487. jarg422h.htm#bitty%20box
13488. jarg422h.htm#Get%20a%20real%20computer!
13489. jarg422h.htm#toy
13490. jarg422h.htm#beige%20toaster
13491. jarg422h.htm#web%20toaster
13492. jarg422h.htm#video%20toaster
13493. jarg422h.htm#toggle
13494. jarg422h.htm#toaster
13495. jarg422h.htm#%3d%20T%20%3d
13496. jarg422h.htm#footprint
13497. jarg422h.htm#tool
13498. jarg422h.htm#toeprint
13499. jarg422h.htm#%3d%20T%20%3d
13500. jarg422h.htm#bit
13501. jarg422h.htm#toolsmith
13502. jarg422h.htm#toggle
13503. jarg422h.htm#%3d%20T%20%3d
13504. jarg422h.htm#app
13505. jarg422h.htm#operating%20system
13506. jarg422h.htm#filter
13507. jarg422h.htm#plumbing
13508. jarg422h.htm#hack
13509. jarg422h.htm#toor
13510. jarg422h.htm#tool
13511. jarg422h.htm#%3d%20T%20%3d
13512. jarg422h.htm#tool
13513. jarg422h.htm#uninteresting
13514. jarg422h.htm#DEC
13515. jarg422h.htm#topic%20drift
13516. jarg422h.htm#toolsmith
13517. jarg422h.htm#%3d%20T%20%3d
13518. jarg422h.htm#avatar

13519. jarg422h.htm#topic%20group
13520. jarg422h.htm#toor
13521. jarg422h.htm#%3d%20T%20%3d
13522. jarg422h.htm#thread
13523. jarg422h.htm#flame%20war
13524. jarg422h.htm#TOPS-10
13525. jarg422h.htm#topic%20drift
13526. jarg422h.htm#%3d%20T%20%3d
13527. jarg422h.htm#forum
13528. jarg422h.htm#TOPS-20
13529. jarg422h.htm#topic%20group
13530. jarg422h.htm#%3d%20T%20%3d
13531. jarg422h.htm#DEC
13532. jarg422h.htm#PDP-10
13533. jarg422h.htm#ITS
13534. jarg422h.htm#TOPS-20
13535. jarg422h.htm#TWENEX
13536. jarg422h.htm#VMS
13537. jarg422h.htm#operating%20system
13538. jarg422h.htm#tourist
13539. jarg422h.htm#TOPS-10
13540. jarg422h.htm#%3d%20T%20%3d
13541. jarg422h.htm#TWENEX
13542. jarg422h.htm#tourist%20information
13543. jarg422h.htm#TOPS-20
13544. jarg422h.htm#%3d%20T%20%3d
13545. jarg422h.htm#comm%20mode
13546. jarg422h.htm#luser
13547. jarg422h.htm#turist
13548. jarg422h.htm#luser
13549. jarg422h.htm#twink
13550. jarg422h.htm#lurker
13551. jarg422h.htm#read-only%20user
13552. jarg422h.htm#IRC
13553. jarg422h.htm#channel%20hopping
13554. jarg422h.htm#touristic
13555. jarg422h.htm#tourist
13556. jarg422h.htm#%3d%20T%20%3d
13557. jarg422h.htm#toy
13558. jarg422h.htm#tourist%20information
13559. jarg422h.htm#%3d%20T%20%3d
13560. jarg422h.htm#tourist
13561. jarg422h.htm#toy%20language
13562. jarg422h.htm#touristic
13563. jarg422h.htm#%3d%20T%20%3d
13564. jarg422h.htm#computron
13565. jarg422h.htm#bitty%20box
13566. jarg422h.htm#Get%20a%20real%20computer!
13567. jarg422h.htm#toy%20problem
13568. jarg422h.htm#toy
13569. jarg422h.htm#%3d%20T%20%3d
13570. jarg422h.htm#Bad%20Thing
13571. jarg422h.htm#bondage-and-discipline%20language

13572. jarg422h.htm#Pascal
13573. jarg422h.htm#MFTL
13574. jarg422h.htm#toy%20program
13575. jarg422h.htm#toy%20language
13576. jarg422h.htm#%3d%20T%20%3d
13577. jarg422h.htm#gedanken
13578. jarg422h.htm#toy%20program
13579. jarg422h.htm#trampoline
13580. jarg422h.htm#toy%20problem
13581. jarg422h.htm#%3d%20T%20%3d
13582. jarg422h.htm#noddy
13583. jarg422h.htm#noddy
13584. jarg422h.htm#trap
13585. jarg422h.htm#toy%20program
13586. jarg422h.htm#%3d%20T%20%3d
13587. jarg422h.htm#hairy
13588. jarg422h.htm#HLL
13589. jarg422h.htm#live%20data
13590. jarg422h.htm#snap
13591. jarg422h.htm#trap%20door
13592. jarg422h.htm#trampoline
13593. jarg422h.htm#%3d%20T%20%3d
13594. jarg422h.htm#HLL
13595. jarg422h.htm#system
13596. jarg422h.htm#trash
13597. jarg422h.htm#trap
13598. jarg422h.htm#%3d%20T%20%3d
13599. jarg422h.htm#back%20door
13600. jarg422h.htm#Bad%20Thing
13601. jarg422h.htm#Good%20Thing
13602. jarg422h.htm#trawl
13603. jarg422h.htm#trap%20door
13604. jarg422h.htm#%3d%20T%20%3d
13605. jarg422h.htm#mung
13606. jarg422h.htm#mangle
13607. jarg422h.htm#scribble
13608. jarg422h.htm#tree-killer
13609. jarg422h.htm#trash
13610. jarg422h.htm#%3d%20T%20%3d
13611. jarg422h.htm#treeware
13612. jarg422h.htm#trawl
13613. jarg422h.htm#%3d%20T%20%3d
13614. jarg422h.htm#spiffy
13615. jarg422h.htm#content-free
13616. jarg422h.htm#suit
13617. jarg422h.htm#elvish
13618. jarg422h.htm#elder%20days
13619. jarg422h.htm#trit
13620. jarg422h.htm#tree-killer
13621. jarg422h.htm#%3d%20T%20%3d
13622. jarg422h.htm#tree-killer
13623. jarg422h.htm#documentation
13624. jarg422h.htm#trivial

13625. jarg422h.htm#treeware
13626. jarg422h.htm#%3d%20T%20%3d
13627. jarg422h.htm#bit
13628. jarg422h.htm#flag
13629. jarg422h.htm#troff
13630. jarg422h.htm#trit
13631. jarg422h.htm#%3d%20T%20%3d
13632. jarg422h.htm#cretinous
13633. jarg422h.htm#nontrivial
13634. jarg422h.htm#uninteresting
13635. jarg422h.htm#troglodyte
13636. jarg422h.htm#trivial
13637. jarg422h.htm#%3d%20T%20%3d
13638. jarg422h.htm#Multics
13639. jarg422h.htm#CTSS
13640. jarg422h.htm#nroff
13641. jarg422h.htm#TeX
13642. jarg422h.htm#troglodyte%20mode
13643. jarg422h.htm#troff
13644. jarg422h.htm#%3d%20T%20%3d
13645. jarg422h.htm#Trojan%20horse
13646. jarg422h.htm#troglodyte
13647. jarg422h.htm#%3d%20T%20%3d
13648. jarg422h.htm#raster%20burn
13649. jarg422h.htm#larval%20stage
13650. jarg422h.htm#hack%20mode
13651. jarg422h.htm#troll
13652. jarg422h.htm#troglodyte%20mode
13653. jarg422h.htm#%3d%20T%20%3d
13654. jarg422h.htm#back%20door
13655. jarg422h.htm#virus
13656. jarg422h.htm#worm
13657. jarg422h.htm#phage
13658. jarg422h.htm#mockingbird
13659. jarg422h.htm#Troll-O-Meter
13660. jarg422h.htm#Trojan%20horse
13661. jarg422h.htm#%3d%20T%20%3d
13662. jarg422h.htm#Usenet
13663. jarg422h.htm#flame
13664. jarg422h.htm#newbie
13665. jarg422h.htm#YHBT
13666. jarg422h.htm#flame%20bait
13667. jarg422h.htm#Troll-O-Meter
13668. jarg422h.htm#tron
13669. jarg422h.htm#troll
13670. jarg422h.htm#%3d%20T%20%3d
13671. jarg422h.htm#troll
13672. jarg422h.htm#bogometer
13673. jarg422h.htm#true-hacker
13674. jarg422h.htm#Troll-O-Meter
13675. jarg422h.htm#%3d%20T%20%3d
13676. jarg422h.htm#spod
13677. jarg422h.htm#tty

13678. jarg422h.htm#tron
13679. jarg422h.htm#%3d%20T%20%3d
13680. jarg422h.htm#demigod
13681. jarg422h.htm#munchkin
13682. jarg422h.htm#tube
13683. jarg422h.htm#true-hacker
13684. jarg422h.htm#%3d%20T%20%3d
13685. jarg422h.htm#bit-paired%20keyboard
13686. jarg422h.htm#tube%20time
13687. jarg422h.htm#tty
13688. jarg422h.htm#%3d%20T%20%3d
13689. jarg422h.htm#tunafish
13690. jarg422h.htm#tube
13691. jarg422h.htm#%3d%20T%20%3d
13692. jarg422h.htm#tune
13693. jarg422h.htm#tube%20time
13694. jarg422h.htm#%3d%20T%20%3d
13695. jarg422h.htm#BSD
13696. jarg422h.htm#droid
13697. jarg422h.htm#turbo%20nerd
13698. jarg422h.htm#tunafish
13699. jarg422h.htm#%3d%20T%20%3d
13700. jarg422h.htm#hook
13701. jarg422h.htm#bum
13702. jarg422h.htm#hot%20spot
13703. jarg422h.htm#hand-hacking
13704. jarg422h.htm#Turing%20tar-pit
13705. jarg422h.htm#tune
13706. jarg422h.htm#%3d%20T%20%3d
13707. jarg422h.htm#computer%20geek
13708. jarg422h.htm#tourist
13709. jarg422h.htm#turbo%20nerd
13710. jarg422h.htm#%3d%20T%20%3d
13711. jarg422h.htm#bondage-and-discipline%20language
13712. jarg422h.htm#holy%20wars
13713. jarg422h.htm#Tux
13714. jarg422h.htm#Turing%20tar-pit
13715. jarg422h.htm#%3d%20T%20%3d
13716. jarg422h.htm#tourist
13717. jarg422h.htm#luser
13718. jarg422h.htm#tweak
13719. jarg422h.htm#tourist
13720. jarg422h.htm#%3d%20T%20%3d
13721. jarg422h.htm#Linux
13722. <http://www.woodsoup.org/~sbaker/tux/doc/>
13723. <http://www.isc.tamu.edu/~lewing/linux/>
13724. <http://www.ao.com/~regan/penguins/tux.html>
13725. jarg422h.htm#tweeter
13726. jarg422h.htm#Tux
13727. jarg422h.htm#%3d%20T%20%3d
13728. jarg422h.htm#twiddle
13729. jarg422h.htm#frobnicate
13730. jarg422h.htm#fudge%20factor

13731. jarg422h.htm#shotgun%20debugging
13732. jarg422h.htm#tune
13733. jarg422h.htm#bum
13734. jarg422h.htm#TWENEX
13735. jarg422h.htm#tweak
13736. jarg422h.htm#%3d%20T%20%3d
13737. jarg422h.htm#perf
13738. jarg422h.htm#chad
13739. jarg422h.htm#woofer
13740. jarg422h.htm#twiddle
13741. jarg422h.htm#tweeter
13742. jarg422h.htm#%3d%20T%20%3d
13743. jarg422h.htm#DEC
13744. jarg422h.htm#ITS
13745. jarg422h.htm#WAITS
13746. jarg422h.htm#VMS
13747. jarg422h.htm#twilight%20zone
13748. jarg422h.htm#TWENEX
13749. jarg422h.htm#%3d%20T%20%3d
13750. jarg422h.htm#shotgun%20debugging
13751. jarg422h.htm#knobs
13752. jarg422h.htm#frobnicate
13753. jarg422h.htm#bit%20twiddling
13754. jarg422h.htm#toggle
13755. jarg422h.htm#twirling%20baton
13756. jarg422h.htm#twink
13757. jarg422h.htm#twiddle
13758. jarg422h.htm#%3d%20T%20%3d
13759. jarg422h.htm#IRC
13760. jarg422h.htm#op
13761. jarg422h.htm#twirling%20baton
13762. jarg422h.htm#twilight%20zone
13763. jarg422h.htm#%3d%20T%20%3d
13764. jarg422h.htm#read-only%20user
13765. jarg422h.htm#two%20pi
13766. jarg422h.htm#twink
13767. jarg422h.htm#%3d%20T%20%3d
13768. jarg422h.htm#two-to-the-N
13769. jarg422h.htm#twirling%20baton
13770. jarg422h.htm#%3d%20T%20%3d
13771. jarg422h.htm#twonkie
13772. jarg422h.htm#two%20pi
13773. jarg422h.htm#%3d%20T%20%3d
13774. jarg422h.htm#N
13775. jarg422h.htm#infinity
13776. jarg422h.htm#u-
13777. jarg422h.htm#two-to-the-N
13778. jarg422h.htm#%3d%20T%20%3d
13779. jarg422h.htm#marketroid
13780. jarg422h.htm#Saturday-night%20special
13781. jarg422h.htm#%3d%20V%20%3d
13782. jarg422h.htm#%3d%20T%20%3d
13783. jarg422h.htm#The%20Jargon%20Lexicon

13784. jarg422h.htm#u-
13785. jarg422h.htm#UBD
13786. jarg422h.htm#UBE
13787. jarg422h.htm#UCE
13788. jarg422h.htm#UDP
13789. jarg422h.htm#UN*X
13790. jarg422h.htm#undefined%20external%20reference
13791. jarg422h.htm#under%20the%20hood
13792. jarg422h.htm#undocumented%20feature
13793. jarg422h.htm#uninteresting
13794. jarg422h.htm#Unix
13795. jarg422h.htm#Unix%20brain%20damage
13796. jarg422h.htm#Unix%20conspiracy
13797. jarg422h.htm#Unix%20weenie
13798. jarg422h.htm#unixism
13799. jarg422h.htm#unswizzle
13800. jarg422h.htm#unwind%20the%20stack
13801. jarg422h.htm#unwind-protect
13802. jarg422h.htm#up
13803. jarg422h.htm#upload
13804. jarg422h.htm#upthread
13805. jarg422h.htm#urchin
13806. jarg422h.htm#URL
13807. jarg422h.htm#Usenet
13808. jarg422h.htm#Usenet%20Death%20Penalty
13809. jarg422h.htm#user
13810. jarg422h.htm#user-friendly
13811. jarg422h.htm#user-obsequious
13812. jarg422h.htm#userland
13813. jarg422h.htm#USG%20Unix
13814. jarg422h.htm#UTSL
13815. jarg422h.htm#UUCPNET
13816. jarg422h.htm#UBD
13817. jarg422h.htm#twonkie
13818. jarg422h.htm#%3d%20U%20%3d
13819. jarg422h.htm#micro-
13820. jarg422h.htm#UBE
13821. jarg422h.htm#u-
13822. jarg422h.htm#%3d%20U%20%3d
13823. jarg422h.htm#pilot%20error
13824. jarg422h.htm#PBD
13825. jarg422h.htm#brain-damaged
13826. jarg422h.htm#UCE
13827. jarg422h.htm#UBD
13828. jarg422h.htm#%3d%20U%20%3d
13829. jarg422h.htm#spam
13830. jarg422h.htm#UCE
13831. jarg422h.htm#UDP
13832. jarg422h.htm#UBE
13833. jarg422h.htm#%3d%20U%20%3d
13834. jarg422h.htm#spam
13835. jarg422h.htm#UBE
13836. jarg422h.htm#UN*X

13837. jarg422h.htm#UCE
13838. jarg422h.htm#%3d%20U%20%3d
13839. jarg422h.htm#Usenet%20Death%20Penalty
13840. jarg422h.htm#IDP
13841. jarg422h.htm#undefined%20external%20reference
13842. jarg422h.htm#UDP
13843. jarg422h.htm#%3d%20U%20%3d
13844. jarg422h.htm#(TM)
13845. jarg422h.htm#glob
13846. jarg422h.htm#splat%20out
13847. jarg422h.htm#under%20the%20hood
13848. jarg422h.htm#UN*X
13849. jarg422h.htm#%3d%20U%20%3d
13850. jarg422h.htm#undocumented%20feature
13851. jarg422h.htm#undefined%20external%20reference
13852. jarg422h.htm#%3d%20U%20%3d
13853. jarg422h.htm#grok
13854. jarg422h.htm#uninteresting
13855. jarg422h.htm#under%20the%20hood
13856. jarg422h.htm#%3d%20U%20%3d
13857. jarg422h.htm#feature
13858. jarg422h.htm#Unix
13859. jarg422h.htm#undocumented%20feature
13860. jarg422h.htm#%3d%20U%20%3d
13861. jarg422h.htm#nontrivial
13862. jarg422h.htm#toolsmith
13863. jarg422h.htm#WOMBAT
13864. jarg422h.htm#SMOP
13865. jarg422h.htm#toy%20problem
13866. jarg422h.htm#interesting
13867. jarg422h.htm#Unix%20brain%20damage
13868. jarg422h.htm#uninteresting
13869. jarg422h.htm#%3d%20U%20%3d
13870. jarg422h.htm#Linux
13871. jarg422h.htm#open%20source
13872. jarg422h.htm#Unix%20weenie
13873. jarg422h.htm#Unix%20conspiracy
13874. jarg422h.htm#Version%207
13875. jarg422h.htm#BSD
13876. jarg422h.htm#USG%20Unix
13877. jarg422h.htm#Linux
13878. jarg422h.htm#troff
13879. jarg422h.htm#Unix%20conspiracy
13880. jarg422h.htm#Unix
13881. jarg422h.htm#%3d%20U%20%3d
13882. jarg422h.htm#kluge
13883. jarg422h.htm#jock
13884. jarg422h.htm#Unix%20weenie
13885. jarg422h.htm#Unix%20brain%20damage
13886. jarg422h.htm#%3d%20U%20%3d
13887. jarg422h.htm#ITS
13888. jarg422h.htm#TOPS-20
13889. jarg422h.htm#back%20door

13890. jarg422h.htm#virus
13891. jarg422h.htm#DEC
13892. jarg422h.htm#Linux
13893. jarg422h.htm#unixism
13894. jarg422h.htm#Unix%20conspiracy
13895. jarg422h.htm#%3d%20U%20%3d
13896. jarg422h.htm#Weenix
13897. jarg422h.htm#Unix%20conspiracy
13898. jarg422h.htm#weenie
13899. jarg422h.htm#unswizzle
13900. jarg422h.htm#Unix%20weenie
13901. jarg422h.htm#%3d%20U%20%3d
13902. jarg422h.htm#unixism
13903. jarg422h.htm#obscure
13904. jarg422h.htm#vaxocentrism
13905. jarg422h.htm#New%20Jersey
13906. jarg422h.htm#unwind%20the%20stack
13907. jarg422h.htm#unixism
13908. jarg422h.htm#%3d%20U%20%3d
13909. jarg422h.htm#swizzle
13910. jarg422h.htm#unwind-protect
13911. jarg422h.htm#unswizzle
13912. jarg422h.htm#%3d%20U%20%3d
13913. jarg422h.htm#smash%20the%20stack
13914. jarg422h.htm#up
13915. jarg422h.htm#unwind%20the%20stack
13916. jarg422h.htm#%3d%20U%20%3d
13917. jarg422h.htm#upload
13918. jarg422h.htm#unwind-protect
13919. jarg422h.htm#%3d%20U%20%3d
13920. jarg422h.htm#down
13921. jarg422h.htm#upthread
13922. jarg422h.htm#up
13923. jarg422h.htm#%3d%20U%20%3d
13924. jarg422h.htm#download
13925. jarg422h.htm#urchin
13926. jarg422h.htm#upload
13927. jarg422h.htm#%3d%20U%20%3d
13928. jarg422h.htm#thread
13929. jarg422h.htm#followup
13930. jarg422h.htm#URL
13931. jarg422h.htm#upthread
13932. jarg422h.htm#%3d%20U%20%3d
13933. jarg422h.htm#munchkin
13934. jarg422h.htm#Usenet
13935. jarg422h.htm#urchin
13936. jarg422h.htm#%3d%20U%20%3d
13937. jarg422h.htm#Usenet%20Death%20Penalty
13938. jarg422h.htm#URL
13939. jarg422h.htm#%3d%20U%20%3d
13940. jarg422h.htm#bboard
13941. jarg422h.htm#newsgroup
13942. jarg422h.htm#flamage

13943. jarg422h.htm#UUCPNET
13944. jarg422h.htm#user
13945. jarg422h.htm#Usenet
13946. jarg422h.htm#%3d%20U%20%3d
13947. jarg422h.htm#spam
13948. jarg422h.htm#Internet%20Death%20Penalty
13949. jarg422h.htm#user-friendly
13950. jarg422h.htm#Usenet%20Death%20Penalty
13951. jarg422h.htm#%3d%20U%20%3d
13952. jarg422h.htm#real%20user
13953. jarg422h.htm#luser
13954. jarg422h.htm#luser
13955. jarg422h.htm#user-obsequious
13956. jarg422h.htm#user
13957. jarg422h.htm#%3d%20U%20%3d
13958. jarg422h.htm#menuitis
13959. jarg422h.htm#drool-proof%20paper
13960. jarg422h.htm#Macintrash
13961. jarg422h.htm#user-obsequious
13962. jarg422h.htm#userland
13963. jarg422h.htm#user-friendly
13964. jarg422h.htm#%3d%20U%20%3d
13965. jarg422h.htm#user-friendly
13966. jarg422h.htm#WIMP%20environment
13967. jarg422h.htm#Macintrash
13968. jarg422h.htm#USG%20Unix
13969. jarg422h.htm#user-obsequious
13970. jarg422h.htm#%3d%20U%20%3d
13971. jarg422h.htm#Linux
13972. jarg422h.htm#UTSL
13973. jarg422h.htm#userland
13974. jarg422h.htm#%3d%20U%20%3d
13975. jarg422h.htm#Version%207
13976. jarg422h.htm#BSD
13977. jarg422h.htm#Unix
13978. jarg422h.htm#UUCPNET
13979. jarg422h.htm#USG%20Unix
13980. jarg422h.htm#%3d%20U%20%3d
13981. jarg422h.htm#RTFS
13982. jarg422h.htm#wizard
13983. jarg422h.htm#elder%20days
13984. jarg422h.htm#V7
13985. jarg422h.htm#UTSL
13986. jarg422h.htm#%3d%20U%20%3d
13987. jarg422h.htm#bang%20path
13988. jarg422h.htm#network%20address
13989. jarg422h.htm#%3d%20W%20%3d
13990. jarg422h.htm#%3d%20U%20%3d
13991. jarg422h.htm#The%20Jargon%20Lexicon
13992. jarg422h.htm#V7
13993. jarg422h.htm#vadding
13994. jarg422h.htm#vanilla
13995. jarg422h.htm#vanity%20domain

13996. jarg422h.htm#vannevar
13997. jarg422h.htm#vaporware
13998. jarg422h.htm#var
13999. jarg422h.htm#vaston
14000. jarg422h.htm#VAX
14001. jarg422h.htm#VAXectomy
14002. jarg422h.htm#VAXen
14003. jarg422h.htm#vaxherd
14004. jarg422h.htm#vaxism
14005. jarg422h.htm#vaxocentrism
14006. jarg422h.htm#vdiff
14007. jarg422h.htm#veeblefester
14008. jarg422h.htm#velveeta
14009. jarg422h.htm#ventilator%20card
14010. jarg422h.htm#Venus%20flytrap
14011. jarg422h.htm#verbage
14012. jarg422h.htm#verbiage
14013. jarg422h.htm#Version%207
14014. jarg422h.htm#vgrep
14015. jarg422h.htm#vi
14016. jarg422h.htm#video%20toaster
14017. jarg422h.htm#videotex
14018. jarg422h.htm#virgin
14019. jarg422h.htm#virtual
14020. jarg422h.htm#virtual%20beer
14021. jarg422h.htm#virtual%20Friday
14022. jarg422h.htm#virtual%20reality
14023. jarg422h.htm#virtual%20shredder
14024. jarg422h.htm#virus
14025. jarg422h.htm#visionary
14026. jarg422h.htm#VMS
14027. jarg422h.htm#voice
14028. jarg422h.htm#voice-net
14029. jarg422h.htm#voodoo%20programming
14030. jarg422h.htm#VR
14031. jarg422h.htm#Vulcan%20nerve%20pinch
14032. jarg422h.htm#vulture%20capitalist
14033. jarg422h.htm#vadding
14034. jarg422h.htm#UUCPNET
14035. jarg422h.htm#%3d%20V%20%3d
14036. jarg422h.htm#Version%207
14037. jarg422h.htm#vanilla
14038. jarg422h.htm#V7
14039. jarg422h.htm#%3d%20V%20%3d
14040. jarg422h.htm#ADVENT
14041. jarg422h.htm#admin
14042. jarg422h.htm#phreaking
14043. jarg422h.htm#hack
14044. jarg422h.htm#hobbit
14045. jarg422h.htm#vanity%20domain
14046. jarg422h.htm#vadding
14047. jarg422h.htm#%3d%20V%20%3d
14048. jarg422h.htm#flavor

14049. jarg422h.htm#canonical
14050. jarg422h.htm#great-wall
14051. jarg422h.htm#canonical
14052. jarg422h.htm#vannevar
14053. jarg422h.htm#vanilla
14054. jarg422h.htm#%3d%20V%20%3d
14055. jarg422h.htm#vaporware
14056. jarg422h.htm#vanity%20domain
14057. jarg422h.htm#%3d%20V%20%3d
14058. jarg422h.htm#videotex
14059. jarg422h.htm#var
14060. jarg422h.htm#vannevar
14061. jarg422h.htm#%3d%20V%20%3d
14062. jarg422h.htm#brochureware
14063. jarg422h.htm#vaston
14064. jarg422h.htm#vaporware
14065. jarg422h.htm#%3d%20V%20%3d
14066. jarg422h.htm#arg
14067. jarg422h.htm#param
14068. jarg422h.htm#VAX
14069. jarg422h.htm#var
14070. jarg422h.htm#%3d%20V%20%3d
14071. jarg422h.htm#VAXectomy
14072. jarg422h.htm#vaston
14073. jarg422h.htm#%3d%20V%20%3d
14074. jarg422h.htm#killer%20micro
14075. jarg422h.htm#BSD
14076. jarg422h.htm#VAXen
14077. jarg422h.htm#VAX
14078. jarg422h.htm#%3d%20V%20%3d
14079. jarg422h.htm#DEC
14080. jarg422h.htm#vaxherd
14081. jarg422h.htm#VAXectomy
14082. jarg422h.htm#%3d%20V%20%3d
14083. jarg422h.htm#DEC
14084. jarg422h.htm#boxen
14085. jarg422h.htm#vaxism
14086. jarg422h.htm#VAXen
14087. jarg422h.htm#%3d%20V%20%3d
14088. jarg422h.htm#vaxocentrism
14089. jarg422h.htm#vaxherd
14090. jarg422h.htm#%3d%20V%20%3d
14091. jarg422h.htm#vaxocentrism
14092. jarg422h.htm#PC-ism
14093. jarg422h.htm#unixism
14094. jarg422h.htm#vdiff
14095. jarg422h.htm#vaxism
14096. jarg422h.htm#%3d%20V%20%3d
14097. jarg422h.htm#VAXen
14098. jarg422h.htm#HLL
14099. jarg422h.htm#brain-damaged
14100. jarg422h.htm#moby
14101. jarg422h.htm#big-endian

14102. jarg422h.htm#veeblefester
14103. jarg422h.htm#vaxocentrism
14104. jarg422h.htm#%3d%20V%20%3d
14105. jarg422h.htm#eyeball%20search
14106. jarg422h.htm#diff
14107. jarg422h.htm#velveeta
14108. jarg422h.htm#vdiff
14109. jarg422h.htm#%3d%20V%20%3d
14110. jarg422h.htm#hacker
14111. jarg422h.htm#suit
14112. jarg422h.htm#marketroid
14113. jarg422h.htm#ventilator%20card
14114. jarg422h.htm#veeblefester
14115. jarg422h.htm#%3d%20V%20%3d
14116. jarg422h.htm#spam
14117. jarg422h.htm#ECP
14118. jarg422h.htm#spam
14119. jarg422h.htm#jello
14120. jarg422h.htm#Venus%20flytrap
14121. jarg422h.htm#velveeta
14122. jarg422h.htm#%3d%20V%20%3d
14123. jarg422h.htm#lace%20card
14124. jarg422h.htm#verbage
14125. jarg422h.htm#ventilator%20card
14126. jarg422h.htm#%3d%20V%20%3d
14127. jarg422h.htm#firewall%20machine
14128. jarg422h.htm#verbiage
14129. jarg422h.htm#Venus%20flytrap
14130. jarg422h.htm#%3d%20V%20%3d
14131. jarg422h.htm#verbiage
14132. jarg422h.htm#content-free
14133. jarg422h.htm#Version%207
14134. jarg422h.htm#verbage
14135. jarg422h.htm#%3d%20V%20%3d
14136. jarg422h.htm#documentation
14137. jarg422h.htm#vgrep
14138. jarg422h.htm#verbiage
14139. jarg422h.htm#%3d%20V%20%3d
14140. jarg422h.htm#Unix
14141. jarg422h.htm#Unix
14142. jarg422h.htm#Unix
14143. jarg422h.htm#BSD
14144. jarg422h.htm#USG%20Unix
14145. jarg422h.htm#Unix
14146. jarg422h.htm#vi
14147. jarg422h.htm#Version%207
14148. jarg422h.htm#%3d%20V%20%3d
14149. jarg422h.htm#grep
14150. jarg422h.htm#vdiff
14151. jarg422h.htm#video%20toaster
14152. jarg422h.htm#vgrep
14153. jarg422h.htm#%3d%20V%20%3d
14154. jarg422h.htm#BSD

14155. jarg422h.htm#EMACS
14156. jarg422h.htm#holy%20wars
14157. jarg422h.htm#videotex
14158. jarg422h.htm#vi
14159. jarg422h.htm#%3d%20V%20%3d
14160. jarg422h.htm#web%20toaster
14161. jarg422h.htm#toaster
14162. jarg422h.htm#virgin
14163. jarg422h.htm#video%20toaster
14164. jarg422h.htm#%3d%20V%20%3d
14165. jarg422h.htm#gorilla%20arm
14166. jarg422h.htm#vannevar
14167. jarg422h.htm#virtual
14168. jarg422h.htm#videotex
14169. jarg422h.htm#%3d%20V%20%3d
14170. jarg422h.htm#virus
14171. jarg422h.htm#SEX
14172. jarg422h.htm#virtual%20beer
14173. jarg422h.htm#virgin
14174. jarg422h.htm#%3d%20V%20%3d
14175. jarg422h.htm#logical
14176. jarg422h.htm#real
14177. jarg422h.htm#virtual%20Friday
14178. jarg422h.htm#virtual
14179. jarg422h.htm#%3d%20V%20%3d
14180. jarg422h.htm#virtual%20reality
14181. jarg422h.htm#virtual%20beer
14182. jarg422h.htm#%3d%20V%20%3d
14183. jarg422h.htm#virtual%20shredder
14184. jarg422h.htm#virtual%20Friday
14185. jarg422h.htm#%3d%20V%20%3d
14186. jarg422h.htm#cyberspace
14187. jarg422h.htm#MUD
14188. jarg422h.htm#bamf
14189. jarg422h.htm#cyberspace
14190. jarg422h.htm#teledildonics
14191. jarg422h.htm#virus
14192. jarg422h.htm#virtual%20reality
14193. jarg422h.htm#%3d%20V%20%3d
14194. jarg422h.htm#bit%20bucket
14195. jarg422h.htm#visionary
14196. jarg422h.htm#virtual%20shredder
14197. jarg422h.htm#%3d%20V%20%3d
14198. jarg422h.htm#Trojan%20horse
14199. jarg422h.htm#worm
14200. jarg422h.htm#SEX
14201. jarg422h.htm#display%20hack
14202. jarg422h.htm#cracker
14203. jarg422h.htm#luser
14204. jarg422h.htm#worm
14205. jarg422h.htm#Trojan%20horse
14206. jarg422h.htm#phage
14207. jarg422h.htm#back%20door

14208. jarg422h.htm#Unix%20conspiracy
14209. jarg422h.htm#VMS
14210. jarg422h.htm#virus
14211. jarg422h.htm#%3d%20V%20%3d
14212. jarg422h.htm#SMOP
14213. jarg422h.htm#AI-complete
14214. jarg422h.htm#voice
14215. jarg422h.htm#visionary
14216. jarg422h.htm#%3d%20V%20%3d
14217. jarg422h.htm#DEC
14218. jarg422h.htm#VAX
14219. jarg422h.htm#TOPS-10
14220. jarg422h.htm#TOPS-20
14221. jarg422h.htm#Unix
14222. jarg422h.htm#runic
14223. jarg422h.htm#voice-net
14224. jarg422h.htm#VMS
14225. jarg422h.htm#%3d%20V%20%3d
14226. jarg422h.htm#talk%20mode
14227. jarg422h.htm#voodoo%20programming
14228. jarg422h.htm#voice
14229. jarg422h.htm#%3d%20V%20%3d
14230. jarg422h.htm#sig%20block
14231. jarg422h.htm#paper-net
14232. jarg422h.htm#snail-mail
14233. jarg422h.htm#VR
14234. jarg422h.htm#voice-net
14235. jarg422h.htm#%3d%20V%20%3d
14236. jarg422h.htm#obscure
14237. jarg422h.htm#hairy
14238. jarg422h.htm#black%20magic
14239. jarg422h.htm#magic
14240. jarg422h.htm#deep%20magic
14241. jarg422h.htm#heavy%20wizardry
14242. jarg422h.htm#rain%20dance
14243. jarg422h.htm#cargo%20cult%20programming
14244. jarg422h.htm#wave%20a%20dead%20chicken
14245. jarg422h.htm#Vulcan%20nerve%20pinch
14246. jarg422h.htm#voodoo%20programming
14247. jarg422h.htm#%3d%20V%20%3d
14248. jarg422h.htm#virtual%20reality
14249. jarg422h.htm#RL
14250. jarg422h.htm#vulture%20capitalist
14251. jarg422h.htm#VR
14252. jarg422h.htm#%3d%20V%20%3d
14253. jarg422h.htm#three-finger%20salute
14254. jarg422h.htm#quadruple%20bucky
14255. jarg422h.htm#W2K%20bug
14256. jarg422h.htm#Vulcan%20nerve%20pinch
14257. jarg422h.htm#%3d%20V%20%3d
14258. jarg422h.htm#%3d%20X%20%3d
14259. jarg422h.htm#%3d%20V%20%3d
14260. jarg422h.htm#The%20Jargon%20Lexicon

14261. jarg422h.htm#W2K%20bug
14262. jarg422h.htm#wabbit
14263. jarg422h.htm#WAITS
14264. jarg422h.htm#waldo
14265. jarg422h.htm#walk
14266. jarg422h.htm#walk%20off%20the%20end%20of
14267. jarg422h.htm#walking%20drives
14268. jarg422h.htm#wall
14269. jarg422h.htm#wall%20follower
14270. jarg422h.htm#wall%20time
14271. jarg422h.htm#wall%20wart
14272. jarg422h.htm#wallpaper
14273. jarg422h.htm#wango
14274. jarg422h.htm#wank
14275. jarg422h.htm#wannabee
14276. jarg422h.htm#war%20dialer
14277. jarg422h.htm#-ware
14278. jarg422h.htm#warez
14279. jarg422h.htm#warez%20d00dz
14280. jarg422h.htm#warez%20kiddies
14281. jarg422h.htm#warlording
14282. jarg422h.htm#warm%20boot
14283. jarg422h.htm#wart
14284. jarg422h.htm#washing%20machine
14285. jarg422h.htm#washing%20software
14286. jarg422h.htm#water%20MIPS
14287. jarg422h.htm#wave%20a%20dead%20chicken
14288. jarg422h.htm#weasel
14289. jarg422h.htm#web%20pointer
14290. jarg422h.htm#web%20toaster
14291. jarg422h.htm#webify
14292. jarg422h.htm#webmaster
14293. jarg422h.htm#web%20ring
14294. jarg422h.htm#wedged
14295. jarg422h.htm#wedgie
14296. jarg422h.htm#wedgitude
14297. jarg422h.htm#weeble
14298. jarg422h.htm#weeds
14299. jarg422h.htm#weenie
14300. jarg422h.htm#Weenix
14301. jarg422h.htm#well-behaved
14302. jarg422h.htm#well-connected
14303. jarg422h.htm#wetware
14304. jarg422h.htm#whack
14305. jarg422h.htm#whack-a-mole
14306. jarg422h.htm#whacker
14307. jarg422h.htm#whales
14308. jarg422h.htm#whalesong
14309. jarg422h.htm#What's%20a%20spline%3f
14310. jarg422h.htm#wheel
14311. jarg422h.htm#wheel%20bit
14312. jarg422h.htm#wheel%20of%20reincarnation
14313. jarg422h.htm#wheel%20wars

14314. jarg422h.htm#White%20Book
14315. jarg422h.htm#whitelist
14316. jarg422h.htm#whizzy
14317. jarg422h.htm#wibble
14318. jarg422h.htm#WIBNI
14319. jarg422h.htm#widget
14320. jarg422h.htm#wiggles
14321. jarg422h.htm#WIMP%20environment
14322. jarg422h.htm#win
14323. jarg422h.htm#win%20big
14324. jarg422h.htm#win%20win
14325. jarg422h.htm#Winchester
14326. jarg422h.htm#windoid
14327. jarg422h.htm#window%20shopping
14328. jarg422h.htm#Windoze
14329. jarg422h.htm#winged%20comments
14330. jarg422h.htm#winkey
14331. jarg422h.htm#winnage
14332. jarg422h.htm#winner
14333. jarg422h.htm#winnitude
14334. jarg422h.htm#Wintel
14335. jarg422h.htm#wired
14336. jarg422h.htm#wirehead
14337. jarg422h.htm#wirewater
14338. jarg422h.htm#wish%20list
14339. jarg422h.htm#within%20delta%20of
14340. jarg422h.htm#within%20epsilon%20of
14341. jarg422h.htm#wizard
14342. jarg422h.htm#Wizard%20Book
14343. jarg422h.htm#wizard%20hat
14344. jarg422h.htm#wizard%20mode
14345. jarg422h.htm#wizardly
14346. jarg422h.htm#wok-on-the-wall
14347. jarg422h.htm#womb%20box
14348. jarg422h.htm#WOMBAT
14349. jarg422h.htm#womble
14350. jarg422h.htm#wonky
14351. jarg422h.htm#woofer
14352. jarg422h.htm#workaround
14353. jarg422h.htm#working%20as%20designed
14354. jarg422h.htm#worm
14355. jarg422h.htm#wormhole
14356. jarg422h.htm#wound%20around%20the%20axle
14357. jarg422h.htm#wrap%20around
14358. jarg422h.htm#write-only%20code
14359. jarg422h.htm#write-only%20language
14360. jarg422h.htm#write-only%20memory
14361. jarg422h.htm#Wrong%20Thing
14362. jarg422h.htm#wugga%20wugga
14363. jarg422h.htm#wumpus
14364. jarg422h.htm#WYSIAYG
14365. jarg422h.htm#WYSIWYG
14366. jarg422h.htm#wabbit

14367. jarg422h.htm#vulture%20capitalist
14368. jarg422h.htm#%3d%20W%20%3d
14369. jarg422h.htm#WAITS
14370. jarg422h.htm#W2K%20bug
14371. jarg422h.htm#%3d%20W%20%3d
14372. jarg422h.htm#virus
14373. jarg422h.htm#worm
14374. jarg422h.htm#fork%20bomb
14375. jarg422h.htm#rabbit%20job
14376. jarg422h.htm#cookie%20monster
14377. jarg422h.htm#waldo
14378. jarg422h.htm#wabbit
14379. jarg422h.htm#%3d%20W%20%3d
14380. jarg422h.htm#TOPS-10
14381. jarg422h.htm#SAIL
14382. jarg422h.htm#EMACS
14383. jarg422h.htm#bucky%20bits
14384. jarg422h.htm#walk
14385. jarg422h.htm#WAITS
14386. jarg422h.htm#%3d%20W%20%3d
14387. jarg422h.htm#foobar
14388. jarg422h.htm#foo
14389. jarg422h.htm#bar
14390. jarg422h.htm#foobar
14391. jarg422h.htm#quux
14392. jarg422h.htm#walk%20off%20the%20end%20of
14393. jarg422h.htm#waldo
14394. jarg422h.htm#%3d%20W%20%3d
14395. jarg422h.htm#core
14396. jarg422h.htm#codewalker
14397. jarg422h.htm#silly%20walk
14398. jarg422h.htm#clobber
14399. jarg422h.htm#walking%20drives
14400. jarg422h.htm#walk
14401. jarg422h.htm#%3d%20W%20%3d
14402. jarg422h.htm#off-by-one%20error
14403. jarg422h.htm#clobber
14404. jarg422h.htm#roach
14405. jarg422h.htm#smash%20the%20stack
14406. jarg422h.htm#wall
14407. jarg422h.htm#walk%20off%20the%20end%20of
14408. jarg422h.htm#%3d%20W%20%3d
14409. jarg422h.htm#washing%20machine
14410. jarg422h.htm#dinosaur
14411. jarg422h.htm#wall%20follower
14412. jarg422h.htm#walking%20drives
14413. jarg422h.htm#%3d%20W%20%3d
14414. jarg422h.htm#octal%20forty
14415. jarg422h.htm#wall%20time
14416. jarg422h.htm#wall
14417. jarg422h.htm#%3d%20W%20%3d
14418. jarg422h.htm#code%20grinder
14419. jarg422h.htm#droid

14420. jarg422h.htm#wall%20wart
14421. jarg422h.htm#wall%20follower
14422. jarg422h.htm#%3d%20W%20%3d
14423. jarg422h.htm#tick
14424. jarg422h.htm#wallpaper
14425. jarg422h.htm#wall%20time
14426. jarg422h.htm#%3d%20W%20%3d
14427. jarg422h.htm#wango
14428. jarg422h.htm#wall%20wart
14429. jarg422h.htm#%3d%20W%20%3d
14430. jarg422h.htm#wallpaper
14431. jarg422h.htm#wank
14432. jarg422h.htm#wallpaper
14433. jarg422h.htm#%3d%20W%20%3d
14434. jarg422h.htm#grovel
14435. jarg422h.htm#mumble
14436. jarg422h.htm#wannabee
14437. jarg422h.htm#wango
14438. jarg422h.htm#%3d%20W%20%3d
14439. jarg422h.htm#hack
14440. jarg422h.htm#wizard
14441. jarg422h.htm#bogometer
14442. jarg422h.htm#neep-neep
14443. jarg422h.htm#war%20dialer
14444. jarg422h.htm#wank
14445. jarg422h.htm#%3d%20W%20%3d
14446. jarg422h.htm#hacker
14447. jarg422h.htm#larval%20stage
14448. jarg422h.htm#suit
14449. jarg422h.htm#wannabee
14450. jarg422h.htm#newbie
14451. jarg422h.htm#larval%20stage
14452. jarg422h.htm#-ware
14453. jarg422h.htm#wannabee
14454. jarg422h.htm#%3d%20W%20%3d
14455. jarg422h.htm#phreaker
14456. jarg422h.htm#demon%20dialer
14457. jarg422h.htm#warez
14458. jarg422h.htm#war%20dialer
14459. jarg422h.htm#%3d%20W%20%3d
14460. jarg422h.htm#annoyware
14461. jarg422h.htm#careware
14462. jarg422h.htm#crippleware
14463. jarg422h.htm#crudware
14464. jarg422h.htm#freeware
14465. jarg422h.htm#fritterware
14466. jarg422h.htm#guiltware
14467. jarg422h.htm#liveware
14468. jarg422h.htm#meatware
14469. jarg422h.htm#payware
14470. jarg422h.htm#psychedelicware
14471. jarg422h.htm#shareware
14472. jarg422h.htm#shelfware

14473. jarg422h.htm#vaporware
14474. jarg422h.htm#wetware
14475. jarg422h.htm#warez%20d00dz
14476. jarg422h.htm#-ware
14477. jarg422h.htm#%3d%20W%20%3d
14478. jarg422h.htm#cracker
14479. jarg422h.htm#warez%20d00dz
14480. jarg422h.htm#courier
14481. jarg422h.htm#leech
14482. jarg422h.htm#elite
14483. jarg422h.htm#warez%20kiddies
14484. jarg422h.htm#warez
14485. jarg422h.htm#%3d%20W%20%3d
14486. jarg422h.htm#cracker
14487. jarg422h.htm#B1FF
14488. jarg422h.htm#cracker
14489. jarg422h.htm#wannabee
14490. jarg422h.htm#handle
14491. jarg422h.htm#elite
14492. jarg422h.htm#courier
14493. jarg422h.htm#leech
14494. jarg422h.htm#weenie
14495. jarg422h.htm#spod
14496. jarg422h.htm#warlording
14497. jarg422h.htm#warez%20d00dz
14498. jarg422h.htm#%3d%20W%20%3d
14499. jarg422h.htm#warez%20d00dz
14500. jarg422h.htm#script%20kiddies
14501. jarg422h.htm#warm%20boot
14502. jarg422h.htm#warez%20kiddies
14503. jarg422h.htm#%3d%20W%20%3d
14504. jarg422h.htm#sig%20block
14505. jarg422h.htm#BUAF
14506. jarg422h.htm#sig%20quote
14507. jarg422h.htm#ASCII%20art
14508. jarg422h.htm#B1FF
14509. jarg422h.htm#newbie
14510. jarg422h.htm#wart
14511. jarg422h.htm#warlording
14512. jarg422h.htm#%3d%20W%20%3d
14513. jarg422h.htm#boot
14514. jarg422h.htm#washing%20machine
14515. jarg422h.htm#warm%20boot
14516. jarg422h.htm#%3d%20W%20%3d
14517. jarg422h.htm#crock
14518. jarg422h.htm#feature
14519. jarg422h.htm#clean
14520. jarg422h.htm#miswart
14521. jarg422h.htm#washing%20software
14522. jarg422h.htm#wart
14523. jarg422h.htm#%3d%20W%20%3d
14524. jarg422h.htm#walking%20drives
14525. jarg422h.htm#hose

14526. jarg422h.htm#washing%20software
14527. jarg422h.htm#water%20MIPS
14528. jarg422h.htm#washing%20machine
14529. jarg422h.htm#%3d%20W%20%3d
14530. jarg422h.htm#wave%20a%20dead%20chicken
14531. jarg422h.htm#washing%20software
14532. jarg422h.htm#%3d%20W%20%3d
14533. jarg422h.htm#MIPS
14534. jarg422h.htm#mainframe
14535. jarg422h.htm#weasel
14536. jarg422h.htm#water%20MIPS
14537. jarg422h.htm#%3d%20W%20%3d
14538. jarg422h.htm#voodoo%20programming
14539. jarg422h.htm#rain%20dance
14540. jarg422h.htm#casting%20the%20runes
14541. jarg422h.htm#web%20pointer
14542. jarg422h.htm#wave%20a%20dead%20chicken
14543. jarg422h.htm#%3d%20W%20%3d
14544. jarg422h.htm#loser
14545. jarg422h.htm#web%20toaster
14546. jarg422h.htm#weasel
14547. jarg422h.htm#%3d%20W%20%3d
14548. jarg422h.htm#URL
14549. jarg422h.htm#hotlink
14550. jarg422h.htm#webify
14551. jarg422h.htm#web%20pointer
14552. jarg422h.htm#%3d%20W%20%3d
14553. jarg422h.htm#toaster
14554. jarg422h.htm#video%20toaster
14555. jarg422h.htm#webmaster
14556. jarg422h.htm#web%20toaster
14557. jarg422h.htm#%3d%20W%20%3d
14558. jarg422h.htm#web%20ring
14559. jarg422h.htm#webify
14560. jarg422h.htm#%3d%20W%20%3d
14561. jarg422h.htm#postmaster
14562. jarg422h.htm#wedged
14563. jarg422h.htm#webmaster
14564. jarg422h.htm#%3d%20W%20%3d
14565. jarg422h.htm#wedgie
14566. jarg422h.htm#web%20ring
14567. jarg422h.htm#%3d%20W%20%3d
14568. jarg422h.htm#deadlock
14569. jarg422h.htm#gronk
14570. jarg422h.htm#locked%20up
14571. jarg422h.htm#hosed
14572. jarg422h.htm#hung
14573. jarg422h.htm#hung
14574. jarg422h.htm#wedgitude
14575. jarg422h.htm#wedged
14576. jarg422h.htm#%3d%20W%20%3d
14577. jarg422h.htm#wedged
14578. jarg422h.htm#weeble

14579. jarg422h.htm#wedgie
14580. jarg422h.htm#%3d%20W%20%3d
14581. jarg422h.htm#wedged
14582. jarg422h.htm#weeds
14583. jarg422h.htm#wedgitude
14584. jarg422h.htm#%3d%20W%20%3d
14585. jarg422h.htm#gurfle
14586. jarg422h.htm#weenie
14587. jarg422h.htm#weeble
14588. jarg422h.htm#%3d%20W%20%3d
14589. jarg422h.htm#branch%20to%20Fishkill
14590. jarg422h.htm#jump%20off%20into%20never-never%20land
14591. jarg422h.htm#Weenix
14592. jarg422h.htm#weeds
14593. jarg422h.htm#%3d%20W%20%3d
14594. jarg422h.htm#B1FF
14595. jarg422h.htm#BBS
14596. jarg422h.htm#handle
14597. jarg422h.htm#flamage
14598. jarg422h.htm#spod
14599. jarg422h.htm#computer%20geek
14600. jarg422h.htm#terminal%20junkie
14601. jarg422h.htm#warez%20d00dz
14602. jarg422h.htm#Unix%20weenie
14603. jarg422h.htm#bigot
14604. jarg422h.htm#well-behaved
14605. jarg422h.htm#weenie
14606. jarg422h.htm#%3d%20W%20%3d
14607. jarg422h.htm#Unix
14608. jarg422h.htm#Unix%20weenie
14609. jarg422h.htm#ITS
14610. <http://www.cs.brown.edu/courses/cs167/weenix.html>
14611. jarg422h.htm#well-connected
14612. jarg422h.htm#Weenix
14613. jarg422h.htm#%3d%20W%20%3d
14614. jarg422h.htm#MS-DOS
14615. jarg422h.htm#ill-behaved
14616. jarg422h.htm#tool
14617. jarg422h.htm#cat
14618. jarg422h.htm#crash
14619. jarg422h.htm#blow%20up
14620. jarg422h.htm#pathological
14621. jarg422h.htm#bulletproof
14622. jarg422h.htm#wetware
14623. jarg422h.htm#well-behaved
14624. jarg422h.htm#%3d%20W%20%3d
14625. jarg422h.htm#Usenet
14626. jarg422h.htm#whack
14627. jarg422h.htm#well-connected
14628. jarg422h.htm#%3d%20W%20%3d
14629. jarg422h.htm#liveware
14630. jarg422h.htm#meatware
14631. jarg422h.htm#whack-a-mole

14632. jarg422h.htm#wetware
14633. jarg422h.htm#%3d%20W%20%3d
14634. jarg422h.htm#NeWS
14635. jarg422h.htm#GOSMACS
14636. jarg422h.htm#whacker
14637. jarg422h.htm#glark
14638. jarg422h.htm#whacker
14639. jarg422h.htm#whack
14640. jarg422h.htm#%3d%20W%20%3d
14641. jarg422h.htm#throwaway%20account
14642. jarg422h.htm#whales
14643. jarg422h.htm#whack-a-mole
14644. jarg422h.htm#%3d%20W%20%3d
14645. jarg422h.htm#hacker
14646. jarg422h.htm#hacker
14647. jarg422h.htm#wizard
14648. jarg422h.htm#whalesong
14649. jarg422h.htm#whacker
14650. jarg422h.htm#%3d%20W%20%3d
14651. jarg422h.htm#like%20kicking%20dead%20whales%20down%20the%20beach
14652. jarg422h.htm#What's%20a%20spline%3f
14653. jarg422h.htm#whales
14654. jarg422h.htm#%3d%20W%20%3d
14655. jarg422h.htm#wheel
14656. jarg422h.htm#whalesong
14657. jarg422h.htm#%3d%20W%20%3d
14658. jarg422h.htm#wheel%20bit
14659. jarg422h.htm#What's%20a%20spline%3f
14660. jarg422h.htm#%3d%20W%20%3d
14661. jarg422h.htm#wheel%20bit
14662. jarg422h.htm#wedged
14663. jarg422h.htm#BSD
14664. jarg422h.htm#root
14665. jarg422h.htm#go%20root
14666. jarg422h.htm#wheel%20of%20reincarnation
14667. jarg422h.htm#wheel
14668. jarg422h.htm#%3d%20W%20%3d
14669. jarg422h.htm#root
14670. jarg422h.htm#wheel%20wars
14671. jarg422h.htm#wheel%20bit
14672. jarg422h.htm#%3d%20W%20%3d
14673. jarg422h.htm#blitter
14674. jarg422h.htm#bit%20bang
14675. jarg422h.htm#White%20Book
14676. jarg422h.htm#wheel%20of%20reincarnation
14677. jarg422h.htm#%3d%20W%20%3d
14678. jarg422h.htm#larval%20stage
14679. jarg422h.htm#whitelist
14680. jarg422h.htm#wheel%20wars
14681. jarg422h.htm#%3d%20W%20%3d
14682. jarg422h.htm#K&R
14683. jarg422h.htm#Red%20Book
14684. jarg422h.htm#Green%20Book

14685. jarg422h.htm#Blue%20Book
14686. jarg422h.htm#whizzy
14687. jarg422h.htm#White%20Book
14688. jarg422h.htm#%3d%20W%20%3d
14689. jarg422h.htm#wibble
14690. jarg422h.htm#whitelist
14691. jarg422h.htm#%3d%20W%20%3d
14692. jarg422h.htm#cuspy
14693. jarg422h.htm#WIBNI
14694. jarg422h.htm#whizzy
14695. jarg422h.htm#%3d%20W%20%3d
14696. jarg422h.htm#humma
14697. jarg422h.htm#metasyntactic%20variable
14698. jarg422h.htm#foo
14699. jarg422h.htm#dub%20dub%20dub
14700. jarg422h.htm#widget
14701. jarg422h.htm#wibble
14702. jarg422h.htm#%3d%20W%20%3d
14703. jarg422h.htm#IWBNI
14704. jarg422h.htm#wiggles
14705. jarg422h.htm#WIBNI
14706. jarg422h.htm#%3d%20W%20%3d
14707. jarg422h.htm#X
14708. jarg422h.htm#WIMP%20environment
14709. jarg422h.htm#widget
14710. jarg422h.htm#%3d%20W%20%3d
14711. jarg422h.htm#win
14712. jarg422h.htm#wiggles
14713. jarg422h.htm#%3d%20W%20%3d
14714. jarg422h.htm#X
14715. jarg422h.htm#menuitis
14716. jarg422h.htm#user-obsequious
14717. jarg422h.htm#win%20big
14718. jarg422h.htm#WIMP%20environment
14719. jarg422h.htm#%3d%20W%20%3d
14720. jarg422h.htm#robust
14721. jarg422h.htm#lexer
14722. jarg422h.htm#lose
14723. jarg422h.htm#big%20win
14724. jarg422h.htm#win%20win
14725. jarg422h.htm#win
14726. jarg422h.htm#%3d%20W%20%3d
14727. jarg422h.htm#big%20win
14728. jarg422h.htm#Winchester
14729. jarg422h.htm#win%20big
14730. jarg422h.htm#%3d%20W%20%3d
14731. jarg422h.htm#win
14732. jarg422h.htm#windoid
14733. jarg422h.htm#win%20win
14734. jarg422h.htm#%3d%20W%20%3d
14735. jarg422h.htm#window%20shopping
14736. jarg422h.htm#Winchester
14737. jarg422h.htm#%3d%20W%20%3d

14738. jarg422h.htm#Windoze
14739. jarg422h.htm#windoid
14740. jarg422h.htm#%3d%20W%20%3d
14741. jarg422h.htm#WIMP%20environment
14742. jarg422h.htm#X
14743. jarg422h.htm#fritterware
14744. jarg422h.htm#macdink
14745. jarg422h.htm#winged%20comments
14746. jarg422h.htm#window%20shopping
14747. jarg422h.htm#%3d%20W%20%3d
14748. jarg422h.htm#Microsloth%20Windows
14749. jarg422h.htm#winkey
14750. jarg422h.htm#Windoze
14751. jarg422h.htm#%3d%20W%20%3d
14752. jarg422h.htm#boxed%20comments
14753. jarg422h.htm#winnage
14754. jarg422h.htm#winged%20comments
14755. jarg422h.htm#%3d%20W%20%3d
14756. jarg422h.htm#emoticon
14757. jarg422h.htm#winner
14758. jarg422h.htm#winkey
14759. jarg422h.htm#%3d%20W%20%3d
14760. jarg422h.htm#winnitude
14761. jarg422h.htm#winnage
14762. jarg422h.htm#%3d%20W%20%3d
14763. jarg422h.htm#user
14764. jarg422h.htm#Wintel
14765. jarg422h.htm#winner
14766. jarg422h.htm#%3d%20W%20%3d
14767. jarg422h.htm#winnage
14768. jarg422h.htm#wired
14769. jarg422h.htm#winnitude
14770. jarg422h.htm#%3d%20W%20%3d
14771. jarg422h.htm#Linux
14772. jarg422h.htm#Lintel
14773. jarg422h.htm#wirehead
14774. jarg422h.htm#Wintel
14775. jarg422h.htm#%3d%20W%20%3d
14776. jarg422h.htm#hardwired
14777. jarg422h.htm#wirewater
14778. jarg422h.htm#wired
14779. jarg422h.htm#%3d%20W%20%3d
14780. jarg422h.htm#wish%20list
14781. jarg422h.htm#wirehead
14782. jarg422h.htm#%3d%20W%20%3d
14783. jarg422h.htm#programming%20fluid
14784. jarg422h.htm#within%20delta%20of
14785. jarg422h.htm#wirewater
14786. jarg422h.htm#%3d%20W%20%3d
14787. jarg422h.htm#tick-list%20features
14788. jarg422h.htm#within%20epsilon%20of
14789. jarg422h.htm#wish%20list
14790. jarg422h.htm#%3d%20W%20%3d

14791. jarg422h.htm#delta
14792. jarg422h.htm#wizard
14793. jarg422h.htm#within%20delta%20of
14794. jarg422h.htm#%3d%20W%20%3d
14795. jarg422h.htm#epsilon
14796. jarg422h.htm#Wizard%20Book
14797. jarg422h.htm#within%20epsilon%20of
14798. jarg422h.htm#%3d%20W%20%3d
14799. jarg422h.htm#grok
14800. jarg422h.htm#hacker
14801. jarg422h.htm#wheel
14802. jarg422h.htm#guru
14803. jarg422h.htm#lord%20high%20fixer
14804. jarg422h.htm#deep%20magic
14805. jarg422h.htm#heavy%20wizardry
14806. jarg422h.htm#incantation
14807. jarg422h.htm#magic
14808. jarg422h.htm#mutter
14809. jarg422h.htm#rain%20dance
14810. jarg422h.htm#voodoo%20programming
14811. jarg422h.htm#wave%20a%20dead%20chicken
14812. jarg422h.htm#wizard%20hat
14813. jarg422h.htm#wizard
14814. jarg422h.htm#%3d%20W%20%3d
14815. jarg422h.htm#bible
14816. jarg422h.htm#Purple%20Book
14817. jarg422h.htm#wizard%20mode
14818. jarg422h.htm#Wizard%20Book
14819. jarg422h.htm#%3d%20W%20%3d
14820. jarg422h.htm#wizard
14821. jarg422h.htm#patch%20pumpkin
14822. jarg422h.htm#wizardly
14823. jarg422h.htm#wizard%20hat
14824. jarg422h.htm#%3d%20W%20%3d
14825. jarg422h.htm#rogue
14826. jarg422h.htm#wok-on-the-wall
14827. jarg422h.htm#wizard%20mode
14828. jarg422h.htm#%3d%20W%20%3d
14829. jarg422h.htm#feature
14830. jarg422h.htm#womb%20box
14831. jarg422h.htm#wizardly
14832. jarg422h.htm#%3d%20W%20%3d
14833. jarg422h.htm#WOMBAT
14834. jarg422h.htm#wok-on-the-wall
14835. jarg422h.htm#%3d%20W%20%3d
14836. jarg422h.htm#womble
14837. jarg422h.htm#womb%20box
14838. jarg422h.htm#%3d%20W%20%3d
14839. jarg422h.htm#uninteresting
14840. jarg422h.htm#crawling%20horror
14841. jarg422h.htm#SMOP
14842. jarg422h.htm#Commonwealth%20Hackish
14843. jarg422h.htm#wonky

14844. jarg422h.htm#WOMBAT
14845. jarg422h.htm#%3d%20W%20%3d
14846. jarg422h.htm#luser
14847. jarg422h.htm#woofer
14848. jarg422h.htm#womble
14849. jarg422h.htm#%3d%20W%20%3d
14850. jarg422h.htm#broken
14851. jarg422h.htm#funky
14852. jarg422h.htm#demented
14853. jarg422h.htm#bozotic
14854. jarg422h.htm#workaround
14855. jarg422h.htm#wonky
14856. jarg422h.htm#%3d%20W%20%3d
14857. jarg422h.htm#tweeter
14858. jarg422h.htm#working%20as%20designed
14859. jarg422h.htm#woofer
14860. jarg422h.htm#%3d%20W%20%3d
14861. jarg422h.htm#kluge
14862. jarg422h.htm#bug
14863. jarg422h.htm#misfeature
14864. jarg422h.htm#fix
14865. jarg422h.htm#crash
14866. jarg422h.htm#cruft
14867. jarg422h.htm#worm
14868. jarg422h.htm#workaround
14869. jarg422h.htm#%3d%20W%20%3d
14870. jarg422h.htm#IBM
14871. jarg422h.htm#BAD
14872. jarg422h.htm#wormhole
14873. jarg422h.htm#working%20as%20designed
14874. jarg422h.htm#%3d%20W%20%3d
14875. jarg422h.htm#virus
14876. jarg422h.htm#cracker
14877. jarg422h.htm#Great%20Worm
14878. jarg422h.htm#cracker
14879. jarg422h.htm#RTM
14880. jarg422h.htm#Trojan%20horse
14881. jarg422h.htm#ice
14882. jarg422h.htm#wound%20around%20the%20axle
14883. jarg422h.htm#worm
14884. jarg422h.htm#%3d%20W%20%3d
14885. jarg422h.htm#gopher%20hole
14886. jarg422h.htm#wrap%20around
14887. jarg422h.htm#wormhole
14888. jarg422h.htm#%3d%20W%20%3d
14889. jarg422h.htm#write-only%20code
14890. jarg422h.htm#wound%20around%20the%20axle
14891. jarg422h.htm#%3d%20W%20%3d
14892. jarg422h.htm#infinity
14893. jarg422h.htm#phase
14894. jarg422h.htm#phase-wrapping
14895. jarg422h.htm#write-only%20language
14896. jarg422h.htm#wrap%20around

14897. jarg422h.htm#%3d%20W%20%3d
14898. jarg422h.htm#Bad%20Thing
14899. jarg422h.htm#write-only%20memory
14900. jarg422h.htm#write-only%20code
14901. jarg422h.htm#%3d%20W%20%3d
14902. jarg422h.htm#write-only%20code
14903. jarg422h.htm#INTERCAL
14904. jarg422h.htm#TECO
14905. jarg422h.htm#Befunge
14906. jarg422h.htm#Wrong%20Thing
14907. jarg422h.htm#write-only%20language
14908. jarg422h.htm#%3d%20W%20%3d
14909. jarg422h.htm#management
14910. jarg422h.htm#wugga%20wugga
14911. jarg422h.htm#write-only%20memory
14912. jarg422h.htm#%3d%20W%20%3d
14913. jarg422h.htm#Right%20Thing
14914. jarg422h.htm#wumpus
14915. jarg422h.htm#Wrong%20Thing
14916. jarg422h.htm#%3d%20W%20%3d
14917. jarg422h.htm#grind
14918. jarg422h.htm#WYSIAYG
14919. jarg422h.htm#wugga%20wugga
14920. jarg422h.htm#%3d%20W%20%3d
14921. jarg422h.htm#ADVENT
14922. jarg422h.htm#ADVENT
14923. jarg422h.htm#Zork
14924. <http://www.ccil.org/retro>
14925. jarg422h.htm#WYSIWYG
14926. jarg422h.htm#wumpus
14927. jarg422h.htm#%3d%20W%20%3d
14928. jarg422h.htm#WYSIWYG
14929. jarg422h.htm#TeX
14930. jarg422h.htm#troff
14931. jarg422h.htm#YAFIYGI
14932. jarg422h.htm#X
14933. jarg422h.htm#WYSIAYG
14934. jarg422h.htm#%3d%20W%20%3d
14935. jarg422h.htm#user-friendly
14936. jarg422h.htm#WYSIAYG
14937. jarg422h.htm#EMACS
14938. jarg422h.htm#TECO
14939. jarg422h.htm#WIMP%20environment
14940. jarg422h.htm#%3d%20Y%20%3d
14941. jarg422h.htm#%3d%20W%20%3d
14942. jarg422h.htm#The%20Jargon%20Lexicon
14943. jarg422h.htm#X
14944. jarg422h.htm#XEROX%20PARC
14945. jarg422h.htm#XOFF
14946. jarg422h.htm#XON
14947. jarg422h.htm#xor
14948. jarg422h.htm#xref
14949. jarg422h.htm#XXX

14950. jarg422h.htm#xyzyz
14951. jarg422h.htm#XEROX%20PARC
14952. jarg422h.htm#WYSIWYG
14953. jarg422h.htm#%3d%20X%20%3d
14954. jarg422h.htm#N
14955. jarg422h.htm#glob
14956. jarg422h.htm#XOFF
14957. jarg422h.htm#X
14958. jarg422h.htm#%3d%20X%20%3d
14959. jarg422h.htm#suit
14960. jarg422h.htm#XON
14961. jarg422h.htm#XEROX%20PARC
14962. jarg422h.htm#%3d%20X%20%3d
14963. jarg422h.htm#control-S
14964. jarg422h.htm#xor
14965. jarg422h.htm#XOFF
14966. jarg422h.htm#%3d%20X%20%3d
14967. jarg422h.htm#control-Q
14968. jarg422h.htm#xref
14969. jarg422h.htm#XON
14970. jarg422h.htm#%3d%20X%20%3d
14971. jarg422h.htm#XXX
14972. jarg422h.htm#xor
14973. jarg422h.htm#%3d%20X%20%3d
14974. jarg422h.htm#xyzyz
14975. jarg422h.htm#xref
14976. jarg422h.htm#%3d%20X%20%3d
14977. jarg422h.htm#FIXME
14978. jarg422h.htm#YA-
14979. jarg422h.htm#XXX
14980. jarg422h.htm#%3d%20X%20%3d
14981. jarg422h.htm#canonical
14982. jarg422h.htm#ADVENT
14983. jarg422h.htm#magic
14984. jarg422h.htm#Easter%20egg
14985. jarg422h.htm#ADVENT
14986. ProjectGutenberg
14987. theXYZZYpage
14988. jarg422h.htm#%3d%20Z%20%3d
14989. jarg422h.htm#%3d%20X%20%3d
14990. jarg422h.htm#The%20Jargon%20Lexicon
14991. jarg422h.htm#YA-
14992. jarg422h.htm#YABA
14993. jarg422h.htm#YAFIYGI
14994. jarg422h.htm#YAUN
14995. jarg422h.htm#Yellow%20Book
14996. jarg422h.htm#yellow%20card
14997. jarg422h.htm#yellow%20wire
14998. jarg422h.htm#Yet%20Another
14999. jarg422h.htm#YHBT
15000. jarg422h.htm#YKYBHTLW
15001. jarg422h.htm#YMMV
15002. jarg422h.htm#You%20are%20not%20expected%20to%20understand%20this

15003. jarg422h.htm#You%20know%20you've%20been%20hacking%20too%20long%20when
15004. jarg422h.htm#Your%20mileage%20may%20vary
15005. jarg422h.htm#Yow!
15006. jarg422h.htm#yoyo%20mode
15007. jarg422h.htm#Yu-Shiang%20Whole%20Fish
15008. jarg422h.htm#YABA
15009. jarg422h.htm#xyzyz
15010. jarg422h.htm#%3d%20Y%20%3d
15011. jarg422h.htm#Yet%20Another
15012. jarg422h.htm#YABA
15013. jarg422h.htm#YAFIYGI
15014. jarg422h.htm#YA-
15015. jarg422h.htm#%3d%20Y%20%3d
15016. jarg422h.htm#TLA
15017. jarg422h.htm#YAUN
15018. jarg422h.htm#YABA
15019. jarg422h.htm#%3d%20Y%20%3d
15020. jarg422h.htm#WYSIWYG
15021. jarg422h.htm#Real%20Programmer
15022. jarg422h.htm#Yellow%20Book
15023. jarg422h.htm#YAFIYGI
15024. jarg422h.htm#%3d%20Y%20%3d
15025. jarg422h.htm#yellow%20card
15026. jarg422h.htm#YAUN
15027. jarg422h.htm#%3d%20Y%20%3d
15028. jarg422h.htm#yellow%20wire
15029. jarg422h.htm#Yellow%20Book
15030. jarg422h.htm#%3d%20Y%20%3d
15031. jarg422h.htm#green%20card
15032. jarg422h.htm#Yet%20Another
15033. jarg422h.htm#yellow%20card
15034. jarg422h.htm#%3d%20Y%20%3d
15035. jarg422h.htm#blue%20wire
15036. jarg422h.htm#purple%20wire
15037. jarg422h.htm#red%20wire
15038. jarg422h.htm#YHBT
15039. jarg422h.htm#yellow%20wire
15040. jarg422h.htm#%3d%20Y%20%3d
15041. jarg422h.htm#YA-
15042. jarg422h.htm#YABA
15043. jarg422h.htm#YAUN
15044. jarg422h.htm#YKYBHTLW
15045. jarg422h.htm#Yet%20Another
15046. jarg422h.htm#%3d%20Y%20%3d
15047. jarg422h.htm#troll
15048. jarg422h.htm#YMMV
15049. jarg422h.htm#YHBT
15050. jarg422h.htm#%3d%20Y%20%3d
15051. jarg422h.htm#You%20are%20not%20expected%20to%20understand%20this
15052. jarg422h.htm#YKYBHTLW
15053. jarg422h.htm#%3d%20Y%20%3d
15054. jarg422h.htm#Your%20mileage%20may%20vary
15055. jarg422h.htm#You%20know%20you've%20been%20hacking%20too%20long%20when

15056. jarg422h.htm#YMMV
15057. jarg422h.htm#%3d%20Y%20%3d
15058. jarg422h.htm#magic
15059. http://cm.bell-labs.com/cm/cs/who/dmr/odd.html
15060. jarg422h.htm#Your%20mileage%20may%20vary
15061. jarg422h.htm#You%20are%20not%20expected%20to%20understand%20this
15062. jarg422h.htm#%3d%20Y%20%3d
15063. jarg422h.htm#network%20address
15064. jarg422h.htm#SO
15065. jarg422h.htm#priority%20interrupt
15066. http://albrecht.ecn.purdue.edu/~taylor/humor/hack.html
15067. jarg422h.htm#Yow!
15068. jarg422h.htm#You%20know%20you've%20been%20hacking%20too%20long%20when
15069. jarg422h.htm#%3d%20Y%20%3d
15070. jarg422h.htm#yoyo%20mode
15071. jarg422h.htm#Your%20mileage%20may%20vary
15072. jarg422h.htm#%3d%20Y%20%3d
15073. jarg422h.htm#gurfle
15074. jarg422h.htm#Yu-Shiang%20Whole%20Fish
15075. jarg422h.htm#Yow!
15076. jarg422h.htm#%3d%20Y%20%3d
15077. jarg422h.htm#zap
15078. jarg422h.htm#yoyo%20mode
15079. jarg422h.htm#%3d%20Y%20%3d
15080. jarg422h.htm#parse
15081. jarg422h.htm#%3d%20Y%20%3d
15082. jarg422h.htm#The%20Jargon%20Lexicon
15083. jarg422h.htm#zap
15084. jarg422h.htm#zapped
15085. jarg422h.htm#Zawinski's%20Law
15086. jarg422h.htm#zbeba
15087. jarg422h.htm#zen
15088. jarg422h.htm#zero
15089. jarg422h.htm#zero-content
15090. jarg422h.htm#Zero-One-Infinity%20Rule
15091. jarg422h.htm#zeroth
15092. jarg422h.htm#zigamorph
15093. jarg422h.htm#zip
15094. jarg422h.htm#zipperhead
15095. jarg422h.htm#zombie
15096. jarg422h.htm#zorch
15097. jarg422h.htm#Zork
15098. jarg422h.htm#zorkmid
15099. jarg422h.htm#zapped
15100. jarg422h.htm#Yu-Shiang%20Whole%20Fish
15101. jarg422h.htm#%3d%20Z%20%3d
15102. jarg422h.htm#zapped
15103. jarg422h.htm#fry
15104. jarg422h.htm#Zawinski's%20Law
15105. jarg422h.htm#zap
15106. jarg422h.htm#%3d%20Z%20%3d
15107. jarg422h.htm#vanilla
15108. jarg422h.htm#oriental%20food

15109. jarg422h.htm#laser%20chicken
15110. jarg422h.htm#zap
15111. jarg422h.htm#zbeba
15112. jarg422h.htm#zapped
15113. jarg422h.htm#%3d%20Z%20%3d
15114. jarg422h.htm#zen
15115. jarg422h.htm#Zawinski's%20Law
15116. jarg422h.htm#%3d%20Z%20%3d
15117. jarg422h.htm#rot13
15118. jarg422h.htm#zero
15119. jarg422h.htm#zbeba
15120. jarg422h.htm#%3d%20Z%20%3d
15121. jarg422h.htm#grok
15122. jarg422h.htm#hack%20mode
15123. jarg422h.htm#guru
15124. jarg422h.htm#zero-content
15125. jarg422h.htm#zen
15126. jarg422h.htm#%3d%20Z%20%3d
15127. jarg422h.htm#scribble
15128. jarg422h.htm#Zero-One-Infinity%20Rule
15129. jarg422h.htm#zero
15130. jarg422h.htm#%3d%20Z%20%3d
15131. jarg422h.htm#content-free
15132. jarg422h.htm#zeroth
15133. jarg422h.htm#zero-content
15134. jarg422h.htm#%3d%20Z%20%3d
15135. jarg422h.htm#foo
15136. jarg422h.htm#foo
15137. jarg422h.htm#foo
15138. jarg422h.htm#random
15139. jarg422h.htm#infinity
15140. jarg422h.htm#zigamorph
15141. jarg422h.htm#Zero-One-Infinity%20Rule
15142. jarg422h.htm#%3d%20Z%20%3d
15143. jarg422h.htm#K&R
15144. jarg422h.htm#fencepost%20error
15145. jarg422h.htm#zip
15146. jarg422h.htm#zeroth
15147. jarg422h.htm#%3d%20Z%20%3d
15148. jarg422h.htm#fence
15149. jarg422h.htm#elvish
15150. jarg422h.htm#zipperhead
15151. jarg422h.htm#zigamorph
15152. jarg422h.htm#%3d%20Z%20%3d
15153. jarg422h.htm#tar%20and%20feather
15154. jarg422h.htm#zombie
15155. jarg422h.htm#zip
15156. jarg422h.htm#%3d%20Z%20%3d
15157. jarg422h.htm#zorch
15158. jarg422h.htm#zipperhead
15159. jarg422h.htm#%3d%20Z%20%3d
15160. jarg422h.htm#orphan
15161. jarg422h.htm#Zork

15162. jarg422h.htm#zombie
15163. jarg422h.htm#%3d%20Z%20%3d
15164. jarg422h.htm#punt
15165. jarg422h.htm#zorkmid
15166. jarg422h.htm#zorch
15167. jarg422h.htm#%3d%20Z%20%3d
15168. jarg422h.htm#ADVENT
15169. jarg422h.htm#retrocomputing
15170. jarg422h.htm#Infocom
15171. jarg422h.htm#grue
15172. jarg422h.htm#Zork
15173. jarg422h.htm#%3d%20Z%20%3d
15174. jarg422h.htm#Zork
15175. jarg422h.htm#nethack
15176. jarg422h.htm#Appendix%20B
15177. jarg422h.htm#The%20Jargon%20Lexicon
15178. jarg422h.htm#Top
15179. jarg422h.htm#The%20Meaning%20of%20Hack
15180. jarg422h.htm#TV%20Typewriters
15181. jarg422h.htm#A%20Story%20About%20Magic
15182. jarg422h.htm#Some%20AI%20Koans
15183. jarg422h.htm#OS%20and%20JEDGAR
15184. jarg422h.htm#The%20Story%20of%20Mel
15185. jarg422h.htm#TV%20Typewriters
15186. jarg422h.htm#Appendix%20A
15187. jarg422h.htm#Appendix%20A
15188. jarg422h.htm#hack
15189. jarg422h.htm#hack
15190. jarg422h.htm#random
15191. jarg422h.htm#hack
15192. jarg422h.htm#pseudo
15193. jarg422h.htm#kgbvax
15194. jarg422h.htm#FOAF
15195. <http://hacks.mit.edu/Hacks/Gallery.html>
15196. jarg422h.htm#walking%20drives
15197. jarg422h.htm#lace%20card
15198. jarg422h.htm#gun
15199. jarg422h.htm#A%20Story%20About%20Magic
15200. jarg422h.htm#The%20Meaning%20of%20Hack
15201. jarg422h.htm#Appendix%20A
15202. jarg422h.htm#hack
15203. jarg422h.htm#droid
15204. jarg422h.htm#Some%20AI%20Koans
15205. jarg422h.htm#TV%20Typewriters
15206. jarg422h.htm#Appendix%20A
15207. jarg422h.htm#dike
15208. jarg422h.htm#magic
15209. jarg422h.htm#OS%20and%20JEDGAR
15210. jarg422h.htm#A%20Story%20About%20Magic
15211. jarg422h.htm#Appendix%20A
15212. jarg422h.htm#The%20Story%20of%20Mel
15213. jarg422h.htm#Some%20AI%20Koans
15214. jarg422h.htm#Appendix%20A

15215. jarg422h.htm#gun
15216. jarg422h.htm#luser
15217. jarg422h.htm#OS%20and%20JEDGAR
15218. jarg422h.htm#Appendix%20A
15219. mailto:utastro!nather
15220. jarg422h.htm#Real%20Programmer
15221. jarg422h.htm#Appendix%20C
15222. jarg422h.htm#Appendix%20A
15223. jarg422h.htm#Top
15224. jarg422h.htm#General%20Appearance
15225. jarg422h.htm#Dress
15226. jarg422h.htm#Reading%20Habits
15227. jarg422h.htm#Other%20Interests
15228. jarg422h.htm#Physical%20Activity%20and%20Sports
15229. jarg422h.htm#Education
15230. jarg422h.htm#Things%20Hackers%20Detest%20and%20Avoid
15231. jarg422h.htm#Food
15232. jarg422h.htm#Politics
15233. jarg422h.htm#Gender%20and%20Ethnicity
15234. jarg422h.htm#Religion
15235. jarg422h.htm#Ceremonial%20Chemicals
15236. jarg422h.htm#Communication%20Style
15237. jarg422h.htm#Geographical%20Distribution
15238. jarg422h.htm#Sexual%20Habits
15239. jarg422h.htm#Personality%20Characteristics
15240. jarg422h.htm#Weaknesses%20of%20the%20Hacker%20Personality
15241. jarg422h.htm#Miscellaneous
15242. jarg422h.htm#Dress
15243. jarg422h.htm#Appendix%20B
15244. jarg422h.htm#Reading%20Habits
15245. jarg422h.htm#General%20Appearance
15246. jarg422h.htm#Appendix%20B
15247. jarg422h.htm#Other%20Interests
15248. jarg422h.htm#Dress
15249. jarg422h.htm#Appendix%20B
15250. jarg422h.htm#wannabee
15251. jarg422h.htm#Physical%20Activity%20and%20Sports
15252. jarg422h.htm#Reading%20Habits
15253. jarg422h.htm#Appendix%20B
15254. jarg422h.htm#Education
15255. jarg422h.htm#Other%20Interests
15256. jarg422h.htm#Appendix%20B
15257. jarg422h.htm#Things%20Hackers%20Detest%20and%20Avoid
15258. jarg422h.htm#Physical%20Activity%20and%20Sports
15259. jarg422h.htm#Appendix%20B
15260. jarg422h.htm#Food
15261. jarg422h.htm#Education
15262. jarg422h.htm#Appendix%20B
15263. jarg422h.htm#Politics
15264. jarg422h.htm#Things%20Hackers%20Detest%20and%20Avoid
15265. jarg422h.htm#Appendix%20B
15266. jarg422h.htm#Gender%20and%20Ethnicity
15267. jarg422h.htm#Food

15268. jarg422h.htm#Appendix%20B
15269. jarg422h.htm#Religion
15270. jarg422h.htm#Politics
15271. jarg422h.htm#Appendix%20B
15272. jarg422h.htm#Food
15273. jarg422h.htm#Ceremonial%20Chemicals
15274. jarg422h.htm#Gender%20and%20Ethnicity
15275. jarg422h.htm#Appendix%20B
15276. jarg422h.htm#Communication%20Style
15277. jarg422h.htm#Religion
15278. jarg422h.htm#Appendix%20B
15279. jarg422h.htm#on%20the%20gripping%20hand
15280. jarg422h.htm#Geographical%20Distribution
15281. jarg422h.htm#Ceremonial%20Chemicals
15282. jarg422h.htm#Appendix%20B
15283. jarg422h.htm#Sexual%20Habits
15284. jarg422h.htm#Communication%20Style
15285. jarg422h.htm#Appendix%20B
15286. jarg422h.htm#Personality%20Characteristics
15287. jarg422h.htm#Geographical%20Distribution
15288. jarg422h.htm#Appendix%20B
15289. jarg422h.htm#Weaknesses%20of%20the%20Hacker%20Personality
15290. jarg422h.htm#Sexual%20Habits
15291. jarg422h.htm#Appendix%20B
15292. jarg422h.htm#Miscellaneous
15293. jarg422h.htm#Personality%20Characteristics
15294. jarg422h.htm#Appendix%20B
15295. jarg422h.htm#Right%20Thing
15296. jarg422h.htm#ITS
15297. jarg422h.htm#Unix
15298. jarg422h.htm#VMS
15299. jarg422h.htm#MS-DOS
15300. jarg422h.htm#Usenet
15301. jarg422h.htm#bandwidth
15302. jarg422h.htm#ADVENT
15303. jarg422h.htm#Zork
15304. jarg422h.htm#MUD
15305. jarg422h.htm#IRC
15306. jarg422h.htm#holy%20wars
15307. jarg422h.htm#EMACS
15308. jarg422h.htm#vi
15309. jarg422h.htm#big-endian
15310. jarg422h.htm#little-endian
15311. jarg422h.htm#computer%20geek
15312. jarg422h.htm#Weaknesses%20of%20the%20Hacker%20Personality
15313. jarg422h.htm#Appendix%20B
15314. jarg422h.htm#Bibliography
15315. jarg422h.htm#Appendix%20B
15316. jarg422h.htm#Top
15317. jarg422h.htm#hacker
15318. jarg422h.htm#cracker
15319. <http://www.cdt.org/>
15320. <http://www.cdt.org/>

15321. jarg422h.htm#Appendix%20C
15322. jarg422h.htm#Top
15323. jarg422h.htm#Eris
15324. jarg422h.htm#Discordianism
15325. jarg422h.htm#random%20numbers
15326. jarg422h.htm#Church%20of%20the%20SubGenius
15327. jarg422h.htm#bogon
15328. jarg422h.htm#random%20numbers
15329. jarg422h.htm#A%20Story%20About%20Magic
15330. jarg422h.htm#RTM
15331. jarg422h.htm#The%20Cuckoo's%20Egg
15332. jarg422h.htm#wizard
15333. jarg422h.htm#wannabee

End of The Project Gutenberg Etext of The New Hacker's Dictionary version
4.2.2

ictionary version

4.2.2

tic

13555. jarg422h.htm#tourist

13556. jarg422h.htm#%3d%20T%20%3d

13557. jarg422h.htm#toy

13558. jarg422h.htm#tourist%20information

13559. jarg422h.htm#%3d%20T%20%3d

13560. jarg422h.htm#tourist

13561. jarg422h.htm#toy%20language

13562. jarg422h.htm#touristic

13563. jarg422h.htm#%3d%20T%20%3d

13564. jarg422h.htm#computron

13565. jarg422h.htm#bitty%20box

13566. jarg422h.htm#Get%20a%20real%20computer!

13567. jarg422h.htm#toy%20problem

13568. jarg422h.htm#toy

13569. jarg422h.htm#%3d%20T%20%3d

13570. jarg422h.htm#Bad%20Thing

13571. jarg422h.htm#bondage-and-discipline%20language

13572. jarg422h.htm#Pascal

13573. jarg422h.htm#MFTL

13574. jarg422h.htm#toy%20program

13575. jarg422h.htm#toy%20language

13576. jarg422h.htm#%3d%20T%20%3d

13577. jarg422h.htm#gedanken

13578. jarg422h.htm#toy%20program

13579. jarg422h.htm#trampoline

13580. jarg422h.htm#toy%20problem

13581. jarg422h.htm#%3d%20T%20%3d

13582. jarg422h.htm#noddy

13583. jarg422h.htm#noddy

13584. jarg422h.htm#trap

13585. jarg422h.htm#toy%20program

13586. jarg422h.htm#%3d%20T%20%3d

13587. jarg422h.htm#hairy

13588. jarg422h.htm#HLL

13589. jarg422h.htm#live%20data

13590. jarg422h.htm#snap

13591. jarg422h.htm#trap%20door

13592. jarg422h.htm#trampoline

13593. jarg422h.htm#%3d%20T%20%3d

13594. jarg422h.htm#HLL

13595. jarg422h.htm#system

13596. jarg422h.htm#trash

13597. jarg422h.htm#trap

13598. jarg422h.htm#%3d%20T%20%3d

13599. jarg422h.htm#back%20door

13600. jarg422h.htm#Bad%20Thing

13601. jarg422h.htm#Good%20Thing

13602. jarg422h.htm#trawl

13603. jarg422h.htm#trap%20door

13604. jarg422h.htm#%3d%20T%20%3d

13605. jarg422h.htm#mung

13606. jarg422h.htm#mangle

13607. jarg422h.htm#scribble

13608. jarg422h.htm#tree-killer

13609. jarg422h.htm#trash

13610. jarg422h.htm#%3d%20T%20%3d

13611. jarg422h.htm#treeware

13612. jarg422h.htm#trawl

13613. jarg422h.htm#%3d%20T%20%3d

13614. jarg422h.htm#spiffy

13615. jarg422h.htm#content-free

13616. jarg422h.htm#suit

13617. jarg422h.htm#elvish

13618. jarg422h.htm#elder%20days

13619. jarg422h.htm#trit

13620. jarg422h.htm#tree-killer

13621. jarg422h.htm#%3d%20T%20%3d
13622. jarg422h.htm#tree-killer
13623. jarg422h.htm#documentation
13624. jarg422h.htm#trivial
13625. jarg422h.htm#treeware
13626. jarg422h.htm#%3d%20T%20%3d
13627. jarg422h.htm#bit
13628. jarg422h.htm#flag
13629. jarg422h.htm#troff
13630. jarg422h.htm#trit
13631. jarg422h.htm#%3d%20T%20%3d
13632. jarg422h.htm#cretinous
13633. jarg422h.htm#nontrivial
13634. jarg422h.htm#uninteresting
13635. jarg422h.htm#troglodyte
13636. jarg422h.htm#trivial
13637. jarg422h.htm#%3d%20T%20%3d
13638. jarg422h.htm#Multics
13639. jarg422h.htm#CTSS
13640. jarg422h.htm#nroff
13641. jarg422h.htm#TeX
13642. jarg422h.htm#troglodyte%20mode
13643. jarg422h.htm#troff
13644. jarg422h.htm#%3d%20T%20%3d
13645. jarg422h.htm#Trojan%20horse
13646. jarg422h.htm#troglodyte

13647. jarg422h.htm#%3d%20T%20%3d

13648. jarg422h.htm#raster%20burn

13649. jarg422h.htm#larval%20stage

13650. jarg422h.htm#hack%20mode

13651. jarg422h.htm#troll

13652. jarg422h.htm#troglodyte%20mode

13653. jarg422h.htm#%3d%20T%20%3d

13654. jarg422h.htm#back%20door

13655. jarg422h.htm#virus

13656. jarg422h.htm#worm

13657. jarg422h.htm#phage

13658. jarg422h.htm#mockingbird

13659. jarg422h.htm#Troll-O-Meter

13660. jarg422h.htm#Trojan%20horse

13661. jarg422h.htm#%3d%20T%20%3d

13662. jarg422h.htm#Usenet

13663. jarg422h.htm#flame

13664. jarg422h.htm#newbie

13665. jarg422h.htm#YHBT

13666. jarg422h.htm#flame%20bait

13667. jarg422h.htm#Troll-O-Meter

13668. jarg422h.htm#tron

13669. jarg422h.htm#troll

13670. jarg422h.htm#%3d%20T%20%3d

13671. jarg422h.htm#troll

13672. jarg422h.htm#bogometer

13673. jarg422h.htm#true-hacker

13674. jarg422h.htm#Troll-O-Meter

13675. jarg422h.htm#%3d%20T%20%3d

13676. jarg422h.htm#spod

13677. jarg422h.htm#tty

13678. jarg422h.htm#tron

13679. jarg422h.htm#%3d%20T%20%3d

13680. jarg422h.htm#demigod

13681. jarg422h.htm#munchkin

13682. jarg422h.htm#tube

13683. jarg422h.htm#true-hacker

13684. jarg422h.htm#%3d%20T%20%3d

13685. jarg422h.htm#bit-paired%20keyboard

13686. jarg422h.htm#tube%20time

13687. jarg422h.htm#tty

13688. jarg422h.htm#%3d%20T%20%3d

13689. jarg422h.htm#tunafish

13690. jarg422h.htm#tube

13691. jarg422h.htm#%3d%20T%20%3d

13692. jarg422h.htm#tune

13693. jarg422h.htm#tube%20time

13694. jarg422h.htm#%3d%20T%20%3d

13695. jarg422h.htm#BSD

13696. jarg422h.htm#droid

13697. jarg422h.htm#turbo%20nerd

13698. jarg422h.htm#tunafish

13699. jarg422h.htm#%3d%20T%20%3d

13700. jarg422h.htm#hook

13701. jarg422h.htm#bum

13702. jarg422h.htm#hot%20spot

13703. jarg422h.htm#hand-hacking

13704. jarg422h.htm#Turing%20tar-pit

13705. jarg422h.htm#tune

13706. jarg422h.htm#%3d%20T%20%3d

13707. jarg422h.htm#computer%20geek

13708. jarg422h.htm#turist

13709. jarg422h.htm#turbo%20nerd

13710. jarg422h.htm#%3d%20T%20%3d

13711. jarg422h.htm#bondage-and-discipline%20language

13712. jarg422h.htm#holy%20wars

13713. jarg422h.htm#Tux

13714. jarg422h.htm#Turing%20tar-pit

13715. jarg422h.htm#%3d%20T%20%3d

13716. jarg422h.htm#tourist

13717. jarg422h.htm#luser

13718. jarg422h.htm#tweak

13719. jarg422h.htm#turist

13720. jarg422h.htm#%3d%20T%20%3d

13721. jarg422h.htm#Linux

13722. <http://www.woodsoup.org/~sbaker/tux/doc/>

13723. <http://www.isc.tamu.edu/~lewing/linux/>

13724. <http://www.ao.com/~regan/penguins/tux.html>

13725. jarg422h.htm#tweeter

13726. jarg422h.htm#Tux

13727. jarg422h.htm#%3d%20T%20%3d
13728. jarg422h.htm#twiddle
13729. jarg422h.htm#frobnicate
13730. jarg422h.htm#fudge%20factor
13731. jarg422h.htm#shotgun%20debugging
13732. jarg422h.htm#tune
13733. jarg422h.htm#bum
13734. jarg422h.htm#TWENEX
13735. jarg422h.htm#tweak
13736. jarg422h.htm#%3d%20T%20%3d
13737. jarg422h.htm#perf
13738. jarg422h.htm#chad
13739. jarg422h.htm#woofer
13740. jarg422h.htm#twiddle
13741. jarg422h.htm#tweeter
13742. jarg422h.htm#%3d%20T%20%3d
13743. jarg422h.htm#DEC
13744. jarg422h.htm#ITS
13745. jarg422h.htm#WAITS
13746. jarg422h.htm#VMS
13747. jarg422h.htm#twilight%20zone
13748. jarg422h.htm#TWENEX
13749. jarg422h.htm#%3d%20T%20%3d
13750. jarg422h.htm#shotgun%20debugging
13751. jarg422h.htm#knobs
13752. jarg422h.htm#frobnicate

13753. jarg422h.htm#bit%20twiddling
13754. jarg422h.htm#toggle
13755. jarg422h.htm#twirling%20baton
13756. jarg422h.htm#twink
13757. jarg422h.htm#twiddle
13758. jarg422h.htm#%3d%20T%20%3d
13759. jarg422h.htm#IRC
13760. jarg422h.htm#op
13761. jarg422h.htm#twirling%20baton
13762. jarg422h.htm#twilight%20zone
13763. jarg422h.htm#%3d%20T%20%3d
13764. jarg422h.htm#read-only%20user
13765. jarg422h.htm#two%20pi
13766. jarg422h.htm#twink
13767. jarg422h.htm#%3d%20T%20%3d
13768. jarg422h.htm#two-to-the-N
13769. jarg422h.htm#twirling%20baton
13770. jarg422h.htm#%3d%20T%20%3d
13771. jarg422h.htm#twonkie
13772. jarg422h.htm#two%20pi
13773. jarg422h.htm#%3d%20T%20%3d
13774. jarg422h.htm#N
13775. jarg422h.htm#infinity
13776. jarg422h.htm#u-
13777. jarg422h.htm#two-to-the-N
13778. jarg422h.htm#%3d%20T%20%3d
13779. jarg422h.htm#marketroid

13780. jarg422h.htm#Saturday-night%20special

13781. jarg422h.htm#%3d%20V%20%3d

13782. jarg422h.htm#%3d%20T%20%3d

13783. jarg422h.htm#The%20Jargon%20Lexicon

13784. jarg422h.htm#u-

13785. jarg422h.htm#UBD

13786. jarg422h.htm#UBE

13787. jarg422h.htm#UCE

13788. jarg422h.htm#UDP

13789. jarg422h.htm#UN*X

13790. jarg422h.htm#undefined%20external%20reference

13791. jarg422h.htm#under%20the%20hood

13792. jarg422h.htm#undocumented%20feature

13793. jarg422h.htm#uninteresting

13794. jarg422h.htm#Unix

13795. jarg422h.htm#Unix%20brain%20damage

13796. jarg422h.htm#Unix%20conspiracy

13797. jarg422h.htm#Unix%20weenie

13798. jarg422h.htm#unixism

13799. jarg422h.htm#unswizzle

13800. jarg422h.htm#unwind%20the%20stack

13801. jarg422h.htm#unwind-protect

13802. jarg422h.htm#up

13803. jarg422h.htm#upload

13804. jarg422h.htm#upthread

13805. jarg422h.htm#urchin

13806. jarg422h.htm#URL

13807. jarg422h.htm#Usenet

13808. jarg422h.htm#Usenet%20Death%20Penalty

13809. jarg422h.htm#user

13810. jarg422h.htm#user-friendly

13811. jarg422h.htm#user-obsequious

13812. jarg422h.htm#userland

13813. jarg422h.htm#USG%20Unix

13814. jarg422h.htm#UTSL

13815. jarg422h.htm#UUCPNET

13816. jarg422h.htm#UBD

13817. jarg422h.htm#twonkie

13818. jarg422h.htm#%3d%20U%20%3d

13819. jarg422h.htm#micro-

13820. jarg422h.htm#UBE

13821. jarg422h.htm#u-

13822. jarg422h.htm#%3d%20U%20%3d

13823. jarg422h.htm#pilot%20error

13824. jarg422h.htm#PBD

13825. jarg422h.htm#brain-damaged

13826. jarg422h.htm#UCE

13827. jarg422h.htm#UBD

13828. jarg422h.htm#%3d%20U%20%3d

13829. jarg422h.htm#spam

13830. jarg422h.htm#UCE

13831. jarg422h.htm#UDP

13832. jarg422h.htm#UBE

13833. jarg422h.htm#%3d%20U%20%3d

13834. jarg422h.htm#spam

13835. jarg422h.htm#UBE

13836. jarg422h.htm#UN*X

13837. jarg422h.htm#UCE

13838. jarg422h.htm#%3d%20U%20%3d

13839. jarg422h.htm#Usenet%20Death%20Penalty

13840. jarg422h.htm#IDP

13841. jarg422h.htm#undefined%20external%20reference

13842. jarg422h.htm#UDP

13843. jarg422h.htm#%3d%20U%20%3d

13844. jarg422h.htm#(TM)

13845. jarg422h.htm#glob

13846. jarg422h.htm#splat%20out

13847. jarg422h.htm#under%20the%20hood

13848. jarg422h.htm#UN*X

13849. jarg422h.htm#%3d%20U%20%3d

13850. jarg422h.htm#undocumented%20feature

13851. jarg422h.htm#undefined%20external%20reference

13852. jarg422h.htm#%3d%20U%20%3d

13853. jarg422h.htm#grok

13854. jarg422h.htm#uninteresting

13855. jarg422h.htm#under%20the%20hood

13856. jarg422h.htm#%3d%20U%20%3d

13857. jarg422h.htm#feature

13858. jarg422h.htm#Unix

13859. jarg422h.htm#undocumented%20feature

13860. jarg422h.htm#%3d%20U%20%3d

13861. jarg422h.htm#nontrivial

13862. jarg422h.htm#toolsmith

13863. jarg422h.htm#WOMBAT

13864. jarg422h.htm#SMOP

13865. jarg422h.htm#toy%20problem

13866. jarg422h.htm#interesting

13867. jarg422h.htm#Unix%20brain%20damage

13868. jarg422h.htm#uninteresting

13869. jarg422h.htm#%3d%20U%20%3d

13870. jarg422h.htm#Linux

13871. jarg422h.htm#open%20source

13872. jarg422h.htm#Unix%20weenie

13873. jarg422h.htm#Unix%20conspiracy

13874. jarg422h.htm#Version%207

13875. jarg422h.htm#BSD

13876. jarg422h.htm#USG%20Unix

13877. jarg422h.htm#Linux

13878. jarg422h.htm#troff

13879. jarg422h.htm#Unix%20conspiracy

13880. jarg422h.htm#Unix

13881. jarg422h.htm#%3d%20U%20%3d

13882. jarg422h.htm#kluge

13883. jarg422h.htm#jock

13884. jarg422h.htm#Unix%20weenie

13885. jarg422h.htm#Unix%20brain%20damage

13886. jarg422h.htm#%3d%20U%20%3d
13887. jarg422h.htm#ITS
13888. jarg422h.htm#TOPS-20
13889. jarg422h.htm#back%20door
13890. jarg422h.htm#virus
13891. jarg422h.htm#DEC
13892. jarg422h.htm#Linux
13893. jarg422h.htm#unixism
13894. jarg422h.htm#Unix%20conspiracy
13895. jarg422h.htm#%3d%20U%20%3d
13896. jarg422h.htm#Weenix
13897. jarg422h.htm#Unix%20conspiracy
13898. jarg422h.htm#weenie
13899. jarg422h.htm#unswizzle
13900. jarg422h.htm#Unix%20weenie
13901. jarg422h.htm#%3d%20U%20%3d
13902. jarg422h.htm#unixism
13903. jarg422h.htm#obscure
13904. jarg422h.htm#vaxocentrism
13905. jarg422h.htm#New%20Jersey
13906. jarg422h.htm#unwind%20the%20stack
13907. jarg422h.htm#unixism
13908. jarg422h.htm#%3d%20U%20%3d
13909. jarg422h.htm#swizzle
13910. jarg422h.htm#unwind-protect
13911. jarg422h.htm#unswizzle

13912. jarg422h.htm#%3d%20U%20%3d

13913. jarg422h.htm#smash%20the%20stack

13914. jarg422h.htm#up

13915. jarg422h.htm#unwind%20the%20stack

13916. jarg422h.htm#%3d%20U%20%3d

13917. jarg422h.htm#upload

13918. jarg422h.htm#unwind-protect

13919. jarg422h.htm#%3d%20U%20%3d

13920. jarg422h.htm#down

13921. jarg422h.htm#upthread

13922. jarg422h.htm#up

13923. jarg422h.htm#%3d%20U%20%3d

13924. jarg422h.htm#download

13925. jarg422h.htm#urchin

13926. jarg422h.htm#upload

13927. jarg422h.htm#%3d%20U%20%3d

13928. jarg422h.htm#thread

13929. jarg422h.htm#followup

13930. jarg422h.htm#URL

13931. jarg422h.htm#upthread

13932. jarg422h.htm#%3d%20U%20%3d

13933. jarg422h.htm#munchkin

13934. jarg422h.htm#Usenet

13935. jarg422h.htm#urchin

13936. jarg422h.htm#%3d%20U%20%3d

13937. jarg422h.htm#Usenet%20Death%20Penalty

13938. jarg422h.htm#URL

13939. jarg422h.htm#%3d%20U%20%3d
13940. jarg422h.htm#bboard
13941. jarg422h.htm#newsgroup
13942. jarg422h.htm#flamage
13943. jarg422h.htm#UUCPNET
13944. jarg422h.htm#user
13945. jarg422h.htm#Usenet
13946. jarg422h.htm#%3d%20U%20%3d
13947. jarg422h.htm#spam
13948. jarg422h.htm#Internet%20Death%20Penalty
13949. jarg422h.htm#user-friendly
13950. jarg422h.htm#Usenet%20Death%20Penalty
13951. jarg422h.htm#%3d%20U%20%3d
13952. jarg422h.htm#real%20user
13953. jarg422h.htm#luser
13954. jarg422h.htm#luser
13955. jarg422h.htm#user-obsequious
13956. jarg422h.htm#user
13957. jarg422h.htm#%3d%20U%20%3d
13958. jarg422h.htm#menuitis
13959. jarg422h.htm#drool-proof%20paper
13960. jarg422h.htm#Macintrash
13961. jarg422h.htm#user-obsequious
13962. jarg422h.htm#userland
13963. jarg422h.htm#user-friendly
13964. jarg422h.htm#%3d%20U%20%3d

13965. jarg422h.htm#user-friendly

13966. jarg422h.htm#WIMP%20environment

13967. jarg422h.htm#Macintrash

13968. jarg422h.htm#USG%20Unix

13969. jarg422h.htm#user-obsequious

13970. jarg422h.htm#%3d%20U%20%3d

13971. jarg422h.htm#Linux

13972. jarg422h.htm#UTSL

13973. jarg422h.htm#userland

13974. jarg422h.htm#%3d%20U%20%3d

13975. jarg422h.htm#Version%207

13976. jarg422h.htm#BSD

13977. jarg422h.htm#Unix

13978. jarg422h.htm#UUCPNET

13979. jarg422h.htm#USG%20Unix

13980. jarg422h.htm#%3d%20U%20%3d

13981. jarg422h.htm#RTFS

13982. jarg422h.htm#wizard

13983. jarg422h.htm#elder%20days

13984. jarg422h.htm#V7

13985. jarg422h.htm#UTSL

13986. jarg422h.htm#%3d%20U%20%3d

13987. jarg422h.htm#bang%20path

13988. jarg422h.htm#network%20address

13989. jarg422h.htm#%3d%20W%20%3d

13990. jarg422h.htm#%3d%20U%20%3d

13991. jarg422h.htm#The%20Jargon%20Lexicon

13992. jarg422h.htm#V7

13993. jarg422h.htm#vadding

13994. jarg422h.htm#vanilla

13995. jarg422h.htm#vanity%20domain

13996. jarg422h.htm#vannevar

13997. jarg422h.htm#vaporware

13998. jarg422h.htm#var

13999. jarg422h.htm#vaston

14000. jarg422h.htm#VAX

14001. jarg422h.htm#VAXectomy

14002. jarg422h.htm#VAXen

14003. jarg422h.htm#vaxherd

14004. jarg422h.htm#vaxism

14005. jarg422h.htm#vaxocentrism

14006. jarg422h.htm#vdiff

14007. jarg422h.htm#veeblefester

14008. jarg422h.htm#velveeta

14009. jarg422h.htm#ventilator%20card

14010. jarg422h.htm#Venus%20flytrap

14011. jarg422h.htm#verbage

14012. jarg422h.htm#verbiage

14013. jarg422h.htm#Version%207

14014. jarg422h.htm#vgrep

14015. jarg422h.htm#vi

14016. jarg422h.htm#video%20toaster

14017. jarg422h.htm#videotex

14018. jarg422h.htm#virgin
14019. jarg422h.htm#virtual
14020. jarg422h.htm#virtual%20beer
14021. jarg422h.htm#virtual%20Friday
14022. jarg422h.htm#virtual%20reality
14023. jarg422h.htm#virtual%20shredder
14024. jarg422h.htm#virus
14025. jarg422h.htm#visionary
14026. jarg422h.htm#VMS
14027. jarg422h.htm#voice
14028. jarg422h.htm#voice-net
14029. jarg422h.htm#voodoo%20programming
14030. jarg422h.htm#VR
14031. jarg422h.htm#Vulcan%20nerve%20pinch
14032. jarg422h.htm#vulture%20capitalist
14033. jarg422h.htm#vadding
14034. jarg422h.htm#UUCPNET
14035. jarg422h.htm#%3d%20V%20%3d
14036. jarg422h.htm#Version%207
14037. jarg422h.htm#vanilla
14038. jarg422h.htm#V7
14039. jarg422h.htm#%3d%20V%20%3d
14040. jarg422h.htm#ADVENT
14041. jarg422h.htm#admin
14042. jarg422h.htm#phreaking
14043. jarg422h.htm#hack
14044. jarg422h.htm#hobbit

14045. jarg422h.htm#vanity%20domain
14046. jarg422h.htm#vadding
14047. jarg422h.htm#%3d%20V%20%3d
14048. jarg422h.htm#flavor
14049. jarg422h.htm#canonical
14050. jarg422h.htm#great-wall
14051. jarg422h.htm#canonical
14052. jarg422h.htm#vannevar
14053. jarg422h.htm#vanilla
14054. jarg422h.htm#%3d%20V%20%3d
14055. jarg422h.htm#vaporware
14056. jarg422h.htm#vanity%20domain
14057. jarg422h.htm#%3d%20V%20%3d
14058. jarg422h.htm#videotex
14059. jarg422h.htm#var
14060. jarg422h.htm#vannevar
14061. jarg422h.htm#%3d%20V%20%3d
14062. jarg422h.htm#brochureware
14063. jarg422h.htm#vaston
14064. jarg422h.htm#vaporware
14065. jarg422h.htm#%3d%20V%20%3d
14066. jarg422h.htm#arg
14067. jarg422h.htm#param
14068. jarg422h.htm#VAX
14069. jarg422h.htm#var
14070. jarg422h.htm#%3d%20V%20%3d

14071. jarg422h.htm#VAXectomy
14072. jarg422h.htm#vaston
14073. jarg422h.htm#%3d%20V%20%3d
14074. jarg422h.htm#killer%20micro
14075. jarg422h.htm#BSD
14076. jarg422h.htm#VAXen
14077. jarg422h.htm#VAX
14078. jarg422h.htm#%3d%20V%20%3d
14079. jarg422h.htm#DEC
14080. jarg422h.htm#vaxherd
14081. jarg422h.htm#VAXectomy
14082. jarg422h.htm#%3d%20V%20%3d
14083. jarg422h.htm#DEC
14084. jarg422h.htm#boxen
14085. jarg422h.htm#vaxism
14086. jarg422h.htm#VAXen
14087. jarg422h.htm#%3d%20V%20%3d
14088. jarg422h.htm#vaxocentrism
14089. jarg422h.htm#vaxherd
14090. jarg422h.htm#%3d%20V%20%3d
14091. jarg422h.htm#vaxocentrism
14092. jarg422h.htm#PC-ism
14093. jarg422h.htm#unixism
14094. jarg422h.htm#vdiff
14095. jarg422h.htm#vaxism
14096. jarg422h.htm#%3d%20V%20%3d
14097. jarg422h.htm#VAXen

14098. jarg422h.htm#HLL

14099. jarg422h.htm#brain-damaged

14100. jarg422h.htm#moby

14101. jarg422h.htm#big-endian

14102. jarg422h.htm#veeblefester

14103. jarg422h.htm#vaxocentrism

14104. jarg422h.htm#%3d%20V%20%3d

14105. jarg422h.htm#eyeball%20search

14106. jarg422h.htm#diff

14107. jarg422h.htm#velveeta

14108. jarg422h.htm#vdiff

14109. jarg422h.htm#%3d%20V%20%3d

14110. jarg422h.htm#hacker

14111. jarg422h.htm#suit

14112. jarg422h.htm#marketroid

14113. jarg422h.htm#ventilator%20card

14114. jarg422h.htm#veeblefester

14115. jarg422h.htm#%3d%20V%20%3d

14116. jarg422h.htm#spam

14117. jarg422h.htm#ECP

14118. jarg422h.htm#spam

14119. jarg422h.htm#jello

14120. jarg422h.htm#Venus%20flytrap

14121. jarg422h.htm#velveeta

14122. jarg422h.htm#%3d%20V%20%3d

14123. jarg422h.htm#lace%20card

14124. jarg422h.htm#verbage

14125. jarg422h.htm#ventilator%20card

14126. jarg422h.htm#%3d%20V%20%3d

14127. jarg422h.htm#firewall%20machine

14128. jarg422h.htm#verbiage

14129. jarg422h.htm#Venus%20flytrap

14130. jarg422h.htm#%3d%20V%20%3d

14131. jarg422h.htm#verbiage

14132. jarg422h.htm#content-free

14133. jarg422h.htm#Version%207

14134. jarg422h.htm#verbage

14135. jarg422h.htm#%3d%20V%20%3d

14136. jarg422h.htm#documentation

14137. jarg422h.htm#vgrep

14138. jarg422h.htm#verbiage

14139. jarg422h.htm#%3d%20V%20%3d

14140. jarg422h.htm#Unix

14141. jarg422h.htm#Unix

14142. jarg422h.htm#Unix

14143. jarg422h.htm#BSD

14144. jarg422h.htm#USG%20Unix

14145. jarg422h.htm#Unix

14146. jarg422h.htm#vi

14147. jarg422h.htm#Version%207

14148. jarg422h.htm#%3d%20V%20%3d

14149. jarg422h.htm#grep

14150. jarg422h.htm#vdiff

14151. jarg422h.htm#video%20toaster
14152. jarg422h.htm#vgrep
14153. jarg422h.htm#%3d%20V%20%3d
14154. jarg422h.htm#BSD
14155. jarg422h.htm#EMACS
14156. jarg422h.htm#holy%20wars
14157. jarg422h.htm#videotex
14158. jarg422h.htm#vi
14159. jarg422h.htm#%3d%20V%20%3d
14160. jarg422h.htm#web%20toaster
14161. jarg422h.htm#toaster
14162. jarg422h.htm#virgin
14163. jarg422h.htm#video%20toaster
14164. jarg422h.htm#%3d%20V%20%3d
14165. jarg422h.htm#gorilla%20arm
14166. jarg422h.htm#vannevar
14167. jarg422h.htm#virtual
14168. jarg422h.htm#videotex
14169. jarg422h.htm#%3d%20V%20%3d
14170. jarg422h.htm#virus
14171. jarg422h.htm#SEX
14172. jarg422h.htm#virtual%20beer
14173. jarg422h.htm#virgin
14174. jarg422h.htm#%3d%20V%20%3d
14175. jarg422h.htm#logical
14176. jarg422h.htm#real

14177. jarg422h.htm#virtual%20Friday
14178. jarg422h.htm#virtual
14179. jarg422h.htm#%3d%20V%20%3d
14180. jarg422h.htm#virtual%20reality
14181. jarg422h.htm#virtual%20beer
14182. jarg422h.htm#%3d%20V%20%3d
14183. jarg422h.htm#virtual%20shredder
14184. jarg422h.htm#virtual%20Friday
14185. jarg422h.htm#%3d%20V%20%3d
14186. jarg422h.htm#cyberspace
14187. jarg422h.htm#MUD
14188. jarg422h.htm#bamf
14189. jarg422h.htm#cyberspace
14190. jarg422h.htm#teledildonics
14191. jarg422h.htm#virus
14192. jarg422h.htm#virtual%20reality
14193. jarg422h.htm#%3d%20V%20%3d
14194. jarg422h.htm#bit%20bucket
14195. jarg422h.htm#visionary
14196. jarg422h.htm#virtual%20shredder
14197. jarg422h.htm#%3d%20V%20%3d
14198. jarg422h.htm#Trojan%20horse
14199. jarg422h.htm#worm
14200. jarg422h.htm#SEX
14201. jarg422h.htm#display%20hack
14202. jarg422h.htm#cracker
14203. jarg422h.htm#luser

14204. jarg422h.htm#worm

14205. jarg422h.htm#Trojan%20horse

14206. jarg422h.htm#phage

14207. jarg422h.htm#back%20door

14208. jarg422h.htm#Unix%20conspiracy

14209. jarg422h.htm#VMS

14210. jarg422h.htm#virus

14211. jarg422h.htm#%3d%20V%20%3d

14212. jarg422h.htm#SMOP

14213. jarg422h.htm#AI-complete

14214. jarg422h.htm#voice

14215. jarg422h.htm#visionary

14216. jarg422h.htm#%3d%20V%20%3d

14217. jarg422h.htm#DEC

14218. jarg422h.htm#VAX

14219. jarg422h.htm#TOPS-10

14220. jarg422h.htm#TOPS-20

14221. jarg422h.htm#Unix

14222. jarg422h.htm#runic

14223. jarg422h.htm#voice-net

14224. jarg422h.htm#VMS

14225. jarg422h.htm#%3d%20V%20%3d

14226. jarg422h.htm#talk%20mode

14227. jarg422h.htm#voodoo%20programming

14228. jarg422h.htm#voice

14229. jarg422h.htm#%3d%20V%20%3d

14230. jarg422h.htm#sig%20block

14231. jarg422h.htm#paper-net

14232. jarg422h.htm#snail-mail

14233. jarg422h.htm#VR

14234. jarg422h.htm#voice-net

14235. jarg422h.htm#%3d%20V%20%3d

14236. jarg422h.htm#obscure

14237. jarg422h.htm#hairy

14238. jarg422h.htm#black%20magic

14239. jarg422h.htm#magic

14240. jarg422h.htm#deep%20magic

14241. jarg422h.htm#heavy%20wizardry

14242. jarg422h.htm#rain%20dance

14243. jarg422h.htm#cargo%20cult%20programming

14244. jarg422h.htm#wave%20a%20dead%20chicken

14245. jarg422h.htm#Vulcan%20nerve%20pinch

14246. jarg422h.htm#voodoo%20programming

14247. jarg422h.htm#%3d%20V%20%3d

14248. jarg422h.htm#virtual%20reality

14249. jarg422h.htm#RL

14250. jarg422h.htm#vulture%20capitalist

14251. jarg422h.htm#VR

14252. jarg422h.htm#%3d%20V%20%3d

14253. jarg422h.htm#three-finger%20salute

14254. jarg422h.htm#quadruple%20bucky

14255. jarg422h.htm#W2K%20bug

14256. jarg422h.htm#Vulcan%20nerve%20pinch

14257. jarg422h.htm#%3d%20V%20%3d
14258. jarg422h.htm#%3d%20X%20%3d
14259. jarg422h.htm#%3d%20V%20%3d
14260. jarg422h.htm#The%20Jargon%20Lexicon
14261. jarg422h.htm#W2K%20bug
14262. jarg422h.htm#wabbit
14263. jarg422h.htm#WAITS
14264. jarg422h.htm#waldo
14265. jarg422h.htm#walk
14266. jarg422h.htm#walk%20off%20the%20end%20of
14267. jarg422h.htm#walking%20drives
14268. jarg422h.htm#wall
14269. jarg422h.htm#wall%20follower
14270. jarg422h.htm#wall%20time
14271. jarg422h.htm#wall%20wart
14272. jarg422h.htm#wallpaper
14273. jarg422h.htm#wango
14274. jarg422h.htm#wank
14275. jarg422h.htm#wannabee
14276. jarg422h.htm#war%20dialer
14277. jarg422h.htm#-ware
14278. jarg422h.htm#warez
14279. jarg422h.htm#warez%20d00dz
14280. jarg422h.htm#warez%20kiddies
14281. jarg422h.htm#warlording
14282. jarg422h.htm#warm%20boot

14283. jarg422h.htm#wart

14284. jarg422h.htm#washing%20machine

14285. jarg422h.htm#washing%20software

14286. jarg422h.htm#water%20MIPS

14287. jarg422h.htm#wave%20a%20dead%20chicken

14288. jarg422h.htm#weasel

14289. jarg422h.htm#web%20pointer

14290. jarg422h.htm#web%20toaster

14291. jarg422h.htm#webify

14292. jarg422h.htm#webmaster

14293. jarg422h.htm#web%20ring

14294. jarg422h.htm#wedged

14295. jarg422h.htm#wedgie

14296. jarg422h.htm#wedgitude

14297. jarg422h.htm#weeble

14298. jarg422h.htm#weeds

14299. jarg422h.htm#weenie

14300. jarg422h.htm#Weenix

14301. jarg422h.htm#well-behaved

14302. jarg422h.htm#well-connected

14303. jarg422h.htm#wetware

14304. jarg422h.htm#whack

14305. jarg422h.htm#whack-a-mole

14306. jarg422h.htm#whacker

14307. jarg422h.htm#whales

14308. jarg422h.htm#whalesong

14309. jarg422h.htm#What's%20a%20spline%3f

14310. jarg422h.htm#wheel

14311. jarg422h.htm#wheel%20bit

14312. jarg422h.htm#wheel%20of%20reincarnation

14313. jarg422h.htm#wheel%20wars

14314. jarg422h.htm#White%20Book

14315. jarg422h.htm#whitelist

14316. jarg422h.htm#whizzy

14317. jarg422h.htm#wibble

14318. jarg422h.htm#WIBNI

14319. jarg422h.htm#widget

14320. jarg422h.htm#wiggles

14321. jarg422h.htm#WIMP%20environment

14322. jarg422h.htm#win

14323. jarg422h.htm#win%20big

14324. jarg422h.htm#win%20win

14325. jarg422h.htm#Winchester

14326. jarg422h.htm#windoid

14327. jarg422h.htm#window%20shopping

14328. jarg422h.htm#Windoze

14329. jarg422h.htm#winged%20comments

14330. jarg422h.htm#winkey

14331. jarg422h.htm#winnage

14332. jarg422h.htm#winner

14333. jarg422h.htm#winnitude

14334. jarg422h.htm#Wintel

14335. jarg422h.htm#wired

14336. jarg422h.htm#wirehead

14337. jarg422h.htm#wirewater

14338. jarg422h.htm#wish%20list

14339. jarg422h.htm#within%20delta%20of

14340. jarg422h.htm#within%20epsilon%20of

14341. jarg422h.htm#wizard

14342. jarg422h.htm#Wizard%20Book

14343. jarg422h.htm#wizard%20hat

14344. jarg422h.htm#wizard%20mode

14345. jarg422h.htm#wizardly

14346. jarg422h.htm#wok-on-the-wall

14347. jarg422h.htm#womb%20box

14348. jarg422h.htm#WOMBAT

14349. jarg422h.htm#womble

14350. jarg422h.htm#wonky

14351. jarg422h.htm#woofer

14352. jarg422h.htm#workaround

14353. jarg422h.htm#working%20as%20designed

14354. jarg422h.htm#worm

14355. jarg422h.htm#wormhole

14356. jarg422h.htm#wound%20around%20the%20axle

14357. jarg422h.htm#wrap%20around

14358. jarg422h.htm#write-only%20code

14359. jarg422h.htm#write-only%20language

14360. jarg422h.htm#write-only%20memory

14361. jarg422h.htm#Wrong%20Thing

14362. jarg422h.htm#wugga%20wugga

14363. jarg422h.htm#wumpus

14364. jarg422h.htm#WYSIAYG

14365. jarg422h.htm#WYSIWYG

14366. jarg422h.htm#wabbit

14367. jarg422h.htm#vulture%20capitalist

14368. jarg422h.htm#%3d%20W%20%3d

14369. jarg422h.htm#WAITS

14370. jarg422h.htm#W2K%20bug

14371. jarg422h.htm#%3d%20W%20%3d

14372. jarg422h.htm#virus

14373. jarg422h.htm#worm

14374. jarg422h.htm#fork%20bomb

14375. jarg422h.htm#rabbit%20job

14376. jarg422h.htm#cookie%20monster

14377. jarg422h.htm#waldo

14378. jarg422h.htm#wabbit

14379. jarg422h.htm#%3d%20W%20%3d

14380. jarg422h.htm#TOPS-10

14381. jarg422h.htm#SAIL

14382. jarg422h.htm#EMACS

14383. jarg422h.htm#bucky%20bits

14384. jarg422h.htm#walk

14385. jarg422h.htm#WAITS

14386. jarg422h.htm#%3d%20W%20%3d

14387. jarg422h.htm#foobar

14388. jarg422h.htm#foo

14389. jarg422h.htm#bar

14390. jarg422h.htm#foobar

14391. jarg422h.htm#quux

14392. jarg422h.htm#walk%20off%20the%20end%20of

14393. jarg422h.htm#waldo

14394. jarg422h.htm#%3d%20W%20%3d

14395. jarg422h.htm#core

14396. jarg422h.htm#codewalker

14397. jarg422h.htm#silly%20walk

14398. jarg422h.htm#clobber

14399. jarg422h.htm#walking%20drives

14400. jarg422h.htm#walk

14401. jarg422h.htm#%3d%20W%20%3d

14402. jarg422h.htm#off-by-one%20error

14403. jarg422h.htm#clobber

14404. jarg422h.htm#roach

14405. jarg422h.htm#smash%20the%20stack

14406. jarg422h.htm#wall

14407. jarg422h.htm#walk%20off%20the%20end%20of

14408. jarg422h.htm#%3d%20W%20%3d

14409. jarg422h.htm#washing%20machine

14410. jarg422h.htm#dinosaur

14411. jarg422h.htm#wall%20follower

14412. jarg422h.htm#walking%20drives

14413. jarg422h.htm#%3d%20W%20%3d

14414. jarg422h.htm#octal%20forty

14415. jarg422h.htm#wall%20time

14416. jarg422h.htm#wall
14417. jarg422h.htm#%3d%20W%20%3d
14418. jarg422h.htm#code%20grinder
14419. jarg422h.htm#droid
14420. jarg422h.htm#wall%20wart
14421. jarg422h.htm#wall%20follower
14422. jarg422h.htm#%3d%20W%20%3d
14423. jarg422h.htm#tick
14424. jarg422h.htm#wallpaper
14425. jarg422h.htm#wall%20time
14426. jarg422h.htm#%3d%20W%20%3d
14427. jarg422h.htm#wango
14428. jarg422h.htm#wall%20wart
14429. jarg422h.htm#%3d%20W%20%3d
14430. jarg422h.htm#wallpaper
14431. jarg422h.htm#wank
14432. jarg422h.htm#wallpaper
14433. jarg422h.htm#%3d%20W%20%3d
14434. jarg422h.htm#grovel
14435. jarg422h.htm#mumble
14436. jarg422h.htm#wannabee
14437. jarg422h.htm#wango
14438. jarg422h.htm#%3d%20W%20%3d
14439. jarg422h.htm#hack
14440. jarg422h.htm#wizard
14441. jarg422h.htm#bogometer

14442. jarg422h.htm#neep-neep
14443. jarg422h.htm#war%20dialer
14444. jarg422h.htm#wank
14445. jarg422h.htm#%3d%20W%20%3d
14446. jarg422h.htm#hacker
14447. jarg422h.htm#larval%20stage
14448. jarg422h.htm#suit
14449. jarg422h.htm#wannabee
14450. jarg422h.htm#newbie
14451. jarg422h.htm#larval%20stage
14452. jarg422h.htm#-ware
14453. jarg422h.htm#wannabee
14454. jarg422h.htm#%3d%20W%20%3d
14455. jarg422h.htm#phreaker
14456. jarg422h.htm#demon%20dialer
14457. jarg422h.htm#warez
14458. jarg422h.htm#war%20dialer
14459. jarg422h.htm#%3d%20W%20%3d
14460. jarg422h.htm#annoyware
14461. jarg422h.htm#careware
14462. jarg422h.htm#crippleware
14463. jarg422h.htm#crudware
14464. jarg422h.htm#freeware
14465. jarg422h.htm#fritterware
14466. jarg422h.htm#guiltware
14467. jarg422h.htm#liveware
14468. jarg422h.htm#meatware

14469. jarg422h.htm#payware
14470. jarg422h.htm#psychedelicware
14471. jarg422h.htm#shareware
14472. jarg422h.htm#shelfware
14473. jarg422h.htm#vaporware
14474. jarg422h.htm#wetware
14475. jarg422h.htm#warez%20d00dz
14476. jarg422h.htm#-ware
14477. jarg422h.htm#%3d%20W%20%3d
14478. jarg422h.htm#cracker
14479. jarg422h.htm#warez%20d00dz
14480. jarg422h.htm#courier
14481. jarg422h.htm#leech
14482. jarg422h.htm#elite
14483. jarg422h.htm#warez%20kiddies
14484. jarg422h.htm#warez
14485. jarg422h.htm#%3d%20W%20%3d
14486. jarg422h.htm#cracker
14487. jarg422h.htm#B1FF
14488. jarg422h.htm#cracker
14489. jarg422h.htm#wannabee
14490. jarg422h.htm#handle
14491. jarg422h.htm#elite
14492. jarg422h.htm#courier
14493. jarg422h.htm#leech
14494. jarg422h.htm#weenie

14495. jarg422h.htm#spod
14496. jarg422h.htm#warlording
14497. jarg422h.htm#warez%20d00dz
14498. jarg422h.htm#%3d%20W%20%3d
14499. jarg422h.htm#warez%20d00dz
14500. jarg422h.htm#script%20kiddies
14501. jarg422h.htm#warm%20boot
14502. jarg422h.htm#warez%20kiddies
14503. jarg422h.htm#%3d%20W%20%3d
14504. jarg422h.htm#sig%20block
14505. jarg422h.htm#BUAF
14506. jarg422h.htm#sig%20quote
14507. jarg422h.htm#ASCII%20art
14508. jarg422h.htm#B1FF
14509. jarg422h.htm#newbie
14510. jarg422h.htm#wart
14511. jarg422h.htm#warlording
14512. jarg422h.htm#%3d%20W%20%3d
14513. jarg422h.htm#boot
14514. jarg422h.htm#washing%20machine
14515. jarg422h.htm#warm%20boot
14516. jarg422h.htm#%3d%20W%20%3d
14517. jarg422h.htm#crook
14518. jarg422h.htm#feature
14519. jarg422h.htm#clean
14520. jarg422h.htm#miswart
14521. jarg422h.htm#washing%20software

14522. jarg422h.htm#wart

14523. jarg422h.htm#%3d%20W%20%3d

14524. jarg422h.htm#walking%20drives

14525. jarg422h.htm#hose

14526. jarg422h.htm#washing%20software

14527. jarg422h.htm#water%20MIPS

14528. jarg422h.htm#washing%20machine

14529. jarg422h.htm#%3d%20W%20%3d

14530. jarg422h.htm#wave%20a%20dead%20chicken

14531. jarg422h.htm#washing%20software

14532. jarg422h.htm#%3d%20W%20%3d

14533. jarg422h.htm#MIPS

14534. jarg422h.htm#mainframe

14535. jarg422h.htm#weasel

14536. jarg422h.htm#water%20MIPS

14537. jarg422h.htm#%3d%20W%20%3d

14538. jarg422h.htm#voodoo%20programming

14539. jarg422h.htm#rain%20dance

14540. jarg422h.htm#casting%20the%20runes

14541. jarg422h.htm#web%20pointer

14542. jarg422h.htm#wave%20a%20dead%20chicken

14543. jarg422h.htm#%3d%20W%20%3d

14544. jarg422h.htm#loser

14545. jarg422h.htm#web%20toaster

14546. jarg422h.htm#weasel

14547. jarg422h.htm#%3d%20W%20%3d

14548. jarg422h.htm#URL

14549. jarg422h.htm#hotlink

14550. jarg422h.htm#webify

14551. jarg422h.htm#web%20pointer

14552. jarg422h.htm#%3d%20W%20%3d

14553. jarg422h.htm#toaster

14554. jarg422h.htm#video%20toaster

14555. jarg422h.htm#webmaster

14556. jarg422h.htm#web%20toaster

14557. jarg422h.htm#%3d%20W%20%3d

14558. jarg422h.htm#web%20ring

14559. jarg422h.htm#webify

14560. jarg422h.htm#%3d%20W%20%3d

14561. jarg422h.htm#postmaster

14562. jarg422h.htm#wedged

14563. jarg422h.htm#webmaster

14564. jarg422h.htm#%3d%20W%20%3d

14565. jarg422h.htm#wedgie

14566. jarg422h.htm#web%20ring

14567. jarg422h.htm#%3d%20W%20%3d

14568. jarg422h.htm#deadlock

14569. jarg422h.htm#gronk

14570. jarg422h.htm#locked%20up

14571. jarg422h.htm#hosed

14572. jarg422h.htm#hung

14573. jarg422h.htm#hung

14574. jarg422h.htm#wedgitude

14575. jarg422h.htm#wedged

14576. jarg422h.htm#%3d%20W%20%3d

14577. jarg422h.htm#wedged

14578. jarg422h.htm#weeble

14579. jarg422h.htm#wedgie

14580. jarg422h.htm#%3d%20W%20%3d

14581. jarg422h.htm#wedged

14582. jarg422h.htm#weeds

14583. jarg422h.htm#wedgitude

14584. jarg422h.htm#%3d%20W%20%3d

14585. jarg422h.htm#gurfle

14586. jarg422h.htm#weenie

14587. jarg422h.htm#weeble

14588. jarg422h.htm#%3d%20W%20%3d

14589. jarg422h.htm#branch%20to%20Fishkill

14590. jarg422h.htm#jump%20off%20into%20never-never%20land

14591. jarg422h.htm#Weenix

14592. jarg422h.htm#weeds

14593. jarg422h.htm#%3d%20W%20%3d

14594. jarg422h.htm#B1FF

14595. jarg422h.htm#BBS

14596. jarg422h.htm#handle

14597. jarg422h.htm#flamage

14598. jarg422h.htm#spod

14599. jarg422h.htm#computer%20geek

14600. jarg422h.htm#terminal%20junkie

14601. jarg422h.htm#warez%20d00dz

14602. jarg422h.htm#Unix%20weenie

14603. jarg422h.htm#bigot

14604. jarg422h.htm#well-behaved

14605. jarg422h.htm#weenie

14606. jarg422h.htm#%3d%20W%20%3d

14607. jarg422h.htm#Unix

14608. jarg422h.htm#Unix%20weenie

14609. jarg422h.htm#ITS

14610. <http://www.cs.brown.edu/courses/cs167/weenix.html>

14611. jarg422h.htm#well-connected

14612. jarg422h.htm#Weenix

14613. jarg422h.htm#%3d%20W%20%3d

14614. jarg422h.htm#MS-DOS

14615. jarg422h.htm#ill-behaved

14616. jarg422h.htm#tool

14617. jarg422h.htm#cat

14618. jarg422h.htm#crash

14619. jarg422h.htm#blow%20up

14620. jarg422h.htm#pathological

14621. jarg422h.htm#bulletproof

14622. jarg422h.htm#wetware

14623. jarg422h.htm#well-behaved

14624. jarg422h.htm#%3d%20W%20%3d

14625. jarg422h.htm#Usenet

14626. jarg422h.htm#whack

14627. jarg422h.htm#well-connected

14628. jarg422h.htm#%3d%20W%20%3d

14629. jarg422h.htm#liveware

14630. jarg422h.htm#meatware

14631. jarg422h.htm#whack-a-mole

14632. jarg422h.htm#wetware

14633. jarg422h.htm#%3d%20W%20%3d

14634. jarg422h.htm#NeWS

14635. jarg422h.htm#GOSMACS

14636. jarg422h.htm#whacker

14637. jarg422h.htm#glark

14638. jarg422h.htm#whacker

14639. jarg422h.htm#whack

14640. jarg422h.htm#%3d%20W%20%3d

14641. jarg422h.htm#throwaway%20account

14642. jarg422h.htm#whales

14643. jarg422h.htm#whack-a-mole

14644. jarg422h.htm#%3d%20W%20%3d

14645. jarg422h.htm#hacker

14646. jarg422h.htm#hacker

14647. jarg422h.htm#wizard

14648. jarg422h.htm#whalesong

14649. jarg422h.htm#whacker

14650. jarg422h.htm#%3d%20W%20%3d

14651. jarg422h.htm#like%20kicking%20dead%20whales%20down%20the%20beach

14652. jarg422h.htm#What's%20a%20spline%3f

14653. jarg422h.htm#whales

14654. jarg422h.htm#%3d%20W%20%3d
14655. jarg422h.htm#wheel
14656. jarg422h.htm#whalesong
14657. jarg422h.htm#%3d%20W%20%3d
14658. jarg422h.htm#wheel%20bit
14659. jarg422h.htm#What's%20a%20spline%3f
14660. jarg422h.htm#%3d%20W%20%3d
14661. jarg422h.htm#wheel%20bit
14662. jarg422h.htm#wedged
14663. jarg422h.htm#BSD
14664. jarg422h.htm#root
14665. jarg422h.htm#go%20root
14666. jarg422h.htm#wheel%20of%20reincarnation
14667. jarg422h.htm#wheel
14668. jarg422h.htm#%3d%20W%20%3d
14669. jarg422h.htm#root
14670. jarg422h.htm#wheel%20wars
14671. jarg422h.htm#wheel%20bit
14672. jarg422h.htm#%3d%20W%20%3d
14673. jarg422h.htm#blitter
14674. jarg422h.htm#bit%20bang
14675. jarg422h.htm#White%20Book
14676. jarg422h.htm#wheel%20of%20reincarnation
14677. jarg422h.htm#%3d%20W%20%3d
14678. jarg422h.htm#larval%20stage
14679. jarg422h.htm#whitelist
14680. jarg422h.htm#wheel%20wars

14681. jarg422h.htm#%3d%20W%20%3d
14682. jarg422h.htm#K&R
14683. jarg422h.htm#Red%20Book
14684. jarg422h.htm#Green%20Book
14685. jarg422h.htm#Blue%20Book
14686. jarg422h.htm#whizzy
14687. jarg422h.htm#White%20Book
14688. jarg422h.htm#%3d%20W%20%3d
14689. jarg422h.htm#wibble
14690. jarg422h.htm#whitelist
14691. jarg422h.htm#%3d%20W%20%3d
14692. jarg422h.htm#cuspy
14693. jarg422h.htm#WIBNI
14694. jarg422h.htm#whizzy
14695. jarg422h.htm#%3d%20W%20%3d
14696. jarg422h.htm#humma
14697. jarg422h.htm#metasyntactic%20variable
14698. jarg422h.htm#foo
14699. jarg422h.htm#dub%20dub%20dub
14700. jarg422h.htm#widget
14701. jarg422h.htm#wibble
14702. jarg422h.htm#%3d%20W%20%3d
14703. jarg422h.htm#IWBNI
14704. jarg422h.htm#wiggles
14705. jarg422h.htm#WIBNI
14706. jarg422h.htm#%3d%20W%20%3d

14707. jarg422h.htm#X

14708. jarg422h.htm#WIMP%20environment

14709. jarg422h.htm#widget

14710. jarg422h.htm#%3d%20W%20%3d

14711. jarg422h.htm#win

14712. jarg422h.htm#wiggles

14713. jarg422h.htm#%3d%20W%20%3d

14714. jarg422h.htm#X

14715. jarg422h.htm#menuitis

14716. jarg422h.htm#user-obsequious

14717. jarg422h.htm#win%20big

14718. jarg422h.htm#WIMP%20environment

14719. jarg422h.htm#%3d%20W%20%3d

14720. jarg422h.htm#robust

14721. jarg422h.htm#lexer

14722. jarg422h.htm#lose

14723. jarg422h.htm#big%20win

14724. jarg422h.htm#win%20win

14725. jarg422h.htm#win

14726. jarg422h.htm#%3d%20W%20%3d

14727. jarg422h.htm#big%20win

14728. jarg422h.htm#Winchester

14729. jarg422h.htm#win%20big

14730. jarg422h.htm#%3d%20W%20%3d

14731. jarg422h.htm#win

14732. jarg422h.htm#windoid

14733. jarg422h.htm#win%20win

14734. jarg422h.htm#%3d%20W%20%3d
14735. jarg422h.htm#window%20shopping
14736. jarg422h.htm#Winchester
14737. jarg422h.htm#%3d%20W%20%3d
14738. jarg422h.htm#Windoze
14739. jarg422h.htm#windoid
14740. jarg422h.htm#%3d%20W%20%3d
14741. jarg422h.htm#WIMP%20environment
14742. jarg422h.htm#X
14743. jarg422h.htm#fritterware
14744. jarg422h.htm#macdink
14745. jarg422h.htm#winged%20comments
14746. jarg422h.htm#window%20shopping
14747. jarg422h.htm#%3d%20W%20%3d
14748. jarg422h.htm#Microsloth%20Windows
14749. jarg422h.htm#winkey
14750. jarg422h.htm#Windoze
14751. jarg422h.htm#%3d%20W%20%3d
14752. jarg422h.htm#boxed%20comments
14753. jarg422h.htm#winnage
14754. jarg422h.htm#winged%20comments
14755. jarg422h.htm#%3d%20W%20%3d
14756. jarg422h.htm#emoticon
14757. jarg422h.htm#winner
14758. jarg422h.htm#winkey
14759. jarg422h.htm#%3d%20W%20%3d

14760. jarg422h.htm#winnitude
14761. jarg422h.htm#winnage
14762. jarg422h.htm#%3d%20W%20%3d
14763. jarg422h.htm#user
14764. jarg422h.htm#Wintel
14765. jarg422h.htm#winner
14766. jarg422h.htm#%3d%20W%20%3d
14767. jarg422h.htm#winnage
14768. jarg422h.htm#wired
14769. jarg422h.htm#winnitude
14770. jarg422h.htm#%3d%20W%20%3d
14771. jarg422h.htm#Linux
14772. jarg422h.htm#Lintel
14773. jarg422h.htm#wirehead
14774. jarg422h.htm#Wintel
14775. jarg422h.htm#%3d%20W%20%3d
14776. jarg422h.htm#hardwired
14777. jarg422h.htm#wirewater
14778. jarg422h.htm#wired
14779. jarg422h.htm#%3d%20W%20%3d
14780. jarg422h.htm#wish%20list
14781. jarg422h.htm#wirehead
14782. jarg422h.htm#%3d%20W%20%3d
14783. jarg422h.htm#programming%20fluid
14784. jarg422h.htm#within%20delta%20of
14785. jarg422h.htm#wirewater
14786. jarg422h.htm#%3d%20W%20%3d

14787. jarg422h.htm#tick-list%20features

14788. jarg422h.htm#within%20epsilon%20of

14789. jarg422h.htm#wish%20list

14790. jarg422h.htm#%3d%20W%20%3d

14791. jarg422h.htm#delta

14792. jarg422h.htm#wizard

14793. jarg422h.htm#within%20delta%20of

14794. jarg422h.htm#%3d%20W%20%3d

14795. jarg422h.htm#epsilon

14796. jarg422h.htm#Wizard%20Book

14797. jarg422h.htm#within%20epsilon%20of

14798. jarg422h.htm#%3d%20W%20%3d

14799. jarg422h.htm#grok

14800. jarg422h.htm#hacker

14801. jarg422h.htm#wheel

14802. jarg422h.htm#guru

14803. jarg422h.htm#lord%20high%20fixer

14804. jarg422h.htm#deep%20magic

14805. jarg422h.htm#heavy%20wizardry

14806. jarg422h.htm#incantation

14807. jarg422h.htm#magic

14808. jarg422h.htm#mutter

14809. jarg422h.htm#rain%20dance

14810. jarg422h.htm#voodoo%20programming

14811. jarg422h.htm#wave%20a%20dead%20chicken

14812. jarg422h.htm#wizard%20hat

14813. jarg422h.htm#wizard

14814. jarg422h.htm#%3d%20W%20%3d

14815. jarg422h.htm#bible

14816. jarg422h.htm#Purple%20Book

14817. jarg422h.htm#wizard%20mode

14818. jarg422h.htm#Wizard%20Book

14819. jarg422h.htm#%3d%20W%20%3d

14820. jarg422h.htm#wizard

14821. jarg422h.htm#patch%20pumpkin

14822. jarg422h.htm#wizardly

14823. jarg422h.htm#wizard%20hat

14824. jarg422h.htm#%3d%20W%20%3d

14825. jarg422h.htm#rogue

14826. jarg422h.htm#wok-on-the-wall

14827. jarg422h.htm#wizard%20mode

14828. jarg422h.htm#%3d%20W%20%3d

14829. jarg422h.htm#feature

14830. jarg422h.htm#womb%20box

14831. jarg422h.htm#wizardly

14832. jarg422h.htm#%3d%20W%20%3d

14833. jarg422h.htm#WOMBAT

14834. jarg422h.htm#wok-on-the-wall

14835. jarg422h.htm#%3d%20W%20%3d

14836. jarg422h.htm#womble

14837. jarg422h.htm#womb%20box

14838. jarg422h.htm#%3d%20W%20%3d

14839. jarg422h.htm#uninteresting

14840. jarg422h.htm#crawling%20horror

14841. jarg422h.htm#SMOP

14842. jarg422h.htm#Commonwealth%20Hackish

14843. jarg422h.htm#wonky

14844. jarg422h.htm#WOMBAT

14845. jarg422h.htm#%3d%20W%20%3d

14846. jarg422h.htm#luser

14847. jarg422h.htm#woofer

14848. jarg422h.htm#womble

14849. jarg422h.htm#%3d%20W%20%3d

14850. jarg422h.htm#broken

14851. jarg422h.htm#funky

14852. jarg422h.htm#demented

14853. jarg422h.htm#bozotic

14854. jarg422h.htm#workaround

14855. jarg422h.htm#wonky

14856. jarg422h.htm#%3d%20W%20%3d

14857. jarg422h.htm#tweeter

14858. jarg422h.htm#working%20as%20designed

14859. jarg422h.htm#woofer

14860. jarg422h.htm#%3d%20W%20%3d

14861. jarg422h.htm#kluge

14862. jarg422h.htm#bug

14863. jarg422h.htm#misfeature

14864. jarg422h.htm#fix

14865. jarg422h.htm#crash

14866. jarg422h.htm#cruft

14867. jarg422h.htm#worm

14868. jarg422h.htm#workaround

14869. jarg422h.htm#%3d%20W%20%3d

14870. jarg422h.htm#IBM

14871. jarg422h.htm#BAD

14872. jarg422h.htm#wormhole

14873. jarg422h.htm#working%20as%20designed

14874. jarg422h.htm#%3d%20W%20%3d

14875. jarg422h.htm#virus

14876. jarg422h.htm#cracker

14877. jarg422h.htm#Great%20Worm

14878. jarg422h.htm#cracker

14879. jarg422h.htm#RTM

14880. jarg422h.htm#Trojan%20horse

14881. jarg422h.htm#ice

14882. jarg422h.htm#wound%20around%20the%20axle

14883. jarg422h.htm#worm

14884. jarg422h.htm#%3d%20W%20%3d

14885. jarg422h.htm#gopher%20hole

14886. jarg422h.htm#wrap%20around

14887. jarg422h.htm#wormhole

14888. jarg422h.htm#%3d%20W%20%3d

14889. jarg422h.htm#write-only%20code

14890. jarg422h.htm#wound%20around%20the%20axle

14891. jarg422h.htm#%3d%20W%20%3d

14892. jarg422h.htm#infinity

14893. jarg422h.htm#phase

14894. jarg422h.htm#phase-wrapping

14895. jarg422h.htm#write-only%20language

14896. jarg422h.htm#wrap%20around

14897. jarg422h.htm#%3d%20W%20%3d

14898. jarg422h.htm#Bad%20Thing

14899. jarg422h.htm#write-only%20memory

14900. jarg422h.htm#write-only%20code

14901. jarg422h.htm#%3d%20W%20%3d

14902. jarg422h.htm#write-only%20code

14903. jarg422h.htm#INTERCAL

14904. jarg422h.htm#TECO

14905. jarg422h.htm#Befunge

14906. jarg422h.htm#Wrong%20Thing

14907. jarg422h.htm#write-only%20language

14908. jarg422h.htm#%3d%20W%20%3d

14909. jarg422h.htm#management

14910. jarg422h.htm#wugga%20wugga

14911. jarg422h.htm#write-only%20memory

14912. jarg422h.htm#%3d%20W%20%3d

14913. jarg422h.htm#Right%20Thing

14914. jarg422h.htm#wumpus

14915. jarg422h.htm#Wrong%20Thing

14916. jarg422h.htm#%3d%20W%20%3d

14917. jarg422h.htm#grind

14918. jarg422h.htm#WYSIAYG

14919. jarg422h.htm#wugga%20wugga
14920. jarg422h.htm#%3d%20W%20%3d
14921. jarg422h.htm#ADVENT
14922. jarg422h.htm#ADVENT
14923. jarg422h.htm#Zork
14924. http://www.ccil.org/retro
14925. jarg422h.htm#WYSIWYG
14926. jarg422h.htm#wumpus
14927. jarg422h.htm#%3d%20W%20%3d
14928. jarg422h.htm#WYSIWYG
14929. jarg422h.htm#TeX
14930. jarg422h.htm#troff
14931. jarg422h.htm#YAFIYGI
14932. jarg422h.htm#X
14933. jarg422h.htm#WYSIAYG
14934. jarg422h.htm#%3d%20W%20%3d
14935. jarg422h.htm#user-friendly
14936. jarg422h.htm#WYSIAYG
14937. jarg422h.htm#EMACS
14938. jarg422h.htm#TECO
14939. jarg422h.htm#WIMP%20environment
14940. jarg422h.htm#%3d%20Y%20%3d
14941. jarg422h.htm#%3d%20W%20%3d
14942. jarg422h.htm#The%20Jargon%20Lexicon
14943. jarg422h.htm#X
14944. jarg422h.htm#XEROX%20PARC
14945. jarg422h.htm#XOFF

14946. jarg422h.htm#XON

14947. jarg422h.htm#xor

14948. jarg422h.htm#xref

14949. jarg422h.htm#XXX

14950. jarg422h.htm#xyzzy

14951. jarg422h.htm#XEROX%20PARC

14952. jarg422h.htm#WYSIWYG

14953. jarg422h.htm#%3d%20X%20%3d

14954. jarg422h.htm#N

14955. jarg422h.htm#glob

14956. jarg422h.htm#XOFF

14957. jarg422h.htm#X

14958. jarg422h.htm#%3d%20X%20%3d

14959. jarg422h.htm#suit

14960. jarg422h.htm#XON

14961. jarg422h.htm#XEROX%20PARC

14962. jarg422h.htm#%3d%20X%20%3d

14963. jarg422h.htm#control-S

14964. jarg422h.htm#xor

14965. jarg422h.htm#XOFF

14966. jarg422h.htm#%3d%20X%20%3d

14967. jarg422h.htm#control-Q

14968. jarg422h.htm#xref

14969. jarg422h.htm#XON

14970. jarg422h.htm#%3d%20X%20%3d

14971. jarg422h.htm#XXX

14972. jarg422h.htm#xor

14973. jarg422h.htm#%3d%20X%20%3d

14974. jarg422h.htm#xyzyz

14975. jarg422h.htm#xref

14976. jarg422h.htm#%3d%20X%20%3d

14977. jarg422h.htm#FIXME

14978. jarg422h.htm#YA-

14979. jarg422h.htm#XXX

14980. jarg422h.htm#%3d%20X%20%3d

14981. jarg422h.htm#canonical

14982. jarg422h.htm#ADVENT

14983. jarg422h.htm#magic

14984. jarg422h.htm#Easter%20egg

14985. jarg422h.htm#ADVENT

14986. ProjectGutenberg

14987. theXYZZYpage

14988. jarg422h.htm#%3d%20Z%20%3d

14989. jarg422h.htm#%3d%20X%20%3d

14990. jarg422h.htm#The%20Jargon%20Lexicon

14991. jarg422h.htm#YA-

14992. jarg422h.htm#YABA

14993. jarg422h.htm#YAFIYGI

14994. jarg422h.htm#YAUN

14995. jarg422h.htm#Yellow%20Book

14996. jarg422h.htm#yellow%20card

14997. jarg422h.htm#yellow%20wire

14998. jarg422h.htm#Yet%20Another

14999. jarg422h.htm#YHBT

15000. jarg422h.htm#YKYBHTLW

15001. jarg422h.htm#YMMV

15002. jarg422h.htm#You%20are%20not%20expected%20to%20understand%20this

15003. jarg422h.htm#You%20know%20you've%20been%20hacking%20too%20long%20when

15004. jarg422h.htm#Your%20mileage%20may%20vary

15005. jarg422h.htm#Yow!

15006. jarg422h.htm#yoyo%20mode

15007. jarg422h.htm#Yu-Shiang%20Whole%20Fish

15008. jarg422h.htm#YABA

15009. jarg422h.htm#xyzy

15010. jarg422h.htm#%3d%20Y%20%3d

15011. jarg422h.htm#Yet%20Another

15012. jarg422h.htm#YABA

15013. jarg422h.htm#YAFIYGI

15014. jarg422h.htm#YA-

15015. jarg422h.htm#%3d%20Y%20%3d

15016. jarg422h.htm#TLA

15017. jarg422h.htm#YAUN

15018. jarg422h.htm#YABA

15019. jarg422h.htm#%3d%20Y%20%3d

15020. jarg422h.htm#WYSIWYG

15021. jarg422h.htm#Real%20Programmer

15022. jarg422h.htm#Yellow%20Book

15023. jarg422h.htm#YAFIYGI

15024. jarg422h.htm#%3d%20Y%20%3d

15025. jarg422h.htm#yellow%20card

15026. jarg422h.htm#YAUN

15027. jarg422h.htm#%3d%20Y%20%3d

15028. jarg422h.htm#yellow%20wire

15029. jarg422h.htm#Yellow%20Book

15030. jarg422h.htm#%3d%20Y%20%3d

15031. jarg422h.htm#green%20card

15032. jarg422h.htm#Yet%20Another

15033. jarg422h.htm#yellow%20card

15034. jarg422h.htm#%3d%20Y%20%3d

15035. jarg422h.htm#blue%20wire

15036. jarg422h.htm#purple%20wire

15037. jarg422h.htm#red%20wire

15038. jarg422h.htm#YHBT

15039. jarg422h.htm#yellow%20wire

15040. jarg422h.htm#%3d%20Y%20%3d

15041. jarg422h.htm#YA-

15042. jarg422h.htm#YABA

15043. jarg422h.htm#YAUN

15044. jarg422h.htm#YKYBHTLW

15045. jarg422h.htm#Yet%20Another

15046. jarg422h.htm#%3d%20Y%20%3d

15047. jarg422h.htm#troll

15048. jarg422h.htm#YMMV

15049. jarg422h.htm#YHBT

15050. jarg422h.htm#%3d%20Y%20%3d

15051. jarg422h.htm#You%20are%20not%20expected%20to%20understand%20this

15052. jarg422h.htm#YKYBHTLW

15053. jarg422h.htm#%3d%20Y%20%3d

15054. jarg422h.htm#Your%20mileage%20may%20vary

15055. jarg422h.htm#You%20know%20you've%20been%20hacking%20too%20long%20when

15056. jarg422h.htm#YMMV

15057. jarg422h.htm#%3d%20Y%20%3d

15058. jarg422h.htm#magic

15059. <http://cm.bell-labs.com/cm/cs/who/dmr/odd.html>

15060. jarg422h.htm#Your%20mileage%20may%20vary

15061. jarg422h.htm#You%20are%20not%20expected%20to%20understand%20this

15062. jarg422h.htm#%3d%20Y%20%3d

15063. jarg422h.htm#network%20address

15064. jarg422h.htm#SO

15065. jarg422h.htm#priority%20interrupt

15066. <http://albrecht.ecn.purdue.edu/~taylor/humor/hack.html>

15067. jarg422h.htm#Yow!

15068. jarg422h.htm#You%20know%20you've%20been%20hacking%20too%20long%20when

15069. jarg422h.htm#%3d%20Y%20%3d

15070. jarg422h.htm#yoyo%20mode

15071. jarg422h.htm#Your%20mileage%20may%20vary

15072. jarg422h.htm#%3d%20Y%20%3d

15073. jarg422h.htm#gurfle

15074. jarg422h.htm#Yu-Shiang%20Whole%20Fish

15075. jarg422h.htm#Yow!

15076. jarg422h.htm#%3d%20Y%20%3d

15077. jarg422h.htm#zap

15078. jarg422h.htm#yoyo%20mode

15079. jarg422h.htm#%3d%20Y%20%3d

15080. jarg422h.htm#parse

15081. jarg422h.htm#%3d%20Y%20%3d

15082. jarg422h.htm#The%20Jargon%20Lexicon

15083. jarg422h.htm#zap

15084. jarg422h.htm#zapped

15085. jarg422h.htm#Zawinski's%20Law

15086. jarg422h.htm#zbeba

15087. jarg422h.htm#zen

15088. jarg422h.htm#zero

15089. jarg422h.htm#zero-content

15090. jarg422h.htm#Zero-One-Infinity%20Rule

15091. jarg422h.htm#zeroth

15092. jarg422h.htm#zigamorph

15093. jarg422h.htm#zip

15094. jarg422h.htm#zipperhead

15095. jarg422h.htm#zombie

15096. jarg422h.htm#zorch

15097. jarg422h.htm#Zork

15098. jarg422h.htm#zorkmid

15099. jarg422h.htm#zapped

15100. jarg422h.htm#Yu-Shiang%20Whole%20Fish

15101. jarg422h.htm#%3d%20Z%20%3d

15102. jarg422h.htm#zapped

15103. jarg422h.htm#fry

15104. jarg422h.htm#Zawinski's%20Law

15105. jarg422h.htm#zap

15106. jarg422h.htm#%3d%20Z%20%3d

15107. jarg422h.htm#vanilla

15108. jarg422h.htm#oriental%20food

15109. jarg422h.htm#laser%20chicken

15110. jarg422h.htm#zap

15111. jarg422h.htm#zbeba

15112. jarg422h.htm#zapped

15113. jarg422h.htm#%3d%20Z%20%3d

15114. jarg422h.htm#zen

15115. jarg422h.htm#Zawinski's%20Law

15116. jarg422h.htm#%3d%20Z%20%3d

15117. jarg422h.htm#rot13

15118. jarg422h.htm#zero

15119. jarg422h.htm#zbeba

15120. jarg422h.htm#%3d%20Z%20%3d

15121. jarg422h.htm#grok

15122. jarg422h.htm#hack%20mode

15123. jarg422h.htm#guru

15124. jarg422h.htm#zero-content

15125. jarg422h.htm#zen

15126. jarg422h.htm#%3d%20Z%20%3d

15127. jarg422h.htm#scribble

15128. jarg422h.htm#Zero-One-Infinity%20Rule

15129. jarg422h.htm#zero

15130. jarg422h.htm#%3d%20Z%20%3d

15131. jarg422h.htm#content-free

15132. jarg422h.htm#zeroth

15133. jarg422h.htm#zero-content

15134. jarg422h.htm#%3d%20Z%20%3d

15135. jarg422h.htm#foo

15136. jarg422h.htm#foo

15137. jarg422h.htm#foo

15138. jarg422h.htm#random

15139. jarg422h.htm#infinity

15140. jarg422h.htm#zigamorph

15141. jarg422h.htm#Zero-One-Infinity%20Rule

15142. jarg422h.htm#%3d%20Z%20%3d

15143. jarg422h.htm#K&R

15144. jarg422h.htm#fencepost%20error

15145. jarg422h.htm#zip

15146. jarg422h.htm#zeroth

15147. jarg422h.htm#%3d%20Z%20%3d

15148. jarg422h.htm#fence

15149. jarg422h.htm#elvish

15150. jarg422h.htm#zipperhead

15151. jarg422h.htm#zigamorph

15152. jarg422h.htm#%3d%20Z%20%3d

15153. jarg422h.htm#tar%20and%20feather

15154. jarg422h.htm#zombie

15155. jarg422h.htm#zip

15156. jarg422h.htm#%3d%20Z%20%3d

15157. jarg422h.htm#zorch

15158. jarg422h.htm#zipperhead

15159. jarg422h.htm#%3d%20Z%20%3d

15160. jarg422h.htm#orphan

15161. jarg422h.htm#Zork

15162. jarg422h.htm#zombie

15163. jarg422h.htm#%3d%20Z%20%3d

15164. jarg422h.htm#punt

15165. jarg422h.htm#zorkmid

15166. jarg422h.htm#zorch

15167. jarg422h.htm#%3d%20Z%20%3d

15168. jarg422h.htm#ADVENT

15169. jarg422h.htm#retrocomputing

15170. jarg422h.htm#Infocom

15171. jarg422h.htm#grue

15172. jarg422h.htm#Zork

15173. jarg422h.htm#%3d%20Z%20%3d

15174. jarg422h.htm#Zork

15175. jarg422h.htm#nethack

15176. jarg422h.htm#Appendix%20B

15177. jarg422h.htm#The%20Jargon%20Lexicon

15178. jarg422h.htm#Top

15179. jarg422h.htm#The%20Meaning%20of%20Hack

15180. jarg422h.htm#TV%20Typewriters

15181. jarg422h.htm#A%20Story%20About%20Magic

15182. jarg422h.htm#Some%20AI%20Koans

15183. jarg422h.htm#OS%20and%20JEDGAR

15184. [jarg422h.htm#The%20Story%20of%20Mel](#)

15185. [jarg422h.htm#TV%20Typewriters](#)

15186. [jarg422h.htm#Appendix%20A](#)

15187. [jarg422h.htm#Appendix%20A](#)

15188. [jarg422h.htm#hack](#)

15189. [jarg422h.htm#hack](#)

15190. [jarg422h.htm#random](#)

15191. [jarg422h.htm#hack](#)

15192. [jarg422h.htm#pseudo](#)

15193. [jarg422h.htm#kgbvax](#)

15194. [jarg422h.htm#FOAF](#)

15195. <http://hacks.mit.edu/Hacks/Gallery.html>

15196. [jarg422h.htm#walking%20drives](#)

15197. [jarg422h.htm#lace%20card](#)

15198. [jarg422h.htm#gun](#)

15199. [jarg422h.htm#A%20Story%20About%20Magic](#)

15200. [jarg422h.htm#The%20Meaning%20of%20Hack](#)

15201. [jarg422h.htm#Appendix%20A](#)

15202. [jarg422h.htm#hack](#)

15203. [jarg422h.htm#droid](#)

15204. [jarg422h.htm#Some%20AI%20Koans](#)

15205. [jarg422h.htm#TV%20Typewriters](#)

15206. [jarg422h.htm#Appendix%20A](#)

15207. [jarg422h.htm#dike](#)

15208. [jarg422h.htm#magic](#)

15209. [jarg422h.htm#OS%20and%20JEDGAR](#)

15210. [jarg422h.htm#A%20Story%20About%20Magic](#)

15211. [jarg422h.htm#Appendix%20A](#)

15212. [jarg422h.htm#The%20Story%20of%20Mel](#)

15213. [jarg422h.htm#Some%20AI%20Koans](#)

15214. [jarg422h.htm#Appendix%20A](#)

15215. [jarg422h.htm#gun](#)

15216. [jarg422h.htm#luser](#)

15217. [jarg422h.htm#OS%20and%20JEDGAR](#)

15218. [jarg422h.htm#Appendix%20A](#)

15219. <mailto:utastrolnather>

15220. [jarg422h.htm#Real%20Programmer](#)

15221. [jarg422h.htm#Appendix%20C](#)

15222. [jarg422h.htm#Appendix%20A](#)

15223. [jarg422h.htm#Top](#)

15224. [jarg422h.htm#General%20Appearance](#)

15225. [jarg422h.htm#Dress](#)

15226. [jarg422h.htm#Reading%20Habits](#)

15227. [jarg422h.htm#Other%20Interests](#)

15228. [jarg422h.htm#Physical%20Activity%20and%20Sports](#)

15229. [jarg422h.htm#Education](#)

15230. [jarg422h.htm#Things%20Hackers%20Detest%20and%20Avoid](#)

15231. [jarg422h.htm#Food](#)

15232. [jarg422h.htm#Politics](#)

15233. [jarg422h.htm#Gender%20and%20Ethnicity](#)

15234. [jarg422h.htm#Religion](#)

15235. [jarg422h.htm#Ceremonial%20Chemicals](#)

15236. [jarg422h.htm#Communication%20Style](#)

15237. jarg422h.htm#Geographical%20Distribution

15238. jarg422h.htm#Sexual%20Habits

15239. jarg422h.htm#Personality%20Characteristics

15240. jarg422h.htm#Weaknesses%20of%20the%20Hacker%20Personality

15241. jarg422h.htm#Miscellaneous

15242. jarg422h.htm#Dress

15243. jarg422h.htm#Appendix%20B

15244. jarg422h.htm#Reading%20Habits

15245. jarg422h.htm#General%20Appearance

15246. jarg422h.htm#Appendix%20B

15247. jarg422h.htm#Other%20Interests

15248. jarg422h.htm#Dress

15249. jarg422h.htm#Appendix%20B

15250. jarg422h.htm#wannabee

15251. jarg422h.htm#Physical%20Activity%20and%20Sports

15252. jarg422h.htm#Reading%20Habits

15253. jarg422h.htm#Appendix%20B

15254. jarg422h.htm#Education

15255. jarg422h.htm#Other%20Interests

15256. jarg422h.htm#Appendix%20B

15257. jarg422h.htm#Things%20Hackers%20Detest%20and%20Avoid

15258. jarg422h.htm#Physical%20Activity%20and%20Sports

15259. jarg422h.htm#Appendix%20B

15260. jarg422h.htm#Food

15261. jarg422h.htm#Education

15262. jarg422h.htm#Appendix%20B

15263. jarg422h.htm#Politics

15264. jarg422h.htm#Things%20Hackers%20Detest%20and%20Avoid

15265. jarg422h.htm#Appendix%20B

15266. jarg422h.htm#Gender%20and%20Ethnicity

15267. jarg422h.htm#Food

15268. jarg422h.htm#Appendix%20B

15269. jarg422h.htm#Religion

15270. jarg422h.htm#Politics

15271. jarg422h.htm#Appendix%20B

15272. jarg422h.htm#Food

15273. jarg422h.htm#Ceremonial%20Chemicals

15274. jarg422h.htm#Gender%20and%20Ethnicity

15275. jarg422h.htm#Appendix%20B

15276. jarg422h.htm#Communication%20Style

15277. jarg422h.htm#Religion

15278. jarg422h.htm#Appendix%20B

15279. jarg422h.htm#on%20the%20gripping%20hand

15280. jarg422h.htm#Geographical%20Distribution

15281. jarg422h.htm#Ceremonial%20Chemicals

15282. jarg422h.htm#Appendix%20B

15283. jarg422h.htm#Sexual%20Habits

15284. jarg422h.htm#Communication%20Style

15285. jarg422h.htm#Appendix%20B

15286. jarg422h.htm#Personality%20Characteristics

15287. jarg422h.htm#Geographical%20Distribution

15288. jarg422h.htm#Appendix%20B

15289. jarg422h.htm#Weaknesses%20of%20the%20Hacker%20Personality

15290. jarg422h.htm#Sexual%20Habits

15291. jarg422h.htm#Appendix%20B

15292. jarg422h.htm#Miscellaneous

15293. jarg422h.htm#Personality%20Characteristics

15294. jarg422h.htm#Appendix%20B

15295. jarg422h.htm#Right%20Thing

15296. jarg422h.htm#ITS

15297. jarg422h.htm#Unix

15298. jarg422h.htm#VMS

15299. jarg422h.htm#MS-DOS

15300. jarg422h.htm#Usenet

15301. jarg422h.htm#bandwidth

15302. jarg422h.htm#ADVENT

15303. jarg422h.htm#Zork

15304. jarg422h.htm#MUD

15305. jarg422h.htm#IRC

15306. jarg422h.htm#holy%20wars

15307. jarg422h.htm#EMACS

15308. jarg422h.htm#vi

15309. jarg422h.htm#big-endian

15310. jarg422h.htm#little-endian

15311. jarg422h.htm#computer%20geek

15312. jarg422h.htm#Weaknesses%20of%20the%20Hacker%20Personality

15313. jarg422h.htm#